



Open Source Used In [talos] CUA: urlscanio-engine-go git-7fe5955-7

Cisco Systems, Inc.

www.cisco.com

Cisco has more than 200 offices worldwide.
Addresses, phone numbers, and fax numbers
are listed on the Cisco website at
www.cisco.com/go/offices.

Text Part Number: 78EE117C99-2124545317

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).

In your requests please include the following reference number 78EE117C99-2124545317

Contents

1.1 perks 1.0.1

1.1.1 Available under license

1.2 go-jmespath 0.4.0

1.2.1 Available under license

1.3 dgryski-go-rendezvous 0.0.0-20200823014737-9f7001d12a5f

1.3.1 Available under license

1.4 kelseyhightower-envconfig 1.4.0

1.4.1 Available under license

1.5 errwrap 1.1.0

1.5.1 Available under license

1.6 go-rootcerts 1.0.2

1.6.1 Available under license

1.7 go-multierror 1.1.1

1.7.1 Available under license

1.8 alpine-keys 2.4-r1

1.8.1 Available under license

1.9 backoff 3.2.2

1.9.1 Available under license

1.10 mitchellh-mapstructure 1.5.0

1.10.1 Available under license

1.11 go-zookeeper 0.0.0-20201211165307-7117e9ea2414

1.11.1 Available under license

1.12 go-colorable 0.1.13

1.12.1 Available under license

1.13 github.com/viney-shih/go-lock 1.1.2

1.13.1 Available under license

1.14 viney-shih-go-lock 1.1.2

1.14.1 Available under license

1.15 hashicorp-serf 0.10.1

1.15.1 Available under license

1.16 zstd 1.2.13

1.16.1 Available under license

1.17 go-systemd 22.5.0

1.17.1 Available under license

1.18 gogo-protobuf 1.3.2

1.18.1 Available under license

1.19 hashicorp-go-cleanhttp 0.5.2

1.19.1 Available under license

1.20 githubcommitchehlhmapstructure 1.5.0

1.20.1 Available under license

1.21 cenkalti-backoff-v3 3.2.2

1.21.1 Available under license

1.22 libc-utils 0.7.2-r5

1.22.1 Available under license

1.23 tre 0.8.0-r2

1.23.1 Available under license

1.24 pax-utils 1.3.7-r2

1.24.1 Available under license

1.25 mattn-go-isatty 0.0.20

1.25.1 Available under license

1.26 musl 1.2.4_git20230717-r4

1.26.1 Available under license

1.27 openssl 3.0.12

1.27.1 Available under license

1.28 alpine-baselayout 3.4.3-r2

1.28.1 Available under license

1.29 musl-utils 1.2.4_git20230717-r4

1.29.1 Available under license

1.30 coreos-semver 0.3.1

1.30.1 Available under license

1.31 zlib 1.3.1-r0

1.31.1 Available under license

1.32 zlib 1.2.13

1.32.1 Available under license

1.33 busybox 1.36.1-r19

- 1.33.1 Available under license
- 1.34 busybox 1.36.1**
 - 1.34.1 Available under license
- 1.35 alpine-baselayout-data 3.4.3-r2**
 - 1.35.1 Available under license
- 1.36 golang-lru 1.0.2**
 - 1.36.1 Available under license
- 1.37 zap 1.27.0**
 - 1.37.1 Available under license
- 1.38 ca-certificates 20240226-r0**
 - 1.38.1 Available under license
- 1.39 go-uber-org-zap 1.27.0**
 - 1.39.1 Available under license
- 1.40 githubcomgolangprotobuf 1.5.4**
 - 1.40.1 Available under license
- 1.41 aws-smithy-go 1.20.2**
 - 1.41.1 Available under license
- 1.42 x-sync 0.7.0**
 - 1.42.1 Available under license
- 1.43 apk-tools 2.14.4-r0**
 - 1.43.1 Available under license
- 1.44 ca-certificates-bundle 20240226-r0**
 - 1.44.1 Available under license
- 1.45 scanelf 1.3.7-r2**
 - 1.45.1 Available under license
- 1.46 xxhash 2.3.0**
 - 1.46.1 Available under license
- 1.47 armon-go-metrics 0.4.1**
 - 1.47.1 Available under license
- 1.48 githubcommattnngocolorable 0.1.13**
 - 1.48.1 Available under license
- 1.49 githubcommattnngoisatty 0.0.20**
 - 1.49.1 Available under license
- 1.50 go-hclog 1.6.3**
 - 1.50.1 Available under license
- 1.51 go-uber-org-multierr 1.11.0**
 - 1.51.1 Available under license
- 1.52 hashicorp-go-immutable-radix 1.3.1**
 - 1.52.1 Available under license

1.53 go-rendezvous 0.0.0-20200823014737-9f7001d12a5f

1.53.1 Available under license

1.54 github.com/coreos/go-systemd/v22 22.5.0

1.54.1 Available under license

1.55 coreos-go-semver 0.3.1

1.55.1 Available under license

1.56 hashicorp-golang-lru 1.0.2

1.56.1 Available under license

1.57 github.com/aws/smithy-go 1.20.2

1.57.1 Available under license

1.58 github.com/aws/aws-sdk-go-v2/service/internal/accept-encoding 1.11.2

1.58.1 Available under license

1.59 sirupsen-logrus 1.9.3

1.59.1 Available under license

1.60 pq 1.10.9

1.60.1 Available under license

1.61 serf 0.10.1

1.61.1 Available under license

1.62 go-immutable-radix 1.3.1

1.62.1 Available under license

1.63 golang 1.22.3

1.63.1 Notifications

1.63.2 Available under license

1.64 github.com/confluentinc/confluent-kafka-go/v2 2.4.0

1.64.1 Available under license

1.65 confluentinc-confluent-kafka-go 2.4.0

1.65.1 Available under license

1.66 grpc-go 1.64.0

1.66.1 Available under license

1.67 color 1.17.0

1.67.1 Available under license

1.68 etcd 3.5.14

1.68.1 Available under license

1.69 x-sys 0.21.0

1.69.1 Available under license

1.70 x-net 0.26.0

1.70.1 Available under license

1.71 common 0.54.0

1.71.1 Available under license

1.72 prometheus-common 0.54.0

1.72.1 Available under license

1.73 prometheus-procfs 0.15.1

1.73.1 Available under license

1.74 x-text 0.16.0

1.74.1 Available under license

1.75 go-retryablehttp 0.7.7

1.75.1 Available under license

1.76 hashicorp-consul-api 1.29.1

1.76.1 Available under license

1.77 x-exp 0.0.0-20240604190554-fc45aab8b7f8

1.77.1 Available under license

1.78 genproto-googleapis-rpc 0.0.0-20240610135401-a8a62080eff3

1.78.1 Available under license

1.79 genproto-googleapis-api 0.0.0-20240610135401-a8a62080eff3

1.79.1 Available under license

1.80 etcd-client 3.5.14

1.80.1 Available under license

1.81 etcd-client-pkg 3.5.14

1.81.1 Available under license

1.82 consul-api 1.29.1

1.82.1 Available under license

1.83 mennanov-limiters 1.6.0

1.83.1 Available under license

1.84 google.golang.org/genproto/googleapis/rpc 0.0.0-20240610135401-a8a62080eff3

1.84.1 Available under license

1.85 github.com/aws/aws-sdk-go-v2/internal/endpoints/v2 2.6.9

1.85.1 Available under license

1.86 github.com/mennanov/limiters 1.6.0

1.86.1 Available under license

1.87 go.etcd.io/etcd/client/pkg/v3 3.5.14

1.87.1 Available under license

1.88 thanhpk-randstr 1.0.6

1.88.1 Available under license

1.89 alessandro-c-gomemcached-lock 1.0.0

1.89.1 Available under license

1.90 aws-aws-sdk-go-v2-internal-configsources 1.3.9

1.90.1 Available under license

1.91 github.com/thanhpk/randstr 1.0.6

1.91.1 Available under license

1.92 [aws-aws-sdk-go-v2-internal-endpoints](#) 2.6.9

1.92.1 Available under license

1.93 github.com/redis/go-redis/v9 9.5.3

1.93.1 Available under license

1.94 [golang-org-x-exp](#) 0.0.0-20240604190554-fc45aab8b7f8

1.94.1 Available under license

1.95 [gomemcache](#) 0.0.0-20230905024940-24af94b03874

1.95.1 Available under license

1.96 [go-redsync-redsync](#) 4.13.0

1.96.1 Available under license

1.97 [aws-aws-sdk-go-v2-service-internal-endpoint-discovery](#) 1.9.10

1.97.1 Available under license

1.98 github.com/aws/aws-sdk-go-v2/service/internal/endpoint-discovery 1.9.10

1.98.1 Available under license

1.99 github.com/alessandro-c/gomemcached-lock 1.0.0

1.99.1 Available under license

1.100 [aws-aws-sdk-go-v2](#) 1.32.8

1.100.1 Available under license

1.101 github.com/aws/aws-sdk-go-v2/service/dynamodbstreams 1.20.10

1.101.1 Available under license

1.102 github.com/aws/aws-sdk-go-v2/service/dynamodb 1.32.8

1.102.1 Available under license

1.103 [redis-go-redis](#) 9.5.3

1.103.1 Available under license

1.104 [google-golang-org-genproto-googleapis-api](#) 0.0.0-20240610135401-a8a62080eff3

1.104.1 Available under license

1.105 go.etcd.io/etcd/api/v3 3.5.14

1.105.1 Available under license

1.106 github.com/go-redsync/redsync/v4 4.13.0

1.106.1 Available under license

1.107 github.com/aws/aws-sdk-go-v2/feature/dynamodb/attributevalue 1.14.1

1.107.1 Available under license

1.108 go.etcd.io/etcd/client/v3 3.5.14

1.108.1 Available under license

1.109 github.com/aws/aws-sdk-go-v2/internal/configsources 1.3.9

1.109.1 Available under license

- 1.110 prometheus-client 1.19.1**
 - 1.110.1 Available under license
- 1.111 openssl 3.1.6-r2**
 - 1.111.1 Available under license
- 1.112 goprotobuf 1.5.4**
 - 1.112.1 Available under license
- 1.113 libcrypto3 3.1.6-r2**
 - 1.113.1 Available under license
- 1.114 ssl-client 1.36.1-r19**
 - 1.114.1 Available under license
- 1.115 libssl3 3.1.6-r2**
 - 1.115.1 Available under license
- 1.116 protobuf 1.34.2**
 - 1.116.1 Available under license
- 1.117 clientmodel 0.6.1**
 - 1.117.1 Available under license
- 1.118 google-golang-org-grpc 1.64.0**
 - 1.118.1 Available under license
- 1.119 lib-pq 1.10.9**
 - 1.119.1 Available under license
- 1.120 cJSON 1.7.18-r0**
 - 1.120.1 Notifications
 - 1.120.2 Available under license
- 1.121 librdkafka 2.6.1-r0**
 - 1.121.1 Notifications
 - 1.121.2 Available under license
- 1.122 lz4 1.10.0-r0**
 - 1.122.1 Available under license
- 1.123 procfs 0.15.1**
 - 1.123.1 Available under license
- 1.124 go-cleanhttp 0.5.2**
 - 1.124.1 Available under license
- 1.125 errors 0.9.1**
 - 1.125.1 Available under license
- 1.126 curl 8.12.1-r1**
 - 1.126.1 Available under license
- 1.127 prometheus-client-model 0.6.1**
 - 1.127.1 Available under license
- 1.128 logrus 1.9.3**

1.128.1 Available under license
1.129 go-redis-redis 9.7.1
1.129.1 Available under license

1.1 perks 1.0.1

1.1.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc., <<http://fsf.org/>>
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and

(2) offer you
this license which gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License

along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under

the scope
of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under

this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to

the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,

REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
{description}  
Copyright (C) {year} {fullname}
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type
`show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

{signature of Ty Coon}, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public
License instead of this License.

1.2 go-jmespath 0.4.0

1.2.1 Available under license :

MIT License

Copyright (c) 2012-2018 Mat Ryer and Tyler Bunnell

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2015 James Saryerwinnie

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.3 dgryski-go-rendezvous 0.0.0-20200823014737-9f7001d12a5f

1.3.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017-2020 Damian Gryski <damian@gryski.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

1.4 kelseyhightower-envconfig 1.4.0

1.4.1 Available under license :

Copyright (c) 2013 Kelsey Hightower

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.5 errwrap 1.1.0

1.5.1 Available under license :

Mozilla Public License, version 2.0

1. Definitions

1.1. Contributor

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. Contributor Version

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. Contribution

means Covered Software of a particular Contributor.

1.4. Covered Software

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. Incompatible With Secondary Licenses

means

a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. Executable Form

means any form of the work other than Source Code Form.

1.7. Larger Work

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. License

means this document.

1.9. Licensable

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. Modifications

means any of the following:

a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

b. any new file in Source Code Form that contains any Covered Software.

1.11. Patent Claims of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. Secondary License

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. Source Code Form

means the form of the work preferred for making modifications.

1.14. You (or Your)

means an individual or a legal entity exercising rights under this License. For legal entities, You includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3.

Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent

Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations

of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent

infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections

5.1 or 5.2 above, all end user

license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an as is basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall

prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v.

2.0. If a copy of the MPL was not distributed with this file, You can

obtain one at
<http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then
You may include the notice in a location (such as a LICENSE file in a relevant
directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - Incompatible With Secondary Licenses Notice

This Source Code Form is Incompatible
With Secondary Licenses, as defined by
the Mozilla Public License, v. 2.0.

1.6 go-rootcerts 1.0.2

1.6.1 Available under license :

Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the
creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a
Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the
notice in Exhibit A, the Executable Form of such Source Code Form, and
Modifications of such Source Code Form, in each case including portions
thereof.

1.5. "Incompatible With Secondary Licenses"

means

a. that the initial Contributor has attached the notice described in

Exhibit B to the Covered Software; or

b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public

License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by

contract or

otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a

Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications

that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support,

indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject

matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section

10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is Incompatible

With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

1.7 go-multierror 1.1.1

1.7.1 Available under license :

Mozilla Public License, version 2.0

1. Definitions

1.1. Contributor

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. Contributor Version

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributors Contribution.

1.3. Contribution

means Covered Software of a particular Contributor.

1.4. Covered Software

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. Incompatible With Secondary Licenses

means

- a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. Executable Form

means any form of the work other than Source Code Form.

1.7. Larger Work

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. License

means this document.

1.9. Licensable

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. Modifications

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

1.11. Patent Claims of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. Secondary License

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. Source Code Form

means the form of the work preferred for making modifications.

1.14. You (or Your)

means an individual or a legal entity exercising rights under this License. For legal entities, You includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b)

ownership of more than fifty percent (50%) of the
outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark)
Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3.

Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or

- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or

restrict the recipients rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support,

indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections

5.1 or 5.2 above, all end user

license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an as is basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - Incompatible With Secondary Licenses Notice

This Source Code Form is Incompatible With Secondary Licenses, as defined by the Mozilla Public License, v. 2.0.

1.8 alpine-keys 2.4-r1

1.8.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.9 backoff 3.2.2

1.9.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2014 litl, LLC.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.10 mitchellh-mapstructure 1.5.0

1.10.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013 Mitchell Hashimoto

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.11 go-zookeeper 0.0.0-20201211165307-7117e9ea2414

1.11.1 Available under license :

Copyright (c) 2013, Samuel Stauffer <samuel@descolada.com>

All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the author nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT

SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.12 go-colorable 0.1.13

1.12.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Yasuhiro Matsumoto

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.13 github.com/viney-shih/go-lock 1.1.2

1.13.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.14 viney-shih-go-lock 1.1.2

1.14.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.15 hashicorp-serf 0.10.1

1.15.1 Available under license :

Proprietary License

This license is temporary while a more official one is drafted. However, this should make it clear:

The text contents of this website are MPL 2.0 licensed.

The design contents of this website are proprietary and may not be reproduced or reused in any way other than to run the website locally. The license for the design is owned solely by HashiCorp, Inc. Mozilla Public License, version 2.0

1. Definitions

1.1. Contributor

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. Contributor Version

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributors Contribution.

1.3. Contribution

means Covered Software of a particular Contributor.

1.4. Covered Software

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. Incompatible With Secondary Licenses

means

a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but

not also under the terms of a
Secondary License.

1.6. Executable Form

means any form of the work other than Source Code Form.

1.7. Larger Work

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. License

means this document.

1.9. Licensable

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. Modifications

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

1.11. Patent Claims of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. Secondary License

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. Source Code Form

means the form of the work preferred for making modifications.

1.14. You (or Your)

means an individual or a legal entity exercising rights under this License. For legal entities, You includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3.

Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's

modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any

jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections

5.1 or 5.2 above, all end user

license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an as is basis, without warranty of any kind, either expressed, implied, or statutory, including,

without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - Incompatible With Secondary Licenses Notice

This Source Code Form is Incompatible With Secondary Licenses, as defined by the Mozilla Public License, v. 2.0.
Proprietary License

This license is temporary while a more official one is drafted. However, this should make it clear:

* The text contents of this website are MPL 2.0 licensed.

* The design contents of this website are proprietary and may not be reproduced or reused in any way other than to run the Serf website locally. The license for the design is owned solely by HashiCorp, Inc.

Name: serf

Copyright: Hashicorp 2013

1.16 zstd 1.2.13

1.16.1 Available under license :

Copyright (c) 2016-present, Facebook, Inc. All rights reserved.

The examples provided by Facebook are for non-commercial testing and evaluation purposes only. Facebook reserves all rights not expressly granted.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL FACEBOOK BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

BSD License

For Zstandard software

Copyright (c) 2016-present, Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name Facebook nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.17 go-systemd 22.5.0

1.17.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made

available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark,

and attribution notices from the Source form

of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks, service marks,

or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or

claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to
in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

CoreOS Project

Copyright 2018 CoreOS, Inc

This product includes software developed at CoreOS, Inc.
(<http://www.coreos.com/>).

1.18 gogo-protobuf 1.3.2

1.18.1 Available under license :

Copyright (c) 2013, The GoGo Authors. All rights reserved.

Protocol Buffers for Go with Gadgets

Go support for Protocol Buffers - Google's data interchange format

Copyright 2010 The Go Authors. All rights reserved.
<https://github.com/golang/protobuf>

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Anton Povarov <anton.povarov@gmail.com>

Brian Goff <cpuguy83@gmail.com>

Clayton Coleman <ccoleman@redhat.com>

Denis Smirnov <denis.smirnov.91@gmail.com>

DongYun Kang <ceram1000@gmail.com>

Dwayne Schultz <dschultz@pivotal.io>

Georg Apitz <gapitz@pivotal.io>

Gustav Paul <gustav.paul@gmail.com>

Johan Brandhorst <johan.brandhorst@gmail.com>

John Shahid <jvshahid@gmail.com>

John Tuley <john@tuley.org>

Laurent <laurent@adyoulike.com>

Patrick Lee <patrick@dropbox.com>

Peter Edge <peter.edge@gmail.com>

Roger Johansson <rogersalsing@gmail.com>

Sam Nguyen <sam.nguyen@sendgrid.com>

Sergio Arbeo <serabe@gmail.com>

Stephen J Day <stephen.day@docker.com>

Tamir Duberstein <tamird@gmail.com>

Todd Eisenberger <teisenberger@dropbox.com>

Tormod Erevik Lea <tormodlea@gmail.com>

Vyacheslav Kim <kane@sendgrid.com>

Walter Schulze <awalterschulze@gmail.com>

1.19 hashicorp-go-cleanhttp 0.5.2

1.19.1 Available under license :

Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark)
Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this

License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a

text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly

and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section

10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is Incompatible

With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

1.20 githubcommitchellhmapstructure 1.5.0

1.20.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013 Mitchell Hashimoto

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.21 cenkalti-backoff-v3 3.2.2

1.21.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Cenk Alt

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

1.22 libc-utils 0.7.2-r5

1.22.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 1991, 1993
 * The Regents of the University of California. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. Neither the name of the University nor the names of its contributors
 * may be used to endorse or promote products derived from this software
 * without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES,
 * INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 *
 * @(#)queue.h 8.5 (Berkeley) 8/20/94
 */
```

Found in path(s):

```
* /aports-master-main-libc-dev-zip/aports-master-main-libc-dev/main/libc-dev/sys-queue.h
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2002 Niels Provos <provos@citi.umich.edu>
 * All rights reserved.
 *
```

- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- *
- * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
- * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
- * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
- * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
- * DAMAGES (INCLUDING, BUT
- * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
- * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
- * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
- * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
- * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- */

Found in path(s):

- * /aports-master-main-libc-dev-zip/aports-master-main-libc-dev/main/libc-dev/sys-tree.h

1.23 tre 0.8.0-r2

1.23.1 Available under license :

This is the license, copyright notice, and disclaimer for TRE, a regex matching package (library and tools) with support for approximate matching.

Copyright (c) 2001-2009 Ville Laurikari <vl@iki.fi>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS

“AS IS” AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.24 pax-utils 1.3.7-r2

1.24.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can

be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program
(or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program
in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as

distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.25 mattn-go-isatty 0.0.20

1.25.1 Available under license :

Copyright (c) Yasuhiro MATSUMOTO <mattn.jp@gmail.com>

MIT License (Expat)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the

rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.26 musl 1.2.4_git20230717-r4

1.26.1 Available under license :

musl as a whole is licensed under the following standard MIT license:

Copyright 2005-2019 Rich Felker, et al.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Authors/contributors include:

A. Wilcox
Alex Dowad

Alex Suykov
Alexander Monakov
Andre McCurdy
Andrew Kelley
Anthony G. Basile
Aric Belsito
Arvid Picciani
Bartosz Brachaczek
Benjamin Peterson
Bobby Bingham
Boris Brezillon
Brent Cook
Chris Spiegel
Clment Vasseur
Daniel Micay
Daniel Sabogal
Daurnimator
David Carlier
David Edelsohn
Denys Vlasenko
Dmitry Ivanov
Dmitry V. Levin
Drew DeVault
Emil Renner Berthing
Fangrui Song
Felix Fietkau
Felix Janda
Gianluca Anzolin
Hauke Mehrrens
He X
Hiltjo Posthuma
Isaac Dunham
Jaydeep Patil
Jens Gustedt
Jeremy Huntwork
Jo-Philipp Wich
Joakim Sindholt
John Spencer
Josiah Worcester
Julien Ramseier
Justin Cormack
Kaarle Ritvanen
Khem Raj
Kylie McClain
Leah Neukirchen
Luca Barbato
Luka

Perkov
M Farkas-Dyck (Strake)
Mahesh Bodapati
Markus Wichmann
Masanori Oginio
Michael Clark
Michael Forney
Mikhail Kremnyov
Natanael Copa
Nicholas J. Kain
orc
Pascal Cuoq
Patrick Oppenlander
Petr Hosek
Petr Skocik
Pierre Carrier
Reini Urban
Rich Felker
Richard Pennington
Ryan Fairfax
Samuel Holland
Segev Finer
Shiz
sin
Solar Designer
Stefan Kristiansson
Stefan O'Rear
Szabolcs Nagy
Timo Ters
Trutz Behn
Valentin Ochs
Will Dietz
William Haddon
William Pitcock

Portions of this software are derived from third-party works licensed under terms compatible with the above MIT license:

The TRE regular expression implementation (`src/regex/reg*` and `src/regex/tre*`) is Copyright 2001-2008 Ville Laurikari and licensed under a 2-clause BSD license (license text in the source files). The included version has been heavily modified by Rich Felker in 2012, in the interests of size, simplicity, and namespace cleanliness.

Much of the math library code (`src/math/*` and `src/complex/*`) is Copyright 1993,2004 Sun Microsystems or Copyright 2003-2011 David Schultz or

Copyright 2003-2009 Steven G. Kargl or
Copyright 2003-2009 Bruce D. Evans or
Copyright 2008 Stephen L. Moshier or
Copyright 2017-2018 Arm Limited
and labelled as such in comments in the individual source files. All
have been licensed under extremely permissive terms.

The ARM memcpy code (src/string/arm/memcpy_el.S) is Copyright 2008
The Android Open Source Project and is licensed under a two-clause BSD
license. It was taken from Bionic libc, used on Android.

The implementation of DES for crypt (src/crypt/crypt_des.c) is
Copyright 1994 David Burren. It is licensed under a BSD license.

The implementation of blowfish crypt (src/crypt/crypt_blowfish.c) was
originally written by Solar Designer and placed into the public
domain. The code also comes with a fallback permissive license for use
in jurisdictions that may not recognize the public domain.

The smoothsort implementation (src/stdlib/qsort.c) is Copyright 2011
Valentin
Ochs and is licensed under an MIT-style license.

The x86_64 port was written by Nicholas J. Kain and is licensed under
the standard MIT terms.

The mips and microblaze ports were originally written by Richard
Pennington for use in the ellcc project. The original code was adapted
by Rich Felker for build system and code conventions during upstream
integration. It is licensed under the standard MIT terms.

The mips64 port was contributed by Imagination Technologies and is
licensed under the standard MIT terms.

The powerpc port was also originally written by Richard Pennington,
and later supplemented and integrated by John Spencer. It is licensed
under the standard MIT terms.

All other files which have no copyright comments are original works
produced specifically for use as part of this library, written either
by Rich Felker, the main author of the library, or by one or more
contributors listed above. Details on authorship of individual files
can be found in the git version control
history of the project. The
omission of copyright and license comments in each file is in the
interest of source tree size.

In addition, permission is hereby granted for all public header files

(include/* and arch/*/bits/*) and crt files intended to be linked into applications (crt/*, ldso/dlstart.c, and arch/*/crt_arch.h) to omit the copyright notice and permission notice otherwise required by the license, and to use these files without any requirement of attribution. These files include substantial contributions from:

Bobby Bingham
John Spencer
Nicholas J. Kain
Rich Felker
Richard Pennington
Stefan Kristiansson
Szabolcs Nagy

all of whom have explicitly granted such permission.

This file previously contained text expressing a belief that most of the files covered by the above exception were sufficiently trivial not to be subject to copyright, resulting in confusion over whether it negated the permissions granted in the license. In the spirit of permissive licensing, and of not having licensing issues being an obstacle to adoption, that text has been removed.

1.27 openssl 3.0.12

1.27.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE

Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions
for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use

in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that

accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based

on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,

INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so,
attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (a program to direct compilers to make passes at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.

- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
 - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
 - b) use the modified Package only within your corporation or organization.
 - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
 - d) make other distribution arrangements with the Copyright Holder.
4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:
 - a) distribute a Standard Version of the executables and library files,

together with instructions (in the manual page or equivalent) on where to get the Standard Version.

- b) accompany the distribution with the machine-readable source of the Package with your modifications.
- c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.
- d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.28 alpine-baselayout 3.4.3-r2

1.28.1 Available under license :

```
# Automatically generated by apkbuild-cpan, template 3
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
pkgname=perl-bsd-resource
#_pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgver=1.2911
pkgrel=9
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
```



```

license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/$_pkgreal-$pkgver"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL INSTALLDIRS=vendor
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
    find "$pkgdir" \( -name perllocal.pod -o -name .packlist \) -delete
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
    BSD-Resource-1.2911.tar.gz
"

# Contributor: Dhruvin Gandhi <contact@dhruvin.dev>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=py3-license-expression
_pkgname=license-expression
pkgver=30.2.0
pkgrel=0
pkgdesc="Library to parse, compare, simplify and normalize license expressions"
url="https://github.com/nexB/license-expression"
arch="noarch"
license="Apache-2.0"
depends="python3 py3-boolean.py"
makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"
checkdepends="py3-pytest py3-pytest-xdist"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/l/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir/${_pkgname}-${pkgver}"

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \

```

```

--output-fd 3 3>&1 >&2
}

check() {
python3 -m venv --clear --without-pip --system-site-packages .testenv
.testenv/bin/python3 -m installer .dist/*.whl
.testenv/bin/python3 -m pytest
}

package() {
python3 -m installer -d "$pkgdir" \
.dists/*.whl
}

sha512sums="
7be7ebab1d980063ab846a228c5247570d0e23ed52f4362ef7d88eb7a59274e6f74653b4e9cff8225597693087d750c5
bf7fcf604440d8d3d2976ebcd7442c24
license-expression-30.2.0.tar.gz
"

Original Copyright (c) 1985 by Supoj Sutanthavibul
Parts Copyright (c) 1989-2012 by Brian V. Smith
Parts Copyright (c) 1991 by Paul King
Other Copyrights may be found in various files

```

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)

The text rotation code in w_rottext.c was written by Alan Richardson.

The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker

The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:

"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95
<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

```

# Maintainer: Jakub Panek <me@panekj.dev>
pkgname=cargo-license
pkgver=0.5.1
pkgrel=4
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all !s390x !riscv64" # rust
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
    default_prepare

    cargo fetch --target="$CTARGET" --locked
}

build() {
    cargo auditable build --release --frozen
}

check() {
    cargo test --frozen
}

package() {
    install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
4d8d430df91c6aac53d2305d3125eae492324e85c4db29d33d452b3848f33a55088e71247c6c72c6a62f4e924a374a
115bf14b4f398e7950b9eb52415f2244 cargo-license-0.5.1.tar.gz
"

# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=1
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz"
options="!check" # no tests

```

```

build() {
# some GNU autoconf options are ignored, but it works
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr \
--sysconfdir=/etc \
--mandir=/usr/share/man \
--localstatedir=/var/lib # it really shouldn't be in /var
make
}

package() {
make DESTDIR="$pkgdir" install
install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
  bsd-games-3.3.tar.gz
"

# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.22
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"

_types="html json rdfa rdft rdfturtle rdfxml template text"

for type in $_types; do
subpackages="$subpackages $pkgname-$type:_subpkg"
done

package() {
mkdir -p "$pkgdir"
}

_subpkg() {

```

```

local type=${subpkgname/$pkgname-/}
pkgdesc="$pkgdesc ($type)"
install_if="$pkgname"
mkdir -p "$subpkgdir"/usr/share/spdx
cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

```

```

list() {
  pkgdesc="$pkgdesc (licence list)"
  mkdir -p "$subpkgdir"/usr/share/spdx
  local i; for i in "$builddir"/text/*.txt; do
    local license=${i##*/}
    echo
    ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
  done
}

```

```

sha512sums="
b213fe66699770d75a4c994a01a5c08325751423516c2fb871088a47e7e7ce605736064f5ce3a63dc1d3c462271832db
7bc464ac968df1888f9823787964c786  license-list-data-3.22.tar.gz
"

```

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Vintage Dreams Waves v 2.0. for Creative Labs' AWE Soundcards
(EMU Soundfont 2 Format)

Copyright (c) Ian Wilson, 1996 (Updated January 1998)

This soundfont is freeware. You may freely use and/or redistribute it subject to the following terms:

1. It is not altered, edited, modified, ripped, or converted to other formats, except for private use only.
2. It is distributed with this copyright notice.

This soundfont is distributed WITHOUT WARRANTY, and without the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. No liability or damages can be inferred upon the said copyright owner, Ian Wilson.

Any feedback, contact Ian Wilson.

vintagedreamworks@hotmail.com

<http://www.geocities.com/SiliconValley/Campus/8645/index.html>

<http://members.nbc.com/silicon39/>

<http://www.mp3.com/silicon39>

<https://analoguesque.x10host.com/>

Contributor: Fabian Affolter <fabian@affolter-engineering.ch>

Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>

pkgname=py3-flake8-copyright

_pkgname=flake8-copyright

pkgver=0.2.4

pkgrel=1

pkgdesc="Extension for flake8 which checks for copyrights"

options="!check" # No testsuite

url="https://github.com/savoirfairelinux/flake8-copyright"

arch="noarch"

license="MIT"

depends="py3-flake8 py3-setuptools"

subpackages="\$pkgname-pyc"

source="https://files.pythonhosted.org/packages/source/\${_pkgname:0:1}/\${_pkgname}/\${_pkgname}-\${pkgver}.tar.gz"

builddir="\$srcdir"/_\${pkgname}-\${pkgver}

replaces="py-flake8-copyright" # Backwards compatibility

provides="py-flake8-copyright=\${pkgver}-r\${pkgrel}" # Backwards compatibility

build() {

python3 setup.py build

}

package() {

python3 setup.py install --skip-build --root="\$pkgdir"

}

sha512sums="

a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237

b316bd503ae7dceed6ca284ccd5a74d flake8-copyright-0.2.4.tar.gz

"

```

# Maintainer: Natanael Copa <ncopa@alpinelinux.org>
pkgname=libart-lgpl
pkgver=2.3.21
pkgrel=8
pkgdesc="A library for high-performance 2D graphics"
url="https://www.levien.com/libart/"
arch="all"
options="!check" # No test suite.
license="LGPL-2.0-or-later"
subpackages="$pkgname-dev"
source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-$pkgver.tar.bz2"
"

builddir="$srcdir"/libart-lgpl-$pkgver

prepare() {
    update_config_sub
    default_prepare
}

build() {
    ./configure \
        --build=$CBUILD \
        --host=$CHOST \
        --prefix=/usr
    make
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020 libart-lgpl-2.3.21.tar.bz2"
mini_sendmail - accept email on behalf of real sendmail

```

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
 All rights reserved.

Redistribution and use in source and binary forms, with or without
 modification, are permitted provided that the following conditions
 are met:

1. Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
 notice, this list of conditions and the following disclaimer in the
 documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.29 musl-utils 1.2.4_git20230717-r4

1.29.1 Available under license :

musl as a whole is licensed under the following standard MIT license:

Copyright 2005-2020 Rich Felker, et al.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Authors/contributors include:

A. Wilcox
Ada Worcester
Alex Dowad

Alex Suykov
Alexander Monakov
Andre McCurdy
Andrew Kelley
Anthony G. Basile
Aric Belsito
Arvid Picciani
Bartosz Brachaczek
Benjamin Peterson
Bobby Bingham
Boris Brezillon
Brent Cook
Chris Spiegel
Clment Vasseur
Daniel Micay
Daniel Sabogal
Daurnimator
David Carlier
David Edelsohn
Denys Vlasenko
Dmitry Ivanov
Dmitry V. Levin
Drew DeVault
Emil Renner Berthing
Fangrui Song
Felix Fietkau
Felix Janda
Gianluca Anzolin
Hauke Mehrrens
He X
Hiltjo Posthuma
Isaac Dunham
Jaydeep Patil
Jens Gustedt
Jeremy Huntwork
Jo-Philipp Wich
Joakim Sindholt
John Spencer
Julien Ramseier
Justin Cormack
Kaarle Ritvanen
Khem Raj
Kylie McClain
Leah Neukirchen
Luca Barbato
Luka
Perkov
M Farkas-Dyck (Strake)

Mahesh Bodapati
Markus Wichmann
Masanori Ogino
Michael Clark
Michael Forney
Mikhail Kremnyov
Natanael Copa
Nicholas J. Kain
orc
Pascal Cuoq
Patrick Oppenlander
Petr Hosek
Petr Skocik
Pierre Carrier
Reini Urban
Rich Felker
Richard Pennington
Ryan Fairfax
Samuel Holland
Segev Finer
Shiz
sin
Solar Designer
Stefan Kristiansson
Stefan O'Rear
Szabolcs Nagy
Timo Ters
Trutz Behn
Valentin Ochs
Will Dietz
William Haddon
William Pitcock

Portions of this software are derived from third-party works licensed under terms compatible with the above MIT license:

The TRE regular expression implementation (src/regex/reg* and src/regex/tre*) is Copyright 2001-2008 Ville Laurikari and licensed under a 2-clause BSD license (license text in the source files). The included version has been heavily modified by Rich Felker in 2012, in the interests of size, simplicity, and namespace cleanliness.

Much of the math library code (src/math/* and src/complex/*) is
Copyright 1993,2004
Sun Microsystems or
Copyright 2003-2011 David Schultz or
Copyright 2003-2009 Steven G. Kargl or
Copyright 2003-2009 Bruce D. Evans or

Copyright 2008 Stephen L. Moshier or
Copyright 2017-2018 Arm Limited
and labelled as such in comments in the individual source files. All
have been licensed under extremely permissive terms.

The ARM memcpy code (src/string/arm/memcpy.S) is Copyright 2008
The Android Open Source Project and is licensed under a two-clause BSD
license. It was taken from Bionic libc, used on Android.

The AArch64 memcpy and memset code (src/string/aarch64/*) are
Copyright 1999-2019, Arm Limited.

The implementation of DES for crypt (src/crypt/crypt_des.c) is
Copyright 1994 David Burren. It is licensed under a BSD license.

The implementation of blowfish crypt (src/crypt/crypt_blowfish.c) was
originally written by Solar Designer and placed into the public
domain. The code also comes with a fallback permissive license for use
in jurisdictions that may not recognize the
public domain.

The smoothsort implementation (src/stdlib/qsort.c) is Copyright 2011
Valentin Ochs and is licensed under an MIT-style license.

The x86_64 port was written by Nicholas J. Kain and is licensed under
the standard MIT terms.

The mips and microblaze ports were originally written by Richard
Pennington for use in the ellcc project. The original code was adapted
by Rich Felker for build system and code conventions during upstream
integration. It is licensed under the standard MIT terms.

The mips64 port was contributed by Imagination Technologies and is
licensed under the standard MIT terms.

The powerpc port was also originally written by Richard Pennington,
and later supplemented and integrated by John Spencer. It is licensed
under the standard MIT terms.

All other files which have no copyright comments are original works
produced specifically for use as part of this library, written either
by Rich Felker, the main author of the library, or by one or more
contributors listed
above. Details on authorship of individual files
can be found in the git version control history of the project. The
omission of copyright and license comments in each file is in the
interest of source tree size.

In addition, permission is hereby granted for all public header files (include/* and arch/*/bits/*) and crt files intended to be linked into applications (crt/*, ldso/dlstart.c, and arch/*/crt_arch.h) to omit the copyright notice and permission notice otherwise required by the license, and to use these files without any requirement of attribution. These files include substantial contributions from:

Bobby Bingham
John Spencer
Nicholas J. Kain
Rich Felker
Richard Pennington
Stefan Kristiansson
Szabolcs Nagy

all of whom have explicitly granted such permission.

This file previously contained text expressing a belief that most of the files covered by the above exception were sufficiently trivial not to be subject to copyright, resulting in confusion over whether it negated the permissions granted in the license. In the spirit of permissive licensing, and of not having licensing issues being an obstacle to adoption, that text has been removed.

1.30 coreos-semver 0.3.1

1.30.1 Available under license :

CoreOS Project
Copyright 2018 CoreOS, Inc

This product includes software developed at CoreOS, Inc.
(<http://www.coreos.com/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.31 zlib 1.3.1-r0

1.31.1 Available under license :

Copyright notice:

(C) 1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.32 zlib 1.2.13

1.32.1 Available under license :

Copyright notice:

(C) 1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu

1.33 busybox 1.36.1-r19

1.33.1 Available under license :

bzip2 applet in busybox is based on lightly-modified source of bzip2 version 1.0.4. bzip2 source is distributed under the following conditions (copied verbatim from LICENSE file)

=====

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2006 Julian R Seward. All

rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.

jseward@bzip.org

bzip2/libbzip2 version 1.0.4 of 20 December 2006

--- A note on GPL versions

BusyBox is distributed under version 2 of the General Public License (included in its entirety, below). Version 2 is the only version of this license which this version of BusyBox (or modified versions derived from this one) may be distributed under.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's

software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this

License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed

under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying

the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding

those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of
Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.34 busybox 1.36.1

1.34.1 Available under license :

bzip2 applet in busybox is based on lightly-modified source
of bzip2 version 1.0.4. bzip2 source is distributed
under the following conditions (copied verbatim from LICENSE file)

=====

This program, "bzip2", the associated library "libbzip2", and all
documentation, are copyright (C) 1996-2006 Julian R Seward. All
rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must
not claim that you wrote the original software. If you use this
software in a product, an acknowledgment in the product
documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must
not be misrepresented
as being the original software.

4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.

jseward@bzip.org

bzip2/libbzip2 version 1.0.4 of 20 December 2006

--- A note on GPL versions

BusyBox is distributed under version 2 of the General Public License (included in its entirety, below). Version 2 is the only version of this license which this version of BusyBox (or modified versions derived from this one) may be distributed under.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law:

that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this

License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to

control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you

may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free

programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make

exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of
Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.35 alpine-baselayout-data 3.4.3-r2

1.35.1 Available under license :

```
# Automatically generated by apkbuild-cpan, template 3
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
pkgname=perl-bsd-resource
#_pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgver=1.2911
pkgrel=9
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL INSTALLDIRS=vendor
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
    find "$pkgdir" \( -name perllocal.pod -o -name .packlist \) -delete
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
    BSD-Resource-1.2911.tar.gz
"

# Contributor: Dhruvin Gandhi <contact@dhruvin.dev>
# Maintainer: Patrycja Rosa <alpine@ptrcnll.me>
pkgname=py3-license-expression
_pkgname=license-expression
```

```

pkgver=30.2.0
pkgrel=0
pkgdesc="Library to parse, compare, simplify and normalize license expressions"
url="https://github.com/nexB/license-expression"
arch="noarch"
license="Apache-2.0"
depends="python3 py3-boolean.py"
makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"
checkdepends="py3-pytest py3-pytest-xdist"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/l/_pkgname/_pkgname-$pkgver.tar.gz"
buildid="$srcdir/_pkgname-$pkgver"

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

check() {
    python3 -m venv --clear --without-pip --system-site-packages .testenv
    .testenv/bin/python3 -m installer .dist/*.whl
    .testenv/bin/python3 -m pytest
}

package() {
    python3 -m installer -d "$pkgdir" \
        .dist/*.whl
}

sha512sums="
7be7ebab1d980063ab846a228c5247570d0e23ed52f4362ef7d88eb7a59274e6f74653b4e9cff8225597693087d750c5
bf7fcf604440d8d3d2976ebcd7442c24
    license-expression-30.2.0.tar.gz
"

Original Copyright (c) 1985 by Supoj Sutanthavibul
Parts Copyright (c) 1989-2012 by Brian V. Smith
Parts Copyright (c) 1991 by Paul King
Other Copyrights may be found in various files

```

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)

The text rotation code in w_rottext.c was written by Alan Richardson.

The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker

The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:

"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95

<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

Maintainer: Jakub Panek <me@panekj.dev>

pkgname=cargo-license

pkgver=0.5.1

pkgrel=4

pkgdesc="Cargo subcommand to see license of dependencies"

url="https://github.com/onur/cargo-license"

arch="all !s390x !riscv64" # rust

license="MIT"

makedepends="cargo cargo-auditable"

source="\$pkgname-\$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/\$pkgver/download"

```
prepare() {  
    default_prepare
```

```
    cargo fetch --target="$CTARGET" --locked  
}
```

```
build() {  
    cargo auditable build --release --frozen  
}
```

```
check() {  
    cargo test --frozen  
}
```

```
package() {  
    install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin  
}
```

sha512sums="

4d8d430df91c6aac53d2305d3125eae492324e85c4db29d33d452b3848f33a55088e71247c6c72c6a62f4e924a374a

```

115bf14b4f398e7950b9eb52415f2244 cargo-license-0.5.1.tar.gz
"
# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=1
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz"
options="!check" # no tests

build() {
# some GNU autoconf options are ignored, but it works
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr \
--sysconfdir=/etc \
--mandir=/usr/share/man \
--localstatedir=/var/lib # it really shouldn't be in /var
make
}

package() {
make DESTDIR="$pkgdir" install
install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
bsd-games-3.3.tar.gz
"
# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.22
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite

```

```

license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"

_types="html json rdfa rdfnt rdfturtle rdFXML template text"

for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done

package() {
    mkdir -p "$pkgdir"
}

_subpkg() {
    local type=${subpkgname/$pkgname-/}
    pkgdesc="$pkgdesc ($type)"
    install_if="$pkgname"
    mkdir -p "$subpkgdir"/usr/share/spdx
    cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
    pkgdesc="$pkgdesc (licence list)"
    mkdir -p "$subpkgdir"/usr/share/spdx
    local i; for i in "$builddir"/text/*.txt; do
        local license=${i##*/}
        echo
        ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
    done
}

sha512sums="
b213fe66699770d75a4c994a01a5c08325751423516c2fb871088a47e7e7ce605736064f5ce3a63dc1d3c462271832db
7bc464ac968df1888f9823787964c786 license-list-data-3.22.tar.gz
"

MIT License

```

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Vintage Dreams Waves v 2.0. for Creative Labs' AWE Soundcards
(EMU Soundfont 2 Format)

Copyright (c) Ian Wilson, 1996 (Updated January 1998)

This soundfont is freeware. You may freely use and/or redistribute it subject to the following terms:

1. It is not altered, edited, modified, ripped, or converted to other formats, except for private use only.
2. It is distributed with this copyright notice.

This soundfont is distributed WITHOUT WARRANTY, and without the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. No liability or damages can be inferred upon the said copyright owner, Ian Wilson.

Any feedback, contact Ian Wilson.

vintagedreamworks@hotmail.com

<http://www.geocities.com/SiliconValley/Campus/8645/index.html>

<http://members.nbc.com/silicon39/>

<http://www.mp3.com/silicon39>

<https://analoguesque.x10host.com/>

Contributor: Fabian Affolter <fabian@affolter-engineering.ch>

Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>

pkgname=py3-flake8-copyright

_pkgname=flake8-copyright

pkgver=0.2.4

pkgrel=1

pkgdesc="Extension for flake8 which checks for copyrights"

options="!check" # No testsuite

url="https://github.com/savoirfairelinux/flake8-copyright"

arch="noarch"

license="MIT"

depends="py3-flake8 py3-setuptools"

subpackages="\$pkgname-pyc"

source="https://files.pythonhosted.org/packages/source/\${_pkgname:0:1}/\${_pkgname}/\${_pkgname}-\${pkgver}.tar.gz"

builddir="\$srcdir"/_\${pkgname}-\${pkgver}

```

replaces="py-flake8-copyright" # Backwards compatibility
provides="py-flake8-copyright=$pkgver-r$pkgrel" # Backwards compatibility

build() {
    python3 setup.py build
}

package() {
    python3 setup.py install --skip-build --root="$pkgdir"
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d flake8-copyright-0.2.4.tar.gz
"

mini_sendmail - accept email on behalf of real sendmail

```

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

```

# Maintainer: Natanael Copa <ncopa@alpinelinux.org>
pkgname=libart-lgpl
pkgver=2.3.21
pkgrel=8
pkgdesc="A library for high-performance 2D graphics"
url="https://www.levien.com/libart/"
arch="all"

```

```

options="!check" # No test suite.
license="GPL-2.0-or-later"
subpackages="$pkgname-dev"
source="https://download.gnome.org/sources/libart_lgpl/2.3/libart_lgpl-$pkgver.tar.bz2
"

builddir="$srcdir"/libart_lgpl-$pkgver

prepare() {
    update_config_sub
    default_prepare
}

build() {
    ./configure \
        --build=$CBUILD \
        --host=$CHOST \
        --prefix=/usr
    make
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020 libart_lgpl-2.3.21.tar.bz2"

```

1.36 golang-lru 1.0.2

1.36.1 Available under license :

Copyright (c) 2014 HashiCorp, Inc.

Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

- a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or
- b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any

Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4.

Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the

non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward.
Except as provided in Section

10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source

Code Form that is

Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v.

2.0. If a copy of the MPL was not distributed with this file, You can obtain one at

<http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

1.37 zap 1.27.0

1.37.1 Available under license :

Copyright (c) 2016-2017 Uber Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.38 ca-certificates 20240226-r0

1.38.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
#!/usr/bin/env perl
# *****
# *
# *      _ _ _ _ _
# * Project  _||| _\|
# *      / _||| |)||
# *      |( _||| _<| _
# *      \ _\ _/| \ _\
# *
# *
# * Copyright (C) 1998 - 2020, Daniel Stenberg, <daniel@haxx.se>, et al.
# *
# * This software is licensed as described in the file COPYING, which
# * you should have received as part of this distribution. The terms
# * are also available at https://curl.haxx.se/docs/copyright.html.
# *
# * You may opt to use, copy, modify, merge, publish, distribute and/or sell
# * copies of the Software, and permit persons to whom the Software is
# * furnished to do so, under the terms of the COPYING file.
# *
# * This software is distributed on an "AS IS" basis, WITHOUT
# * WARRANTY OF ANY
# * KIND, either express or implied.
# *
# *****
# This Perl script creates a fresh ca-bundle.crt file for use with libcurl.
# It downloads certdata.txt from Mozilla's source tree (see URL below),
# then parses certdata.txt and extracts CA Root Certificates into PEM format.
# These are then processed with the OpenSSL commandline tool to produce the
# final ca-bundle.crt file.
# The script is based on the parse-certs script written by Roland Krikava.
# This Perl script works on almost any platform since its only external
# dependency is the OpenSSL commandline tool for optional text listing.
# Hacked by Guenter Knauf.
#
use Encode;
use Getopt::Std;
use MIME::Base64;
use strict;
use warnings;
```

```

use vars qw($opt_b $opt_d $opt_f $opt_h $opt_i $opt_k $opt_l $opt_m $opt_n $opt_p $opt_q $opt_s $opt_t $opt_u
$opt_v $opt_w);
use List::Util;
use Text::Wrap;
use Time::Local;
my $MOD_SHA = "Digest::SHA";
eval "require
$MOD_SHA";
if ($@) {
$MOD_SHA = "Digest::SHA::PurePerl";
eval "require $MOD_SHA";
}
eval "require LWP::UserAgent";

my %urls = (
'nss' =>
'https://hg.mozilla.org/projects/nss/raw-file/default/lib/ckfw/builtins/certdata.txt',
'central' =>
'https://hg.mozilla.org/mozilla-central/raw-file/default/security/nss/lib/ckfw/builtins/certdata.txt',
'beta' =>
'https://hg.mozilla.org/releases/mozilla-beta/raw-file/default/security/nss/lib/ckfw/builtins/certdata.txt',
'release' =>
'https://hg.mozilla.org/releases/mozilla-release/raw-file/default/security/nss/lib/ckfw/builtins/certdata.txt',
);

$opt_d = 'release';

# If the OpenSSL commandline is not in search path you can configure it here!
my $openssl = 'openssl';

my $version = '1.27';

$opt_w = 76; # default base64 encoded lines length

# default cert types to include in the output (default is to include CAs which may issue SSL server certs)
my $default_mozilla_trust_purposes = "SERVER_AUTH";
my $default_mozilla_trust_levels
= "TRUSTED_DELEGATOR";
$opt_p = $default_mozilla_trust_purposes . ":" . $default_mozilla_trust_levels;

my @valid_mozilla_trust_purposes = (
"DIGITAL_SIGNATURE",
"NON_REPUDIATION",
"KEY_ENCIPHERMENT",
"DATA_ENCIPHERMENT",
"KEY_AGREEMENT",
"KEY_CERT_SIGN",
"CRL_SIGN",

```

```

"SERVER_AUTH",
"CLIENT_AUTH",
"CODE_SIGNING",
"EMAIL_PROTECTION",
"IPSEC_END_SYSTEM",
"IPSEC_TUNNEL",
"IPSEC_USER",
"TIME_STAMPING",
"STEP_UP_APPROVED"
);

my @valid_mozilla_trust_levels = (
"TRUSTED_DELEGATOR", # CAs
"NOT_TRUSTED",      # Don't trust these certs.
"MUST_VERIFY_TRUST", # This explicitly tells us that it ISN'T a CA but is otherwise ok. In other words, this
                    # should tell the app to ignore any other sources that claim this is a CA.
"TRUSTED"           # This cert is trusted, but only for itself and not for delegates (i.e. it is not a CA).
);

my $default_signature_algorithms = $opt_s = "MD5";

my @valid_signature_algorithms = (
"MD5",
"SHA1",
"SHA256",
"SHA384",
"SHA512"
);

$0 =~ s@.*(/\\)@@;
$Getopt::Std::STANDARD_HELP_VERSION = 1;
getopts('bd:fhiklmnp:qs:tuvw:');

if(!defined($opt_d)) {
    # to make plain "-d" use not cause warnings, and actually still work
    $opt_d = 'release';
}

# Use predefined URL or else custom URL specified on command line.
my $url;
if(defined($urls{$opt_d})) {
    $url = $urls{$opt_d};
    if(!$opt_k && $url !~ /^https:\\/\\i) {
        die "The URL for '$opt_d' is not HTTPS. Use -k to override (insecure).\n";
    }
}
else {
    $url = $opt_d;
}

```

```

}

my $curl = `curl -V`;

if ($opt_i) {
    print ("=" x 78 . "\n");
    print "Script Version      : $version\n";
    print "Perl Version          : $]\n";
    print "Operating System Name    : $^O\n";
    print "Getopt::Std.pm Version    : ${Getopt::Std::VERSION}\n";
    print "Encode::Encoding.pm Version : ${Encode::Encoding::VERSION}\n";
    print "MIME::Base64.pm Version    : ${MIME::Base64::VERSION}\n";
    print "LWP::UserAgent.pm
Version      : ${LWP::UserAgent::VERSION}\n" if ($LWP::UserAgent::VERSION);
    print "LWP.pm Version      : ${LWP::VERSION}\n" if ($LWP::VERSION);
    print "Digest::SHA.pm Version : ${Digest::SHA::VERSION}\n" if ($Digest::SHA::VERSION);
    print "Digest::SHA::PurePerl.pm Version : ${Digest::SHA::PurePerl::VERSION}\n" if
($Digest::SHA::PurePerl::VERSION);
    print ("=" x 78 . "\n");
}

sub warning_message() {
    if ( $opt_d =~ m/^risk$/i ) { # Long Form Warning and Exit
        print "Warning: Use of this script may pose some risk:\n";
        print "\n";
        print " 1) If you use HTTP URLs they are subject to a man in the middle attack\n";
        print " 2) Default to 'release', but more recent updates may be found in other trees\n";
        print " 3) certdata.txt file format may change, lag time to update this script\n";
        print " 4) Generally unwise to blindly trust CAs without manual review & verification\n";
        print " 5) Mozilla apps use additional security
checks aren't represented in certdata\n";
        print " 6) Use of this script will make a security engineer grind his teeth and\n";
        print "    swear at you. ;)\n";
        exit;
    } else { # Short Form Warning
        print "Warning: Use of this script may pose some risk, -d risk for more details.\n";
    }
}

sub HELP_MESSAGE() {
    print "Usage:\t${0} [-b] [-d<certdata>] [-f] [-i] [-k] [-l] [-n] [-p<purposes:levels>] [-q] [-s<algorithms>] [-t] [-u] [-v] [-w<l>] [<outputfile>]\n";
    print "\t-b\tbackup an existing version of ca-bundle.crt\n";
    print "\t-d\tspecify Mozilla tree to pull certdata.txt or custom URL\n";
    print "\t\t Valid names are:\n";
    print "\t\t ", join( ", ", map { ( $_ =~ m/$opt_d/ ) ? "$_ (default)" : "$_" } sort keys %urls ), "\n";
    print "\t-f\tforce rebuild even if certdata.txt is current\n";
    print "\t-i\tprint version info about used modules\n";
}

```

```

print "\t-k\tallow URLs other than HTTPS, enable HTTP fallback (insecure)\n";
print "\t-l\tprint license info
about certdata.txt\n";
print "\t-m\tinclude meta data in output\n";
print "\t-n\tno download of certdata.txt (to use existing)\n";
print wrap("\t", "\t", "-p\tlist of Mozilla trust purposes and levels for certificates to include in output. Takes the
form of a comma separated list of purposes, a colon, and a comma separated list of levels. (default:
$default_mozilla_trust_purposes:$default_mozilla_trust_levels)", "\n");
print "\t\t Valid purposes are:\n";
print wrap("\t\t ", "\t\t ", join( " ", "ALL", @valid_mozilla_trust_purposes ) ), "\n";
print "\t\t Valid levels are:\n";
print wrap("\t\t ", "\t\t ", join( " ", "ALL", @valid_mozilla_trust_levels ) ), "\n";
print "\t-q\tbe really quiet (no progress output at all)\n";
print wrap("\t", "\t", "-s\tcomma separated list of certificate signatures/ hashes to output in plain text mode. (default:
$default_signature_algorithms)\n");
print "\t\t Valid signature algorithms are:\n";
print wrap("\t\t ", "\t\t ", join( " ", "ALL", @valid_signature_algorithms ) ), "\n";
print "\t-t\tinclude plain text listing of certificates\n";
print "\t-u\tunlink (remove) certdata.txt after processing\n";
print "\t-v\tbe verbose and print out processed CAs\n";
print "\t-w <l>\twrap base64 output lines after <l> chars (default: ${opt_w})\n";
exit;
}

sub VERSION_MESSAGE() {
print "${0} version ${version} running Perl ${}] on ${^O}\n";
}

warning_message() unless ($opt_q || $url =~ m/^(ht|f)tps:/i );
HELP_MESSAGE() if ($opt_h);

sub report($@) {
my $output = shift;

print STDERR $output . "\n" unless $opt_q;
}

sub is_in_list($@) {
my $target = shift;

return defined(List::Util::first { $target eq $_ } @_);
}

# Parses $param_string as a case insensitive comma separated list with optional whitespace
# validates that only allowed parameters are supplied
sub parse_csv_param($$@) {
my $description = shift;

```



```

my $param_string = shift;
my @valid_values = @_;

my @values = map {
    s/^\s+//; # strip leading spaces
    s/\s+$//; # strip trailing spaces
    uc $_     # return the modified string as upper case
} split( ',', $param_string );

# Find all values which are not in the list of valid values or "ALL"
my @invalid = grep { !is_in_list($_,"ALL",@valid_values) } @values;

if ( scalar(@invalid) > 0 ) {
    # Tell the user which parameters were invalid and print the standard help message which will exit
    print "Error: Invalid ", $description, scalar(@invalid) == 1 ? " : " : "s: ", join( " ", map { "\"$_\"" } @invalid ),
    "\n";
    HELP_MESSAGE();
}

@values = @valid_values if ( is_in_list("ALL",@values) );

return @values;
}

sub sha256 {
    my $result;
    if ($Digest::SHA::VERSION || $Digest::SHA::PurePerl::VERSION) {
        open(FILE, $_[0]) or die "Can't open '$_[0]': $!";
        binmode(FILE);
        $result = $MOD_SHA->new(256)->addfile(*FILE)->hexdigest;
        close(FILE);
    } else {
        # Use OpenSSL command if Perl Digest::SHA modules not available
        $result = `"$openssl" dgst -r -sha256 "$_[0]"`;
        $result =~ s/^\s*([0-9a-f]{64})\s*/$1/is;
    }
    return $result;
}

sub oldhash {
    my $hash = "";
    open(C, "<$_[0]") || return 0;
    while(<C>) {
        chomp;
        if($_ =~ /\#\# SHA256: (.*)/) {
            $hash = $1;
            last;
        }
    }
}

```

```

    }
    }
    close(C);
    return $hash;
}

if ( $opt_p !~ m:/ ) {
    print "Error: Mozilla trust identifier list must include both purposes and levels\n";
    HELP_MESSAGE();
}

(my $included_mozilla_trust_purposes_string, my $included_mozilla_trust_levels_string) = split( ':', $opt_p );
my @included_mozilla_trust_purposes = parse_csv_param( "trust purpose",
$included_mozilla_trust_purposes_string, @valid_mozilla_trust_purposes );
my @included_mozilla_trust_levels = parse_csv_param( "trust level", $included_mozilla_trust_levels_string,
@valid_mozilla_trust_levels );

my @included_signature_algorithms = parse_csv_param( "signature algorithm", $opt_s,
@valid_signature_algorithms );

sub should_output_cert(%) {
    my
    %trust_purposes_by_level = @_;

    foreach my $level (@included_mozilla_trust_levels) {
        # for each level we want to output, see if any of our desired purposes are included
        return 1 if ( defined( List::Util::first { is_in_list( $_, @included_mozilla_trust_purposes ) }
@{$trust_purposes_by_level{$level}} ) );
    }

    return 0;
}

my $crt = $ARGV[0] || 'ca-bundle.crt';
(my $txt = $url) =~ s@(.*/|/?.* )@@g;

my $stdout = $crt eq '-';
my $resp;
my $fetched;

my $oldhash = oldhash($crt);

report "SHA256 of old file: $oldhash";

if(!$opt_n) {
    report "Downloading $txt ...";

    # If we have an HTTPS URL then use curl

```

```

if($url =~ /^https:\V/i) {
    if($curl) {
        if($curl =~ /^Protocols:.* https( |$)/m) {
            report "Get certdata with curl!";
            my $proto = !$opt_k ? "--proto=https" : "";
            my $quiet = $opt_q ? "-s" : "";
            my @out = `curl -w %{response_code} $proto $quiet -o "$txt" "$url"`;
            if(! $? && @out && $out[0] == 200) {
                $fetched = 1;
                report "Downloaded $txt";
            }
        }
        else {
            report "Failed downloading via HTTPS with curl";
            if(-e $txt && !unlink($txt)) {
                report "Failed to remove '$txt': $!";
            }
        }
    }
    else {
        report "curl lacks https support";
    }
}
else {
    report "curl not found";
}
}

# If nothing was fetched then use LWP
if(!$fetched) {
    if($url =~ /^https:\V/i) {
        report "Falling back to HTTP";
        $url =~ s/^https:\V/http:\V/i;
    }
    if(!$opt_k) {
        report "URLs other than HTTPS are disabled by default, to enable use -k";
        exit 1;
    }
    report "Get certdata with LWP!";
    if(!defined($LWP::UserAgent::VERSION)) {
        report "LWP is not available (LWP::UserAgent not found)";
        exit 1;
    }
    my $ua = new LWP::UserAgent(agent => "$0/$version");
    $ua->env_proxy();
    $resp = $ua->mirror($url, $txt);
    if($resp && $resp->code eq '304') {
        report "Not modified";
    }
}

```

```

        exit 0 if -e $crt && !$opt_f;
    }
    else {
        $fetched = 1;
        report "Downloaded $txt";
    }
    if(!$resp || $resp->code !~ /^(?:200|304)$/) {
        report "Unable to download latest data: "
            . ($resp? $resp->code . ' - ' . $resp->message : "LWP failed");
        exit 1 if -e $crt || ! -r $txt;
    }
}
}

my $filedate = $resp ? $resp->last_modified : (stat($txt))[9];
my $datesrc = "as of";
if(!$filedate) {
    # mxr.mozilla.org gave us a time, hg.mozilla.org does not!
    $filedate = time();
    $datesrc="downloaded on";
}

# get the hash from the download file
my $newhash= sha256($txt);

if(!$opt_f && $oldhash eq $newhash) {
    report "Downloaded file identical to previous run's source file. Exiting";
    if($opt_u && -e $txt && !unlink($txt)) {
        report "Failed to remove $txt: $!\n";
    }
    exit;
}

report "SHA256 of new file: $newhash";

my $currentdate = scalar gmtime($filedate);

my $format = $opt_t ? "plain text and " : "";
if( $stdout
) {
    open(CRT, '> -') or die "Couldn't open STDOUT: $!\n";
} else {
    open(CRT,">$crt.~") or die "Couldn't open $crt.~: $!\n";
}
print CRT <<EOT;
##
## Bundle of CA Root Certificates
##

```

```

## Certificate data from Mozilla ${datesrc}: ${currentdate} GMT
##
## This is a bundle of X.509 certificates of public Certificate Authorities
## (CA). These were automatically extracted from Mozilla's root certificates
## file (certdata.txt). This file can be found in the mozilla source tree:
## ${url}
##
## It contains the certificates in ${format}PEM format and therefore
## can be directly used with curl / libcurl / php_curl, or with
## an Apache+mod_ssl webserver for SSL client authentication.
## Just configure this file as the SSLCACertificateFile.
##
## Conversion done with mk-ca-bundle.pl version $version.
## SHA256: $newhash
##

```

EOT

```

report "Processing '$txt' ...";
my $scaname;
my $certnum = 0;
my $skipnum = 0;
my $start_of_cert = 0;
my @precert;
my $cka_value;
my $valid = 1;

open(TXT,"$txt")
or die "Couldn't open $txt: $!\n";
while (<TXT>) {
if (/^*\*\*\*\* BEGIN LICENSE BLOCK \*\*\*\*\*/) {
    print CRT;
    print if ($opt_l);
    while (<TXT>) {
        print CRT;
        print if ($opt_l);
        last if (/^*\*\*\*\* END LICENSE BLOCK \*\*\*\*\*/);
    }
}
elseif(/^# (Issuer|Serial Number|Subject|Not Valid Before|Not Valid After |Fingerprint \(\MD5\)|Fingerprint
\(\SHA1\))/) {
    push @precert, $_;
    $valid = 1;
    next;
}
elseif(/^#|^\s*$/) {
    undef @precert;
    next;
}

```

```

}
chomp;

# Example:
# CKA_NSS_SERVER_DISTRUST_AFTER MULTILINE_OCTAL
# \062\060\060\066\061\067\060\060\060\060\060\132
# END

if (/^CKA_NSS_SERVER_DISTRUST_AFTER (CK_BBOOL CK_FALSE|MULTILINE_OCTAL)/) {
    if($1 eq "MULTILINE_OCTAL") {
        my @timestamp;
        while (<TXT>) {
            last if (/^END/);
            chomp;
            my @octets = split(/\//);
            shift @octets;
            for (@octets) {
                push
@timestamp, chr(oct);
            }
        }
        # A trailing Z in the timestamp signifies UTC
        if($timestamp[12] ne "Z") {
            report "distrust date stamp is not using UTC";
        }
        # Example date: 200617000000Z
        # Means 2020-06-17 00:00:00 UTC
        my $distrustat =
            timegm($timestamp[10] . $timestamp[11], # second
                $timestamp[8] . $timestamp[9], # minute
                $timestamp[6] . $timestamp[7], # hour
                $timestamp[4] . $timestamp[5], # day
                ($timestamp[2] . $timestamp[3]) - 1, # month
                "20" . $timestamp[0] . $timestamp[1]); # year
        if(time >= $distrustat) {
            # not trusted anymore
            $skipnum++;
            report "Skipping: $scaname is not trusted anymore" if ($opt_v);
            $valid = 0;
        }
        else {
            # still trusted
        }
    }
    next;
}

# this

```

```

is a match for the start of a certificate
if (/^CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE/) {
    $start_of_cert = 1
}
if ($start_of_cert && /^CKA_LABEL UTF8 \"(.*)\"/) {
    $scaname = $1;
}
my %trust_purposes_by_level;
if ($start_of_cert && /^CKA_VALUE MULTILINE_OCTAL/) {
    $ska_value="";
    while (<TXT>) {
        last if (/^END/);
        chomp;
        my @octets = split(/\n/);
        shift @octets;
        for (@octets) {
            $ska_value .= chr(oct);
        }
    }
}
if(/^CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST/ && $valid) {
    # now scan the trust part to determine how we should trust this cert
    while (<TXT>) {
        last if (/^#/);
        if (/^CKA_TRUST_([A-Z_]+)\s+CK_TRUST\s+CKT_NSS_([A-Z_]+)\s*$/) {
            if ( !is_in_list($1,@valid_mozilla_trust_purposes) ) {
                report "Warning: Unrecognized trust purpose for cert: $scaname. Trust purpose: $1. Trust Level: $2";
            } elsif ( !is_in_list($2,@valid_mozilla_trust_levels) ) {
                report "Warning:
Unrecognized trust level for cert: $scaname. Trust purpose: $1. Trust Level: $2";
            } else {
                push @{$trust_purposes_by_level{$2}}, $1;
            }
        }
    }

    if ( !should_output_cert(%trust_purposes_by_level) ) {
        $skipnum ++;
        report "Skipping: $scaname" if ($opt_v);
    } else {
        my $data = $ska_value;
        $ska_value = "";
        my $encoded = MIME::Base64::encode_base64($data, "");
        $encoded =~ s/(.{1,$opt_w})/$1\n/g;
        my $pem = "-----BEGIN CERTIFICATE-----\n"
            . $encoded
            . "-----END CERTIFICATE-----\n";
        print CRT "\n$scaname\n";
    }
}

```

```

print CRT @precert if($opt_m);
my $maxLength = length(decode('UTF-8', $scaname, Encode::FB_CROAK | Encode::LEAVE_SRC));
if ($opt_t) {
    foreach my $key (keys %trust_purposes_by_level) {
        my $string = $key . ":" . join(" ", @{$trust_purposes_by_level{$key}});
        $maxLength = List::Util::max( length($string), $maxLength
    );
    print CRT $string . "\n";
}
print CRT (" " x $maxLength . "\n");
if (!$opt_t) {
    print CRT $pem;
} else {
    my $pipe = "";
    foreach my $hash (@included_signature_algorithms) {
        $pipe = "|$openssl x509 -" . $hash . " -fingerprint -noout -inform PEM";
        if (!$stdout) {
            $pipe .= " >> $crt.~";
            close(CRT) or die "Couldn't close $crt.~: $!";
        }
        open(TMP, $pipe) or die "Couldn't open openssl pipe: $!";
        print TMP $pem;
        close(TMP) or die "Couldn't close openssl pipe: $!";
        if (!$stdout) {
            open(CRT, ">>$crt.~") or die "Couldn't open $crt.~: $!";
        }
    }
    $pipe = "|$openssl x509 -text -inform PEM";
    if (!$stdout) {
        $pipe .= " >> $crt.~";
        close(CRT) or die "Couldn't close $crt.~: $!";
    }
    open(TMP, $pipe) or die "Couldn't open openssl pipe: $!";
    print TMP
$pem;
    close(TMP) or die "Couldn't close openssl pipe: $!";
    if (!$stdout) {
        open(CRT, ">>$crt.~") or die "Couldn't open $crt.~: $!";
    }
}
report "Parsing: $scaname" if ($opt_v);
$certnum++;
$start_of_cert = 0;
}
undef @precert;
}

```



```

}
close(TXT) or die "Couldn't close $txt: $!\n";
close(CRT) or die "Couldn't close $crt.~: $!\n";
unless( $stdout ) {
    if ($opt_b && -e $crt) {
        my $bk = 1;
        while (-e "$crt.~${bk}~") {
            $bk++;
        }
        rename $crt, "$crt.~${bk}~" or die "Failed to create backup $crt.~$bk}~: $!\n";
    } elsif( -e $crt ) {
        unlink( $crt ) or die "Failed to remove $crt: $!\n";
    }
    rename "$crt.~", $crt or die "Failed to rename $crt.~ to $crt: $!\n";
}
if($opt_u && -e $txt && !unlink($txt)) {
    report "Failed to remove $txt: $!\n";
}
report "Done ($certnum CA certs processed, $skipnum skipped).";

```

Found in path(s):

* /ca-certificates-20230506-tar-bz2/ca-certificates-20230506/mk-ca-bundle.pl

No license file was found, but licenses were detected in source scan.

/* c_rehash.c - Create hash symlinks for certificates

* C implementation based on the original Perl and shell versions

*

* Copyright (c) 2013-2014 Timo Teräs <timo.teras@iki.fi>

* All rights reserved.

*

* This software is licensed under the MIT License.

* Full license available at: <http://opensource.org/licenses/MIT>

*/

Found in path(s):

* /ca-certificates-20230506-tar-bz2/ca-certificates-20230506/c_rehash.c

1.39 go-uber-org-zap 1.27.0

1.39.1 Available under license :

Copyright (c) 2016-2017 Uber Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.40 githubcomgolangprotobuf 1.5.4

1.40.1 Available under license :

```
# This source code was written by the Go contributors.  
# The master list of contributors is in the main Go distribution,  
# visible at http://tip.golang.org/CONTRIBUTORS.  
Copyright 2010 The Go Authors. All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.41 aws-smithy-go 1.20.2

1.41.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

1.42 x-sync 0.7.0

1.42.1 Available under license :

```
---
name: github.com/cloudflare/circl/internal/conv
version: v1.3.7
type: go
summary:
homepage: https://pkg.go.dev/github.com/cloudflare/circl/internal/conv
license: other
licenses:
- sources: circl/LICENSE
text: |
  Copyright (c) 2019 Cloudflare. All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Cloudflare nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE
IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

name: github.com/go-git/go-git/v5/config

version: v5.12.0

type: go

summary: Package config contains the abstraction of multiple config files

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/config>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control

with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship,
whether in Source or

Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to

Licensors for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensors or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensors for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensors and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensors and
subsequently incorporated within the Work.

2. Grant of

Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless

You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT

WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law
or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/go-git/gcfg/token

version: v1.5.1-0.20230307220236-3a3c6141e376

type: go

summary: Package token defines constants representing the lexical tokens of the gcfg
configuration syntax and basic operations on tokens (printing, predicates).

homepage: <https://pkg.go.dev/github.com/go-git/gcfg/token>

license: other

licenses:

- sources: gcfg/LICENSE

text: |

Copyright (c) 2012 Pter Surnyi. Portions Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices:

[]

Copyright (c) 2012 Alex Ogier. All rights reserved.

Copyright (c) 2012 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

name: github.com/cloudflare/circl/sign/ed25519

version: v1.3.7

type: go

summary: Package ed25519 implements Ed25519 signature scheme as described in RFC-8032.

homepage: <https://pkg.go.dev/github.com/cloudflare/circl/sign/ed25519>

license: other

licenses:

- sources: circl/LICENSE

text: |

Copyright (c) 2019 Cloudflare. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Cloudflare nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

name: github.com/ProtonMail/go-crypto/ocb

version: v1.0.0

type: go

summary: 'Package ocb provides an implementation of the OCB (offset codebook) mode of operation, as described in RFC-7253 of the IRTF and in Rogaway, Bellare, Black and Krovetz - OCB: A BLOCK-CIPHER MODE OF OPERATION FOR EFFICIENT AUTHENTICATED ENCRYPTION (2003).'

homepage: <https://pkg.go.dev/github.com/ProtonMail/go-crypto/ocb>

license: other

licenses:

- sources: go-crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: go-crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this

implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: golang.org/x/crypto/ssh/knownhosts

version: v0.21.0

type: go

summary: Package knownhosts implements a parser for the OpenSSH known_hosts host key database, and provides utility functions for writing OpenSSH compliant known_hosts files.

homepage: <https://pkg.go.dev/golang.org/x/crypto/ssh/knownhosts>

license: other

licenses:

- sources: crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: crypto/PATENTS

text: |

Additional

IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/google/go-github/v43/github

version: v43.0.0

type: go

summary: Package github provides a client for using the GitHub API.

homepage: <https://pkg.go.dev/github.com/google/go-github/v43/github>

license: bsd-3-clause

licenses:

- sources: v43/LICENSE

text: |

Copyright (c) 2013 The go-github AUTHORS. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

name: github.com/go-git/go-git/v5/utls/merkletrie/index

version: v5.12.0

type: go

summary:

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/utls/merkletrie/index>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes

of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if

and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF

ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages

for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

Apache License
Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright (c) 2012-2016 The go-diff Authors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and
distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright
owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently

incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative

Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks, service marks,

or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall

any Contributor be liable to You for damages, including any direct, indirect, special, incidental,

or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to
in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

name: github.com/emirpasic/gods/lists

version: v1.18.1

type: go

summary: Package lists provides an abstract List interface.
homepage: <https://pkg.go.dev/github.com/emirpasic/gods/lists>
license: other
licenses:
- sources: gods/LICENSE
text: |
Copyright (c) 2015, Emir Pasic
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

AVL Tree:

Copyright (c) 2017 Benjamin Scher Purcell <benjapurcell@gmail.com>

Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all
copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF

OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

notices: []

name: github.com/ProtonMail/go-crypto/openpgp/ecdh

version: v1.0.0

type: go

summary: Package ecdh implements ECDH encryption, suitable for OpenPGP, as specified in RFC 6637, section 8.

homepage: <https://pkg.go.dev/github.com/ProtonMail/go-crypto/openpgp/ecdh>

license: other

licenses:

- sources: go-crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: go-crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation"

means the copyrightable works distributed by

Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: [golang.org/x/crypto/openpgp/elgamal](https://pkg.go.dev/golang.org/x/crypto/openpgp/elgamal)

version: v0.21.0

type: go

summary: Package elgamal implements ElGamal encryption, suitable for OpenPGP, as specified in "A Public-Key Cryptosystem and a Signature Scheme Based on Discrete Logarithms," IEEE Transactions on Information Theory, v.

homepage: <https://pkg.go.dev/golang.org/x/crypto/openpgp/elgamal>

license: other

licenses:

- sources: crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources:

crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity

(including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/go-git/go-git/v5/plumbing/format/index

version: v5.12.0

type: go

summary: Package index implements encoding and decoding of index format files.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/format/index>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s)

alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent
notices
stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5.

Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability

to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting

any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/ProtonMail/go-crypto/openpgp/errors

version: v1.0.0

type: go

summary: Package errors contains common error types for the OpenPGP packages.

homepage: <https://pkg.go.dev/github.com/ProtonMail/go-crypto/openpgp/errors>

license: other

licenses:

- sources: go-crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: go-crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/go-git/go-git/v5/plumbing/format/diff

version: v5.12.0

type: go

summary:

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/format/diff>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by

the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with

the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/go-git/go-git/v5/plumbing/format/pktline

version: v5.12.0

type: go

summary: Package pktline implements reading payloads from pkt-lines and encoding pkt-lines from payloads.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/format/pktline>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed

by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License

or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/go-git/go-git/v5

version: v5.12.0

type: go

summary: A highly extensible git implementation in pure Go.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5>

license: apache-2.0

licenses:

- sources: LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the

Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works,

if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS

OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages

for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: golang.org/x/crypto/blowfish

version: v0.21.0

type: go

summary: Package blowfish implements Bruce Schneier's Blowfish encryption algorithm.

homepage: <https://pkg.go.dev/golang.org/x/crypto/blowfish>

license: other

licenses:

- sources: crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any

entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/spf13/cobra

version: v1.8.0

type: go

summary: Package cobra is a commander providing a simple interface to create powerful modern CLI interfaces.

homepage: <https://pkg.go.dev/github.com/spf13/cobra>

license: apache-2.0

licenses:

- sources: LICENSE.txt

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination

of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a

display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

- sources: README.md

text: Cobra is released under the Apache 2.0 license. See

[LICENSE.txt](https://github.com/spf13/cobra/blob/main/LICENSE.txt)

notices: []

name: github.com/go-git/go-billy/v5/osfs

version: v5.5.0

type: go

summary: Package osfs provides a billy filesystem for the OS.

homepage: https://pkg.go.dev/github.com/go-git/go-billy/v5/osfs

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity.

For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for
inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the

Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES

OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2017 Sourced Technologies S.L.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/cloudflare/circl/math/fp25519

version: v1.3.7

type: go

summary: Package fp25519 provides prime field arithmetic over GF(2²⁵⁵⁻¹⁹).

homepage: <https://pkg.go.dev/github.com/cloudflare/circl/math/fp25519>

license: other

licenses:

- sources: circl/LICENSE

text: |

Copyright (c) 2019 Cloudflare. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Cloudflare nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution

and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

This source code was written by the Go contributors.

The master list of contributors is in the main Go distribution,

visible at <https://tip.golang.org/CONTRIBUTORS>.

name: github.com/go-git/go-git/v5/plumbing/filemode

version: v5.12.0

type: go

summary:

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/filemode>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensors for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work

to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/go-git/go-git/v5/plumbing/format/idxfile

version: v5.12.0

type: go

summary: Package idxfile implements encoding and decoding of packfile idx files.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/format/idxfile>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled
by, or are under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work"

shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s)

alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works;

or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: golang.org/x/crypto/openpgp

version: v0.21.0

type: go

summary: Package openpgp implements high level operations on OpenPGP messages.

homepage: <https://pkg.go.dev/golang.org/x/crypto/openpgp>

license: other

licenses:

- sources: crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in

the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of

Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/go-git/go-git/v5/plumbing/format/objfile

version: v5.12.0

type: go

summary: Package objfile implements encoding and decoding of object files.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/format/objfile>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work"

shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s)

alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5.

Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability

to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/go-git/go-billy/v5

version: v5.5.0

type: go
summary:
homepage: <https://pkg.go.dev/github.com/go-git/go-billy/v5>
license: apache-2.0
licenses:
- sources: LICENSE
text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means

- (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual

or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted
for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied,

including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss of goodwill,
work stoppage,

computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2017 Sourced Technologies S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed
on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

// Copyright 2013 The go-github AUTHORS. All rights reserved.

//

// Use of this source code is governed by a BSD-style

// license that can be found in the LICENSE file.

package github

```
import (  
    "context"  
    "fmt"  
)
```

// LicensesService handles communication with the license related

// methods of the GitHub API.

//

// GitHub API docs: <https://docs.github.com/en/free-pro-team@latest/rest/reference/licenses/>

type LicensesService service

```

// RepositoryLicense represents the license for a repository.
type RepositoryLicense struct {
    Name *string `json:"name,omitempty"`
    Path *string `json:"path,omitempty"`

    SHA      *string `json:"sha,omitempty"`
    Size     *int    `json:"size,omitempty"`
    URL      *string `json:"url,omitempty"`
    HTMLURL  *string `json:"html_url,omitempty"`
    GitURL   *string `json:"git_url,omitempty"`
    DownloadURL *string `json:"download_url,omitempty"`
    Type     *string `json:"type,omitempty"`
    Content  *string `json:"content,omitempty"`
    Encoding
        *string `json:"encoding,omitempty"`
    License *License `json:"license,omitempty"`
}

func (l RepositoryLicense) String() string {
    return Stringify(l)
}

// License represents an open source license.
type License struct {
    Key *string `json:"key,omitempty"`
    Name *string `json:"name,omitempty"`
    URL *string `json:"url,omitempty"`

    SPDXID      *string `json:"spdx_id,omitempty"`
    HTMLURL     *string `json:"html_url,omitempty"`
    Featured    *bool   `json:"featured,omitempty"`
    Description *string `json:"description,omitempty"`
    Implementation *string `json:"implementation,omitempty"`
    Permissions *[]string `json:"permissions,omitempty"`
    Conditions *[]string `json:"conditions,omitempty"`
    Limitations *[]string `json:"limitations,omitempty"`
    Body       *string `json:"body,omitempty"`
}

func (l License) String() string {
    return Stringify(l)
}

// List popular open source licenses.
//
// GitHub API docs: https://docs.github.com/en/free-pro-team@latest/rest/reference/licenses/#list-all-licenses
func

```

```

(s *LicensesService) List(ctx context.Context) ([]*License, *Response, error) {
    req, err := s.client.NewRequest("GET", "licenses", nil)
    if err != nil {
        return nil, nil, err
    }

    var licenses []*License
    resp, err := s.client.Do(ctx, req, &licenses)
    if err != nil {
        return nil, resp, err
    }

    return licenses, resp, nil
}

// Get extended metadata for one license.
//
// GitHub API docs: https://docs.github.com/en/free-pro-team@latest/rest/reference/licenses/#get-a-license
func (s *LicensesService) Get(ctx context.Context, licenseName string) (*License, *Response, error) {
    u := fmt.Sprintf("licenses/%s", licenseName)

    req, err := s.client.NewRequest("GET", u, nil)
    if err != nil {
        return nil, nil, err
    }

    license := new(License)
    resp, err := s.client.Do(ctx, req, license)
    if err != nil {
        return nil, resp, err
    }

    return license, resp, nil
}
---
name: github.com/go-git/go-git/v5/plumbing/cache
version: v5.12.0
type: go
summary:
homepage: https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/cache
license: apache-2.0
licenses:
- sources: v5/LICENSE
text: |2

        Apache License
        Version 2.0, January 2004
        http://www.apache.org/licenses/

```

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright

owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to

which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed

under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/ProtonMail/go-crypto/openpgp/aes/keywrap

version: v1.0.0

type: go

summary: Package keywrap is an implementation of the RFC 3394 AES key wrapping algorithm.

homepage: <https://pkg.go.dev/github.com/ProtonMail/go-crypto/openpgp/aes/keywrap>

license: other

licenses:

- sources: go-crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

* Neither the name of Google Inc. nor the names of its
contributors may be used to endorse
or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: go-crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation"

means the copyrightable works distributed by

Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/cloudflare/circl/dh/x25519

version: v1.3.7

type: go

summary: Package x25519 provides Diffie-Hellman functions as specified in RFC-7748.

homepage: <https://pkg.go.dev/github.com/cloudflare/circl/dh/x25519>

license: other

licenses:

- sources: circl/LICENSE

text: |

Copyright (c) 2019 Cloudflare. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Cloudflare nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution

and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

name: github.com/cloudflare/circl/sign

version: v1.3.7

type: go

summary: Package sign provides unified interfaces for signature schemes.

homepage: <https://pkg.go.dev/github.com/cloudflare/circl/sign>

license: other

licenses:

- sources: circl/LICENSE

text: |

Copyright (c) 2019 Cloudflare. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Cloudflare nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in
source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

name: github.com/ProtonMail/go-crypto/openpgp/elgamal

version: v1.0.0

type: go

summary: Package elgamal implements ElGamal encryption, suitable for OpenPGP, as specified
in "A Public-Key Cryptosystem and a Signature Scheme Based on Discrete Logarithms,"
IEEE Transactions on Information Theory, v.

homepage: <https://pkg.go.dev/github.com/ProtonMail/go-crypto/openpgp/elgamal>

license: other

licenses:

- sources: go-crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: go-crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any

entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent

infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/go-git/go-git/v5/plumbing/protocol/packp/sideband

version: v5.12.0

type: go

summary: Package sideband implements a sideband mutiplex/demultiplexer

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/protocol/packp/sideband>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its

Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the

use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/go-git/go-git/v5/plumbing/revlist

version: v5.12.0

type: go

summary: Package revlist provides support to access the ancestors of commits, in a similar way as the git-rev-list command.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/revlist>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or

Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily

infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and
- (b) You must cause
any modified files to carry prominent notices
stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided
along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions
stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this

License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/go-git/go-git/v5/plumbing/transport/file

version: v5.12.0

type: go

summary: Package file implements the file transport protocol.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/transport/file>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone

or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of

Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS

IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required
by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md
text: Apache License Version 2.0, see [LICENSE](LICENSE)
notices: []

name: github.com/go-git/go-git/v5/utls/diff
version: v5.12.0
type: go
summary: Package diff implements line oriented diffs, similar to the ancient Unix
diff command.
homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/utls/diff>
license: apache-2.0
licenses:
- sources: v5/LICENSE
text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are
under common

control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s)

alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission

of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability

to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/go-git/go-git/v5/plumbing/transport/client

version: v5.12.0

type: go

summary: Package client contains helper function to deal with the different client protocols.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/transport/client>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative

Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently

incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and
- (b) You must cause any modified
files to carry prominent notices
stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the
Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in
this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor

provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or

out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

Copyright (c) 2012 Pter Surnyi. Portions Copyright (c) 2009 The Go
Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

name: github.com/ProtonMail/go-crypto/internal/byteutil

version: v1.0.0

type: go

summary:

homepage: <https://pkg.go.dev/github.com/ProtonMail/go-crypto/internal/byteutil>

license: other

licenses:

- sources: go-crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: go-crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: golang.org/x/oauth2/internal

version: v0.19.0

type: go

summary: Package internal contains support packages for oauth2 package.

homepage: <https://pkg.go.dev/golang.org/x/oauth2/internal>

license: bsd-3-clause

licenses:

- sources: oauth2/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

name: github.com/ProtonMail/go-crypto/openpgp/eddsa

version: v1.0.0

type: go

summary: Package eddsa implements EdDSA signature, suitable for OpenPGP, as specified in <https://datatracker.ietf.org/doc/html/draft-ietf-openpgp-crypto-refresh-06#section-13.7>

homepage: <https://pkg.go.dev/github.com/ProtonMail/go-crypto/openpgp/eddsa>

license: other

licenses:

- sources: go-crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: go-crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/ProtonMail/go-crypto/openpgp/internal/ecc

version: v1.0.0

type: go

summary: Package ecc implements a generic interface for ECDH, ECDSA, and EdDSA.

homepage: <https://pkg.go.dev/github.com/ProtonMail/go-crypto/openpgp/internal/ecc>

license: other

licenses:

- sources: go-crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the

distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: go-crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means
the copyrightable works distributed by
Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/go-git/go-git/v5/plumbing/format/config

version: v5.12.0

type: go

summary: Package config implements encoding and decoding of git config files.
homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/format/config>
license: apache-2.0
licenses:
- sources: v5/LICENSE
text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is

intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within

the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s)

alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5.

Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability

to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting

any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/go-git/go-git/v5/storage/filesystem

version: v5.12.0

type: go

summary: Package filesystem is a storage backend base on filesystems

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/storage/filesystem>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or

by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS"

BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required
by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md
text: Apache License Version 2.0, see [LICENSE](LICENSE)
notices: []

name: github.com/go-git/go-git/v5/utls/binary
version: v5.12.0
type: go
summary: Package binary implements syntax-sugar functions on top of the standard library
binary package
homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/utls/binary>
license: apache-2.0
licenses:
- sources: v5/LICENSE
text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled
by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof,

that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works;

or,

within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use

or inability to use the

Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

MIT License

Copyright (c) 2012-2020 Mat Ryer, Tyler Bunnell and contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

name: golang.org/x/crypto/openpgp/packet

version: v0.21.0

type: go

summary: Package packet implements parsing and serialization of OpenPGP packets, as specified in RFC 4880.

homepage: <https://pkg.go.dev/golang.org/x/crypto/openpgp/packet>

license: other

licenses:

- sources: crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/ProtonMail/go-crypto/openpgp/internal/encoding

version: v1.0.0

type: go

summary: Package encoding implements openpgp packet field encodings as specified in RFC 4880 and 6637.

homepage: <https://pkg.go.dev/github.com/ProtonMail/go-crypto/openpgp/internal/encoding>

license: other

licenses:

- sources: go-crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: go-crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging

that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/emirpasic/gods/trees

version: v1.18.1

type: go

summary: Package trees provides an abstract Tree interface.

homepage: <https://pkg.go.dev/github.com/emirpasic/gods/trees>

license: other

licenses:

- sources: gods/LICENSE

text: |

Copyright (c) 2015, Emir Pasic

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

AVL Tree:

Copyright (c) 2017 Benjamin Scher Purcell <benjapurcell@gmail.com>

Permission to use, copy, modify, and distribute this software for any

purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

notices: []

name: github.com/emirpasic/gods/containers

version: v1.18.1

type: go

summary: Package containers provides core interfaces and functions for data structures.

homepage: <https://pkg.go.dev/github.com/emirpasic/gods/containers>

license: other

licenses:

- sources: gods/LICENSE

text: |

Copyright (c) 2015, Emir Pasic

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

AVL Tree:

Copyright (c) 2017 Benjamin Scher Purcell <benjapurcell@gmail.com>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

notices: []

name: golang.org/x/crypto/ssh/agent

version: v0.21.0

type: go

summary: Package agent implements the ssh-agent protocol, and provides both a client and a server.

homepage: <https://pkg.go.dev/golang.org/x/crypto/ssh/agent>

license: other

licenses:

- sources: crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/go-git/go-git/v5/plumbing/transport/internal/common

version: v5.12.0

type: go

summary: Package common implements the git pack protocol with a pluggable transport.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/transport/internal/common>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor

provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License

or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/cloudflare/circl/sign/ed448

version: v1.3.7

type: go

summary: Package ed448 implements Ed448 signature scheme as described in RFC-8032.

homepage: <https://pkg.go.dev/github.com/cloudflare/circl/sign/ed448>

license: other

licenses:

- sources: circl/LICENSE

text: |

Copyright (c) 2019 Cloudflare. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

- * Neither the name of Cloudflare nor the names of its
contributors may be used to endorse or promote products derived from
this
software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution

and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

name: github.com/ProtonMail/go-crypto/openpgp/internal/algorithm

version: v1.0.0

type: go

summary:

homepage: <https://pkg.go.dev/github.com/ProtonMail/go-crypto/openpgp/internal/algorithm>

license: other

licenses:

- sources: go-crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: go-crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be

infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

name: github.com/go-git/go-git/v5/internal/path_util
version: v5.12.0
type: go
summary:
homepage: https://pkg.go.dev/github.com/go-git/go-git/v5/internal/path_util
license: apache-2.0
licenses:
- sources: v5/LICENSE
text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the

Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the
Work (including but not limited to damages for loss
of goodwill,

work stoppage, computer failure or malfunction, or any and all
other commercial damages or losses), even if such Contributor
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing
the Work or Derivative Works thereof, You may choose to offer,
and charge a fee for, acceptance of support, warranty, indemnity,
or other liability obligations and/or rights consistent with this
License. However, in accepting such obligations, You may act only
on Your own behalf and on Your sole responsibility, not on behalf
of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following
boilerplate notice, with the fields enclosed by brackets "{}"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/go-git/go-git/v5/merkletrie/filesystem

version: v5.12.0

type: go

summary:

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/merkletrie/filesystem>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For

the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion

in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files;

and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative

Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS

OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF
TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing,
software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

Copyright (c) 2019 Cloudflare. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Cloudflare nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2022 Alan Shreve (@inconshreveable)

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright 2024 Skeema LLC and the Skeema Knownhosts authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

name: github.com/go-git/go-git/v5/storage

version: v5.12.0

type: go

summary:

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/storage>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s)

was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How

to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the

License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/go-git/go-git/v5/utls/merkletrie

version: v5.12.0

type: go

summary: Package merkletrie provides support for n-ary trees that are at the same
time Merkle trees and Radix trees (tries).

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/utls/merkletrie>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily

infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided

along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions

stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this

License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: golang.org/x/sys/execabs

version: v0.18.0

type: go

summary: Package execabs is a drop-in replacement for os/exec that requires PATH lookups
to find absolute paths.

homepage: <https://pkg.go.dev/golang.org/x/sys/execabs>

license: other

licenses:

- sources: sys/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: sys/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: golang.org/x/net/context

version: v0.23.0

type: go

summary: Package context defines the Context type, which carries deadlines, cancelation signals, and other request-scoped values across API boundaries and between processes.

homepage: <https://pkg.go.dev/golang.org/x/net/context>

license: other

licenses:

- sources: net/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: net/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that

this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: golang.org/x/crypto/openpgp/s2k

version: v0.21.0

type: go

summary: Package s2k implements the various OpenPGP string-to-key transforms as specified in RFC 4800 section 3.7.1.

homepage: <https://pkg.go.dev/golang.org/x/crypto/openpgp/s2k>

license: other

licenses:

- sources: crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive,

no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/go-git/gcfg/scanner

version: v1.5.1-0.20230307220236-3a3c6141e376

type: go

summary: Package scanner implements a scanner for gcfg configuration text.

homepage: <https://pkg.go.dev/github.com/go-git/gcfg/scanner>

license: other

licenses:

- sources: gcfg/LICENSE

text: |

Copyright (c) 2012 Pter Surnyi. Portions Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

name: github.com/golang/groupcache/lru

version: v0.0.0-20210331224755-41bb18bfe9da

type: go

summary: Package lru implements an LRU cache.

homepage: <https://pkg.go.dev/github.com/golang/groupcache/lru>

license: apache-2.0

licenses:

- sources: groupcache/LICENSE

text: |

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction

or management of such entity, whether by

contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works"

shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have

made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to

any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted

for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR
CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

notices: []

name: github.com/go-git/go-git/v5/plumbing/storer
version: v5.12.0
type: go
summary: Package storer defines the interfaces to store objects, references, etc.
homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/storer>
license: apache-2.0
licenses:
- sources: v5/LICENSE
text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone

or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission

of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an

"AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use

the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless

required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: dario.cat/mergo

version: v1.0.0

type: go

summary: A helper to merge structs and maps in Golang.

homepage: <https://pkg.go.dev/dario.cat/mergo>

license: bsd-3-clause

licenses:

- sources: LICENSE

text: |

Copyright (c) 2013 Dario Casta. All rights reserved.

Copyright (c) 2012 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: README.md

text: |-

[BSD 3-Clause](<http://opensource.org/licenses/BSD-3-Clause>) license, as [Go language](<http://golang.org/LICENSE>).

[![FOSSA

Status](<https://app.fossa.io/api/projects/git%2Bgithub.com%2Fimdario%2Fmergo.svg?type=large>)](https://app.fossa.io/projects/git%2Bgithub.com%2Fimdario%2Fmergo?ref=badge_large)

notices: []

name: github.com/go-git/go-git/v5/merkletrie/internal/frame

version: v5.12.0

type: go

summary:

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/merkletrie/internal/frame>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity.

For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source
or
Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion
in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES

OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited

to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to
in writing, software

distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/cloudflare/circl/internal/sha3

version: v1.3.7

type: go

summary: Package sha3 implements the SHA-3 fixed-output-length hash functions and the SHAKE variable-output-length hash functions defined by FIPS-202.

homepage: <https://pkg.go.dev/github.com/cloudflare/circl/internal/sha3>

license: other

licenses:

- sources: circl/LICENSE

text: |

Copyright (c) 2019 Cloudflare. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Cloudflare nor the names of its

contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

name: github.com/go-git/go-billy/v5/util

version: v5.5.0

type: go

summary:

homepage: <https://pkg.go.dev/github.com/go-git/go-billy/v5/util>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s)

was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such

third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How
to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2017 Sourced Technologies S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License
is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/go-git/gcfg/types

version: v1.5.1-0.20230307220236-3a3c6141e376

type: go

summary: Package types defines helpers for type conversions.

homepage: <https://pkg.go.dev/github.com/go-git/gcfg/types>

license: other

licenses:

- sources: gcfg/LICENSE

text: |

Copyright (c) 2012 Pter Surnyi. Portions Copyright (c) 2009 The Go
Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or
promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

name: golang.org/x/crypto/argon2

version: v0.21.0

type: go

summary: Package argon2 implements the key derivation function Argon2.

homepage: <https://pkg.go.dev/golang.org/x/crypto/argon2>

license: other

licenses:

- sources: crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section)

patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes

direct or contributory patent

infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: golang.org/x/sys/unix

version: v0.18.0

type: go

summary: Package unix contains an interface to the low-level operating system primitives.

homepage: <https://pkg.go.dev/golang.org/x/sys/unix>

license: other

licenses:

- sources: sys/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: sys/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes

direct or contributory patent

infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: golang.org/x/crypto/blake2b

version: v0.21.0

type: go

summary: Package blake2b implements the BLAKE2b hash algorithm defined by RFC 7693 and the extendable output function (XOF) BLAKE2Xb.

homepage: <https://pkg.go.dev/golang.org/x/crypto/blake2b>

license: other

licenses:

- sources: crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means
the copyrightable works distributed by
Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent

infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/pjbgf/sha1cd/ubc

version: v0.3.0

type: go

summary: ubc package provides ways for SHA1 blocks to be checked for Unavoidable Bit Conditions that arise from crypto analysis attacks.

homepage: <https://pkg.go.dev/github.com/pjbgf/sha1cd/ubc>

license: apache-2.0

licenses:

- sources: sha1cd/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this

License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides

its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of

the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

notices: []

```
# This is the official list of people who can contribute
# (and typically have contributed) code to the go-diff
# repository.
#
# The AUTHORS file lists the copyright holders; this file
# lists people. For example, ACME Inc. employees would be listed here
# but not in AUTHORS, because ACME Inc. would hold the copyright.
#
# When adding J Random Contributor's name to this file,
# either J's name or J's organization's name should be
# added to the AUTHORS file.
#
# Names should be added to this file like so:
#   Name <email address>
```

#

Please keep the list sorted.

Danny Yoo <dannyoo@google.com>

James Kolb <jkolb@google.com>

Jonathan Amsterdam <jba@google.com>

Markus Zimmermann <markus.zimmermann@nethead.at> <markus.zimmermann@symflower.com>
<zimmski@gmail.com>

Matt Kovars <akaskik@gmail.com>

rjan Persson <orjan@spotify.com>

Osman Masood <oamasood@gmail.com>

Robert Carlsen <rwcarlsen@gmail.com>

Rory Flynn <roryflynn@users.noreply.github.com>

Sergi Mansilla <sergi.mansilla@gmail.com>

Shatrugna

Sadhu <ssadhu@apcera.com>

Shawn Smith <shawnpsmith@gmail.com>

Stas Maksimov <maksimov@gmail.com>

Tor Arvid Lund <torarvid@gmail.com>

Zac Bergquist <zbergquist99@gmail.com>

name: github.com/ProtonMail/go-crypto/eax

version: v1.0.0

type: go

summary: 'Package eax provides an implementation of the EAX (encrypt-authenticate-translate)

mode of operation, as described in Bellare, Rogaway, and Wagner "THE EAX MODE OF

OPERATION: A TWO-PASS AUTHENTICATED-ENCRYPTION SCHEME OPTIMIZED FOR SIMPLICITY
AND

EFFICIENCY." In FSE'04, volume 3017 of LNCS, 2004'

homepage: <https://pkg.go.dev/github.com/ProtonMail/go-crypto/eax>

license: other

licenses:

- sources: go-crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: go-crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or

order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/go-git/go-git/v5/plumbing/hash

version: v5.12.0

type: go

summary: package hash provides a way for managing the underlying hash implementations used across go-git.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/hash>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its

Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the

use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your

accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/emirpasic/gods/utls

version: v1.18.1

type: go

summary: Package utls provides common utility functions.

homepage: <https://pkg.go.dev/github.com/emirpasic/gods/utls>

license: other

licenses:

- sources: gods/LICENSE

text: |

Copyright (c) 2015, Emir Pasic

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

AVL Tree:

Copyright (c) 2017 Benjamin Scher Purcell <benjapurcell@gmail.com>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

notices: []

name: gopkg.in/warnings.v0

version: v0.1.2

type: go

summary: Package warnings implements error handling with non-fatal errors (warnings).

homepage: <https://pkg.go.dev/gopkg.in/warnings.v0>

license: bsd-2-clause

licenses:

- sources: LICENSE

text: |

Copyright (c) 2016 Pter Surnyi.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

name: github.com/google/go-querystring/query

version: v1.1.0

type: go

summary: Package query implements encoding of structs into URL query parameters.

homepage: <https://pkg.go.dev/github.com/google/go-querystring/query>

license: bsd-3-clause

licenses:

- sources: go-querystring/LICENSE

text: |

Copyright (c) 2013 Google. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

name: github.com/pkg/errors

version: v0.9.1

type: go

summary: Package errors provides simple error handling primitives.

homepage: <https://pkg.go.dev/github.com/pkg/errors>

license: bsd-2-clause

licenses:

- sources: LICENSE

text: |

Copyright (c) 2015, Dave Cheney <dave@cheney.net>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: README.md

text: BSD-2-Clause

notices: []

name: golang.org/x/oauth2

version: v0.19.0

type: go

summary: Package oauth2 provides support for making OAuth2 authorized and authenticated HTTP requests, as specified in RFC 6749.

homepage: <https://pkg.go.dev/golang.org/x/oauth2>

license: bsd-3-clause

licenses:

- sources: LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

The MIT License (MIT)

Copyright (c) 2014 Juan Batiz-Benet

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

name: golang.org/x/crypto/openpgp/errors

version: v0.21.0

type: go

summary: Package errors contains common error types for the OpenPGP packages.

homepage: <https://pkg.go.dev/golang.org/x/crypto/openpgp/errors>

license: other

licenses:

- sources: crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- sources: crypto/PATENTS
text: |
Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by

Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive,
no-charge, royalty-free, irrevocable (except as stated in this section)
patent license to make, have made, use, offer to sell, sell, import,
transfer and otherwise run, modify and propagate the contents of this
implementation of Go, where such license applies only to those patent
claims, both currently owned or controlled by Google and acquired in
the future, licensable by Google that are necessarily infringed by this
implementation of Go. This grant does not include claims that would be
infringed only as a consequence of further modification of this
implementation. If you or your agent or exclusive licensee institute or
order or agree to the institution of patent litigation against any
entity (including a cross-claim or counterclaim in a lawsuit) alleging
that this implementation of Go or any code incorporated within this
implementation
of Go constitutes direct or contributory patent
infringement, or inducement of patent infringement, then any patent
rights granted to you under this License for this implementation of Go
shall terminate as of the date such litigation is filed.

notices: []

name: github.com/go-git/go-git/v5/utls/trace
version: v5.12.0
type: go
summary:
homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/utls/trace>
license: apache-2.0
licenses:
- sources: v5/LICENSE
text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensors for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which

such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever

such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution

intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

or

implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX:

How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed

under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/go-git/go-git/v5/utls/sync

version: v5.12.0

type: go

summary:

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/utls/sync>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such

Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever

such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX:

How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under

the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/xanzy/ssh-agent

version: v0.3.3

type: go

summary:

homepage: <https://pkg.go.dev/github.com/xanzy/ssh-agent>

license: apache-2.0
licenses:
- sources: LICENSE
text: |2+

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i)

the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual

or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each

Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted.

If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices

normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including,

without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer

failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache

License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed
on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: README.md

text: The files `pageant\_windows.go` and `sshagent\_windows.go` have their own license
(see file headers). The rest of this package is licensed under the Apache License,
Version 2.0 (the "License"); you may not use this file except in compliance with
the License. You may obtain a copy of the License at <<http://www.apache.org/licenses/LICENSE-2.0>>

notices: []

...

Copyright (c) 2015, Dave Cheney <dave@cheney.net>

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

name: github.com/go-git/go-git/v5/storage/filesystem/dotgit

version: v5.12.0

type: go

summary: <https://github.com/git/git/blob/master/Documentation/gitrepository-layout.txt>

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/storage/filesystem/dotgit>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides

its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the

use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

Copyright 2011-2016 Canonical Ltd.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

name: github.com/go-git/go-git/v5/plumbing/transport

version: v5.12.0

type: go

summary: Package transport includes the implementation for different transport protocols.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/transport>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work"

shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s)

alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works;

or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability

to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/cloudflare/circl/math/fp448

version: v1.3.7

type: go

summary: Package fp448 provides prime field arithmetic over $GF(2^{448}-2^{224}-1)$.

homepage: <https://pkg.go.dev/github.com/cloudflare/circl/math/fp448>

license: other

licenses:

- sources: circl/LICENSE

text: |

Copyright (c) 2019 Cloudflare. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Cloudflare nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution

and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

Copyright (c) 2013 Dario Casta. All rights reserved.

Copyright (c) 2012 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

name: github.com/go-git/go-git/v5/plumbing/color

version: v5.12.0

type: go

summary:

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/color>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to

which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed

under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/ProtonMail/go-crypto/openpgp/ecdsa

version: v1.0.0

type: go

summary: Package ecdsa implements ECDSA signature, suitable for OpenPGP, as specified
in RFC 6637, section 5.

homepage: <https://pkg.go.dev/github.com/ProtonMail/go-crypto/openpgp/ecdsa>

license: other

licenses:

- sources: go-crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the

distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: go-crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation"

means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/go-git/go-git/v5/utils/ioutil

version: v5.12.0

type: go

summary: Package ioutil implements some I/O utility functions.
homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/utils/ioutil>
license: apache-2.0
licenses:
- sources: v5/LICENSE
text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control

with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to

Licensors for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of

Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless

You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable
law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/go-git/go-git/v5/internal/revision

version: v5.12.0

type: go

summary: 'Package revision extracts git revision from string More information about
revision : <https://www.kernel.org/pub/software/scm/git/docs/gitrevisions.html>'

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/internal/revision>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

- 5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
- 6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
- 7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor

provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character

arising as a

result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims

asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy
of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/go-git/go-git/v5/plumbing/transport/ssh

version: v5.12.0

type: go

summary: Package ssh implements the SSH transport protocol.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/transport/ssh>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within

a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS"

BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied, including, without limitation, any warranties or conditions
of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
PARTICULAR PURPOSE. You are solely responsible for determining the
appropriateness of using or redistributing the Work and assume any
risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,
whether in tort (including negligence), contract, or otherwise,
unless required by applicable law (such as deliberate and grossly
negligent acts) or agreed to in writing, shall any Contributor be
liable to You for damages, including any direct, indirect, special,
incidental, or consequential damages of any character arising as a
result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required
by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

This project is covered by two different licenses: MIT and Apache.

MIT License

The following files were ported to Go from C files of libyaml, and thus are still covered by their original MIT license, with the additional copyright starting in 2011 when the project was ported over:

apic.go emitterc.go parserc.go readerc.go scannerc.go
writerc.go yamlh.go yamlprivateh.go

Copyright (c) 2006-2010 Kirill Simonov

Copyright (c) 2006-2011 Kirill Simonov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

All the remaining project files are covered by the Apache license:

Copyright (c) 2011-2019 Canonical Ltd

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR

CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2013, Patrick Mezard

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

The names of its contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

name: golang.org/x/net/internal/socks

version: v0.23.0

type: go

summary: Package socks provides a SOCKS version 5 client implementation.

homepage: <https://pkg.go.dev/golang.org/x/net/internal/socks>

license: other

licenses:

- sources: net/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: net/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/go-git/go-git/v5/storage/memory

version: v5.12.0

type: go

summary: Package memory is a storage backend base on memory

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/storage/memory>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control

with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship,

whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted

to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of

Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of

their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated

by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable
law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

Copyright (c) 2015, Emir Pasic

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

AVL Tree:

Copyright (c) 2017 Benjamin Scher Purcell <benjapurcell@gmail.com>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

name: github.com/go-git/go-git/v5/merkletrie/noder

version: v5.12.0

type: go

summary: Package noder provide an interface for defining nodes in a merkletrie, their hashes and their paths (a noders and its ancestors).

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/merkletrie/noder>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies

with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the

Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as

a

result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted
against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License

at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/go-git/go-git/v5/internal/url

version: v5.12.0

type: go

summary:

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/internal/url>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright

owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which

such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever

such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX:

How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed

under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: github.com/go-git/go-billy/v5/helper/polyfill

version: v5.5.0

type: go

summary:

homepage: <https://pkg.go.dev/github.com/go-git/go-billy/v5/helper/polyfill>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this
definition,

"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form,
made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work

to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c)

You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2017 Sourced Technologies S.L.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md
text: Apache License Version 2.0, see [LICENSE](LICENSE)
notices: []

name: github.com/jbenet/go-context/io
version: v0.0.0-20150711004518-d14ea06fba99
type: go
summary: Package ctxio provides io.Reader and io.Writer wrappers that respect context.Contexts.
homepage: https://pkg.go.dev/github.com/jbenet/go-context/io
license: mit
licenses:
- sources: go-context/LICENSE
text: |
The MIT License (MIT)

Copyright (c) 2014 Juan Batiz-Benet

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED

"AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

notices: []
ISC License

Copyright (c) 2012-2016 Dave Collins <dave@davec.name>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES

WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2023 The Gorilla Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

name: github.com/go-git/go-git/v5/plumbing/object

version: v5.12.0

type: go

summary: Package object contains implementations of all Git objects and utility functions to work with them.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/object>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative

Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this

License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides
its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: golang.org/x/crypto/ssh/internal/bcrypt_pbkdf

version: v0.21.0

type: go

summary: Package bcrypt_pbkdf implements bcrypt_pbkdf(3) from OpenBSD.

homepage: https://pkg.go.dev/golang.org/x/crypto/ssh/internal/bcrypt_pbkdf

license: other

licenses:

- sources: crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

Copyright (c) 2017 Kevin Burke.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

The lexer and parser borrow heavily from github.com/pelletier/go-toml. The license for that project is copied below.

The MIT License (MIT)

Copyright (c) 2013 - 2017 Thomas Pelletier, Eric Anderton

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A

PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

name: github.com/ProtonMail/go-crypto/openpgp

version: v1.0.0

type: go

summary: Package openpgp implements high level operations on OpenPGP messages.

homepage: <https://pkg.go.dev/github.com/ProtonMail/go-crypto/openpgp>

license: other

licenses:

- sources: go-crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are

met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: go-crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by

Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this

implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go

shall terminate as of the date such litigation is filed.
notices: []

name: github.com/go-git/go-billy/v5/helper/chroot
version: v5.5.0
type: go
summary:
homepage: <https://pkg.go.dev/github.com/go-git/go-billy/v5/helper/chroot>
license: apache-2.0
licenses:
- sources: v5/LICENSE
text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made

available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to

which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2017 Sourced Technologies S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed

under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: golang.org/x/crypto/curve25519

version: v0.21.0

type: go

summary: Package curve25519 provides an implementation of the X25519 function, which
performs scalar multiplication on the elliptic curve known as Curve25519.

homepage: <https://pkg.go.dev/golang.org/x/crypto/curve25519>

license: other

licenses:

- sources: crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that

this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent

rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

Copyright (c) 2013 Google. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

name: github.com/ProtonMail/go-crypto/openpgp/s2k

version: v1.0.0

type: go

summary: Package s2k implements the various OpenPGP string-to-key transforms as specified in RFC 4800 section 3.7.1, and Argon2 specified in draft-ietf-openpgp-crypto-refresh-08 section 3.7.1.4.

homepage: <https://pkg.go.dev/github.com/ProtonMail/go-crypto/openpgp/s2k>

license: other

licenses:

- sources: go-crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources:

go-crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity

(including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go

shall terminate as of the date such litigation is filed.

notices: []

name: github.com/ProtonMail/go-crypto/brainpool

version: v1.0.0

type: go

summary: Package brainpool implements Brainpool elliptic curves.

homepage: <https://pkg.go.dev/github.com/ProtonMail/go-crypto/brainpool>

license: other

licenses:

- sources: go-crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: go-crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by

Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this

implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/go-git/go-git/v5/plumbing/protocol/packp

version: v5.12.0

type: go

summary:

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/protocol/packp>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the

Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works,

if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS

OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)
notices: []

name: github.com/go-git/go-git/v5/plumbing
version: v5.12.0
type: go
summary: package plumbing implement the core interfaces and structs used by go-git
homepage: https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing
license: apache-2.0
licenses:
- sources: v5/LICENSE
text: |2

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of

authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination

of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a

display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by
applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

name: golang.org/x/crypto/openpgp/armor

version: v0.21.0

type: go

summary: Package armor implements OpenPGP ASCII Armor, see RFC 4880.

homepage: <https://pkg.go.dev/golang.org/x/crypto/openpgp/armor>

license: other

licenses:

- sources: crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation

of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/kevinburke/ssh_config

version: v1.2.0

type: go

summary: Package ssh_config provides tools for manipulating SSH config files.

homepage: https://pkg.go.dev/github.com/kevinburke/ssh_config

license: other

licenses:

- sources: LICENSE

text: |

Copyright (c) 2017 Kevin Burke.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

The lexer and parser borrow heavily from github.com/pelletier/go-toml. The license for that project is copied below.

The MIT License (MIT)

Copyright (c) 2013 - 2017 Thomas Pelletier, Eric Anderton

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

notices:

- sources: AUTHORS.txt

text: |-

Carlos A Becker <caarlos0@gmail.com>
Dustin Spicuzza <dustin@virtualroadside.com>
Eugene Terentev <eugene@terentev.net>
Kevin Burke <kevin@burke.dev>
Mark Nevill <nev@improbable.io>
Scott Lessans <slessans@gmail.com>
Sergey Lukjanov <me@slukjanov.name>
Wayne Ashley Berry <wayneashleyberry@gmail.com>
santosh653 <70637961+santosh653@users.noreply.github.com>

name: golang.org/x/crypto/cast5

version: v0.21.0

type: go

summary: Package cast5 implements CAST5, as defined in RFC 2144.

homepage: <https://pkg.go.dev/golang.org/x/crypto/cast5>

license: other

licenses:

- sources: crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/ProtonMail/go-crypto/openpgp/packet

version: v1.0.0

type: go

summary: Package packet implements parsing and serialization of OpenPGP packets, as specified in RFC 4880.

homepage: <https://pkg.go.dev/github.com/ProtonMail/go-crypto/openpgp/packet>

license: other

licenses:

- sources: go-crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used

to endorse or promote products derived from

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: go-crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation"

means the copyrightable works distributed by

Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import,

transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

name: github.com/cloudflare/circl/dh/x448

version: v1.3.7

type: go

summary: Package x448 provides Diffie-Hellman functions as specified in RFC-7748.

homepage: <https://pkg.go.dev/github.com/cloudflare/circl/dh/x448>

license: other

licenses:

- sources: circl/LICENSE

text: |

Copyright (c) 2019 Cloudflare. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Cloudflare nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution

and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

name: github.com/pjbgf/sha1cd/internal

version: v0.3.0

type: go

summary:

homepage: <https://pkg.go.dev/github.com/pjbgf/sha1cd/internal>

license: apache-2.0

licenses:

- sources: sha1cd/LICENSE

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s)

was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How
to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the

License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

notices: []

name: golang.org/x/net/proxy

version: v0.23.0

type: go

summary: Package proxy provides support for a variety of protocols to proxy network
data.

homepage: <https://pkg.go.dev/golang.org/x/net/proxy>

license: other

licenses:

- sources: net/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived from

this software without
specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: net/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

Copyright (C) 2014-2015 Docker Inc & Go Authors. All rights reserved.

Copyright (C) 2017 SUSE LLC. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

name: github.com/cloudflare/circl/math

version: v1.3.7

type: go

summary: Package math provides some utility functions for big integers.

homepage: <https://pkg.go.dev/github.com/cloudflare/circl/math>

license: other

licenses:

- sources: circl/LICENSE

text: |

Copyright (c) 2019 Cloudflare. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Cloudflare nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

name: github.com/skeema/knownhosts

version: v1.2.2

type: go

summary: Package knownhosts is a thin wrapper around golang.org/x/crypto/ssh/knownhosts, adding the ability to obtain the list of host key algorithms for a known host.

homepage: <https://pkg.go.dev/github.com/skeema/knownhosts>

license: apache-2.0

licenses:

- sources: LICENSE

text: |2

Apache License

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that

Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and
- (b) You
must cause any modified files to carry prominent notices
stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided
along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the
conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result

of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor

by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

- sources: README.md

text: |-

****Source code copyright 2024 Skeema LLC and the Skeema Knownhosts authors****

``text

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language
governing permissions and
limitations under the License.

```

notices:

- sources: NOTICE

text: |-

Copyright 2024 Skeema LLC and the Skeema Knownhosts authors

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---

name: github.com/emirpasic/gods/trees/binaryheap  
version: v1.18.1  
type: go  
summary: Package binaryheap implements a binary heap backed by array list.  
homepage: <https://pkg.go.dev/github.com/emirpasic/gods/trees/binaryheap>  
license: other  
licenses:  
- sources: gods/LICENSE  
text: |  
Copyright (c) 2015, Emir Pasic  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

AVL Tree:

Copyright (c) 2017 Benjamin Scher Purcell <[benjapurcell@gmail.com](mailto:benjapurcell@gmail.com)>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above

copyright notice and  
this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

notices: []

---

name: github.com/go-git/gcfg

version: v1.5.1-0.20230307220236-3a3c6141e376

type: go

summary: Package gcfg reads "INI-style" text-based configuration files with "name=value" pairs grouped into sections (gcfg files).

homepage: <https://pkg.go.dev/github.com/go-git/gcfg>

license: other

licenses:

- sources: LICENSE

text: |

Copyright (c) 2012 Pter Surnyi. Portions Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its

contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

name: github.com/pjbgf/sha1cd

version: v0.3.0

type: go

summary: Package sha1cd implements collision detection based on the whitepaper Counter-cryptanalysis from Marc Stevens.

homepage: <https://pkg.go.dev/github.com/pjbgf/sha1cd>

license: apache-2.0

licenses:

- sources: LICENSE

text: |2

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone

or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS



IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required

by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

notices: []

The MIT License (MIT)

Copyright (c) 2015 Microsoft

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

---

name: github.com/cloudflare/circl/math/mlsbset

version: v1.3.7

type: go

summary: Package mlsbset provides a constant-time exponentiation method with precomputation.

homepage: <https://pkg.go.dev/github.com/cloudflare/circl/math/mlsbset>

license: other

licenses:

- sources: circl/LICENSE

text: |

Copyright (c) 2019 Cloudflare. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are

met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Cloudflare nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE

## COPYRIGHT

OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

---

name: github.com/go-git/go-git/v5/plumbing/format/packfile

version: v5.12.0

type: go

summary: Package packfile implements encoding and decoding of packfile format.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/format/packfile>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work"

shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s)

alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works;

or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions)

on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

---

name: golang.org/x/crypto/ssh

version: v0.21.0

type: go

summary: Package ssh implements an SSH client and server.

homepage: <https://pkg.go.dev/golang.org/x/crypto/ssh>



license: other

licenses:

- sources: crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google

hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this

implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory

patent

infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

---

name: github.com/go-git/go-git/v5/plumbing/transport/server

version: v5.12.0

type: go

summary: Package server implements the git server protocol.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/transport/server>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean  
the work of authorship, whether in Source or  
Object form, made available under the License, as indicated by a  
copyright notice that is included in or attached to the work  
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone

or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

#### 5. Submission

of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS

IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use

the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless  
required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

---

name: github.com/emirpasic/gods/lists/arraylist

version: v1.18.1

type: go

summary: Package arraylist implements the array list.

homepage: <https://pkg.go.dev/github.com/emirpasic/gods/lists/arraylist>

license: other

licenses:

- sources: gods/LICENSE

text: |

Copyright (c) 2015, Emir Pasic

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-----

AVL Tree:

Copyright (c) 2017 Benjamin Scher Purcell <benjapurcell@gmail.com>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

notices: []

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.



"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
- You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2017 Sourced Technologies S.L.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2016 Pter Surnyi.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2013 The go-github AUTHORS. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

name: golang.org/x/crypto/sha3

version: v0.21.0

type: go

summary: Package sha3 implements the SHA-3 fixed-output-length hash functions and the SHAKE variable-output-length hash functions defined by FIPS-202.

homepage: <https://pkg.go.dev/golang.org/x/crypto/sha3>

license: other

licenses:

- sources: crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to

endorse or promote products derived from  
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT  
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR  
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT  
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation"

means the copyrightable works distributed by  
Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive,  
no-charge, royalty-free, irrevocable (except as stated in this section)  
patent license to make, have made, use, offer to sell, sell, import,  
transfer and otherwise run, modify and propagate the contents of this  
implementation of Go, where such license applies only to those patent  
claims, both currently owned or controlled by Google and acquired in  
the future, licensable by Google that are necessarily infringed by this  
implementation of Go. This grant does not include claims that would be  
infringed only as a consequence of further modification of this  
implementation. If you or your agent or exclusive licensee institute or  
order or agree to the institution of patent litigation against any  
entity (including a cross-claim or counterclaim in a lawsuit) alleging  
that this implementation  
of Go or any code incorporated within this  
implementation of Go constitutes direct or contributory patent  
infringement, or inducement of patent infringement, then any patent  
rights granted to you under this License for this implementation of Go  
shall terminate as of the date such litigation is filed.

notices: []

---

name: github.com/ProtonMail/go-crypto/bitcurves

version: v1.0.0

type: go

summary:

homepage: <https://pkg.go.dev/github.com/ProtonMail/go-crypto/bitcurves>

license: other

licenses:

- sources: go-crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: go-crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby

grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this

implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this implementation of Go constitutes direct or contributory

patent

infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

---

name: github.com/cyphar/filepath-securejoin

version: v0.2.4

type: go

summary: Package securejoin is an implementation of the hopefully-soon-to-be-included SecureJoin helper that is meant to be part of the "path/filepath" package.

homepage: <https://pkg.go.dev/github.com/cyphar/filepath-securejoin>

license: bsd-3-clause

licenses:

- sources: LICENSE

text: |

Copyright (C) 2014-2015 Docker Inc & Go Authors. All rights reserved.

Copyright (C) 2017 SUSE LLC. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE



OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-  
sources: README.md

text: |-

The license of this project is the same as Go, which is a BSD 3-clause license available in the `LICENSE` file.

notices: []

---

name: github.com/go-git/go-git/v5/plumbing/protocol/packp/capability

version: v5.12.0

type: go

summary: Package capability defines the server and client capabilities.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/protocol/packp/capability>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are

controlled by, or are under common

control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative

Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this

License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides

its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of

the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

MIT License

Copyright (c) 2019 GitHub

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

---

name: github.com/cloudflare/circl/ecc/goldilocks

version: v1.3.7

type: go

summary: Package goldilocks provides elliptic curve operations over the goldilocks curve.

homepage: <https://pkg.go.dev/github.com/cloudflare/circl/ecc/goldilocks>

license: other

licenses:

- sources: circl/LICENSE

text: |

Copyright (c) 2019 Cloudflare. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Cloudflare nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

---

name: github.com/go-git/go-git/v5/plumbing/transport/http

version: v5.12.0

type: go

summary: Package http implements the HTTP transport protocol.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/transport/http>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions



to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone

or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required  
by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

---

name: github.com/spf13/pflag

version: v1.0.5

type: go

summary: Package pflag is a drop-in replacement for Go's flag package, implementing  
POSIX/GNU-style --flags.

homepage: <https://pkg.go.dev/github.com/spf13/pflag>

license: bsd-3-clause

licenses:

- sources: LICENSE

text: |

Copyright (c) 2012 Alex Ogier. All rights reserved.

Copyright (c) 2012 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above  
copyright notice, this list of conditions and the following disclaimer  
in the documentation and/or other materials provided with the  
distribution.

- \* Neither the name of Google Inc. nor the names of its  
contributors may be  
used to endorse or promote products derived from  
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

notices: []

---

name: github.com/go-git/go-git/v5/plumbing/transport/git

version: v5.12.0

type: go

summary: Package git implements the git transport protocol.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/transport/git>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or

by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within

a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

#### 5. Submission of Contributions.

Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS"

BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.



9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

---

name: github.com/ProtonMail/go-crypto/openpgp/armor

version: v1.0.0

type: go

summary: Package armor implements OpenPGP ASCII Armor, see RFC 4880.

homepage: <https://pkg.go.dev/github.com/ProtonMail/go-crypto/openpgp/armor>

license: other

licenses:

- sources: go-crypto/LICENSE

text: |

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

- sources: go-crypto/PATENTS

text: |

Additional IP Rights Grant (Patents)

"This implementation" means the copyrightable works distributed by Google as part of the Go project.

Google hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, transfer and otherwise run, modify and propagate the contents of this implementation of Go, where such license applies only to those patent claims, both currently owned or controlled by Google and acquired in the future, licensable by Google that are necessarily infringed by this implementation of Go. This grant does not include claims that would be infringed only as a consequence of further modification of this

implementation. If you or your agent or exclusive licensee institute or order or agree to the institution of patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that this implementation of Go or any code incorporated within this

implementation of Go constitutes direct or contributory patent infringement, or inducement of patent infringement, then any patent rights granted to you under this License for this implementation of Go shall terminate as of the date such litigation is filed.

notices: []

---

name: github.com/go-git/go-git/v5/plumbing/format/gitignore

version: v5.12.0

type: go

summary: Package gitignore implements matching file system paths to gitignore patterns that can be automatically read from a git repository tree in the order of definition priorities.

homepage: <https://pkg.go.dev/github.com/go-git/go-git/v5/plumbing/format/gitignore>

license: apache-2.0

licenses:

- sources: v5/LICENSE

text: |2

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal

Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative

Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 Sourced Technologies, S.L.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the  
License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

- sources: v5/README.md

text: Apache License Version 2.0, see [LICENSE](LICENSE)

notices: []

---

name: github.com/sergi/go-diff/diffmatchpatch

version: v1.3.2-0.20230802210424-5b0b94c5c0d3

type: go

summary: Package diffmatchpatch offers robust algorithms to perform the operations required for synchronizing plain text.

homepage: <https://pkg.go.dev/github.com/sergi/go-diff/diffmatchpatch>

license: mit

licenses:

- sources: go-diff/LICENSE

text: |+

Copyright (c) 2012-2016 The go-diff Authors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

notices: []

...

## 1.43 apk-tools 2.14.4-r0

### 1.43.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble



The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under

these conditions, and telling the user how to view a copy of this License.  
(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works.

But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means

all

the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the

only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse

of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE

THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

## How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and an idea of what it does.>

Copyright (C)< yyyy> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS

FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a  
copy of the GNU General Public License along with  
this program; if not, write to the Free Software Foundation, Inc., 51 Franklin  
Street, Fifth Floor, Boston, MA 02110-1301, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when  
it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes  
with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software,  
and you are welcome to redistribute it under certain conditions; type `show  
c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate  
parts of the General Public License. Of course, the commands you use may be  
called something other than `show w' and `show c'; they could even be mouse-clicks  
or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school,  
if any, to sign a "copyright  
disclaimer" for the program, if necessary. Here  
is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision'  
(which makes passes at compilers) written by James Hacker.

<signature of Ty Coon >, 1 April 1989 Ty Coon, President of Vice This General  
Public License does not permit incorporating your program into proprietary  
programs. If your program is a subroutine library, you may consider it more  
useful to permit linking proprietary applications with the library. If this  
is what you want to do, use the GNU Lesser General Public License instead  
of this License.

## 1.44 ca-certificates-bundle 20240226-r0

### 1.44.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/* c_rehash.c - Create hash symlinks for certificates
* C implementation based on the original Perl and shell versions
*
* Copyright (c) 2013-2014 Timo Teras <timo.teras@iki.fi>
* All rights reserved.
```

```

*
* This software is licensed under the MIT License.
* Full license available at: http://opensource.org/licenses/MIT
*/

```

Found in path(s):

```

* /ca-certificates-bundle-20230506-r0-os-alpine-3-18-0-tar-xz/ca-certificates-20230506-tar-bz2/ca-certificates-20230506/c_rehash.c

```

No license file was found, but licenses were detected in source scan.

```

#!/usr/bin/env perl

```

```

```

```

*
* _ _ _ _ _
* Project _||| _\||
* / _||| |_)||
* |(_||| _<| _
* \ _\ _/| _\ _\ _

```

```

*
* Copyright (C) 1998 - 2020, Daniel Stenberg, <daniel@haxx.se>, et al.
*

```

```

* This software is licensed as described in the file COPYING, which
* you should have received as part of this distribution. The terms
* are also available at https://curl.haxx.se/docs/copyright.html.
*

```

```

* You may opt to use, copy, modify, merge, publish, distribute and/or sell
* copies of the Software, and permit persons to whom the Software is
* furnished to do so, under the terms of the COPYING file.
*

```

```

* This software is distributed on an "AS IS" basis, WITHOUT
* WARRANTY OF ANY
* KIND, either express or implied.
*

```

```

```

```

This Perl script creates a fresh ca-bundle.crt file for use with libcurl.
It downloads certdata.txt from Mozilla's source tree (see URL below),
then parses certdata.txt and extracts CA Root Certificates into PEM format.
These are then processed with the OpenSSL commandline tool to produce the
final ca-bundle.crt file.
The script is based on the parse-certs script written by Roland Krikava.
This Perl script works on almost any platform since its only external
dependency is the OpenSSL commandline tool for optional text listing.
Hacked by Guenter Knauf.
#

```

```

use Encode;
use Getopt::Std;
use MIME::Base64;
use strict;
use warnings;

```



```

use vars qw($opt_b $opt_d $opt_f $opt_h $opt_i $opt_k $opt_l $opt_m $opt_n $opt_p $opt_q $opt_s $opt_t $opt_u
$opt_v $opt_w);
use List::Util;
use Text::Wrap;
use Time::Local;
my $MOD_SHA = "Digest::SHA";
eval "require
$MOD_SHA";
if ($@) {
$MOD_SHA = "Digest::SHA::PurePerl";
eval "require $MOD_SHA";
}
eval "require LWP::UserAgent";

my %urls = (
'nss' =>
'https://hg.mozilla.org/projects/nss/raw-file/default/lib/ckfw/builtins/certdata.txt',
'central' =>
'https://hg.mozilla.org/mozilla-central/raw-file/default/security/nss/lib/ckfw/builtins/certdata.txt',
'beta' =>
'https://hg.mozilla.org/releases/mozilla-beta/raw-file/default/security/nss/lib/ckfw/builtins/certdata.txt',
'release' =>
'https://hg.mozilla.org/releases/mozilla-release/raw-file/default/security/nss/lib/ckfw/builtins/certdata.txt',
);

$opt_d = 'release';

If the OpenSSL commandline is not in search path you can configure it here!
my $openssl = 'openssl';

my $version = '1.27';

$opt_w = 76; # default base64 encoded lines length

default cert types to include in the output (default is to include CAs which may issue SSL server certs)
my $default_mozilla_trust_purposes = "SERVER_AUTH";
my $default_mozilla_trust_levels
= "TRUSTED_DELEGATOR";
$opt_p = $default_mozilla_trust_purposes . ":" . $default_mozilla_trust_levels;

my @valid_mozilla_trust_purposes = (
"DIGITAL_SIGNATURE",
"NON_REPUDIATION",
"KEY_ENCIPHERMENT",
"DATA_ENCIPHERMENT",
"KEY_AGREEMENT",
"KEY_CERT_SIGN",
"CRL_SIGN",

```

```

"SERVER_AUTH",
"CLIENT_AUTH",
"CODE_SIGNING",
"EMAIL_PROTECTION",
"IPSEC_END_SYSTEM",
"IPSEC_TUNNEL",
"IPSEC_USER",
"TIME_STAMPING",
"STEP_UP_APPROVED"
);

my @valid_mozilla_trust_levels = (
"TRUSTED_DELEGATOR", # CAs
"NOT_TRUSTED", # Don't trust these certs.
"MUST_VERIFY_TRUST", # This explicitly tells us that it ISN'T a CA but is otherwise ok. In other words, this
 # should tell the app to ignore any other sources that claim this is a CA.
"TRUSTED" # This cert is trusted, but only for itself and not for delegates (i.e. it is not a CA).
);

my $default_signature_algorithms = $opt_s = "MD5";

my @valid_signature_algorithms = (
"MD5",
"SHA1",
"SHA256",
"SHA384",
"SHA512"
);

$0 =~ s@.*(/\\)@@;
$Getopt::Std::STANDARD_HELP_VERSION = 1;
getopts('bd:fhiklmnp:qs:tuvw:');

if(!defined($opt_d)) {
 # to make plain "-d" use not cause warnings, and actually still work
 $opt_d = 'release';
}

Use predefined URL or else custom URL specified on command line.
my $url;
if(defined($urls{$opt_d})) {
 $url = $urls{$opt_d};
 if(!$opt_k && $url !~ /^https:\\/\\i) {
 die "The URL for '$opt_d' is not HTTPS. Use -k to override (insecure).\n";
 }
}
else {
 $url = $opt_d;
}

```

```

}

my $curl = `curl -V`;

if ($opt_i) {
 print ("=" x 78 . "\n");
 print "Script Version : $version\n";
 print "Perl Version : $]\n";
 print "Operating System Name : $^O\n";
 print "Getopt::Std.pm Version : ${Getopt::Std::VERSION}\n";
 print "Encode::Encoding.pm Version : ${Encode::Encoding::VERSION}\n";
 print "MIME::Base64.pm Version : ${MIME::Base64::VERSION}\n";
 print "LWP::UserAgent.pm
Version : ${LWP::UserAgent::VERSION}\n" if ($LWP::UserAgent::VERSION);
 print "LWP.pm Version : ${LWP::VERSION}\n" if ($LWP::VERSION);
 print "Digest::SHA.pm Version : ${Digest::SHA::VERSION}\n" if ($Digest::SHA::VERSION);
 print "Digest::SHA::PurePerl.pm Version : ${Digest::SHA::PurePerl::VERSION}\n" if
($Digest::SHA::PurePerl::VERSION);
 print ("=" x 78 . "\n");
}

sub warning_message() {
 if ($opt_d =~ m/^risk$/i) { # Long Form Warning and Exit
 print "Warning: Use of this script may pose some risk:\n";
 print "\n";
 print " 1) If you use HTTP URLs they are subject to a man in the middle attack\n";
 print " 2) Default to 'release', but more recent updates may be found in other trees\n";
 print " 3) certdata.txt file format may change, lag time to update this script\n";
 print " 4) Generally unwise to blindly trust CAs without manual review & verification\n";
 print " 5) Mozilla apps use additional security
checks aren't represented in certdata\n";
 print " 6) Use of this script will make a security engineer grind his teeth and\n";
 print " swear at you. ;)\n";
 exit;
 } else { # Short Form Warning
 print "Warning: Use of this script may pose some risk, -d risk for more details.\n";
 }
}

sub HELP_MESSAGE() {
 print "Usage:\t${0} [-b] [-d<certdata>] [-f] [-i] [-k] [-l] [-n] [-p<purposes:levels>] [-q] [-s<algorithms>] [-t] [-u] [-v] [-w<l>] [<outputfile>]\n";
 print "\t-b\tbackup an existing version of ca-bundle.crt\n";
 print "\t-d\tspecify Mozilla tree to pull certdata.txt or custom URL\n";
 print "\t\t Valid names are:\n";
 print "\t\t ", join(", ", map { ($_ =~ m/$opt_d/) ? "$_ (default)" : "$_" } sort keys %urls), "\n";
 print "\t-f\tforce rebuild even if certdata.txt is current\n";
 print "\t-i\tprint version info about used modules\n";
}

```

```

print "\t-k\tallow URLs other than HTTPS, enable HTTP fallback (insecure)\n";
print "\t-l\tprint license info
about certdata.txt\n";
print "\t-m\tinclude meta data in output\n";
print "\t-n\tno download of certdata.txt (to use existing)\n";
print wrap("\t", "\t", "-p\tlist of Mozilla trust purposes and levels for certificates to include in output. Takes the
form of a comma separated list of purposes, a colon, and a comma separated list of levels. (default:
$default_mozilla_trust_purposes:$default_mozilla_trust_levels)", "\n");
print "\t\t Valid purposes are:\n";
print wrap("\t\t ", "\t\t ", join(" ", "ALL", @valid_mozilla_trust_purposes)), "\n";
print "\t\t Valid levels are:\n";
print wrap("\t\t ", "\t\t ", join(" ", "ALL", @valid_mozilla_trust_levels)), "\n";
print "\t-q\tbe really quiet (no progress output at all)\n";
print wrap("\t", "\t", "-s\tcomma separated list of certificate signatures/hashes to output in plain text mode. (default:
$default_signature_algorithms)\n");
print "\t\t Valid signature algorithms are:\n";
print wrap("\t\t ", "\t\t ", join(" ", "ALL", @valid_signature_algorithms)), "\n";
print "\t-t\tinclude plain text listing of certificates\n";
print "\t-u\tunlink (remove) certdata.txt after processing\n";
print "\t-v\tbe verbose and print out processed CAs\n";
print "\t-w <l>\twrap base64 output lines after <l> chars (default: ${opt_w})\n";
exit;
}

sub VERSION_MESSAGE() {
 print "${0} version ${version} running Perl ${}] on ${^O}\n";
}

warning_message() unless ($opt_q || $url =~ m/^(ht|f)tps:/i);
HELP_MESSAGE() if ($opt_h);

sub report($@) {
 my $output = shift;

 print STDERR $output . "\n" unless $opt_q;
}

sub is_in_list($@) {
 my $target = shift;

 return defined(List::Util::first { $target eq $_ } @_);
}

Parses $param_string as a case insensitive comma separated list with optional whitespace
validates that only allowed parameters are supplied
sub parse_csv_param($$@) {
 my $description = shift;

```

```

my $param_string = shift;
my @valid_values = @_;

my @values = map {
 s/^\s+//; # strip leading spaces
 s/\s+$//; # strip trailing spaces
 uc $_ # return the modified string as upper case
} split(',', $param_string);

Find all values which are not in the list of valid values or "ALL"
my @invalid = grep { !is_in_list($_,"ALL",@valid_values) } @values;

if (scalar(@invalid) > 0) {
 # Tell the user which parameters were invalid and print the standard help message which will exit
 print "Error: Invalid ", $description, scalar(@invalid) == 1 ? " : " : "s: ", join(" ", map { "\"$_\"" } @invalid),
 "\n";
 HELP_MESSAGE();
}

@values = @valid_values if (is_in_list("ALL",@values));

return @values;
}

sub sha256 {
 my $result;
 if ($Digest::SHA::VERSION || $Digest::SHA::PurePerl::VERSION) {
 open(FILE, $_[0]) or die "Can't open '$_[0]': $!";
 binmode(FILE);
 $result = $MOD_SHA->new(256)->addfile(*FILE)->hexdigest;
 close(FILE);
 } else {
 # Use OpenSSL command if Perl Digest::SHA modules not available
 $result = `"$openssl" dgst -r -sha256 "$_[0]"`;
 $result =~ s/^\s*([0-9a-f]{64})\s*/$1/is;
 }
 return $result;
}

sub oldhash {
 my $hash = "";
 open(C, "<$_[0]") || return 0;
 while(<C>) {
 chomp;
 if($_ =~ /\#\# SHA256: (.*)/) {
 $hash = $1;
 last;
 }
 }
}

```

```

 }
 }
 close(C);
 return $hash;
}

if ($opt_p !~ m:/) {
 print "Error: Mozilla trust identifier list must include both purposes and levels\n";
 HELP_MESSAGE();
}

(my $included_mozilla_trust_purposes_string, my $included_mozilla_trust_levels_string) = split(':', $opt_p);
my @included_mozilla_trust_purposes = parse_csv_param("trust purpose",
$included_mozilla_trust_purposes_string, @valid_mozilla_trust_purposes);
my @included_mozilla_trust_levels = parse_csv_param("trust level", $included_mozilla_trust_levels_string,
@valid_mozilla_trust_levels);

my @included_signature_algorithms = parse_csv_param("signature algorithm", $opt_s,
@valid_signature_algorithms);

sub should_output_cert(%) {
 my
 %trust_purposes_by_level = @_;

 foreach my $level (@included_mozilla_trust_levels) {
 # for each level we want to output, see if any of our desired purposes are included
 return 1 if (defined(List::Util::first { is_in_list($_, @included_mozilla_trust_purposes) }
@{$trust_purposes_by_level{$level}}));
 }

 return 0;
}

my $crt = $ARGV[0] || 'ca-bundle.crt';
(my $txt = $url) =~ s@(.*/|/?.*)@@g;

my $stdout = $crt eq '-';
my $resp;
my $fetched;

my $oldhash = oldhash($crt);

report "SHA256 of old file: $oldhash";

if(!$opt_n) {
 report "Downloading $txt ...";

 # If we have an HTTPS URL then use curl

```

```

if($url =~ /^https:\/\//i) {
 if($curl) {
 if($curl =~ /^Protocols:.* https(|$)/m) {
 report "Get certdata with curl!";
 my $proto = !$opt_k ? "--proto=https" : "";
 my $quiet = $opt_q ? "-s" : "";
 my @out = `curl -w %{response_code} $proto $quiet -o "$txt" "$url"`;
 if(! $? && @out && $out[0] == 200) {
 $fetched = 1;
 report "Downloaded $txt";
 }
 }
 else {
 report "Failed downloading via HTTPS with curl";
 if(-e $txt && !unlink($txt)) {
 report "Failed to remove '$txt': $!";
 }
 }
 }
 else {
 report "curl lacks https support";
 }
}
else {
 report "curl not found";
}
}

If nothing was fetched then use LWP
if(!$fetched) {
 if($url =~ /^https:\/\//i) {
 report "Falling back to HTTP";
 $url =~ s/^https:\/\//http:\/\//i;
 }
 if(!$opt_k) {
 report "URLs other than HTTPS are disabled by default, to enable use -k";
 exit 1;
 }
 report "Get certdata with LWP!";
 if(!defined($LWP::UserAgent::VERSION)) {
 report "LWP is not available (LWP::UserAgent not found)";
 exit 1;
 }
 my $ua = new LWP::UserAgent(agent => "$0/$version");
 $ua->env_proxy();
 $resp = $ua->mirror($url, $txt);
 if($resp && $resp->code eq '304') {
 report "Not modified";
 }
}

```

```

 exit 0 if -e $crt && !$opt_f;
 }
 else {
 $fetched = 1;
 report "Downloaded $txt";
 }
 if(!$resp || $resp->code !~ /^(?:200|304)$/) {
 report "Unable to download latest data: "
 . ($resp? $resp->code . ' - ' . $resp->message : "LWP failed");
 exit 1 if -e $crt || ! -r $txt;
 }
}
}

my $filedate = $resp ? $resp->last_modified : (stat($txt))[9];
my $datesrc = "as of";
if(!$filedate) {
 # mxr.mozilla.org gave us a time, hg.mozilla.org does not!
 $filedate = time();
 $datesrc="downloaded on";
}

get the hash from the download file
my $newhash= sha256($txt);

if(!$opt_f && $oldhash eq $newhash) {
 report "Downloaded file identical to previous run's source file. Exiting";
 if($opt_u && -e $txt && !unlink($txt)) {
 report "Failed to remove $txt: $!\n";
 }
 exit;
}

report "SHA256 of new file: $newhash";

my $currentdate = scalar gmtime($filedate);

my $format = $opt_t ? "plain text and " : "";
if($stdout
) {
 open(CRT, '> -') or die "Couldn't open STDOUT: $!\n";
} else {
 open(CRT,">$crt.~") or die "Couldn't open $crt.~: $!\n";
}
print CRT <<EOT;
##
Bundle of CA Root Certificates
##

```



```
Certificate data from Mozilla ${datesrc}: ${currentdate} GMT
##
This is a bundle of X.509 certificates of public Certificate Authorities
(CA). These were automatically extracted from Mozilla's root certificates
file (certdata.txt). This file can be found in the mozilla source tree:
${url}
##
It contains the certificates in ${format}PEM format and therefore
can be directly used with curl / libcurl / php_curl, or with
an Apache+mod_ssl webserver for SSL client authentication.
Just configure this file as the SSLCACertificateFile.
##
Conversion done with mk-ca-bundle.pl version $version.
SHA256: $newhash
##
```

EOT

```
report "Processing '$txt' ...";
my $scaname;
my $certnum = 0;
my $skipnum = 0;
my $start_of_cert = 0;
my @precert;
my $cka_value;
my $valid = 1;

open(TXT,"$txt")
or die "Couldn't open $txt: $!\n";
while (<TXT>) {
if (/^***** BEGIN LICENSE BLOCK *****/) {
 print CRT;
 print if ($opt_l);
 while (<TXT>) {
 print CRT;
 print if ($opt_l);
 last if (/^***** END LICENSE BLOCK *****/);
 }
}
elseif(/^# (Issuer|Serial Number|Subject|Not Valid Before|Not Valid After |Fingerprint \(\MD5\)|Fingerprint
\(\SHA1\))/) {
 push @precert, $_;
 $valid = 1;
 next;
}
elseif(/^#|^\s*$/) {
 undef @precert;
 next;
}
```

```

}
chomp;

Example:
CKA_NSS_SERVER_DISTRUST_AFTER MULTILINE_OCTAL
\062\060\060\066\061\067\060\060\060\060\060\132
END

if (/^CKA_NSS_SERVER_DISTRUST_AFTER (CK_BBOOL CK_FALSE|MULTILINE_OCTAL)/) {
 if($1 eq "MULTILINE_OCTAL") {
 my @timestamp;
 while (<TXT>) {
 last if (/^END/);
 chomp;
 my @octets = split(/\//);
 shift @octets;
 for (@octets) {
 push
@timestamp, chr(oct);
 }
 }
 # A trailing Z in the timestamp signifies UTC
 if($timestamp[12] ne "Z") {
 report "distrust date stamp is not using UTC";
 }
 # Example date: 200617000000Z
 # Means 2020-06-17 00:00:00 UTC
 my $distrustat =
 timegm($timestamp[10] . $timestamp[11], # second
 $timestamp[8] . $timestamp[9], # minute
 $timestamp[6] . $timestamp[7], # hour
 $timestamp[4] . $timestamp[5], # day
 ($timestamp[2] . $timestamp[3]) - 1, # month
 "20" . $timestamp[0] . $timestamp[1]); # year
 if(time >= $distrustat) {
 # not trusted anymore
 $skipnum++;
 report "Skipping: $scaname is not trusted anymore" if ($opt_v);
 $valid = 0;
 }
 else {
 # still trusted
 }
 }
 next;
}

this

```

```

is a match for the start of a certificate
if (/^CKA_CLASS CK_OBJECT_CLASS CKO_CERTIFICATE/) {
 $start_of_cert = 1
}
if ($start_of_cert && /^CKA_LABEL UTF8 \"(.*)\"/) {
 $scaname = $1;
}
my %trust_purposes_by_level;
if ($start_of_cert && /^CKA_VALUE MULTILINE_OCTAL/) {
 $ska_value="";
 while (<TXT>) {
 last if (/^END/);
 chomp;
 my @octets = split(/\n/);
 shift @octets;
 for (@octets) {
 $ska_value .= chr(oct);
 }
 }
}
if(/^CKA_CLASS CK_OBJECT_CLASS CKO_NSS_TRUST/ && $valid) {
 # now scan the trust part to determine how we should trust this cert
 while (<TXT>) {
 last if (/^#/);
 if (/^CKA_TRUST_([A-Z_]+)\s+CK_TRUST\s+CKT_NSS_([A-Z_]+)\s*$/) {
 if (!is_in_list($1,@valid_mozilla_trust_purposes)) {
 report "Warning: Unrecognized trust purpose for cert: $scaname. Trust purpose: $1. Trust Level: $2";
 } elsif (!is_in_list($2,@valid_mozilla_trust_levels)) {
 report "Warning:
Unrecognized trust level for cert: $scaname. Trust purpose: $1. Trust Level: $2";
 } else {
 push @{$trust_purposes_by_level{$2}}, $1;
 }
 }
 }

 if (!should_output_cert(%trust_purposes_by_level)) {
 $skipnum ++;
 report "Skipping: $scaname" if ($opt_v);
 } else {
 my $data = $ska_value;
 $ska_value = "";
 my $encoded = MIME::Base64::encode_base64($data, "");
 $encoded =~ s/(.{1,$opt_w})/$1\n/g;
 my $pem = "-----BEGIN CERTIFICATE-----\n"
 . $encoded
 . "-----END CERTIFICATE-----\n";
 print CRT "\n$scaname\n";
 }
}

```

```

print CRT @precert if($opt_m);
my $maxLength = length(decode('UTF-8', $scaname, Encode::FB_CROAK | Encode::LEAVE_SRC));
if ($opt_t) {
 foreach my $key (keys %trust_purposes_by_level) {
 my $string = $key . ":" . join(" ", @{$trust_purposes_by_level{$key}});
 $maxLength = List::Util::max(length($string), $maxLength
);
 print CRT $string . "\n";
}
print CRT ("=" x $maxLength . "\n");
if (!$opt_t) {
 print CRT $pem;
} else {
 my $pipe = "";
 foreach my $hash (@included_signature_algorithms) {
 $pipe = "|$openssl x509 -" . $hash . " -fingerprint -noout -inform PEM";
 if (!$stdout) {
 $pipe .= " >> $crt.~";
 close(CRT) or die "Couldn't close $crt.~: $!";
 }
 open(TMP, $pipe) or die "Couldn't open openssl pipe: $!";
 print TMP $pem;
 close(TMP) or die "Couldn't close openssl pipe: $!";
 if (!$stdout) {
 open(CRT, ">>$crt.~") or die "Couldn't open $crt.~: $!";
 }
 }
 $pipe = "|$openssl x509 -text -inform PEM";
 if (!$stdout) {
 $pipe .= " >> $crt.~";
 close(CRT) or die "Couldn't close $crt.~: $!";
 }
 open(TMP, $pipe) or die "Couldn't open openssl pipe: $!";
 print TMP
$pem;
 close(TMP) or die "Couldn't close openssl pipe: $!";
 if (!$stdout) {
 open(CRT, ">>$crt.~") or die "Couldn't open $crt.~: $!";
 }
}
report "Parsing: $scaname" if ($opt_v);
$certnum++;
$start_of_cert = 0;
}
undef @precert;
}

```

```

}
close(TXT) or die "Couldn't close $txt: $!\n";
close(CRT) or die "Couldn't close $crt.~: $!\n";
unless($stdout) {
 if ($opt_b && -e $crt) {
 my $bk = 1;
 while (-e "$crt.~${bk}~") {
 $bk++;
 }
 rename $crt, "$crt.~${bk}~" or die "Failed to create backup $crt.~$bk}~: $!\n";
 } elsif(-e $crt) {
 unlink($crt) or die "Failed to remove $crt: $!\n";
 }
 rename "$crt.~", $crt or die "Failed to rename $crt.~ to $crt: $!\n";
}
if($opt_u && -e $txt && !unlink($txt)) {
 report "Failed to remove $txt: $!\n";
}
report "Done ($certnum CA certs processed, $skipnum skipped).";

Found in path(s):
* /ca-certificates-bundle-20230506-r0-os-alpine-3-18-0-tar-xz/ca-certificates-20230506-tar-bz2/ca-certificates-20230506/mk-ca-bundle.pl

```

# 1.45 scanelf 1.3.7-r2

## 1.45.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program"

means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on

the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source



code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this

License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software

Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General

Public License instead of this License.

## 1.46 xxhash 2.3.0

### 1.46.1 Available under license :

Copyright (c) 2016 Caleb Spare

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.47 armon-go-metrics 0.4.1

### 1.47.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013 Armon Dadgar

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.48 githubcommatngocolorable 0.1.13

### 1.48.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Yasuhiro Matsumoto

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.49 githubcommatngoisatty 0.0.20

### 1.49.1 Available under license :

Copyright (c) Yasuhiro MATSUMOTO <mattn.jp@gmail.com>

MIT License (Expat)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.50 go-hclog 1.6.3

### 1.50.1 Available under license :

Copyright (c) 2017 HashiCorp, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.51 go-uber-org-multierr 1.11.0

### 1.51.1 Available under license :

Copyright (c) 2017-2021 Uber Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.52 hashicorp-go-immutable-radix 1.3.1

### 1.52.1 Available under license :

Mozilla Public License, version 2.0

#### 1. Definitions

##### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

##### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

##### 1.3. "Contribution"

means Covered Software of a particular Contributor.

##### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

##### 1.5. "Incompatible With Secondary Licenses"

means

- a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or



b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

### 1.13. "Source Code Form"

means the form of the work preferred for making modifications.

### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants and Conditions

### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

## 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

## 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source

Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license

for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on

behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been

validly granted by You or Your distributors under this License prior to termination shall survive termination.

## 6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

## 7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

## 8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent

necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section

10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is Incompatible

With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v.

2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a

relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible  
With Secondary Licenses", as defined by  
the Mozilla Public License, v. 2.0.

## 1.53 go-rendezvous 0.0.0-20200823014737-9f7001d12a5f

### 1.53.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017-2020 Damian Gryski <damian@gryski.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.54 [github.com/coreos/go-systemd/v22](https://github.com/coreos/go-systemd/v22) 22.5.0



## 1.54.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works

thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

## 2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

## 3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

## 4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark,

and attribution notices from the Source form

of the Work, excluding those notices that do not pertain to any part of the

Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any

Derivative Works that You distribute must include a readable copy of the

attribution notices contained within such NOTICE file, excluding those notices

that do not pertain to any part of the Derivative Works, in at least one of the

following places: within a NOTICE text file distributed as part of the

Derivative Works; within the Source form or documentation, if provided along

with the Derivative Works; or, within a display generated by the Derivative

Works, if and wherever such third-party notices normally appear. The contents of

the NOTICE file are for informational purposes only and do not modify the

License. You may add Your own attribution notices within Derivative Works that

You distribute, alongside or as an addendum to the NOTICE text from the Work,

provided

that such additional attribution notices cannot be construed as

modifying the License.

You may add Your own copyright statement to Your modifications and may provide

additional or different license terms and conditions for use, reproduction, or

distribution of Your modifications, or for any such Derivative Works as a whole,

provided Your use, reproduction, and distribution of the Work otherwise complies

with the conditions stated in this License.

## 5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted

for inclusion in the Work by You to the Licensor shall be under the terms and

conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of

any separate license agreement you may have executed with Licensor regarding

such Contributions.

## 6. Trademarks.

This License does not grant permission to use the trade names, trademarks,

service marks,

or product names of the Licensor, except as required for

reasonable and customary use in describing the origin of the Work and

reproducing the content of the NOTICE file.

## 7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the

Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

#### 8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

#### 9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

CoreOS Project

Copyright 2018 CoreOS, Inc

This product includes software developed at CoreOS, Inc.

(<http://www.coreos.com/>).

## 1.55 coreos-go-semver 0.3.1

### 1.55.1 Available under license :

CoreOS Project

Copyright 2018 CoreOS, Inc

This product includes software developed at CoreOS, Inc.

(<http://www.coreos.com/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,



indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.56 hashicorp-golang-lru 1.0.2

## 1.56.1 Available under license :

Copyright (c) 2014 HashiCorp, Inc.

Mozilla Public License, version 2.0

### 1. Definitions

#### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

#### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

#### 1.3. "Contribution"

means Covered Software of a particular Contributor.

#### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

#### 1.5. "Incompatible With Secondary Licenses"

means

- a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or
- b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

#### 1.6. "Executable Form"

means any form of the work other than Source Code Form.

#### 1.7. "Larger Work"

means a work that combines Covered Software with other material, in a

separate file or files, that is not Covered Software.

#### 1.8. "License"

means this document.

#### 1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

#### 1.10. "Modifications"

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

#### 1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

#### 1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

#### 1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the

outstanding shares or beneficial ownership of such entity.

## 2. License Grants and Conditions

### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary

to comply with  
the notice requirements in Section 3.4).

## 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

## 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any

Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by

reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

- b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4.

### Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License

with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

## 6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing,

repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

## 7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

## 8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

### 10.1. New Versions

Mozilla Foundation is the license steward.  
Except as provided in Section

10.3, no one other than the license steward has the right to modify or



publish new versions of this License. Each version will be given a distinguishing version number.

## 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

## 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

## 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is

Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

### Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v.

2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

### Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

# 1.57 github.com/aws/smithy-go 1.20.2

## 1.57.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## 1.58 [github.com/aws/aws-sdk-go-v2/service/internal/accept-encoding](https://github.com/aws/aws-sdk-go-v2/service/internal/accept-encoding) 1.11.2

### 1.58.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained



within such NOTICE file, excluding  
those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

## 1.59 sirupsen-logrus 1.9.3

### 1.59.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Simon Eskildsen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.60 pq 1.10.9

### 1.60.1 Available under license :

```
//go:build go1.10
// +build go1.10
```

```
package pq
```

```
import (
 "context"
 "database/sql/driver"
)
```

```
// NoticeHandler returns the notice handler on the given connection, if any. A
// runtime panic occurs if c is not a pq connection. This is rarely used
// directly, use ConnectorNoticeHandler and ConnectorWithNoticeHandler instead.
func NoticeHandler(c driver.Conn) func(*Error) {
 return c.(*conn).noticeHandler
```

```

}

// SetNoticeHandler sets the given notice handler on the given connection. A
// runtime panic occurs if c is not a pq connection. A nil handler may be used
// to unset it. This is rarely used directly, use ConnectorNoticeHandler and
// ConnectorWithNoticeHandler instead.
//
// Note: Notice handlers are executed synchronously by pq meaning commands
// won't continue to be processed until the handler returns.
func SetNoticeHandler(c driver.Conn, handler func(*Error)) {
 c.(*conn).noticeHandler = handler
}

// NoticeHandlerConnector wraps a regular connector and sets a notice handler
//
// on it.
type NoticeHandlerConnector struct {
 driver.Connector
 noticeHandler func(*Error)
}

// Connect calls the underlying connector's connect method and then sets the
// notice handler.
func (n *NoticeHandlerConnector) Connect(ctx context.Context) (driver.Conn, error) {
 c, err := n.Connector.Connect(ctx)
 if err == nil {
 SetNoticeHandler(c, n.noticeHandler)
 }
 return c, err
}

// ConnectorNoticeHandler returns the currently set notice handler, if any. If
// the given connector is not a result of ConnectorWithNoticeHandler, nil is
// returned.
func ConnectorNoticeHandler(c driver.Connector) func(*Error) {
 if c, ok := c.(*NoticeHandlerConnector); ok {
 return c.noticeHandler
 }
 return nil
}

// ConnectorWithNoticeHandler creates or sets the given handler for the given
// connector. If the given connector is a result of calling this function
// previously, it is simply set on the given connector and returned. Otherwise,
// this returns a new connector wrapping the given one and
// setting the notice
// handler. A nil notice handler may be used to unset it.
//

```

```
// The returned connector is intended to be used with database/sql.OpenDB.
//
// Note: Notice handlers are executed synchronously by pq meaning commands
// won't continue to be processed until the handler returns.
func ConnectorWithNoticeHandler(c driver.Connector, handler func(*Error)) *NoticeHandlerConnector {
 if c, ok := c.(*NoticeHandlerConnector); ok {
 c.noticeHandler = handler
 return c
 }
 return &NoticeHandlerConnector{Connector: c, noticeHandler: handler}
}
```

Copyright (c) 2011-2013, 'pq' Contributors

Portions Copyright (C) 2011 Blake Mizerany

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.61 serf 0.10.1

### 1.61.1 Available under license :

# Proprietary License

This license is temporary while a more official one is drafted. However, this should make it clear:

The text contents of this website are MPL 2.0 licensed.

The design contents of this website are proprietary and may not be reproduced or reused in any way other than to run the website locally. The license for the design is owned solely by HashiCorp, Inc.  
Mozilla Public License, version 2.0

1. Definitions

### 1.1. Contributor

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. Contributor Version

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

### 1.3. Contribution

means Covered Software of a particular Contributor.

### 1.4. Covered Software

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

### 1.5. Incompatible With Secondary Licenses

means

a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

### 1.6. Executable Form

means any form of the work other than Source Code Form.

### 1.7. Larger Work

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

### 1.8. License

means this document.

### 1.9. Licensable

means having the right to grant, to the maximum extent possible, whether at the

time of the initial grant or subsequently, any and all of the rights conveyed by this License.

#### 1.10. Modifications

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

#### 1.11. Patent Claims of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable

by such Contributor that

would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

#### 1.12. Secondary License

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

#### 1.13. Source Code Form

means the form of the work preferred for making modifications.

#### 1.14. You (or Your)

means an individual or a legal entity exercising rights under this License. For legal entities, You includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b)

ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

### 2. License Grants and Conditions

#### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free,

non-exclusive license:

- a. under intellectual property rights (other than patent or trademark)  
Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

## 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

## 2.3.

### Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

## 2.4. Subsequent

### Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).



## 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice,

provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant,

then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis,

if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections

5.1 or 5.2 above, all end user

license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

## 6. Disclaimer of Warranty

Covered Software is provided under this License on an as is basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

## 7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been

informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

## 8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

#### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - Incompatible With Secondary Licenses Notice

This Source Code Form is Incompatible With Secondary Licenses, as defined by the Mozilla Public License, v. 2.0.  
# Proprietary License

This license is temporary while a more official one is drafted. However, this should make it clear:

\* The text contents of this website are MPL 2.0 licensed.

\* The design contents of this website are proprietary and may not be reproduced or reused in any way other than to run the Serf website locally. The license for the design is owned solely by HashiCorp, Inc.

Name: serf

Copyright: Hashicorp 2013

## 1.62 go-immutable-radix 1.3.1

### 1.62.1 Available under license :

Mozilla Public License, version 2.0

#### 1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether

at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

#### 1.10. "Modifications"

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

#### 1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

#### 1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

#### 1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

### 2. License Grants and Conditions

#### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free,

non-exclusive license:

- a. under intellectual property rights (other than patent or trademark)  
Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

## 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

## 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

## 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).



## 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license

for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly

and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

## 6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

## 7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who

distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

## 8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section

10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is Incompatible

With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

## 1.63 golang 1.22.3

### 1.63.1 Notifications :

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)

This product includes cryptographic software written by Eric Young ([eay@cryptsoft.com](mailto:eay@cryptsoft.com)).

This product includes software written by Tim Hudson ([tjh@cryptsoft.com](mailto:tjh@cryptsoft.com)).

## 1.63.2 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,  
each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute  
copies of the  
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
- You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.



6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The Go source code and supporting files in this directory are covered by the usual Go license (see ../../../../LICENSE).

When building with GOEXPERIMENT=boringcrypto, the following applies.

The goboringcrypto\_linux\_amd64.syso object file is built from BoringSSL source code by build/build.sh and is covered by the BoringSSL license reproduced below and also at <https://boringssl.googlesource.com/boringssl/+fips-20190808/LICENSE>.

BoringSSL is a fork of OpenSSL. As such, large parts of it fall under OpenSSL licensing. Files that are completely new have a Google copyright and an ISC license. This license is reproduced at the bottom of this file.

Contributors to BoringSSL are required to follow the CLA rules for Chromium: <https://cla.developers.google.com/cla>

Some files from Intel are under yet another license, which is also included underneath.

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit.

See below

for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact [openssl-core@openssl.org](mailto:openssl-core@openssl.org).

The following are Google-internal bug numbers where explicit permission from some authors is recorded for use of their work. (This is purely for our own record keeping.)

27287199

27287880

27287883

## OpenSSL License

-----

```
/* =====
* Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
*
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following
disclaimer in
* the documentation and/or other materials provided with the
* distribution.
*
* 3. All advertising materials mentioning features or use of this
* software must display the following acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* openssl-core@openssl.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit
(http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
```

\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT  
\* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;  
\* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,  
\* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
\* OF THE POSSIBILITY OF SUCH DAMAGE.

\* =====

\*

\* This product includes cryptographic software written by Eric Young

\* (eay@cryptsoft.com). This product

includes software written by Tim

\* Hudson (tjh@cryptsoft.com).

\*

\*/

Original SSLeay License

-----

/\* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

\* All rights reserved.

\*

\* This package is an SSL implementation written

\* by Eric Young (eay@cryptsoft.com).

\* The implementation was written so as to conform with Netscapes SSL.

\*

\* This library is free for commercial and non-commercial use as long as

\* the following conditions are aheared to. The following conditions

\* apply to all code found in this distribution, be it the RC4, RSA,

\* lhash, DES, etc., code; not just the SSL code. The SSL documentation

\* included with this distribution is covered by the same copyright terms

\* except that the holder is Tim Hudson (tjh@cryptsoft.com).

\*

\* Copyright remains Eric Young's, and as such any Copyright notices in

\* the code are not to be removed.

\* If this package is used in a product, Eric Young should be given attribution

\* as the author of

the parts of the library used.

\* This can be in the form of a textual message at program startup or

\* in documentation (online or textual) provided with the package.

\*

\* Redistribution and use in source and binary forms, with or without

\* modification, are permitted provided that the following conditions

\* are met:

\* 1. Redistributions of source code must retain the copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the

- \* documentation and/or other materials provided with the distribution.
- \* 3. All advertising materials mentioning features or use of this software
- \* must display the following acknowledgement:
- \* "This product includes cryptographic software written by
- \* Eric Young (eay@cryptsoft.com)"
- \* The word 'cryptographic' can be left out if the routines from the library
- \* being used are
- not cryptographic related :-).
- \* 4. If you include any Windows specific code (or a derivative thereof) from
- \* the apps directory (application code) you must include an acknowledgement:
- \* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
- \*
- \* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND
- \* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
- \* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
- \* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
- \* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
- \* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
- \* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
- POSSIBILITY OF
- \* SUCH DAMAGE.
- \*
- \* The licence and distribution terms for any publically available version or
- \* derivative of this code cannot be changed. i.e. this code cannot simply be
- \* copied and put under another distribution licence
- \* [including the GNU Public Licence.]
- \*/

ISC license used for completely new code in BoringSSL:

```
/* Copyright (c) 2015, Google Inc.
*
* Permission to use, copy, modify, and/or distribute this software for any
* purpose with or without fee is hereby granted, provided that the above
* copyright notice and this permission notice appear in all copies.
*
* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY
* SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION
* OF CONTRACT, NEGLIGENCE
OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN
* CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE. */
```

Some files from Intel carry the following license:

```
Copyright (c) 2012, Intel Corporation
#
All rights reserved.
#
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
#
* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
#
* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the
distribution.
#
* Neither the name of the Intel Corporation nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.
#
#
THIS SOFTWARE IS PROVIDED BY INTEL CORPORATION
""AS IS"" AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTEL CORPORATION OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Apache License 2.0
Copyright 2010-2021 Mike Bostock
```

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM

## LOSS

OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# People who have agreed to one of the CLAs and can contribute patches.

# The AUTHORS file lists the copyright holders; this file

# lists people. For example, Google employees are listed here

# but not in AUTHORS, because Google holds the copyright.

#

# <https://developers.google.com/open-source/cla/individual>

# <https://developers.google.com/open-source/cla/corporate>

#

# Names should be added to this file as:

# Name <email address>

Raul Silvera <rsilvera@google.com>

Tipp Moseley <tipp@google.com>

Hyoun Kyu Cho <netforce@google.com>

Martin Spier <spiermar@gmail.com>

Taco de Wolff <tacodewolff@gmail.com>

Andrew Hunter <andrewhhunter@gmail.com>

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,



the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2015 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2009-2017 Andrea Leofreddi <a.leofreddi@vleo.net>. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation are those of the authors and should not be interpreted as representing official policies, either expressed or implied, of Andrea Leofreddi.

## 1.64 [github.com/confluentinc/confluent-kafka-go/v2](https://github.com/confluentinc/confluent-kafka-go/v2) 2.4.0

### 1.64.1 Available under license :

LICENSE

-----  
librdkafka - Apache Kafka C driver library

Copyright (c) 2012-2022, Magnus Edenhill  
2023, Confluent Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

LICENSE.cjson

-----

For cJSON.c and cJSON.h:

Copyright (c) 2009-2017 Dave Gamble and cJSON contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished

to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

LICENSE.crc32c

-----  
# For src/crc32c.c copied (with modifications) from  
# <http://stackoverflow.com/a/17646775/1821055>

/\* crc32c.c -- compute CRC-32C using the Intel crc32 instruction  
\* Copyright (C) 2013 Mark Adler  
\* Version 1.1 1 Aug 2013 Mark Adler  
\*/

/\*

This software is provided 'as-is',  
without any express or implied  
warranty. In no event will the author be held liable for any damages  
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,  
including commercial applications, and to alter it and redistribute it  
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not  
claim that you wrote the original software. If you use this software  
in a product, an acknowledgment in the product documentation would be  
appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be  
misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Mark Adler  
madler@alumni.caltech.edu  
\*/

LICENSE.fnv1a

-----  
parts of src/rdfnv1a.c: [http://www.isthe.com/chongo/src/fnv/hash\\_32a.c](http://www.isthe.com/chongo/src/fnv/hash_32a.c)

Please  
do not copyright this code. This code is in the public domain.

LANDON CURT NOLL DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE,  
INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO  
EVENT SHALL LANDON CURT NOLL BE LIABLE FOR ANY SPECIAL, INDIRECT OR  
CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF  
USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR  
OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THIS SOFTWARE.

By:

chongo <Landon Curt Noll> /oo/\

<http://www.ishe.com/chongo/>

Share and Enjoy! :-)

LICENSE.hdrhistogram

-----  
This license covers src/rdhdrhistogram.c which is a C port of  
Coda Hale's Golang HdrHistogram <https://github.com/codahale/hdrhistogram>  
at revision 3a0bb77429bd3a61596f5e8a3172445844342120  
-----

The MIT License  
(MIT)

Copyright (c) 2014 Coda Hale

Permission is hereby granted, free of charge, to any person obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom the Software is  
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in  
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH  
THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE

LICENSE.lz4

-----  
src/rdxxhash.[ch] src/lz4\*.ch: git@github.com:lz4/lz4.git e2827775ee80d2ef985858727575df31fc60f1f3

LZ4 Library  
Copyright (c) 2011-2016, Yann Collet  
All rights reserved.



Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

LICENSE.murmur2

-----  
parts of src/rdmurmur2.c: [git@github.com:abandoned/murmur2.git](https://github.com:abandoned/murmur2.git)

MurMurHash2 Library

//-----  
// MurmurHash2 was written by Austin Appleby, and is placed in the public  
// domain. The author hereby disclaims copyright to this source code.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

LICENSE.pycrc

-----  
The  
following license applies to the files rdrc32.c and rdrc32.h which  
have been generated by the pycrc tool.  
=====

Copyright (c) 2006-2012, Thomas Pircher <tehpeh@gmx.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

LICENSE.queue

-----  
For sys/queue.h:

- \* Copyright (c) 1991, 1993
- \* The Regents of the University of California. All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright

- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided
- with the distribution.
- \* 4. Neither the name of the University nor the names of its contributors
- \* may be used to endorse or promote products derived from this software
- \* without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
- \* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
- \* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
- \* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
- \* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
- \* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
- \* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- \* SUCH DAMAGE.
- \*
- \* @(#)queue.h 8.5 (Berkeley) 8/20/94
- \* \$FreeBSD\$

#### LICENSE.regexp

-----

regexp.c and regexp.h from <https://github.com/ccxvii/minilibs> sha 875c33568b5a4aa4fb3dd0c52ea98f7f0e5ca684

"

These libraries are in the public domain (or the equivalent where that is not possible). You can do anything you want with them. You have no legal obligation to do anything else, although I appreciate attribution.

"

#### LICENSE.snappy

-----

#####

# LICENSE.snappy covers files: snappy.c, snappy.h, snappy\_compat.h #

# originally retrieved from <http://github.com/andikleen/snappy-c> #

# git revision 8015f2d28739b9a6076ebaa6c53fe27bc238d219 #

#####

The snappy-c code is under the same license as the original snappy source

Copyright 2011 Intel Corporation  
All Rights Reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Intel Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

LICENSE.tinychread

-----  
From <https://github.com/tinychread/tinychread/README.txt> c57166cd510ffb5022dd5f127489b131b61441b9

License

-----  
Copyright (c) 2012 Marcus Geelnard  
2013-2014 Evan Nemerson

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be

appreciated but is not required.

2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.

3. This notice may not be removed or altered from any source distribution.

LICENSE.wingetopt

-----  
For the files wingetopt.c wingetopt.h downloaded from <https://github.com/alex85k/wingetopt>

/\*

\* Copyright (c) 2002 Todd C. Miller <Todd.Miller@courtesan.com>

\*

\* Permission to use, copy, modify, and distribute this software for any  
\* purpose with or without fee is hereby granted, provided that the above  
\* copyright notice and this permission

notice appear in all copies.

\*

\* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES  
\* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF  
\* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR  
\* ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES  
\* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN  
\* ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF  
\* OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*

\* Sponsored in part by the Defense Advanced Research Projects  
\* Agency (DARPA) and Air Force Research Laboratory, Air Force  
\* Materiel Command, USAF, under agreement number F39502-99-1-0512.

\*/

/\*-

\* Copyright (c) 2000 The NetBSD Foundation, Inc.

\* All rights reserved.

\*

\* This code is derived from software contributed to The NetBSD Foundation  
\* by Dieter Baron and Thomas Klausner.

\*

\* Redistribution and use in source and binary forms,  
with or without

\* modification, are permitted provided that the following conditions  
\* are met:

\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS  
\* BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION)  
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE  
\* POSSIBILITY OF SUCH DAMAGE.  
\*/

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"  
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work

or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and



may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,

or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.65 confluentinc-confluent-kafka-go 2.4.0

## 1.65.1 Available under license :

LICENSE

-----  
librdkafka - Apache Kafka C driver library

Copyright (c) 2012-2022, Magnus Edenhill  
2023, Confluent Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

LICENSE.cjson

-----  
For cJSON.c and cJSON.h:

Copyright (c) 2009-2017 Dave Gamble and cJSON contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished

to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## LICENSE.crc32c

```

For src/crc32c.c copied (with modifications) from
http://stackoverflow.com/a/17646775/1821055

/* crc32c.c -- compute CRC-32C using the Intel crc32 instruction
 * Copyright (C) 2013 Mark Adler
 * Version 1.1 1 Aug 2013 Mark Adler
 */

/*
This software is provided 'as-is',
without any express or implied
warranty. In no event will the author be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not
 claim that you wrote the original software. If you use this software
 in a product, an acknowledgment in the product documentation would be
 appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be
 misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Mark Adler
madler@alumni.caltech.edu
*/
```

## LICENSE.fnv1a

```

parts of src/rdfnv1a.c: http://www.isthe.com/chongo/src/fnv/hash_32a.c
```

Please  
do not copyright this code. This code is in the public domain.

LANDON CURT NOLL DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE,  
INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO  
EVENT SHALL LANDON CURT NOLL BE LIABLE FOR ANY SPECIAL, INDIRECT OR  
CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF  
USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR  
OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR

## PERFORMANCE OF THIS SOFTWARE.

By:

chongo <Landon Curt Noll> /oo/  
<http://www.isthe.com/chongo/>

Share and Enjoy! :-)

### LICENSE.hdrhistogram

-----  
This license covers src/rdhdrhistogram.c which is a C port of  
Coda Hale's Golang HdrHistogram <https://github.com/codahale/hdrhistogram>  
at revision 3a0bb77429bd3a61596f5e8a3172445844342120  
-----

The MIT License  
(MIT)

Copyright (c) 2014 Coda Hale

Permission is hereby granted, free of charge, to any person obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom the Software is  
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in  
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH  
THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE

### LICENSE.lz4

-----  
src/rdxxhash.[ch] src/lz4\*.ch: [git@github.com:lz4/lz4](https://github.com/lz4/lz4).git e2827775ee80d2ef985858727575df31fc60f1f3

LZ4 Library  
Copyright (c) 2011-2016, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

LICENSE.murmur2

-----  
parts of src/rdmurmur2.c: git@github.com:abandoned/murmur2.git

MurMurHash2 Library

//-----  
// MurmurHash2 was written by Austin Appleby, and is placed in the public  
// domain. The author hereby disclaims copyright to this source code.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

LICENSE.pycrc

-----  
The  
following license applies to the files rdcrc32.c and rdcrc32.h which  
have been generated by the pycrc tool.  
=====

Copyright (c) 2006-2012, Thomas Pircher <tehpeh@gmx.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

LICENSE.queue

-----  
For sys/queue.h:

- \* Copyright (c) 1991, 1993
- \* The Regents of the University of California. All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.

- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided
- with the distribution.
- \* 4. Neither the name of the University nor the names of its contributors
- \* may be used to endorse or promote products derived from this software
- \* without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
- \* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
- \* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
- \* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
- \* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
- \* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
- \* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- \* SUCH DAMAGE.
- \*
- \* @(#)queue.h 8.5 (Berkeley) 8/20/94
- \* \$FreeBSD\$

LICENSE.regexp

-----  
 regexp.c and regexp.h from <https://github.com/ccxvii/minilibs> sha 875c33568b5a4aa4fb3dd0c52ea98f7f0e5ca684

"

These libraries are in the public domain (or the equivalent where that is not possible). You can do anything you want with them. You have no legal obligation to do anything else, although I appreciate attribution.

"

LICENSE.snappy

-----  
 #####  
 # LICENSE.snappy covers files: snappy.c, snappy.h, snappy\_compat.h #  
 # originally retrieved from <http://github.com/andikleen/snappy-c> #  
 # git revision 8015f2d28739b9a6076ebaa6c53fe27bc238d219 #  
 #####

The snappy-c code is under the same license as the original snappy source

Copyright 2011 Intel Corporation  
 All Rights Reserved.

Redistribution and use in source and binary forms, with or without  
 modification, are permitted provided that the following conditions are



met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Intel Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

LICENSE.tinycthread

-----  
From <https://github.com/tinycthread/tinycthread/README.txt> c57166cd510ffb5022dd5f127489b131b61441b9

License

-----

Copyright (c) 2012 Marcus Geelnard  
2013-2014 Evan Nemerson

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software

in a product, an acknowledgment in the product documentation would be appreciated but is not required.

2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.

3. This notice may not be removed or altered from any source distribution.

LICENSE.wingetopt

-----  
For the files wingetopt.c wingetopt.h downloaded from <https://github.com/alex85k/wingetopt>

/\*

\* Copyright (c) 2002 Todd C. Miller <Todd.Miller@courtesan.com>

\*

\* Permission to use, copy, modify, and distribute this software for any  
\* purpose with or without fee is hereby granted, provided that the above  
\* copyright notice and this permission  
\* notice appear in all copies.

\*

\* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES  
\* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF  
\* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR  
\* ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES  
\* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN  
\* ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF  
\* OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*

\* Sponsored in part by the Defense Advanced Research Projects  
\* Agency (DARPA) and Air Force Research Laboratory, Air Force  
\* Materiel Command, USAF, under agreement number F39502-99-1-0512.

\*/

/\*-

\* Copyright (c) 2000 The NetBSD Foundation, Inc.

\* All rights reserved.

\*

\* This code is derived from software contributed to The NetBSD Foundation  
\* by Dieter Baron and Thomas Klausner.

\*

\* Redistribution and use in source and binary forms,  
\* with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
 \* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
 \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS  
 \* BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
 \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
 \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
 \* INTERRUPTION)  
 HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
 \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE  
 \* POSSIBILITY OF SUCH DAMAGE.  
 \*/

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"  
 (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work

or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

- You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.
5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.66 grpc-go 1.64.0

## 1.66.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"



means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.  
Copyright 2014 gRPC authors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.67 color 1.17.0

## 1.67.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013 Fatih Arslan

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

# 1.68 etcd 3.5.14

## 1.68.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS



## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.69 x-sys 0.21.0

## 1.69.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above  
copyright notice, this list of conditions and the following disclaimer  
in the documentation and/or other materials provided with the  
distribution.
- \* Neither the name of Google Inc. nor the names of its  
contributors may be used to endorse or promote products derived from  
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.70 x-net 0.26.0

### 1.70.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.71 common 0.54.0

## 1.71.1 Available under license :

ISC

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.72 prometheus-common 0.54.0

### 1.72.1 Available under license :

Common libraries shared by Prometheus Go components.  
Copyright 2015 The Prometheus Authors

This product includes software developed at  
SoundCloud Ltd. (<http://soundcloud.com/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.



2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,  
each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the  
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding  
those notices that do not  
pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.73 prometheus-procfs 0.15.1

## 1.73.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

procfs provides functions to retrieve system, kernel and process metrics from the pseudo-filesystem proc.

Copyright 2014-2015 The Prometheus Authors

This product includes software developed at  
SoundCloud Ltd. (<http://soundcloud.com/>).

## 1.74 x-text 0.16.0

### 1.74.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from



this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.75 go-retryablehttp 0.7.7

### 1.75.1 Available under license :

Copyright (c) 2015 HashiCorp, Inc.

Mozilla Public License, version 2.0

#### 1. Definitions

##### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

##### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

##### 1.3. "Contribution"

means Covered Software of a particular Contributor.

##### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

##### 1.5. "Incompatible With Secondary Licenses"

means

- a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or
- b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

#### 1.6. "Executable Form"

means any form of the work other than Source Code Form.

#### 1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

#### 1.8. "License"

means this document.

#### 1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

#### 1.10. "Modifications"

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

#### 1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

#### 1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public

License, Version 3.0, or any later versions of those licenses.

#### 1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or

management of such entity, whether by contract or

otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

### 2. License Grants and Conditions

#### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

#### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

#### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a

Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

## 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

## 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code

Form, including any

Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4.

##### Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and

until such Contributor

explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under

Section

2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

## 6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

## 7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

## 8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

### 10.1. New Versions

Mozilla Foundation is the license steward.

Except as provided in Section

10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is

Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v.

2.0. If a copy of the MPL was not distributed with this file, You can obtain one at

<http://mozilla.org/MPL/2.0/>.



If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible  
With Secondary Licenses", as defined by  
the Mozilla Public License, v. 2.0.

## 1.76 hashicorp-consul-api 1.29.1

### 1.76.1 Available under license :

```

layout: api
page_title: License - Operator - HTTP API
description: |-
 The /operator/license endpoint allows for retrieving the Consul
 Enterprise License.

```

# License - Operator HTTP API

<EnterpriseAlert />

The licensing functionality described here is available only in  
[Consul Enterprise](<https://www.hashicorp.com/products/consul/>) version 1.1.0 and later.

## Getting the Consul License

This endpoint gets information about the current license.

| Method | Path              | Produces         |
|--------|-------------------|------------------|
| GET    | /operator/license | application/json |

The table below shows this endpoint's support for  
[blocking queries](/consul/api-docs/features/blocking),  
[consistency modes](/consul/api-docs/features/consistency),  
[agent caching](/consul/api-docs/features/caching), and  
[required ACLs](/consul/api-docs/api-structure#authentication).

| Blocking Queries | Consistency Modes | Agent Caching | ACL Required |
|------------------|-------------------|---------------|--------------|
|------------------|-------------------|---------------|--------------|

```
| -----
| ----- | ----- |
| `NO` | `all` | `none` | `none` |
```

The corresponding CLI command is [`consul license get`](/consul/commands/license#get).

### ### Query Parameters

- `-dc` (string: "")`` - Specifies the datacenter whose license should be retrieved.  
This will default to the datacenter of the agent serving the HTTP request.

### ### Sample Request

```
```shell-session
$ curl \
  http://127.0.0.1:8500/v1/operator/license
```
```

### ### Sample Response

```
```json
{
  "Valid": true,
  "License": {
    "license_id": "2afbf681-0d1a-0649-cb6c-333ec9f0989c",
    "customer_id": "0259271d-8ffc-e85e-0830-c0822c1f5f2b",
    "installation_id": "*",
    "issue_time": "2018-05-21T20:03:35.911567355Z",
    "start_time": "2018-05-21T04:00:00Z",
    "expiration_time": "2019-05-22T03:59:59.999Z",
    "product": "consul",
    "flags": {
      "package": "premium"
    },
    "features": [
      "Automated Backups",
      "Automated Upgrades",
      "Enhanced Read Scalability",
      "Network Segments",
      "Redundancy Zone",
      "Advanced Network Federation"
    ],
    "temporary": false
  },
  "Warnings": []
}
```
```

## ## Updating the Consul License

-> **Deprecated** This endpoint was removed in Consul v1.10.0 along with the ability to manage the cluster's license via the API.

This endpoint updates the Consul license and returns some of the license contents as well as any warning messages regarding its validity.

| Method | Path              | Produces         |
|--------|-------------------|------------------|
| PUT    | /operator/license | application/json |

The table below shows this endpoint's support for [blocking queries](/consul/api-docs/features/blocking), [consistency modes](/consul/api-docs/features/consistency), [agent caching](/consul/api-docs/features/caching), and [required ACLs](/consul/api-docs/api-structure#authentication).

| Blocking Queries | Consistency Modes | Agent Caching | ACL Required   |
|------------------|-------------------|---------------|----------------|
| NO               | none              | none          | operator:write |

The corresponding CLI command is [consul license put](/consul/commands/license#put).

### ### Query Parameters

- dc (string: "") - Specifies the datacenter whose license should be updated. This will default to the datacenter of the agent serving the HTTP request.

### ### Sample Payload

The payload is the raw license blob.

### ### Sample Request

```
``shell-session
$ curl \
 --request PUT \
 --data @consul.license \
 http://127.0.0.1:8500/v1/operator/license
``
```

### ### Sample Response

```
``json
{
```

```

"Valid": true,
"License": {
 "license_id": "2afbf681-0d1a-0649-cb6c-333ec9f0989c",
 "customer_id": "0259271d-8ffc-e85e-0830-c0822c1f5f2b",
 "installation_id": "*",
 "issue_time": "2018-05-21T20:03:35.911567355Z",
 "start_time": "2018-05-21T04:00:00Z",
 "expiration_time": "2019-05-22T03:59:59.999Z",
 "product":
"consul",
 "flags": {
 "package": "premium"
 },
 "features": [
 "Automated Backups",
 "Automated Upgrades",
 "Enhanced Read Scalability",
 "Network Segments",
 "Redundancy Zone",
 "Advanced Network Federation"
],
 "temporary": false
},
"Warnings": []
}
...

```

### ## Resetting the Consul License

-> **Deprecated** This endpoint was removed in Consul v1.10.0 along with the ability to manage the cluster's license via the API.

This endpoint resets the Consul license to the license included in the Enterprise binary. If the included license is not valid, the replace will fail.

| Method | Path              | Produces         |
|--------|-------------------|------------------|
| DELETE | /operator/license | application/json |

The table below shows this endpoint's support for  
[blocking queries](/consul/api-docs/features/blocking),  
[consistency modes](/consul/api-docs/features/consistency),  
[agent caching](/consul/api-docs/features/caching),  
and  
[required ACLs](/consul/api-docs/api-structure#authentication).

| Blocking Queries | Consistency Modes | Agent Caching | ACL Required |
|------------------|-------------------|---------------|--------------|
|                  |                   |               |              |

```
| `NO` | `none` | `none` | `operator:write` |
```

The corresponding CLI command is [`consul license reset`](/consul/commands/license#reset).

### ### Query Parameters

- `dc` `(string: "")` - Specifies the datacenter whose license should be updated.`

This will default to the datacenter of the agent serving the HTTP request.

### ### Sample Request

```
```shell-session
$ curl \
  --request DELETE \
  http://127.0.0.1:8500/v1/operator/license
```
```

### ### Sample Response

```
```json
{
  "Valid": true,
  "License": {
    "license_id": "2afbf681-0d1a-0649-cb6c-333ec9f0989c",
    "customer_id": "0259271d-8ffc-e85e-0830-c0822c1f5f2b",
    "installation_id": "*",
    "issue_time": "2018-05-21T20:03:35.911567355Z",
    "start_time": "2018-05-21T04:00:00Z",
    "expiration_time": "2019-05-22T03:59:59.999Z",
    "product": "consul",
    "flags": {
      "package": "premium"
    },
    "features": [
      "Automated Backups",
      "Automated Upgrades",
      "Enhanced Read Scalability",
      "Network Segments",
      "Redundancy Zone",
      "Advanced Network Federation"
    ],
    "temporary": false
  },
  "Warnings": []
}
```
```

/\*\*

\* Copyright (c) HashiCorp, Inc.

\* SPDX-License-Identifier: BUSL-1.1

\*/

@import './skin';

@import './layout';

/\*\*

\* Copyright (c) HashiCorp, Inc.

\* SPDX-License-Identifier: BUSL-1.1

\*/

.consul-intention-permission-form {

h2 {

padding-top: 1.4em;

margin-top: 0.2em;

margin-bottom: 0.6em;

}

.consul-intention-permission-header-form {

margin-top: 10px;

}

fieldset:nth-child(2) > div,

.consul-intention-permission-header-form fieldset > div {

display: grid;

grid-template-columns: repeat(auto-fit, minmax(160px, 1fr));

grid-gap: 12px;

}

fieldset:nth-child(2) > div label:last-child {

grid-column: span 2;

}

.ember-basic-dropdown-trigger {

padding: 5px;

}

.checkbox-group {

flex-direction: column;

}

}

/\*\*

\* Copyright (c) HashiCorp, Inc.

\* SPDX-License-Identifier: BUSL-1.1

\*/

@import './skin';

@import './layout';

.consul-intention-permission-list > ul > li {

@extend %list-row-200;

}

.consul-intention-permission-list:not(.readonly) > ul > li {

@extend %with-composite-row-intent;

}

```
.consul-intention-permission-list strong {
 @extend %pill-500;
}
.consul-intention-permission-list .intent-allow {
 @extend %pill-allow;
}
.consul-intention-permission-list .intent-deny {
 @extend %pill-deny;
}
```

The MIT License (MIT)

Copyright (c) 2015 Toru Nagashima

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2016 Ciena Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

---

layout: docs

page\_title: Enterprise License FAQ

description: >-

Review frequently asked questions (FAQs) about Consul Enterprise licenses to learn more about how licenses work, what happens when they expire, and how to get a trial license.

---

## # Frequently Asked Questions (FAQ)

This FAQ is for the license changes introduced in Consul Enterprise version 1.10.0. Consul Enterprise automatically loads Consul licenses when the server agent starts.

### ## Q: Can I get a quick summary of the Consul changes?

Starting with Consul Enterprise 1.10.0, the license enablement process is different.

HashiCorp Enterprise servers will no longer start without a license. Servers require licenses to be provided from either an environment variable or file.

If the license is missing, invalid, or expired, the server will immediately exit.

This check is part of the server boot-up process.

In previous versions of HashiCorp enterprise products, one server could distribute a license to other servers via the Raft protocol.

This will no longer work since each server must be able to find a valid license during the startup process.

### ## Q: What are the upgrade requirements?

All customers on Consul Enterprise 1.8/1.9 must first upgrade their client and server agents to the latest patch release.

During the upgrade the license file must also be configured on client agents in an environment variable or file path, otherwise the Consul agents will fail to retrieve the license with a valid agent token.

The upgrade process varies if ACLs are enabled or disabled in the cluster.

Refer to the instructions on [upgrading to 1.10.x](/consul/docs/upgrading/instructions/upgrade-to-1-10-x) for details.

### ## Q: Is there a tutorial available for the license configuration steps?

Please visit the [Enterprise License Tutorial](/nomad/tutorials/enterprise/hashicorp-enterprise-license?utm\_source=docs).

### ## Q: What resources are available?

The list below is a great starting point for learning more about the license



changes introduced in Consul Enterprise 1.10.0+ent.

- [Consul Enterprise Upgrade Documentation](/consul/docs/enterprise/upgrades)
- [Consul License Documentation](/consul/docs/enterprise/license/overview)
- [License configuration values documentation](/consul/docs/enterprise/license/overview#binaries-without-built-in-licenses)
- [Install a HashiCorp Enterprise License Tutorial](/nomad/tutorials/enterprise/hashicorp-enterprise-license?utm\_source=docs)

## Q: Do these changes impact all customers/licenses?

The license changes introduced in 1.10.0 only affect Consul Enterprise.

This impacts customers that have an enterprise binary (trial or non-trial licenses) downloaded from <https://releases.hashicorp.com>.

The license changes do not impact customers with the baked-in licensed binaries. In a later release of Consul Enterprise, baked-in binaries will be deprecated.

## Q: What is the product behavior change introduced by the licensing changes?

Starting with Consul Enterprise 1.10.0,

a valid license is required on-disk (auto-loading) or as an environment variable for Consul Enterprise to successfully boot-up.

The in-storage license feature will not be supported starting with Consul Enterprise 1.10.0+ent. All Consul Enterprise clusters using 1.10.0+ent must ensure that there is a valid license on-disk (auto-loaded) or as an environment variable.

## Q: What is the impact on trial licenses due to this change? ((#q-what-is-the-impact-on-evaluation-licenses-due-to-this-change))

Consul Enterprise 1.10.0+ server agents require a valid license to start.

The license can be provided on disk (auto-loaded) or as an environment variable.

There is no longer a 6-hour trial period in which Consul Enterprise server agents can operate without a license.

## Q: Is there a grace period when licenses expire?

**\*\*Yes** Consul will continue normal operation and can be restarted after license **\*expiration\*\*\*** as defined in [ `expiration\_time` ](/consul/api-docs/operator/license#getting-the-consul-license).

As

license expiration is approached or passed, Consul will issue warnings in the system logs.

Consul will only cease operation after license **\*termination\***, which occurs 10 years after license expiration and is defined in

[ `termination\_time` ](/consul/api-docs/operator/license#getting-the-consul-license).

~> **\*\*Starting with Consul 1.14, and patch releases 1.13.3 and 1.12.6, Consul will support non-terminating licenses\*\***:

Please contact your support representative for more details on non-terminating licenses.

An expired license will not allow Consul versions released after the expiration date to run.

It will not be possible to upgrade to a new version of Consul released after license expiration.

**## Q: Does this affect client agents?**

There are upgrade requirements that affect Consul Enterprise clients.

Please review the [upgrade requirements](#q-what-are-the-upgrade-requirements) documentation.

**## Q: Does this affect snapshot agents?**

Same behavior as Consul clients.

See answer for [Does this affect client agents? ](#q-does-this-affect-client-agents)

**## Q: What is the behavior if the license is missing?**

Consul server agents will detect the absence of the license and immediately exit.

Consul client agents will attempt to retrieve the license from servers if certain conditions are met:

- ACLs are enabled.
- An ACL token is provided to the client agent.
- The client agents configuration contains `retry\_join` addresses.
- The retry join addresses are addresses of the Consul servers.

Consul snapshot agents will attempt to retrieve the license from servers if certain conditions are met: ACLs are enabled, a ACL token is provided to the client agent, the client agents configuration contains `retry\_join` addresses, the retry join addresses are addresses of the Consul servers.

**## Q: Where can users get a trial license for Consul Enterprise?**

Contact your [HashiCorp Support contact](https://support.hashicorp.com/) for a development license.

~> **\*\*Trial**

install will cease operation 24 hours after 30-day license expiration\*\*:

Trial licenses are not meant to be used in production.

This is unlike non-trial licenses which provide a 10 year grace period as described in

the answer for [Q: Is there a grace period when licenses expire?](#q-is-there-a-grace-period-when-licenses-expire).

**## Q: How can I renew a license?**

Contact your organization's [HashiCorp account team](https://support.hashicorp.com/hc/en-us) for information on how to renew your organization's enterprise license.

**## Q: I'm an existing enterprise customer but don't have my license, how can I get it?**

Contact your organization's [HashiCorp account team](https://support.hashicorp.com/hc/en-us) for information on how to renew your organization's enterprise license.

## Q: Are the license files locked to a specific cluster?

The license files are not locked to a specific cluster or cluster node. The above changes apply to all nodes in a cluster.

## Q: Will this  
impact HCP Consul Dedicated?

This will not impact HCP Consul Dedicated.

## Q: Does this need to happen every time a node restarts, or is this a one-time check?

Consul Enterprise binaries starting with 1.10.0+ent, will be subject to EULA check. Release 1.10.0+ent introduces the EULA check for trial licenses (non-trial licenses already go through EULA check during contractual agreement).

The agreement to a EULA happens only once (when the user gets their license), Consul Enterprise **will** check for the presence of a valid license every time a node restarts**.**

When a customer upgrades existing clusters to a 1.10.0+ent release, they need to have a valid license to successfully upgrade. This valid license must be auto-loaded.

When a customer deploys new clusters to a 1.10.0+ent release, they need to have a valid license to successfully upgrade. This valid license must be on-disk (auto-loaded).

## Q: What are the scenarios that a customer must plan for because of these changes?

New

Consul cluster deployments using 1.10.0+ent will need to have a valid license on servers to successfully deploy. This valid license must be on-disk (auto-loaded) or as an environment variable. Please see the [upgrade requirements](/consul/docs/enterprise/license/faq#q-what-are-the-upgrade-requirements).

## Q: What is the migration path for customers who want to migrate from their existing license-as-applied-via-the-CLI flow to the license on disk flow?

### VM

1. Run [`consul license get -signed``](/consul/commands/license#get) to extract the license from their running cluster. Store the license in a secure location on disk.
1. Set up the necessary configuration so that when Consul Enterprise reboots it will have access to the required license. This could be via the client agent configuration file or an environment variable.
1. Visit the [Enterprise License Tutorial](/nomad/tutorials/enterprise/hashicorp-enterprise-license?utm\_source=docs) for detailed steps on how to install the license key.
1. Follow the Consul upgrade [documentation](/consul/docs/upgrading).

### ### Kubernetes

**\*\*NOTE:\*\*** If you are not upgrading Consul or your Helm chart version then no action is required.

1. In order to use Consul Enterprise 1.10.0 or greater on Kubernetes you must use version 0.32.0 or greater of the Helm chart.

1. You should already have a Consul Enterprise license set as a Kubernetes secret. If you do not, refer to [how to obtain a copy of your license](/consul/docs/enterprise/license/faq#q-i-m-an-existing-enterprise-customer-but-don-t-have-my-license-how-can-i-get-it).

Once you have the license then create a Kubernetes secret containing the license as described in [Kubernetes - Consul Enterprise](/consul/docs/k8s/deployment-configurations/consul-enterprise).

1. Follow the [Kubernetes Upgrade Docs](/consul/docs/k8s/upgrade) to upgrade. No changes to your `values.yaml` file are needed to enable enterprise autoloading since this support is built in to consul-helm 0.32.0 and greater.

!>

**\*\*Warning:\*\*** If you are upgrading the Helm chart but **\*\*not\*\*** upgrading the Consul version, you must set `server.enterpriseLicense.enableLicenseAutoload: false`. See [Kubernetes - Consul Enterprise](/consul/docs/k8s/deployment-configurations/consul-enterprise) for more details.

**## Q:** What is the migration path for customers who want to migrate from their existing perpetually-licensed binaries to the license on disk flow?

### ### VM

1. Acquire a valid Consul Enterprise license. If you are an existing HashiCorp enterprise customer you may contact your organization's [customer success manager](https://support.hashicorp.com/hc/en-us) (CSM) for information on how to get your organization's enterprise license.

1. Store the license in a secure location on disk.

1. Set up the necessary configuration so that when Consul Enterprise reboots it will have the required license. This could be via the client agent configuration file or an environment variable.

Visit the [Enterprise License Tutorial](/nomad/tutorials/enterprise/hashicorp-enterprise-license?utm\_source=docs) for detailed steps on how to install the license key.

1. Follow the Consul upgrade [documentation](/consul/docs/upgrading).

### ### Kubernetes

1. Acquire a valid Consul Enterprise license. If you are an existing HashiCorp enterprise customer you may contact your organization's [customer success manager](https://support.hashicorp.com/hc/en-us) (CSM) for information on how to get your organization's enterprise license.

1. Set up the necessary configuration so that when Consul Enterprise reboots it will have the required license. This could be via the client agent configuration file or an environment variable.

Visit the [Enterprise License Tutorial](/nomad/tutorials/enterprise/hashicorp-enterprise-license?utm\_source=docs) for detailed steps on how to install the license key.

1. Proceed with the `helm` [upgrade instructions](/consul/docs/k8s/upgrade)

**## Q:** Will Consul downgrades/rollbacks work?

When downgrading

to a version of Consul before 1.10.0+ent, customers will need to follow the previous process for applying an enterprise licenses to Consul Enterprise.

## Q: Are there potential pitfalls when downgrading or upgrading Consul server instances?

~> Verify that you meet the [upgrade requirements](/consul/docs/enterprise/license/faq#q-what-are-the-upgrade-requirements).

Assume a scenario where there are three Consul server nodes:

- Node A: v1.9.5
- Node B: v1.10.0 [Leader]
- Node C: v1.9.5

The command `consul license put` is issued from Node A. This will result in an error due to how Consul routes calls to the server node, Node B in this example.

Because Node A is a follower when the call `consul license put` is issued, the call will be redirected to Node B (leader).

The `consul license put` operation will fail due to being removed from 1.10.0.

This is a scenario that could occur if a customer downgrades from 1.10.0+ and the Consul leadership has not transferred back over to a node not running 1.10.0+.

This also has the potential of occurring when upgrading if scheduled license updates or autoscaling groups recoveries are in place.

## Q: Any impacts to Consul Kubernetes?

If you are using a Consul Enterprise version prior to 1.10.0 and decide to upgrade the Helm chart to version 0.32.0 or newer, but not the Consul version.

You will need to add the following configuration.

...

server:

enterpriseLicense:

enableLicenseAutoload: false

...

/\*\*

\* Copyright (c) HashiCorp, Inc.

\* SPDX-License-Identifier: BUSL-1.1

\*/

.consul-intention-permission-header-list {

max-height: 200px;

overflow: auto;

}

{{!

Copyright (c) HashiCorp, Inc.

SPDX-License-Identifier: BUSL-1.1

```

}}

{{#if (gt items.length 0)}}
<ListCollection
class="consul-intention-permission-header-list"
@items={{ items }}
@scroll="native"
@cellHeight={{ 42 }}
as |item|>
 <BlockSlot @name="details">
 <dl>
 <dt>
 <Tooltip>
 Header
 </Tooltip>
 </dt>
 <dd>
 {{ item.Name }} {{ route-match item }}
 </dd>
 </dl>
 </BlockSlot>
 <BlockSlot @name="actions" as |Actions|>
 <Actions as |Action|>
 <Action data-test-delete-action @onclick={{ { action onDelete item } }} class="dangerous">
 <BlockSlot @name="label">
 Delete
 </BlockSlot>
 <BlockSlot @name="confirmation" as |Confirmation|>
 <Confirmation class="warning">
 <BlockSlot @name="header">
 Confirm delete
 </BlockSlot>
 <BlockSlot @name="body">
 <p>
 Are you sure you want to delete this header?
 </p>
 </BlockSlot>
 <BlockSlot @name="confirm" as |Confirm|>
 <Confirm>Delete</Confirm>
 </BlockSlot>
 </Confirmation>
 </BlockSlot>
 </Action>
 </Actions>
 </BlockSlot>
</ListCollection>
{{ /if }}

```

```

{
 "name": "envoy.filters.http.rbac",
 "typedConfig": {
 "@type": "type.googleapis.com/envoy.extensions.filters.http.rbac.v3.RBAC",
 "rules": {
 "policies": {
 "consul-intentions-layer7-0": {
 "permissions": [
 {
 "andRules": {
 "rules": [
 {
 "urlPath": {
 "path": {
 "exact": "/v1/secret"
 }
 }
 }
],
 },
 },
 {
 "andRules": {
 "rules": [
 {
 "metadata": {
 "filter": "envoy.filters.http.jwt_authn",
 "path": [
 {
 "key": "jwt_payload_auth0"
 },
 {
 "key": "iss"
 }
],
 "value": {
 "stringMatch": {
 "exact": "mytest.auth0-issuer"
 }
 }
 }
 },
 {
 "metadata": {
 "filter": "envoy.filters.http.jwt_authn",
 "path": [
 {
 "key": "jwt_payload_auth0"
 },
 {
 "key": "perms"
 }
]
 }
 }
],
 },
 }
]
 }
 }
 }
 }
}

```

```

 },
 {
 "key": "role"
 }
],
 "value": {
 "stringMatch": {
 "exact": "admin"
 }
 }
}

}
}
}
]
}
}
]
}
},
{
 "andRules": {
 "rules": [
 {
 "urlPath": {
 "path": {
 "exact": "/v1/admin"
 }
 }
 },
 {
 "notRule": {
 "urlPath": {
 "path": {
 "exact": "/v1/secret"
 }
 }
 }
 }
]
 }
},
"principals": [
 {
 "andIds": {
 "ids": [
 {
 "authenticated": {

```



```

"principalName": {

"safeRegex": {
 "regex": "^spiffe://test.consul/ns/default/dc/[^/]+/svc/web$"
}
},
{
 "andIds": {
 "ids": [
 {
 "metadata": {
 "filter": "envoy.filters.http.jwt_authn",
 "path": [
 {
 "key": "jwt_payload_okta"
 },
 {
 "key": "iss"
 }
],
 "value": {
 "stringMatch": {
 "exact": "mytest.okta-issuer"
 }
 }
 }
 },
 {
 "metadata": {
 "filter": "envoy.filters.http.jwt_authn",
 "path": [
 {
 "key": "jwt_payload_okta"
 },
 {
 "key": "roles"
 }
],
 "value": {
 "stringMatch": {
 "exact": "testing"
 }
 }
 }
 }
]
 }
}

```

```
]
 }
 }
]
}
}
]
}
}
}
}
}
}
}{!
Copyright (c) HashiCorp, Inc.
SPDX-License-Identifier: BUSL-1.1
}}
```

```

<group.Element
 @name="Name"
 @error={{ changeset-get changeset 'error.Name' }}
 as |el|>
 <el.Label>Header name</el.Label>
 <el.Text

 @value={{ changeset-get changeset 'Name' }}
 oninput={{ action 'change' 'Name' changeset }}
 />
 <State @state={{ el.state }} @matches="error">
 <el.Error>
 {{ changeset-get changeset 'error.Name.validation' }}
 </el.Error>
 </State>
 </group.Element>

{{#if shouldShowValueField}}
 <group.Element
 @name="Value"
 @error={{ changeset-get changeset 'error.Value' }}
 as |el|>
 <el.Label>Header {{lowercase (get headerLabels headerType)}}</el.Label>
 <el.Text
 @value={{ changeset-get changeset 'Value' }}
 oninput={{ action 'change' 'Value' changeset }}
 />
 <State @state={{ el.state }} @matches="error">
 <el.Error>
 {{ changeset-get changeset 'error.Value.validation' }}
 </el.Error>
 </State>
 </group.Element>
 {{/if}}

</div>
</fieldset>
</FormGroup>
</div>
{
 "name": "envoy.filters.http.rbac",
 "typedConfig": {
 "@type": "type.googleapis.com/envoy.extensions.filters.http.rbac.v3.RBAC",
 "rules": {
 "policies": {
 "consul-intentions-layer7-0": {
 "permissions": [

```

```

{
 "andRules": {
 "rules": [
 {
 "urlPath": {
 "path": {
 "prefix": "/v1"
 }
 }
 },
 {
 "notRule": {
 "urlPath": {
 "path": {
 "exact": "/v1/secret"
 }
 }
 }
 }
]
 }
},
{
 "andRules": {
 "rules": [
 {
 "andRules": {
 "rules": [
 {
 "urlPath": {
 "path": {
 "safeRegex": {
 "regex": "/v[123]"
 }
 }
 },
 {
 "header": {
 "name": ":method",
 "stringMatch": {
 "safeRegex": {
 "regex": "GET|HEAD|OPTIONS"
 }
 }
 }
 }
 }
]
 }
 }
]
 }
}

```

```

]
 }
},
{
 "notRule": {
 "urlPath": {
 "path": {
 "exact": "/v1/secret"
 }
 }
 }
},
{
 "notRule": {
 "andRules": {
 "rules": [
 {
 "urlPath": {
 "path": {
 "exact": "/v1/admin"
 }
 }
 },
 {
 "header": {
 "name": ":",method",
 "stringMatch": {
 "safeRegex": {
 "regex": "GET"
 }
 }
 }
 }
]
 }
 }
},
{
 "andRules": {
 "rules": [

```

```

 {
 "header": {
 "name": "x-foo",
 "presentMatch": true
 }
 },
 {
 "header": {
 "name": "x-bar",
 "stringMatch": {
 "exact": "xyz"
 }
 }
 },
 {
 "header": {
 "name": "x-dib",
 "stringMatch": {
 "prefix": "gaz"
 }
 }
 },
 {
 "header": {
 "name": "x-gir",
 "stringMatch": {
 "suffix": "zim"
 }
 }
 },
 {
 "header": {
 "name": "x-zim",
 "stringMatch": {
 "safeRegex": {
 "regex": "gi[rR]"
 }
 }
 }
 },
 {
 "header": {
 "invertMatch": true,
 "name": "z-foo",
 "presentMatch": true
 }
 },
],

```

```

 {
 "header": {
 "invertMatch": true,
 "name": "z-bar",
 "stringMatch": {
 "exact": "xyz"
 }
 }
 },
 {
 "header": {
 "invertMatch": true,
 "name": "z-dib",
 "stringMatch": {
 "prefix": "gaz"
 }
 }
 },
 {
 "header": {
 "invertMatch": true,
 "name": "z-gir",
 "stringMatch": {
 "suffix": "zim"
 }
 }
 },
 {
 "header": {
 "invertMatch": true,
 "name": "z-zim",
 "stringMatch": {
 "safeRegex": {

 "regex": "gi[rR]"
 }
 }
 }
 }
],
},
{
 "notRule": {
 "urlPath": {
 "path": {
 "exact": "/v1/secret"
 }
 }
 }
}

```

```

 }
 }
},
{
 "notRule": {
 "header": {
 "name": "x-baz",
 "presentMatch": true
 }
 }
}
]
}
},
"principals": [
 {
 "authenticated": {
 "principalName": {
 "safeRegex": {
 "regex": "^spiffe://test.consul/ns/default/dc[/\\^]+/svc/web$"
 }
 }
 }
 }
]
}
}
}
{
 "name": "envoy.filters.network.rbac",
 "typedConfig": {
 "@type": "type.googleapis.com/envoy.extensions.filters.network.rbac.v3.RBAC",
 "rules": {},
 "statPrefix": "connect_authz"
 }
}
{
 "Valid": true,
 "License": {
 "license_id": "${fake.random.uuid()}",
 "customer_id": "${fake.random.uuid()}",
 "installation_id": "*",
 "issue_time": "2021-01-13T15:25:19.052900132Z",
 "start_time": "2021-01-13T00:00:00Z",

```



```

"expiration_time": "${env('CONSUL_LICENSE_EXPIRATION', '2022-05-02T23:59:59.999Z')}",
"termination_time": "${env('CONSUL_LICENSE_TERMINATION', '2022-01-13T23:59:59.999Z')}",
"product": "consul",
"flags": {
 "modules": [
 "global-visibility-routing-scale",
 "governance-policy"
]
},
"modules": [
 "Global Visibility, Routing and Scale",
 "Governance and Policy"
],
"features": [
 "Automated Backups",
 "Automated Upgrades",
 "Enhanced Read Scalability",
 "Network Segments",
 "Redundancy Zone",
 "Advanced Network Federation",
 "Namespaces",
 "SSO",
 "Audit Logging",
 "Admin Partitions"
]
},
"Warnings": [
]
}
{
"name": "envoy.filters.http.jwt_authn",
"typedConfig": {
"@type": "type.googleapis.com/envoy.extensions.filters.http.jwt_authn.v3.JwtAuthentication",
"providers": {
"okta": {
"issuer": "test-issuer",
"payloadInMetadata": "jwt_payload_okta",
"remoteJwks": {
"asyncFetch": {
"fastListener": true
},
"httpUri": {
"cluster": "jwks_cluster_okta",
"timeout": "1s",
"uri": "https://example-okta.com/.well-known/jwks.json"
}
}
}
}
}
}

```

```

 },
 "rules": [
 {
 "match": {
 "prefix": "/"
 },
 "requires": {
 "requiresAny": {
 "requirements": [
 {
 "providerName": "okta"
 },
 {
 "allowMissingOrFailed": {}
 }
]
 }
 }
 }
]
 }
}

/**
 * Copyright (c) HashiCorp, Inc.
 * SPDX-License-Identifier: BUSL-1.1
 */

```

This license is temporary while a more official one is drafted. However, this should make it clear:

The design contents of this website are proprietary and may not be reproduced or reused in any way other than to run the website locally. The license for the design is owned solely by HashiCorp, Inc.

```

"rules": {
 "policies": {
 "consul-intentions-layer7-0": {
 "permissions": [
 {
 "andRules": {
 "rules": [
 {
 "andRules": {
 "rules": [
 {
 "urlPath": {
 "path": {
 "prefix": "/v1"
 }
 }
 },
 {
 "header": {
 "name": "x-foo",
 "presentMatch": true
 }
 }
]
 }
 }
],
 "notRule": {
 "andRules": {
 "rules": [
 {
 "urlPath": {
 "path": {
 "exact": "/v1/secret"
 }
 }
 },
 {
 "header": {
 "name": "x-baz",
 "presentMatch": true
 }
 },
 {
 "header": {
 "name": "x-bar",
 "presentMatch": true
 }
 }
]
 }
 }
 }
 }
]
 }
 }
}

```

```

 }
 }
]
}
},
{
 "notRule": {
 "andRules": {
 "rules": [
 {
 "urlPath": {
 "path": {
 "exact": "/v1/admin"
 }
 },
 {
 "header": {
 "name": "x-baz",
 "presentMatch": true
 }
 },
 {
 "header": {
 "name": "x-bar",
 "presentMatch": true
 }
 }
]
 }
 }
 }
},
],
"principals": [
 {
 "authenticated": {
 "principalName": {
 "safeRegex": {
 "regex": "^spiffe://test.consul/ns/default/dc/[^/]+/svc/web$"
 }
 }
 }
 }
]
}

```

```

]
 }
}
}
}
}
}
}
License

```

```

```hbs preview-template

```

```

<figure>
<figcaption>URI: <code>/:partition/:namespace/:dc/license</code></figcaption>
<DataSource
  @src={{
    uri '${partition}/${namespace}/${dc}/license'
    (hash
      partition='partition'
      namespace='ns'
      dc='dc-1'
    )
  }}
  @onchange={{action (mut data) value="data"}}
/>
<pre><code>{{json-stringify data null 4}}</code></pre>
</figure>
```

```

```

page_title: Automated license utilization reporting

```

```

description: >-

```

Learn what data HashiCorp collects to meter Enterprise license utilization. Enable or disable reporting. Review sample payloads and logs.

```

```

```

Automated license utilization reporting

```

This topic describes how to enable automated license utilization reporting in Consul Enterprise. This feature automatically sends license utilization data to HashiCorp so that you do not have to manually collect and report it. It also enables you to review your license usage with the monitoring solution you already use, such as Splunk and Datadog, as you optimize and manage your deployments.

```

Introduction

```

You can use automated license utilization report to understand how much additional networking infrastructure you can deploy under your current contract. This feature helps you protect against overutilization and budget for predicted consumption.

Automated reporting shares the minimum data required to validate license utilization as defined in our contracts. This data mostly consists of computed metrics, and it will never contain Personal Identifiable Information (PII) or other sensitive information. Automated reporting shares the data with HashiCorp

using a secure unidirectional HTTPS API and makes an auditable record in the product logs each time it submits a report. This process is GDPR-compliant.

## ## Requirements

Automated license utilization reporting does not support `_air-gapped installations_`, which are systems with no network interfaces.

The following versions of Consul Enterprise support automated license utilization reporting:

- Consul Enterprise v1.16.0 and newer.
- Patch releases of Consul Enterprise v1.15.4 and newer.
- Patch releases of Consul Enterprise v1.14.8 and newer.
- Patch releases of Consul Enterprise v1.13.9 and newer.

Download a supported release from the [Consul Versions](https://releases.hashicorp.com/consul/) page.

## ## Enable automated reporting

Before you enable automated reporting, make sure that outbound network traffic is configured correctly and upgrade your enterprise product to a version that supports it. If your installation is air-gapped or network settings are not in place, automated reporting will not work.

To enable automated reporting, complete the following steps:

1. [Allow outbound HTTPS traffic on port 443](#allow-outbound-https-traffic)
1. [Check product logs](#check-product-logs)

### ### Allow outbound HTTPS traffic on port 443

Make sure that your network allows HTTPS egress on port 443 from `https://reporting.hashicorp.services`` by adding the following IP addresses to your allow-list:

- ``100.20.70.12``
- ``35.166.5.222``
- ``23.95.85.111``
- ``44.215.244.1``

### ### Check product logs

Automatic license utilization reporting starts sending data within roughly 24 hours. Check the product logs for records that the data sent successfully.

<CodeBlockConfig hideClipboard>

...

[DEBUG] beginning snapshot export

```

[DEBUG] creating payload
[DEBUG] marshalling
 payload to json
[DEBUG] generating authentication headers
[DEBUG] creating request
[DEBUG] sending request
[DEBUG] performing request: method=POST url=https://census.license.hashicorp.services
[DEBUG] recording audit record
[INFO] reporting: Report sent: auditRecord={"payload":{"payload_version":"1","license_id":"d2cdd857-4202-5a45-70a6-e4b531050c34","product":"consul","product_version":"1.16.0-dev+ent","export_timestamp":"2023-05-26T20:09:13.753921087Z","snapshots":[{"snapshot_version":1,"snapshot_id":"0001J724F90F4XWQDSAA76ZQWA","process_id":"01H1CTJPC1S8H7Q45MKTJ689ZW","timestamp":"2023-05-26T20:09:13.753513962Z","schema_version":"1.0.0","service":"consul","metrics":{"consul.billable.nodes":{"key":"consul.billable.nodes","kind":"counter","mode":"write","value":2},"consul.billable.service_instances":{"key":"consul.billable.service_instances","kind":"counter","mode":"write","value":2}}},"metadata":{}}}
[DEBUG] completed recording audit record
[DEBUG] export finished successfully"
...

```

</CodeBlockConfig>

If

your installation is air-gapped or your network does not allow the correct egress, the logs show an error.

<CodeBlockConfig hideClipboard>

...

```

[DEBUG] reporting: beginning snapshot export
[DEBUG] reporting: creating payload
[DEBUG] reporting: marshalling payload to json
[DEBUG] reporting: generating authentication headers
[DEBUG] reporting: creating request
[DEBUG] reporting: sending request
[DEBUG] reporting: performing request: method=POST url=https://census.license.hashicorp.services
[DEBUG] reporting: error status code received: statusCode=403
...

```

</CodeBlockConfig>

In this case, reconfigure your network to allow egress and check the logs again in roughly 24 hours to confirm that automated reporting works correctly.

## Opt out

If your installation is air-gapped or you want to manually collect and report on the same license utilization metrics, you can opt out of automated reporting.

Manually reporting these metrics can be time consuming. Opting

out of automated reporting does not mean that you also opt out from sending license utilization metrics. Customers who opt out of automated reporting are still required to manually collect and send license utilization metrics to HashiCorp.

If you are considering opting out because you are worried about the data, we strongly recommend that you review the [example payloads](#example-payloads) before opting out. If you have concerns with any of the automatically reported data, raise these concerns with your account manager.

There are two methods for opting out of automated reporting:

- HCL configuration (recommended)
- Environment variable (requires restart)

We recommend opting out in your product's configuration file because it does not require a system restart. Add the following block to your `configuration.hcl` or `configuration.json` file.

```
```hcl
reporting {
  license {
    enabled = false
  }
}
```
```

When opting out using an environment variable, the system provides a startup message confirming that you have disabled automated reporting. Set the following environment variable to disable automated reporting:

<CodeBlockConfig>

```
```shell-session
$ export OPTOUT_LICENSE_REPORTING=true
```
```

</CodeBlockConfig>

After you set the environment variable, restart your system to complete the process for opting out.

```
```shell-session
$ consul reload
```
```

Check your product logs roughly 24 hours after opting out to make sure that the system is not trying to send reports. Keep in mind that if your configuration file and environment variable differ, the environment variable setting takes precedence.

## Example payloads



HashiCorp collects the following utilization data as JSON payloads:

`exporter\_version` - The version of the licensing exporter

<CodeBlockConfig hideClipboard>

```
```json
{
  "payload": {
    "payload_version": "1",
    "license_id": "d2cdd857-4202-5a45-70a6-e4b531050c34",
    "product": "consul",
    "product_version": "1.16.0-dev+ent",
    "export_timestamp":
    "2023-05-26T20:09:13.753921087Z",
    "snapshots": [
      {
        "snapshot_version": 1,
        "snapshot_id": "0001J724F90F4XWQDSAA76ZQWA",
        "process_id": "01H1CTJPC1S8H7Q45MKTJ689ZW",
        "timestamp": "2023-05-26T20:09:13.753513962Z",
        "schema_version": "1.0.0",
        "service": "consul",
        "metrics": {
          "consul.billable.nodes": {
            "key": "consul.billable.nodes",
            "kind": "counter",
            "mode": "write",
            "value": 2
          },
          "consul.billable.service_instances": {
            "key": "consul.billable.service_instances",
            "kind": "counter",
            "mode": "write",
            "value": 2
          }
        }
      }
    ],
    "metadata": {}
  }
}
```
```

</CodeBlockConfig>

---

layout: docs

page\_title: Storing the Enterprise License in Vault

description: >-

Configuring the Consul Helm chart to use an enterprise license stored in Vault.

---

## # Storing the Enterprise License in Vault

This topic describes how to configure the Consul Helm chart to use an enterprise license stored in Vault.

### ## Overview

Complete the steps outlined in the [Data Integration](/consul/docs/k8s/deployment-configurations/vault/data-integration) section to use an enterprise license stored in Vault.

Complete the following steps once:

1. Store the secret in Vault.
1. Create a Vault policy that authorizes the desired level of access to the secret.

Repeat the following steps for each datacenter in the cluster:

1. Create Vault Kubernetes auth roles that link the policy to each Consul on Kubernetes service account that requires access.
1. Update the Consul on Kubernetes helm chart.

### ## Prerequisites

Prior to setting up the data integration between Vault and Consul on Kubernetes, you will need to have:

1. Read and completed the steps in the [Systems Integration](/consul/docs/k8s/deployment-configurations/vault/systems-integration) section of [Vault as a Secrets Backend](/consul/docs/k8s/deployment-configurations/vault).
2. Read the [Data Integration Overview](/consul/docs/k8s/deployment-configurations/vault/data-integration) section of [Vault as a Secrets Backend](/consul/docs/k8s/deployment-configurations/vault).

### ## Store the Secret in Vault

First, store the enterprise license in Vault:

```
```shell-session
$ vault kv put consul-kv/secret/enterpriselicence key="<enterprise license>"
```
```

### ## Create Vault policy

Next, you will need to create a policy that allows read access to this secret.

The path to the secret referenced in the `path` resource is the same value that you will configure in the `global.enterpriseLicense.secretName` Helm configuration (refer to [Update Consul on Kubernetes Helm chart](#update-consul-on-kubernetes-helm-chart)).

```
<CodeBlockConfig
filename="license-policy.hcl">
```

```
```HCL
path "consul-kv/data/secret/enterpriselicense" {
  capabilities = ["read"]
}
```
```

</CodeBlockConfig>

Apply the Vault policy by issuing the `vault policy write` CLI command:

```
```shell-session
$ vault policy write license-policy license-policy.hcl
```
```

## Create Vault Authorization Roles for Consul

Next, you will create Kubernetes auth roles for the Consul server and client:

```
```shell-session
$ vault write auth/kubernetes/role/consul-server \
  bound_service_account_names=<Consul server service account> \
  bound_service_account_namespaces=<Consul installation namespace> \
  policies=license-policy \
  ttl=1h
```
```

```
```shell-session
$ vault write auth/kubernetes/role/consul-client \
  bound_service_account_names=<Consul client service account> \
  bound_service_account_namespaces=<Consul installation namespace> \
  policies=license-policy \
  ttl=1h
```
```

To find out the service account names of the Consul server and client, you can

run the following `helm template` commands with your Consul on Kubernetes values file:

- Generate Consul server service account name

```
```shell-session
$ helm template --release-name ${RELEASE_NAME} -s templates/server-serviceaccount.yaml hashicorp/consul -f values.yaml
```
```

- Generate Consul client service account name

```
```shell-session
$ helm template --release-name ${RELEASE_NAME} -s templates/client-serviceaccount.yaml hashicorp/consul -f values.yaml
```
```

...

## Update Consul on Kubernetes Helm chart.

Now that you have configured Vault, you can configure the Consul Helm chart to use the enterprise enterprise license in Vault:

<CodeBlockConfig filename="values.yaml">

```
``yaml
global:
 image: hashicorp/consul-enterprise:1.12.0-ent
 secretsBackend:
 vault:
 enabled: true
 consulServerRole: consul-server
 consulClientRole: consul-client
 enterpriseLicense:
 secretName: consul-kv/data/secret/enterpriselicense
 secretKey: key
``
```

</CodeBlockConfig>

Note

that ``global.enterpriseLicense.secretName`` is the path of the secret in Vault. This should be the same path as the one you included in your Vault policy. ``global.enterpriseLicense.secretKey`` is the key inside the secret data. This should be the same as the key you passed when creating the enterprise license secret in Vault.

{{!

Copyright (c) HashiCorp, Inc.

SPDX-License-Identifier: BUSL-1.1

}}

<Hds::Alert @type='inline' @color={{ or @type "neutral" }} class='mb-2 mt-2 consul-intention-notice-custom-resource' as |A|>

<A.Title>Intention Custom Resource</A.Title>

<A.Description>Some of your intentions are being managed through an Intention Custom Resource in your Kubernetes cluster. Those managed intentions will be view only in the UI. Any intentions created in the UI will work but will not be synced to the Custom Resource Definition (CRD) datastore.</A.Description>

<A.Link::Standalone @href="{{ env 'CONSUL\_DOCS\_URL' }}/k8s/crds"

@text='Learn more about CRDs'

@icon="docs-link"

@iconPosition="trailing"

@size="small" />

</Hds::Alert>

/\*\*

\* Copyright (c) HashiCorp, Inc.

\* SPDX-License-Identifier: BUSL-1.1

\*/

```
.consul-intention-permission-form {
 h2 {
 border-top: 1px solid var(--token-color-foreground-action);
 @extend %display-400-semibold;
 }
 button.type-submit {
 @extend %frame-blue-300;
 }
 button.type-submit:hover:not(:disabled),
 button.type-submit:focus:not(:disabled) {
 @extend %frame-blue-500;
 }
 button.type-submit:disabled {
 @extend %frame-blue-200;
 }
}
```

```
.consul-intention-view {
 h2 {
 @extend %display-400-semibold;
 }
}
```

Copyright (c) 2020 HashiCorp, Inc.

Mozilla Public License, version 2.0

## 1. Definitions

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the

notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

- a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or
- b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import,

or transfer of either its Contributions or its Contributor Version.

#### 1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

#### 1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

### 2. License Grants and Conditions

#### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

#### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.



### 3. Responsibilities

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any

Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

#### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

#### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

#### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the

Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4.

### Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions,

counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section

2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

## 6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

## 7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

## 8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing

in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

### 10.1. New Versions

Mozilla Foundation is the license steward.

Except as provided in Section

10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is

Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

### Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the

terms of the Mozilla Public License, v.  
2.0. If a copy of the MPL was not  
distributed with this file, You can  
obtain one at  
<http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file,  
then You may include the notice in a location (such as a LICENSE file in a  
relevant directory) where a recipient would be likely to look for such a  
notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible  
With Secondary Licenses", as defined by  
the Mozilla Public License, v. 2.0.

---

layout: docs  
page\_title: Consul-Terraform-Sync Enterprise License  
description: >-  
Consul-Terraform-Sync Enterprise License

---

# Consul-Terraform-Sync Enterprise License

<EnterpriseAlert>

Licenses are only required for Consul-Terraform-Sync (CTS) Enterprise

</EnterpriseAlert>

CTS Enterprise binaries require a [Consul Enterprise license](/consul/docs/enterprise/license/overview) to run.  
There is no CTS Enterprise specific license. As a result, CTS Enterprise's licensing is very similar to Consul  
Enterprise.

All CTS Enterprise features are available with a valid Consul Enterprise license, regardless of your Consul  
Enterprise packaging or pricing model.

To get a trial license for CTS, you can sign-up for the [trial license for Consul  
Enterprise](/consul/docs/enterprise/license/faq#q-where-can-users-get-a-trial-license-for-consul-enterprise).

#### ## Automatic License Retrieval

CTS automatically retrieves a license from Consul on startup and then attempts to retrieve a new license  
once a day. If the current license is reaching its expiration date, CTS attempts to retrieve a license with increased  
frequency, as defined by the [License Expiration Date Handling](/consul/docs/enterprise/license#license-  
expiration-handling).

~> Enabling automatic license retrieval is recommended when using HCP Consul Dedicated, as HCP Consul

Dedicated licenses expire more frequently than Consul Enterprise licenses. Without auto-retrieval enabled, you have to restart CTS every time you load a new license.

## ## Setting the License Manually

If a license needs to be manually set, choose one of the following methods (in order of precedence) to set the license:

1. Set the `CONSUL\_LICENSE` environment variable to the license string.

```
```shell-session
export CONSUL_LICENSE=<LICENSE_VALUE>
```
```

1. Set the `CONSUL\_LICENSE\_PATH` environment variable to the path of the file containing the license.

```
```shell-session
export CONSUL_LICENSE_PATH=<PATH>/<TO>/<FILE>
```
```

1. To point to the file containing the license, in the configuration file, configure the `[`license`](/consul/docs/nia/configuration#license)` path option.

```
```hcl
license {
  path = "<PATH>/<TO>/<FILE>"
}
```
```

1. To point to the file containing the license, in the configuration file, configure the `[`license_path`](/consul/docs/nia/configuration#license_path)` option i. **Deprecated in CTS 0.6.0 and will be removed in a future release. Use `[license block](/consul/docs/nia/configuration#license)` instead.**

```
```hcl
license_path = "<PATH>/<TO>/<FILE>"
```
```

~> **Note**: the `[options to set the license and the order of precedence](/consul/docs/enterprise/license/overview#binaries-without-built-in-licenses)` are the same as Consul Enterprise server agents. Visit the [\[Enterprise License Tutorial\]\(/nomad/tutorials/enterprise/hashicorp-enterprise-license?utm\\_source=docs\)](#) for detailed steps on how to install the license key.

## ### Updating the License Manually

To update the license

when it expires or is near the expiration date and automatic license retrieval is disabled:

1. Update the license environment variable or configuration with the new license value or path to the new license file

1. Stop and restart CTS Enterprise

Once CTS Enterprise starts again, it will pick up the new license and run the tasks with any changes that may have occurred between the stop and restart period.

## ## License Expiration Handling

Licenses have an expiration date and a termination date. The termination date is a time at or after the license expires. CTS Enterprise will cease to function once the termination date has passed.

The time between the expiration and termination dates is a grace period. Grace periods are generally 24-hours, but you should refer to your license agreement for complete terms of your grace period.

When approaching expiration and termination, by default, CTS Enterprise will attempt to retrieve a new license. If auto-retrieval is disabled, CTS Enterprise will provide notifications in the system logs:

| Time period                                 | Behavior - auto-retrieval enabled (default) | Behavior - auto-retrieval disabled |
|---------------------------------------------|---------------------------------------------|------------------------------------|
| -----                                       | -----                                       | -----                              |
| 30 days before expiration                   | License retrieval attempt every 24-hours    | Warning-level log every 24-hours   |
| 7 days before expiration                    | License retrieval attempt every 1 hour      | Warning-level log every 1 hour     |
| 1 day before expiration                     | License retrieval attempt every 5 minutes   | Warning-level log every 5 minutes  |
| 1 hour before expiration                    | License retrieval attempt every 1 minute    | Warning-level log every 1 minute   |
| At or after expiration (before termination) | License retrieval attempt every 1 minute    | Error-level log every 1 minute     |
| At or after termination                     | Error-level log and exit                    | Error-level log and exit           |

~> **Note**: Notification frequency and [grace period](/consul/docs/enterprise/license/faq#q-is-there-a-grace-period-when-licenses-expire) behavior is the same as Consul Enterprise.

{{!

Copyright (c) HashiCorp, Inc.

SPDX-License-Identifier: BUSL-1.1

}}

{{#if (gt items.length 0)}}

<ListCollection

class="consul-intention-permission-list{{if (not onclick) ' readonly'}}"

@scroll="native"

@items={{ items }}

@partial={{ 5 }}

as |item|>

<BlockSlot @name="details">

```

<div onclick={{ action (optional onclick) item }}>
 <strong class={{ concat 'intent-' item.Action }}>{{ capitalize item.Action }}
 {{#if (gt item.HTTP.Methods.length 0)}}
 <dl class="permission-methods">
 <dt>
 <Tooltip>
 Methods
 </Tooltip>
 </dt>
 <dd>
 {{#each item.HTTP.Methods as |item|}}
 {{item}}
 {{/each}}
 </dd>
 </dl>
 {{/if}}
 {{#if item.HTTP.Path}}
 <dl class="permission-path">
 <dt>
 <Tooltip>
 {{item.HTTP.PathType}}
 </Tooltip>
 </dt>
 <dd>
 {{item.HTTP.Path}}
 </dd>
 </dl>
 {{/if}}
 {{#each item.HTTP.Header
as |item|}}
 <dl class="permission-header">
 <dt>
 <Tooltip>
 Header
 </Tooltip>
 </dt>
 <dd>
 {{item.Name}} {{route-match item}}
 </dd>
 </dl>
 {{/each}}
</div>
</BlockSlot>
{{#if onclick}}
<BlockSlot @name="actions" as |Actions|>
 <Actions as |Action|>
 <Action data-test-edit-action @onclick={{ action (optional onclick) item }} @close={{true}}>
 <BlockSlot @name="label">

```



```

 Edit
 </BlockSlot>
</Action>
<Action data-test-delete-action @onclick={{action ondelete item}} class="dangerous">
 <BlockSlot @name="label">
 Delete
 </BlockSlot>
 <BlockSlot @name="confirmation" as |Confirmation|>
 <Confirmation class="warning">
 <BlockSlot @name="header">
 Confirm delete
 </BlockSlot>
 <BlockSlot @name="body">
 <p>
 Are you sure you
want to delete this permission?
 </p>
 </BlockSlot>
 <BlockSlot @name="confirm" as |Confirm|>
 <Confirm>Delete</Confirm>
 </BlockSlot>
 </Confirmation>
 </BlockSlot>
</Action>
</Actions>
</BlockSlot>
{{/if}}
</ListCollection>
{{/if}}
/*!
* clipboard.js v2.0.11
* https://clipboardjs.com/
*
* Licensed MIT Zeno Rocha
*/

/*!
* focus-trap 6.9.4
* @license MIT, https://github.com/focus-trap/focus-trap/blob/master/LICENSE
*/

/*! *****
Copyright (c) Microsoft Corporation.

```

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH

REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*\*\*\*\*

\*/

/\*\*

\* @license

\* Copyright 2017 Google LLC

\* SPDX-License-Identifier: BSD-3-Clause

\*/

/\*\*

\* @license

\* Copyright 2019 Google LLC

\* SPDX-License-Identifier: BSD-3-Clause

\*/

---

layout: commands

page\_title: 'Commands: License'

description: >

The license command provides a datacenter-level view of the Consul Enterprise license.

---

# Consul License

Command: `consul license`

<EnterpriseAlert />

The `license` command provides a list of all datacenters that use the Consul Enterprise license applied to the current datacenter.

~> **Warning**: Consul 1.10.0 removed the ability to set and reset the license using the CLI. See the [licensing documentation](/consul/docs/enterprise/license/overview) for more information about Consul Enterprise license management.

If ACLs are enabled then a token with operator privileges may be required in order to use this command. Requests are forwarded internally to the leader if required, so this can be run from any Consul node in a cluster. See the [ACL Guide](/consul/tutorials/security/access-control-setup-production) for more information.

``text

Usage: consul license <subcommand> [options] [args]

This command has subcommands for managing the Consul Enterprise license. Here are some simple examples, and more detailed examples are available in the subcommands or the documentation.

Install a new license from a file:

```
$ consul license put @consul.license
```

Install a new license from stdin:

```
$ consul license put -
```

Install a new license from a string:

```
$ consul license put "<license blob>"
```

Retrieve the current license:

```
$ consul license get
```

Inspect a license:

```
$ consul license inspect "<path to license file>"
```

Reset the current license:

```
$ consul license reset
```

For more examples, ask for subcommand help or view the documentation.

Subcommands:

|         |                                      |
|---------|--------------------------------------|
| get     | Get the active license               |
| inspect | Inspect a signed license             |
| put     | Puts a new license in the datacenter |
| reset   | Resets the license in the datacenter |

...

## inspect

This command inspects and validates a license. Just like a Consul agent it can load the license from a file on disk or from the `CONSUL_LICENSE` and `CONSUL_LICENSE_PATH` environment variables.

Usage: `consul license inspect [<options>] [<license file>]`

Inspect a license contained in a file:

...

```
$ consul license inspect consul.hcl
```

...

Inspect a license loaded from the environment:

...

```
$ consul license inspect
```

...

This will look at the `CONSUL_LICENSE` environment variable first and if not present then we will look for the file specified by the `CONSUL_LICENSE_PATH` environment variable.

The output looks like this:

...

Source: /consul/config/consul.hcl (path from the `CONSUL_LICENSE_PATH` environment variable)

Product: consul

License ID: 6089174b-a713-74cf-4c8d-856b86f1ce50

Customer ID: 7c020610-60a2-7ccb-c210-20d899e5f3b4

Installation ID: \*

Issue Time: 2020-09-14 19:45:56.212195875 +0000 UTC

Start Time: 2020-09-14 00:00:00 +0000 UTC

Expiration Time: 2021-09-14 23:59:59.999 +0000 UTC

Termination Time: 2021-09-14 23:59:59.999 +0000 UTC

Modules:

- Global Visibility, Routing and Scale

- Governance and Policy

Features:

- Automated Backups

- Automated Upgrades

- Enhanced Read Scalability

- Network Segments

- Redundancy Zone

- Advanced Network Federation

- Namespaces

- SSO

- Audit Logging

- Admin Partitions

License is valid

...

## put

-> **Deprecated** The ability to manage the cluster's license via the CLI was removed in Consul 1.10. While the CLI command still exists it will always return an error. This command will be fully removed in a future release.

Corresponding HTTP API Endpoint: [PUT] /v1/operator/license[/consul/api-docs/operator/license#updating-the-consul-license)

This command sets the Consul Enterprise license.

The table below shows this command's [required ACLs](/consul/api-docs/api-structure#authentication).

Configuration of

[blocking queries](/consul/api-docs/features/blocking) and [agent caching](/consul/api-docs/features/caching) are not supported from commands, but may be from the corresponding HTTP endpoint.

|                  |  |
|------------------|--|
| ACL Required     |  |
| -----            |  |
| `operator:write` |  |

Usage: `consul license put [options] LICENSE`

The output looks like this:

```
```text
License is valid
License ID: 2afbf681-0d1a-0649-cb6c-333ec9f0989c
Customer ID: 0259271d-8ffc-e85e-0830-c0822c1f5f2b
Expires At: 2019-05-22 03:59:59.999 +0000 UTC
Datacenter: *
Package: premium
Licensed Features:
  Automated Backups
  Automated Upgrades
  Enhanced Read Scalability
  Network Segments
  Redundancy Zone
  Advanced Network Federation
```
```

#### API Options

@include 'http\_api\_options\_client.mdx'

@include 'http\_api\_options\_server.mdx'

## get

Corresponding HTTP API Endpoint: `[GET] /v1/operator/license[/consul/api-docs/operator/license#getting-the-consul-license]`

This command gets the Consul Enterprise license. If the leader hasn't been updated with the newer license, the followers will display the outdated license in their GET output.

The table below

shows this command's [required ACLs](/consul/api-docs/api-structure#authentication). Configuration of [blocking queries](/consul/api-docs/features/blocking) and [agent caching](/consul/api-docs/features/caching) are not supported from commands, but may be from the corresponding HTTP endpoint.

|              |
|--------------|
| ACL Required |
| -----        |
| `none`       |

Usage: ``consul license get [options]``

The output looks like this:

```
```text
License is valid
License ID: 2afbf681-0d1a-0649-cb6c-333ec9f0989c
Customer ID: 0259271d-8ffc-e85e-0830-c0822c1f5f2b
Expires At: 2019-05-22 03:59:59.999 +0000 UTC
Datacenter: *
Package: premium
Licensed Features:
    Automated Backups
    Automated Upgrades
    Enhanced Read Scalability
    Network Segments
    Redundancy Zone
    Advanced Network Federation
```
```

#### API Options

@include 'http\_api\_options\_client.mdx'

@include 'http\_api\_options\_server.mdx'

## reset

-> **Deprecated** The ability to manage the cluster's license via the CLI was

removed in Consul 1.10. While the CLI command still exists it will always return an error. This command will be fully removed in a future release.

Corresponding HTTP API Endpoint: `[DELETE] /v1/operator/license`(`/consul/api-docs/operator/license#resetting-the-consul-license`)

Resets license for the datacenter to the one builtin in Consul binary, if it is still valid.  
If the builtin license is invalid, the current one stays active.

The table below shows this command's [required ACLs](`/consul/api-docs/api-structure#authentication`).  
Configuration of [blocking queries](`/consul/api-docs/features/blocking`) and [agent caching](`/consul/api-docs/features/caching`) are not supported from commands, but may be from the corresponding HTTP endpoint.

|                  |  |
|------------------|--|
| ACL Required     |  |
| -----            |  |
| `operator:write` |  |

Usage: ``consul license reset [options]``

The output looks like this:

```
```text
License is valid
License ID: 2afbf681-0d1a-0649-cb6c-333ec9f0989c
Customer ID: 0259271d-8ffc-e85e-0830-c0822c1f5f2b
Expires
At: 2019-05-22 03:59:59.999 +0000 UTC
Datacenter: *
Package: premium
Licensed Features:
    Automated Backups
    Automated Upgrades
    Enhanced Read Scalability
    Network Segments
    Redundancy Zone
    Advanced Network Federation
```
```

#### API Options

@include 'http\_api\_options\_client.mdx'

@include 'http\_api\_options\_server.mdx'

/\*\*

\* Copyright (c) HashiCorp, Inc.

\* SPDX-License-Identifier: BUSL-1.1

\*/

```

.agentless-node-notice .hds-alert__title {
 display: flex;
 justify-content: space-between;
}
Mozilla Public License 2.0 (MPLv2.0)
{
 "name": "envoy.filters.http.rbac",
 "typedConfig": {
 "@type": "type.googleapis.com/envoy.extensions.filters.http.rbac.v3.RBAC",
 "rules": {
 "policies": {
 "consul-intentions-layer7-0": {
 "permissions": [
 {
 "andRules": {
 "rules": [
 {
 "andRules": {
 "rules": [
 {
 "urlPath": {
 "path": {
 "prefix": "/v1"
 }
 }
]
 },
 },
 {
 "header": {
 "name": "x-foo",
 "presentMatch": true
 }
 }
]
 }
 },
 {
 "notRule": {
 "andRules": {
 "rules": [
 {
 "urlPath": {
 "path": {
 "exact": "/v1/secret"
 }
 }
 }
]
 }
 }
 }
]
 }
 }
 }
 }
}

```



```

 {
 "header": {
 "name": "x-baz",
 "presentMatch": true
 }
 },
 {
 "header": {
 "name": "x-bar",
 "presentMatch": true
 }
 }
]
}
},
{
 "notRule": {
 "andRules": {
 "rules": [
 {
"urlPath": {
 "path": {
 "exact": "/v1/admin"
 }
},
{
 "header": {
 "name": "x-baz",
 "presentMatch": true
 }
},
{
 "header": {
 "name": "x-bar",
 "presentMatch": true
 }
}
]
}
}
}
},
{

```

```

 "andRules": {
 "rules": [
 {
 "andRules": {
 "rules": [
 {
 "urlPath": {
 "path": {
 "prefix": "/v2"
 }
 },
 {
 "header": {
 "name": "x-foo",
 "presentMatch": true
 }
 }
]
 }
 },
 {
 "notRule": {
 "andRules": {
 "rules": [
 {
 "urlPath": {
 "path": {
 "exact": "/v2/secret"
 }
 }
 },
 {
 "header": {
 "name": "x-baz",
 "presentMatch":
true
 }
 },
 {
 "header": {
 "name": "x-bar",
 "presentMatch": true
 }
 }
]
 }
 }
 }
]
 }
 }
 }
}

```



```

}
}
{
"name": "envoy.filters.http.rbac",
"typedConfig": {
"@type": "type.googleapis.com/envoy.extensions.filters.http.rbac.v3.RBAC",
"rules": {
"policies": {
"consul-intentions-layer7-0": {
"permissions": [
{
"andRules": {
"rules": [
{
"urlPath": {
"path": {
"prefix": "some-path"
}
}
},
{
"andRules": {
"rules": [
{
"metadata": {
"filter": "envoy.filters.http.jwt_authn",
"path": [
{
"key": "jwt_payload_okta"
},
{
"key": "iss"
}
]
},
"value": {
"stringMatch": {
"exact": "mytest.okta-issuer"
}
}
}
},
{
"metadata": {
"filter": "envoy.filters.http.jwt_authn",
"path": [
{
"key": "jwt_payload_okta"

```



```

@extend %license-route-learn-more;
}

%license-route h2 {
 @extend %display-400-semibold;
}

%license-validity p {
 color: var(--token-color-foreground-faint);
}
%license-validity dl {
 @extend %horizontal-kv-list;
 @extend %body-300-regular;
}
%license-validity dl .expired + dd {
 @extend %visually-hidden;
}
%license-validity dl dt::before {
 content: ";
 margin-right: 0.25rem; /* 4px */
}
%license-validity dl .expired::before {
 --icon-name: icon-x-circle;
 --icon-color: var(--token-color-foreground-critical);
}
%license-validity dl .warning::before {
 --icon-name: icon-alert-circle;
 --icon-color: var(--token-color-foreground-warning);
}
%license-validity dl .valid:not(.warning)::before {
 --icon-name: icon-check-circle;
 --icon-color: var(--token-color-foreground-success);
}

%license-route-learn-more
{
 @extend %panel;
 box-shadow: none;
 padding: var(--padding-y) var(--padding-x);
 width: 40%;
 min-width: 413px;
 margin-top: 1rem; /* 16px */
}
%license-route-learn-more header > :first-child {
 @extend %display-300-semibold;
}
%license-route-learn-more header {
 margin-bottom: 1rem; /* 16px */
}

```

```

}
{{!
Copyright (c) HashiCorp, Inc.
SPDX-License-Identifier: BUSL-1.1
}}

```

```

<Route
 @name={{routeName}}
as |route|>
 <DataLoader
 @src={{
 uri '${{partition}}/${{namespace}}/${{dc}}/license'
 (hash
 partition=route.params.partition
 namespace=route.params.namespace
 dc=route.params.dc
)
 }}
 as |loader|>

```

```

{{#let
 loader.data
as |item|}}
 <BlockSlot @name="error">
 <ErrorState
 @error={{loader.error}}
 @login={{route.model.app.login.open}}
 />
 </BlockSlot>

```

```

<BlockSlot @name="disconnected" as |after|>
 {{#if (eq loader.error.status "404")}}
 <Hds::Toast @color='warning'
 {{notification
 sticky=true
 }} as |T|>
 <T.Title>Warning!</T.Title>
 <T.Description>This service has been deregistered and no longer exists in the catalog.</T.Description>
 </Hds::Toast>
 {{else if (eq loader.error.status "403")}}
 <Hds::Toast @color='critical'
 {{notification
 sticky=true
 }} as |T|>
 <T.Title>Error!</T.Title>
 <T.Description>You no longer have access to this service.</T.Description>
 </Hds::Toast>
 {{else}}

```

```

<Hds::Toast @color='warning'
 {{notification
 sticky=true
 }} as |T|>
 <T.Title>Warning!</T.Title>
 <T.Description>An error was returned whilst loading this data, refresh to try again.</T.Description>
</Hds::Toast>
{{/if}}
</BlockSlot>

```

```

<BlockSlot @name="loaded">
 <div class="tab-section">
 <section
 class={{class-map
 'validity'
 (array 'valid' item.Valid)
 }}
 >
 <header>
 <h2>
 {{compute (fn route.t 'expiry.header')}}
 </h2>
 </header>

 <p>
 {{compute (fn route.t 'expiry.${type}.body'
 (hash
 type=(if item.Valid 'valid' 'expired')

date=(format-time item.License.expiration_time
 year='numeric'
 month='long'
 day='numeric'
)
time=(format-time item.License.expiration_time
 hour12=true
 hour='numeric'
 hourCycle='h12'
 minute='numeric'
 second='numeric'
 timeZoneName='short'
)
htmlSafe=true
)}}
 </p>

 <dl>

```



```

<dt class={{class-map
 (array 'valid' item.Valid)
 (array 'expired' (not item.Valid))
 (array 'warning' (temporal-within item.License.expiration_time 2629800000))
}}
>
 {{compute (fn route.t 'expiry.${type}.header'
 (hash
 type=(if item.Valid 'valid' 'expired')
)
)}}
</dt>

<dd>
 {{temporal-format item.License.expiration_time}}
</dd>
</dl>

<aside>
 <header>
 <h3>
 {{compute (fn route.t 'documentation.title')}}
 </h3>
 </header>
 <div class="flex gap-1.5 flex-col">
 <Hds::Link::Standalone
 @text={{compute (fn route.t 'documentation.links.license-expiration.text')}}
 @href={{concat (env 'CONSUL_DOCS_URL') (compute (fn route.t 'documentation.links.license-
expiration.link'))}}
 @icon='docs-link'
 @iconPosition='trailing'
 />
 <Hds::Link::Standalone
 @text={{compute (fn route.t 'documentation.links.renewing-license.text')}}
 @href={{concat (env 'CONSUL_DOCS_URL') (compute (fn route.t 'documentation.links.renewing-
license.link'))}}
 @icon='docs-link'
 @iconPosition='trailing'
 />
 <Hds::Link::Standalone
 @text={{compute (fn route.t 'documentation.links.applying-new-license.text')}}
 @href={{concat (env 'CONSUL_DOCS_URL') (compute (fn route.t 'documentation.links.applying-new-
license.link'))}}
 @icon='docs-link'
 @iconPosition='trailing'
 />
 </div>

```

```

 </aside>

 </section>
 </div>
</BlockSlot>
{{/let}}
</DataLoader>
</Route>
// Copyright (c) HashiCorp, Inc.
// SPDX-License-Identifier: MPL-2.0

package api

import (
 "io"
 "strings"
 "time"
)

type License struct {
 // The unique identifier of the license
 LicenseID string `json:"license_id"`

 // The customer ID associated with the license
 CustomerID string `json:"customer_id"`

 // If set, an identifier that should be used to lock the license to a
 // particular site, cluster, etc.
 InstallationID string `json:"installation_id"`

 // The time at which the license was issued
 IssueTime time.Time `json:"issue_time"`

 // The time at which the license starts being valid
 StartTime time.Time `json:"start_time"`

 // The time after which the license expires
 ExpirationTime time.Time `json:"expiration_time"`

 // The time at which the license ceases to function and can
 // no longer be used in any capacity
 TerminationTime time.Time `json:"termination_time"`

 // Whether the license will ignore termination
 IgnoreTermination bool `json:"ignore_termination"`

 //

```

```

The product the license is valid for
Product string `json:"product"`

// License Specific Flags
Flags map[string]interface{} `json:"flags"`

// Modules is a list of the licensed enterprise modules
Modules []string `json:"modules"`

// List of features enabled by the license
Features []string `json:"features"`
}

type LicenseReply struct {
 Valid bool
 License *License
 Warnings []string
}

func (op *Operator) LicenseGet(q *QueryOptions) (*LicenseReply, error) {
 var reply LicenseReply
 if _, err := op.c.query("/v1/operator/license", &reply, q); err != nil {
 return nil, err
 } else {
 return &reply, nil
 }
}

func (op *Operator) LicenseGetSigned(q *QueryOptions) (string, error) {
 r := op.c.NewRequest("GET", "/v1/operator/license")
 r.params.Set("signed", "1")
 r.setQueryOptions(q)
 _, resp, err := op.c.doRequest(r)
 if err != nil {
 return "", err
 }
 defer closeResponseBody(resp)
 if err := requireOK(resp); err != nil {
 return "", err
 }

 data, err := io.ReadAll(resp.Body)
 if
 err != nil {
 return "", err
 }

 return string(data), nil
}

```

```

}

// LicenseReset will reset the license to the builtin one if it is still valid.
// If the builtin license is invalid, the current license stays active.
//
// DEPRECATED: Consul 1.10 removes the corresponding HTTP endpoint as licenses
// are now set via agent configuration instead of through the API
func (op *Operator) LicenseReset(opts *WriteOptions) (*LicenseReply, error) {
 var reply LicenseReply
 r := op.c.newRequest("DELETE", "/v1/operator/license")
 r.setWriteOptions(opts)
 _, resp, err := op.c.doRequest(r)
 if err != nil {
 return nil, err
 }
 defer closeResponseBody(resp)
 if err := requireOK(resp); err != nil {
 return nil, err
 }
 if err := decodeBody(resp, &reply); err != nil {
 return nil, err
 }
 return &reply, nil
}

// LicensePut will configure the Consul Enterprise license for the target datacenter
//
// DEPRECATED: Consul 1.10 removes the corresponding HTTP endpoint as licenses
// are now set
// via agent configuration instead of through the API
func (op *Operator) LicensePut(license string, opts *WriteOptions) (*LicenseReply, error) {
 var reply LicenseReply
 r := op.c.newRequest("PUT", "/v1/operator/license")
 r.setWriteOptions(opts)
 r.body = strings.NewReader(license)
 _, resp, err := op.c.doRequest(r)
 if err != nil {
 return nil, err
 }
 defer closeResponseBody(resp)
 if err := requireOK(resp); err != nil {
 return nil, err
 }

 if err := decodeBody(resp, &reply); err != nil {
 return nil, err
 }
}

```

```

return &reply, nil
}
/**
 * Copyright (c) HashiCorp, Inc.
 * SPDX-License-Identifier: BUSL-1.1
 */

```

```

.consul-intention-permission-header-list {
 dt::before {
 @extend %with-glyph-icon;
 content: 'H';
 }
}
/**
 * Copyright (c) HashiCorp, Inc.
 * SPDX-License-Identifier: BUSL-1.1
 */

```

```

.consul-intention-permission-list {
 dt::before {
 @extend %with-glyph-icon;
 }
 dl.permission-methods dt::before {
 content: 'M';
 }
 dl.permission-path dt::before {
 content: 'P';
 }
 dl.permission-header dt::before {
 content: 'H';
 }
}

```

---

layout: docs

page\_title: Enterprise Licenses

description: >-

Consul Enterprise server, client, and snapshot agents require a license on startup in order to use Enterprise features. Learn how to apply licenses using environment variables or configuration files.

---

## # Consul Enterprise License

### ## Licensing Overview

All Consul Enterprise agents must be licensed when they are started. Where that license comes from will depend on which binary is in use, whether the agent is a server, client or snapshot agent, and whether ACLs have been enabled for the cluster.

-> **Consul Enterprise 1.10.0 removed temporary licensing.** Prior to 1.10.0, Consul Enterprise agents could start without a license and then have a license applied to them later on via the CLI or API. That functionality has been removed and replaced with the ability to load licenses from the agent's configuration or environment. Also, prior to 1.10.0, server agents would automatically propagate the license between themselves.

This no longer occurs and the license must be present on each server agent when it is started.

Consul Enterprise 1.14.0, when running on Kubernetes, removed client agents and replaced these with virtual agents.

Virtual agents are nodes that Consul service mesh services run on. HashiCorp uses virtual agents to determine license entitlements for customers on per-node licensing and pricing agreements.

-> Visit the [\[Enterprise License Tutorial\]\(/nomad/tutorials/enterprise/hashicorp-enterprise-license?utm\\_source=docs\)](#) for detailed steps on how to install the license key.

### ### Applying a License

For Consul Enterprise 1.10.0 or greater, a license must be available at the time the agent starts.

For server agents this means that they must either have the `[`license_path`](/consul/docs/agent/config/config-files#license_path)`

configuration set or have a license configured in the servers environment with the ``CONSUL_LICENSE`` or ``CONSUL_LICENSE_PATH`` environment variables. Both the configuration

item and the ``CONSUL_LICENSE_PATH``

environment variable point to a file containing the license whereas the ``CONSUL_LICENSE`` environment variable should contain the license as the value. If multiple variables are set, the following order of precedence applies:

1. ``CONSUL_LICENSE`` environment variable
2. ``CONSUL_LICENSE_PATH`` environment variable
3. ``license_path`` configuration item.

Client agents and [\[snapshot agents\]\(/consul/docs/enterprise/backups\)](#)

may also be licensed in the very same manner.

However, to avoid the need to configure the license on many client agents and snapshot agents, those agents have the capability to retrieve the license automatically under the conditions described below.

Virtual agents do not need the license to run.

Updating the license for an agent depends on the method you used to apply the license.

- **If you used the ``CONSUL_LICENSE``**

**environment variable**: After updating the environment variable, restart the affected agents.

- **If you used the**

**``CONSUL_LICENSE_PATH``**

**environment variable**: Update the license file first. Then, restart the affected agents.

- **If you used the ``license_path`` configuration item**: Update the license file first. Then, run `[`consul reload`](/consul/commands/reload)` for the affected agents.

#### #### Client Agent License Retrieval

When a client agent starts without a license in its configuration or environment, it will try to retrieve the license from the servers via RPCs. That RPC always requires a valid non-anonymous ACL token to authorize the request but the token doesn't need any particular permissions. As the license is required before the client actually joins the cluster, where to make those RPC requests to is inferred from the `[`retry_join`](/consul/docs/agent/config/config-files#retry_join)` configuration. If ``retry_join`` is unset or no `[`agent` token](/consul/docs/agent/config/config-files#acl_tokens_agent)` is set then the client agent will immediately shut itself down.

If all preliminary checks

pass the client agent will attempt to reach out to any server on its RPC port to request the license. These requests will be retried for up to 5 minutes and if it is unable to retrieve a license within that time frame it will shut itself down.

If ACLs are disabled then the license must be provided to the client agent through one of the three methods listed below.

Failure in providing the client agent with a licence will prevent the client agent from joining the cluster.

1. ``CONSUL_LICENSE`` environment variable
2. ``CONSUL_LICENSE_PATH`` environment variable
3. ``license_path`` configuration item.

#### #### Snapshot Agent License Retrieval

The snapshot agent has similar functionality to the client agent for automatically retrieving the license. However, instead of requiring a server agent to talk to, the snapshot agent can request the license from the server or client agent it would use for all other operations. It still requires an ACL token to authorize the request. Also like client agents,

the snapshot agent will shut itself down after being unable to retrieve the license for 5 minutes.

/\*\*

\* Copyright (c) HashiCorp, Inc.

\* SPDX-License-Identifier: BUSL-1.1

\*/

```
.consul-intention-permission-list {
```

```
 .detail > div {
```

```
 display: flex;
```

```
 width: 100%;
```

```
 }
```

```
 strong {
```

```
 margin-right: 8px;
```

```
 }
```

```
}
```

```
{ {!
```

```
 Copyright (c) HashiCorp, Inc.
```

```
 SPDX-License-Identifier: BUSL-1.1
```

```
}}
```

```
{{#if isVisible}}
```

```
<Hds::Alert @type="inline" class='mb-3 mt-2 agentless-node-notice' data-test-node-agentless-notice as |A|>
```

```
<A.Title>
```

```
{{t 'routes.dc.nodes.index.agentless.notice.header'}}
```

```
<Hds::Button
```

```
 @color='secondary'
```

```
 @text='Dismiss notice'
```

```
 {{on 'click' this.dismissAgentlessNotice}}
```

```
 @icon='x'
```

```
 @size='small'
```

```
 @isIconOnly={{true}}
```

```
/>
```

```
</A.Title>
```

```
<A.Description>{{t 'routes.dc.nodes.index.agentless.notice.body'}}</A.Description>
```

```
<A.Link::Standalone @href='{{env "CONSUL_DOCS_DEVELOPER_URL"}}/connect/dataplane'
```

```
 @text={{t 'routes.dc.nodes.index.agentless.notice.footer'}}>
```

```
 @icon='docs-link'
```

```
 @iconPosition='trailing' />
```

```
</Hds::Alert>
```

```
{{/if}}
```

```
/*!
```

```
* QUnit 2.19.4
```

```
* https://qunitjs.com/
```

```
*
```

```
* Copyright OpenJS Foundation and other contributors
```

```
* Released under the MIT license
```

```
* https://jquery.org/license
```

```
*/
```

```
{{!
```

```
Copyright (c) HashiCorp, Inc.
```

```
SPDX-License-Identifier: BUSL-1.1
```

```
}}
```

```
<Hds::Alert @type="inline" class="mb-3 mt-2" as |A|>
```

```
<A.Description>{{t "components.consul.intention.notice.permissions.body"}}</A.Description>
```

```
<A.Link::Standalone
```

```
 @text={{t "components.consul.intention.notice.permissions.footer"}}>
```

```
 @href="{{env 'CONSUL_DOCS_URL'}}/connect/intentions"
```

```
 @icon="docs-link"
```

```
 @iconPosition="trailing"
```

```
 @size="small"
```

```
/>
```

```
</Hds::Alert>
```

License text copyright (c) 2020 MariaDB Corporation Ab, All Rights Reserved.

"Business Source License" is a trademark of MariaDB Corporation Ab.



## Parameters

Licensors: HashiCorp, Inc.

Licensed Work: Consul Version 1.17.0 or later. The Licensed Work is (c) 2024 HashiCorp, Inc.

Additional Use Grant: You may make production use of the Licensed Work, provided Your use does not include offering the Licensed Work to third parties on a hosted or embedded basis in order to compete with HashiCorp's paid version(s) of the Licensed Work. For purposes of this license:

A "competitive offering" is a Product that is offered to third parties on a paid basis, including through paid support arrangements, that significantly overlaps with the capabilities of HashiCorp's paid version(s) of

the Licensed Work. If Your

Product is not a competitive offering when You first make it generally available, it will not become a competitive offering later due to HashiCorp releasing a new version of the Licensed Work with additional capabilities. In addition, Products that are not provided on a paid basis are not competitive.

"Product" means software that is offered to end users to manage in their own environments or offered as a service on a hosted basis.

"Embedded" means including the source code or executable code from the Licensed Work in a competitive offering. "Embedded" also means packaging the competitive offering in such a way that the Licensed Work must be accessed or downloaded for the

competitive offering to operate.

Hosting or using the Licensed Work(s) for internal purposes within an organization is not considered a competitive offering. HashiCorp considers your organization to include all of your affiliates under common control.

For binding interpretive guidance on using HashiCorp products under the Business Source License, please visit our FAQ.  
(<https://www.hashicorp.com/license-faq>)

Change Date: Four years from the date the Licensed Work is published.

Change License: MPL 2.0

For information about alternative licensing arrangements for the Licensed Work, please contact [licensing@hashicorp.com](mailto:licensing@hashicorp.com).

## Notice

## Business Source License 1.1

### Terms

The Licensor hereby grants you the right to copy, modify, create derivative works, redistribute, and make non-production use of the Licensed Work.

The

Licensor may make an Additional Use Grant, above, permitting limited production use.

Effective on the Change Date, or the fourth anniversary of the first publicly available distribution of a specific version of the Licensed Work under this License, whichever comes first, the Licensor hereby grants you rights under the terms of the Change License, and the rights granted in the paragraph above terminate.

If your use of the Licensed Work does not comply with the requirements currently in effect as described in this License, you must purchase a commercial license from the Licensor, its affiliated entities, or authorized resellers, or you must refrain from using the Licensed Work.

All copies of the original and modified Licensed Work, and derivative works of the Licensed Work, are subject to this License. This License applies separately for each version of the Licensed Work and the Change Date may vary for each version of the Licensed Work released by Licensor.

You must conspicuously display this License on each original or modified copy of the Licensed Work. If you receive the Licensed Work in original or modified form from a third party, the terms and conditions set forth in this License apply to your use of that work.

Any use of the Licensed Work in violation of this License will automatically terminate your rights under this License for the current and all other versions of the Licensed Work.

This License does not grant you any right in any trademark or logo of Licensor or its affiliates (provided that you may use a trademark or logo of Licensor as expressly required by this License).

TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE LICENSED WORK IS PROVIDED ON AN "AS IS" BASIS. LICENSOR HEREBY DISCLAIMS ALL WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, AND TITLE.

{

"name": "envoy.filters.http.jwt\_authn",

"typedConfig": {

```

"@type": "type.googleapis.com/envoy.extensions.filters.http.jwt_authn.v3.JwtAuthentication",
"providers": {
 "auth0": {
 "issuer": "another-issuer",
 "payloadInMetadata": "jwt_payload_auth0",
 "remoteJwks": {
 "asyncFetch": {
 "fastListener": true
 },
 "httpUri": {
 "cluster": "jwks_cluster_auth0",
 "timeout": "1s",
 "uri": "https://example-auth0.com/.well-known/jwks.json"
 }
 }
 },
 "okta": {
 "issuer": "test-issuer",
 "payloadInMetadata": "jwt_payload_okta",
 "remoteJwks": {
 "asyncFetch": {
 "fastListener": true
 },
 "httpUri": {
 "cluster": "jwks_cluster_okta",
 "timeout": "1s",
 "uri": "https://example-okta.com/.well-known/jwks.json"
 }
 }
 }
},
"rules": [
 {
 "match": {
 "prefix": "/"
 },
 "requires": {
 "requiresAll": {
 "requirements": [
 {
 "requiresAny": {
 "requirements": [
 {
 "providerName": "okta"
 }
]
 }
 },
 {
 "allowMissingOrFailed": {}
 }
]
 }
 }
 }
]

```

```
}
]
}
},
{
 "requiresAny": {
 "requirements": [
 {
 "providerName": "auth0"
 },
 {
 "allowMissingOrFailed": {}
 }
]
 }
}
]
}
}
}
]
}
}
}
{{!
Copyright (c) HashiCorp, Inc.
SPDX-License-Identifier: BUSL-1.1
}}
```

```
<div
...attributes
class="consul-intention-permission-form"
>
<FormGroup
 @name={{ { name } }}
as |group|>

 {{yield (hash
 submit=(action 'submit' changeset)
 reset=(action 'reset' changeset)

 isDirty=(and changeset.isValid)
 changeset=changeset
)}}

<fieldset>
 <div data-property="action">

 Should this permission allow the source connect to the destination?
```

```


<div role="radiogroup" class={{ if changeset.error.Action ' has-error'}}>
 {{#each intents as |intent|}}
 <label>
 {{ capitalize intent }}
 <input
 type="radio"
 name="Action"
 value={{ intent }}
 checked={{ if (eq changeset.Action intent) 'checked'}}
 onchange={{ action (changeset-set changeset 'Action') value="target.value"}}
 />
 </label>
 {{/each}}
</div>
</div>
</fieldset>

```

```

<fieldset>
 <header>
 <h2>Path</h2>
 </header>
 <div>
 <group.Element
 @name="PathType"
 @type="select"
 as |el|>
 <el.Label>
 Path type
 </el.Label>
 <PowerSelect
 @options={{ pathTypes }}
 @selected={{ pathType }}
 @onChange={{ action 'change' 'HTTP.PathType' changeset }} as |Type|>
 {{ get pathLabels Type }}
 </PowerSelect>
 </group.Element>

```

```

{{#if shouldShowPathField}}
 <group.Element
 @name="Path"
 @error={{ changeset-get changeset 'error.HTTP.Path'}}
 as |el|>
 <el.Label>
 {{ get pathLabels pathType }}
 </el.Label>
 <el.Text
 @value={{ changeset-get changeset 'HTTP.Path'}}

```

```

 oninput={{action 'change' 'HTTP.Path' changeset}}
 />
 <State @state={{el.state}} @matches="error">
 <el.Error>

 {{#if (eq (changeset-get changeset 'HTTP.Path') 'Regex')}}
 Path Regex should not be blank
 {{else}}
 Path should begin with a '/'
 {{/if}}
 </el.Error>
 </State>
 </group.Element>
 {{/if}}

</div>
</fieldset>

<fieldset>
 <h2>Methods</h2>
 <div class="type-toggle">
 All methods are applied by default unless specified
 <group.Element
 @name="allMethods"
 as |el|>
 <el.Checkbox
 checked={{if allMethods 'checked'}}
 onchange={{action 'change' 'allMethods' changeset}}
 />
 <el.Label>
 All Methods
 </el.Label>
 </group.Element>
 </div>

 {{#if shouldShowMethods}}
 <div class="checkbox-group" role="group">
 {{#each methods as |method|}}
 <label class="type-checkbox">
 <input
 type="checkbox"
 name="method"
 value={{method}}

 checked={{if (includes method changeset.HTTP.Methods) 'checked'}}
 onchange={{action 'change' 'method' changeset}}
 />
 {{method}}

```

```

 </label>
 {{/each}}
 </div>
 {{/if}}
</fieldset>

<fieldset>
 <h2>Headers</h2>

 <Consul::Intention::Permission::Header::List
 @items={{ changeset-get changeset 'HTTP.Header' }}
 @ondelete={{ action 'delete' 'HTTP.Header' changeset }}
 as |headerList|>

 </Consul::Intention::Permission::Header::List>

 <Consul::Intention::Permission::Header::Form
 @onsubmit={{ action 'add' 'HTTP.Header' changeset }}
 as |headerForm|>
 <Ref @target={{ this }} @name="headerForm" @value={{ headerForm }} />
 </Consul::Intention::Permission::Header::Form>

 <Hds::ButtonSet>
 <Hds::Button
 data-test-add-header
 @text='Add{{ if (gt (get (changeset-get changeset 'HTTP.Header') 'length') 0) ' another' '' }} header'
 @color='primary'
 disabled={{ if (not this.headerForm.isDirty)
'disabled' }}
 onclick={{ action this.headerForm.submit }}
 />
 <Hds::Button
 @text='Cancel'
 @color='secondary'
 onclick={{ action this.headerForm.reset }}
 />
 </Hds::ButtonSet>
 </fieldset>
 </FormGroup>
</div>

```

**1.77 x-exp 0.0.0-20240604190554-  
fc45aab8b7f8**

## 1.77.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the



direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.78 genproto-googleapis-rpc 0.0.0-20240610135401-a8a62080eff3

## 1.78.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS



## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.79 genproto-googleapis-api 0.0.0- 20240610135401-a8a62080eff3

## 1.79.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

# 1.80 etcd-client 3.5.14

## 1.80.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,



any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.81 etcd-client-pkg 3.5.14

## 1.81.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.82 consul-api 1.29.1

## 1.82.1 Available under license :

```

layout: api
page_title: License - Operator - HTTP API
description: |-
 The /operator/license endpoint allows for retrieving the Consul
 Enterprise License.

```

# License - Operator HTTP API

<EnterpriseAlert />

The licensing functionality described here is available only in  
[Consul Enterprise](https://www.hashicorp.com/products/consul/) version 1.1.0 and later.

### ## Getting the Consul License

This endpoint gets information about the current license.

| Method | Path              | Produces         |
|--------|-------------------|------------------|
| GET    | /operator/license | application/json |

The table below shows this endpoint's support for  
[blocking queries](/consul/api-docs/features/blocking),  
[consistency modes](/consul/api-docs/features/consistency),  
[agent caching](/consul/api-docs/features/caching), and  
[required ACLs](/consul/api-docs/api-structure#authentication).

| Blocking Queries | Consistency Modes | Agent Caching | ACL Required |
|------------------|-------------------|---------------|--------------|
| NO               | all               | none          | none         |

The corresponding CLI command is [consul license get](/consul/commands/license#get).

### ### Query Parameters

- dc (string: "") - Specifies the datacenter whose license should be retrieved.  
This will default to the datacenter of the agent serving the HTTP request.

### ### Sample Request

```
```shell-session
$ curl \
  http://127.0.0.1:8500/v1/operator/license
```
```

### ### Sample Response

```
```json
{
  "Valid": true,
  "License": {
    "license_id": "2afbf681-0d1a-0649-cb6c-333ec9f0989c",
    "customer_id": "0259271d-8ffc-e85e-0830-c0822c1f5f2b",
    "installation_id": "*",
    "issue_time": "2018-05-21T20:03:35.911567355Z",
    "start_time": "2018-05-21T04:00:00Z",
    "expiration_time": "2019-05-22T03:59:59.999Z",
    "product": "consul",
    "flags": {
      "package": "premium"
    },
    "features": [
      "Automated Backups",
      "Automated Upgrades",

      "Enhanced Read Scalability",
      "Network Segments",
      "Redundancy Zone",
      "Advanced Network Federation"
    ],
    "temporary": false
  },
  "Warnings": []
}
```
```

### ## Updating the Consul License

-> **Deprecated** This endpoint was removed in Consul v1.10.0 along with the ability to manage the cluster's license via the API.

This endpoint updates the Consul license and returns some of the license contents as well as any warning messages regarding its validity.

| Method | Path              | Produces         |
|--------|-------------------|------------------|
| PUT    | /operator/license | application/json |



The table below shows this endpoint's support for  
 [blocking queries](/consul/api-docs/features/blocking),  
 [consistency modes](/consul/api-docs/features/consistency),  
 [agent caching](/consul/api-docs/features/caching), and  
 [required ACLs](/consul/api-docs/api-structure#authentication).

| Blocking Queries | Consistency Modes | Agent Caching | ACL Required     |
|------------------|-------------------|---------------|------------------|
|                  |                   |               |                  |
| -----            | -----             | -----         | -----            |
| `NO`             | `none`            | `none`        | `operator:write` |

The corresponding CLI command is [`consul license put`](/consul/commands/license#put).

### ### Query Parameters

- `dc` (string: "")` - Specifies the datacenter whose license should be updated.  
 This will default to the datacenter of the agent serving the HTTP request.`

### ### Sample Payload

The payload is the raw license blob.

### ### Sample Request

```
``shell-session
$ curl \
 --request PUT \
 --data @consul.license \
 http://127.0.0.1:8500/v1/operator/license
``
```

### ### Sample Response

```
``json
{
 "Valid": true,
 "License": {
 "license_id": "2afbf681-0d1a-0649-cb6c-333ec9f0989c",
 "customer_id": "0259271d-8ffc-e85e-0830-c0822c1f5f2b",
 "installation_id": "*",
 "issue_time": "2018-05-21T20:03:35.911567355Z",
 "start_time": "2018-05-21T04:00:00Z",
 "expiration_time": "2019-05-22T03:59:59.999Z",
 "product":
 "consul",
 "flags": {
 "package": "premium"
 }
 },
}
```

```

"features": [
 "Automated Backups",
 "Automated Upgrades",
 "Enhanced Read Scalability",
 "Network Segments",
 "Redundancy Zone",
 "Advanced Network Federation"
],
"temporary": false
},
"Warnings": []
}
```

```

Resetting the Consul License

-> **Deprecated** This endpoint was removed in Consul v1.10.0 along with the ability to manage the cluster's license via the API.

This endpoint resets the Consul license to the license included in the Enterprise binary. If the included license is not valid, the replace will fail.

Method	Path	Produces
DELETE	/operator/license	application/json

The table below shows this endpoint's support for
[\[blocking queries\]\(/consul/api-docs/features/blocking\)](/consul/api-docs/features/blocking),
[\[consistency modes\]\(/consul/api-docs/features/consistency\)](/consul/api-docs/features/consistency),
[\[agent caching\]\(/consul/api-docs/features/caching\)](/consul/api-docs/features/caching),
 and
[\[required ACLs\]\(/consul/api-docs/api-structure#authentication\)](/consul/api-docs/api-structure#authentication).

Blocking Queries	Consistency Modes	Agent Caching	ACL Required
NO	none	none	operator:write

The corresponding CLI command is `consul license reset` (</consul/commands/license#reset>).

Query Parameters

- `dc` (string: "")` - Specifies the datacenter whose license should be updated.
 This will default to the datacenter of the agent serving the HTTP request.`

Sample Request

```

```shell-session
$ curl \

```

```
--request DELETE \
http://127.0.0.1:8500/v1/operator/license
```
```

Sample Response

```
```json  
{
 "Valid": true,
 "License": {
 "license_id": "2afbf681-0d1a-0649-cb6c-333ec9f0989c",
 "customer_id": "0259271d-8ffc-e85e-0830-c0822c1f5f2b",
 "installation_id": "*",
 "issue_time": "2018-05-21T20:03:35.911567355Z",
 "start_time": "2018-05-21T04:00:00Z",
 "expiration_time": "2019-05-22T03:59:59.999Z",
 "product": "consul",
 "flags": {
 "package": "premium"
 },
 "features": [
 "Automated Backups",
 "Automated Upgrades",
 "Enhanced Read Scalability",
 "Network Segments",
 "Redundancy Zone",
 "Advanced Network Federation"
],
 "temporary": false
 },
 "Warnings": []
}
```
```

```
/**  
 * Copyright (c) HashiCorp, Inc.  
 * SPDX-License-Identifier: BUSL-1.1  
 */
```

```
@import './skin';  
@import './layout';  
/**  
 * Copyright (c) HashiCorp, Inc.  
 * SPDX-License-Identifier: BUSL-1.1  
 */
```

```
.consul-intention-permission-form {  
  h2 {  
    padding-top: 1.4em;
```

```

margin-top: 0.2em;
margin-bottom: 0.6em;
}
.consul-intention-permission-header-form {
margin-top: 10px;
}
fieldset:nth-child(2) > div,
.consul-intention-permission-header-form fieldset > div {
display: grid;
grid-template-columns: repeat(auto-fit, minmax(160px, 1fr));
grid-gap: 12px;
}
fieldset:nth-child(2) > div label:last-child {
grid-column: span 2;
}
.ember-basic-dropdown-trigger {
padding: 5px;
}
.checkbox-group {
flex-direction: column;
}
}
/**
* Copyright (c) HashiCorp, Inc.
* SPDX-License-Identifier: BUSL-1.1
*/

```

```

@import './skin';
@import './layout';
.consul-intention-permission-list > ul > li {
@extend %list-row-200;
}
.consul-intention-permission-list:not(.readonly) > ul > li {
@extend %with-composite-row-intent;
}
.consul-intention-permission-list strong {
@extend %pill-500;
}
.consul-intention-permission-list .intent-allow {
@extend %pill-allow;
}
.consul-intention-permission-list .intent-deny {
@extend %pill-deny;
}

```

The MIT License (MIT)

Copyright (c) 2015 Toru Nagashima

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2016 Ciena Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

layout: docs

page_title: Enterprise License FAQ

description: >-

Review frequently asked questions (FAQs) about Consul Enterprise licenses to learn more about how licenses work, what happens when they expire, and how to get a trial license.

Frequently Asked Questions (FAQ)

This FAQ is for the license changes introduced in Consul Enterprise version 1.10.0. Consul Enterprise automatically loads Consul licenses when the server agent starts.

Q: Can I get a quick summary of the Consul changes?

Starting with Consul Enterprise 1.10.0, the license enablement process is different.

HashiCorp Enterprise servers will no longer start without a license. Servers require licenses to be provided from either an environment variable or file.

If the license is missing, invalid, or expired, the server will immediately exit.

This check is part of the server boot-up process.

In previous versions of HashiCorp enterprise products, one server could distribute a license to other servers via the Raft protocol.

This will no longer work since each server must be able to find a valid license during the startup process.

Q: What are the upgrade requirements?

All customers on Consul Enterprise 1.8/1.9 must first upgrade their client and server agents to the latest patch release.

During the upgrade the license file must also be configured on client agents in an environment variable or file path, otherwise the Consul agents will fail to retrieve the license with a valid agent token.

The upgrade process varies if ACLs are enabled or disabled in the cluster.

Refer to the instructions on [upgrading to 1.10.x](/consul/docs/upgrading/instructions/upgrade-to-1-10-x) for details.

Q: Is there a tutorial available for the license configuration steps?

Please visit the [Enterprise License Tutorial](/nomad/tutorials/enterprise/hashicorp-enterprise-license?utm_source=docs).

Q: What resources are available?

The list below is a great starting point for learning more about the license changes introduced in Consul Enterprise 1.10.0+ent.

- [Consul Enterprise Upgrade Documentation](/consul/docs/enterprise/upgrades)

- [Consul License Documentation](/consul/docs/enterprise/license/overview)

- [License configuration values documentation](/consul/docs/enterprise/license/overview#binaries-without-built-in-licenses)

- [Install a HashiCorp Enterprise License Tutorial](/nomad/tutorials/enterprise/hashicorp-enterprise-license?utm_source=docs)

Q: Do these changes impact all customers/licenses?

The license changes introduced in 1.10.0 only affect Consul Enterprise.

This impacts customers that have an enterprise binary (trial or non-trial licenses) downloaded from <https://releases.hashicorp.com>.

The license changes do not impact customers with the baked-in licensed binaries. In a later release of Consul Enterprise, baked-in binaries will be deprecated.

Q: What is the product behavior change introduced by the licensing changes?

Starting with Consul Enterprise 1.10.0,

a valid license is required on-disk (auto-loading) or as an environment variable for Consul Enterprise to successfully boot-up.

The in-storage license feature will not be supported starting with Consul Enterprise 1.10.0+ent. All Consul Enterprise clusters using 1.10.0+ent must ensure that there is a valid license on-disk (auto-loaded) or as an environment variable.

Q: What is the impact on trial licenses due to this change? ((#q-what-is-the-impact-on-evaluation-licenses-due-to-this-change))

Consul Enterprise 1.10.0+ server agents require a valid license to start.

The license can be provided on disk (auto-loaded) or as an environment variable.

There is no longer a 6-hour trial period in which Consul Enterprise server agents can operate without a license.

Q: Is there a grace period when licenses expire?

Yes Consul will continue normal operation and can be restarted after license *expiration* as defined in `[`expiration_time`]/(consul/api-docs/operator/license#getting-the-consul-license)`.

As

license expiration is approached or passed, Consul will issue warnings in the system logs.

Consul will only cease operation after license *termination*, which occurs 10 years after license expiration and is defined in

`[`termination_time`]/(consul/api-docs/operator/license#getting-the-consul-license)`.

~> **Starting with Consul 1.14, and patch releases 1.13.3 and 1.12.6, Consul will support non-terminating licenses**:

Please contact your support representative for more details on non-terminating licenses.

An expired license will not allow Consul versions released after the expiration date to run.

It will not be possible to upgrade to a new version of Consul released after license expiration.

Q: Does this affect client agents?

There are upgrade requirements that affect Consul Enterprise clients.

Please review the `[upgrade requirements](#q-what-are-the-upgrade-requirements)` documentation.

Q: Does this affect snapshot agents?

Same behavior as Consul clients.

See answer for [Does this affect client agents?](#q-does-this-affect-client-agents)

Q: What is the behavior if the license is missing?

Consul server agents will detect the absence of the license and immediately exit.

Consul client agents will attempt to retrieve the license from servers if certain conditions are met:

- ACLs are enabled.
- An ACL token is provided to the client agent.
- The client agents configuration contains `retry\_join` addresses.
- The retry join addresses are addresses of the Consul servers.

Consul snapshot agents will attempt to retrieve the license from servers if certain conditions are met: ACLs are enabled, a ACL token is provided to the client agent, the client agents configuration contains `retry\_join` addresses, the retry join addresses are addresses of the Consul servers.

Q: Where can users get a trial license for Consul Enterprise?

Contact your [HashiCorp Support contact](https://support.hashicorp.com/) for a development license.

~> **Trial**

install will cease operation 24 hours after 30-day license expiration**:**

Trial licenses are not meant to be used in production.

This is unlike non-trial licenses which provide a 10 year grace period as described in

the answer for [Q: Is there a grace period when licenses expire?](#q-is-there-a-grace-period-when-licenses-expire).

Q: How can I renew a license?

Contact your organization's [HashiCorp account team](https://support.hashicorp.com/hc/en-us) for information on how to renew your organization's enterprise license.

Q: I'm an existing enterprise customer but don't have my license, how can I get it?

Contact your organization's [HashiCorp account team](https://support.hashicorp.com/hc/en-us) for information on how to renew your organization's enterprise license.

Q: Are the license files locked to a specific cluster?

The license files are not locked to a specific cluster or cluster node. The above changes apply to all nodes in a cluster.

Q: Will this

impact HCP Consul Dedicated?

This will not impact HCP Consul Dedicated.

Q: Does this need to happen every time a node restarts, or is this a one-time check?

Consul Enterprise binaries starting with 1.10.0+ent, will be subject to EULA check. Release 1.10.0+ent introduces the EULA check for trial licenses (non-trial licenses already go through EULA check during contractual agreement).

The agreement to a EULA happens only once (when the user gets their license), Consul Enterprise **will** check for the presence of a valid license every time a node restarts**.**

When a customer upgrades existing clusters to a 1.10.0+ent release, they need to have a valid license to successfully upgrade. This valid license must be auto-loaded.

When a customer deploys new clusters to a 1.10.0+ent release, they need to have a valid license to successfully upgrade. This valid license must be on-disk (auto-loaded).

Q: What are the scenarios that a customer must plan for because of these changes?

New

Consul cluster deployments using 1.10.0+ent will need to have a valid license on servers to successfully deploy. This valid license must be on-disk (auto-loaded) or as an environment variable. Please see the [upgrade requirements](/consul/docs/enterprise/license/faq#q-what-are-the-upgrade-requirements).

Q: What is the migration path for customers who want to migrate from their existing license-as-applied-via-the-CLI flow to the license on disk flow?

VM

1. Run [`consul license get -signed``](/consul/commands/license#get) to extract the license from their running cluster. Store the license in a secure location on disk.
1. Set up the necessary configuration so that when Consul Enterprise reboots it will have access to the required license. This could be via the client agent configuration file or an environment variable.
1. Visit the [Enterprise License Tutorial](/nomad/tutorials/enterprise/hashicorp-enterprise-license?utm_source=docs) for detailed steps on how to install the license key.
1. Follow the Consul upgrade [documentation](/consul/docs/upgrading).

Kubernetes

****NOTE:**** If you are not upgrading Consul or your Helm chart version then no action is required.

1. In order to use Consul Enterprise 1.10.0 or greater on Kubernetes you must use version 0.32.0 or greater of the Helm chart.
 1. You should already have a Consul Enterprise license set as a Kubernetes secret. If you do not, refer to [how to obtain a copy of your license](/consul/docs/enterprise/license/faq#q-i-m-an-existing-enterprise-customer-but-don-t-have-my-license-how-can-i-get-it).
- Once you have the license then create a Kubernetes secret containing the license as described in [Kubernetes - Consul Enterprise](/consul/docs/k8s/deployment-configurations/consul-enterprise).
1. Follow the [Kubernetes Upgrade Docs](/consul/docs/k8s/upgrade) to upgrade. No changes to your `values.yaml`` file are needed to enable enterprise autoloading since this support is built in to consul-helm 0.32.0 and greater.

!>

Warning: If you are upgrading the Helm chart but **not** upgrading the Consul version, you must set `server.enterpriseLicense.enableLicenseAutoload: false`. See [Kubernetes - Consul Enterprise](/consul/docs/k8s/deployment-configurations/consul-enterprise) for more details.

Q: What is the migration path for customers who want to migrate from their existing perpetually-licensed binaries to the license on disk flow?

VM

1. Acquire a valid Consul Enterprise license. If you are an existing HashiCorp enterprise customer you may contact your organization's [customer success manager](https://support.hashicorp.com/hc/en-us) (CSM) for information on how to get your organization's enterprise license.

1. Store the license in a secure location on disk.

1. Set up the necessary configuration so that when Consul Enterprise reboots it will have the required license. This could be via the client agent configuration file or an environment variable.

Visit the [Enterprise License Tutorial](/nomad/tutorials/enterprise/hashicorp-enterprise-license?utm_source=docs) for detailed steps on how to install the license key.

1. Follow the Consul upgrade [documentation](/consul/docs/upgrading).

Kubernetes

1. Acquire a valid Consul Enterprise license. If you are an existing HashiCorp enterprise customer you may contact your organization's [customer success manager](https://support.hashicorp.com/hc/en-us) (CSM) for information on how to get your organization's enterprise license.

1. Set up the necessary configuration so that when Consul Enterprise reboots it will have the required license. This could be via the client agent configuration file or an environment variable.

Visit the [Enterprise License Tutorial](/nomad/tutorials/enterprise/hashicorp-enterprise-license?utm_source=docs) for detailed steps on how to install the license key.

1. Proceed with the `helm` [upgrade instructions](/consul/docs/k8s/upgrade)

Q: Will Consul downgrades/rollbacks work?

When downgrading

to a version of Consul before 1.10.0+ent, customers will need to follow the previous process for applying an enterprise licenses to Consul Enterprise.

Q: Are there potential pitfalls when downgrading or upgrading Consul server instances?

~> Verify that you meet the [upgrade requirements](/consul/docs/enterprise/license/faq#q-what-are-the-upgrade-requirements).

Assume a scenario where there are three Consul server nodes:

- Node A: v1.9.5

- Node B: v1.10.0 [Leader]

- Node C: v1.9.5

The command ``consul license put`` is issued from Node A. This will result in an error due to how Consul routes calls to the server node, Node B in this example.

Because Node A is a follower when the call ``consul license put`` is issued, the call will be redirected to Node B (leader).

The ``consul license put`` operation will fail due to being removed from 1.10.0.

This is a scenario that could occur if a customer downgrades from 1.10.0+ and the Consul leadership has not transferred back over to a node

not running 1.10.0+.

This also has the potential of occurring when upgrading if scheduled license updates or autoscaling groups recoveries are in place.

Q: Any impacts to Consul Kubernetes?

If you are using a Consul Enterprise version prior to 1.10.0 and decide to upgrade the Helm chart to version 0.32.0 or newer, but not the Consul version.

You will need to add the following configuration.

```
...
```

```
server:
```

```
  enterpriseLicense:
```

```
    enableLicenseAutoload: false
```

```
...
```

```
/**
```

```
* Copyright (c) HashiCorp, Inc.
```

```
* SPDX-License-Identifier: BUSL-1.1
```

```
*/
```

```
.consul-intention-permission-header-list {
```

```
  max-height: 200px;
```

```
  overflow: auto;
```

```
}
```

```
{{!
```

```
  Copyright (c) HashiCorp, Inc.
```

```
  SPDX-License-Identifier: BUSL-1.1
```

```
}}
```

```
{{#if (gt items.length 0)}}
```

```
<ListCollection
```

```
  class="consul-intention-permission-header-list"
```

```
  @items={{ { items } }}
```

```
  @scroll="native"
```

```
  @cellHeight={{ { 42 } }}
```

```
as |item|>
```

```
<BlockSlot @name="details">
```

```
<dl>
```

```
<dt>
```

```
<Tooltip>
```

```

      Header
    </Tooltip>
  </dt>
  <dd>
    {{item.Name}} {{route-match item}}
  </dd>
</dl>
</BlockSlot>
<BlockSlot @name="actions" as |Actions|>
  <Actions as |Action|>
    <Action data-test-delete-action @onclick={{action ondelete item}} class="dangerous">
      <BlockSlot @name="label">
        Delete
      </BlockSlot>
      <BlockSlot @name="confirmation" as |Confirmation|>
        <Confirmation class="warning">
          <BlockSlot @name="header">
            Confirm delete
          </BlockSlot>
          <BlockSlot @name="body">
            <p>
              Are you sure you want to delete this header?
            </p>
          </BlockSlot>
          <BlockSlot @name="confirm" as |Confirm|>
            <Confirm>Delete</Confirm>
          </BlockSlot>
        </Confirmation>
      </BlockSlot>
    </Action>
  </Actions>
</BlockSlot>
</ListCollection>
{{{/if}}
{
  "name": "envoy.filters.http.rbac",
  "typedConfig": {
    "@type": "type.googleapis.com/envoy.extensions.filters.http.rbac.v3.RBAC",
    "rules": {
      "policies": {
        "consul-intentions-layer7-0": {
          "permissions": [
            {
              "andRules": {
                "rules": [
                  {
                    "urlPath": {

```

```

    "path": {
      "exact": "/v1/secret"
    }
  },
  {
    "andRules": {
      "rules": [
        {
          "metadata": {
            "filter": "envoy.filters.http.jwt_authn",
            "path": [
              {
                "key": "jwt_payload_auth0"
              },
              {
                "key": "iss"
              }
            ],
            "value": {
              "stringMatch": {
                "exact": "mytest.auth0-issuer"
              }
            }
          }
        },
        {
          "metadata": {
            "filter": "envoy.filters.http.jwt_authn",
            "path": [
              {
                "key": "jwt_payload_auth0"
              },
              {
                "key": "perms"
              },
              {
                "key": "role"
              }
            ],
            "value": {
              "stringMatch": {
                "exact": "admin"
              }
            }
          }
        }
      ]
    }
  }
}

```

```

    ]
  }
}
]
}
},
{
  "andRules": {
    "rules": [
      {
        "urlPath": {
          "path": {
            "exact": "/v1/admin"
          }
        }
      },
      {
        "notRule": {
          "urlPath": {
            "path": {
              "exact": "/v1/secret"
            }
          }
        }
      }
    ]
  }
},
"principals": [
  {
    "andIds": {
      "ids": [
        {
          "authenticated": {
            "principalName": {
              "safeRegex": {
                "regex": "^spiffe://test.consul/ns/default/dc/[^/]+/svc/web$"
              }
            }
          }
        },
        {
          "andIds": {
            "ids": [
              {
                "metadata": {

```

```
"filter": "envoy.filters.http.jwt_authn",
"path": [
  {
    "key": "jwt_payload_okta"
  },
  {
    "key": "iss"
  }
],
"value": {
  "stringMatch": {
    "exact": "mytest.okta-issuer"
  }
}
},

{
  "metadata": {
    "filter": "envoy.filters.http.jwt_authn",
    "path": [
      {
        "key": "jwt_payload_okta"
      },
      {
        "key": "roles"
      }
    ],
    "value": {
      "stringMatch": {
        "exact": "testing"
      }
    }
  }
}
]
}
}
]
}
}
}
}
```

```

{{!
Copyright (c) HashiCorp, Inc.
SPDX-License-Identifier: BUSL-1.1
}}

<div
...attributes
class="consul-intention-permission-header-form"
>
<FormGroup
  @name={{name}}
as |group|>

  {{yield (hash
    submit=(action 'submit' changeset)
    reset=(action 'reset' changeset)

    isDirty=(and changeset.isValid changeset.isDirty)
    changeset=changeset
  )}}

  <fieldset>
    <div>
      <group.Element
        @name="HeaderType"
        @type="select"
      as |el|>
        <el.Label>Header type</el.Label>
        <PowerSelect
          @options={{headerTypes}}
          @selected={{headerType}}
          @onChange={{action 'change' 'HeaderType' changeset}} as |Type|>
            {{get headerLabels Type}}
        </PowerSelect>
      </group.Element>

      <group.Element
        @name="Name"
        @error={{changeset.get changeset 'error.Name'}}
      as |el|>
        <el.Label>Header name</el.Label>
        <el.Text

          @value={{changeset.get changeset 'Name'}}
          oninput={{action 'change' 'Name' changeset}}
        />
        <State @state={{el.state}} @matches="error">

```



```

        <el.Error>
            {{changeset-get changeset 'error.Name.validation'}}
        </el.Error>
    </State>
</group.Element>

{{#if shouldShowValueField}}
    <group.Element
        @name="Value"
        @error={{changeset-get changeset 'error.Value'}}
    as |el|>
        <el.Label>Header {{lowercase (get headerLabels headerType)}}</el.Label>
        <el.Text
            @value={{changeset-get changeset 'Value'}}
            oninput={{action 'change' 'Value' changeset}}
        />
        <State @state={{el.state}} @matches="error">
            <el.Error>
                {{changeset-get changeset 'error.Value.validation'}}
            </el.Error>
        </State>
    </group.Element>
{{/if}}

</div>
</fieldset>
</FormGroup>
</div>
{
    "name": "envoy.filters.http.rbac",
    "typedConfig": {
        "@type": "type.googleapis.com/envoy.extensions.filters.http.rbac.v3.RBAC",
        "rules": {
            "policies": {
                "consul-intentions-layer7-0": {
                    "permissions": [
                        {
                            "andRules": {
                                "rules": [
                                    {
                                        "urlPath": {
                                            "path": {
                                                "prefix": "/v1"
                                            }
                                        }
                                    }
                                ],
                            },
                        },
                    ],
                    "notRule": {

```

```

        "urlPath": {
            "path": {
                "exact": "/v1/secret"
            }
        }
    }
}
]
}
},
{
    "andRules": {
        "rules": [
            {
                "andRules": {
                    "rules": [
                        {

                            "urlPath": {
                                "path": {
                                    "safeRegex": {
                                        "regex": "/v[123]"
                                    }
                                }
                            }
                        },
                        {
                            "header": {
                                "name": ":method",
                                "stringMatch": {
                                    "safeRegex": {
                                        "regex": "GET|HEAD|OPTIONS"
                                    }
                                }
                            }
                        }
                    ]
                }
            },
            {
                "notRule": {
                    "urlPath": {
                        "path": {
                            "exact": "/v1/secret"
                        }
                    }
                }
            },
        ],
    }
}

```

```

{
  "notRule": {
    "andRules": {
      "rules": [
        {
          "urlPath": {
            "path": {
              "exact": "/v1/admin"
            }
          }
        },
        {
          "header": {
            "name": ":",method",
            "stringMatch": {
              "safeRegex": {
                "regex": "GET"
              }
            }
          }
        }
      ]
    }
  }
},
{
  "andRules": {
    "rules": [
      {
        "header": {
          "name": "x-foo",
          "presentMatch": true
        }
      },
      {
        "header": {
          "name": "x-bar",
          "stringMatch": {
            "exact": "xyz"
          }
        }
      }
    ]
  }
}

```

```

    }
  },
  {
    "header": {
      "name": "x-dib",
      "stringMatch": {
        "prefix": "gaz"
      }
    }
  },
  {
    "header": {
      "name": "x-gir",
      "stringMatch": {
        "suffix": "zim"
      }
    }
  },
  {
    "header": {
      "name": "x-zim",
      "stringMatch": {
        "safeRegex": {
          "regex": "gi[rR]"
        }
      }
    }
  },
  {
    "header": {
      "invertMatch": true,
      "name": "z-foo",
      "presentMatch": true
    }
  },
  {
    "header": {
      "invertMatch": true,
      "name": "z-bar",
      "stringMatch": {
        "exact": "xyz"
      }
    }
  },
  {
    "header": {

```

```

        "invertMatch": true,
        "name": "z-dib",
        "stringMatch": {
            "prefix": "gaz"
        }
    },
    {
        "header": {
            "invertMatch": true,
            "name": "z-gir",
            "stringMatch": {
                "suffix": "zim"
            }
        }
    },
    {
        "header": {
            "invertMatch": true,
            "name": "z-zim",
            "stringMatch": {
                "safeRegex": {

"regex": "gi[rR]"
                }
            }
        }
    }
]
},
{
    "notRule": {
        "urlPath": {
            "path": {
                "exact": "/v1/secret"
            }
        }
    }
},
{
    "notRule": {
        "header": {
            "name": "x-baz",
            "presentMatch": true
        }
    }
}

```

```

    ]
  }
}
],
"principals": [
  {
    "authenticated": {
      "principalName": {
        "safeRegex": {
          "regex": "^spiffe://test.consul/ns/default/dc/[^/]+/svc/web$"
        }
      }
    }
  }
]
}
}
}
}
{
  "name": "envoy.filters.network.rbac",
  "typedConfig": {
    "@type": "type.googleapis.com/envoy.extensions.filters.network.rbac.v3.RBAC",
    "rules": {},
    "statPrefix": "connect_authz"
  }
}
{
  "Valid": true,
  "License": {
    "license_id": "${fake.random.uuid()}",
    "customer_id": "${fake.random.uuid()}",
    "installation_id": "*",
    "issue_time": "2021-01-13T15:25:19.052900132Z",
    "start_time": "2021-01-13T00:00:00Z",
    "expiration_time": "${env('CONSUL_LICENSE_EXPIRATION', '2022-05-02T23:59:59.999Z')}",
    "termination_time": "${env('CONSUL_LICENSE_TERMINATION', '2022-01-13T23:59:59.999Z')}",
    "product": "consul",
    "flags": {
      "modules": [
        "global-visibility-routing-scale",
        "governance-policy"
      ]
    },
    "modules": [
      "Global Visibility, Routing and Scale",
      "Governance and Policy"
    ]
  }
}

```

```

],
"features": [
  "Automated Backups",
  "Automated Upgrades",
  "Enhanced Read Scalability",
  "Network Segments",
  "Redundancy Zone",
  "Advanced Network Federation",
  "Namespaces",
  "SSO",
  "Audit Logging",
  "Admin Partitions"
]
},
"Warnings": [
]
}
{
  "name": "envoy.filters.http.jwt_authn",
  "typedConfig": {
    "@type": "type.googleapis.com/envoy.extensions.filters.http.jwt_authn.v3.JwtAuthentication",
    "providers": {
      "okta": {
        "issuer": "test-issuer",
        "payloadInMetadata": "jwt_payload_okta",
        "remoteJwks": {
          "asyncFetch": {
            "fastListener": true
          },
          "httpUri": {
            "cluster": "jwks_cluster_okta",
            "timeout": "1s",
            "uri": "https://example-okta.com/.well-known/jwks.json"
          }
        }
      }
    }
  },
  "rules": [
    {
      "match": {
        "prefix": "/"
      },
      "requires": {
        "requiresAny": {
          "requirements": [
            {
              "providerName": "okta"
            }
          ]
        }
      }
    }
  ]
}

```



```

        "path": {
            "prefix": "/v1"
        }
    },
    {
        "header": {
            "name": "x-foo",
            "presentMatch": true
        }
    }
]
},
{
    "notRule": {
        "andRules": {

            "rules": [
                {
                    "urlPath": {
                        "path": {
                            "exact": "/v1/secret"
                        }
                    }
                },
                {
                    "header": {
                        "name": "x-baz",
                        "presentMatch": true
                    }
                },
                {
                    "header": {
                        "name": "x-bar",
                        "presentMatch": true
                    }
                }
            ]
        }
    }
},
{
    "notRule": {
        "andRules": {
            "rules": [
                {

```

```
"urlPath": {
    "path": {
      "exact": "/v1/admin"
    }
  },
  {
    "header": {
      "name": "x-baz",
      "presentMatch": true
    }
  },
  {
    "header": {
      "name": "x-bar",
      "presentMatch": true
    }
  }
]
}
}
}
]
}
}
}
},
"principals": [
  {
    "authenticated": {
      "principalName": {
        "safeRegex": {
          "regex": "^spiffe://test.consul/ns/default/dc/[^/]+/svc/web$"
        }
      }
    }
  }
]
}
}
}
}
}
}
}
# License

```hbs preview-template
<figure>
<figcaption>URI: <code>/:partition/:namespace/:dc/license</code></figcaption>
<DataSource
```

```

@src={{
 uri '${partition}/${namespace}/${dc}/license'
 (hash
 partition='partition'
 namespace='ns'
 dc='dc-1'
)
}}
@onchange={{action (mut data) value="data"}}
/>
<pre><code>{{json-stringify data null 4}}</code></pre>
</figure>

```

---  
page\_title: Automated license utilization reporting

description: >-

Learn what data HashiCorp collects to meter Enterprise license utilization. Enable or disable reporting. Review sample payloads and logs.

## # Automated license utilization reporting

This topic describes how to enable automated license utilization reporting in Consul Enterprise. This feature automatically sends license utilization data to HashiCorp so that you do not have to manually collect and report it. It also enables you to review your license usage with the monitoring solution you already use, such as Splunk and Datadog, as you optimize and manage your deployments.

## ## Introduction

You can use automated license utilization report to understand how much additional networking infrastructure you can deploy under your current contract. This feature helps you protect against overutilization and budget for predicted consumption.

Automated reporting shares the minimum data required to validate license utilization as defined in our contracts. This data mostly consists of computed metrics, and it will never contain Personal Identifiable Information (PII) or other sensitive information. Automated reporting shares the data with HashiCorp using a secure unidirectional HTTPS API and makes an auditable record in the product logs each time it submits a report. This process is GDPR-compliant.

## ## Requirements

Automated license utilization reporting does not support `_air-gapped installations_`, which are systems with no network interfaces.

The following versions of Consul Enterprise support automated license utilization reporting:

- Consul Enterprise v1.16.0 and newer.
- Patch releases of Consul Enterprise v1.15.4 and newer.

- Patch releases of Consul Enterprise v1.14.8 and newer.
- Patch releases of Consul Enterprise v1.13.9 and newer.

Download a supported release from the [Consul Versions](https://releases.hashicorp.com/consul/) page.

## ## Enable automated reporting

Before you enable automated reporting,

make sure that outbound network traffic is configured correctly and upgrade your enterprise product to a version that supports it. If your installation is air-gapped or network settings are not in place, automated reporting will not work.

To enable automated reporting, complete the following steps:

1. [Allow outbound HTTPS traffic on port 443](#allow-outbound-https-traffic)
1. [Check product logs](#check-product-logs)

### ### Allow outbound HTTPS traffic on port 443

Make sure that your network allows HTTPS egress on port 443 from `https://reporting.hashicorp.services` by adding the following IP addresses to your allow-list:

- `100.20.70.12`
- `35.166.5.222`
- `23.95.85.111`
- `44.215.244.1`

### ### Check product logs

Automatic license utilization reporting starts sending data within roughly 24 hours. Check the product logs for records that the data sent successfully.

<CodeBlockConfig hideClipboard>

...

```
[DEBUG] beginning snapshot export
[DEBUG] creating payload
[DEBUG] marshalling
payload to json
[DEBUG] generating authentication headers
[DEBUG] creating request
[DEBUG] sending request
[DEBUG] performing request: method=POST url=https://census.license.hashicorp.services
[DEBUG] recording audit record
[INFO] reporting: Report sent: auditRecord={"payload":{"payload_version":"1","license_id":"d2cdd857-4202-5a45-70a6-e4b531050c34","product":"consul","product_version":"1.16.0-dev+ent","export_timestamp":"2023-05-26T20:09:13.753921087Z","snapshots":[{"snapshot_version":1,"snapshot_id":"0001J724F90F4XWQDSAA76ZQWA","process_id":"01H1CTJPC1S8H7Q45MKTJ689ZW","timestamp":"2023-05-
```

```
26T20:09:13.753513962Z","schema_version":"1.0.0","service":"consul","metrics":{"consul.billable.nodes":{"key":
"consul.billable.nodes","kind":"counter","mode":"write","value":2},"consul.billable.service_instances":{"key":"con
sul.billable.service_instances","kind":"counter","mode":"write","value":2}}},"metadata":{}}
[DEBUG] completed recording audit record
[DEBUG] export finished successfully"
...
```

</CodeBlockConfig>

If

your installation is air-gapped or your network does not allow the correct egress, the logs show an error.

<CodeBlockConfig hideClipboard>

...

```
[DEBUG] reporting: beginning snapshot export
[DEBUG] reporting: creating payload
[DEBUG] reporting: marshalling payload to json
[DEBUG] reporting: generating authentication headers
[DEBUG] reporting: creating request
[DEBUG] reporting: sending request
[DEBUG] reporting: performing request: method=POST url=https://census.license.hashicorp.services
[DEBUG] reporting: error status code received: statusCode=403
...
```

</CodeBlockConfig>

In this case, reconfigure your network to allow egress and check the logs again in roughly 24 hours to confirm that automated reporting works correctly.

## ## Opt out

If your installation is air-gapped or you want to manually collect and report on the same license utilization metrics, you can opt out of automated reporting.

Manually reporting these metrics can be time consuming. Opting out of automated reporting does not mean that you also opt out from sending license utilization metrics. Customers who opt out of automated reporting are still required to manually collect and send license utilization metrics to HashiCorp.

If you are considering opting out because you are worried about the data, we strongly recommend that you review the [example payloads](#example-payloads) before opting out. If you have concerns with any of the automatically reported data, raise these concerns with your account manager.

There are two methods for opting out of automated reporting:

- HCL configuration (recommended)
- Environment variable (requires restart)

We recommend opting out in your product's configuration file because it does not require a system restart. Add the following block to your `configuration.hcl` or `configuration.json` file.

```
```hcl
reporting {
  license {
    enabled = false
  }
}
```
```

When opting out using an environment variable, the system provides a startup message confirming that you have disabled automated reporting. Set the following environment variable to disable automated reporting:

<CodeBlockConfig>

```
```shell-session
$ export OPTOUT_LICENSE_REPORTING=true
```
```

</CodeBlockConfig>

After you set the environment variable, restart your system to complete the process for opting out.

```
```shell-session
$ consul reload
```
```

Check your product logs roughly 24 hours after opting out to make sure that the system is not trying to send reports. Keep in mind that if your configuration file and environment variable differ, the environment variable setting takes precedence.

## ## Example payloads

HashiCorp collects the following utilization data as JSON payloads:

`exporter\_version` - The version of the licensing exporter

<CodeBlockConfig hideClipboard>

```
```json
{
  "payload": {
    "payload_version": "1",
    "license_id": "d2cdd857-4202-5a45-70a6-e4b531050c34",
    "product": "consul",
  }
}
```

```

"product_version": "1.16.0-dev+ent",
"export_timestamp":
"2023-05-26T20:09:13.753921087Z",
"snapshots": [
{
  "snapshot_version": 1,
  "snapshot_id": "0001J724F90F4XWQDSAA76ZQWA",
  "process_id": "01H1CTJPC1S8H7Q45MKTJ689ZW",
  "timestamp": "2023-05-26T20:09:13.753513962Z",
  "schema_version": "1.0.0",
  "service": "consul",
  "metrics": {
    "consul.billable.nodes": {
      "key": "consul.billable.nodes",
      "kind": "counter",
      "mode": "write",
      "value": 2
    },
    "consul.billable.service_instances": {
      "key": "consul.billable.service_instances",
      "kind": "counter",
      "mode": "write",
      "value": 2
    }
  }
},
],
"metadata": {}
}
}
'''

```

</CodeBlockConfig>

layout: docs

page_title: Storing the Enterprise License in Vault

description: >-

Configuring the Consul Helm chart to use an enterprise license stored in Vault.

Storing the Enterprise License in Vault

This topic describes how to configure the Consul Helm chart to use an enterprise license stored in Vault.

Overview

Complete the steps outlined in the [Data Integration](/consul/docs/k8s/deployment-configurations/vault/data-integration) section to use an enterprise license stored in Vault.

Complete the following steps once:

1. Store the secret in Vault.
1. Create a Vault policy that authorizes the desired level of access to the secret.

Repeat the following steps for each datacenter in the cluster:

1. Create Vault Kubernetes auth roles that link the policy to each Consul on Kubernetes service account that requires access.
1. Update the Consul on Kubernetes helm chart.

Prerequisites

Prior to setting up the data integration between Vault and Consul on Kubernetes, you will need to have:

1. Read and completed the steps in the [Systems Integration](/consul/docs/k8s/deployment-configurations/vault/systems-integration) section of [Vault as a Secrets Backend](/consul/docs/k8s/deployment-configurations/vault).
2. Read the [Data Integration Overview](/consul/docs/k8s/deployment-configurations/vault/data-integration) section of [Vault as a Secrets Backend](/consul/docs/k8s/deployment-configurations/vault).

Store the Secret in Vault

First, store the enterprise license in Vault:

```
```shell-session
$ vault kv put consul-kv/secret/enterpriselicense key="<enterprise license>"
```
```

Create Vault policy

Next, you will need to create a policy that allows read access to this secret.

The path to the secret referenced in the `path` resource is the same value that you will configure in the `global.enterpriseLicense.secretName` Helm configuration (refer to [Update Consul on Kubernetes Helm chart](#update-consul-on-kubernetes-helm-chart)).

```
<CodeBlockConfig
filename="license-policy.hcl">
```

```
```HCL
path "consul-kv/data/secret/enterpriselicense" {
 capabilities = ["read"]
}
```
```

```
</CodeBlockConfig>
```

Apply the Vault policy by issuing the `vault policy write` CLI command:

```
```shell-session
$ vault policy write license-policy license-policy.hcl
```



```

Create Vault Authorization Roles for Consul

Next, you will create Kubernetes auth roles for the Consul server and client:

```shell-session

```
$ vault write auth/kubernetes/role/consul-server \
 bound_service_account_names=<Consul server service account> \
 bound_service_account_namespaces=<Consul installation namespace> \
 policies=license-policy \
 ttl=1h
```

```

```shell-session

```
$ vault write auth/kubernetes/role/consul-client \
 bound_service_account_names=<Consul client service account> \
 bound_service_account_namespaces=<Consul installation namespace> \
 policies=license-policy \
 ttl=1h
```

```

To find out the service account names of the Consul server and client, you can

run the following `helm template` commands with your Consul on Kubernetes values file:

- Generate Consul server service account name

```shell-session

```
$ helm template --release-name ${RELEASE_NAME} -s templates/server-serviceaccount.yaml hashicorp/consul -f values.yaml
```

```

- Generate Consul client service account name

```shell-session

```
$ helm template --release-name ${RELEASE_NAME} -s templates/client-serviceaccount.yaml hashicorp/consul -f values.yaml
```

```

Update Consul on Kubernetes Helm chart.

Now that you have configured Vault, you can configure the Consul Helm chart to use the enterprise license in Vault:

<CodeBlockConfig filename="values.yaml">

```yaml

global:

image: hashicorp/consul-enterprise:1.12.0-ent

```

secretsBackend:
 vault:
 enabled: true
 consulServerRole: consul-server
 consulClientRole: consul-client
enterpriseLicense:
 secretName: consul-kv/data/secret/enterpriselicense
 secretKey: key
...

```

</CodeBlockConfig>

#### Note

that ``global.enterpriseLicense.secretName`` is the path of the secret in Vault. This should be the same path as the one you included in your Vault policy. ``global.enterpriseLicense.secretKey`` is the key inside the secret data. This should be the same as the key you passed when creating the enterprise license secret in Vault.

```
{{!
```

Copyright (c) HashiCorp, Inc.

SPDX-License-Identifier: BUSL-1.1

```
}}
```

```
<Hds::Alert @type='inline' @color={{or @type "neutral"}} class='mb-2 mt-2 consul-intention-notice-custom-resource' as |A|>
```

```
<A.Title>Intention Custom Resource</A.Title>
```

```
<A.Description>Some of your intentions are being managed through an Intention Custom Resource in your Kubernetes cluster. Those managed intentions will be view only in the UI. Any intentions created in the UI will work but will not be synced to the Custom Resource Definition (CRD) datastore.</A.Description>
```

```
<A.Link::Standalone @href="{{env 'CONSUL_DOCS_URL'}}/k8s/crds"
```

```
 @text='Learn more about CRDs'
```

```
 @icon="docs-link"
```

```
 @iconPosition="trailing"
```

```
 @size="small" />
```

```
</Hds::Alert>
```

```
/**
```

```
* Copyright (c) HashiCorp, Inc.
```

```
* SPDX-License-Identifier: BUSL-1.1
```

```
*/
```

```
.consul-intention-permission-form {
```

```
 h2 {
```

```
 border-top: 1px solid var(--token-color-foreground-action);
```

```
 @extend %display-400-semibold;
```

```
 }
```

```
 button.type-submit {
```

```
 @extend %frame-blue-300;
```

```
 }
```

```
 button.type-submit:hover:not(:disabled),
```

```
button.type-submit:focus:not(:disabled) {
 @extend %frame-blue-500;
}
button.type-submit:disabled {
 @extend %frame-blue-200;
}
}
```

```
.consul-intention-view {
 h2 {
 @extend %display-400-semibold;
 }
}
```

Copyright (c) 2020 HashiCorp, Inc.

Mozilla Public License, version 2.0

## 1. Definitions

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

### 1.5. "Incompatible With Secondary Licenses"

means

a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

b. that the Covered Software was made available under the terms of

version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

#### 1.6. "Executable Form"

means any form of the work other than Source Code Form.

#### 1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

#### 1.8. "License"

means this document.

#### 1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

#### 1.10. "Modifications"

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

#### 1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

#### 1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

#### 1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

### 2. License Grants and Conditions

#### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

#### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

#### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's

modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

## 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

## 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any

Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code

Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any

liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4.

##### Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and

until such Contributor

explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section

2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.



## 6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

## 7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

## 8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

### 10.1. New Versions

Mozilla Foundation is the license steward.

Except as provided in Section

10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source

Code Form that is

Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v.

2.0. If a copy of the MPL was not distributed with this file, You can obtain one at

<http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible  
With Secondary Licenses", as defined by  
the Mozilla Public License, v. 2.0.

---

layout: docs

page\_title: Consul-Terraform-Sync Enterprise License

description: >-

Consul-Terraform-Sync Enterprise License

---

#### # Consul-Terraform-Sync Enterprise License

<EnterpriseAlert>

Licenses are only required for Consul-Terraform-Sync (CTS) Enterprise

</EnterpriseAlert>

CTS Enterprise binaries require a [Consul Enterprise license](/consul/docs/enterprise/license/overview) to run. There is no CTS Enterprise specific license. As a result, CTS Enterprise's licensing is very similar to Consul Enterprise.

All CTS Enterprise features are available with a valid Consul Enterprise license, regardless of your Consul Enterprise packaging or pricing model.

To get a trial license for CTS, you can sign-up for the [trial license for Consul Enterprise](/consul/docs/enterprise/license/faq#q-where-can-users-get-a-trial-license-for-consul-enterprise).

#### ## Automatic License Retrieval

CTS automatically retrieves a license from Consul on startup and then attempts to retrieve a new license once a day. If the current license is reaching its expiration date, CTS attempts to retrieve a license with increased frequency, as defined by the [License Expiration Date Handling](/consul/docs/enterprise/license#license-expiration-handling).

~> Enabling automatic license retrieval is recommended when using HCP Consul Dedicated, as HCP Consul Dedicated licenses expire more frequently than Consul Enterprise licenses. Without auto-retrieval enabled, you have to restart CTS every time you load a new license.

#### ## Setting the License Manually

If a license needs to be manually set, choose one of the following methods (in order of precedence) to set the license:

1. Set the `CONSUL\_LICENSE` environment variable to the license string.

```shell-session

```
export CONSUL_LICENSE=<LICENSE_VALUE>
...

```

1. Set the `CONSUL\_LICENSE\_PATH` environment variable to the path of the file containing the license.

```
```shell-session
export CONSUL_LICENSE_PATH=<PATH>/<TO>/<FILE>
...

```

1. To point to the file containing the license, in the configuration file, configure the `[`license`](/consul/docs/nia/configuration#license)` path option.

```
```hcl
license {
  path = "<PATH>/<TO>/<FILE>"
}
...

```

1. To point to the file containing the license, in the configuration file, configure the `[`license_path`](/consul/docs/nia/configuration#license_path)` option i. **Deprecated in CTS 0.6.0 and will be removed in a future release. Use `[license block](/consul/docs/nia/configuration#license)` instead.**

```
```hcl
license_path = "<PATH>/<TO>/<FILE>"
...

```

~> **Note**: the `[options to set the license and the order of precedence](/consul/docs/enterprise/license/overview#binaries-without-built-in-licenses)` are the same as Consul Enterprise server agents. Visit the `[Enterprise License Tutorial](/nomad/tutorials/enterprise/hashicorp-enterprise-license?utm_source=docs)` for detailed steps on how to install the license key.

### ### Updating the License Manually

To update the license

when it expires or is near the expiration date and automatic license retrieval is disabled:

1. Update the license environment variable or configuration with the new license value or path to the new license file
1. Stop and restart CTS Enterprise

Once CTS Enterprise starts again, it will pick up the new license and run the tasks with any changes that may have occurred between the stop and restart period.

### ## License Expiration Handling

Licenses have an expiration date and a termination date. The termination date is a time at or after the license expires. CTS Enterprise will cease to function once the termination date has passed.

The time between the expiration and termination dates is a grace period. Grace periods are generally 24-hours, but you should refer to your license agreement for complete terms of your grace period.

When approaching expiration and termination, by default, CTS Enterprise will attempt to retrieve a new license. If auto-retrieval is disabled, CTS Enterprise will provide notifications in the system logs:

| Time period                                 | Behavior - auto-retrieval enabled (default) | Behavior - auto-retrieval disabled |
|---------------------------------------------|---------------------------------------------|------------------------------------|
| 30 days before expiration                   | License retrieval attempt every 24-hours    | Warning-level log every 24-hours   |
| 7 days before expiration                    | License retrieval attempt every 1 hour      | Warning-level log every 1 hour     |
| 1 day before expiration                     | License retrieval attempt every 5 minutes   | Warning-level log every 5 minutes  |
| 1 hour before expiration                    | License retrieval attempt every 1 minute    | Warning-level log every 1 minute   |
| At or after expiration (before termination) | License retrieval attempt every 1 minute    | Error-level log every 1 minute     |
| At or after termination                     | Error-level log and exit                    | Error-level log and exit           |

~> **Note**: Notification frequency and [grace period](/consul/docs/enterprise/license/faq#q-is-there-a-grace-period-when-licenses-expire) behavior is the same as Consul Enterprise.

/\*!

\* clipboard.js v2.0.11

\* <https://clipboardjs.com/>

\*

\* Licensed MIT Zeno Rocha

\*/

/\*!

\* focus-trap 6.9.4

\* @license MIT, <https://github.com/focus-trap/focus-trap/blob/master/LICENSE>

\*/

/\*! \*\*\*\*\*

Copyright (c) Microsoft Corporation.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR

## PERFORMANCE OF THIS SOFTWARE.

\*\*\*\*\*

\*/

/\*\*

\* @license

\* Copyright 2017 Google LLC

\* SPDX-License-Identifier: BSD-3-Clause

\*/

/\*\*

\* @license

\* Copyright 2019 Google LLC

\* SPDX-License-Identifier: BSD-3-Clause

\*/

{{!

Copyright (c) HashiCorp, Inc.

SPDX-License-Identifier: BUSL-1.1

}}

{{#if (gt items.length 0)}}

<ListCollection

class="consul-intention-permission-list{{if (not onclick) ' readonly'}}"

@scroll="native"

@items={{items}}

@partial={{5}}

as |item|>

<BlockSlot @name="details">

<div onclick={{action (optional onclick) item}}>

<strong class={{concat 'intent-' item.Action}}>{{capitalize item.Action}}</strong>

{{#if (gt item.HTTP.Methods.length 0)}}

<dl class="permission-methods">

<dt>

<Tooltip>

Methods

</Tooltip>

</dt>

<dd>

{{#each item.HTTP.Methods as |item|}}

{{item}}

{{/each}}

</dd>

</dl>

{{/if}}

{{#if item.HTTP.Path}}

<dl class="permission-path">

<dt>

<Tooltip>

```

 {{item.HTTP.PathType}}
 </Tooltip>
 </dt>
 <dd>
 {{item.HTTP.Path}}
 </dd>
 </dl>
{{/if}}
{{#each item.HTTP.Header
as |item|}}
 <dl class="permission-header">
 <dt>
 <Tooltip>
 Header
 </Tooltip>
 </dt>
 <dd>
 {{item.Name}} {{route-match item}}
 </dd>
 </dl>
{{/each}}
</div>
</BlockSlot>
{{#if onclick}}
<BlockSlot @name="actions" as |Actions|>
 <Actions as |Action|>
 <Action data-test-edit-action @onclick={{action (optional onclick) item}} @close={{true}}>
 <BlockSlot @name="label">
 Edit
 </BlockSlot>
 </Action>
 <Action data-test-delete-action @onclick={{action ondelete item}} class="dangerous">
 <BlockSlot @name="label">
 Delete
 </BlockSlot>
 <BlockSlot @name="confirmation" as |Confirmation|>
 <Confirmation class="warning">
 <BlockSlot @name="header">
 Confirm delete
 </BlockSlot>
 <BlockSlot @name="body">
 <p>
 Are you sure you
want to delete this permission?
 </p>
 </BlockSlot>
 <BlockSlot @name="confirm" as |Confirm|>
 <Confirm>Delete</Confirm>

```

```

 </BlockSlot>
 </Confirmation>
</BlockSlot>
</Action>
</Actions>
</BlockSlot>
{{/if}}
</ListCollection>
{{/if}}
{
 "name": "envoy.filters.http.rbac",
 "typedConfig": {
 "@type": "type.googleapis.com/envoy.extensions.filters.http.rbac.v3.RBAC",
 "rules": {
 "policies": {
 "consul-intentions-layer7-0": {
 "permissions": [
 {
 "andRules": {
 "rules": [
 {
 "andRules": {
 "rules": [
 {
 "urlPath": {
 "path": {
 "prefix": "/v1"
 }
 }
],
 },
 },
],
 "header": {
 "name": "x-foo",
 "presentMatch": true
 }
 }
]
 },
 {
 "notRule": {
 "andRules": {
 "rules": [
 {
 "urlPath": {
 "path": {
 "exact": "/v1/secret"
 }
 }
 }
]
 }
 }
 }
]
 }
 }
}

```



```

 }
 },
 {
 "header": {
 "name": "x-baz",
 "presentMatch": true
 }
 },
 {
 "header": {
 "name": "x-bar",
 "presentMatch": true
 }
 }
]
}
},
{
 "notRule": {
 "andRules": {
 "rules": [
 {
 "urlPath": {
 "path": {
 "exact": "/v1/admin"
 }
 },
 "header": {
 "name": "x-baz",
 "presentMatch": true
 }
 },
 {
 "header": {
 "name": "x-bar",
 "presentMatch": true
 }
 }
]
 }
 }
}
]

```

```

 }
 },
 {
 "andRules": {
 "rules": [
 {
 "andRules": {
 "rules": [
 {

"urlPath": {
 "path": {
 "prefix": "/v2"
 }
 },
 {
 "header": {
 "name": "x-foo",
 "presentMatch": true
 }
 }
]
},
},
{
 "notRule": {
 "andRules": {
 "rules": [
 {
 "urlPath": {
 "path": {
 "exact": "/v2/secret"
 }
 },
 },
 {
 "header": {
 "name": "x-baz",
 "presentMatch":
true
 }
 }
],
 {
 "header": {
 "name": "x-bar",
 "presentMatch": true
 }
 }
 }
 }
}

```

```

 }
]
}
},
{
 "notRule": {
 "andRules": {
 "rules": [
 {
 "urlPath": {
 "path": {
 "exact": "/v2/admin"
 }
 }
 },
 {
 "header": {
 "name": "x-baz",
 "presentMatch": true
 }
 }
],
 "presentMatch": true
 }
 },
 {
 "header": {
 "name": "x-bar",
 "presentMatch": true
 }
 }
]
}
}
],
"principals": [
 {
 "authenticated": {
 "principalName": {
 "safeRegex": {
 "regex": "^spiffe://test.consul/ns/default/dc/[^/]+/svc/web$"
 }
 }
 }
 }
]

```

```

 }
 }
}
}
}
/**
 * Copyright (c) HashiCorp, Inc.
 * SPDX-License-Identifier: BUSL-1.1
 */

```

```

.agentless-node-notice .hds-alert__title {
 display: flex;
 justify-content: space-between;
}

```

Mozilla Public License 2.0 (MPLv2.0)

---

layout: commands

page\_title: 'Commands: License'

description: >

The license command provides a datacenter-level view of the Consul Enterprise license.

---

# Consul License

Command: `consul license`

<EnterpriseAlert />

The `license` command provides a list of all datacenters that use the Consul Enterprise license applied to the current datacenter.

~> **Warning**: Consul 1.10.0 removed the ability to set and reset the license using the CLI. See the [licensing documentation](/consul/docs/enterprise/license/overview) for more information about Consul Enterprise license management.

If ACLs are enabled then a token with operator privileges may be required in order to use this command. Requests are forwarded internally to the leader if required, so this can be run from any Consul node in a cluster. See the [ACL Guide](/consul/tutorials/security/access-control-setup-production) for more information.

```text

Usage: consul license <subcommand> [options] [args]

This command has subcommands

for managing the Consul Enterprise license

Here are some simple examples, and more detailed examples are available in the subcommands or the documentation.

Install a new license from a file:

```
$ consul license put @consul.license
```

Install a new license from stdin:

```
$ consul license put -
```

Install a new license from a string:

```
$ consul license put "<license blob>"
```

Retrieve the current license:

```
$ consul license get
```

Inspect a license:

```
$ consul license inspect "<path to license file>"
```

Reset the current license:

```
$ consul license reset
```

For more examples, ask for subcommand help or view the documentation.

Subcommands:

get	Get the active license
inspect	Inspect a signed license
put	Puts a new license in the datacenter
reset	Resets the license in the datacenter

...

inspect

This command inspects and validates a license. Just like a Consul agent it can load the license from a file on disk or from the `CONSUL\_LICENSE` and `CONSUL\_LICENSE\_PATH` environment variables.

Usage: `consul license inspect [<options>] [<license file>]`

Inspect a license contained in a file:

...

```
$ consul license inspect consul.hcl
```

...

Inspect a license loaded from the environment:

...

```
$ consul license inspect
```

...

This will look at the `CONSUL_LICENSE` environment variable first and if not present then we will look for the file specified by the `CONSUL_LICENSE_PATH` environment variable.

The output looks like this:

...

Source: `/consul/config/consul.hcl` (path from the `CONSUL_LICENSE_PATH` environment variable)

Product: consul

License ID: 6089174b-a713-74cf-4c8d-856b86f1ce50

Customer ID: 7c020610-60a2-7ccb-c210-20d899e5f3b4

Installation ID: *

Issue Time: 2020-09-14 19:45:56.212195875 +0000 UTC

Start Time: 2020-09-14 00:00:00 +0000 UTC

Expiration Time: 2021-09-14 23:59:59.999 +0000 UTC

Termination Time: 2021-09-14 23:59:59.999 +0000 UTC

Modules:

- Global Visibility, Routing and Scale

- Governance and Policy

Features:

- Automated Backups

- Automated Upgrades

- Enhanced Read Scalability

- Network Segments

- Redundancy Zone

- Advanced Network Federation

- Namespaces

- SSO

- Audit Logging

- Admin Partitions

License is valid

...

```
## put
```

-> ****Deprecated**** The ability to manage the cluster's license via the CLI was removed in Consul 1.10. While the CLI command still exists it will always return an error. This command will be fully removed in a future release.

Corresponding HTTP API Endpoint: `[PUT] /v1/operator/license`(`/consul/api-docs/operator/license#updating-the-consul-license`)

This command sets the Consul Enterprise license.

The table below shows this command's [required ACLs](`/consul/api-docs/api-structure#authentication`).

Configuration of

[blocking queries](`/consul/api-docs/features/blocking`) and [agent caching](`/consul/api-docs/features/caching`) are not supported from commands, but may be from the corresponding HTTP endpoint.

ACL Required	

`operator:write`	

Usage: ``consul license put [options] LICENSE``

The output looks like this:

```
```text
License is valid
License ID: 2afbf681-0d1a-0649-cb6c-333ec9f0989c
Customer ID: 0259271d-8ffc-e85e-0830-c0822c1f5f2b
Expires At: 2019-05-22 03:59:59.999 +0000 UTC
Datacenter: *
Package: premium
Licensed Features:
 Automated Backups
 Automated Upgrades
 Enhanced Read Scalability
 Network Segments
 Redundancy Zone
 Advanced Network Federation
```
```

API Options

@include 'http_api_options_client.mdx'

@include 'http_api_options_server.mdx'

get

Corresponding HTTP API Endpoint: `[GET] /v1/operator/license`(`/consul/api-docs/operator/license#getting-the-consul-license`)

This command gets the Consul Enterprise license. If the leader hasn't been updated with the newer license, the

followers
will display the outdated license in their GET output.

The table below
shows this command's [required ACLs](/consul/api-docs/api-structure#authentication). Configuration of [blocking queries](/consul/api-docs/features/blocking) and [agent caching](/consul/api-docs/features/caching) are not supported from commands, but may be from the corresponding HTTP endpoint.

ACL Required

`none`

Usage: `consul license get [options]`

The output looks like this:

```
```text
License is valid
License ID: 2afbf681-0d1a-0649-cb6c-333ec9f0989c
Customer ID: 0259271d-8ffc-e85e-0830-c0822c1f5f2b
Expires At: 2019-05-22 03:59:59.999 +0000 UTC
Datacenter: *
Package: premium
Licensed Features:
 Automated Backups
 Automated Upgrades
 Enhanced Read Scalability
 Network Segments
 Redundancy Zone
 Advanced Network Federation
```
```

API Options

@include 'http_api_options_client.mdx'

@include 'http_api_options_server.mdx'

reset

-> **Deprecated** The ability to manage the cluster's license via the CLI was removed in Consul 1.10. While the CLI command still exists it will always return an error. This command will be fully removed in a future release.

Corresponding HTTP API Endpoint: [DELETE] /v1/operator/license(/consul/api-docs/operator/license#resetting-the-consul-license)

Resets license for the datacenter to the one builtin in Consul binary, if it is still valid.

If the builtin license is invalid, the current one stays active.

The table below shows this command's [required ACLs](/consul/api-docs/api-structure#authentication).

Configuration of

[blocking queries](/consul/api-docs/features/blocking) and [agent caching](/consul/api-docs/features/caching)

are not supported from commands, but may be from the corresponding HTTP endpoint.

ACL Required

`operator:write`

Usage: `consul license reset [options]`

The output looks like this:

```
```text
License is valid
License ID: 2afbf681-0d1a-0649-cb6c-333ec9f0989c
Customer ID: 0259271d-8ffc-e85e-0830-c0822c1f5f2b
Expires
At: 2019-05-22 03:59:59.999 +0000 UTC
Datacenter: *
Package: premium
Licensed Features:
 Automated Backups
 Automated Upgrades
 Enhanced Read Scalability
 Network Segments
 Redundancy Zone
 Advanced Network Federation
...
API Options

@include 'http_api_options_client.mdx'

@include 'http_api_options_server.mdx'
{
 "name": "envoy.filters.http.rbac",
 "typedConfig": {
 "@type": "type.googleapis.com/envoy.extensions.filters.http.rbac.v3.RBAC",
 "rules": {
 "policies": {
 "consul-intentions-layer7-0": {
 "permissions": [
 {
 "andRules": {
```

```

"rules": [
 {
 "urlPath": {
 "path": {
 "prefix": "some-path"
 }
 }
 },
 {
 "andRules": {
 "rules": [
 {
 "metadata": {
 "filter": "envoy.filters.http.jwt_authn",
 "path": [
 {
 "key": "jwt_payload_okta"
 },
 {
 "key": "iss"
 }
],
 "value": {
 "stringMatch": {
 "exact": "mytest.okta-issuer"
 }
 }
 }
 },
 {
 "metadata": {
 "filter": "envoy.filters.http.jwt_authn",
 "path": [
 {
 "key": "jwt_payload_okta"
 },
 {
 "key": "roles"
 }
],
 "value": {
 "stringMatch": {
 "exact": "testing"
 }
 }
 }
 }
]
 }
 }
]

```



```

@extend %body-300-regular;
}
%license-validity dl .expired + dd {
 @extend %visually-hidden;
}
%license-validity dl dt::before {
 content: "";
 margin-right: 0.25rem; /* 4px */
}
%license-validity dl .expired::before {
 --icon-name: icon-x-circle;
 --icon-color: var(--token-color-foreground-critical);
}
%license-validity dl .warning::before {
 --icon-name: icon-alert-circle;
 --icon-color: var(--token-color-foreground-warning);
}
%license-validity dl .valid:not(.warning)::before {
 --icon-name: icon-check-circle;
 --icon-color: var(--token-color-foreground-success);
}

```

```

%license-route-learn-more
{
 @extend %panel;
 box-shadow: none;
 padding: var(--padding-y) var(--padding-x);
 width: 40%;
 min-width: 413px;
 margin-top: 1rem; /* 16px */
}
%license-route-learn-more header > :first-child {
 @extend %display-300-semibold;
}
%license-route-learn-more header {
 margin-bottom: 1rem; /* 16px */
}
{!!
 Copyright (c) HashiCorp, Inc.
 SPDX-License-Identifier: BUSL-1.1
!!}

```

```

<Route
 @name={{routeName}}
as |route|>
<DataLoader
 @src={{
 uri '${partition}/${namespace}/${dc}/license'

```

```

 (hash
 partition=route.params.partition
 nspace=route.params.nspace
 dc=route.params.dc
)
 }}
as |loader|>

{{#let
 loader.data
as |item|}}
 <BlockSlot @name="error">
 <ErrorState
 @error={{loader.error}}
 @login={{route.model.app.login.open}}
 />
 </BlockSlot>

 <BlockSlot @name="disconnected" as |after|>
 {{#if (eq loader.error.status "404")}}
 <Hds::Toast @color='warning'
 {{notification
 sticky=true
 }} as |T|>
 <T.Title>Warning!</T.Title>
 <T.Description>This service has been deregistered and no longer exists in the catalog.</T.Description>
 </Hds::Toast>
 {{else if (eq loader.error.status "403")}}
 <Hds::Toast @color='critical'
 {{notification
 sticky=true
 }} as |T|>
 <T.Title>Error!</T.Title>
 <T.Description>You no longer have access to this service.</T.Description>
 </Hds::Toast>
 {{else}}
 <Hds::Toast @color='warning'
 {{notification
 sticky=true
 }} as |T|>
 <T.Title>Warning!</T.Title>
 <T.Description>An error was returned whilst loading this data, refresh to try again.</T.Description>
 </Hds::Toast>
 {{/if}}
 </BlockSlot>

 <BlockSlot @name="loaded">
 <div class="tab-section">

```

```

<section
 class={{class-map
 'validity'
 (array 'valid' item.Valid)
 }}
>
<header>
 <h2>
 {{compute (fn route.t 'expiry.header')}}
 </h2>
</header>

<p>
 {{compute (fn route.t 'expiry.${type}.body'
 (hash
 type=(if item.Valid 'valid' 'expired')

date=(format-time item.License.expiration_time
 year='numeric'
 month='long'
 day='numeric'
)
time=(format-time item.License.expiration_time
 hour12=true
 hour='numeric'
 hourCycle='h12'
 minute='numeric'
 second='numeric'
 timeZoneName='short'
)
htmlSafe=true
)}}
</p>

<dl>
 <dt class={{class-map
 (array 'valid' item.Valid)
 (array 'expired' (not item.Valid))
 (array 'warning' (temporal-within item.License.expiration_time 2629800000))
 }}
 >
 {{compute (fn route.t 'expiry.${type}.header'
 (hash
 type=(if item.Valid 'valid' 'expired')
)
)}}
 </dt>

```

```

<dd>
 {{temporal-format item.License.expiration_time}}
</dd>
</dl>

<aside>
 <header>
 <h3>
 {{compute (fn route.t 'documentation.title')}}
 </h3>
 </header>
 <div class="flex gap-1.5 flex-col">
 <Hds::Link::Standalone
 @text={{compute (fn route.t 'documentation.links.license-expiration.text')}}
 @href={{concat (env 'CONSUL_DOCS_URL') (compute (fn route.t 'documentation.links.license-
expiration.link'))}}'
 @icon='docs-link'
 @iconPosition='trailing'
 />
 <Hds::Link::Standalone
 @text={{compute (fn route.t 'documentation.links.renewing-license.text')}}
 @href={{concat (env 'CONSUL_DOCS_URL') (compute (fn route.t 'documentation.links.renewing-
license.link'))}}'
 @icon='docs-link'
 @iconPosition='trailing'
 />
 <Hds::Link::Standalone
 @text={{compute (fn route.t 'documentation.links.applying-new-license.text')}}
 @href={{concat (env 'CONSUL_DOCS_URL') (compute (fn route.t 'documentation.links.applying-new-
license.link'))}}'
 @icon='docs-link'
 @iconPosition='trailing'
 />
 </div>
</aside>

</section>
</div>
</BlockSlot>
{{/let}}
</DataLoader>
</Route>
// Copyright (c) HashiCorp, Inc.
// SPDX-License-Identifier: MPL-2.0

```

```
package api
```

```

import (
 "io"
 "strings"
 "time"
)

type License struct {
 // The unique identifier of the license
 LicenseID string `json:"license_id"`

 // The customer ID associated with the license
 CustomerID string `json:"customer_id"`

 // If set, an identifier that should be used to lock the license to a
 // particular site, cluster, etc.
 InstallationID string `json:"installation_id"`

 // The time at which the license was issued
 IssueTime time.Time `json:"issue_time"`

 // The time at which the license starts being valid
 StartTime time.Time `json:"start_time"`

 // The time after which the license expires
 ExpirationTime time.Time `json:"expiration_time"`

 // The time at which the license ceases to function and can
 // no longer be used in any capacity
 TerminationTime time.Time `json:"termination_time"`

 // Whether the license will ignore termination
 IgnoreTermination bool `json:"ignore_termination"`

 //
 // The product the license is valid for
 Product string `json:"product"`

 // License Specific Flags
 Flags map[string]interface{} `json:"flags"`

 // Modules is a list of the licensed enterprise modules
 Modules []string `json:"modules"`

 // List of features enabled by the license
 Features []string `json:"features"`
}

```



```

type LicenseReply struct {
 Valid bool
 License *License
 Warnings []string
}

func (op *Operator) LicenseGet(q *QueryOptions) (*LicenseReply, error) {
 var reply LicenseReply
 if _, err := op.c.query("/v1/operator/license", &reply, q); err != nil {
 return nil, err
 } else {
 return &reply, nil
 }
}

func (op *Operator) LicenseGetSigned(q *QueryOptions) (string, error) {
 r := op.c.newRequest("GET", "/v1/operator/license")
 r.params.Set("signed", "1")
 r.setQueryOptions(q)
 _, resp, err := op.c.doRequest(r)
 if err != nil {
 return "", err
 }
 defer closeResponseBody(resp)
 if err := requireOK(resp); err != nil {
 return "", err
 }

 data, err := io.ReadAll(resp.Body)
 if err != nil {
 return "", err
 }

 return string(data), nil
}

// LicenseReset will reset the license to the builtin one if it is still valid.
// If the builtin license is invalid, the current license stays active.
//
// DEPRECATED: Consul 1.10 removes the corresponding HTTP endpoint as licenses
// are now set via agent configuration instead of through the API
func (op *Operator) LicenseReset(opts *WriteOptions) (*LicenseReply, error) {
 var reply LicenseReply
 r := op.c.newRequest("DELETE", "/v1/operator/license")
 r.setWriteOptions(opts)
 _, resp, err := op.c.doRequest(r)
 if err != nil {

```

```

 return nil, err
}
defer closeResponseBody(resp)
if err := requireOK(resp); err != nil {
 return nil, err
}
if err := decodeBody(resp, &reply); err != nil {
 return nil, err
}
return &reply, nil
}

// LicensePut will configure the Consul Enterprise license for the target datacenter
//
// DEPRECATED: Consul 1.10 removes the corresponding HTTP endpoint as licenses
// are now set
// via agent configuration instead of through the API
func (op *Operator) LicensePut(license string, opts *WriteOptions) (*LicenseReply, error) {
 var reply LicenseReply
 r := op.c.NewRequest("PUT", "/v1/operator/license")
 r.setWriteOptions(opts)
 r.body = strings.NewReader(license)
 _, resp, err := op.c.doRequest(r)
 if err != nil {
 return nil, err
 }
 defer closeResponseBody(resp)
 if err := requireOK(resp); err != nil {
 return nil, err
 }

 if err := decodeBody(resp, &reply); err != nil {
 return nil, err
 }

 return &reply, nil
}

layout: docs
page_title: Enterprise Licenses
description: >-
 Consul Enterprise server, client, and snapshot agents require a license on startup in order to use Enterprise features.
 Learn how to apply licenses using environment variables or configuration files.

Consul Enterprise License

Licensing Overview

```

All Consul Enterprise agents must be licensed when they are started. Where that license comes from will depend on which binary is in use, whether the agent is a server, client or snapshot agent, and whether ACLs have been enabled for the cluster.

-> **\*\* Consul Enterprise 1.10.0 removed temporary licensing.\*\*** Prior to 1.10.0, Consul Enterprise agents could start without a license and then have a license applied to them later on via the CLI or API. That functionality has been removed and replaced with the ability to load licenses from the agent's configuration or environment. Also, prior to 1.10.0, server agents would automatically propagate the license between themselves.

This no longer occurs and the license must be present on each server agent when it is started.

Consul Enterprise 1.14.0, when running on Kubernetes, removed client agents and replaced these with virtual agents.

Virtual agents are nodes that Consul service mesh services run on. HashiCorp uses virtual agents to determine license entitlements for customers on per-node licensing and pricing agreements.

-> Visit the [\[Enterprise License Tutorial\]\(/nomad/tutorials/enterprise/hashicorp-enterprise-license?utm\\_source=docs\)](https://nomad.tutorials/enterprise/hashicorp-enterprise-license?utm_source=docs) for detailed steps on how to install the license key.

### ### Applying a License

For Consul Enterprise 1.10.0 or greater, a license must be available at the time the agent starts.

For server agents this means that they must either have the `[`license_path`](/consul/docs/agent/config/config-files#license_path)`

configuration set or have a license configured in the servers environment with the ``CONSUL_LICENSE`` or ``CONSUL_LICENSE_PATH`` environment variables. Both the configuration

item and the ``CONSUL_LICENSE_PATH`` environment variable point to a file containing the license whereas the ``CONSUL_LICENSE`` environment variable should contain the license as the value. If multiple variables are set, the following order of precedence applies:

1. ``CONSUL_LICENSE`` environment variable
2. ``CONSUL_LICENSE_PATH`` environment variable
3. ``license_path`` configuration item.

Client agents and `[snapshot agents](/consul/docs/enterprise/backups)`

may also be licensed in the very same manner.

However, to avoid the need to configure the license on many client agents and snapshot agents, those agents have the capability to retrieve the license automatically under the conditions described below.

Virtual agents do not need the license to run.

Updating the license for an agent depends on the method you used to apply the license.

- **\*\*If you used the ``CONSUL_LICENSE`` environment variable\*\***: After updating the environment variable, restart the affected agents.

- **\*\*If you used the**

``CONSUL_LICENSE_PATH``

environment variable\*\*: Update the license file first. Then, restart the affected agents.

- \*\*If you used the ``license_path`` configuration item\*\*: Update the license file first. Then, run [``consul reload``](/consul/commands/reload) for the affected agents.

#### #### Client Agent License Retrieval

When a client agent starts without a license in its configuration or environment, it will try to retrieve the license from the servers via RPCs. That RPC always requires a valid non-anonymous ACL token to authorize the request but the token doesn't need any particular permissions. As the license is required before the client actually joins the cluster, where to make those RPC requests to is inferred from the [``retry_join``](/consul/docs/agent/config/config-files#retry\_join) configuration. If ``retry_join`` is unset or no [``agent` token`](/consul/docs/agent/config/config-files#acl\_tokens\_agent) is set then the client agent will immediately shut itself down.

If all preliminary checks

pass the client agent will attempt to reach out to any server on its RPC port to request the license. These requests will be retried for up to 5 minutes and if it is unable to retrieve a license within that time frame it will shut itself down.

If ACLs are disabled then the license must be provided to the client agent through one of the three methods listed below.

Failure in providing the client agent with a licence will prevent the client agent from joining the cluster.

1. ``CONSUL_LICENSE`` environment variable
2. ``CONSUL_LICENSE_PATH`` environment variable
3. ``license_path`` configuration item.

#### #### Snapshot Agent License Retrieval

The snapshot agent has similar functionality to the client agent for automatically retrieving the license. However, instead of requiring a server agent to talk to, the snapshot agent can request the license from the server or client agent it would use for all other operations. It still requires an ACL token to authorize the request. Also like client agents,

the snapshot agent will shut itself down after being unable to retrieve the license for 5 minutes.

/\*\*

\* Copyright (c) HashiCorp, Inc.

\* SPDX-License-Identifier: BUSL-1.1

\*/

```
.consul-intention-permission-header-list {
 dt::before {
 @extend %with-glyph-icon;
 content: 'H';
 }
}
```

```
/**
 * Copyright (c) HashiCorp, Inc.
 * SPDX-License-Identifier: BUSL-1.1
 */
```

```
.consul-intention-permission-list {
 .detail > div {
 display: flex;
 width: 100%;
 }
 strong {
 margin-right: 8px;
 }
}
```

```
/**
 * Copyright (c) HashiCorp, Inc.
 * SPDX-License-Identifier: BUSL-1.1
 */
```

```
.consul-intention-permission-list {
 dt::before {
 @extend %with-glyph-icon;
 }
 dl.permission-methods dt::before {
 content: 'M';
 }
 dl.permission-path dt::before {
 content: 'P';
 }
 dl.permission-header dt::before {
 content: 'H';
 }
}
```

```
{{!
Copyright (c) HashiCorp, Inc.
SPDX-License-Identifier: BUSL-1.1
}}
```

```
{{#if isVisible}}
<Hds::Alert @type="inline" class='mb-3 mt-2 agentless-node-notice' data-test-node-agentless-notice as |A|>
 <A.Title>
 {{t 'routes.dc.nodes.index.agentless.notice.header'}}
 <Hds::Button
 @color='secondary'
 @text='Dismiss notice'
 {{on 'click' this.dismissAgentlessNotice}}
 @icon='x'
 @size='small'
```

```

 @isIconOnly={{true}}
 />
</A.Title>
<A.Description>{{t 'routes.dc.nodes.index.agentless.notice.body'}}</A.Description>
<A.Link::Standalone @href='{{env "CONSUL_DOCS_DEVELOPER_URL"}}/connect/dataplane'
 @text={{t 'routes.dc.nodes.index.agentless.notice.footer'}}
 @icon='docs-link'
 @iconPosition='trailing' />
</Hds::Alert>
{{/if}}
/*!
* QUnit 2.19.4
* https://qunitjs.com/
*
* Copyright OpenJS Foundation and other contributors
* Released under the MIT license
* https://jquery.org/license
*/
{!!
Copyright (c) HashiCorp, Inc.
SPDX-License-Identifier: BUSL-1.1
}}

```

```

<Hds::Alert @type="inline" class="mb-3 mt-2" as |A|>
<A.Description>{{t "components.consul.intention.notice.permissions.body"}}</A.Description>
<A.Link::Standalone
 @text={{t "components.consul.intention.notice.permissions.footer"}}
 @href="{{env 'CONSUL_DOCS_URL'}}/connect/intentions"
 @icon="docs-link"
 @iconPosition="trailing"
 @size="small"
 />
</Hds::Alert>

```

License text copyright (c) 2020 MariaDB Corporation Ab, All Rights Reserved.  
 "Business Source License" is a trademark of MariaDB Corporation Ab.

#### Parameters

Licensors: HashiCorp, Inc.

Licensed Work: Consul Version 1.17.0 or later. The Licensed Work is (c) 2024 HashiCorp, Inc.

Additional Use Grant: You may make production use of the Licensed Work, provided Your use does not include offering the Licensed Work to third parties on a hosted or embedded basis in order to compete with HashiCorp's paid version(s) of the Licensed Work. For purposes of this license:

A "competitive offering" is a Product that is offered to third

parties on a paid basis, including through paid support arrangements, that significantly overlaps with the capabilities of HashiCorp's paid version(s) of the Licensed Work. If Your

Product is not a competitive offering when You first make it generally available, it will not become a competitive offering later due to HashiCorp releasing a new version of the Licensed Work with additional capabilities. In addition, Products that are not provided on a paid basis are not competitive.

"Product" means software that is offered to end users to manage in their own environments or offered as a service on a hosted basis.

"Embedded" means including the source code or executable code from the Licensed Work in a competitive offering. "Embedded" also means packaging the competitive offering in such a way that the Licensed Work must be accessed or downloaded for the

competitive offering to operate.

Hosting or using the Licensed Work(s) for internal purposes within an organization is not considered a competitive offering. HashiCorp considers your organization to include all of your affiliates under common control.

For binding interpretive guidance on using HashiCorp products under the Business Source License, please visit our FAQ. (<https://www.hashicorp.com/license-faq>)

Change Date: Four years from the date the Licensed Work is published.

Change License: MPL 2.0

For information about alternative licensing arrangements for the Licensed Work, please contact [licensing@hashicorp.com](mailto:licensing@hashicorp.com).

Notice

Business Source License 1.1

Terms

The Licensor hereby grants you the right to copy, modify, create derivative works, redistribute, and make non-production use of the Licensed Work.

The Licensor may make an Additional Use Grant, above, permitting limited production use.

Effective on the Change Date, or the fourth anniversary of the first publicly available distribution of a specific version of the Licensed Work under this

License, whichever comes first, the Licensor hereby grants you rights under the terms of the Change License, and the rights granted in the paragraph above terminate.

If your use of the Licensed Work does not comply with the requirements currently in effect as described in this License, you must purchase a commercial license from the Licensor, its affiliated entities, or authorized resellers, or you must refrain from using the Licensed Work.

All copies of the original and modified Licensed Work, and derivative works of the Licensed Work, are subject to this License. This License applies separately for each version of the Licensed Work and the Change Date may vary for each version of the Licensed Work released by Licensor.

You must conspicuously display this License on each original or modified copy of the Licensed Work. If you receive the Licensed Work in original or modified form from a third party, the terms and conditions set forth in this License apply to your use of that work.

Any use of the Licensed Work in violation of this License will automatically terminate your rights under this License for the current and all other versions of the Licensed Work.

This License does not grant you any right in any trademark or logo of Licensor or its affiliates (provided that you may use a trademark or logo of Licensor as expressly required by this License).

TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE LICENSED WORK IS PROVIDED ON AN "AS IS" BASIS. LICENSOR HEREBY DISCLAIMS ALL WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, AND TITLE.

```
{
 "name": "envoy.filters.http.jwt_authn",
 "typedConfig": {
 "@type": "type.googleapis.com/envoy.extensions.filters.http.jwt_authn.v3.JwtAuthentication",
 "providers": {
 "auth0": {
 "issuer": "another-issuer",
 "payloadInMetadata": "jwt_payload_auth0",
 "remoteJwks": {
 "asyncFetch": {
 "fastListener": true
 },
 },
 "httpUri": {
 "cluster": "jwks_cluster_auth0",
 "timeout": "1s",

```



```

 "uri": "https://example-auth0.com/.well-known/jwks.json"
 }
},
"okta": {
 "issuer": "test-issuer",
 "payloadInMetadata": "jwt_payload_okta",
 "remoteJwks": {
 "asyncFetch": {
 "fastListener": true
 },
 "httpUri": {
 "cluster": "jwks_cluster_okta",
 "timeout": "1s",
 "uri": "https://example-okta.com/.well-known/jwks.json"
 }
 }
},
"rules": [
 {
 "match": {
 "prefix": "/"
 },
 "requires": {
 "requiresAll": {
 "requirements": [
 {
 "requiresAny": {
 "requirements": [
 {
 "providerName": "okta"
 },
 {
 "allowMissingOrFailed": {}
 }
]
 }
 }
]
 },
 {
 "requiresAny": {
 "requirements": [
 {
 "providerName": "auth0"
 },
 {
 "allowMissingOrFailed": {}
 }
]
 }
 }
 }
 }
]

```



```

 </label>
 {{/each}}
 </div>
 </div>
</fieldset>

<fieldset>
 <header>
 <h2>Path</h2>
 </header>
 <div>
 <group.Element
 @name="PathType"
 @type="select"
 as |el|>
 <el.Label>
 Path type
 </el.Label>
 <PowerSelect
 @options={{pathTypes}}
 @selected={{pathType}}
 @onChange={{action 'change' 'HTTP.PathType' changeset}} as |Type|>
 {{get pathLabels Type}}
 </PowerSelect>
 </group.Element>

 {{#if shouldShowPathField}}
 <group.Element
 @name="Path"
 @error={{changeset-get changeset 'error.HTTP.Path'}}
 as |el|>
 <el.Label>
 {{get pathLabels pathType}}
 </el.Label>
 <el.Text
 @value={{changeset-get changeset 'HTTP.Path'}}
 oninput={{action 'change' 'HTTP.Path' changeset}}
 />
 <State @state={{el.state}} @matches="error">
 <el.Error>

 {{#if (eq (changeset-get changeset 'HTTP.Path') 'Regex')}}
 Path Regex should not be blank
 {{else}}
 Path should begin with a '/'
 {{/if}}
 </el.Error>
 </State>
 </group.Element>
 {{/if}}
 </div>
</fieldset>

```

```

 </group.Element>
 {{/if}}

</div>
</fieldset>

<fieldset>
 <h2>Methods</h2>
 <div class="type-toggle">
 All methods are applied by default unless specified
 <group.Element
 @name="allMethods"
 as |el|>
 <el.Checkbox
 checked={{if allMethods 'checked'}}
 onchange={{action 'change' 'allMethods' changeset}}
 />
 <el.Label>
 All Methods
 </el.Label>
 </group.Element>
 </div>

 {{#if shouldShowMethods}}
 <div class="checkbox-group" role="group">
 {{#each methods as |method|}}
 <label class="type-checkbox">
 <input
 type="checkbox"
 name="method"
 value={{method}}

 checked={{if (includes method changeset.HTTP.Methods) 'checked'}}
 onchange={{action 'change' 'method' changeset}}
 />
 {{method}}
 </label>
 {{/each}}
 </div>
 {{/if}}
</fieldset>

<fieldset>
 <h2>Headers</h2>

 <Consul::Intention::Permission::Header::List
 @items={{changeset-get changeset 'HTTP.Header'}}
 @ondelete={{action 'delete' 'HTTP.Header' changeset}}
 >

```

```

as |headerList|>

</Consul::Intention::Permission::Header::List>

<Consul::Intention::Permission::Header::Form
 @onsubmit={{ {action 'add' 'HTTP.Header' changeset} }}
as |headerForm|>
 <Ref @target={{ {this} }} @name="headerForm" @value={{ {headerForm} }} />
</Consul::Intention::Permission::Header::Form>

<Hds::ButtonSet>
 <Hds::Button
 data-test-add-header
 @text='Add{{ {if (gt (get (changeset-get changeset 'HTTP.Header') 'length') 0) ' another' ''} }} header'
 @color='primary'
 disabled={{ {if (not this.headerForm.isDirty)
'disabled'}} }}
 onclick={{ {action this.headerForm.submit} }}
 />
 <Hds::Button
 @text='Cancel'
 @color='secondary'
 onclick={{ {action this.headerForm.reset} }}
 />
</Hds::ButtonSet>
</fieldset>
</FormGroup>
</div>

```

## 1.83 mennanov-limiters 1.6.0

### 1.83.1 Available under license :

MIT License

Copyright (c) 2019 Renat Mennanov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.84

# google.golang.org/genproto/googleapis/rpc 0.0.0-20240610135401-a8a62080eff3

### 1.84.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.



You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.85 github.com/aws/aws-sdk-go-v2/internal/endpoints/v2 2.6.9

## 1.85.1 Available under license :

```
// Code generated by smithy-go-codegen DO NOT EDIT.
```

```
package licensemanager
```

```
import (
 "context"
 "fmt"
```

```

awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license.
//
// If the account that created the license is the same that is performing the
// check out, you must specify the account as the beneficiary.
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
 if params == nil {
 params = &CheckoutLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckoutLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CheckoutLicenseInput struct {

 //
 // Checkout type.
 //
 // This member is required.
 CheckoutType types.CheckoutType

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 // the request.
 //
 // This member is required.
 ClientToken *string

 // License entitlements.
 //
 // This member is required.
 Entitlements []types.EntitlementData

 // Key fingerprint identifying the license.
 //

```

```

// This member is required.
KeyFingerprint *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// License beneficiary.
Beneficiary *string

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

// Checkout type.
CheckoutType types.CheckoutType

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the checkout license.
LicenseArn
*string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde

```

```

}

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack,
options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {
 return err
 }
 if err = addRecordResponseTiming(stack); err != nil {
 return err
 }
 if err = addSpanRetryLoop(stack, options); err != nil {
 return err
 }

```

```

}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack,
c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
}

```

```

if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err !=
nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckoutLicense",
 }
}
name: License Scan

on: [pull_request]

jobs:
 licensescan:
 name: License Scan
 runs-on: ubuntu-latest
 strategy:
 matrix:
 python-version: [3.9]

 steps:
 - name: Checkout target
 uses: actions/checkout@v2
 with:
 path: sdkbase
 ref: ${ github.base_ref }
 - name: Checkout this ref
 uses: actions/checkout@v2
 with:
 path: new-ref
 fetch-depth: 0
 - name: Get Diff
 run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT ${ github.event.pull_request.base.sha }
${ github.sha } > refDiffFiles.txt
 - name: Get Target Files
 run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt - > targetFiles.txt
 - name: Checkout scancode
 uses: actions/checkout@v2

```

```

with:
 repository: nexB/scancode-toolkit
 path: scancode-toolkit
 fetch-depth: 1
- name: Set up Python ${ matrix.python-version }
 uses: actions/setup-python@v2
with:
 python-version: ${ matrix.python-version }
ScanCode
- name: Self-configure scancode
 working-directory: ./scancode-toolkit
 run: ./scancode --help
- name: Run Scan code on target
 run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
- name: Run Scan code on pr ref
 run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
compare
- name: License test
 run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
are the same. Success."; exit 0; fi
// Code generated by smithy-go-codegen DO NOT EDIT.

```

package grafana

```

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Removes the Grafana Enterprise license from a workspace.
func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
...func(*Options)) (*DisassociateLicenseOutput, error) {
 if params == nil {
 params = &DisassociateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }
}

```



```

out := result.(*DisassociateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

```

```

type DisassociateLicenseInput struct {

 // The type of license to remove from the workspace.
 //
 // This member is required.
 LicenseType types.LicenseType

 //
 // The ID of the workspace to remove the Grafana Enterprise license from.
 //
 // This member is required.
 WorkspaceId *string

 noSmithyDocumentSerde
}

```

```

type DisassociateLicenseOutput struct {

 // A structure containing information about the workspace.
 //
 // This member is required.
 Workspace *types.WorkspaceDescription

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

```

```

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "DisassociateLicense");

```

```

err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if
err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {

```

```

 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err
!= nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 }
}

```

```

OperationName: "DisassociateLicense",
}
}
{
 "smithy": "2.0",
 "shapes": {
 "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
 "type": "structure",
 "members": {
 "DirectoryId": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Directory",
 "traits": {
 "smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
 }
 }
 },
 "ActiveDirectorySettings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectorySettings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>ActiveDirectorySettings</code> resource contains details about \n\t\t\tthe Active Directory, including network access details such as domain name and IP \n\t\t\taddresses, and the credential provider for user administration.</p>"
 }
 },
 "ActiveDirectoryType": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryType",
 "traits": {
 "smithy.api#documentation": "<p>The type of Active Directory either a self-managed Active Directory or an \n\t\t\tAmazon Web Services Managed Active Directory.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about an Active Directory identity provider.</p>"
 }
 }
}

```

```

 },
 "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectorySettings": {
 "type": "structure",
 "members": {
 "DomainName": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name for the Active Directory.</p>"
 }
 },
 "DomainIpv4List": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IpV4List",
 "traits": {
 "smithy.api#documentation": "<p>A list of domain IPv4 addresses that are used for the Active Directory.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 2
 }
 }
 },
 "DomainCredentialsProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#CredentialsProvider",
 "traits": {
 "smithy.api#documentation": "<p>Points to the <code>CredentialsProvider</code> resource that contains information about the credential provider for user administration.</p>"
 }
 },
 "DomainNetworkSettings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DomainNetworkSettings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>DomainNetworkSettings</code> resource contains an array of subnets that apply for the Active Directory.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains network access and credential details that are needed for user administration in the Active Directory.</p>"
 }
 },
 },
 "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryType": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {

```





information for the user to associate.</p>"

```
 }
 },
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags that apply for the user association.</p>"
 }
 }
},
"traits": {

"smithy.api#input": {}
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#BoxInteger": {
 "type": "integer"
},
"com.amazonaws.licenseanagerusersubscriptions#ConflictException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current state of the\n\t\t\t\tresource.</p>",
 "smithy.api#error": "server"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#CreateLicenseServerEndpoint": {
 "type": "operation",
```



```

"input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#CreateLicenseServerEndpointRequest"
},
"output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#CreateLicenseServerEndpointResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Creates a network endpoint for the Remote Desktop Services (RDS)
license server.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/license-server/CreateLicenseServerEndpoint"
 },
 "smithy.api#idempotent": {}
},
"com.amazonaws.licenseanagerusersubscriptions#CreateLicenseServerEndpointRequest": {
 "type": "structure",
 "members": {
 "IdentityProviderArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) that identifies the

```

`IdentityProvider` resource that contains details about a registered identity provider. In the case of Active Directory, that can be a self-managed Active Directory or an Amazon Web Services Managed Active Directory that contains user identity details.

```
 "smithy.api#required": {}
 },
 "LicenseServerSettings": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerSettings",
 "traits": {
 "smithy.api#documentation": "<p>The LicenseServerSettings resource to create for the endpoint. The settings include the type of license server and the Secrets Manager secret that enables administrators to add or remove users associated with the license server.</p>",
 "smithy.api#required": {}
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags that apply for the license server endpoint.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#CreateLicenseServerEndpointResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the identity provider specified in the request.</p>"
 }
 },
 "LicenseServerEndpointArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The ARN of the LicenseServerEndpoint resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
}
```

```

 },
 "com.amazonaws.licenseanagerusersubscriptions#CredentialsProvider": {
 "type": "union",
 "members": {
 "SecretsManagerCredentialsProvider":
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#SecretsManagerCredentialsProvider",
 "traits": {
 "smithy.api#documentation": "<p>Identifies the Secrets Manager secret that contains credentials
needed for \n\t\t\t\t\tuser administration in the Active Directory.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains information about the credential provider for user
\n\t\t\t\t\tadministration.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DeleteLicenseServerEndpoint": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeleteLicenseServerEndpointRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeleteLicenseServerEndpointResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
]
 }
}

```

```

 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes a <code>LicenseServerEndpoint</code> resource.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/license-server/DeleteLicenseServerEndpoint"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#DeleteLicenseServerEndpointRequest": {
 "type": "structure",
 "members": {
 "LicenseServerEndpointArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) that identifies the
<code>LicenseServerEndpoint</code> \n\t\t\tresource to delete.</p>",
 "smithy.api#required": {}
 }
 },
 "ServerType": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerType",
 "traits": {
 "smithy.api#documentation": "<p>The type of License Server that the delete request refers to.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#DeleteLicenseServerEndpointResponse": {
 "type": "structure",
 "members": {
 "LicenseServerEndpoint": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpoint",
 "traits": {
 "smithy.api#documentation": "<p>Shows details from the <code>LicenseServerEndpoint</code>
resource that was deleted.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deregisters the Active Directory identity provider from License Manager user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/DeregisterIdentityProvider"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest":
{
 "type": "structure",
 "members": {

```

```

 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the Active Directory identity
provider.</p>"
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
<code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>"
 }
 },
 "IdentityProviderArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",

 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) that identifies the identity
provider to deregister.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Directory":
{
 "type": "string",

```

```

 "traits": {
 "smithy.api#pattern": "^(d|sd)-[0-9a-f]{10}$"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DisassociateUser": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/DisassociateUser"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest":

```

```

{
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the Active Directory identity provider for the
user.</p>"
 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance which provides user-based
subscriptions.</p>"
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the Active Directory identity
provider.</p>"
 }
 },
 "InstanceUserArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the user to disassociate
from the EC2 instance.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains
information for the user to disassociate.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#DisassociateUserResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummary": {

```



```

 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#DomainNetworkSettings": {
 "type": "structure",
 "members": {
 "Subnets": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>Contains a list of subnets that apply for the Active Directory
domain.</p>",
 "smithy.api#length": {
 "min": 1
 },
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains network settings for the Active Directory domain.</p>"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#Filter": {
 "type": "structure",
 "members": {
 "Attribute": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
 }
 },
 "Operation": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
 }
 },
 "Value": {
 "target": "smithy.api#String",

```

```

 "traits": {
 "smithy.api#documentation":
"Value of the filter."
 }
 },
 "traits": {
 "smithy.api#documentation": "A filter name and value pair that is used to return more specific results
from a describe or list operation. You can use filters can be used to match a set of resources by specific
criteria, such as tags, attributes, or IDs."
 }
},
"com.amazonaws.licensemanagerusersubscriptions#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Filter"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProvider": {
 "type": "union",
 "members": {
 "ActiveDirectoryIdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryIdentityProvider",
 "traits": {

 "smithy.api#documentation": "The <code>ActiveDirectoryIdentityProvider</code> resource
contains settings and other details about a specific Active Directory identity provider."
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "Refers to an identity provider."
 }
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "The <code>IdentityProvider</code> resource contains information
about an identity provider.",
 "smithy.api#required": {}
 }
 }
 },
 "Settings": {

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>Settings</code> resource contains details about the
registered \n\t\t\tidentity providers product related configuration settings, such as the \n\t\t\tsubnets to provision VPC
endpoints.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of the identity provider.</p>",
 }
 },
 "smithy.api#required": {}
},
"IdentityProviderArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the identity provider.</p>"
 }
},
"FailureMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes an identity provider.</p>"
},
"com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceSummary": {
 "type": "structure",

```

```

 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of an EC2 instance resource.</p>",
 "smithy.api#required": {}
 }
 },
 "Products": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
 "smithy.api#required": {}
 }
 },
 "LastStatusCheckDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date of the last status check.</p>"
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary"
 }
 },
 },

```



```

 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains the user
information for the product subscription.</p>"
 }
 },
 "AssociationDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
 }
 },
 "DisassociationDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based
subscriptions.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#InternalServerError": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
 "smithy.api#error": "server",
 "smithy.api#httpError": 500
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#IpV4": {
 "type": "string",
 "traits": {

```

```

 "smithy.api#pattern": "^(?:(25[0-5]|2[0-4][0-9]|1[0-9][0-9]|[1-9][0-9]|[0-9])(\\.(?!$)|$)){4}$"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#IPv4List": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IPv4"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#LicenseManagerUserSubscriptions": {
 "type": "service",
 "version": "2018-05-10",
 "operations": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUser"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#CreateLicenseServerEndpoint"
 }
],
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeleteLicenseServerEndpoint"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUser"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProviders"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstances"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListLicenseServerEndpoints"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptions"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListTagsForResource"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociations"
 },

```

```

 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscription"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscription"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagResource"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UntagResource"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettings"
 }
],
 "traits": {
 "aws.api#service": {
 "sdkId": "License Manager User Subscriptions",
 "arnNamespace": "license-manager-user-subscriptions",
 "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
 },
 "aws.auth#sigv4": {
 "name": "license-manager-user-subscriptions"
 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id",
 "content-length",
 "x-api-key",
 "authorization",
 "x-amz-date",
 "x-amz-security-token",
 "Access-Control-Allow-Headers",
 "Access-Control-Allow-Methods",
 "Access-Control-Allow-Origin"
],
 "additionalExposedHeaders": [

```





```

 {
 "ref": "Endpoint"
 }
]
}
],
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},

```

```

 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
},
{
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
]
},
{
 "rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
]
 },
 "assign": "PartitionResult"
]
 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
 },
 {
 "fn": "booleanEquals",
 "argv": [

```

```

 {
 "ref": "UseDualStack"
 },
 true
]
}
],
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",

"argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 },
 },

{
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]

}
],
"rules": [
 {
 "conditions": [],
 "endpoint": {

```

```

 "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
],

"type": "tree"
},
{
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
}
],
"type": "tree"
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
]
 }
]
}
]

```

```

 },
 true
]
}
],
"rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
"type": "tree"
},
{
 "conditions": [],
 "error": "FIPS is enabled but this partition does not support FIPS",
 "type": "error"
}
],

"type": "tree"
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]
},
"rules": [
 {
 "conditions": [

{
 "fn": "booleanEquals",
 "argv": [
 true,

```

```

 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
}

],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 },
 {
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
 }
],
 "type": "tree"
},
{
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
],
"type": "tree"
}

```

```

],
 "type": "tree"
 },
 {
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
 }
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint":
{
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,

"UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
 }
 },
 "params": {

```



```

 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack":
true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{

```

```

 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack":
false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 },

```

```

 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack":
true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition
does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {

```

```

 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},

{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 },
},

"params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{

```

```

 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 },
 "params": {
 "Region": "us-east-1",

```

```

 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint":
"https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are
not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "Missing region",
 "expect": {

```

```

 "error": "Invalid Configuration: Missing Region"
 },
 {
],
 "version": "1.0"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServer": {
 "type": "structure",
 "members": {
 "ProvisioningStatus": {
 "target":
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointProvisioningStatus",
 "traits": {
 "smithy.api#documentation": "<p>The current state of the provisioning process for the RDS\n\t\t\t\t\tlicense server.</p>"
 }
 },
 "HealthStatus": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerHealthStatus",
 "traits": {
 "smithy.api#documentation": "<p>The health status of the RDS license server.</p>"
 }
 },
 "Ipv4Address": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A list of domain IPv4 addresses that are used for the RDS\n\t\t\t\t\tlicense server.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Information about a Remote Desktop Services (RDS) license\nserver.</p>"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpoint": {
 "type": "structure",
 "members": {
 "IdentityProviderArn": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the identity provider that's\nassociated with \n\t\t\t\t\tthe RDS license server endpoint.</p>"
 }
 },

```







```

 },
 {
 "name": "DELETION_FAILED",
 "value": "DELETION_FAILED",
 "documentation": ""
 },
 {
 "name": "DELETED",
 "value": "DELETED",
 "documentation": ""
 }
]
}
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerHealthStatus": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "HEALTHY",
 "value": "HEALTHY",
 "documentation": ""
 },
 {
 "name": "UNHEALTHY",
 "value": "UNHEALTHY",
 "documentation": ""
 },
 {
 "name": "NOT_APPLICABLE",
 "value": "NOT_APPLICABLE",
 "documentation": ""
 }
]
 }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerList":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServer"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerSettings": {
 "type": "structure",
 "members": {
 "ServerType": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerType",

```

```

 "traits": {
 "smithy.api#documentation": "<p>The type of license server.</p>",
 "smithy.api#required": {}
 }
 },
 "ServerSettings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServerSettings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>ServerSettings</code> resource contains the settings
for your \n\t\t\tserver.</p>",

 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The settings to configure your license server.</p>"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProviders": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
]
}

```

```

 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the Active Directory identity providers for user-based
subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/ListIdentityProviders"
 },

 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "IdentityProviderSummaries"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n
\n \n <p>Product</p>\n \n \n <p>DirectoryId</p>\n
\n "
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
\n\tfrom a previously truncated response.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}

```

```

 },
 "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList",
 "traits": {

 "smithy.api#documentation": "<p>An array of IdentityProviderSummary resources that
 contain details about the Active Directory identity providers that meet the request criteria.</p>",
 "smithy.api#required": {}
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't
 empty, there are additional elements that the service hasn't included in this request. Use this token
 with the next request to retrieve additional objects.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListInstances": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 }
]
 }
 }

```

```

 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/instance/ListInstances"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceSummaries"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
\n\tfrom a previously truncated response.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n
\n \n <p>Status</p>\n \n \n <p>InstanceId</p>\n

```



```

 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>List the Remote Desktop Services (RDS) License Server endpoints
</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/license-server/ListLicenseServerEndpoints"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "LicenseServerEndpoints"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#ListLicenseServerEndpointsRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>",
 "smithy.api#range": {
 "min": 1,
 "max": 100
 }
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n"
 }
 }
 }
}

```





```

 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListProductSubscriptions"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "ProductUserSummaries"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
 "type":
"structure",
 "members": {
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
<code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n

```

```

 </p>"
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n
\n \n <p>Status</p>\n \n \n <p>Username</p>\n
\n \n <p>Domain</p>\n \n "
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
\n\tfrom a previously truncated response.</p>"
 }
 },
 },
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions
operation.</p>"
 }
 }
 }
}

```

```

 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't
empty, \n\tthere are additional elements that the service hasn't included in this request. Use this token \n\t\twith the
next request to
retrieve additional objects.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#ListTagsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListTagsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListTagsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
]
},
"traits": {
 "smithy.api#documentation": "<p>Returns the list of tags for the specified resource.</p>",
 "smithy.api#http": {
 "method": "GET",
 "uri": "/tags/{ResourceArn}"
 },
 "smithy.api#readonly": {}
}
},
"com.amazonaws.licensemanagerusersubscriptions#ListTagsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource whose tags
you want to retrieve.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 },
 "traits": {

"smithy.api#input": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags for the specified resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits":
{
 "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListUserAssociations"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceUserSummaries"
 }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required":
{}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",

```

```

 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 },
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline
results:</p>\n \n \n <p>Status</p>\n \n \n <p>Username</p>\n \n \n <p>Domain</p>\n \n "
 },
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
\n\tfrom a previously truncated response.</p>"
 },
 },
},
"traits": {
 "smithy.api#input": {}
},
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
 },
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't
empty, \n\tthere are additional elements that the service hasn't included in this request. Use this token \n\t\twith the
next request to retrieve additional objects.</p>"
 },
 },
 },
 "traits": {
 "smithy.api#output": {}
 },
},
"com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary": {

```

```

 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for this product
user.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",

 "traits": {
 "smithy.api#documentation": "<p>The status of a product for this user.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductUserArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) for this product user.</p>"
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for a product for this user.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {

```



```

 "smithy.api#documentation": "<p>The domain name of the Active Directory
that contains the user information for the product subscription.</p>"
 },
 "SubscriptionStartDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The start date of a subscription.</p>"
 }
 },
 "SubscriptionEndDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The end date of a subscription.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A summary of the user-based subscription products for a specific
user.</p>"
 },
 "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#RdsSalSettings": {
 "type": "structure",
 "members": {
 "RdsSalCredentialsProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#CredentialsProvider",
 "traits": {
 "smithy.api#documentation": "<p>The <code>CredentialsProvider</code> resource contains a
reference to the credentials provider that's used for RDS license server user administration.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Server settings that are specific to a Remote Desktop Services (RDS)
license server.</p>"
 },
 "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProvider": {
 "type":

```

```

"operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/RegisterIdentityProvider"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider to register.</p>"
 }
 }
 }
}

```

```

 "smithy.api#required": {}
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
<code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>",
 "smithy.api#required": {}
 }
 },
 "Settings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "<p>The registered identity providers product related configuration
\n\t\t\tsettings such as the subnets to provision VPC endpoints.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags that apply to the identity provider's registration.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },

```

```

"com.amazonaws.licensemanagerusersubscriptions#ResourceArn": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^arn:([a-z0-9-\\.]{1,63}):([a-z0-9-\\.]{1,63}):([a-z0-9-\\.]{1,63}):([a-z0-9-\\.]{1,63}):([a-z0-9-\\.]{1,510})/([a-z0-9-\\.]{1,510})$"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 404
 }
},
"com.amazonaws.licensemanagerusersubscriptions#SecretsManagerCredentialsProvider":
{
 "type": "structure",
 "members": {
 "SecretId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the Secrets Manager secret that contains
credentials.</p>",
 "smithy.api#length": {
 "min": 1
 }
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains a credentials secret that's stored in Secrets Manager.</p>"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#SecurityGroup": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 5,
 "max": 200
 },
 "smithy.api#pattern": "^sg-(((0-9a-z){8})|((0-9a-z){17}))$"
 }
}

```







```

 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code>
| <code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains the user
for whom to start the product \n\t\t\t\t\tsubscription.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags that apply to the product subscription.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse":
{
 "type": "structure",
 "members": {
 "ProductUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the start product subscription
operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {

```



```

 "smithy.api#output": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscription": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse"
 },
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/StopProductSubscription"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest": {
 "type": "structure",

```

```

"members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>"
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An
object that specifies details for the identity provider.</p>"
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
<code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>"
 }
 },
 "ProductUserArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the product user.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The
domain name of the Active Directory that contains the user for whom to stop the product \n\t\t\tsubscription.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
},
"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the start product subscription

```

```

operation.</p>",
 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#output": {}
},
},
"com.amazonaws.licenseanagerusersubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#Subnet": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^subnet-[a-z0-9]{8,17}"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#Subnets": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnet"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#TagKeyList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#sensitive": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#TagResource": {

"type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagResourceResponse"
 }
}

```

```

 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds tags to a resource.</p>",
 "smithy.api#http": {
 "method": "PUT",
 "uri": "/tags/{ResourceArn}"
 },
 "smithy.api#idempotent": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#TagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource that you want to tag.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 },
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags to apply to the specified resource.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#TagResourceResponse": {

```

```

 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Tags": {
 "type": "map",
 "key": {
 "target": "smithy.api#String"
 },
 "value": {
 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#sensitive": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the request.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#UntagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UntagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UntagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 }
]
 }
}

```

```

 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Removes
tags from a resource.</p>",
 "smithy.api#http": {
 "method": "DELETE",
 "uri": "/tags/{ResourceArn}"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource that you want
to remove tags from.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 },
 "TagKeys": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>The tag keys to remove from the resource.</p>",
 "smithy.api#httpQuery": "tagKeys",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#UntagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettings": {

```

```

 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered identity\n\t\t\t\t\tprovider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/UpdateIdentityProviderSettings"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider"
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> | <code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n</p>"
 }
 }
 }
 }
}

```





```
for products that\n\t\trequire connectivity to activation servers.</p>",
 "smithy.api#required": {}
 },
 "RemoveSubnets": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
 "smithy.api#required": {}
 }
 },
 "SecurityGroupId": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup",
 "traits": {
 "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688 communication between resources in\n\t\t\t\tyour VPC and the VPC endpoints for activation servers.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation":
"<p>Updates the registered identity providers product related configuration settings such as\n\t\t\t\tthe subnets to provision VPC endpoints.</p>"
 },
 "com.amazonaws.licensemanagerusersubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A parameter is not valid.</p>",
 "smithy.api#error": "client"
 }
 }
}

// Code generated by smithy-go-codegen DO NOT EDIT.
```

package licensemanager

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
```

```

"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
 if params == nil {
 params = &ListLicensesInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*ListLicensesOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type ListLicensesInput struct {

 // Filters to scope the results. The following filters are supported:
 //
 // - Beneficiary
 //
 // - ProductSKU
 //
 // - Fingerprint
 //
 // - Status
 Filters
 []types.Filter

 // Amazon Resource Names (ARNs) of the licenses.
 LicenseArns []string

 // Maximum number of results to return in a single call.
 MaxResults *int32

 // Token for the next set of results.
 NextToken *string

 noSmithyDocumentSerde
}

```

```

type ListLicensesOutput struct {

 // License details.
 Licenses []types.License

 // Token for the next set of results.
 NextToken *string

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack,
 options, "ListLicenses"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
}

```

```

}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
}

```

```

if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil
{
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "ListLicenses",
 }
}

// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Creates a license.
func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
 if params == nil {
 params = &CreateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)

```

```

if err != nil {
 return nil, err
}

out := result.(*CreateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type CreateLicenseInput struct {

 // License beneficiary.
 //
 // This member is required.
 Beneficiary *string

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 // the request.
 //
 //
 // This member is required.
 ClientToken *string

 // Configuration for consumption of the license. Choose a provisional
 // configuration for workloads running with continuous connectivity. Choose a
 // borrow configuration for workloads with offline usage.
 //
 // This member is required.
 ConsumptionConfiguration *types.ConsumptionConfiguration

 // License entitlements.
 //
 // This member is required.
 Entitlements []types.Entitlement

 // Home Region for the license.
 //
 // This member is required.
 HomeRegion *string

 // License issuer.
 //
 // This member is required.
 Issuer *types.Issuer

 // License name.
 //
 // This member is required.

```

```

LicenseName *string

// Product name.
//
// This member is required.
ProductName *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about
the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.
Version *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{}, middleware.After)
if err != nil {
return err
}

```

```

}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{}, middleware.After)
if err != nil {
 return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "CreateLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if
err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}

```



```

}
if err
= addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack);
err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CreateLicense",
 }
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks in the specified license. Check in a license when it is no longer in use.
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))
(*CheckInLicenseOutput, error) {
 if params == nil {
 params = &CheckInLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,
c.addOperationCheckInLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckInLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CheckInLicenseInput struct {

 // License consumption token.
 //
 // This member is required.
 LicenseConsumptionToken *string

 // License beneficiary.
 Beneficiary *string

```

```

noSmithyDocumentSerde
}

type
CheckInLicenseOutput struct {
// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{}, middleware.After)
if err != nil {
return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "CheckInLicense"); err != nil {
return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = addClientRequestID(stack); err != nil {
return err
}
if
err = addComputeContentLength(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = addComputePayloadSHA256(stack); err != nil {
return err
}
if err = addRetry(stack, options); err != nil {
return err
}

```

```

}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if
err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
}

```

```

if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckInLicense",
 }
}
ListLicenses
Initialize stack step
 spanInitializeStart
 RegisterServiceMetadata
 legacyEndpointContextSetter
 SetLogger
 spanInitializeEnd
Serialize stack step
 spanBuildRequestStart
 setOperationInput
 ResolveEndpoint
 OperationSerializer
Build stack step
 ClientRequestID
 ComputeContentLength
 UserAgent
 AddTimeOffsetMiddleware
 RecursionDetection
 spanBuildRequestEnd
Finalize stack step
 ResolveAuthScheme
 GetIdentity

```

```

ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
 if params == nil {
 params = &GetLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*GetLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

```

```

type GetLicenseInput struct {

 // Amazon Resource Name (ARN) of the license.
 //
 // This member is required.
 LicenseArn *string

 // License version.
 Version *string

 noSmithyDocumentSerde
}

type
GetLicenseOutput struct {

 // License details.
 License *types.License

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "GetLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
}

```

```

if err = addClientRequestID(stack); err
!= nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options);
err != nil {
 return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region), middleware.Before);

```



```

err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "GetLicense",
 }
}

CheckoutLicense
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation

```

spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
DisassociateLicense  
Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step

ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
AssociateLicense  
Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step

```

ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license for offline use.
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
 if params == nil {
 params = &CheckoutBorrowLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,
c.addOperationCheckoutBorrowLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckoutBorrowLicenseOutput)
 out.ResultMetadata = metadata

```

```

return out, nil
}

type CheckoutBorrowLicenseInput struct {

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 //
 // the request.
 //
 // This member is required.
 ClientToken *string

 // Digital signature method. The possible value is JSON Web Signature (JWS)
 // algorithm PS384. For more information, see [RFC 7518 Digital Signature with RSASSA-PSS].
 //
 // [RFC 7518 Digital Signature with RSASSA-PSS]: https://tools.ietf.org/html/rfc7518#section-3.5
 //
 // This member is required.
 DigitalSignatureMethod types.DigitalSignatureMethod

 // License entitlements. Partial checkouts are not supported.
 //
 // This member is required.
 Entitlements []types.EntitlementData

 // Amazon Resource Name (ARN) of the license. The license must use the borrow
 // consumption configuration.
 //
 // This member is required.
 LicenseArn *string

 // Information about constraints.
 CheckoutMetadata []types.Metadata

 // Node ID.
 NodeId *string

 noSmithyDocumentSerde
}

type CheckoutBorrowLicenseOutput struct {

 // Information about constraints.
 CheckoutMetadata []types.Metadata

 // Allowed license entitlements.
 EntitlementsAllowed

```

[]types.EntitlementData

// Date and time at which the license checkout expires.

Expiration \*string

// Date and time at which the license checkout is issued.

IssuedAt \*string

// Amazon Resource Name (ARN) of the license.

LicenseArn \*string

// License consumption token.

LicenseConsumptionToken \*string

// Node ID.

NodeId \*string

// Signed token.

SignedToken \*string

// Metadata pertaining to the operation's result.

ResultMetadata middleware.Metadata

noSmithyDocumentSerde

}

```
func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
```

```
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
```

```
 return err
```

```
 }
```

```
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{}, middleware.After)
```

```
 if err != nil {
```

```
 return err
```

```
 }
```

```
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{}, middleware.After)
```

```
 if err != nil {
```

```
 return
```

```
 err
```

```
 }
```

```
 if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutBorrowLicense"); err != nil {
```

```
 return fmt.Errorf("add protocol finalizers: %v", err)
```

```
 }
```

```
 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
```

```
 return err
```

```
 }
```

```
 if err = addSetLoggerMiddleware(stack, options); err != nil {
```

```

return err
}
if err = addClientRequestID(stack); err != nil {
return err
}
if err = addComputeContentLength(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = addComputePayloadSHA256(stack); err != nil {
return err
}
if err = addRetry(stack, options); err != nil {
return err
}
if err = addRawResponseToMetadata(stack); err != nil {
return err
}
if err = addRecordResponseTiming(stack); err != nil {
return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
return err
}
}

```

```

if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options);
err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckoutBorrowLicense",
}
}
CheckInLicense
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter

```



SetLogger  
OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
AWS SDK for Go  
Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
Copyright 2014-2015 Stripe, Inc.  
ListReceivedLicenses  
Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart

```

setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
 if params == nil {

```

```

 params = &DeleteLicenseInput{}
}

result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
if err != nil {
 return nil, err
}

out := result.(*DeleteLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type DeleteLicenseInput struct {

 // Amazon Resource Name (ARN) of the license.
 //
 // This member is required.
 LicenseArn *string

 // Current version of the license.
 //
 // This member is required.
 SourceVersion
 *string

 noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

 // Date when the license is deleted.
 DeletionDate *string

 // License status.
 Status types.LicenseDeletionStatus

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
}

```

```

err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{}, middleware.After)
if err != nil {
 return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{}, middleware.After)
if err != nil {
 return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "DeleteLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err !=
nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}

```

```

}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err
!= nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if
err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}

```

```

}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "DeleteLicense",
}
}
CreateLicense
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
spanInitializeEnd
Serialize stack step
spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever

```

```

OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
{
 "smithy": "2.0",
 "shapes": {
 "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
 "type": "integer"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
 "type": "long"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Remove a third-party subscription provider from the Bring Your Own License (BYOL) subscriptions \n\t\t\tregistered to your account.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/DeregisterSubscriptionProvider"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderRequest": {

```

```

 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the subscription provider resource to deregister.</p>",
 "smithy.api#required": {}
 }
 },
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of name to filter by.</p>"
 }
 },
 },
 "Values": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
 }
 },
 "Operator": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
 "traits": {
 "smithy.api#documentation": "<p>An operator for filtering results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe operation.\n Filters can be used to match a set of resources by specific criteria.</p>"
 }
}

```



```

 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
 "type":
"list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderRequest"
 },
 "output": {
 "target":
"com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Get details for a Bring Your Own License (BYOL) subscription that's
registered to your account.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/GetRegisteredSubscriptionProvider"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderRequest": {
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {

```





```

"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>Lists
the settings defined for Linux subscriptions discovery. The settings include if Organizations integration has
been enabled, and which Regions data will be aggregated from.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
 }
 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n subscriptions.</p>"
 }
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
 "type": "structure",
 "members": {
 "AmiId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
 }
 }
 }
 }
}

```

```

 },
 "InstanceID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
 }
 },
 "InstanceType": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance type of the resource.</p>"
 }
 },
 "AccountID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of the instance.</p>"
 }
 },
 "Region": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
 }
 },
 "UsageOperation": {
 "target": "smithy.api#String",

 "traits": {
 "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n operation values in the <i>License Manager User
Guide</i>.</p>"
 }
 },
 "ProductCode": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
 "traits": {
 "smithy.api#documentation": "<p>The product code for the instance. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-
operation.html\">Usage\n operation values in the <i>License Manager User Guide</i> .</p>"
 }
 }
 }

```

```

 }
 },
 "LastUpdatedTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The time in which the last discovery updated the instance
details.</p>"
 }
 },
 "SubscriptionName": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the license subscription that the instance uses.</p>"
 }
 },
 "OsVersion": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The operating system software version that runs on your
instance.</p>"
 }
 },
 "SubscriptionProviderCreateTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp when you registered
the third-party Linux subscription \n\t\t\tprovider for the subscription that the instance uses.</p>"
 }
 },
 "SubscriptionProviderUpdateTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp from the last time that the instance synced with the
registered \n\t\t\tthird-party Linux subscription provider.</p>"
 }
 },
 "DualSubscription": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Indicates that you have two different license subscriptions for
\n\t\t\tthe same software on your instance.</p>"
 }
 },
 "RegisteredWithSubscriptionProvider": {
 "target": "smithy.api#String",
 "traits": {

```

```
"smithy.api#documentation": "<p>Indicates that your instance uses a BYOL license subscription from \n\t\ta third-party Linux subscription provider that you've registered with License Manager.</p>"
 },
 "traits": {
 "smithy.api#documentation": "<p>Details discovered information about a running instance using Linux subscriptions.</p>"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Instance"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 }
 },
 "traits": {
 "smithy.api#documentation":
"<p>An exception occurred with the service.</p>",
 "smithy.api#error": "server"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LicenseManagerLinuxSubscriptions": {
 "type": "service",
 "version": "2018-05-10",
 "operations": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#.GetServiceSettings"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
```

```

 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProviders"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListTagsForResource"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
 }
],
 "traits": {
 "aws.api#service": {
 "sdkId": "License Manager Linux Subscriptions",
 "arnNamespace": "license-manager-linux-subscriptions",
 "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
 },
 "aws.auth#sigv4": {
 "name": "license-manager-linux-subscriptions"
 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id"
],
 "additionalExposedHeaders": [
 "x-amzn-errortype",
 "x-amzn-requestid",
 "x-amzn-trace-id"
]
 },
 "smithy.api#documentation": "<p>With License Manager,
you can discover and track your commercial Linux subscriptions on running Amazon EC2 instances.</p>",
 "smithy.api#title": "AWS License Manager Linux Subscriptions",
 }
}

```



```

"smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
 },
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
],
 "rules": [
 {
 "conditions": [

```

```

 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }

],

 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
},
{
 "conditions": [],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]
 }
]
}

],

 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
},
{
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}

],
"type": "tree"

}

],

```

```

 "type": "tree"
 },
 {
 "conditions": [],
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "rules": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"

```

```

 },
 true
]
}

],

"rules": [
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 }
]
 }
],
 "supportsFIPS"
 }
]
},
{
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
},
"rules": [
{
 "conditions": [],
}
],
"rules": [
{

```

```

 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],

 "type": "tree"
 }
],
 "type": "tree"
 },
 {
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
 "type": "error"
 }
],
 "type": "tree"
 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "fn": "getAttr",
 "argv": [

```



```

 },
 true
]
}
],
"rules": [
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
]
},
],
"rules": [
{
 "conditions": [],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
}
],
"type": "tree"
},

```

```

 {
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
 }
],
 "type": "tree"
},
{
 "conditions": [],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
}
],
"type": "tree"
}
],
"type": "tree"
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
],
"type": "tree"
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
 }
 }
 }
]
}

```



```

 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
 }
 }
 },
 {
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 }
}

```

```

 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 }
 }
]
}

```

```

 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },

```

```

{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,

```

```

 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS":
false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",

```

```

 "UseFIPS": false,
 "UseDualStack": true
 }
},
{

 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{

```

```

 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled LinuxSubscriptionsDiscovery"
 }
],
 {
 "name": "Disabled",

```

```

 "value": "Disabled",
 "documentation": "Disabled LinuxSubscriptionsDiscovery"
 }
]
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
 "type": "structure",
 "members": {
 "SourceRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "OrganizationIntegration": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
 "traits": {
 "smithy.api#documentation":
"<p>Details if you have enabled resource discovery across your accounts in Organizations.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
]
}

```



```

 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with commercial Linux\n subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListLinuxSubscriptionInstances"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "Instances"
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest":
{
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results by your specified criteria. \n \tFor example, you can specify <code>Region</code> in the <code>Name</code>, with the \n \t<code>contains</code> operator to list all subscriptions that match a partial string in the \n \t<code>Value</code>, such as <code>us-west</code>.</p>\n \t<p>For each filter, you can specify one of the following values for the <code>Name</code> key \n \tto streamline results:</p>\n \t\n \t\n \t<p>\n \t<code>AccountID</code>\n \t</p>\n \t\n \t\n \t<p>\n \t<code>AmiID</code>\n \t</p>\n \t\n \t\n \t<p>\n \t<code>DualSubscription</code>\n \t</p>\n \t\n \t\n \t<p>\n \t<code>InstanceID</code>\n \t</p>\n \t\n \t\n \t<p>\n \t<code>InstanceType</code>\n \t</p>\n \t\n \t\n \t<p>\n \t<code>ProductCode</code>\n \t</p>\n \t\n \t\n \t<p>\n \t<code>Region</code>\n \t</p>\n \t\n \t\n \t<p>\n \t<code>Status</code>\n \t</p>\n \t\n \t\n \t<p>\n \t<code>UsageOperation</code>\n \t</p>\n \t\n \t\n \t<p>For each filter, you can use one of the following <code>Operator</code> values to \n \tdefine the behavior of the filter:</p>\n \t\n \t\n \t<p>\n \t<code>contains</code>\n \t</p>\n \t\n \t\n \t<p>\n \t<code>equals</code>\n \t</p>\n \t\n \t\n \t<p>\n \t<code>Notequal</code>\n \t</p>\n \t\n \t"
 }
 },
 "MaxResults": {

```

```

 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum items to return in a request.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to
start paginating. This \n\tis the nextToken from a previously truncated response.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 16384
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {
 "type": "structure",
 "members": {
 "Instances": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",
 "traits": {
 "smithy.api#documentation": "<p>An array that contains instance objects.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this \n\tfield
isn't empty, there are additional elements that the service hasn't \n\tincluded in this request. Use this token with the
next request to retrieve \n\tadditional objects.</p>"
 }
 }
 },
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
 },
 "output": {

```

```

 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have linked your\n organization, the returned results will include data aggregated across your accounts in\nOrganizations.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListLinuxSubscriptions"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 }
 }
}

```

"items": "Subscriptions"

```

 }
}

```

},

```

"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n more sets of key-value pairs that you specify. For example, you can filter by the name of\n <code>Subscription</code> with an optional operator to see subscriptions that match,\n partially match, or don't match a certain subscription's name.</p>\n <p>The valid names for this filter are:</p>\n \n \n <p>\n <code>Subscription</code>\n </p>\n \n \n <p>The valid Operators for this filter are:</p>\n \n \n <p>\n <code>contains</code>\n </p>\n \n \n <p>\n <code>>equals</code>\n </p>\n \n \n <p>\n <code>NotEqual</code>\n </p>\n \n "
 }
 }
 }
}

```

```

 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum items to return in a request.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This \n\tis the nextToken from a previously truncated response.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 16384
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if parameters in request increases."
 },
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
 "type": "structure",
 "members": {
 "Subscriptions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
 "traits": {
 "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this \n\tfield isn't empty, there are additional elements that the service hasn't \n\tincluded in this request. Use this token with the next request to retrieve \n\tadditional objects.</p>"
 }
 }
 },
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProviders": {
 "type": "operation",
 "input": {
 "target":

```

```

"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProvidersRequest"
 },
 "output": {
 "target":
"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProvidersResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"

 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>List Bring Your Own License (BYOL) subscription registration
resources for your account.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListRegisteredSubscriptionProviders"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "RegisteredSubscriptionProviders"
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProvidersRequest": {
 "type": "structure",
 "members": {
 "SubscriptionProviderSources": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSourceList",
 "traits": {
 "smithy.api#documentation": "<p>To filter your results, specify which subscription providers to
return \n\t\t\t\tin the list.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",

```





```

 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The metadata tags for the requested resource.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "EQUAL",
 "value": "Equal",
 "documentation": "Equal operator"
 },
 {
 "name": "NOT_EQUAL",
 "value": "NotEqual",
 "documentation": "Not equal operator"
 },
 {
 "name": "CONTAINS",
 "value": "Contains",
 "documentation": "Contains operator"
 }
],
 "smithy.api#length": {
 "min": 1,
 "max": 20
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration":
{
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled OrganizationIntegration"
 },
 {
 "name": "Disabled",

```



```

 "value": "Disabled",
 "documentation": "Disabled OrganizationIntegration"
 }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Register the supported third-party subscription provider for your Bring Your Own License (BYOL) subscription.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/RegisterSubscriptionProvider"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProviderRequest": {
 "type": "structure",
 "members": {
 "SubscriptionProviderSource": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSource",

```



```

 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#RegisteredSubscriptionProvider":
{
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Linux subscription
provider resource that you registered.</p>"
 }
 },
 "SubscriptionProviderSource": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSource",
 "traits": {
 "smithy.api#documentation": "<p>A supported third-party Linux subscription provider. License
Manager currently supports \n\t\t\tRed Hat subscriptions.</p>"
 }
 },
 "SecretArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SecretArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Secrets Manager secret
that stores your registered Linux subscription provider \n\t\t\taccess token. For RHEL account subscriptions, this is
the offline token.</p>"
 }
 },
 "SubscriptionProviderStatus": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderStatus",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of your registered Linux subscription provider
access token \n\t\t\tfrom the last time License Manager retrieved subscription data. For RHEL account subscriptions,
\n\t\t\tthis is the status of the offline token.</p>"
 }
 },
 "SubscriptionProviderStatusMessage": {
 "target": "smithy.api#String",
 "traits":
{
 "smithy.api#documentation": "<p>A detailed message that's associated with your BYOL subscription
\n\t\t\tprovider token status.</p>"
 }
 }
 }
}

```

```

 },
 "LastSuccessfulDataRetrievalTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp from the last time that License Manager accessed
third-party subscription data \n\t\t\tfor your account from your registered Linux subscription provider.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A third-party provider for operating system (OS) platform software and
license \n\t\t\tsubscriptions, such as Red Hat. When you register a third-party Linux subscription \n\t\t\tprovider,
License Manager can get subscription data from the registered provider.</p>"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#RegisteredSubscriptionProviderList":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisteredSubscriptionProvider"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Unable to find the requested Amazon Web Services resource.</p>",
 "smithy.api#error": "client"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#SecretArn": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^arn:[a-z0-9-\\.]{1,63}:secretsmanager:[a-z0-9-\\.]{0,63}:[a-z0-9-
\\.]{0,63}:secret:[^/]{1,1023}$"
 }
},
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "InProgress",

```

```

 "value": "InProgress",
 "documentation": "InProgress status"
 },
 {
 "name": "Completed",
 "value": "Completed",
 "documentation": "Completed status"
 },
 {
 "name": "Successful",
 "value": "Successful",
 "documentation": "Successful status"
 },
 {
 "name": "Failed",
 "value": "Failed",
 "documentation": "Failed status"
 }
]
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 },
 "smithy.api#uniqueItems": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
 "type": "map",
 "key": {
 "target": "smithy.api#String"
 },
 "value": {
 "target": "smithy.api#String"
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the subscription.</p>"
 }
 },
 "Type": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.</p>"
 }
 },
 "InstanceCount": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An object which details a discovered Linux subscription.</p>"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^arn:[a-z0-9-\\.]{1,63}:[a-z0-9-\\.]{1,63}:[a-z0-9-\\.]{1,63}:[a-z0-9-\\.]{1,510}/[a-z0-9-\\.]{1,510}$"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSource": {
 "type": "string",

```

```

 "traits": {
 "smithy.api#enum": [
 {
 "name": "RedHat",
 "value": "RedHat",
 "documentation": "RedHat subscription provider namespace"
 }
]
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSourceList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSource"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderStatus": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "ACTIVE",
 "value": "ACTIVE",
 "documentation": "ACTIVE status"
 },
 {
 "name": "INVALID",
 "value": "INVALID",
 "documentation": "INVALID status"
 }
]
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#TagKeyList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,

```





```

 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The metadata tags to assign to the Amazon Web Services resource.
Tags are \n\t\t\tformatted as key value pairs.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#TagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Tags": {
 "type": "map",
 "key": {
 "target": "smithy.api#String"
 },
 "value": {
 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#sensitive": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation":
"<p>The request was denied due to request throttling.</p>",
 "smithy.api#error": "client"
 }
}

```

```

 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Remove one or more metadata tag from the specified Amazon Web Services resource.</p>",
 "smithy.api#http": {
 "method": "DELETE",
 "uri": "/tags/{resourceArn}"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "resourceArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Amazon Web Services resource to remove the metadata tags from.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 },
 "tagKeys": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>A list of metadata tag keys to remove from the requested resource.</p>",
 "smithy.api#httpQuery": "tagKeys",
 "smithy.api#required": {}
 }
 }
 }
 }
 }

```

```

 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
 }
},
"errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/UpdateServiceSettings"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
 "smithy.api#required": {}
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated from.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowUpdate": {
 "target":
"smithy.api#Boolean",
 "traits": {
 "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux subscriptions. If you\n allow updates, you can aggregate Linux subscription data in more than one home Region.</p>"
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated from.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being applied.</p>"
 }
 }
 }
}

```

```

 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
 }
 },
 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n subscriptions.</p>"
 }
 }
 },
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",
 "smithy.api#error": "client"
 }
 }
}

```

GetLicense

Initialize stack step

spanInitializeStart

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

OperationInputValidation

spanInitializeEnd

Serialize stack step

spanBuildRequestStart

setOperationInput

ResolveEndpoint

OperationSerializer

Build stack step

ClientRequestID

ComputeContentLength

UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
CheckoutBorrowLicense  
Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity

```

ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package grafana

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Assigns a Grafana Enterprise license to a workspace. To upgrade, you must use
// ENTERPRISE for the licenseType , and pass in a valid Grafana Labs token for the
// grafanaToken . Upgrading to Grafana Enterprise incurs additional fees. For more
// information, see [Upgrade a workspace to Grafana Enterprise].
//
// [Upgrade a workspace to Grafana Enterprise]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-
// Grafana-Enterprise.html
func (c *Client) AssociateLicense(ctx context.Context, params *AssociateLicenseInput, optFns ...func(*Options))
(*AssociateLicenseOutput, error) {
 if params == nil {
 params = &AssociateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx,
 "AssociateLicense", params, optFns, c.addOperationAssociateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }
}

```

```

}

out := result.(*AssociateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type AssociateLicenseInput struct {

 // The type of license to associate with the workspace.
 //
 // Amazon Managed Grafana workspaces no longer support Grafana Enterprise free
 // trials.
 //
 // This member is required.
 LicenseType types.LicenseType

 // The ID of the workspace to associate the license with.
 //
 // This member is required.
 WorkspaceId *string

 // A token from Grafana Labs that ties your Amazon Web Services account with a
 // Grafana Labs account. For more information, see [Link your account with Grafana Labs].
 //
 // [Link your account with Grafana Labs]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-Grafana-Enterprise.html#AMG-workspace-register-enterprise
 GrafanaToken *string

 noSmithyDocumentSerde
}

type AssociateLicenseOutput
struct {

 // A structure containing data about the workspace.
 //
 // This member is required.
 Workspace *types.WorkspaceDescription

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {

```



```

 return err
}
err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{}, middleware.After)
if err != nil {
 return err
}
err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{}, middleware.After)
if err != nil {
 return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "AssociateLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack,
options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
}

```

```

if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack,
c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err !=

```

```

nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "AssociateLicense",
}
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
 Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

```
// Lists received licenses.
```

```
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns
...func(*Options)) (*ListReceivedLicensesOutput, error) {
 if params == nil {
 params = &ListReceivedLicensesInput{}
 }
```

```
 result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,
c.addOperationListReceivedLicensesMiddlewares)
 if err != nil {
 return nil, err
 }
```

```
 out := result.(*ListReceivedLicensesOutput)
 out.ResultMetadata = metadata
 return out, nil
}
```

```
type ListReceivedLicensesInput struct {
```

```
 // Filters to scope the results. The following filters are supported:
```

```
 //
```

```
 // - ProductSKU
```



```

//
// - Status
//
//
// - Fingerprint
//
// - IssuerName
//
// - Beneficiary
Filters []types.Filter

// Amazon Resource Names (ARNs) of the licenses.
LicenseArns []string

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListReceivedLicensesOutput struct {

// Received license details.
Licenses []types.GrantedLicense

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err
error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{},

```

```

middleware.After)
if err != nil {
 return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "ListReceivedLicenses"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err =
addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}

```

```

if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err !=
nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opListReceivedLicenses(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,

```

```
ServiceID: ServiceID,
OperationName: "ListReceivedLicenses",
}
}
```

DeleteLicense

Initialize stack step

spanInitializeStart

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

OperationInputValidation

spanInitializeEnd

Serialize stack step

spanBuildRequestStart

setOperationInput

ResolveEndpoint

OperationSerializer

Build stack step

ClientRequestID

ComputeContentLength

UserAgent

AddTimeOffsetMiddleware

RecursionDetection

spanBuildRequestEnd

Finalize stack step

ResolveAuthScheme

GetIdentity

ResolveEndpointV2

disableHTTPS

ComputePayloadHash

spanRetryLoop

Retry

RetryMetricsHeader

setLegacyContextSigningOptions

Signing

Deserialize stack step

AddRawResponseToMetadata

ErrorCloseResponseBody

CloseResponseBody

ResponseErrorWrapper

RequestIDRetriever

OperationDeserializer

AddTimeOffsetMiddleware

RecordResponseTiming

RequestResponseLogger

```
{
 "smithy": "2.0",
 "metadata": {
```

```

"suppressions": [
 {
 "id": "HttpMethodSemantics",
 "namespace": "*"
 },
 {
 "id": "HttpStatusCodeSemantics",
 "namespace": "*"
 },
 {
 "id": "PaginatedTrait",
 "namespace": "*"
 },
 {
 "id": "HttpHeaderTrait",
 "namespace": "*"
 },
 {
 "id": "HttpUriConflict",
 "namespace": "*"
 },
 {
 "id": "Service",
 "namespace": "*"
 }
]
},
"shapes": {
 "com.amazonaws.licensemanager#AWSLicenseManager": {
 "type": "service",
 "version": "2018-08-01",
 "operations": [
 {
 "target": "com.amazonaws.licensemanager#AcceptGrant"
 },
 {
 "target": "com.amazonaws.licensemanager#CheckInLicense"
 },
 {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
 },
 {
 "target": "com.amazonaws.licensemanager#CheckoutLicense"
 },
 {
 "target": "com.amazonaws.licensemanager#CreateGrant"
 },

```

```

{
 "target": "com.amazonaws.licensemanager#CreateGrantVersion"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicense"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
},
{
 "target": "com.amazonaws.licensemanager#CreateToken"
},
{
 "target": "com.amazonaws.licensemanager#DeleteGrant"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicense"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#DeleteToken"
},
{
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
},
},
{
 "target": "com.amazonaws.licensemanager#GetAccessToken"
},
{
 "target": "com.amazonaws.licensemanager#GetGrant"
},
{
 "target": "com.amazonaws.licensemanager#GetLicense"
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
 },
 {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
 },
 {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
 },
 {
 "target": "com.amazonaws.licensemanager#GetLicenseUsage"
 },
 {
 "target": "com.amazonaws.licensemanager#GetServiceSettings"
 },
 {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
 },
 {
 "target": "com.amazonaws.licensemanager#ListDistributedGrants"
 },
 {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenses"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseVersions"
 },
 {
 "target": "com.amazonaws.licensemanager#ListReceivedGrants"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
 },
 {
 "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
 },
 {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
 },
 {
 "target": "com.amazonaws.licensemanager#ListResourceInventory"
 },
 {
 "target": "com.amazonaws.licensemanager#ListTagsForResource"
 },
 {
 "target": "com.amazonaws.licensemanager#ListTokens"
 },
 {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
 },
 {
 "target": "com.amazonaws.licensemanager#RejectGrant"
 },
 {
 "target": "com.amazonaws.licensemanager#TagResource"
 },
 {
 "target": "com.amazonaws.licensemanager#UntagResource"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
 }
],
"traits": {
 "aws.api#service": {
 "sdkId": "License Manager",
 "arnNamespace": "license-manager",
 "cloudFormationName": "LicenseManager",
 "cloudTrailEventSource": "licensemanager.amazonaws.com",

```



```

 "endpointPrefix": "license-manager"
 },
 "aws.auth#sigv4": {
 "name": "license-manager"
 },
 "aws.protocols#awsJson1_1": {},
 "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n Amazon Web Services accounts and on-premises servers.</p>",
 "smithy.api#title": "AWS License Manager",
 "smithy.api#xmlNamespace": {
 "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
 },
 "smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send
this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
 },
 "rules": [
 {
 "conditions": [

```

```

 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 }
 }
 }
]
}

```

```

 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
]
},
{
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
]
},
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
]
 },
],
 "assign": "PartitionResult"
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref":
"UseFIPS"
 },
 true
]
 },
],
 }
]
}

```

```

 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 },
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
],
 "type": "tree",
 "rules": [

```

```

 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 {
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
 }
],
{
 "conditions": [
 {
 "fn": "booleanEquals",

 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,

 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"

```

```

 },
 "supportsFIPS"
]
}
]
}
],
"type": "tree",
"rules": [
{
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
],
{
 "conditions": [],
 "error": "FIPS is enabled but this
partition does not support FIPS",
 "type": "error"
}
],
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [

```

```

 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 }
],
 "supportsDualStack"
]
 }
]
},
"type": "tree",
"rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
{
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
}
],
{
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
]
}
]

```

```

 },
 {
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
 }
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.af-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "af-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 }
]
}

```



```

 }
 },
 {
 "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
},
{
 "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-1.amazonaws.com"
 }
 }
}

```

```

 },
 "params": {
 "Region": "ap-southeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-southeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-southeast-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ca-central-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ca-central-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 }
}

```

```

 },
 {
 "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-central-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-central-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-north-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region":
"eu-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-1.amazonaws.com"
 }
 }
 }
]
}

```

```

 },
 "params": {
 "Region": "eu-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
 "expect": {

 "endpoint": {
 "url": "https://license-manager.eu-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.me-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "me-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},

```

```

{
 "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.sa-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "sa-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-2.amazonaws.com"
 }
 }
}

```

```

 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region
us-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },

```

```

{
 "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.api.aws"
 }
 },

```

```

 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-northwest-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{

```



```

 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",

```

```

 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation":
"For region us-gov-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.api.aws"
 }
 },
},
"params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
}
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {

```

```

 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},

```

```

 {
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled
but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,

```

```

 "UseDualStack": false
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 },
 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 }
 }
 }
 }
}

```

```

 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
],
"version": "1.0"
}
},
"com.amazonaws.licensemanager#AcceptGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],

```

```

 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#AcceptGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#AcceptGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant
ARN.</p>"
 }
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#AccessDeniedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {}
 }
},
"code": "ServiceAccessDenied",
 "httpResponseCode": 401
},
 "smithy.api#documentation": "<p>Access to resource denied.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 401
}
},
"com.amazonaws.licensemanager#ActivationOverrideBehavior": {
 "type": "enum",
 "members": {
 "DISTRIBUTED_GRANTS_ONLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
 }
 },
 "ALL_GRANTS_PERMITTED_BY_ISSUER": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
 }
 }
 }
}

```



```

 }
 },
 "com.amazonaws.licensemanager#AllowedOperation": {
 "type": "enum",
 "members": {
 "CREATE_GRANT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateGrant"
 }
 },
 "CHECKOUT_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutLicense"
 }
 },
 "CHECKOUT_BORROW_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutBorrowLicense"
 }
 },
 "CHECK_IN_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckInLicense"
 }
 },
 "EXTEND_CONSUMPTION_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ExtendConsumptionLicense"
 }
 },
 "LIST_PURCHASED_LICENSES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ListPurchasedLicenses"
 }
 },
 "CREATE_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateToken"
 }
 }
 }
 }
}

```

```

 }
 }
},
"com.amazonaws.licensemanager#AllowedOperationList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#AllowedOperation"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max":
7
 }
 }
},
"com.amazonaws.licensemanager#Arn": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 2048
 },
 "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d))?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:~{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9_/_+=, @.~-]{0,1023}$"
 }
},
"com.amazonaws.licensemanager#ArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 }
},
"com.amazonaws.licensemanager#AuthorizationException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError":
{
 "code": "AuthorizationFailure",
 "httpResponseCode": 403
 },
 "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to perform the action. Check the IAM\n policy associated with this account.</p>",

```

```

 "smithy.api#error": "client",
 "smithy.api#httpError": 403
 }
},
"com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
 "type": "structure",
 "members": {
 "LastRunTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes automated discovery.</p>"
 }
},

"com.amazonaws.licensemanager#Boolean": {
 "type": "boolean",
 "traits": {
 "smithy.api#default": false
 }
},

"com.amazonaws.licensemanager#BorrowConfiguration": {
 "type": "structure",
 "members": {
 "AllowEarlyCheckIn": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
 }
},

```

```

"com.amazonaws.licensemanager#BoxBoolean": {
 "type": "boolean"
},
"com.amazonaws.licensemanager#BoxInteger": {
 "type": "integer"
},
"com.amazonaws.licensemanager#BoxLong": {
 "type": "long"
},
"com.amazonaws.licensemanager#CheckInLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
 }
}

```

```

 },
 "com.amazonaws.licensemanager#CheckInLicenseRequest":
 {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CheckInLicenseResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CheckoutBorrowLicense":
 {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
 }
]
 }

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
 },
 "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
 "type": "structure",
 "members":
{
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must
use the borrow consumption configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }
}

```

```

 }
 },
 "DigitalSignatureMethod": {
 "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
 "traits": {
 "smithy.api#documentation": "<p>Digital signature method. The possible
value is JSON Web Signature (JWS) algorithm PS384.\n For more information, see RFC 7518 Digital Signature with RSASSA-PSS.</p>",
 "smithy.api#required": {}
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {}
 }
 }
}

```

```

 "smithy.api#documentation": "<p>License consumption token.</p>"
 },
 "EntitlementsAllowed": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
 },
 "IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
 }
 },
 "CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CheckoutLicense": {
 "type": "operation",

```



```

"input": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
},
"output": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Checks out the specified license.</p>\n <note>\n <p>If the\naccount that created the license is the same that is performing the check out, you must\n specify the account\nas the beneficiary.</p>\n </note>"
 }
},
"com.amazonaws.licensemanager#CheckoutLicenseRequest": {
 "type": "structure",
 "members": {

```

```

 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
SKU.</p>",
 "smithy.api#required": {}
 }
 },
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>",
 "smithy.api#required": {}
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 }
 }
}

```

```

 }
 }
},
"traits": {

"smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicenseResponse": {
 "type": "structure",
 "members": {
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>"
 }
 },
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 },
 "EntitlementsAllowed": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
 },
 "SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
 }
 },
 "Expiration": {

```

```

 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CheckoutType": {
 "type": "enum",
 "members": {
 "PROVISIONAL": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PROVISIONAL"
 }
 },
 "PERPETUAL": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PERPETUAL"
 }
 }
 }
},
"com.amazonaws.licensemanager#ClientRequestToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 36
 }
 }
},
"com.amazonaws.licensemanager#ClientToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,

```

```

 "max": 2048
 },
 "smithy.api#pattern": "^\\S+$"
 }
 },
 "com.amazonaws.licensemanager#ConflictException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ConflictException",
 "httpResponseCode":
409
 },
 "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 409
 }
 },
 "com.amazonaws.licensemanager#ConsumedLicenseSummary": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about license consumption.</p>"
 }
 },
 "com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
 "type": "list",
 "member": {

```

```

 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
 }
},
"com.amazonaws.licensemanager#ConsumptionConfiguration": {
 "type": "structure",
 "members": {
 "RenewType": {
 "target": "com.amazonaws.licensemanager#RenewType",
 "traits": {
 "smithy.api#documentation": "<p>Renewal frequency.</p>"
 }
 },
 "ProvisionalConfiguration": {
 "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
 },
 "BorrowConfiguration": {
 "target": "com.amazonaws.licensemanager#BorrowConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
]
}

```

```

 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href='\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrantRequest": {
 "type": "structure",
 "members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Principals": {

```

```

 "target": "com.amazonaws.licensemanager#PrincipalArnList",
 "traits": {
 "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an
Amazon Resource Name\n (ARN):</p>\n \n \n <p>An Amazon Web Services
account, which includes only the account specified.</p>\n \n \n \n \n <p>An organizational unit (OU), which includes all accounts in the OU.</p>\n \n \n
 \n <p>An organization, which will include all accounts across your organization.</p>\n
 \n ",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
 "smithy.api#required": {}
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},

"com.amazonaws.licensemanager#CreateGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 }
 },
 "Version": {

```



```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CreateGrantVersion":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information, see\n Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},

```

```

"com.amazonaws.licensemanager#CreateGrantVersionRequest": {
 "type": "structure",
 "members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 }
 },
 "smithy.api#required": {}
 },
},
"GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
},
"GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>"
 }
},
"AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
},
"StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
},
"SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the grant.</p>"
 }
}

```

```

 },
 "Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CreateGrantVersionResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the grant.</p>"
 }
 }
 },
 "traits":
{
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
 },
 "errors": [

```

```

{
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
},
{
 "target": "com.amazonaws.licensemanager#AuthorizationException"
},
{
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
},
{
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#RedirectException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
},
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Creates a license.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Creates a license configuration.</p>\n <p>A license configuration is an abstraction of a customer license agreement that can be\n consumed and enforced by License Manager. Components include specifications for the license\n type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a \n license must be associated with a host), and the number of licenses purchased and used.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used."
 }
 }
 }
}

```

```

Exceeding a hard limit\n blocks the launch of new instances.</p>"
 }
},
"LicenseRules": {
 "target":
"com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example,
#allowedTenancy=EC2-DedicatedHost). The available rules \n vary by dimension, as follows.</p>\n
\n \n <p>\n <code>Cores</code> dimension: <code>allowedTenancy</code> |\n
 <code>licenseAffinityToHost</code> |\n <code>maximumCores</code> |
<code>minimumCores</code>\n </p>\n \n \n <p>\n <code>Instances</code> dimension: <code>allowedTenancy</code> |\n <code>maximumCores</code> |
<code>minimumCores</code> |\n <code>maximumSockets</code> | <code>minimumSockets</code> |\n <code>maximumVcpus</code> | <code>minimumVcpus</code>\n </p>\n \n <p>\n <code>Sockets</code> dimension: <code>allowedTenancy</code> |\n <code>licenseAffinityToHost</code> |\n <code>maximumSockets</code> |
<code>minimumSockets</code>\n </p>\n \n \n <p>\n <code>vCPUs</code> dimension: <code>allowedTenancy</code> |\n <code>honorVcpuOptimization</code> |\n <code>maximumVcpus</code> |
<code>minimumVcpus</code>\n </p>\n \n \n <p>The unit for
<code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible \n values for
<code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and \n
<code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are \n
<code>True</code> and <code>False</code>.</p>"
 }
},

"Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
 }
},
"DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
},
"ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
}
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
{
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
 "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
 },

```

```

 "traits": {
 "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {

 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting
the license type for.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting
from. \n\n For the structure of the source license, see <a href=\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI in
the <i>License Manager User Guide</i>.</p>",
 "smithy.api#required": {}
 }
 },
 "DestinationLicenseContext": {
 {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting to.
For the structure of the destination license, see <a href=\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI in
the <i>License Manager User Guide</i>.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

```



```

"traits": {
 "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
}
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a report generator.</p>"
 }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {

```

```

"type": "structure",
"members": {
 "ReportGeneratorName":
 {
 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
 },
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be
generated:</p>\n \n \n <p>License configuration report - Reports the number and
details of consumed licenses for a license configuration.</p>\n \n \n <p>Resource
report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n \n
",
 "smithy.api#required": {}
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>Defines the type of license configuration the report generator
tracks.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be
generated daily, monthly, or weekly.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique,
case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report generator.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }
 }
}

```

```

 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>",
 "smithy.api#required": {}
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region for the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-UTC format.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
},
"LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
},
"ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
}
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 }
 }
},
"traits": {

```

```

 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CreateLicenseVersion": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target":
"com.amazonaws.licensemanager#Arn",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>",
 "smithy.api#required": {}
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-UTC format.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
 },
 "Entitlements": {

```

```

 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",

```



```

 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 }
},
"traits": {
 "smithy.api#output":
{}
}
},
"com.amazonaws.licensemanager#CreateToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
],

```

```

{
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
},
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n <p>A refresh token is a JWT token used to get an access token. With an access token,\n you can call AssumeRoleWithWebIdentity to get role credentials that you can use to \n call License Manager to manage the specified license.</p>"
},
},
"com.amazonaws.licensemanager#CreateTokenRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
{
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n JWT token.</p>",
 "smithy.api#required": {}
 }
 },
 "RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the token. \n License Manager does not check whether the roles are in use.</p>"
 }
 },
 "ExpirationInDays": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {
 "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The default is 365 days.</p>"
 }
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The data is mapped\n to the amr claim of the JWT token.</p>"
 }
 }
}

```

```

 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CreateTokenResponse": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",

 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
 },
 "TokenType": {
 "target": "com.amazonaws.licensemanager#TokenType",
 "traits": {
 "smithy.api#documentation": "<p>Token type.</p>"
 }
 },
 "Token": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DateTime": {
 "type": "timestamp"
},
"com.amazonaws.licensemanager#DatetimeRange": {
 "type": "structure",
 "members": {
 "Begin": {

```

```

 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Start of the time range.</p>",
 "smithy.api#required": {}
 }
 },
 "End": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>End of the time range.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
}
},
"com.amazonaws.licensemanager#DeleteGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
},

```

```

 "traits": {
 "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
 }
 },
 "com.amazonaws.licensemanager#DeleteGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the
grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 }
 }
 }
}

```

```

 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
 "<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],

```

```

 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified license.</p>"
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n <p>You cannot delete a license configuration that is in use.</p>"
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {

```

```

 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n <p>This action deletes the report generator, which stops it from generating future reports.\n The action cannot be reversed. It has no effect on the previous reports from this generator.</p>"
 }
 }
}

```



```

 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be
deleted.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 }
}

```

```

},
"com.amazonaws.licensemanager#DeleteLicenseResponse": {
 "type": "structure",
 "members": {
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "DeletionDate": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],

```

```

{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
}
},
"com.amazonaws.licensemanager#DeleteTokenRequest": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#DeleteTokenResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
}
},
"com.amazonaws.licensemanager#DigitalSignatureMethod": {
 "type": "enum",
 "members": {
 "JWT_PS384": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "JWT_PS384"
 }
 }
 }
}
},
"com.amazonaws.licensemanager#Entitlement": {
 "type": "structure",
 "members": {
 "Name": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#Long",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
 }
 },
 "Overage": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement unit.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowCheckIn": {
 "target":
"com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
 }
},
"com.amazonaws.licensemanager#EntitlementData": {
 "type": "structure",
 "members": {
 "Name": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement
data value.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data unit.</p>",
 "smithy.api#required": {}
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
}
},
"com.amazonaws.licensemanager#EntitlementDataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementData"
 }
},
"com.amazonaws.licensemanager#EntitlementDataUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count"
 }
 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 }
 },
 "SECONDS": {

```

```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes"
 }
 },
 "KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
 },
 "MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
 },
 "GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes"
 }
 },
 "TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
 },
 "BITS":

```

```

{
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits"
 }
},
"KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits"
 }
},
"MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
},
"GIGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
},
"TERABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
}
},
"PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
},
"BYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
},
"KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
}

```

```

 },
 "MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
 },
 "GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
 },
 "TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes/Second"
 }
 },
 "BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
 },
 "KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
 },
 "MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue":
"Megabits/Second"
 }
 },
 "GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
 },
 "TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
 }

```



```

 }
 },
 "COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
 }
},
"com.amazonaws.licensemanager#EntitlementList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Entitlement"
 }
},
"com.amazonaws.licensemanager#EntitlementNotAllowedException":
{
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#EntitlementUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count"
 }
 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS":
 {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes"
 }
 },
 "KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
 },
 "MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
 },
 "GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes"
 }
 },
 "TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
 },
 "BITS": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "Bits"
 }
 },
 "KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits"
 }
 },
 "MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
 },
 "GIGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
 },
 "TERABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
 },
 "PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
 },
 "BYTES_PER_SECOND": {
 "target":
"smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
 },
 "KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
 },

```

```

"MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
},
"GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
},
"TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes/Second"
 }
},
"BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
},
"KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
},
"MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits/Second"
 }
},
"GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
},
"TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
}

```

```

 }
 },
 "COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
 }
},
"com.amazonaws.licensemanager#EntitlementUsage": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement usage name.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumedValue": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Resource usage consumed.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
 }
},
"com.amazonaws.licensemanager#EntitlementUsageList":

```

```

{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementUsage"
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumption": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",

```

```

 "smithy.api#required": {}
 },
 "DryRun": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#FailedDependencyException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 },
 "ErrorCode": {
 "target": "com.amazonaws.licensemanager#String"
 }
 },
 "traits": {

```

```

 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "FailedDependency",
 "httpResponseCode": 424
 },
 "smithy.api#documentation":
 "<p>A dependency required to run the API is missing.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 424
 }
 },
 "com.amazonaws.licensemanager#Filter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#FilterName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
 }
 },
 "Values": {
 "target": "com.amazonaws.licensemanager#FilterValues",
 "traits": {
 "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only
specify one value for the filter.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter
name and value pair that is used to return more specific results from a\n describe operation. Filters can be used
to match a set of resources by specific criteria,\n such as tags, attributes, or IDs.</p>"
 }
 },
 "com.amazonaws.licensemanager#FilterLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "FilterLimitExceeded",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
 "smithy.api#error": "client",

```



```

 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter"
 }
},
"com.amazonaws.licensemanager#FilterName": {
 "type": "string"
},
"com.amazonaws.licensemanager#FilterValue": {
 "type": "string"
},
"com.amazonaws.licensemanager#FilterValues": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#FilterValue",
 "traits": {
 "smithy.api#xmlName": "item"
 }
 }
},
"com.amazonaws.licensemanager#Filters": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter",
 "traits": {
 "smithy.api#xmlName": "item"
 }
 }
},
"com.amazonaws.licensemanager#GetAccessToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],

```

```

 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets a temporary access token to use with
AssumeRoleWithWebIdentity. Access
tokens\n are valid for one hour.</p>"
 }
},
"com.amazonaws.licensemanager#GetAccessTokenRequest": {
 "type": "structure",
 "members": {
 "Token": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
 "smithy.api#required": {}
 }
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetAccessTokenResponse":
{
 "type": "structure",
 "members": {
 "AccessToken": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Temporary access token.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#GetGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",

```

```

 "smithy.api#required": {}
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetGrantResponse": {
 "type": "structure",
 "members": {
 "Grant": {
 "target": "com.amazonaws.licensemanager#Grant",
 "traits": {
 "smithy.api#documentation": "<p>Grant details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
]
}

```

```

 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",

 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License configuration status.</p>"
 }
 }
},
 "OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
 }
 },
 "ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
 }
 },
 "ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
 }
 },

```

```

"Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
 }
},
"ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
},
"AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
},
"DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#GetLicenseConversionTask": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
],

```



```

{
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information
on.</p>",
 "smithy.api#required": {}
 }
 },
 "Input": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskInput",
 "traits": {
 "smithy.api#input": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license
conversion task is associated with.</p>"
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information

```

about the license type converted from.</p>"

```
 }
 },
 "DestinationLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
 }
 },
 "StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
 }
 },
 "LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
 }
 },
 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was
completed.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
```

```

{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
 }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
 "smithy.api#required":

```

```

 {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "ReportGenerator": {
 "target": "com.amazonaws.licensemanager#ReportGenerator",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseResponse": {
 "type": "structure",
 "members": {

```

```

 "License": {
 "target": "com.amazonaws.licensemanager#License",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },

 "com.amazonaws.licensemanager#GetLicenseUsage": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "target": "com.amazonaws.licensemanager#ValidationException"
 },
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
 }
},

"com.amazonaws.licensemanager#GetLicenseUsageRequest": {
 "type": "structure",
 "members": {

```

```

 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseUsageResponse": {
 "type": "structure",
 "members": {
 "LicenseUsage": {
 "target":
"com.amazonaws.licensemanager#LicenseUsage",
 "traits": {
 "smithy.api#documentation": "<p>License usage details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#GetServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
 }
}

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetServiceSettingsRequest": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data,
discovery data,\n and so on.</p>"
 }
 }
 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n cross-account discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
 }
 }
 },
 "LicenseManagerResourceShareArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License

```

```

Manager management account \n provides member accounts with access to this share.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#Grant": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
 },
 "ParentArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Parent ARN.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>",
 "smithy.api#required": {}
 }
 },
 "GranteePrincipalArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The grantee principal ARN.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }
}

```



```

 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantStatus": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Granted operations.</p>",
 "smithy.api#required": {}
 }
 },
 "Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation":
 "<p>Describes a grant.</p>"
 },
 "com.amazonaws.licensemanager#GrantList": {
 "type": "list",

```

```

"member": {
 "target": "com.amazonaws.licensemanager#Grant"
}
},
"com.amazonaws.licensemanager#GrantStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_ACCEPT"
 }
 },
 "REJECTED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 },
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 }
 }
}

```

```

 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 },
 "WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
 }
},
"com.amazonaws.licensemanager#GrantedLicense": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Granted license issuer.</p>"
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>Granted license status.</p>"
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in ISO8601-UTC format.</p>"
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Granted license metadata.</p>"
 }
 },
 "CreateTime": {

```

```

 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Version of the granted license.</p>"
 }
 },
 "ReceivedMetadata": {
 "target": "com.amazonaws.licensemanager#ReceivedMetadata",
 "traits": {
 "smithy.api#documentation": "<p>Granted license received metadata.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
 },
 "com.amazonaws.licensemanager#GrantedLicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#GrantedLicense"
 }
 },
 "com.amazonaws.licensemanager#ISO8601DateTime":
{
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^(-(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|[1-2][0-9])T(2[0-3]|[0-1][0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(?:Z|[-+](?:2[0-3]|[0-1][0-9]):[0-5][0-9])+$)"
 }
},
 "com.amazonaws.licensemanager#Integer": {
 "type": "integer"
 },
 "com.amazonaws.licensemanager#InvalidParameterValueException": {
 "type": "structure",
 "members": {
 "Message": {

```

```

 "target": "com.amazonaws.licensemanager#Message"
 }
},
"traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidParameterValueProvided",
 "httpResponseCode": 400
 },
 "smithy.api#documentation":
 "<p>One or more parameter values are not valid.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
}
},
"com.amazonaws.licensemanager#InvalidResourceStateException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResourceState",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its
state. </p>\n <p>For example, you cannot allocate a license to an instance in the process of shutting\n
down.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},

"com.amazonaws.licensemanager#InventoryFilter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the filter.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Condition": {
 "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
 "traits": {
 "smithy.api#documentation": "<p>Condition of the filter.</p>",

```

```

 "smithy.api#required": {}
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Value of the filter.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>An inventory filter.</p>"
},
"com.amazonaws.licensemanager#InventoryFilterCondition": {
 "type": "enum",
 "members": {
 "EQUALS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EQUALS"
 }
 },
 "NOT_EQUALS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "NOT_EQUALS"
 }
 },
 "BEGINS_WITH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "BEGINS_WITH"
 }
 },
 "CONTAINS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CONTAINS"
 }
 }
 }
},
"com.amazonaws.licensemanager#InventoryFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#InventoryFilter"
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#Issuer": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>",
 "smithy.api#required": {}
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#IssuerDetails": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>"
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n and support the RSASSA-PSS SHA-256 signing
algorithm.</p>"
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
 }
 }
 }
 }
}

```



```

 },
 "traits": {
 "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#License": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>"
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",

```

```

 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 },
 "Entitlements": {

"target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>License metadata.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>License
creation time.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 }

```

```

 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseConfiguration": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license configuration.</p>"
 }
 },
 "OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
 }
 },
 "ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
 }
 },
 "ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
 }
 },
 "ProductInformationList": {

```

```

 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be\n consumed and enforced by License Manager. Components include specifications for the license\n type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM\n must be associated with a host), and the number of licenses purchased and used.</p>"
}
},
"com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
 "type": "structure",
 "members": {
 "ResourceArn":
{
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of server resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource consuming licenses.</p>"
 }
 }
},
 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {

```

```

"smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
 }
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
}
},
"com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
 }
},
"com.amazonaws.licensemanager#LicenseConfigurationStatus": {
 "type": "enum",
 "members":
{
 "AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 }
}
},
"com.amazonaws.licensemanager#LicenseConfigurationUsage": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 }
 },

```

```

 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 },
 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time when the license configuration was initially associated with
the resource.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license
configuration.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
 }
 },
 "com.amazonaws.licensemanager#LicenseConfigurations": {
 "type": "list",
 "member": {

```

```

 "target": "com.amazonaws.licensemanager#LicenseConfiguration"
 },
 "com.amazonaws.licensemanager#LicenseConversionContext": {
 "type": "structure",
 "members": {
 "UsageOperation": {
 "target": "com.amazonaws.licensemanager#UsageOperation",
 "traits": {
 "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you
are converting your resource from. For more information about which platforms correspond to which usage
operation values see <a href='\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-
fields.html#billing-info\">Sample data: usage operation by platform\\n \\n </p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTask": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\\n conversion task.</p>"
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
 }
 },
 "DestinationLicenseContext": {
 "target":

```



```

"com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
 },
},
"Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>The status of the conversion task.</p>"
 }
},
"StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
},
"StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
 }
},
"LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
 }
},
"EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
},
},
"com.amazonaws.licensemanager#LicenseConversionTaskId": {
 "type": "string",
 "traits": {

```

```

 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^\\c{[a-zA-Z0-9]}*$"
 }
},
"com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
 "type": "enum",
 "members": {
 "IN_PROGRESS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "IN_PROGRESS"
 }
 },
 "SUCCEEDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUCCEEDED"
 }
 },
 "FAILED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED"
 }
 }
 }
},
"com.amazonaws.licensemanager#LicenseConversionTasks": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTask"
 }
},
"com.amazonaws.licensemanager#LicenseCountingType": {
 "type": "enum",
 "members": {
 "VCPU": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "vCPU"
 }
 },
 "INSTANCE": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "Instance"
 }
 },
 "CORE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Core"
 }
 },
 "SOCKET": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Socket"
 }
 }
}
},
"com.amazonaws.licensemanager#LicenseDeletionStatus": {
 "type": "enum",
 "members": {
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
 }
},
"com.amazonaws.licensemanager#LicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#License"
 }
},
"com.amazonaws.licensemanager#LicenseOperationFailure": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type.</p>"
 }
 },
 "ErrorMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Error message.</p>"
 }
 },
 "FailureTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Failure time.</p>"
 }
 },
 "OperationName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the operation.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
 }
 },
 "OperationRequestedBy": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
 }
 },
 "MetadataList": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Reserved.</p>"
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
 }
 },
 "com.amazonaws.licensemanager#LicenseOperationFailureList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
 }
 },
 "com.amazonaws.licensemanager#LicenseSpecification": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",

 "smithy.api#required": {}
 }
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
 }
 },
 "com.amazonaws.licensemanager#LicenseSpecifications": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseSpecification"
 }
 },
 "com.amazonaws.licensemanager#LicenseStatus": {
 "type": "enum",
 "members": {
 "AVAILABLE": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 },
 "PENDING_AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_AVAILABLE"
 }
 },
 "DEACTIVATED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DEACTIVATED"
 }
 },
 "SUSPENDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUSPENDED"
 }
 },
 "EXPIRED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EXPIRED"
 }
 },
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
},
"com.amazonaws.licensemanager#LicenseUsage": {
 "type": "structure",
 "members": {
 "EntitlementUsages": {
 "target": "com.amazonaws.licensemanager#EntitlementUsageList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>License entitlement usages.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseUsageException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "LicenseUsageFailure",
 "httpResponseCode": 412
 },
 "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource
launch.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 412
 }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 }
]
}

```

```

 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the resource associations for the
specified license configuration.</p>\n <p>Resource associations need not consume licenses from a license
configuration. \n For example, an AMI or a stopped instance might not consume a license (depending on \n
the license rules).</p>"
}
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationAssociations": {

```



```

 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListDistributedGrants": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
}

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
 "type": "structure",
 "members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n \n <p>\n <code>GranteePrincipalARN</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>LicenseIssuerName</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {

```

```

 "target": "com.amazonaws.licensemanager#GrantList",

 "traits": {
 "smithy.api#documentation": "<p>Distributed grant details.</p>"
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
 },
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {

```

```

"type": "structure",
"members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":
{
 "type": "structure",
 "members": {
 "LicenseOperationFailureList": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
 "traits": {
 "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurations": {

```

```

 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
 },

 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 }
 }
}

```

```

 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n
<code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
<code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n
<code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
enforcement is used. \n Logical operators are <code>EQUALS</code> |
<code>NOT_EQUALS</code>.</p>\n \n \n <p>\n
<code>usagelimitExceeded</code> - A Boolean value that
indicates whether the available licenses have been exceeded. \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n "
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurations": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ListLicenseConversionTasks": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
 "type": "structure",
 "members": {
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "Filters": {

```

```

 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>\n Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n </p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTasks": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 }
],
 "com.amazonaws.licensemanager#AuthorizationException"
},

```



```

{
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
},
{
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
},
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
}
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
{
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n \n \n <p>\n <code>LicenseConfigurationArn</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
 "type": "structure",
 "members": {
 "ReportGenerators": {
 "target": "com.amazonaws.licensemanager#ReportGeneratorList",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an
associated license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
 }
 },
 "NextToken": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseVersions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
},

"NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListLicenses": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicensesResponse"
 },
 "errors": [

```

```

{
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
},
{
 "target": "com.amazonaws.licensemanager#AuthorizationException"
},
{
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
},
{
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
},
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
},
"com.amazonaws.licensemanager#ListLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>Fingerprint</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token

```

for the next set of results.</p>"

```
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicensesResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedGrants": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
```

```

 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the\n recipient as this Amazon Web Services account, your organization, or an organizational unit\n (OU) to which this member account belongs.</p>"
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 }
]
}

```



```

 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
 }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
 "smithy.api#required": {}
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n
 \n
 \n
 <p>\n
 <code>ParentArn</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>GranteePrincipalArn</code>\n
 </p>\n
 \n
 "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},

```

```

"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
{
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
 "type": "structure",
 "members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>LicenseIssuerName</code>\n </p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n \n <p>\n <code>GranterAccountId</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 },

```

```

 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",
 "traits": {
 "smithy.api#documentation": "<p>Received grant details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedLicenses": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists received licenses.</p>"
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#ValidationException"
 },
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
 },
 },
 "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 },
 "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
}
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n \n <p>\n <code>Fingerprint</code>\n </p>\n \n \n <p>\n <code>IssuerName</code>\n </p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
 "type": "structure",

```

```

"members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",
 "traits": {
 "smithy.api#documentation": "<p>Received license details.</p>"
 }
 },

 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListResourceInventory": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FailedDependencyException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
}

```

```

 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
 }
},
"com.amazonaws.licensemanager#ListResourceInventoryRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#InventoryFilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>account_id</code>
- The ID of the Amazon Web Services account that owns the resource.\n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>application_name</code> - The name of the
application. \n Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n \n \n <p>\n <code>license_included</code> - The type of license included. \n
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.\n Possible values
are <code>sql-server-enterprise</code> | \n <code>sql-server-standard</code> | \n <code>sql-
server-web</code> | \n <code>windows-server-datacenter</code>.</p>\n \n \n <p>\n <code>platform</code> - The platform of the resource.\n Logical operators are
<code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n \n \n <p>\n <code>resource_id</code> - The ID of the resource. \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>tag:<key></code> - The key/value combination of a tag assigned \n to the resource. Logical
operators are <code>EQUALS</code> (single account) or\n <code>EQUALS</code> |
<code>NOT_EQUALS</code> (cross account).</p>\n \n "
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},

```



```

"com.amazonaws.licensemanager#ListResourceInventoryResponse": {
 "type": "structure",
 "members": {
 "ResourceInventoryList": {
 "target": "com.amazonaws.licensemanager#ResourceInventoryList",
 "traits": {
 "smithy.api#documentation": "<p>Information
about the resources.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListTagsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ListTagsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",

 "smithy.api#required": {}
 }
 },
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the tags.</p>"
 }
 },
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListTokens": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListTokensRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListTokensResponse"
 },
 "errors":
 [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
]

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists your tokens.</p>"
 }
},
"com.amazonaws.licensemanager#ListTokensRequest": {
 "type": "structure",
 "members": {
 "TokenIds": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Token IDs.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
\n \n <p>\n <code>LicenseArns</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation":
 "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {

```

```

 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#ListTokensResponse": {
 "type": "structure",
 "members": {
 "Tokens": {
 "target": "com.amazonaws.licensemanager#TokenList",
 "traits": {
 "smithy.api#documentation": "<p>Received token details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
 {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]
 }

```

```

 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying
license\n consumption details by resource at a selected point in time. Use this action to audit the\n current
license consumption for any license inventory and configuration.</p>"
 }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>resourceArn</code> - The ARN of the license configuration resource.\n Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n <p>\n <code>resourceType</code> - The resource type
(<code>EC2_INSTANCE</code> | <code>EC2_HOST</code> | <code>EC2_AMI</code> |
<code>SYSTEMS_MANAGER_MANAGED_INSTANCE</code>). \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>resourceAccount</code> - The ID of the account that owns the resource. \n Logical operators
are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n "
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationUsageList": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#Location": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#Long": {
 "type": "long"
 },
 "com.amazonaws.licensemanager#ManagedResourceSummary": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
 }
 },
 "AssociationCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
 }
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
 }
 },
 "com.amazonaws.licensemanager#ManagedResourceSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
 }
 },
 "com.amazonaws.licensemanager#MaxSize100": {
 "type": "integer",
 "traits": {
 "smithy.api#range": {
 "min": 1,
 "max": 100
 }
 }
 },
 "com.amazonaws.licensemanager#MaxSize3StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 3
 }
 }
 },
 "com.amazonaws.licensemanager#Message": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#Metadata": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The key name.</p>"
 }
 }
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>The value.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
 }
},
"com.amazonaws.licensemanager#MetadataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Metadata"
 }
},
"com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement
maximum count is reached.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
}
},
"com.amazonaws.licensemanager#Options": {
 "type": "structure",
 "members": {
 "ActivationOverrideBehavior": {
 "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
 "traits": {
 "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n \n \n <p>As a license administrator, you can
optionally specify an\n <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n
\n \n <p>As a grantor, you can optionally specify an\n
<code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n account in your
organization.</p>\n \n \n <p>As a grantee, if the grantor creating the distributed
grant doesnt specify an\n <code>ActivationOverrideBehavior</code>, you can optionally specify one
when you\n are activating the grant.</p>\n \n \n <dl>\n
<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n <dd>\n <p>Use this value to activate a grant
without replacing any member accounts\n active grants for the same product.</p>\n </dd>\n
<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n <dd>\n <p>Use this value to activate a

```



```

grant and disable other active grants in any\n member accounts
for the same product. This action will also replace their\n previously activated grants with this activated
grant.</p>\n </dd>\n </dl>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
such as activation\n override behavior. For more information, see Granted licenses in
License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},
"com.amazonaws.licensemanager#OrganizationConfiguration": {
 "type": "structure",
 "members": {
 "EnableIntegration": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation":
"<p>Enables Organizations integration.</p>",
 "smithy.api#required": {}
 }
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
}
},
"com.amazonaws.licensemanager#PrincipalArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 1
 }
 }
},
"com.amazonaws.licensemanager#ProductInformation": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
 "smithy.api#required": {}
 }
},
"ProductInformationFilterList": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
 "traits": {
 "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n <p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>.</p>\n <p>The following filters and are supported when
the resource type \n is <code>SSM_MANAGED</code>:</p>\n
 \n \n <p>\n <code>Application Name</code> - The name of the
application.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Publisher</code> - The publisher of the application.\n Logical
operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Version</code> - The version of the application.\n Logical operator is
<code>EQUALS</code>.</p>\n \n \n <p>\n <code>Platform
Name</code> - The name of the platform.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Platform Type</code> - The platform type.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Tag:key</code> - The key of a tag attached to an
Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is
<code>NOT_EQUALS</code>. The key for your tag must be appended to <code>Tag:</code> following the
example: <code>Tag:name-of-your-key</code>. <code>ProductInformationFilterValue</code> is optional if you
are not using values for the key.\n </p>\n \n \n <p>\n <code>AccountId</code> - The 12-digit ID of an Amazon Web Services account you wish to exclude from
automated discovery.\n Logical operator is <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>License Included</code> - The type of license included.\n Logical
operators are <code>EQUALS</code> and <code>NOT_EQUALS</code>.\n Possible values are:
<code>sql-server-enterprise</code> | \n <code>sql-server-standard</code> | \n <code>sql-server-
web</code> | \n <code>windows-server-datacenter</code>.</p>\n \n \n <p>The following filters and logical operators are supported when the resource type\n is
<code>RDS</code>:</p>\n \n \n <p>\n <code>Engine Edition</code> -
The edition of the database engine.\n Logical operator is <code>EQUALS</code>.\n Possible
values are: <code>oracle-ee</code> | <code>oracle-se</code> | <code>oracle-se1</code> | <code>oracle-
se2</code>.</p>\n \n \n <p>\n <code>License Pack</code> - The license
pack.\n Logical operator is <code>EQUALS</code>.\n Possible values are: <code>data
guard</code> | \n <code>diagnostic pack sqlt</code> | \n <code>tuning pack sqlt</code> | \n <code>ols</code> | \n <code>olap</code>.</p>\n \n \n "smithy.api#required": {}
 }
}
},

```

```

 "traits": {
 "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#ProductInformationFilter": {
 "type": "structure",
 "members": {
 "ProductInformationFilterName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Filter name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductInformationFilterValue": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Filter value.</p>"
 }
 },
 "ProductInformationFilterComparator": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Logical operator.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes product information filters.</p>"
 }
},
"com.amazonaws.licensemanager#ProductInformationFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilter"
 }
},
"com.amazonaws.licensemanager#ProductInformationList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformation"
 }
},
"com.amazonaws.licensemanager#ProvisionalConfiguration": {
 "type": "structure",
 "members": {

```

```

 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#RateLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "RateLimitExceeded",
 "httpResponseCode": 429
 },
 "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief
wait.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 429
 }
 },
 "com.amazonaws.licensemanager#ReceivedMetadata": {
 "type": "structure",
 "members": {
 "ReceivedStatus": {
 "target": "com.amazonaws.licensemanager#ReceivedStatus",
 "traits": {
 "smithy.api#documentation": "<p>Received status.</p>"
 }
 },
 "ReceivedStatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Received
status reason.</p>"
 }
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Allowed operations.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
 }
},
"com.amazonaws.licensemanager#ReceivedStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue":
"PENDING_ACCEPT"
 }
 },
 "REJECTED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
 }
}

```

```

 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 },
 "WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
 }
 }
},
"com.amazonaws.licensemanager#RedirectException": {
 "type": "structure",
 "members": {
 "Location": {
 "target": "com.amazonaws.licensemanager#Location",
 "traits": {
 "smithy.api#httpHeader": "Location"
 }
 },
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 308
 }
},
"com.amazonaws.licensemanager#RejectGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#RejectGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#RejectGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#RejectGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}
},
"com.amazonaws.licensemanager#RejectGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 }
 },
 "Status": {

```

```

 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#RenewType":
{
 "type": "enum",
 "members": {
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "WEEKLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Weekly"
 }
 },
 "MONTHLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Monthly"
 }
 }
 }
},
"com.amazonaws.licensemanager#ReportContext": {
 "type": "structure",
 "members": {
 "licenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {

```



```

 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
}
},
"com.amazonaws.licensemanager#ReportFrequency": {
 "type": "structure",
 "members": {
 "value": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {
 "smithy.api#documentation": "Number of times within the frequency period that a report is
generated. \n The only supported value is <code>1</code>.</p>"
 }
 },
 "period": {
 "target": "com.amazonaws.licensemanager#ReportFrequencyType",

 "traits": {
 "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,
or monthly.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 }
},
"com.amazonaws.licensemanager#ReportFrequencyType": {
 "type": "enum",
 "members": {
 "DAY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DAY"
 }
 },
 "WEEK": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WEEK"
 }
 }
 },
}

```

```

 "MONTH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "MONTH"
 }
 }
 },
 "com.amazonaws.licensemanager#ReportGenerator": {
 "type": "structure",
 "members": {
 "ReportGeneratorName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>"
 }
 },
 "ReportType": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>License
configuration type for this generator.</p>"
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 }
 },
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
 }
 },
 "LastRunStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
 }
 }
 }
 }
}

```

```

 },
 "LastRunFailureReason":
 {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
 }
 },
 "LastReportGenerationTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
 }
 },
 "ReportCreatorAccount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report
generator.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",

 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "S3Location": {
 "target": "com.amazonaws.licensemanager#S3Location",
 "traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the report was created.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
 }
 }
 }

```

```

 },
 "traits": {
 "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
 }
 },
 "com.amazonaws.licensemanager#ReportGeneratorList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ReportGenerator"
 }
 },
 "com.amazonaws.licensemanager#ReportGeneratorName": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
 },
 "com.amazonaws.licensemanager#ReportType": {
 "type": "enum",
 "members": {
 "LICENSE_CONFIGURATION_SUMMARY_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
 }
 },
 "LICENSE_CONFIGURATION_USAGE_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationUsageReport"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#ReportTypeList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ReportType"
 }
 },
 "com.amazonaws.licensemanager#ResourceInventory": {
 "type": "structure",
 "members": {

```

```

 "ResourceId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "Platform": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Platform of the resource.</p>"
 }
 },
 "PlatformVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
 }
 },
 "ResourceOwningAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a resource.</p>"
 },
 "com.amazonaws.licensemanager#ResourceInventoryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ResourceInventory"
 }
 }
 }

```

```

},
"com.amazonaws.licensemanager#ResourceLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ResourceLimitExceeded",

 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResource.NotFound",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The resource cannot be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#ResourceType": {
 "type": "enum",
 "members": {
 "EC2_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_INSTANCE"
 }
 },
 "EC2_HOST": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "EC2_HOST"
 },
 "EC2_AMI": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_AMI"
 }
 },
 "RDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "RDS"
 }
 },
 "SYSTEMS_MANAGER_MANAGED_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
 }
 }
},
"com.amazonaws.licensemanager#S3Location": {
 "type": "structure",
 "members": {
 "bucket": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
 }
 },
 "keyPrefix": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
 }
},
"com.amazonaws.licensemanager#ServerInternalException": {
 "type": "structure",
 "members": {
 "Message": {

```

```

 "target": "com.amazonaws.licensemanager#Message"
 }
},
"traits": {
 "aws.protocols#awsQueryError": {
 "code": "InternalServerError",
 "httpResponseCode": 500
 },
 "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
 "smithy.api#error": "server",
 "smithy.api#httpError": 500
}
},
"com.amazonaws.licensemanager#SignedToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 4096
 }
 }
},
"com.amazonaws.licensemanager#StatusReasonMessage": {
 "type": "string",
 "traits":
{
 "smithy.api#length": {
 "min": 0,
 "max": 400
 },
 "smithy.api#pattern": "^[\\s\\S]+$"
}
},
"com.amazonaws.licensemanager#String": {
 "type": "string"
},
"com.amazonaws.licensemanager#StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
},
"com.amazonaws.licensemanager#Tag": {
 "type": "structure",
 "members": {
 "Key": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Tag key.</p>"
 }
 }
 }
}

```



```

 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Tag value.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
 },
 "com.amazonaws.licensemanager#TagKeyList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
 },
 "com.amazonaws.licensemanager#TagList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Tag"
 }
 },
 "com.amazonaws.licensemanager#TagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#TagResourceResponse"
 },
 "errors": [
 {
 "target":
"com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]
 },

```

```

 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#TagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>One or more tags.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#TagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#TokenData": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
 }
 },
 },

```

```

"TokenType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
 }
},
"LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
},
"ExpirationTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
 }
},
"TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller.</p>"
 }
},
"RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes a token.</p>"
}
},
"com.amazonaws.licensemanager#TokenList": {
 "type": "list",

```

```

 "member": {
 "target": "com.amazonaws.licensemanager#TokenData"
 }
 },
 "com.amazonaws.licensemanager#TokenString": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 4096
 },
 "smithy.api#pattern": "^\\S+$"
 }
 },
 "com.amazonaws.licensemanager#TokenType": {
 "type": "enum",
 "members": {
 "REFRESH_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REFRESH_TOKEN"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
 {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#UntagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UntagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UntagResourceResponse"
 }
 },

```

```

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Removes the specified tags from the specified license
configuration.</p>"
},
},
"com.amazonaws.licensemanager#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "TagKeys": {
 "target": "com.amazonaws.licensemanager#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UntagResourceResponse": {
 "type": "structure",
 "members": {},

```

```

 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 },
 },

```

```

"LicenseConfigurationStatus": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
 "traits": {
 "smithy.api#documentation": "<p>New status of the license configuration.</p>"
 }
},
"LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {

 "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\n
configuration is licenseAffinityToHost.</p>"
 }
},
"LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>New number of licenses managed by the license
configuration.</p>"
 }
},
"LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
 }
},
"Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
 }
},
"Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New description of the license configuration.</p>"
 }
},
"ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>New product information.</p>"
 }
},
"DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",

```

```

 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "traits": {
 {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
],
 },

```



```

 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates a report generator.</p>\n <p>After you make changes to a
report generator, it starts generating new reports within 60 minutes of being updated.</p>"
 }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
{
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to
update.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportGeneratorName": {
 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
 },
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation":
 "<p>Type of reports to generate. The following report types are supported:</p>\n \n \n <p>License configuration report - Reports the number and details of consumed licenses for a license
configuration.</p>\n \n \n <p>Resource report - Reports the tracked licenses and
resource consumption for a license configuration.</p>\n \n ",
 "smithy.api#required": {}
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>The report context.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",

```

```

 "traits":
 {
 "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
 "smithy.api#required": {}
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
{
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],

```

```

 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },

 {
 "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
 },
 {
 "target": "com.amazonaws.licensemanager#LicenseUsageException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n <p>You can update the license specifications of AMIs, instances, and hosts.\n You cannot update the license specifications for launch templates and CloudFormation templates, \n as they send license configurations to the operation that creates the resource.</p>"
 }
},

"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services resource.</p>",
 "smithy.api#required": {}
 }
 },
 "AddLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
 }
 },
 "RemoveLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation":
 "<p>ARNs of the license configurations to remove.</p>"
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
 }
},
"com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UsageOperation": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 }
 }
},
"com.amazonaws.licensemanager#ValidationException": {

```

```

 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",

 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
}
}
}
}

```

## 1.86 [github.com/mennanov/limiters](https://github.com/mennanov/limiters) 1.6.0

### 1.86.1 Available under license :

MIT License

Copyright (c) 2019 Renat Mennanov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.87 [go.etcd.io/etcd/client/pkg/v3](https://go.etcd.io/etcd/client/pkg/v3) 3.5.14

## 1.87.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without



modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.88 thanhpk-randstr 1.0.6

### 1.88.1 Available under license :

The MIT License

Copyright (c) 2010-2018 Google, Inc. <http://angularjs.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.89 alessandro-c-gomemcached-lock 1.0.0

## 1.89.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.90 aws-aws-sdk-go-v2-internal- configsources 1.3.9

## 1.90.1 Available under license :

name: License Scan

on: [pull\_request]

jobs:

licensescan:

name: License Scan

runs-on: ubuntu-latest

strategy:

matrix:

python-version: [3.9]

steps:

- name: Checkout target

uses: actions/checkout@v2

with:

path: sdkbase

ref: \${ { github.base\_ref } }

- name: Checkout this ref



```

 uses: actions/checkout@v2
 with:
 path: new-ref
 fetch-depth: 0
 - name: Get Diff
 run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT ${{ github.event.pull_request.base.sha }}
 ${{ github.sha }} > refDiffFiles.txt
 - name: Get Target Files
 run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt - > targetFiles.txt
 - name: Checkout scancode
 uses: actions/checkout@v2
 with:
 repository: nexB/scancode-toolkit
 path: scancode-toolkit
 fetch-depth: 1
 - name: Set up Python ${{ matrix.python-version }}
 uses: actions/setup-python@v2
 with:
 python-version: ${{ matrix.python-version }}
 # ScanCode
 - name: Self-configure scancode
 working-directory: ./scancode-toolkit
 run: ./scancode --help
 - name: Run Scan code on target
 run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
 toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
 - name: Run Scan code on pr ref
 run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
 toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
 # compare
 - name: License test
 run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
 are the same. Success."; exit 0; fi
CreateLicense
Initialize stack step
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
Serialize stack step
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware

```

RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
ListReceivedLicenses  
Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata

ErrorCloseResponseBody

CloseResponseBody

ResponseErrorWrapper

RequestIDRetriever

OperationDeserializer

AddTimeOffsetMiddleware

RecordResponseTiming

RequestResponseLogger

```
{
 "smithy": "2.0",
 "shapes": {
 "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
 "type": "integer"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
 "type": "long"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of name to filter by.</p>"
 }
 },
 "Values": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
 }
 },
 "Operator": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
 "traits": {
 "smithy.api#documentation": "<p>An operator for filtering results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe operation.\n Filters can be used to match a set of resources by specific criteria.</p>"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
 }
 }
 }
}
```

```

 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the Linux subscriptions service settings.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/GetServiceSettings"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest":
{
 "type": "structure",
 "members": {}
},
 "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Lists the settings defined for Linux subscriptions discovery. The
settings include if\n Organizations integration has been enabled, and
which Regions data will be aggregated from.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
 }
 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays
the aggregated data for Linux\n subscriptions.</p>"
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
 "type": "structure",
 "members": {
 "AmiId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
 }
 },
 "InstanceID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
 }
 },
 "InstanceType": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance type of the resource.</p>"
 }
 }
 }
}

```

```

 }
},
"AccountID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
 }
},
>Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of the instance.</p>"
 }
},
Region": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
 }
},
UsageOperation": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n operation values in the <i>License Manager User
Guide</i>.</p>"
 }
},
ProductCode": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
 "traits": {
 "smithy.api#documentation": "<p>The product code for the instance. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-
operation.html\">Usage\n operation values in the <i>License Manager User Guide</i> .</p>"
 }
},
LastUpdatedTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The time in which the last discovery
updated the instance details.</p>"
 }
},
SubscriptionName": {
 "target": "smithy.api#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>The name of the subscription being used by the instance.</p>"
 }
}
},
"traits": {
 "smithy.api#documentation": "<p>Details discovered information about a running instance using Linux
subscriptions.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Instance"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
 "smithy.api#error": "server"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LicenseManagerLinuxSubscriptions": {
 "type": "service",
 "version": "2018-05-10",
 "operations": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
 }
],
 "traits": {
 "aws.api#service": {
 "sdkId": "License Manager Linux Subscriptions",

```

```

 "arnNamespace": "license-manager-linux-subscriptions",
 "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
 },
 "aws.auth#sigv4": {
 "name": "license-manager-linux-subscriptions"
 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id",
 "content-length",
 "x-api-key",
 "authorization",
 "x-amz-date",

 "x-amz-security-token",
 "Access-Control-Allow-Headers",
 "Access-Control-Allow-Methods",
 "Access-Control-Allow-Origin"
],
 "additionalExposedHeaders": [
 "x-amzn-errortype",
 "x-amzn-requestid",
 "x-amzn-trace-id"
]
 },
 "smithy.api#documentation": "<p>With License Manager, you can discover and track your commercial Linux subscriptions on running Amazon EC2 instances.</p>",
 "smithy.api#title": "AWS License Manager Linux Subscriptions",
 "smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,

```



```

 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",

 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
},
"rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
],
"type": "tree",
"rules": [
 {

 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
 },
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",

```

```

 "type": "error"
 },
 {
 "conditions": [],
 "type": "tree",
 "rules": [
 {

 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],

 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 }
],
{
 "conditions": [],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",

```

```

"argv": [
 {
 "ref": "Region"
 }
]
},
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
],
 },
],
 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
],
 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
],
 },
],
"type": "tree",
"rules": [

```

```

{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
],
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 },
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",

```

```

 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
]
}
]

},

{
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
 "type": "error"
}
]
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
]
 }
]
}

```

```

 }
]
}
],
"type": "tree",

"rules": [
 {
 "conditions": [],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}

 },
 "type": "endpoint"
 }
]
 }
],
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [

```

```

{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
]
 },
 {
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
 }
]
},

```

```

 {
 "conditions": [],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url":
"https://license-manager-linux-subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 }
]
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
]
}
]
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {

```



```

"endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
},
},
"params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
},
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
}

```

```

 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint":
{
 "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
 }
 }
 }
}

```

```

 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint":
{
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {

```

```

 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },

```

```

{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {

 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled
and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",

```

```

 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",

 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,

 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",

```

```

 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
}
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled LinuxSubscriptionsDiscovery"
 },
 {
 "name": "Disabled",
 "value": "Disabled",
 "documentation": "Disabled LinuxSubscriptionsDiscovery"
 }
]
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
 "type": "structure",
 "members": {
 "SourceRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 }
 },
 "OrganizationIntegration": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
 "traits": {
 "smithy.api#documentation": "<p>Details if you have enabled resource discovery across your
accounts in Organizations.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
 "type":
"operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with
commercial Linux\n subscriptions.</p>",
 "smithy.api#http": {

"code": 200,
 "method": "POST",
 "uri": "/subscription/ListLinuxSubscriptionInstances"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",

```



```

 "pageSize": "MaxResults",
 "items": "Instances"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n more sets of key-value pairs that you specify. For example, you can filter by
the name of\n <code>AmiID</code> with an optional operator to see subscriptions that match, partially\n
match, or don't match a certain Amazon Machine Image (AMI) ID.</p>\n <p>The valid names for this filter
are:</p>\n \n \n <p>\n <code>AmiID</code>\n </p>\n
\n \n <p>\n <code>InstanceID</code>\n </p>\n \n
\n <p>\n <code>AccountID</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n \n <p>\n <code>Region</code>\n </p>\n \n \n <p>\n <code>UsageOperation</code>\n </p>\n \n \n <p>\n <code>ProductCode</code>\n </p>\n \n \n <p>\n <code>InstanceType</code>\n </p>\n \n \n <p>The valid Operators for this
filter are:</p>\n \n \n <p>\n <code>contains</code>\n </p>\n
\n \n <p>\n <code>equals</code>\n </p>\n \n \n <p>\n <code>NotEqual</code>\n </p>\n \n "
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 16384
 }
 }
 }
},
"traits": {
 "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if

```

parameters in request increases."

```
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {
 "type": "structure",
 "members": {
 "Instances": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",
 "traits": {
 "smithy.api#documentation":
 "<p>An array that contains instance objects.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have linked your\n organization, the returned results will include data aggregated across your accounts in\n Organizations.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListLinuxSubscriptions"
 }
 }
 }
}
```

```

 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "Subscriptions"
 }
}

},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n more sets of key-value pairs that you specify. For example, you can filter by the name of\n
<code>Subscription</code> with an optional operator to see subscriptions that match,\n partially match, or don't
match a certain subscription's name.</p>\n <p>The valid names for this filter are:</p>\n \n
\n <p>\n <code>Subscription</code>\n </p>\n \n \n
<p>The valid Operators for this filter are:</p>\n
 \n
 \n <p>\n <code>contains</code>\n </p>\n \n
 \n <p>\n <code>equals</code>\n </p>\n \n
 \n <p>\n <code>NotEqual</code>\n </p>\n \n "
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 16384
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if

```

parameters in request increases."

```
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
 "type": "structure",
 "members": {
 "Subscriptions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
 "traits": {
 "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
 }
 }
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "EQUAL",
 "value": "Equal",
 "documentation": "Equal operator"
 },
 {
 "name": "NOT_EQUAL",
 "value": "NotEqual",
 "documentation": "Not equal operator"
 },
 {
 "name": "CONTAINS",
 "value": "Contains",
 "documentation": "Contains operator"
 }
],
 "smithy.api#length": {
 "min": 1,
 "max": 20
 }
 }
 },
}
```

```

"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled OrganizationIntegration"
 },
 {
 "name": "Disabled",
 "value": "Disabled",
 "documentation": "Disabled OrganizationIntegration"
 }
]
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "InProgress",
 "value": "InProgress",
 "documentation": "InProgress status"
 },
 {
 "name": "Completed",
 "value": "Completed",
 "documentation": "Completed status"
 },
 {
 "name": "Successful",
 "value": "Successful",
 "documentation": "Successful status"
 },
 {
 "name": "Failed",
 "value": "Failed",
 "documentation": "Failed status"
 }
]
 }
}

```

```

]
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String",
 "traits":
{
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
},
"traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 },
 "smithy.api#uniqueItems": {}
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
 "type": "map",
 "key": {
 "target": "smithy.api#String"
 },
 "value": {
 "target": "smithy.api#String"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the subscription.</p>"
 }
 }
 },
 "Type": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n Amazon Web Services Marketplace as well as"
 }
 }
}

```

OS licensing from Amazon EC2 or BYOS.</p>"

```
 }
 },
 "InstanceCount": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An object which details a discovered Linux
subscription.</p>"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request was denied due to request throttling.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 }
]
 }
}
```

```

 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/UpdateServiceSettings"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest":
{
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
 "smithy.api#required": {}
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated from.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowUpdate": {
 "target": "smithy.api#Boolean",
 "traits": {
 "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux subscriptions. If you\n allow updates, you can aggregate Linux subscription data in more than one home Region.</p>"
 }
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
 "type": "structure",

```



```

"members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 },

 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The
settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated
from.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation":
"<p>A message which details the Linux subscriptions service settings current status.</p>"
 }
 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n subscriptions.</p>"
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",

```

```

 "smithy.api#error": "client"
 }
}
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
 if params == nil {
 params = &DeleteLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*DeleteLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type DeleteLicenseInput struct {

 // Amazon Resource Name (ARN) of the license.
 //
 // This member is required.
 LicenseArn *string

 // Current version of the license.
 //
 // This member is required.
 SourceVersion

```

```

*string

noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

 // Date when the license is deleted.
 DeletionDate *string

 // License status.
 Status types.LicenseDeletionStatus

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "DeleteLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err !=
 nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
}

```

```

if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil
{
 return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {

```

```

 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "DeleteLicense",
 }
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Creates a license.
func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
 if params == nil {
 params = &CreateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CreateLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CreateLicenseInput struct {

```

```
// License beneficiary.
//
// This member is required.
Beneficiary *string

// Unique, case-sensitive identifier that you provide to ensure the idempotency of
// the request.
//
//
This member is required.
ClientToken *string

// Configuration for consumption of the license. Choose a provisional
// configuration for workloads running with continuous connectivity. Choose a
// borrow configuration for workloads with offline usage.
//
// This member is required.
ConsumptionConfiguration *types.ConsumptionConfiguration

// License entitlements.
//
// This member is required.
Entitlements []types.Entitlement

// Home Region for the license.
//
// This member is required.
HomeRegion *string

// License issuer.
//
// This member is required.
Issuer *types.Issuer

// License name.
//
// This member is required.
LicenseName *string

// Product name.
//
// This member is required.
ProductName *string

// Product SKU.
//
// This member is required.
ProductSKU *string
```

```

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about
the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.
Version *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{}, middleware.After)
if err != nil {
return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "CreateLicense"); err != nil {
return fmt.Errorf("add protocol finalizers: %v", err)
}
}

if

```

```

err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return
err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {

```



```

 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CreateLicense",
 }
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists received licenses.
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns
...func(*Options)) (*ListReceivedLicensesOutput, error) {
 if params == nil {
 params = &ListReceivedLicensesInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,

```

```

c.addOperationListReceivedLicensesMiddlewares)
if err != nil {
 return nil, err
}

out := result.(*ListReceivedLicensesOutput)
out.ResultMetadata = metadata
return out, nil
}

type ListReceivedLicensesInput struct {

 // Filters to scope the results. The following filters are supported:
 //
 // - ProductSKU
 //
 // - Status
 //
 // - Fingerprint
 //
 // - IssuerName
 //
 // - Beneficiary
 Filters []types.Filter

 // Amazon Resource Names (ARNs) of the licenses.
 LicenseArns []string

 // Maximum number of results to return in a single call.
 MaxResults *int32

 // Token for the next set of results.
 NextToken *string

 noSmithyDocumentSerde
}

type ListReceivedLicensesOutput struct {

 // Received license details.
 Licenses []types.GrantedLicense

 // Token for the next set of results.
 NextToken *string

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

```

```
noSmithyDocumentSerde
}
```

```
func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{},
middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "ListReceivedLicenses"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {
 return err
 }
 if err = addRecordResponseTiming(stack); err != nil {
 return err
 }
}
```

```

}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err
= smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opListReceivedLicenses(region string)
*awsmiddleware.RegisterServiceMetadata {
 return
&awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "ListReceivedLicenses",
}
}

```

CheckoutLicense  
Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
DisassociateLicense  
Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID

ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
CheckoutBorrowLicense  
Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader

setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
AssociateLicense  
Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger

// Code generated by smithy-go-codegen DO NOT EDIT.

package grafana

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

// Removes the Grafana Enterprise license from a workspace.

```
func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
...func(*Options)) (*DisassociateLicenseOutput, error) {
 if params == nil {
 params = &DisassociateLicenseInput{
 }
}
```

```
 result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }
```

```
 out := result.(*DisassociateLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}
```

type DisassociateLicenseInput struct {

// The type of license to remove from the workspace.

//

// This member is required.

LicenseType types.LicenseType

//

The ID of the workspace to remove the Grafana Enterprise license from.

//

// This member is required.

WorkspaceId \*string

noSmithyDocumentSerde

}

type DisassociateLicenseOutput struct {



```

// A structure containing information about the workspace.
//
// This member is required.
Workspace *types.WorkspaceDescription

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "DisassociateLicense");
 err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
}

```

```

if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil
{
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil

```

```

}

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID:
 ServiceID,
 OperationName: "DisassociateLicense",
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license for offline use.
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
 if params == nil {
 params = &CheckoutBorrowLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,
c.addOperationCheckoutBorrowLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckoutBorrowLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CheckoutBorrowLicenseInput struct {

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 //
 the request.
 //

```

```

// This member is required.
ClientToken *string

// Digital signature method. The possible value is JSON Web Signature (JWS)
// algorithm PS384. For more information, see [RFC 7518 Digital Signature with RSASSA-PSS].
//
// [RFC 7518 Digital Signature with RSASSA-PSS]: https://tools.ietf.org/html/rfc7518#section-3.5
//
// This member is required.
DigitalSignatureMethod types.DigitalSignatureMethod

// License entitlements. Partial checkouts are not supported.
//
// This member is required.
Entitlements []types.EntitlementData

// Amazon Resource Name (ARN) of the license. The license must use the borrow
// consumption configuration.
//
// This member is required.
LicenseArn *string

// Information about constraints.
CheckoutMetadata []types.Metadata

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type CheckoutBorrowLicenseOutput struct {

// Information about constraints.
CheckoutMetadata []types.Metadata

// Allowed license entitlements.
EntitlementsAllowed
[]types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

```

```

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{}, middleware.After)
 if err != nil {
 return
 }
 err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutBorrowLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}

```

```

}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return
 err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
}

```

```

if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region string)
*awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckoutBorrowLicense",
 }
}
ListLicenses
Initialize stack step
 RegisterServiceMetadata
 legacyEndpointContextSetter
 SetLogger
Serialize stack step
 setOperationInput
 ResolveEndpoint
 OperationSerializer
Build stack step
 ClientRequestID
 ComputeContentLength
 UserAgent
 AddTimeOffsetMiddleware
 RecursionDetection
Finalize stack step
 ResolveAuthScheme
 GetIdentity
 ResolveEndpointV2
 disableHTTPS
 ComputePayloadHash
 Retry
 RetryMetricsHeader
 setLegacyContextSigningOptions
 Signing
Deserialize stack step
 AddRawResponseToMetadata
 ErrorCloseResponseBody
 CloseResponseBody
 ResponseErrorWrapper
 RequestIDRetriever
 OperationDeserializer
 AddTimeOffsetMiddleware

```

RecordResponseTiming  
RequestResponseLogger  
AWS SDK for Go  
Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
Copyright 2014-2015 Stripe, Inc.  
DeleteLicense  
Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
GetLicense  
Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
Serialize stack step



```

setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

```

```
package licensemanager
```

```

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

```

// Checks in the specified license. Check in a license when it is no longer in use.
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))
(*CheckInLicenseOutput, error) {
 if params == nil {
 params = &CheckInLicenseInput{}
 }
}

```

```

 result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,
c.addOperationCheckInLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckInLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CheckInLicenseInput struct {

 // License consumption token.
 //
 // This member is required.
 LicenseConsumptionToken *string

 // License beneficiary.
 Beneficiary *string

 noSmithyDocumentSerde
}

type
 CheckInLicenseOutput struct {
 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
 }

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CheckInLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }
}

```

```

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if
err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),

```

```

middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckInLicense",
 }
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
 if params == nil {
 params = &ListLicensesInput{}
 }
}

```

```

 result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*ListLicensesOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type ListLicensesInput struct {

 // Filters to scope the results. The following filters are supported:
 //
 // - Beneficiary
 //
 // - ProductSKU
 //
 // - Fingerprint
 //
 // - Status
 Filters
[]types.Filter

 // Amazon Resource Names (ARNs) of the licenses.
 LicenseArns []string

 // Maximum number of results to return in a single call.
 MaxResults *int32

 // Token for the next set of results.
 NextToken *string

 noSmithyDocumentSerde
}

type ListLicensesOutput struct {

 // License details.
 Licenses []types.License

 // Token for the next set of results.
 NextToken *string

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

```

```
noSmithyDocumentSerde
}
```

```
func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack,
 options, "ListLicenses"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {
 return err
 }
 if err = addRecordResponseTiming(stack); err != nil {
 return err
 }
}
```

```

if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack);
err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "ListLicenses",
 }
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// Code generated by smithy-go-codegen DO NOT EDIT.

package grafana

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

```
// Assigns a Grafana Enterprise license to a workspace. To upgrade, you must use
// ENTERPRISE for the licenseType , and pass in a valid Grafana Labs token for the
// grafanaToken . Upgrading to Grafana Enterprise incurs additional fees. For more
// information, see [Upgrade a workspace to Grafana Enterprise].
//
// [Upgrade a workspace to Grafana Enterprise]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-Grafana-Enterprise.html
func (c *Client) AssociateLicense(ctx context.Context, params *AssociateLicenseInput, optFns ...func(*Options))
(*AssociateLicenseOutput, error) {
 if params == nil {
```



```

params = &AssociateLicenseInput{}
}

result, metadata, err := c.invokeOperation(ctx,
"AssociateLicense", params, optFns, c.addOperationAssociateLicenseMiddlewares)
if err != nil {
 return nil, err
}

out := result.(*AssociateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type AssociateLicenseInput struct {

 // The type of license to associate with the workspace.
 //
 // Amazon Managed Grafana workspaces no longer support Grafana Enterprise free
 // trials.
 //
 // This member is required.
 LicenseType types.LicenseType

 // The ID of the workspace to associate the license with.
 //
 // This member is required.
 WorkspaceId *string

 // A token from Grafana Labs that ties your Amazon Web Services account with a
 // Grafana Labs account. For more information, see [Link your account with Grafana Labs].
 //
 // [Link your account with Grafana Labs]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-
 GrafanaEnterprise.html#AMG-workspace-register-enterprise
 GrafanaToken *string

 noSmithyDocumentSerde
}

type AssociateLicenseOutput
struct {

 // A structure containing data about the workspace.
 //
 // This member is required.
 Workspace *types.WorkspaceDescription

 // Metadata pertaining to the operation's result.

```

ResultMetadata middleware.Metadata

noSmithyDocumentSerde  
}

```
func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "AssociateLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }
}
```

```
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack,
options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
```

```

}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack);
err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "AssociateLicense",
}

```

```

}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
 if params == nil {
 params = &GetLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*GetLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type GetLicenseInput struct {

 // Amazon Resource Name (ARN) of the license.
 //
 // This member is required.
 LicenseArn *string

 // License version.
 Version *string

 noSmithyDocumentSerde
}

type

```

```

GetLicenseOutput struct {

 // License details.
 License *types.License

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "GetLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err
 != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
}

```

```

}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata {

```

```

return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "GetLicense",
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license.
//
// If the account that created the license is the same that is performing the
// check out, you must specify the account as the beneficiary.
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
 if params == nil {
 params = &CheckoutLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckoutLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CheckoutLicenseInput struct {

 //
 // Checkout type.
 //
 // This member is required.
 CheckoutType types.CheckoutType

```

```

// Unique, case-sensitive identifier that you provide to ensure the idempotency of
// the request.
//
// This member is required.
ClientToken *string

// License entitlements.
//
// This member is required.
Entitlements []types.EntitlementData

// Key fingerprint identifying the license.
//
// This member is required.
KeyFingerprint *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// License beneficiary.
Beneficiary *string

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

// Checkout type.
CheckoutType types.CheckoutType

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the checkout license.
LicenseArn
*string

```



```

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack,
options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {

```

```

return err
}
if err = addRetry(stack, options); err != nil {
return err
}
if err = addRawResponseToMetadata(stack); err != nil {
return err
}
if err = addRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack);
err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = addRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
return err
}

```

```

}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
Region: region,
ServiceID: ServiceID,
OperationName: "CheckoutLicense",
}
}

```

Apache License  
 Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

CheckInLicense

Initialize stack step

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

OperationInputValidation

Serialize stack step

setOperationInput

ResolveEndpoint

OperationSerializer

Build stack step

ClientRequestID

ComputeContentLength

UserAgent

AddTimeOffsetMiddleware

RecursionDetection

Finalize stack step

```

ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
{
 "smithy": "2.0",
 "shapes": {
 "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
 "type": "structure",
 "members": {
 "DirectoryId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation":
 "<p>Details about an Active Directory identity provider.</p>"
 }
 }
 }
}

```



```

 },
 "com.amazonaws.licenseanagerusersubscriptions#AssociateUser": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Associates the user to an EC2 instance to utilize user-based subscriptions.</p>\n <note>\n <p>Your estimated bill for charges on the number of users and related costs will take 48\n hours to appear for billing periods that haven't closed (marked as Pending billing status) in Amazon Web Services Billing. For more information, see Viewing your\nmonthly charges in the <i>Amazon Web Services Billing User Guide</i>.</p>\n </note>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/AssociateUser"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest": {

```

```

 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the
EC2 instance, which provides user-based subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>The identity provider of the user.</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#BoxInteger": {
 "type": "integer"
 },
 "com.amazonaws.licenseanagerusersubscriptions#ConflictException": {

```

```

 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current
state of the\n resource.</p>",
 "smithy.api#error": "server"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deregisters the identity provider from providing user-based
subscriptions.</p>",
 "smithy.api#http": {

```

```

 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/DeregisterIdentityProvider"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#documentation":
"<p>Metadata that describes the results of an identity provider operation.</p>",
 "smithy.api#required": {}
 }
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUser": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse"
 },
 "errors": [

```

```

 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/DisassociateUser"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based

```

```

subscriptions.</p>",
 "smithy.api#required": {}
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation":
"<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
 "smithy.api#required": {}
 }
 }
 }
},

"com.amazonaws.licenseanagerusersubscriptions#Filter": {
 "type": "structure",
 "members": {
 "Attribute": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
 }
 },
 "Operation": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
 }
 }
 },

```

```

 "Value": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Value of the filter.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter name and value pair that is used
to return more specific results from a describe\n operation. Filters can be used to match a set of resources by
specific criteria, such as tags,\n attributes, or IDs.</p>"
 },
 "com.amazonaws.licenseanagerusersubscriptions#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Filter"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider": {
 "type": "union",
 "members": {
 "ActiveDirectoryIdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that details an Active Directory identity provider.</p>"
 }
 }
 }
 },
 "traits": {
 "smithy.api#documentation":
"<p>Details about an identity provider.</p>"
 },
 "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "Settings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "<p>An object that details the registered identity providers product

```

```

related configuration\n settings such as the subnets to provision VPC endpoints.</p>",
 "smithy.api#required":
{}
 }
},
"Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
},
"Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of an identity provider.</p>",
 "smithy.api#required": {}
 }
},
"FailureMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
 }
},
"traits": {
 "smithy.api#documentation":
"<p>Describes an identity provider.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceSummary": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 }
 }
},

```



```

 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status
of an EC2 instance resource.</p>",
 "smithy.api#required": {}
 }
 },
 "Products": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
 "smithy.api#required": {}
 }
 },
 "LastStatusCheckDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date of the last status check.</p>"
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceSummary"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 },
 "AssociationDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
 }
 },
 "DisassociationDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based
subscriptions.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
 "smithy.api#error": "server"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#LicenseManagerUserSubscriptions": {
 "type": "service",

"version": "2018-05-10",
"operations": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUser"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUser"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProviders"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstances"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptions"
 },

```

```

 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
 }
],
 "traits": {
 "aws.api#service": {
 "sdkId": "License Manager User Subscriptions",
 "arnNamespace": "license-manager-user-subscriptions",
 "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
 },
 "aws.auth#sigv4": {
 "name": "license-manager-user-subscriptions"
 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id",
 "content-length",
 "x-api-key",
 "authorization",
 "x-amz-date",
 "x-amz-security-token",
 "Access-Control-Allow-Headers",
 "Access-Control-Allow-Methods",
 "Access-Control-Allow-Origin"
],
 "additionalExposedHeaders": [
 "x-amzn-errortype",
 "x-amzn-requestid",
 "x-amzn-trace-id"
]
 }
 }
}

```

```

]
 },
 "smithy.api#documentation": "<p>With License Manager, you can create user-based subscriptions to
utilize licensed software with\n a per user subscription fee on Amazon EC2 instances.</p>",
 "smithy.api#title": "AWS License Manager User Subscriptions",
 "smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack
endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
 }
 },
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
]
}

```

```

]
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]

```

```

]
 },
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
 "type": "tree",
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 }
]
 }
]
 }
]
 }
]

```

```

 },
 true
]
}
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
"argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
],
 },
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
"argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
],
 },
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {

```



```

 "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
]
},
{
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
}
]
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
},
 "type": "tree",

"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
]
 }
]

```

```

]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 },
 {
 "conditions": [],
 "error": "FIPS is enabled but this partition does not support FIPS",
 "type": "error"
 }
]
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {

```

```

 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
},
"type": "tree",
"rules": [
 {

 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
{
 "conditions": [],
 "error": "DualStack is enabled but this partition does
not support DualStack",
 "type": "error"
}
],
{
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
]
}
]
},

```

```

 {
 "conditions":
 },
 {
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
 }
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation":
"For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,

```

```

 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with
FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-
1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {

```

```

 "endpoint": {
 "url": "https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1
with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,

```

```

 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1
with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"

```

```

 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack":
true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but
this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {

```



```

 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},

{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
}

```

```

 },
 {
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
],
"version": "1.0"
}

```

```

 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProviders": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the identity providers for user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/ListIdentityProviders"
 },
 "smithy.api#paginated":
 {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "IdentityProviderSummaries"
 }
 }
 }
}

```

```

 },
 "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse":
 {
 "type": "structure",
 "members": {
 "IdentityProviderSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list identity providers operation.</p>",
 "smithy.api#required": {}
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListInstances": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/instance/ListInstances"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceSummaries"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
}

```

```

 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n more sets of key-value pairs that you specify.</p>"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse": {
 "type":
"structure",
 "members": {
 "InstanceSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list instances operation.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity
provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListProductSubscriptions"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "ProductUserSummaries"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
 "type": "structure",
 "members": {
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name
of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {

"smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match
one or\n more sets of key-value pairs that you specify.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions
operation.</p>"
 }
 }
 },

 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse"
 },
 "errors": [

```



```

 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target":
"com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListUserAssociations"
 },
 "smithy.api#paginated":
{
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceUserSummaries"
}
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }
}

```

```

 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n more sets of key-value pairs that you specify.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
}

```

```

 },
 "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary": {
 "type": "structure",
 "members": {

 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of a product for a user.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for a product for a user.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 },
 "SubscriptionStartDate": {
 "target": "smithy.api#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>The
start date of a subscription.</p>"
 }
 },
 "SubscriptionEndDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The end date of a subscription.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>The summary of the user-based subscription products for a user.</p>"
}
},
"com.amazonaws.licensemanagerusersubscriptions#ProductUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/RegisterIdentityProvider"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "Settings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "<p>The registered identity providers product related configuration
settings such as the\n subnets to provision VPC endpoints.</p>"
 }
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
 "smithy.api#required": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 404
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 5,
 "max": 200
 },
 "smithy.api#pattern": "^sg-([0-9a-z]{8})([0-9a-z]{17}))$"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request failed because a service quota is exceeded.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Settings": {
 "type": "structure",
 "members": {
 "Subnets": {

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation":
"<p>The subnets defined for the registered identity provider.</p>",
 "smithy.api#length": {
 "min": 1
 },
 "smithy.api#required": {}
 }
 },
 "SecurityGroupId": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup",
 "traits": {
 "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688
communication between resources in\n your VPC and the VPC endpoint for activation servers.</p>",
 "smithy.api#required": {}
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>The registered identity providers product related configuration settings
such as the\n subnets to provision VPC endpoints, and the security group ID that
is associated with the VPC\n endpoints. The security group should permit inbound TCP port 1688
communication from resources\n in the VPC.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscription": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 }
]
}

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Starts a product subscription for a user with the specified identity provider.</p>\n <note>\n <p>Your estimated bill for charges on the number of users and related costs will take 48\n hours to appear for billing periods that haven't closed (marked as Pending billing status) in Amazon Web Services Billing.\n For more information, see Viewing your\n monthly charges in the <i>Amazon Web Services Billing User Guide</i>.</p>\n </note>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/StartProductSubscription"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 }
 },

```



```

 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the start product subscription operation.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscription": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 }
]
 },

```

```

 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity
provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/StopProductSubscription"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 }
},

```

```

"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
 "traits": {
 "smithy.api#documentation":
"<p>Metadata that describes the start product subscription operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Subnet": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "subnet-[a-z0-9]{8,17}"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Subnets": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnet"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the
request.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettings": {
 "type": "operation",
 "input": {

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered
identity\n provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/UpdateIdentityProviderSettings"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "UpdateSettings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateSettings",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Updates the registered identity providers product related
configuration settings. You can\n update any combination of settings in a single operation such as the:</p>\n
\n \n <p>Subnets which you want to add to provision VPC endpoints.</p>\n \n
 \n <p>Subnets which you want to remove the VPC endpoints from.</p>\n \n
 \n <p>Security group ID which permits traffic to the VPC endpoints.</p>\n \n ",
 "smithy.api#required": {}
 }
 },
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#required": {}
 }
 }
 }
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateSettings": {
 "type": "structure",
 "members": {
 "AddSubnets": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint for products that\n require connectivity to activation servers.</p>",
 "smithy.api#required": {}
 }
 },
 "RemoveSubnets": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
 "smithy.api#required": {}
 }
 },
 "SecurityGroupId": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup",
 "traits": {
 "smithy.api#documentation": "<p>A security group ID
that allows inbound TCP port 1688 communication between resources in\n your VPC and the VPC endpoints for
activation servers.</p>"
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration settings such as\n the subnets to provision VPC endpoints.</p>"
 },
 "com.amazonaws.licensemanagerusersubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A parameter is not valid.</p>",
 "smithy.api#error": "client"
 }
 }
}
}
{
 "smithy": "2.0",
 "metadata": {
 "suppressions": [
 {
 "id": "HttpMethodSemantics",
 "namespace": "*"
 },
 {
 "id": "HttpStatusCodeSemantics",
 "namespace": "*"
 },
 {
 "id": "PaginatedTrait",
 "namespace": "*"
 },
 {
 "id": "HttpHeaderTrait",
 "namespace": "*"
 },
 {
 "id": "HttpUriConflict",
 "namespace": "*"
 },
 {
 "id": "Service",
 "namespace": "*"
 }
]
 }
}

```

```

 }
]
},
"shapes": {
 "com.amazonaws.licensemanager#AWSLicenseManager": {
 "type": "service",
 "version": "2018-08-01",
 "operations": [
 {
 "target": "com.amazonaws.licensemanager#AcceptGrant"
 },
 {
 "target": "com.amazonaws.licensemanager#CheckInLicense"
 },
 {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
 },
 {
 "target": "com.amazonaws.licensemanager#CheckoutLicense"
 },
 {
 "target": "com.amazonaws.licensemanager#CreateGrant"
 },
 {
 "target": "com.amazonaws.licensemanager#CreateGrantVersion"
 },
 {
 "target": "com.amazonaws.licensemanager#CreateLicense"
 },
 {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
 },
 {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
 },
 {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
 },
 {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
 },
 {
 "target": "com.amazonaws.licensemanager#CreateToken"
 },
 {
 "target": "com.amazonaws.licensemanager#DeleteGrant"
 },
],
 },

```

```

{
 "target": "com.amazonaws.licensemanager#DeleteLicense"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#DeleteToken"
},
{
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
},
{
 "target": "com.amazonaws.licensemanager#GetAccessToken"
},
{
 "target": "com.amazonaws.licensemanager#GetGrant"
},
{
 "target": "com.amazonaws.licensemanager#GetLicense"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseUsage"
},
{
 "target": "com.amazonaws.licensemanager#GetServiceSettings"
},
{
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#ListDistributedGrants"
},
{
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
}

```



```

 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenses"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseVersions"
 },
 {
 "target": "com.amazonaws.licensemanager#ListReceivedGrants"
 },
 {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
 },
 {
 "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
 },
 {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
 },
 {
 "target": "com.amazonaws.licensemanager#ListResourceInventory"
 },
 {
 "target": "com.amazonaws.licensemanager#ListTagsForResource"
 },
 {
 "target": "com.amazonaws.licensemanager#ListTokens"
 },
 {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
 },
 {
 "target": "com.amazonaws.licensemanager#RejectGrant"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#TagResource"
 },
 {
 "target": "com.amazonaws.licensemanager#UntagResource"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
 }
],
"traits": {
 "aws.api#service": {
 "sdkId": "License Manager",
 "arnNamespace": "license-manager",
 "cloudFormationName": "LicenseManager",
 "cloudTrailEventSource": "licensemanager.amazonaws.com",
 "endpointPrefix": "license-manager"
 },
 "aws.auth#sigv4": {
 "name": "license-manager"
 },
 "aws.protocols#awsJson1_1": {},
 "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n Amazon Web Services accounts and on-premises servers.</p>",
 "smithy.api#title": "AWS License Manager",
 "smithy.api#xmlNamespace": {
 "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
 },
 "smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,

```

```

 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send
this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant
endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
},
"rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
 }
],

```

```

 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
{
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {

```

```

 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref":
"UseFIPS"

 },
 true
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
]
 }
]
 }
]

```

```

]
 }
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
],
 },
],
 },
 "supportsDualStack"
]
 }
]
},
"type": "tree",
"rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 },
 {
 "type": "endpoint"
 }
],
{
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
}
]
},
{
 "conditions": [
 {

```

```

 "fn": "booleanEquals",

"argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
}
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,

{
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
}
],
"type": "tree",
"rules": [

{
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
],
},
{
 "conditions": [],
 "error": "FIPS is enabled but this

```

partition does not support FIPS",

```
 "type": "error"
 }
]
 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 }
]
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 }
 }
]
 }
]
 }
],
"supportsDualStack"
```



```

 },
 {
 "type": "endpoint"
 }
]
},
{
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
}
]
},
{
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
]
}
]
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint":
{
 "url": "https://license-manager.af-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "af-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 }
],

```

```

{
 "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-3",

```

```

 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-southeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-southeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{

```

```

"documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-southeast-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ca-central-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ca-central-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-central-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-central-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-north-1.amazonaws.com"
 }
 },
 "params": {

```

```

 "Region": "eu-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region":
"eu-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",

```

```

 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.me-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "me-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.sa-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "sa-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,

```

```

 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region
us-west-1 with FIPS disabled and DualStack disabled",
 "expect": {

```

```

 "endpoint": {
 "url": "https://license-manager.us-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-2",
 "UseFIPS": true,

```



```

 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,

 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {

```

```

 "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
 }
},
"params": {
 "Region": "cn-northwest-1",
 "UseFIPS": false,
 "UseDualStack": false
}
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
}

```

```

 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation":
"\"For region us-gov-west-1 with FIPS enabled and DualStack disabled\",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
 }
 }
 }

```

```

 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.api.aws"
 }
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},

```

```

{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled
but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
}

```

```

 },
 {
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",

```

```

 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,

"UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "Missing region",
 "expect": {

```

```

 "error": "Invalid Configuration: Missing Region"
 }
 }
],
 "version": "1.0"
}
},
"com.amazonaws.licensemanager#AcceptGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
},
"traits": {
 "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
}
},
"com.amazonaws.licensemanager#AcceptGrantRequest": {
 "type": "structure",
 "members": {

```



```

 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#AcceptGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant
ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {}
 }
 },
 "com.amazonaws.licensemanager#AccessDeniedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {}
 }
 },

```

```

"code": "ServiceAccessDenied",
 "httpResponseCode": 401
},
"smithy.api#documentation": "<p>Access to resource denied.</p>",
"smithy.api#error": "client",
"smithy.api#httpError": 401
}
},
"com.amazonaws.licensemanager#ActivationOverrideBehavior": {
 "type": "enum",
 "members": {
 "DISTRIBUTED_GRANTS_ONLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
 }
 },
 "ALL_GRANTS_PERMITTED_BY_ISSUER": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
 }
 }
 }
},
"com.amazonaws.licensemanager#AllowedOperation": {
 "type": "enum",
 "members": {
 "CREATE_GRANT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateGrant"
 }
 },
 "CHECKOUT_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutLicense"
 }
 },
 "CHECKOUT_BORROW_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutBorrowLicense"
 }
 }
 },

```

```

 "CHECK_IN_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckInLicense"
 }
 },
 "EXTEND_CONSUMPTION_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ExtendConsumptionLicense"
 }
 },
 "LIST_PURCHASED_LICENSES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ListPurchasedLicenses"
 }
 },
 "CREATE_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateToken"
 }
 }
 },
 "com.amazonaws.licensemanager#AllowedOperationList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#AllowedOperation"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max":
7 }
 }
 },
 "com.amazonaws.licensemanager#Arn": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 2048
 },
 "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d))?:[A-Za-z0-9][A-Za-z0-9_./-]{0,62}:[A-Za-

```

```

z0-9_/.-]{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9:/+.,@.-]{0,1023}$"
 }
 },
 "com.amazonaws.licensemanager#ArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 }
 },
 "com.amazonaws.licensemanager#AuthorizationException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError":
 {
 "code": "AuthorizationFailure",
 "httpResponseCode": 403
 },
 "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to
perform the action. Check the IAM\n policy associated with this account.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 403
 }
 },
 "com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
 "type": "structure",
 "members": {
 "LastRunTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes automated discovery.</p>"
 }
 },
 "com.amazonaws.licensemanager#Boolean": {
 "type": "boolean",
 "traits": {
 "smithy.api#default": false
 }
 }

```

```

 },
 "com.amazonaws.licensemanager#BorrowConfiguration": {
 "type": "structure",
 "members": {
 "AllowEarlyCheckIn": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#BoxBoolean": {
 "type": "boolean"
 },
 "com.amazonaws.licensemanager#BoxInteger": {
 "type": "integer"
 },
 "com.amazonaws.licensemanager#BoxLong": {
 "type": "long"
 },
 "com.amazonaws.licensemanager#CheckInLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
 }
},
"com.amazonaws.licensemanager#CheckInLicenseRequest":
{
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CheckInLicenseResponse": {

```

```

 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CheckoutBorrowLicense":
 {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#ValidationException"
 },
 "traits": {
 "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
 }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must use the borrow consumption configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
 "smithy.api#required": {}
 }
 },
 "DigitalSignatureMethod": {
 "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
 "traits": {
 "smithy.api#documentation": "<p>Digital signature method. The possible value is JSON Web Signature (JWS) algorithm PS384. For more information, see RFC 7518 Digital Signature with RSASSA-PSS.</p>",
 "smithy.api#required": {}
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
 },
 "ClientToken": {

```



```

 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 },
 "EntitlementsAllowed":
{
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
 },
 "IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
 },
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
 },
 },
 "CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 },
 },
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Checks out the specified license.</p>\n <note>\n <p>If the
account that created the license is the same that is performing the check out, you must\n specify the account
as the beneficiary.</p>\n </note>"
 }
},
"com.amazonaws.licensemanager#CheckoutLicenseRequest": {
 "type": "structure",
 "members": {
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
SKU.</p>",
 "smithy.api#required": {}
 }
 },
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>",
 "smithy.api#required": {}
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 }
 "smithy.api#required": {}
},
"ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
},
"Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
},
"NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
},
"traits": {
 "smithy.api#input": {}
},
"com.amazonaws.licensemanager#CheckoutLicenseResponse": {
 "type": "structure",
 "members": {
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>"
 }
 },
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 },
 "EntitlementsAllowed": {

```

```

 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
 },
 "SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CheckoutType": {
 "type": "enum",
 "members": {
 "PROVISIONAL": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PROVISIONAL"
 }
 }
 }
 }
}

```

```

 }
 },
 "PERPETUAL": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PERPETUAL"
 }
 }
},
"com.amazonaws.licensemanager#ClientRequestToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 36
 }
 }
},
"com.amazonaws.licensemanager#ClientToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 2048
 },
 "smithy.api#pattern": "^\\S+$"
 }
},
"com.amazonaws.licensemanager#ConflictException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ConflictException",
 "httpResponseCode":
409
 },
 "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 409
 }
},

```

```

"com.amazonaws.licensemanager#ConsumedLicenseSummary": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about license consumption.</p>"
 },
 "com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
 }
 },
 "com.amazonaws.licensemanager#ConsumptionConfiguration": {
 "type": "structure",
 "members": {
 "RenewType": {
 "target": "com.amazonaws.licensemanager#RenewType",
 "traits": {
 "smithy.api#documentation": "<p>Renewal frequency.</p>"
 }
 },
 "ProvisionalConfiguration": {
 "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
 },
 "BorrowConfiguration": {
 "target": "com.amazonaws.licensemanager#BorrowConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
 }
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href='\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateGrantRequest": {
 "type": "structure",
 "members": {

```



```

"ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
},
"GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
},
"LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
},
"Principals": {
 "target": "com.amazonaws.licensemanager#PrincipalArnList",
 "traits": {
 "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an
Amazon Resource Name\n (ARN):</p>\n \n \n <p>An Amazon Web Services
account, which includes only the account specified.</p>\n \n \n \n \n <p>An organizational unit (OU), which includes all accounts in the OU.</p>\n \n \n \n <p>An organization, which will include all accounts across your organization.</p>\n \n ",
 "smithy.api#required": {}
 }
},
"HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
},
"AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
 "smithy.api#required": {}
 }
}

```

```

 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},

"com.amazonaws.licensemanager#CreateGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},

"com.amazonaws.licensemanager#CreateGrantVersion":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information, see\n Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
}
},
"com.amazonaws.licensemanager#CreateGrantVersionRequest": {
 "type": "structure",
 "members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 }
 }
 },
 "smithy.api#required": {}
},
"GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
},
"GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>"
 }
}

```

```

 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the grant.</p>"
 }
 },
 "Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CreateGrantVersionResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Grant status.</p>"
 }
},
"Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the grant.</p>"
 }
}
},
"traits":
{
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a license.</p>"
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a license configuration.</p>\n <p>A license configuration is an abstraction of a customer license agreement that can be\n consumed and enforced by License Manager. Components include specifications for the license\n type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a \n license must be associated with a host), and the number of licenses purchased and used.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }
}

```

```

 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used.
Exceeding a hard limit\n blocks the launch of new instances.</p>"
 }
 },
 "LicenseRules": {
 "target":
"com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example,
#allowedTenancy=EC2-DedicatedHost). The available rules \n vary by dimension, as follows.</p>\n
\n \n <p>\n <code>Cores</code> dimension: <code>allowedTenancy</code> |\n
 <code>licenseAffinityToHost</code> |\n <code>maximumCores</code> |\n
 <code>minimumCores</code>\n </p>\n \n <p>\n <code>Instances</code> dimension: <code>allowedTenancy</code> |\n <code>maximumCores</code> |\n
 <code>minimumCores</code> |\n <code>maximumSockets</code> | <code>minimumSockets</code> |\n
 <code>maximumVcpus</code> | <code>minimumVcpus</code>\n </p>\n \n
 \n <p>\n <code>Sockets</code> dimension: <code>allowedTenancy</code> |\n
 <code>licenseAffinityToHost</code> |\n <code>maximumSockets</code> |\n
 <code>minimumSockets</code>\n </p>\n \n \n <p>\n <code>vCPUs</code> dimension: <code>allowedTenancy</code> |\n
 <code>honorVcpuOptimization</code> |\n <code>maximumVcpus</code> |\n
 <code>minimumVcpus</code>\n </p>\n \n \n <p>The unit for
<code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible \n values for
<code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and \n

```

<code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are \n <code>True</code> and <code>False</code>.</p>"

```
 }
 },

 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
{
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
```



```

 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting the license type for.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting from. \n\n For the structure of the source license, see Convert a license type using the CLI in the <i>License Manager User Guide</i>.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }
}

```

```

 }
 },
 "DestinationLicenseContext":
{
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting to.
For the structure of the destination license, see <a href='\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI in
the <i>License Manager User Guide</i>.</p>",
 "smithy.api#required": {}
 }
},
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

 "traits": {
 "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],

```

```

{
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
},
{
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
},
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Creates a report generator.</p>"
},
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "ReportGeneratorName":
{
 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
 },
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be generated:</p>\n \n \n <p>License configuration report - Reports the number and details of consumed licenses for a license configuration.</p>\n \n \n <p>Resource report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n \n ",
 "smithy.api#required": {}
 }
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Defines the type of license configuration the report generator
tracks.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be
generated daily, monthly, or weekly.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique,
case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn":
{
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"

```

```

 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CreateLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>",
 "smithy.api#required": {}
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region for the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Validity": {

```

```

 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
 "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}

```

```

},
"com.amazonaws.licensemanager#CreateLicenseResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseVersion": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
],

```

```

 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target":
"com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>",
 "smithy.api#required": {}
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```



```

 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-UTC format.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {

```

```

 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>"
 }
 }
},
"traits": {

"smithy.api#input": {}
},
"com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output":
 }
},
"com.amazonaws.licensemanager#CreateToken": {
 "type": "operation",

```

```

"input": {
 "target": "com.amazonaws.licensemanager#CreateTokenRequest"
},
"output": {
 "target": "com.amazonaws.licensemanager#CreateTokenResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n <p>A refresh token is a JWT token used to get an access token. With an access token,\n you can call AssumeRoleWithWebIdentity to get role credentials that you can use to \n call License Manager to manage the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#CreateTokenRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n JWT token.</p>",

```

```

 "smithy.api#required": {}
 },
 "RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the
token. \n License Manager does not check whether the roles are in use.</p>"
 }
 },
 "ExpirationInDays": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {
 "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The
default is 365 days.</p>"
 }
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The
data is mapped\n to the amr claim of the JWT token.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#CreateTokenResponse": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",

 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
 },
 "TokenType": {
 "target": "com.amazonaws.licensemanager#TokenType",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Token type.</p>"
 }
 },
 "Token": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#DateTime": {
 "type": "timestamp"
},
"com.amazonaws.licensemanager#DatetimeRange": {
 "type": "structure",
 "members": {
 "Begin": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Start of the time range.</p>",
 "smithy.api#required": {}
 }
 },
 "End": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>End of the time range.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
 }
},
"com.amazonaws.licensemanager#DeleteGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
 },
 "errors": [

```

```

{
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
},
{
 "target": "com.amazonaws.licensemanager#AuthorizationException"
},
{
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
},
{
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
},
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
}
},
"com.amazonaws.licensemanager#DeleteGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
 }
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the

```

```

grant.</p>",
 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#DeleteGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Grant version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 }
],

```

```

 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes the specified license.</p>"
},
"com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
 },
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]

```



```

 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n <p>You cannot delete a license configuration that is in use.</p>"
 }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
 "type": "structure",
 "members":
{
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],

```

```

 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n <p>This action deletes the report generator, which stops it from generating future reports.\n The action cannot be reversed. It has no effect on the previous reports from this generator.</p>"
 },
 "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be deleted.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 }
}

```

```

 },
 "com.amazonaws.licensemanager#DeleteLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseResponse": {
 "type": "structure",
 "members": {
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "DeletionDate": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
 }
 }
 }

```

```

 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
 }
 },
 "com.amazonaws.licensemanager#DeleteTokenRequest": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },

```

```

"com.amazonaws.licensemanager#DeleteTokenResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DigitalSignatureMethod": {
 "type": "enum",
 "members": {
 "JWT_PS384": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "JWT_PS384"
 }
 }
 }
},
"com.amazonaws.licensemanager#Entitlement": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement resource. Use only if the unit is None.</p>"
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#Long",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
 }
 },
 "Overage": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
 }
 }
 }
},

```

```

 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement unit.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowCheckIn": {
 "target":
"com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#EntitlementData": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement
data value.</p>"
 }
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data unit.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
 }
 },

```

```

"com.amazonaws.licensemanager#EntitlementDataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementData"
 }
},
"com.amazonaws.licensemanager#EntitlementDataUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count"
 }
 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes"
 }
 },
 "KILOBYTES": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
 },
 "MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
 },
 "GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes"
 }
 },
 "TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
 },
 "BITS":
{
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits"
 }
},
 "KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits"
 }
 },
 "MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
 },
 "GIGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
 },
 "TERABITS": {

```



```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
},
"PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
},
"BYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
},
"KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
},
"MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
},
"GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
},
"TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes/Second"
 }
},
"BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
},

```

```

 "KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
 },
 "MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue":
"megabits/second"
 }
 },
 "GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
 },
 "TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
 },
 "COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
 }
 },
 "com.amazonaws.licensemanager#EntitlementList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Entitlement"
 }
 },
 "com.amazonaws.licensemanager#EntitlementNotAllowedException":
{
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {

```

```

 "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#EntitlementUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count"
 }
 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes"
 }
 },
 "KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "Kilobytes"
 }
},
"MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
},
"GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes"
 }
},
"TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
},
"BITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits"
 }
},
"KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {

 "smithy.api#enumValue": "Kilobits"
 }
},
"MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
},
"GIGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
},
"TERABITS": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
 },
 "PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
 },
 "BYTES_PER_SECOND": {
 "target":
"smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
 },
 "KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
 },
 "MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
 },
 "GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
 },
 "TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {

"smithy.api#enumValue": "Terabytes/Second"
 }
 },
 "BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
 },

```

```

"KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
},
"MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits/Second"
 }
},
"GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
},

"TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
},
"COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
}
},
"com.amazonaws.licensemanager#EntitlementUsage": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement usage name.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumedValue": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Resource usage consumed.</p>",

```

```

 "smithy.api#required": {}
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
 },
 "com.amazonaws.licensemanager#EntitlementUsageList":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementUsage"
 },
 "com.amazonaws.licensemanager#ExtendLicenseConsumption": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
 },
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "DryRun": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 }
 },
},

```



```

 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#FailedDependencyException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 },
 "ErrorCode": {
 "target": "com.amazonaws.licensemanager#String"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "FailedDependency",
 "httpResponseCode": 424
 },
 "smithy.api#documentation":
 "<p>A dependency required to run the API is missing.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 424
 }
 },
 "com.amazonaws.licensemanager#Filter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#FilterName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
 }
 },
 "Values": {
 "target": "com.amazonaws.licensemanager#FilterValues",
 "traits": {
 "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only specify one value for the filter.</p>"
 }
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter
name and value pair that is used to return more specific results from a\n describe operation. Filters can be used
to match a set of resources by specific criteria,\n such as tags, attributes, or IDs.</p>"
 }
},
"com.amazonaws.licensemanager#FilterLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "FilterLimitExceeded",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter"
 }
},
"com.amazonaws.licensemanager#FilterName": {
 "type": "string"
},
"com.amazonaws.licensemanager#FilterValue": {
 "type": "string"
},
"com.amazonaws.licensemanager#FilterValues": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#FilterValue",
 "traits": {
 "smithy.api#xmlName": "item"
 }
 }
},
"com.amazonaws.licensemanager#Filters": {
 "type": "list",

```

```

"member": {
 "target": "com.amazonaws.licensemanager#Filter",
 "traits": {
 "smithy.api#xmlName": "item"
 }
},
"com.amazonaws.licensemanager#GetAccessToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets a temporary access token to use with
AssumeRoleWithWebIdentity. Access
tokens\n are valid for one hour.</p>"
 }
},
"com.amazonaws.licensemanager#GetAccessTokenRequest": {
 "type": "structure",
 "members": {
 "Token": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
 "smithy.api#required": {}
 }
 }
 },

```

```

 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetAccessTokenResponse":
{
 "type": "structure",
 "members": {
 "AccessToken": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Temporary access token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#GetGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetGrantResponse": {
 "type": "structure",
 "members": {
 "Grant": {
 "target": "com.amazonaws.licensemanager#Grant",
 "traits": {
 "smithy.api#documentation": "<p>Grant details.</p>"
 }
 }
 },
 "traits": {

```

```

"smithy.api#output": {}
},
"com.amazonaws.licensemanager#GetLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },

```

```

 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits":
{
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 }
 }
}

```

```

 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",

 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```



```

 "smithy.api#documentation": "<p>License configuration status.</p>"
 }
},
"OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
 }
},
"ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
 }
},
"ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
 }
},
"Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
 }
},
"ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
},
"AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
},
"DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
 }
}
},

```

```

 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseConversionTask": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information on.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license conversion task is associated with.</p>"
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type converted from.</p>"
 }
 },
 "DestinationLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
 }
 }
 },
 "StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
 }
 }
 }
}

```

```

 }
 },
 "LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
 }
 },
 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was
completed.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
 }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
 "smithy.api#required":
{}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "ReportGenerator": {
 "target": "com.amazonaws.licensemanager#ReportGenerator",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseResponse": {
 "type": "structure",
 "members": {
 "License": {
 "target": "com.amazonaws.licensemanager#License",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseUsage": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
]
 }
}

```

```

 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {

"target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseUsageRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseUsageResponse": {
 "type": "structure",
 "members": {
 "LicenseUsage": {
 "target":
"com.amazonaws.licensemanager#LicenseUsage",
 "traits": {
 "smithy.api#documentation": "<p>License usage details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetServiceSettings": {

```

```

 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetServiceSettingsRequest": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data,
discovery data,\n and so on.</p>"
 }
 }
 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
 }
 }
 }
}

```



```

 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n cross-account discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
 }
 }
},
"LicenseManagerResourceShareArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License
Manager management account \n provides member accounts with access to this share.</p>"
 }
},
"traits": {
 "smithy.api#output": {}
},
"com.amazonaws.licensemanager#Grant": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
 },
 "ParentArn": {
 "target": "com.amazonaws.licensemanager#Arn",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Parent ARN.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>",
 "smithy.api#required": {}
 }
 },
 "GranteePrincipalArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The grantee principal ARN.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantStatus": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantedOperations": {

```

```

 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Granted operations.</p>",
 "smithy.api#required": {}
 }
 },
 "Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation":
 "<p>Describes a grant.</p>"
 },
 "com.amazonaws.licensemanager#GrantList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Grant"
 }
 },
 "com.amazonaws.licensemanager#GrantStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_ACCEPT"
 }
 },
 "REJECTED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 }
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 },
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 },
 "WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
 }
},
"com.amazonaws.licensemanager#GrantedLicense": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {
 "smithy.api#documentation": "<p>Granted license issuer.</p>"
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>Granted license status.</p>"
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in ISO8601-UTC format.</p>"
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
 }
 }
}

```

```

 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Granted license metadata.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
 }
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Version of the granted license.</p>"
 }
 },
 "ReceivedMetadata": {
 "target": "com.amazonaws.licensemanager#ReceivedMetadata",
 "traits": {
 "smithy.api#documentation": "<p>Granted license received metadata.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
 }
},
"com.amazonaws.licensemanager#GrantedLicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#GrantedLicense"
 }
}

```

```

 },
 "com.amazonaws.licensemanager#ISO8601DateTime":
 {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^(?:(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|1-2)[0-9])T(2[0-3]|[0-1][0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(?:Z|[-+](?:2[0-3]|[0-1][0-9]):[0-5][0-9])+$"
 }
 },
 "com.amazonaws.licensemanager#Integer": {
 "type": "integer"
 },
 "com.amazonaws.licensemanager#InvalidParameterValueException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidParameterValueProvided",
 "httpResponseCode": 400
 },
 "smithy.api#documentation":
 "<p>One or more parameter values are not valid.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#InvalidResourceStateException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResourceState",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its state. </p>\n <p>For example, you cannot allocate a license to an instance in the process of shutting\n

```

```

down.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
}
},

"com.amazonaws.licensemanager#InventoryFilter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the filter.</p>",
 "smithy.api#required": {}
 }
 },
 "Condition": {
 "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
 "traits": {
 "smithy.api#documentation": "<p>Condition of the filter.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Value of the filter.</p>"
 }
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>An inventory filter.</p>"
},
"com.amazonaws.licensemanager#InventoryFilterCondition": {
 "type": "enum",
 "members": {
 "EQUALS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EQUALS"
 }
 },
 "NOT_EQUALS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "NOT_EQUALS"
 }
 }
 }
}

```



```

 }
 },
 "BEGINS_WITH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "BEGINS_WITH"
 }
 },
 "CONTAINS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CONTAINS"
 }
 }
}
},
"com.amazonaws.licensemanager#InventoryFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#InventoryFilter"
 }
},
"com.amazonaws.licensemanager#Issuer": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
 }
},
"com.amazonaws.licensemanager#IssuerDetails": {
 "type": "structure",
 "members": {

```

```

 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>"
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n and support the RSASSA-PSS SHA-256 signing
algorithm.</p>"
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
 }
},
"com.amazonaws.licensemanager#License": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
 },
 "ProductSKU": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>"
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
 }
}

```

```

 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>License metadata.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>License
creation time.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConfiguration": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license configuration.</p>"
 }
 },

```

```

"OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
 }
},
"ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
 }
},
"ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
 }
},
"ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
},
"AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
},
"traits": {
 "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be\n consumed and enforced by License Manager. Components include specifications for the license\n type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM\n must be associated with a host), and the number of licenses purchased and used.</p>"
}
},
"com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
 "type": "structure",
 "members": {
 "ResourceArn":
{
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of server resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource
consuming licenses.</p>"
 }
 },
 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
 }
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
 }
 },
 "com.amazonaws.licensemanager#LicenseConfigurationStatus": {
 "type": "enum",
 "members": {
 "AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "AVAILABLE"
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 }
},
"com.amazonaws.licensemanager#LicenseConfigurationUsage": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 },
 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time when the license configuration was initially associated with the resource.</p>"
 }
 }
 },

```



```

"ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license configuration.</p>"
},
"com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
 }
},
"com.amazonaws.licensemanager#LicenseConfigurations": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfiguration"
 }
},
"com.amazonaws.licensemanager#LicenseConversionContext": {
 "type": "structure",
 "members": {
 "UsageOperation": {
 "target": "com.amazonaws.licensemanager#UsageOperation",
 "traits": {
 "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you are converting your resource from. For more information about which platforms correspond to which usage operation values see Sample data: usage operation by platform\\n \\n </p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseConversionTask": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {

```

```

"target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
 }
},
"ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\n conversion task.</p>"
 }
},
"SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
 }
},
"DestinationLicenseContext": {
 "target":
"com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>The status of the conversion task.</p>"
 }
},
"StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
},
"StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
 }
},
"LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",

```

```

 "traits": {
 "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
 },
 },
 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
 }
 },
},
"traits": {
 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
},
},
"com.amazonaws.licensemanager#LicenseConversionTaskId": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^\\ct-[a-zA-Z0-9]*$"
 }
},
"com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
 "type": "enum",
 "members": {
 "IN_PROGRESS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "IN_PROGRESS"
 }
 },
 "SUCCEEDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUCCEEDED"
 }
 },
 "FAILED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED"
 }
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTasks":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTask"
 }
},
 "com.amazonaws.licensemanager#LicenseCountingType": {
 "type": "enum",
 "members": {
 "VCPU": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "vCPU"
 }
 },
 "INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Instance"
 }
 },
 "CORE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Core"
 }
 },
 "SOCKET": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Socket"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#LicenseDeletionStatus": {
 "type": "enum",
 "members": {
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {

```

```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 },
 "com.amazonaws.licensemanager#LicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#License"
 }
 },
 "com.amazonaws.licensemanager#LicenseOperationFailure": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type.</p>"
 }
 },
 "ErrorMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Error message.</p>"
 }
 },
 "FailureTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Failure time.</p>"
 }
 },
 "OperationName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the operation.</p>"
 }
 }
 }
 },

```

```

 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
 }
 },
 "OperationRequestedBy": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
 }
 },
 "MetadataList": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Reserved.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
 }
 },
 "com.amazonaws.licensemanager#LicenseOperationFailureList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
 }
 },
 "com.amazonaws.licensemanager#LicenseSpecification": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
 }
 }
 }
 }
}

```

```

 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
}
},
"com.amazonaws.licensemanager#LicenseSpecifications": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseSpecification"
 }
},
"com.amazonaws.licensemanager#LicenseStatus": {
 "type": "enum",
 "members": {
 "AVAILABLE": {
 "target": "smithy.api#Unit",

 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 },
 "PENDING_AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_AVAILABLE"
 }
 },
 "DEACTIVATED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DEACTIVATED"
 }
 },
 "SUSPENDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUSPENDED"
 }
 },
 "EXPIRED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EXPIRED"
 }
 }
 },

```

```

 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
 },
 "com.amazonaws.licensemanager#LicenseUsage": {
 "type": "structure",
 "members": {
 "EntitlementUsages": {
 "target": "com.amazonaws.licensemanager#EntitlementUsageList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlement usages.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#LicenseUsageException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "LicenseUsageFailure",
 "httpResponseCode": 412
 },
 "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource launch.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 412
 }
 },
 "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {

```



```

 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the resource associations for the specified license configuration.</p>\n <p>Resource associations need not consume licenses from a license configuration. \n For example, an AMI or a stopped instance might not consume a license (depending on \nthe license rules).</p>"
 }
 },
 "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationAssociations": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListDistributedGrants": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
 "type": "structure",
 "members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
 \n
 \n
 <p>\n
 <code>LicenseArn</code>\n
 \n
 \n
 <p>\n
 <code>GrantStatus</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>GranteePrincipalARN</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>ProductSKU</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>LicenseIssuerName</code>\n
 </p>\n
 \n
 "
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",

"traits": {
 "smithy.api#documentation": "<p>Distributed grant details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
 },
 "errors": [
 {

```

```

"target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":

```

```

{
 "type": "structure",
 "members": {
 "LicenseOperationFailureList": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
 "traits": {
 "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
 }
}

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
 <code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
 operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
 enforcement is used. \n Logical operators are <code>EQUALS</code> |
 <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>usagelimitExceeded</code> - A Boolean value that
 indicates whether the available licenses have been exceeded. \n Logical operators are
 <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n "
 }
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurations": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",

 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 },
 "com.amazonaws.licensemanager#ListLicenseConversionTasks": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 },

```



```

 "traits": {
 "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
 "type": "structure",
 "members": {
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>\n Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n </p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTasks": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
{
 "type": "structure",
 "members": {

```

```

 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n \n \n <p>\n <code>LicenseConfigurationArn</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
 "type": "structure",
 "members": {
 "ReportGenerators": {
 "target": "com.amazonaws.licensemanager#ReportGeneratorList",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license
configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },

```

```

"com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an associated license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseVersions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },

```

```

"NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
},
"traits": {
 "smithy.api#output": {}
},
"com.amazonaws.licensemanager#ListLicenses": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicensesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {

```

```

 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 },

 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>Fingerprint</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token
for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicensesResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```



```

"smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#ListReceivedGrants": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the\n recipient as this Amazon Web Services account, your organization, or an organizational unit\n (OU) to which this member account belongs.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
 "type": "operation",
 "input": {

```

```

 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
 }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
 "smithy.api#required": {}
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n"
 }
 }
 }
}

```

```

 \n \n <p>\n <code>ParentArn</code>\n </p>\n \n \n },\n "NextToken": {\n "target": "com.amazonaws.licensemanager#String",\n "traits": {\n "smithy.api#documentation": "<p>Token for the next set of results.</p>"\n }\n },\n "MaxResults": {\n "target": "com.amazonaws.licensemanager#MaxSize100",\n "traits": {\n "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"\n }\n },\n "traits": {\n "smithy.api#input": {}\n }\n},\n"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":\n{\n "type": "structure",\n "members": {\n "Grants": {\n "target": "com.amazonaws.licensemanager#GrantList",\n "traits": {\n "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"\n }\n },\n "NextToken": {\n "target": "com.amazonaws.licensemanager#String",\n "traits": {\n "smithy.api#documentation": "<p>Token for the next set of results.</p>"\n }\n }\n },\n "traits": {\n "smithy.api#output": {}\n }\n},\n"com.amazonaws.licensemanager#ListReceivedGrantsRequest": {\n "type": "structure",\n "members": {\n "GrantArns": {\n "target": "com.amazonaws.licensemanager#ArnList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>LicenseIssuerName</code>\n </p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n \n <p>\n <code>GranterAccountId</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",
 "traits": {
 "smithy.api#documentation": "<p>Received grant details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedLicenses": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists received licenses.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
 }
}

```

```

 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "MaxResults": {

```

```

 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
 \n
 \n
 <p>\n
 <code>ProductSKU</code>\n
 \n
 \n
 <p>\n
 <code>Status</code>\n
 \n
 \n
 <p>\n
 <code>Fingerprint</code>\n
 \n
 \n
 <p>\n
 <code>IssuerName</code>\n
 \n
 \n
 "
 }
 }
}

```

```

<code>Beneficiary</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",
 "traits": {
 "smithy.api#documentation": "<p>Received license details.</p>"
 }
 }
 },

 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListResourceInventory": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
 }
}

```



```

 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FailedDependencyException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListResourceInventoryRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#InventoryFilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical operators\n are supported:</p>\n \n \n <p>\n <code>account_id</code>"

```

- The ID of the Amazon Web Services account that owns the resource. \n

Logical operators are `EQUALS` | `NOT_EQUALS`.</p>\n

</li>\n <li>\n <p>\n <code>application\_name</code> - The name of the application. \n

Logical operators are `EQUALS` | `BEGINS_WITH`.</p>\n

</li>\n <li>\n <p>\n <code>license\_included</code> - The type of license included. \n

Logical operators are `EQUALS` | `NOT_EQUALS`. \n

Possible values are `sql-server-enterprise` | \n <code>sql-server-standard</code> | \n <code>sql-server-web</code> | \n <code>windows-server-datacenter</code>.</p>\n

</li>\n <li>\n <p>\n <code>platform</code> - The platform of the resource. \n

Logical operators are `EQUALS` | `BEGINS_WITH`.</p>\n

</li>\n <li>\n <p>\n <code>resource\_id</code> - The ID of the resource. \n

Logical operators are `EQUALS` | `NOT_EQUALS`.</p>\n

</li>\n <li>\n <p>\n <code>tag:key</code> - The key/value combination of a tag assigned \n

to the resource. Logical operators are `EQUALS` (single account) or \n <code>EQUALS</code> |

<code>NOT\_EQUALS</code> (cross account).</p>\n

</li>\n </ul>"

```

 }
 },
 "traits": {
 "smithy.api#input": {}
 },
},
"com.amazonaws.licensemanager#ListResourceInventoryResponse": {
 "type": "structure",
 "members": {
 "ResourceInventoryList": {
 "target": "com.amazonaws.licensemanager#ResourceInventoryList",
 "traits": {
 "smithy.api#documentation": "<p>Information
about the resources.</p>"
 }
 },
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
},
"traits": {
 "smithy.api#output": {}
},
},
"com.amazonaws.licensemanager#ListTagsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
 },
},

```

```

"output": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
}
},
"com.amazonaws.licensemanager#ListTagsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the tags.</p>"
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListTokens": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListTokensRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListTokensResponse"
 },
 "errors":
[
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists your tokens.</p>"
 }
},
"com.amazonaws.licensemanager#ListTokensRequest": {
 "type": "structure",
 "members": {
 "TokenIds": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Token IDs.</p>"
 }
 },
 "Filters": {

```

```

 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
\n \n <p>\n <code>LicenseArns</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation":
"<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListTokensResponse": {
 "type": "structure",
 "members": {
 "Tokens": {
 "target": "com.amazonaws.licensemanager#TokenList",
 "traits": {
 "smithy.api#documentation": "<p>Received token details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
{
 "type": "operation",

```

```

"input": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
},
"output": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying
license\n consumption details by resource at a selected point in time. Use this action to audit the\n current
license consumption for any license inventory and configuration.</p>"
}
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 }
}

```

```

 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n<code>resourceArn</code> - The ARN of the license configuration resource.\n
 Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n
 \n <p>\n <code>resourceType</code> - The resource type
(<code>EC2_INSTANCE</code> | <code>EC2_HOST</code> | <code>EC2_AMI</code> |
<code>SYSTEMS_MANAGER_MANAGED_INSTANCE</code>). \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>resourceAccount</code> - The ID of the account that owns the resource. \n Logical operators
are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n "
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {

 "LicenseConfigurationUsageList": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },

```

```

"com.amazonaws.licensemanager#Location": {
 "type": "string"
},
"com.amazonaws.licensemanager#Long": {
 "type": "long"
},
"com.amazonaws.licensemanager#ManagedResourceSummary": {
 "type": "structure",
 "members": {
 "ResourceType":
{
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
 }
 },
 "AssociationCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
 }
},
"com.amazonaws.licensemanager#ManagedResourceSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
 }
},
"com.amazonaws.licensemanager#MaxSize100": {
 "type": "integer",
 "traits": {
 "smithy.api#range": {
 "min": 1,
 "max": 100
 }
 }
},
"com.amazonaws.licensemanager#MaxSize3StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
},

```



```

 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 3
 }
 },
 "com.amazonaws.licensemanager#Message": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#Metadata": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The key name.</p>"
 }
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The value.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
 }
 },
 "com.amazonaws.licensemanager#MetadataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Metadata"
 }
 },
 "com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement maximum count is reached.</p>",

```

```

 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 },
 "com.amazonaws.licensemanager#Options": {
 "type": "structure",
 "members": {
 "ActivationOverrideBehavior": {
 "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
 "traits": {
 "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of activating a grant.\n Activation options can only be used with granted licenses sourced from the Amazon Web Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n <code>Status</code> parameter.</p>\n \n \n <p>As a license administrator, you can optionally specify an\n <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n \n \n <p>As a grantor, you can optionally specify an\n <code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n account in your organization.</p>\n \n \n <p>As a grantee, if the grantor creating the distributed grant doesn't specify an\n <code>ActivationOverrideBehavior</code>, you can optionally specify one when you\n are activating the grant.</p>\n \n \n <dl>\n <dt>DISTRIBUTED_GRANTS_ONLY</dt>\n <dd>\n <p>Use this value to activate a grant without replacing any member accounts\n active grants for the same product.</p>\n </dd>\n <dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n <dd>\n <p>Use this value to activate a grant and disable other active grants in any\n member accounts for the same product. This action will also replace their\n previously activated grants with this activated grant.</p>\n </dd>\n </dl>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant, such as activation\n override behavior. For more information, see Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
 },
 "com.amazonaws.licensemanager#OrganizationConfiguration": {
 "type": "structure",
 "members": {
 "EnableIntegration": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation": "<p>Enables Organizations integration.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
 }
 },
 "com.amazonaws.licensemanager#PrincipalArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 1
 }
 }
 },
 "com.amazonaws.licensemanager#ProductInformation": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "ProductInformationFilterList": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
 "traits": {
 "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n <p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>. </p>\n <p>The following filters and are supported when
the resource type \n is <code>SSM_MANAGED</code>:</p>\n
 \n \n <p>\n <code>Application Name</code> - The name of the
application.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Publisher</code> - The publisher of the application.\n Logical
operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Version</code> - The version of the application.\n Logical operator is
<code>EQUALS</code>.</p>\n \n \n <p>\n <code>Platform
Name</code> - The name of the platform.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Platform Type</code> - The platform type.\n Logical operator is <code>EQUALS</code>.</p>\n


```

Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`. The key for your tag must be appended to `Tag:` following the example: `Tag:name-of-your-key`. `ProductInformationFilterValue` is optional if you are not using values for the key.

`AccountId` - The 12-digit ID of an Amazon Web Services account you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`.

`License Included` - The type of license included. Logical operators are `EQUALS` and `NOT_EQUALS`. Possible values are: `sql-server-enterprise` | `sql-server-standard` | `sql-server-web` | `windows-server-datacenter`.

The following filters and logical operators are supported when the resource type is `RDS`:

- `Engine Edition` - The edition of the database engine. Logical operator is `EQUALS`. Possible values are: `oracle-ee` | `oracle-se` | `oracle-se1` | `oracle-se2`.
- `License Pack` - The license pack. Logical operator is `EQUALS`. Possible values are: `data guard` | `diagnostic pack sqlt` | `tuning pack sqlt` | `ols` | `olap`.

```

 "smithy.api#required": {}
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
 },
 "com.amazonaws.licensemanager#ProductInformationFilter": {
 "type": "structure",
 "members": {
 "ProductInformationFilterName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Filter name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductInformationFilterValue": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Filter value.</p>"
 }
 },
 "ProductInformationFilterComparator": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Logical operator.</p>",
 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes product information filters.</p>"
}
},
"com.amazonaws.licensemanager#ProductInformationFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilter"
 }
},
"com.amazonaws.licensemanager#ProductInformationList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformation"
 }
},
"com.amazonaws.licensemanager#ProvisionalConfiguration": {
 "type": "structure",
 "members": {
 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
 "smithy.api#required": {}
 }
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
}
},
"com.amazonaws.licensemanager#RateLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 }
},
"traits": {
 "aws.protocols#awsQueryError": {
 "code": "RateLimitExceeded",
 "httpResponseCode": 429
 }
},

```

```

 "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief
wait.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 429
 }
},
"com.amazonaws.licensemanager#ReceivedMetadata": {
 "type": "structure",
 "members": {
 "ReceivedStatus": {
 "target": "com.amazonaws.licensemanager#ReceivedStatus",
 "traits": {
 "smithy.api#documentation": "<p>Received status.</p>"
 }
 },
 "ReceivedStatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Received
status reason.</p>"
 }
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
 }
},
"com.amazonaws.licensemanager#ReceivedStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue":
"PENDING_ACCEPT"
 }
 }
 }
}

```

```

 },
 "REJECTED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 },
 "WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
 }
 },
 "com.amazonaws.licensemanager#RedirectException": {
 "type": "structure",
 "members": {
 "Location": {
 "target": "com.amazonaws.licensemanager#Location",
 "traits": {
 "smithy.api#httpHeader": "Location"
 }
 }
 }
 },

```

```

 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 308
 }
},
"com.amazonaws.licensemanager#RejectGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#RejectGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#RejectGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#RejectGrantRequest": {
 "type": "structure",

```



```

 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 }
},
"com.amazonaws.licensemanager#RejectGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#RenewType":
{
 "type": "enum",
 "members": {
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 }
 }
}

```

```

 }
 },
 "WEEKLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Weekly"
 }
 },
 "MONTHLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Monthly"
 }
 }
}
},
"com.amazonaws.licensemanager#ReportContext": {
 "type": "structure",
 "members": {
 "licenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {

 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
 }
},
"com.amazonaws.licensemanager#ReportFrequency": {
 "type": "structure",
 "members": {
 "value": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {
 "smithy.api#documentation": "<p>Number of times within the frequency period that a report is
generated. \n The only supported value is <code>1</code>.</p>"
 }
 }
 },
 "period": {
 "target": "com.amazonaws.licensemanager#ReportFrequencyType",

 "traits": {
 "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,

```

```

or monthly.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 }
},
"com.amazonaws.licensemanager#ReportFrequencyType": {
 "type": "enum",
 "members": {
 "DAY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DAY"
 }
 },
 "WEEK": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WEEK"
 }
 },
 "MONTH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "MONTH"
 }
 }
 },
 "ReportGenerator": {
 "type": "structure",
 "members": {
 "ReportGeneratorName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>"
 }
 },
 "ReportType": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
 }
 },
 "ReportContext": {

```

```

 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>License
configuration type for this generator.</p>"
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 }
 },
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
 }
 },
 "LastRunStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
 }
 },
 "LastRunFailureReason":
{
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
 }
},
 "LastReportGenerationTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
 }
 },
 "ReportCreatorAccount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report
generator.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 },
 "S3Location": {
 "target": "com.amazonaws.licensemanager#S3Location",
 "traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the report was created.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
 },
 "com.amazonaws.licensemanager#ReportGeneratorList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ReportGenerator"
 }
 },
 "com.amazonaws.licensemanager#ReportGeneratorName": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
 },
 "com.amazonaws.licensemanager#ReportType": {
 "type": "enum",
 "members": {
 "LICENSE_CONFIGURATION_SUMMARY_REPORT": {

```

```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
 }
 },
 "LICENSE_CONFIGURATION_USAGE_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationUsageReport"
 }
 }
},
"com.amazonaws.licensemanager#ReportTypeList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ReportType"
 }
},
"com.amazonaws.licensemanager#ResourceInventory": {
 "type": "structure",
 "members": {
 "ResourceId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "Platform": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Platform of the resource.</p>"
 }
 }
 }
},

```

```

 "PlatformVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
 }
 },
 "ResourceOwningAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a resource.</p>"
 }
 },
 "com.amazonaws.licensemanager#ResourceInventoryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ResourceInventory"
 }
 },
 "com.amazonaws.licensemanager#ResourceLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ResourceLimitExceeded",

 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 }
 }
}

```

```

 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResource.NotFound",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The resource cannot be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#ResourceType": {
 "type": "enum",
 "members": {
 "EC2_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_INSTANCE"
 }
 },
 "EC2_HOST": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_HOST"
 }
 },
 "EC2_AMI": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_AMI"
 }
 },
 "RDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "RDS"
 }
 },
 "SYSTEMS_MANAGER_MANAGED_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#S3Location": {
 "type": "structure",

```



```

"members": {
 "bucket": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
 }
 },
 "keyPrefix": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
},
"com.amazonaws.licensemanager#ServerInternalException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InternalServerError",
 "httpResponseCode": 500
 },
 "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
 "smithy.api#error": "server",
 "smithy.api#httpError": 500
 }
},
"com.amazonaws.licensemanager#SignedToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 4096
 }
 }
},
"com.amazonaws.licensemanager#StatusReasonMessage": {
 "type": "string",
 "traits":

```

```

{
 "smithy.api#length": {
 "min": 0,
 "max": 400
 },
 "smithy.api#pattern": "^[\s\S]+$"
}
},
"com.amazonaws.licensemanager#String": {
 "type": "string"
},
"com.amazonaws.licensemanager#StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
},
"com.amazonaws.licensemanager#Tag": {
 "type": "structure",
 "members": {
 "Key": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Tag key.</p>"
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Tag value.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#TagKeyList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
},
"com.amazonaws.licensemanager#TagList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Tag"
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#TagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#TagResourceResponse"
 },
 "errors": [
 {
 "target":
"com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#TagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits":
{
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>One or more tags.</p>",

```

```

 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#TagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#TokenData": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
 },
 "TokenType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "ExpirationTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
 }
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller.</p>"
 }
 }
 }
}

```

```

 }
 },
 "RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a token.</p>"
 },
 "com.amazonaws.licensemanager#TokenList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#TokenData"
 }
 },
 "com.amazonaws.licensemanager#TokenString": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 4096
 },
 "smithy.api#pattern": "^\\S+$"
 }
 },
 "com.amazonaws.licensemanager#TokenType": {
 "type": "enum",
 "members": {
 "REFRESH_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REFRESH_TOKEN"
 }
 }
 }
 }
}

```

```

 },
 "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
 {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#UntagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UntagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UntagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Removes the specified tags from the specified license configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#UntagResourceRequest": {
 "type": "structure",

```

```

 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "TagKeys": {
 "target": "com.amazonaws.licensemanager#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#UntagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseConfigurationStatus": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
 "traits": {
 "smithy.api#documentation": "<p>New status of the license configuration.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\nconfiguration is licenseAffinityToHost.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>New number of licenses managed by the license configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {

```



```

 "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New description of the license configuration.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>New product information.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "traits": {
 {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
 },
 "output": {

```

```

 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates a report generator.</p>\n <p>After you make changes to a report generator, it starts generating new reports within 60 minutes of being updated.</p>"
 },
 "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
 {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to update.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportGeneratorName": {
 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 },
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation":
 "<p>Type of reports to generate. The following report types are supported:</p>\n
 \n
 \n
 <p>License configuration report - Reports the number and details of consumed licenses for a license
 configuration.</p>\n
 \n
 \n
 <p>Resource report - Reports the tracked licenses and
 resource consumption for a license configuration.</p>\n
 \n
 ",
 "smithy.api#required": {}
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>The report context.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
 idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}

```

```

 },
 "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
 {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
 },
 {
 "target": "com.amazonaws.licensemanager#LicenseUsageException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n <p>You can update the license specifications of AMIs, instances, and hosts.\n You cannot update the license specifications for launch templates and CloudFormation templates, \n as they send license configurations to the operation that creates the resource.</p>"
 }
 },

```

```

"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services
resource.</p>",
 "smithy.api#required": {}
 }
 },
 "AddLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
 }
 },
 "RemoveLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation":
"<p>ARNs of the license configurations to remove.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
 }
},
"com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
 }
 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
 }
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UsageOperation": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 }
 }
 },
 "com.amazonaws.licensemanager#ValidationException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",

 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 }
}

```

# 1.91 [github.com/thanhpk/randstr](https://github.com/thanhpk/randstr) 1.0.6

## 1.91.1 Available under license :

The MIT License

Copyright (c) 2010-2018 Google, Inc. <http://angularjs.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.92 aws-aws-sdk-go-v2-internal-endpoints

## 2.6.9

### 1.92.1 Available under license :

name: License Scan

on: [pull\_request]

jobs:

licensescan:

name: License Scan

runs-on: ubuntu-latest

strategy:

matrix:

python-version: [3.9]

steps:

- name: Checkout target

uses: actions/checkout@v2

with:

path: sdkbase

ref: \${ github.base\_ref }

- name: Checkout this ref

uses: actions/checkout@v2

with:

path: new-ref

fetch-depth: 0



```

- name: Get Diff
 run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT ${{ github.event.pull_request.base.sha }}
${{ github.sha }} > refDiffFiles.txt
- name: Get Target Files
 run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt - > targetFiles.txt
- name: Checkout scancode
 uses: actions/checkout@v2
 with:
 repository: nexB/scancode-toolkit
 path: scancode-toolkit
 fetch-depth: 1
- name: Set up Python ${{ matrix.python-version }}
 uses: actions/setup-python@v2
 with:
 python-version: ${{ matrix.python-version }}
ScanCode
- name: Self-configure scancode
 working-directory: ./scancode-toolkit
 run: ./scancode --help
- name: Run Scan code on target
 run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
- name: Run Scan code on pr ref
 run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
compare
- name: License test
 run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
are the same. Success."; exit 0; fi
CreateLicense
Initialize stack step
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
Serialize stack step
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
Finalize stack step
ResolveAuthScheme
GetIdentity

```

ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
ListReceivedLicenses  
Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever

```

OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
{
 "smithy": "2.0",
 "shapes": {
 "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
 "type": "integer"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
 "type": "long"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of name to filter by.</p>"
 }
 },
 "Values": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
 }
 },
 "Operator": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
 "traits": {
 "smithy.api#documentation": "<p>An operator for filtering results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe operation.\n Filters can be used to match a set of resources by specific criteria.</p>"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings": {
 "type": "operation",

```

```

"input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest"
},
"output": {

 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the Linux subscriptions service settings.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/GetServiceSettings"
 },
 "smithy.api#idempotent": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest":
{
 "type": "structure",
 "members": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>Lists the settings defined for Linux subscriptions discovery. The settings include if\n Organizations integration has been enabled, and

```

which Regions data will be aggregated from.</p>"

```
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
 }
 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays
the aggregated data for Linux\n subscriptions.</p>"
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
 "type": "structure",
 "members": {
 "AmiId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
 }
 },
 "InstanceID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
 }
 },
 "InstanceType": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance type of the resource.</p>"
 }
 }
 }
}
```

```

 },
 "AccountID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of the instance.</p>"
 }
 },
 "Region": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
 }
 },
 "UsageOperation": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n operation values in the <i>License Manager User
Guide</i>.</p>"
 }
 },
 "ProductCode": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
 "traits": {
 "smithy.api#documentation": "<p>The product code for the instance. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-
operation.html\">Usage\n operation values in the <i>License Manager User Guide</i> .</p>"
 }
 },
 "LastUpdatedTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The time in which the last discovery
updated the instance details.</p>"
 }
 },
 "SubscriptionName": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the subscription being used by the instance.</p>"
 }
 }
 }

```

```

 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details discovered information about a running instance using Linux
subscriptions.</p>"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Instance"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
 "smithy.api#error": "server"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LicenseManagerLinuxSubscriptions": {
 "type": "service",
 "version": "2018-05-10",
 "operations": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
 }
],
 "traits": {
 "aws.api#service": {
 "sdkId": "License Manager Linux Subscriptions",
 "arnNamespace": "license-manager-linux-subscriptions",
 "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
 }
 }
}

```

```

 },
 "aws.auth#sigv4": {
 "name": "license-manager-linux-subscriptions"
 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id",
 "content-length",
 "x-api-key",
 "authorization",
 "x-amz-date",

"x-amz-security-token",
 "Access-Control-Allow-Headers",
 "Access-Control-Allow-Methods",
 "Access-Control-Allow-Origin"
],
 "additionalExposedHeaders": [
 "x-amzn-errortype",
 "x-amzn-requestid",
 "x-amzn-trace-id"
]
 },
 "smithy.api#documentation": "<p>With License Manager, you can discover and track your commercial Linux subscriptions on running Amazon EC2 instances.</p>",
 "smithy.api#title": "AWS License Manager Linux Subscriptions",
 "smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",

```



```
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
```

```
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
},
"rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 },
 {
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 },

```

```

{
 "conditions": [],
 "type": "tree",
 "rules": [
 {

 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],

 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
},
{
 "conditions": [],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",

 "argv": [
 {
 "ref": "Region"
 }
]
 }
]
 }
]
}

```

```

 }
]
}
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
]
 },
],

"assign": "PartitionResult"
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 },
],
 },

 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {

```

```

 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 },
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 }
]
 }
]
}

```

```

 "type": "endpoint"
 }
]
 }
]

},

{
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
 "type": "error"
}
]
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
]
 }
]
}

```

```

],
 "type": "tree",

 "rules": [
 {
 "conditions": [],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}

 },
 "type": "endpoint"
 }
]
 }
],
 {
 "conditions": [],
 "error": "FIPS is enabled but this partition does not support FIPS",
 "type": "error"
 }
]

},

{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {

```

```

"conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 }
],
},
{
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
}
],
},
{
 "conditions": [],

```

```

 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url":
"https://license-manager-linux-subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 },
 {
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
 }
]
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"

```



```

 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {

 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},

```

```

{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {

```

```

 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {

```

```

 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",

```

```

 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {

 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled
and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",

 "UseFIPS": false,
 "UseDualStack": false
 }
 }
}

```

```

 },
 {
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,

"Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
 },

```

```

 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
}

],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled LinuxSubscriptionsDiscovery"
 },
 {
 "name": "Disabled",
 "value": "Disabled",
 "documentation": "Disabled LinuxSubscriptionsDiscovery"
 }
]
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
 "type": "structure",
 "members": {
 "SourceRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "OrganizationIntegration": {

```

```

 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
 "traits": {
 "smithy.api#documentation": "<p>Details if you have enabled resource discovery across your
accounts in Organizations.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
 "type":
"operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with
commercial Linux\n subscriptions.</p>",
 "smithy.api#http": {

"code": 200,
 "method": "POST",
 "uri": "/subscription/ListLinuxSubscriptionInstances"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "Instances"
 }
 }
 }
}

```



```

 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n more sets of key-value pairs that you specify. For example, you can filter by
the name of\n <code>AmiID</code> with an optional operator to see subscriptions that match, partially\n
match, or don't match a certain Amazon Machine Image (AMI) ID.</p>\n <p>The valid names for this filter
are:</p>\n \n \n <p>\n <code>AmiID</code>\n </p>\n \n \n <p>\n <code>InstanceID</code>\n </p>\n \n \n <p>\n <code>AccountID</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n \n <p>\n <code>Region</code>\n </p>\n \n \n <p>\n <code>UsageOperation</code>\n </p>\n \n \n <p>\n <code>ProductCode</code>\n </p>\n \n \n <p>\n <code>InstanceType</code>\n </p>\n \n \n <p>The valid Operators for this
filter are:</p>\n \n \n <p>\n <code>contains</code>\n </p>\n \n \n <p>\n <code>equals</code>\n </p>\n \n \n <p>\n <code>NotEqual</code>\n </p>\n \n "
 }
 },
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 16384
 }
 }
 }
},
"traits": {
 "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
}
},

```

```

"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {
 "type": "structure",
 "members": {
 "Instances": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",
 "traits": {
 "smithy.api#documentation":
 "<p>An array that contains instance objects.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have
linked your\n organization, the returned results will include data aggregated across your accounts in\n
Organizations.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListLinuxSubscriptions"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {

```

```

 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "Subscriptions"
 }

}

},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n more sets of key-value pairs that you specify. For example, you can filter by the name of\n
<code>Subscription</code> with an optional operator to see subscriptions that match,\n partially match, or don't
match a certain subscription's name.</p>\n <p>The valid names for this filter are:</p>\n \n
\n <p>\n <code>Subscription</code>\n </p>\n \n \n
<p>The valid Operators for this filter are:</p>\n
 \n
 \n <p>\n <code>contains</code>\n </p>\n \n
\n <p>\n <code>equals</code>\n </p>\n \n
\n <p>\n <code>Notequal</code>\n </p>\n \n "
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 16384
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
 }
 },
}

```

```

"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
 "type": "structure",
 "members": {
 "Subscriptions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
 "traits": {
 "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
 }
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "EQUAL",
 "value": "Equal",
 "documentation": "Equal operator"
 },
 {
 "name": "NOT_EQUAL",
 "value": "NotEqual",
 "documentation": "Not equal operator"
 },
 {
 "name": "CONTAINS",
 "value": "Contains",
 "documentation": "Contains operator"
 }
],
 "smithy.api#length": {
 "min": 1,
 "max": 20
 }
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration": {
 "type": "string",
 "traits": {

```

```

 "smithy.api#enum": [
 {
 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled OrganizationIntegration"
 },
 {
 "name": "Disabled",
 "value": "Disabled",
 "documentation": "Disabled OrganizationIntegration"
 }
]
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "InProgress",
 "value": "InProgress",
 "documentation": "InProgress status"
 },
 {
 "name": "Completed",
 "value": "Completed",
 "documentation": "Completed status"
 },
 {
 "name": "Successful",
 "value": "Successful",
 "documentation": "Successful status"
 },
 {
 "name": "Failed",
 "value": "Failed",
 "documentation": "Failed status"
 }
]
 }
},

```

```

"com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String",
 "traits":
{
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
},
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 },
 "smithy.api#uniqueItems": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
 "type": "map",
 "key": {
 "target": "smithy.api#String"
 },
 "value": {
 "target": "smithy.api#String"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the subscription.</p>"
 }
 }
 },
 "Type": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.</p>"
 }
 },

```

```

 "InstanceCount": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An object which details a discovered Linux
subscription.</p>"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request was denied due to request throttling.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
]
 }
 }
}

```

```

 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/UpdateServiceSettings"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest":
{
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
 "smithy.api#required": {}
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated from.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowUpdate": {
 "target": "smithy.api#Boolean",
 "traits": {
 "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux subscriptions. If you\n allow updates, you can aggregate Linux subscription data in more than one home Region.</p>"
 }
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",

```



```

 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 },

 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated from.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being applied.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation":
 "<p>A message which details the Linux subscriptions service settings current status.</p>"
 }
 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated data for Linux\n subscriptions.</p>"
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",
 "smithy.api#error": "client"
 }
}

```

```

 }
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
 if params == nil {
 params = &DeleteLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*DeleteLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type DeleteLicenseInput struct {

 // Amazon Resource Name (ARN) of the license.
 //
 // This member is required.
 LicenseArn *string

 // Current version of the license.
 //
 // This member is required.
 SourceVersion
 *string

 noSmithyDocumentSerde
}

```

```

type DeleteLicenseOutput struct {

 // Date when the license is deleted.
 DeletionDate *string

 // License status.
 Status types.LicenseDeletionStatus

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "DeleteLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err !=
 nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {

```

```

return err
}
if err = addRetry(stack, options); err != nil {
return err
}
if err = addRawResponseToMetadata(stack); err != nil {
return err
}
if err = addRecordResponseTiming(stack); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
return err
}
if err = addTimeOffsetBuild(stack, c); err != nil
{
return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = addRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
return err
}

```

```

 }
 return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "DeleteLicense",
 }
}

// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Creates a license.
func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
 if params == nil {
 params = &CreateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CreateLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CreateLicenseInput struct {

 // License beneficiary.
 //
 // This member is required.
 Beneficiary *string

```

```
// Unique, case-sensitive identifier that you provide to ensure the idempotency of
// the request.
//
//
This member is required.
ClientToken *string

// Configuration for consumption of the license. Choose a provisional
// configuration for workloads running with continuous connectivity. Choose a
// borrow configuration for workloads with offline usage.
//
// This member is required.
ConsumptionConfiguration *types.ConsumptionConfiguration

// License entitlements.
//
// This member is required.
Entitlements []types.Entitlement

// Home Region for the license.
//
// This member is required.
HomeRegion *string

// License issuer.
//
// This member is required.
Issuer *types.Issuer

// License name.
//
// This member is required.
LicenseName *string

// Product name.
//
// This member is required.
ProductName *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
```

Validity \*types.DatetimeRange

// Information about  
the license.  
LicenseMetadata []types.Metadata

noSmithyDocumentSerde  
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.  
LicenseArn \*string

// License status.  
Status types.LicenseStatus

// License version.  
Version \*string

// Metadata pertaining to the operation's result.  
ResultMetadata middleware.Metadata

noSmithyDocumentSerde  
}

```
func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CreateLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }
}
```

```
if
err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
```

```

}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return
err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
}

```



```

if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CreateLicense",
 }
}

// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists received licenses.
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns
...func(*Options)) (*ListReceivedLicensesOutput, error) {
 if params == nil {
 params = &ListReceivedLicensesInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,
c.addOperationListReceivedLicensesMiddlewares)
 if err != nil {
 return nil, err
 }
}

```

```

out := result.(*ListReceivedLicensesOutput)
out.ResultMetadata = metadata
return out, nil
}

```

```

type ListReceivedLicensesInput struct {

```

```

 // Filters to scope the results. The following filters are supported:

```

```

 //

```

```

 // - ProductSKU

```

```

 //

```

```

 // - Status

```

```

 //

```

```

 //

```

```

 // - Fingerprint

```

```

 //

```

```

 // - IssuerName

```

```

 //

```

```

 // - Beneficiary

```

```

 Filters []types.Filter

```

```

 // Amazon Resource Names (ARNs) of the licenses.

```

```

 LicenseArns []string

```

```

 // Maximum number of results to return in a single call.

```

```

 MaxResults *int32

```

```

 // Token for the next set of results.

```

```

 NextToken *string

```

```

 noSmithyDocumentSerde

```

```

}

```

```

type ListReceivedLicensesOutput struct {

```

```

 // Received license details.

```

```

 Licenses []types.GrantedLicense

```

```

 // Token for the next set of results.

```

```

 NextToken *string

```

```

 // Metadata pertaining to the operation's result.

```

```

 ResultMetadata middleware.Metadata

```

```

 noSmithyDocumentSerde

```

```

}

```

```

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err

```

```

error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{},
 middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "ListReceivedLicenses"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {
 return err
 }
 if err = addRecordResponseTiming(stack); err != nil {
 return err
 }
 if err = addClientUserAgent(stack, options); err != nil {
 return err
 }
 if err

```

```

= smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opListReceivedLicenses(region string)

```

```

*awsmiddleware.RegisterServiceMetadata {
 return
 &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "ListReceivedLicenses",
 }
}

```

```

CheckoutLicense

```

```

Initialize stack step

```

```

RegisterServiceMetadata

```

```

legacyEndpointContextSetter

```

```

SetLogger

```

OperationInputValidation  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
DisassociateLicense  
Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step

ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
CheckoutBorrowLicense  
Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody

```

 CloseResponseBody
 ResponseErrorWrapper
 RequestIDRetriever
 OperationDeserializer
 AddTimeOffsetMiddleware
 RecordResponseTiming
 RequestResponseLogger
AssociateLicense
Initialize stack step
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
Serialize stack step
 setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
 AddRawResponseToMetadata
 ErrorCloseResponseBody
 CloseResponseBody
 ResponseErrorWrapper
 RequestIDRetriever
 OperationDeserializer
 AddTimeOffsetMiddleware
 RecordResponseTiming
 RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

```

```
package grafana
```

```
import (
```

```

"context"
"fmt"
awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/service/grafana/types"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Removes the Grafana Enterprise license from a workspace.
func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
...func(*Options)) (*DisassociateLicenseOutput, error) {
 if params == nil {
 params = &DisassociateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*DisassociateLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type DisassociateLicenseInput struct {

 // The type of license to remove from the workspace.
 //
 // This member is required.
 LicenseType types.LicenseType

 //
 // The ID of the workspace to remove the Grafana Enterprise license from.
 //
 // This member is required.
 WorkspaceId *string

 noSmithyDocumentSerde
}

type DisassociateLicenseOutput struct {

 // A structure containing information about the workspace.
 //
 // This member is required.
 Workspace *types.WorkspaceDescription

```



```

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "DisassociateLicense");
 err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {
 return err
 }

```

```

}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 {
 return err
 }
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{

```

```

 Region: region,
 ServiceID:
 ServiceID,
 OperationName: "DisassociateLicense",
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license for offline use.
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
 if params == nil {
 params = &CheckoutBorrowLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,
c.addOperationCheckoutBorrowLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckoutBorrowLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CheckoutBorrowLicenseInput struct {

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 //
 the request.
 //
 // This member is required.
 ClientToken *string

 // Digital signature method. The possible value is JSON Web Signature (JWS)
 // algorithm PS384. For more information, see [RFC 7518 Digital Signature with RSASSA-PSS].

```

```

//
// [RFC 7518 Digital Signature with RSASSA-PSS]: https://tools.ietf.org/html/rfc7518#section-3.5
//
// This member is required.
DigitalSignatureMethod types.DigitalSignatureMethod

// License entitlements. Partial checkouts are not supported.
//
// This member is required.
Entitlements []types.EntitlementData

// Amazon Resource Name (ARN) of the license. The license must use the borrow
// consumption configuration.
//
// This member is required.
LicenseArn *string

// Information about constraints.
CheckoutMetadata []types.Metadata

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type CheckoutBorrowLicenseOutput struct {

// Information about constraints.
CheckoutMetadata []types.Metadata

// Allowed license entitlements.
EntitlementsAllowed
[]types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.

```

```

NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{}, middleware.After)
 if err != nil {
 return
 }
 err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutBorrowLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {

```

```

 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return
err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region string)
*awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
Region: region,
ServiceID: ServiceID,
OperationName: "CheckoutBorrowLicense",
}
}

```

ListLicenses

Initialize stack step

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

Serialize stack step

setOperationInput

ResolveEndpoint

OperationSerializer

Build stack step

ClientRequestID

ComputeContentLength

UserAgent

AddTimeOffsetMiddleware

RecursionDetection

Finalize stack step

ResolveAuthScheme

GetIdentity

ResolveEndpointV2

disableHTTPS

ComputePayloadHash

Retry

RetryMetricsHeader

setLegacyContextSigningOptions

Signing

Deserialize stack step

AddRawResponseToMetadata

ErrorCloseResponseBody

CloseResponseBody

ResponseErrorWrapper

RequestIDRetriever

OperationDeserializer

AddTimeOffsetMiddleware

RecordResponseTiming

RequestResponseLogger

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.

DeleteLicense  
Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
GetLicense  
Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID



```

ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks in the specified license. Check in a license when it is no longer in use.
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))
(*CheckInLicenseOutput, error) {
 if params == nil {
 params = &CheckInLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,
c.addOperationCheckInLicenseMiddlewares)
 if err != nil {
 return nil, err
 }
}

```

```

 out := result.(*CheckInLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CheckInLicenseInput struct {

 // License consumption token.
 //
 // This member is required.
 LicenseConsumptionToken *string

 // License beneficiary.
 Beneficiary *string

 noSmithyDocumentSerde
}

type
 CheckInLicenseOutput struct {
 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
 }

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CheckInLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
}

```

```

}
if err = addClientRequestID(stack); err != nil {
 return err
}
if
err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
}

```

```

if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckInLicense",
 }
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
 if params == nil {
 params = &ListLicensesInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
 if err != nil {
 return nil, err
 }
}

```

```

 out := result.(*ListLicensesOutput)
 out.ResultMetadata = metadata
 return out, nil
}

```

```

type ListLicensesInput struct {

```

```

 // Filters to scope the results. The following filters are supported:

```

```

 //

```

```

 // - Beneficiary

```

```

 //

```

```

 // - ProductSKU

```

```

 //

```

```

 // - Fingerprint

```

```

 //

```

```

 // - Status

```

```

 Filters

```

```

 []types.Filter

```

```

 // Amazon Resource Names (ARNs) of the licenses.

```

```

 LicenseArns []string

```

```

 // Maximum number of results to return in a single call.

```

```

 MaxResults *int32

```

```

 // Token for the next set of results.

```

```

 NextToken *string

```

```

 noSmithyDocumentSerde

```

```

}

```

```

type ListLicensesOutput struct {

```

```

 // License details.

```

```

 Licenses []types.License

```

```

 // Token for the next set of results.

```

```

 NextToken *string

```

```

 // Metadata pertaining to the operation's result.

```

```

 ResultMetadata middleware.Metadata

```

```

 noSmithyDocumentSerde

```

```

}

```

```

func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {

```

```

 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {

```

```

 return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{}, middleware.After)
if err != nil {
 return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{}, middleware.After)
if err != nil {
 return err
}
if err := addProtocolFinalizerMiddlewares(stack,
options, "ListLicenses"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
}

```

```

if err = smithyhttp.AddCloseResponseBodyMiddleware(stack);
err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "ListLicenses",
 }
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above

copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// Code generated by smithy-go-codegen DO NOT EDIT.

package grafana

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

```
// Assigns a Grafana Enterprise license to a workspace. To upgrade, you must use
// ENTERPRISE for the licenseType , and pass in a valid Grafana Labs token for the
// grafanaToken . Upgrading to Grafana Enterprise incurs additional fees. For more
// information, see [Upgrade a workspace to Grafana Enterprise].
//
// [Upgrade a workspace to Grafana Enterprise]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-Grafana-Enterprise.html
func (c *Client) AssociateLicense(ctx context.Context, params *AssociateLicenseInput, optFns ...func(*Options))
(*AssociateLicenseOutput, error) {
 if params == nil {
 params = &AssociateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx,
 "AssociateLicense", params, optFns, c.addOperationAssociateLicenseMiddlewares)
 if err != nil {
```



```

 return nil, err
}

out := result.(*AssociateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type AssociateLicenseInput struct {

 // The type of license to associate with the workspace.
 //
 // Amazon Managed Grafana workspaces no longer support Grafana Enterprise free
 // trials.
 //
 // This member is required.
 LicenseType types.LicenseType

 // The ID of the workspace to associate the license with.
 //
 // This member is required.
 WorkspaceId *string

 // A token from Grafana Labs that ties your Amazon Web Services account with a
 // Grafana Labs account. For more information, see [Link your account with Grafana Labs].
 //
 // [Link your account with Grafana Labs]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-Grafana-Enterprise.html#AMG-workspace-register-enterprise
 GrafanaToken *string

 noSmithyDocumentSerde
}

type AssociateLicenseOutput
struct {

 // A structure containing data about the workspace.
 //
 // This member is required.
 Workspace *types.WorkspaceDescription

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {

```

```

if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
}
err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{}, middleware.After)
if err != nil {
 return err
}
err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{}, middleware.After)
if err != nil {
 return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "AssociateLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack,
options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}

```

```

}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack);
err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "AssociateLicense",
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

```

```

package licensemanager

```

```

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
 if params == nil {
 params = &GetLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*GetLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type GetLicenseInput struct {

 // Amazon Resource Name (ARN) of the license.
 //
 // This member is required.
 LicenseArn *string

 // License version.
 Version *string

 noSmithyDocumentSerde
}

type
GetLicenseOutput struct {

 // License details.
 License *types.License

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

```

```
noSmithyDocumentSerde
}
```

```
func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "GetLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }
}
```

```
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err
!= nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
}
```

```

if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "GetLicense",
 }
}

```

// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

// Checks out the specified license.

//

// If the account that created the license is the same that is performing the

// check out, you must specify the account as the beneficiary.

```
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
 if params == nil {
 params = &CheckoutLicenseInput{}
 }
```

```
 result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
 if err != nil {
 return nil, err
 }
```

```
 out := result.(*CheckoutLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}
```

type CheckoutLicenseInput struct {

//

Checkout type.

//

// This member is required.

CheckoutType types.CheckoutType

// Unique, case-sensitive identifier that you provide to ensure the idempotency of  
// the request.

//

// This member is required.

ClientToken \*string

```

// License entitlements.
//
// This member is required.
Entitlements []types.EntitlementData

// Key fingerprint identifying the license.
//
// This member is required.
KeyFingerprint *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// License beneficiary.
Beneficiary *string

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

// Checkout type.
CheckoutType types.CheckoutType

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the checkout license.
LicenseArn
*string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

```



```

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack,
options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {

```

```

 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack);
err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{

```

```
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckoutLicense",
}
}
```

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

CheckInLicense

Initialize stack step

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

OperationInputValidation

Serialize stack step

setOperationInput

ResolveEndpoint

OperationSerializer

Build stack step

ClientRequestID

ComputeContentLength

UserAgent

AddTimeOffsetMiddleware

RecursionDetection

Finalize stack step

ResolveAuthScheme

GetIdentity

ResolveEndpointV2

disableHTTPS

ComputePayloadHash

Retry

RetryMetricsHeader

```

setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
{
 "smithy": "2.0",
 "shapes": {
 "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
 "type": "structure",
 "members": {
 "DirectoryId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation":
 "<p>Details about an Active Directory identity provider.</p>"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#AssociateUser": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserRequest"
 },
 "output": {

```



```

 "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Associates the user to an EC2 instance to utilize user-based
subscriptions.</p>\n <note>\n <p>Your estimated bill for charges on the number of users and related
costs will take 48\n hours to appear for billing periods that haven't closed (marked as Pending billing
status) in Amazon Web Services Billing. For more information, see Viewing your\n
monthly charges in the <i>Amazon Web Services Billing User Guide</i>.</p>\n </note>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/AssociateUser"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the
EC2 instance, which provides user-based subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>The identity provider of the user.</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
 "smithy.api#required": {}
 }
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#BoxInteger": {
 "type": "integer"
},
"com.amazonaws.licenseanagerusersubscriptions#ConflictException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {

```

```

 "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current
state of the\n resource.</p>",
 "smithy.api#error": "server"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deregisters the identity provider from providing user-based
subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/DeregisterIdentityProvider"
 },
 "smithy.api#idempotent": {}
 }
},

```

```

"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#documentation":
 "<p>Metadata that describes the results of an identity provider operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DisassociateUser": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 }
]
 }
 }
}

```

```

 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/DisassociateUser"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerusersubscriptions#DisassociateUserRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {

```

```

 "smithy.api#documentation":
"<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
},
"Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
}
}
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
 "smithy.api#required": {}
 }
 }
 }
},

"com.amazonaws.licenseanagerusersubscriptions#Filter": {
 "type": "structure",
 "members": {
 "Attribute": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
 }
 },
 "Operation": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
 }
 },
 "Value": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Value of the filter.</p>"
 }
 }
 }
},

```

```

 "traits": {
 "smithy.api#documentation": "<p>A filter name and value pair that is used
to return more specific results from a describe\n operation. Filters can be used to match a set of resources by
specific criteria, such as tags,\n attributes, or IDs.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Filter"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider": {
 "type": "union",
 "members": {
 "ActiveDirectoryIdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that details an Active Directory identity provider.</p>"
 }
 }
 }
 },
 "traits": {
 "smithy.api#documentation":
 "<p>Details about an identity provider.</p>"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Settings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "<p>An object that details the registered identity providers product
related configuration\n settings such as the subnets to provision VPC endpoints.</p>",
 "smithy.api#required":
 {}
 }
 }
 },
 "Product": {
 "target": "smithy.api#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of an identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "FailureMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation":
"<p>Describes an identity provider.</p>"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceSummary": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status
of an EC2 instance resource.</p>",
 "smithy.api#required": {}
 }
 }
}

```



```

 },
 "Products": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
 "smithy.api#required": {}
 }
 },
 "LastStatusCheckDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date of the last status check.</p>"
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
 }
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits":
 {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",

```

```

 "smithy.api#required": {}
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 },
 "AssociationDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
 }
 },
 "DisassociationDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based
subscriptions.</p>"
}
},

```

```

"com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
 "smithy.api#error": "server"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseManagerUserSubscriptions": {
 "type": "service",

"version": "2018-05-10",
"operations": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUser"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUser"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListInstances"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations"
 }
],
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider"
 },
],

```

```

 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
 }
],
 "traits": {
 "aws.api#service": {
 "sdkId": "License Manager User Subscriptions",
 "arnNamespace": "license-manager-user-subscriptions",
 "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
 },
 "aws.auth#sigv4": {
 "name": "license-manager-user-subscriptions"
 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id",
 "content-length",
 "x-api-key",
 "authorization",
 "x-amz-date",
 "x-amz-security-token",
 "Access-Control-Allow-Headers",
 "Access-Control-Allow-Methods",
 "Access-Control-Allow-Origin"
],
 "additionalExposedHeaders": [
 "x-amzn-errortype",
 "x-amzn-requestid",
 "x-amzn-trace-id"
]
 },
 "smithy.api#documentation": "<p>With License Manager, you can create user-based subscriptions to utilize licensed software with a per user subscription fee on Amazon EC2 instances.</p>",
 "smithy.api#title": "AWS License Manager User Subscriptions",
 "smithy.rules#endpointRuleSet": {

```

```

"version": "1.0",
"parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack
endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
},
"rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [

```

```

 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 },
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
{
 "conditions": [
 {
 "fn": "isSet",
 "argv": [

```

```

{
 "ref": "Region"
}
]
}
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
 "type": "tree",
 }
],
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
],
 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
],
 }
],
 "type": "tree",
 "rules": [

```

```

{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
],
 },
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
],
 },
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 }
}

```



```

]
 },
 {
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
 }
],
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],

```

```

 "endpoint": {
 "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
},
{
 "conditions": [],
 "error": "FIPS is enabled but this partition does not support FIPS",
 "type": "error"
}
]
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
]
 }
]
}

```

```

]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 },
 {
 "conditions": [],
 "error": "DualStack is enabled but this partition does
not support DualStack",
 "type": "error"
 }
]
},
{
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
]
}
]
},
{
 "conditions":
[],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
]
},

```

```

"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation":
"\"For region us-east-1 with FIPS enabled and DualStack disabled\",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
 }
 }
 }
]
}

```

```

 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with
FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-
1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
}

```

```

 }
 },
 {
 "documentation": "For region cn-north-1
with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1
with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {

```

```

 "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},

```

```

{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack":
true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but
this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
}

```



```

 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.gov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 }
}

```

```

 },
 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
],
"version": "1.0"
}
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProviders": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest"
 },
 "output": {

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the identity providers for user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/ListIdentityProviders"
 },
 "smithy.api#paginated":
 {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "IdentityProviderSummaries"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 }
 }
}

```

```

 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse":
{
 "type": "structure",
 "members": {
 "IdentityProviderSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list identity providers operation.</p>",
 "smithy.api#required": {}
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstances": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 }
]
}

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/instance/ListInstances"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceSummaries"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n more sets of key-value pairs that you specify.</p>"
 }
 }
 }
}

```

```

 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse": {
 "type":
"structure",
 "members": {
 "InstanceSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list instances operation.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
],

```

```

 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity
provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListProductSubscriptions"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "ProductUserSummaries"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
 "type": "structure",
 "members": {
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name
of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {

```

"smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n more sets of key-value pairs that you specify.</p>"

```
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions operation.</p>"
 }
 }
 },
```

```
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target":
```



```

"com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListUserAssociations"
 },
 "smithy.api#paginated":
{
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceUserSummaries"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n more sets of key-value pairs that you specify.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
 "smithy.api#required": {}
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
},
"Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of a product for a user.</p>",
 "smithy.api#required": {}
 }
},
"StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for a product for a user.</p>"
 }
},
"Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
},
"SubscriptionStartDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The
start date of a subscription.</p>"
 }
},
"SubscriptionEndDate": {
 "target": "smithy.api#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>The end date of a subscription.</p>"
 }
}
},
"traits": {
 "smithy.api#documentation": "<p>The summary of the user-based subscription products for a user.</p>"
}
},
"com.amazonaws.licensemanagerusersubscriptions#ProductUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
 "smithy.api#http": {

```

```

 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/RegisterIdentityProvider"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "Settings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "<p>The registered identity providers product related configuration
settings such as the\n subnets to provision VPC endpoints.</p>"
 }
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
 "smithy.api#required": {}
 }
 }
 }
},

```

```

"com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 404
 }
},
"com.amazonaws.licenseanagerusersubscriptions#SecurityGroup": {
 "type": "string",

"traits": {
 "smithy.api#length": {
 "min": 5,
 "max": 200
 },
 "smithy.api#pattern": "^sg-([0-9a-z]{8})([0-9a-z]{17})$"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request failed because a service quota is exceeded.</p>",
 "smithy.api#error": "client"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#Settings": {
 "type": "structure",
 "members": {
 "Subnets": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation":
"<p>The subnets defined for the registered identity provider.</p>",
 "smithy.api#length": {
 "min": 1
 },
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 }
 },
 "SecurityGroupId": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup",
 "traits": {
 "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688
communication between resources in\n your VPC and the VPC endpoint for activation servers.</p>",
 "smithy.api#required": {}
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>The registered identity providers product related configuration settings
such as the\n subnets to provision VPC endpoints, and the security group ID that
is associated with the VPC\n endpoints. The security group should permit inbound TCP port 1688
communication from resources\n in the VPC.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscription": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
]
}

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Starts a product subscription for a user with the specified identity provider.</p>\n <note>\n <p>Your estimated bill for charges on the number of users and related costs will take 48\n hours to appear for billing periods that haven't closed (marked as Pending billing status) in Amazon Web Services Billing.\n For more information, see <a\nhref='\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n monthly charges in the <i>Amazon Web Services Billing User Guide</i>.</p>\n </note>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/StartProductSubscription"
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 }
 }
 },
},

```



```

"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the start product subscription
operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscription": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity
provider.</p>",

```

```

 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/StopProductSubscription"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
 "traits": {
 "smithy.api#documentation":

```

```

"<p>Metadata that describes the start product subscription operation.</p>",
 "smithy.api#required": {}
 }
}
},
"com.amazonaws.licenseanagerusersubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#Subnet": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "subnet-[a-z0-9]{8,17}"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#Subnets": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnet"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ThrottlingException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the
request.</p>",
 "smithy.api#error": "client"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
 },
 "errors": [
 {

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered
identity\n provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/UpdateIdentityProviderSettings"
 },
 "smithy.api#idempotent": {}
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "UpdateSettings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateSettings",
 "traits": {
 "smithy.api#documentation": "<p>Updates the registered identity providers product related
configuration settings. You can\n update any combination of settings in a single operation such as the:</p>\n
\n \n <p>Subnets which you want to add to provision VPC endpoints.</p>\n \n
 \n <p>Subnets which you want to remove the VPC endpoints from.</p>\n \n
 \n <p>Security group ID which permits traffic to the VPC endpoints.</p>\n \n ",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#required": {}
 }
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateSettings": {
 "type": "structure",
 "members": {
 "AddSubnets": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint for products that\n require connectivity to activation servers.</p>",
 "smithy.api#required": {}
 }
 },
 "RemoveSubnets": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
 "smithy.api#required": {}
 }
 },
 "SecurityGroupId": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup",
 "traits": {
 "smithy.api#documentation": "<p>A security group ID
that allows inbound TCP port 1688 communication between resources in\n your VPC and the VPC endpoints for
activation servers.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration
settings such as\n the subnets to provision VPC endpoints.</p>"
 }
},

```

```

"com.amazonaws.licensemanagerusersubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A parameter is not valid.</p>",
 "smithy.api#error": "client"
 }
}
}
{
 "smithy": "2.0",
 "metadata": {
 "suppressions": [
 {
 "id": "HttpMethodSemantics",
 "namespace": "*"
 },
 {
 "id": "HttpStatusCodeSemantics",
 "namespace": "*"
 },
 {
 "id": "PaginatedTrait",
 "namespace": "*"
 },
 {
 "id": "HttpHeaderTrait",
 "namespace": "*"
 },
 {
 "id": "HttpUriConflict",
 "namespace": "*"
 },
 {
 "id": "Service",
 "namespace": "*"
 }
]
 },
 "shapes": {
 "com.amazonaws.licensemanager#AWSLicenseManager": {
 "type": "service",
 "version": "2018-08-01",

```

```

"operations": [
 {
 "target": "com.amazonaws.licensemanager#AcceptGrant"
 },
{
 "target": "com.amazonaws.licensemanager#CheckInLicense"
},
{
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
},
{
 "target": "com.amazonaws.licensemanager#CheckoutLicense"
},
{
 "target": "com.amazonaws.licensemanager#CreateGrant"
},
{
 "target": "com.amazonaws.licensemanager#CreateGrantVersion"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicense"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
},
{
 "target": "com.amazonaws.licensemanager#CreateToken"
},
{
 "target": "com.amazonaws.licensemanager#DeleteGrant"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicense"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
},
{

```

```

 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
 },
 {
 "target": "com.amazonaws.licensemanager#DeleteToken"
 },
 {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
 },
},
{
 "target": "com.amazonaws.licensemanager#GetAccessToken"
},
{
 "target": "com.amazonaws.licensemanager#GetGrant"
},
{
 "target": "com.amazonaws.licensemanager#GetLicense"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseUsage"
},
{
 "target": "com.amazonaws.licensemanager#GetServiceSettings"
},
{
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#ListDistributedGrants"
},
{
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
},
},

```



```

{
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenses"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseVersions"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedGrants"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
},
{
 "target": "com.amazonaws.licensemanager#ListResourceInventory"
},
{
 "target": "com.amazonaws.licensemanager#ListTagsForResource"
},
{
 "target": "com.amazonaws.licensemanager#ListTokens"
},
{
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#RejectGrant"
},
{
 "target": "com.amazonaws.licensemanager#TagResource"
},
{
 "target": "com.amazonaws.licensemanager#UntagResource"
},
{
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
 }
],
 "traits": {
 "aws.api#service": {
 "sdkId": "License Manager",
 "arnNamespace": "license-manager",
 "cloudFormationName": "LicenseManager",
 "cloudTrailEventSource": "licensemanager.amazonaws.com",
 "endpointPrefix": "license-manager"
 },
 "aws.auth#sigv4": {
 "name": "license-manager"
 },
 "aws.protocols#awsJson1_1": {},
 "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n Amazon Web Services accounts and on-premises servers.</p>",
 "smithy.api#title": "AWS License Manager",
 "smithy.api#xmlNamespace": {
 "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
 },
 "smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",

```

```
 "required": true,
 "default": false,
 "documentation": "When true, send
this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant
endpoint, dispatching the request will return an error.",
```

```
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
},
"rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
 },
 {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 }
],
"conditions": [
 {
```

```

 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 },
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
},
{
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
]
},
{
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
]
},
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
]
 },
 "assign": "PartitionResult"
]
 }
]

```

```

 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref":
"UseFIPS"

 },
 true
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]
 },
 {
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
]
 },
 {
 "fn": "booleanEquals",

```

```

 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
],
 },
],
 "supportsDualStack"
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 },
 {
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
 }
],
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
],
 true
 }
]
 }

```

```

]
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
]
 },
 {
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 },
 {
 "conditions": [],
 "error": "FIPS is enabled but this
partition does not support FIPS",
 "type": "error"
 }
],
{
 "conditions": [

```

```

 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 }
],
 },
]
 }
],
 "supportsDualStack"
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 {
 "conditions": [],

```



```

 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
 }
}
},
{
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
]
}
]
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.af-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "af-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-east-1.amazonaws.com"
 }
 },
 },
]
}

```

```

 "params": {
 "Region": "ap-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
},
{
 "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",

```

```

 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-1.amazonaws.com"
 }
 }
 },
 {
 "params": {
 "Region": "ap-southeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-southeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-southeast-3",

```

```

 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ca-central-1.amazonaws.com"
 }
 },

 "params": {
 "Region": "ca-central-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-central-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-central-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-north-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
 "expect": {

```

```

 "endpoint": {
 "url": "https://license-manager.eu-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region":
"eu-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-3",
 "UseFIPS": false,

```

```

 "UseDualStack": false
 },
 {
 "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.me-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "me-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.sa-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "sa-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {

```

```

 "url": "https://license-manager-fips.us-east-1.amazonaws.com"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region
us-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
}

```

```

 }
 },
 {
 "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-1.amazonaws.com"
 }
 },
 "params": {

"Region": "us-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",

"expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.api.aws"

```



```

 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,

 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-northwest-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
}

```

```

 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.amazonaws.com"
 }
 }
 }

```

```

 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation":
 "For region us-gov-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {

```

```

 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.api.aws"
 }
 },

 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,

```

```

 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled
but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {

```

```

 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",

```

```

 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,

"UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
],
"version": "1.0"
}
},

```

```

"com.amazonaws.licensemanager#AcceptGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#AcceptGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 }
},

```



```

 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#AcceptGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant
ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#AccessDeniedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {}
 }
 },
 "code": "ServiceAccessDenied",
 "httpResponseCode": 401,
 "smithy.api#documentation": "<p>Access to resource denied.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 401
}

```

```

},
"com.amazonaws.licensemanager#ActivationOverrideBehavior": {
 "type": "enum",
 "members": {
 "DISTRIBUTED_GRANTS_ONLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
 }
 },
 "ALL_GRANTS_PERMITTED_BY_ISSUER": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
 }
 }
 }
},
"com.amazonaws.licensemanager#AllowedOperation": {
 "type": "enum",
 "members": {
 "CREATE_GRANT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateGrant"
 }
 },
 "CHECKOUT_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutLicense"
 }
 },
 "CHECKOUT_BORROW_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutBorrowLicense"
 }
 },
 "CHECK_IN_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckInLicense"
 }
 },
 "EXTEND_CONSUMPTION_LICENSE":

```

```

{
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ExtendConsumptionLicense"
 }
},
"LIST_PURCHASED_LICENSES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ListPurchasedLicenses"
 }
},
"CREATE_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateToken"
 }
}
},
"com.amazonaws.licensemanager#AllowedOperationList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#AllowedOperation"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max":
7
 }
 }
},
"com.amazonaws.licensemanager#Arn": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 2048
 },
 "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d))?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62};[A-Za-
z0-9_/.-]{0,63};[A-Za-z0-9_/.-]{0,63};[A-Za-z0-9][A-Za-z0-9:/+=,@.-]{0,1023}$"
 }
},
"com.amazonaws.licensemanager#ArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#AuthorizationException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError":
 {
 "code": "AuthorizationFailure",
 "httpResponseCode": 403
 },
 "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to
perform the action. Check the IAM\n policy associated with this account.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 403
 }
},
 "com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
 "type": "structure",
 "members": {
 "LastRunTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes automated discovery.</p>"
 }
 },
 "com.amazonaws.licensemanager#Boolean": {
 "type": "boolean",
 "traits": {
 "smithy.api#default": false
 }
 },
 "com.amazonaws.licensemanager#BorrowConfiguration": {
 "type": "structure",
 "members": {
 "AllowEarlyCheckIn": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
 "smithy.api#required": {}
 },
 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",
 "smithy.api#required": {}
 }
 }
},
 "traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
 }
},
"com.amazonaws.licensemanager#BoxBoolean": {
 "type": "boolean"
},
"com.amazonaws.licensemanager#BoxInteger": {
 "type": "integer"
},
"com.amazonaws.licensemanager#BoxLong": {
 "type": "long"
},
"com.amazonaws.licensemanager#CheckInLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },

```

```

 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
 }
},
"com.amazonaws.licensemanager#CheckInLicenseRequest":
{
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CheckInLicenseResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicense":

```

```

{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
 }
},

```

```

"com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
 "type": "structure",
 "members": {
 {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must
use the borrow consumption configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
 "smithy.api#required": {}
 }
 },
 "DigitalSignatureMethod": {
 "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
 "traits": {
 "smithy.api#documentation": "<p>Digital signature method. The possible
value is JSON Web Signature (JWS) algorithm PS384.\n For more information, see RFC 7518 Digital Signature with RSASSA-PSS.</p>",
 "smithy.api#required": {}
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }
}

```



```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 },
 "EntitlementsAllowed": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
 },
 "IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
 }
 },
 "CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target":

```

```

"com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Checks out the specified license.</p>\n <note>\n <p>If the
account that created the license is the same that is performing the check out, you must\n specify the account
as the beneficiary.</p>\n </note>"
}
},
"com.amazonaws.licensemanager#CheckoutLicenseRequest": {
 "type": "structure",
 "members": {
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
SKU.</p>",
 "smithy.api#required": {}
 }
 },
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>",
 "smithy.api#required": {}
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "smithy.api#required": {}
}
},

```

```

"ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
},
"Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
},
"NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicenseResponse": {
 "type": "structure",
 "members": {
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>"
 }
 },
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 },
 "EntitlementsAllowed": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
 }
 }
},

```

```

 "SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CheckoutType": {
 "type": "enum",
 "members": {
 "PROVISIONAL": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PROVISIONAL"
 }
 },
 "PERPETUAL": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "PERPETUAL"
 }
 }
 },
 "com.amazonaws.licensemanager#ClientRequestToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 36
 }
 }
 },
 "com.amazonaws.licensemanager#ClientToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 2048
 },
 "smithy.api#pattern": "^\\S+$"
 }
 },
 "com.amazonaws.licensemanager#ConflictException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ConflictException",
 "httpResponseCode":
409
 },
 "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 409
 }
 },
 "com.amazonaws.licensemanager#ConsumedLicenseSummary": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
 }
},

"traits": {
 "smithy.api#documentation": "<p>Details about license consumption.</p>"
},
"com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
 }
},
"com.amazonaws.licensemanager#ConsumptionConfiguration": {
 "type": "structure",
 "members": {
 "RenewType": {
 "target": "com.amazonaws.licensemanager#RenewType",
 "traits": {
 "smithy.api#documentation": "<p>Renewal frequency.</p>"
 }
 },
 "ProvisionalConfiguration": {
 "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
 },
 "BorrowConfiguration": {
 "target": "com.amazonaws.licensemanager#BorrowConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
 }
},

```

```

"com.amazonaws.licensemanager#CreateGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrantRequest": {
 "type": "structure",
 "members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",

```



```

 "smithy.api#required": {}
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Principals": {
 "target": "com.amazonaws.licensemanager#PrincipalArnList",
 "traits": {
 "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an Amazon Resource Name (ARN):</p>\n \n \n <p>An Amazon Web Services account, which includes only the account specified.</p>\n \n \n <p>An organizational unit (OU), which includes all accounts in the OU.</p>\n \n \n \n <p>An organization, which will include all accounts across your organization.</p>\n \n ",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#CreateGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CreateGrantVersion": {
 {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
]
 }
 }
}

```

```

 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information,
see\n <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrantVersionRequest": {
 "type": "structure",
 "members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 }
 }
 },
 "smithy.api#required": {}
},
"GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
},
"GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>"
 }
},
"AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
 }
}

```

```

 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the grant.</p>"
 }
 },
 "Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateGrantVersionResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>New version of the grant.</p>"
 }
 },
 "traits":
{
 "smithy.api#output": {}
},
"com.amazonaws.licensemanager#CreateLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a license.</p>"
 }
},
"com.amazonaws.licensemanager#CreateLicenseConfiguration": {
 "type": "operation",
 "input": {

```

```

 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a license configuration.</p>\n <p>A license configuration is an abstraction of a customer license agreement that can be\n consumed and enforced by License Manager. Components include specifications for the license\n type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a\n license must be associated with a host), and the number of licenses purchased and used.</p>"
 }
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 }
 }
}

```

```

 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used. Exceeding a hard limit\n blocks the launch of new instances.</p>"
 }
 },
 "LicenseRules": {
 "target":
 "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example, #allowedTenancy=EC2-DedicatedHost). The available rules \n vary by dimension, as follows.</p>\n
 \n
 \n
 <p>\n
 <code>Cores</code> dimension: <code>allowedTenancy</code> |\n
 <code>licenseAffinityToHost</code> |\n
 <code>maximumCores</code> | \n
 <code>minimumCores</code> \n
 </p>\n
 \n
 \n
 <p>\n
 <code>Instances</code> dimension: <code>allowedTenancy</code> | \n
 <code>maximumCores</code> | \n
 <code>minimumCores</code> |\n
 <code>maximumSockets</code> | <code>minimumSockets</code> |\n
 <code>maximumVcpus</code> | <code>minimumVcpus</code> \n
 </p>\n
 \n
 \n
 <p>\n
 <code>Sockets</code> dimension: <code>allowedTenancy</code> | \n
 <code>licenseAffinityToHost</code> |\n
 <code>maximumSockets</code> | \n
 <code>minimumSockets</code> \n
 </p>\n
 \n
 \n
 <p>\n
 <code>vCPUs</code> dimension: <code>allowedTenancy</code> | \n
 <code>honorVcpuOptimization</code> | \n
 <code>maximumVcpus</code> | \n
 <code>minimumVcpus</code> \n
 </p>\n
 \n
 \n
 <p>The unit for <code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible \n values for <code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and \n <code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are \n <code>True</code> and <code>False</code>.</p>"
 }
 },
},

```

```

"Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
 }
},
"DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
},
"ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
},
"traits": {
 "smithy.api#input": {}
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
{
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
 },
 "errors": [

```



```

{
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
},
{
 "target": "com.amazonaws.licensemanager#AuthorizationException"
},
{
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
},
{
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
},
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting the license type for.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting from. \n\n For the structure of the source license, see Convert a license type using the CLI in the <i>License Manager User Guide</i>.</p>",
 "smithy.api#required": {}
 }
 },
 "DestinationLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting to.
For the structure of the destination license, see <a href='\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI in
the <i>License Manager User Guide</i>.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

"traits": {
 "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
}
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a report generator.</p>"
 }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "ReportGeneratorName":
 {
 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
 },
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be generated:</p>\n \n \n <p>License configuration report - Reports the number and details of consumed licenses for a license configuration.</p>\n \n \n <p>Resource report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n \n ",
 "smithy.api#required": {}
 }
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>Defines the type of license configuration the report generator tracks.</p>",
 "smithy.api#required": {}
 }
 }
}

```

```

 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be
generated daily, monthly, or weekly.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique,
case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn":
 {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#CreateLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>",
 "smithy.api#required": {}
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region for the license.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
 "smithy.api#required": {}
 }
 }
}

```

```

 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#CreateLicenseResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {

```

```

 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseVersion": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target":
"com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>",
 "smithy.api#required": {}
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```



```

 "smithy.api#documentation": "<p>Home Region of the license.</p>",
 "smithy.api#required": {}
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-UTC format.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 }
}

```

```

 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>"
 }
 }
},
"traits": {

"smithy.api#input": {}
},
"com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output":
{}
 },
 "com.amazonaws.licensemanager#CreateToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateTokenResponse"
 }
 }
}

```

```

 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n <p>A refresh token is a JWT token used to get an access token. With an access token,\n you can call AssumeRoleWithWebIdentity to get role credentials that you can use to \n call License Manager to manage the specified license.</p>"
 },
 "com.amazonaws.licensemanager#CreateTokenRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n JWT token.</p>",
 "smithy.api#required": {}
 }
 },
 "RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the
token. \n License Manager does not check whether the roles are in use.</p>"
 }
 },
 "ExpirationInDays": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {
 "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The
default is 365 days.</p>"
 }
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The
data is mapped\n to the amr claim of the JWT token.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#CreateTokenResponse": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
 },
 "TokenType": {
 "target": "com.amazonaws.licensemanager#TokenType",
 "traits": {
 "smithy.api#documentation": "<p>Token type.</p>"
 }
 }
 },
 "Token": {

```

```

 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DateTime": {
 "type": "timestamp"
},
"com.amazonaws.licensemanager#DatetimeRange": {
 "type": "structure",
 "members": {
 "Begin": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Start of the time range.</p>",
 "smithy.api#required": {}
 }
 },
 "End": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>End of the time range.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
 }
},
"com.amazonaws.licensemanager#DeleteGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#DeleteGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the
grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {

```

```

 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#DeleteGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Grant version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 }
],

```

```

 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
 },
},

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {

```



```

 "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n <p>You cannot\n delete a license configuration that is in use.</p>"
 },
 "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]
 }
}

```

```

 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n <p>This action deletes the report generator, which stops it from generating future reports.\n The action cannot be reversed. It has no effect on the previous reports from this generator.</p>"
 },
 "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be deleted.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>",
 "smithy.api#required":
 }
 }
},
 "traits": {
 "smithy.api#input": {}
 }
},
 "com.amazonaws.licensemanager#DeleteLicenseResponse": {
 "type": "structure",
 "members": {
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "DeletionDate": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
 },
 "errors": [
 {

```

```

 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
}
},
"com.amazonaws.licensemanager#DeleteTokenRequest": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>",
 "smithy.api#required": {}
 }
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#DeleteTokenResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#DigitalSignatureMethod": {
 "type": "enum",
 "members": {
 "JWT_PS384": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "JWT_PS384"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#Entitlement": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#Long",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
 }
 },
 "Overage": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement unit.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }
}

```

```

 },
 "AllowCheckIn": {
 "target":
"com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
 }
},
"com.amazonaws.licensemanager#EntitlementData": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement
data value.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data unit.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
 }
},
"com.amazonaws.licensemanager#EntitlementDataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementData"
 }
},

```

```

"com.amazonaws.licensemanager#EntitlementDataUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {

"smithy.api#enumValue": "Count"
 }
 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes"
 }
 },
 "KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
 },
 "MEGABYTES": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
 },
 "GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes"
 }
 },
 "TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
 },
 "BITS":
{
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits"
 }
},
 "KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits"
 }
 },
 "MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
 },
 "GIGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
 },
 "TERABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
 }
},

```



```

"PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
},
"BYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
},
"KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
},
"MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
},
"GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
},
"TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes/Second"
 }
},
"BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
},
"KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
},

```

```

 "MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue":
"Megabits/Second"
 }
 },
 "GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
 },
 "TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
 },
 "COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
 }
 },
 "com.amazonaws.licensemanager#EntitlementList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Entitlement"
 }
 },
 "com.amazonaws.licensemanager#EntitlementNotAllowedException":
{
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
 "com.amazonaws.licensemanager#EntitlementUnit": {

```

```

"type": "enum",
"members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count"
 }
 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes"
 }
 },
 "KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
 },
 "MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "Megabytes"
 }
},
"GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes"
 }
},
"TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
},
"BITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits"
 }
},
"KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {

 "smithy.api#enumValue": "Kilobits"
 }
},
"MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
},
"GIGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
},
"TERABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
},
"PERCENT": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "Percent"
 }
 },
 "BYTES_PER_SECOND": {
 "target":
"smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
 },
 "KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
 },
 "MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
 },
 "GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
 },
 "TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {

"smithy.api#enumValue": "Terabytes/Second"
 }
 },
 "BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
 },
 "KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
 },

```

```

"MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits/Second"
 }
},
"GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
},

"TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
},
"COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
}
},
"com.amazonaws.licensemanager#EntitlementUsage": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement usage name.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumedValue": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Resource usage consumed.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
 }
},
"Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
 "smithy.api#required": {}
 }
}
},
"traits": {
 "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
}
},
"com.amazonaws.licensemanager#EntitlementUsageList":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementUsage"
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumption": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "DryRun": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 }
 }
},

 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
 }
 }
}

```



```

 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#FailedDependencyException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 },
 "ErrorCode": {
 "target": "com.amazonaws.licensemanager#String"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "FailedDependency",
 "httpResponseCode": 424
 },
 "smithy.api#documentation":
 "<p>A dependency required to run the API is missing.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 424
 }
},
"com.amazonaws.licensemanager#Filter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#FilterName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
 }
 },
 "Values": {
 "target": "com.amazonaws.licensemanager#FilterValues",
 "traits": {
 "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only
specify one value for the filter.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter
name and value pair that is used to return more specific results from a\n describe operation. Filters can be used
to match a set of resources by specific criteria,\n such as tags, attributes, or IDs.</p>"
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#FilterLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "FilterLimitExceeded",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter"
 }
 },
 "com.amazonaws.licensemanager#FilterName": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#FilterValue": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#FilterValues": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#FilterValue",
 "traits": {
 "smithy.api#xmlName": "item"
 }
 }
 },
 "com.amazonaws.licensemanager#Filters": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter",
 "traits": {
 "smithy.api#xmlName": "item"
 }
 }
 }
}

```

```

 },
 "com.amazonaws.licensemanager#GetAccessToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets a temporary access token to use with
AssumeRoleWithWebIdentity. Access
tokens\n are valid for one hour.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetAccessTokenRequest": {
 "type": "structure",
 "members": {
 "Token": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
 "smithy.api#required": {}
 }
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
 }
 }
 }
 }
 }

```

```

 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetAccessTokenResponse":
{
 "type": "structure",
 "members": {
 "AccessToken": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Temporary access token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#GetGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetGrantResponse": {
 "type": "structure",
 "members": {
 "Grant": {
 "target": "com.amazonaws.licensemanager#Grant",
 "traits": {
 "smithy.api#documentation": "<p>Grant details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetLicense": {
 "type": "operation",
 "input": {

```

```

 "target": "com.amazonaws.licensemanager#GetLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license
configuration.</p>"
 }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits":
{
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",

 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License configuration status.</p>"
 }
 },
},
"OwnerAccountId": {

```



```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
 }
 },
 "ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
 }
 },
 "ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseConversionTask": {

```

```

 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
 },
 "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information on.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
 "type": "structure",
 "members": {

```

```

"LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
 }
},
"ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license
conversion task is associated with.</p>"
 }
},
"SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information
about the license type converted from.</p>"
 }
},
"DestinationLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
 }
},
"StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
 }
},
"StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
 }
},
"LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
 }
 },
 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was
completed.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#ValidationException"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
 "smithy.api#required":
 {}
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "ReportGenerator": {
 "target": "com.amazonaws.licensemanager#ReportGenerator",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
 }
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#GetLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseResponse": {
 "type": "structure",
 "members": {
 "License": {
 "target": "com.amazonaws.licensemanager#License",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},

"com.amazonaws.licensemanager#GetLicenseUsage": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
],

```

```

 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {

"target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseUsageRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseUsageResponse": {
 "type": "structure",
 "members": {
 "LicenseUsage": {
 "target":
"com.amazonaws.licensemanager#LicenseUsage",
 "traits": {
 "smithy.api#documentation": "<p>License usage details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
 },
 "output": {

```

```

 "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
 }
},
"com.amazonaws.licensemanager#GetServiceSettingsRequest": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data,
discovery data,\n and so on.</p>"
 }
 }
 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {

```



```

 "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n cross-account discovery.</p>"
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
 }
 },
 "LicenseManagerResourceShareArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License
Manager management account \n provides member accounts with access to this share.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#Grant": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
 },
 "ParentArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Parent ARN.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },

```

```

"LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>",
 "smithy.api#required": {}
 }
},
"GranteePrincipalArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The grantee principal ARN.</p>",
 "smithy.api#required": {}
 }
},
"HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
},
"GrantStatus": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>",
 "smithy.api#required": {}
 }
},
"StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
},
"Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>",
 "smithy.api#required": {}
 }
},
"GrantedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Granted operations.</p>",
 "smithy.api#required": {}
 }
}

```

```

 },
 "Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation":
 "<p>Describes a grant.</p>"
 }
},
"com.amazonaws.licensemanager#GrantList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Grant"
 }
},
"com.amazonaws.licensemanager#GrantStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_ACCEPT"
 }
 },
 "REJECTED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 }
 }
},
"ACTIVE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
},
"FAILED_WORKFLOW": {

```

```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 },
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 },
 "WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
 }
},
"com.amazonaws.licensemanager#GrantedLicense": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
 }
 }
}

```

```

},
"ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
},
"ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
},
"Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {
 "smithy.api#documentation": "<p>Granted license issuer.</p>"
 }
},
"HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
 }
},
>Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>Granted license status.</p>"
 }
},
Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in ISO8601-UTC format.</p>"
 }
},
Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
 }
},
Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Granted license metadata.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
 }
 }
},
"Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Version of the granted license.</p>"
 }
},
"ReceivedMetadata": {
 "target": "com.amazonaws.licensemanager#ReceivedMetadata",
 "traits": {
 "smithy.api#documentation": "<p>Granted license received metadata.</p>"
 }
}
},
"traits": {
 "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
}
},
"com.amazonaws.licensemanager#GrantedLicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#GrantedLicense"
 }
},
"com.amazonaws.licensemanager#ISO8601DateTime":

```

```

{
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^(~{?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|[1-2][0-9])T(2[0-3]|[0-1][0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(Z|[-+](?:2[0-3]|[0-1][0-9]):[0-5][0-9])+$"
 }
},
"com.amazonaws.licensemanager#Integer": {
 "type": "integer"
},
"com.amazonaws.licensemanager#InvalidParameterValueException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidParameterValueProvided",
 "httpResponseCode": 400
 },
 "smithy.api#documentation":
 "<p>One or more parameter values are not valid.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#InvalidResourceStateException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResourceState",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its state. </p>\n <p>For example, you cannot allocate a license to an instance in the process of shutting\n down.</p>",
 "smithy.api#error": "client",

```

```

 "smithy.api#httpError": 400
 }
},

"com.amazonaws.licensemanager#InventoryFilter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the filter.</p>",
 "smithy.api#required": {}
 }
 },
 "Condition": {
 "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
 "traits": {
 "smithy.api#documentation": "<p>Condition of the filter.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Value of the filter.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An inventory filter.</p>"
 }
},

"com.amazonaws.licensemanager#InventoryFilterCondition": {
 "type": "enum",
 "members": {
 "EQUALS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EQUALS"
 }
 },
 "NOT_EQUALS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "NOT_EQUALS"
 }
 }
 },
},

```



```

 "BEGINS_WITH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "BEGINS_WITH"
 }
 },
 "CONTAINS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CONTAINS"
 }
 }
 },
 "com.amazonaws.licensemanager#InventoryFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#InventoryFilter"
 }
 },
 "com.amazonaws.licensemanager#Issuer": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
 }
},
"com.amazonaws.licensemanager#IssuerDetails": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>"
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n and support the RSASSA-PSS SHA-256 signing
algorithm.</p>"
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
 },
 "com.amazonaws.licensemanager#License": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Product SKU.</p>"
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>"
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

 "smithy.api#documentation": "<p>Home Region of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 },
 "Entitlements": {

 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
 },

```

```

"LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>License metadata.</p>"
 }
},
"CreateTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>License
creation time.</p>"
 }
},
"Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
},
"com.amazonaws.licensemanager#LicenseConfiguration": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
},
"LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
 }
},
"LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
},
"LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 }
},
"LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
 }
},
"DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
},
"ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license configuration.</p>"
 }
},
"OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
 }
 },
 "ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
 }
 },
 "ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be consumed and enforced by License Manager. Components include specifications for the license type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM\n must be associated with a host), and the number of licenses purchased and used.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 }
 }
 }
}

```

```

 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of server resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource consuming licenses.</p>"
 }
 },
 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
 }
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
 }
 },
 "com.amazonaws.licensemanager#LicenseConfigurationStatus": {
 "type": "enum",
 "members":
 {
 "AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 }
 }
 }

```

```

 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 }
 },
 "com.amazonaws.licensemanager#LicenseConfigurationUsage": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 },
 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time when the license configuration was initially associated with the resource.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {

```



```

 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
}
},
"traits": {
 "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license configuration.</p>"
}
},
"com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
 }
},
"com.amazonaws.licensemanager#LicenseConfigurations": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfiguration"
 }
},
"com.amazonaws.licensemanager#LicenseConversionContext": {
 "type": "structure",
 "members": {
 "UsageOperation": {
 "target": "com.amazonaws.licensemanager#UsageOperation",
 "traits": {
 "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you are converting your resource from. For more information about which platforms correspond to which usage operation values see Sample data: usage operation by platform\\n \\n </p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseConversionTask": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
 }
 }
 }
}

```

```

 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\n conversion task.</p>"
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
 }
 },
 "DestinationLicenseContext": {
 "target":
"com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>The status of the conversion task.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
 },
 "StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
 }
 },
 "LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
 }
 }
 }

```

```

 },
 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTaskId": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^\\ct-[a-zA-Z0-9]*$"
 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
 "type": "enum",
 "members": {
 "IN_PROGRESS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "IN_PROGRESS"
 }
 },
 "SUCCEEDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUCCEEDED"
 }
 },
 "FAILED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTasks":

```

```

{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTask"
 }
},
"com.amazonaws.licensemanager#LicenseCountingType": {
 "type": "enum",
 "members": {
 "VCPU": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "vCPU"
 }
 },
 "INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Instance"
 }
 },
 "CORE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Core"
 }
 },
 "SOCKET": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Socket"
 }
 }
 }
},
"com.amazonaws.licensemanager#LicenseDeletionStatus": {
 "type": "enum",
 "members": {
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
 }
}

```

```

 }
 }
},
"com.amazonaws.licensemanager#LicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#License"
 }
},
"com.amazonaws.licensemanager#LicenseOperationFailure": {

 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type.</p>"
 }
 },
 "ErrorMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Error message.</p>"
 }
 },
 "FailureTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {

"smithy.api#documentation": "<p>Failure time.</p>"
 }
 },
 "OperationName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the operation.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
 },
 "OperationRequestedBy": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
 }
 },
 "MetadataList": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Reserved.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
 },
 "com.amazonaws.licensemanager#LicenseOperationFailureList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
 }
 },
 "com.amazonaws.licensemanager#LicenseSpecification": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",

 "smithy.api#required": {}
 }
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
 }
 }
 }
 },

```

```

 "traits": {
 "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
 }
 },
 "com.amazonaws.licensemanager#LicenseSpecifications": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseSpecification"
 }
 },
 "com.amazonaws.licensemanager#LicenseStatus": {
 "type": "enum",
 "members": {
 "AVAILABLE": {
 "target": "smithy.api#Unit",

 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 },
 "PENDING_AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_AVAILABLE"
 }
 },
 "DEACTIVATED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DEACTIVATED"
 }
 },
 "SUSPENDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUSPENDED"
 }
 },
 "EXPIRED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EXPIRED"
 }
 },
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "PENDING_DELETE"
 }
},
"DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
}
},
"com.amazonaws.licensemanager#LicenseUsage": {
 "type": "structure",
 "members": {
 "EntitlementUsages": {
 "target": "com.amazonaws.licensemanager#EntitlementUsageList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlement usages.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseUsageException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "LicenseUsageFailure",
 "httpResponseCode": 412
 },
 "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource launch.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 412
 }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
 }
}

```



```

 },
 "output": {

"target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the resource associations for the
specified license configuration.</p>\n <p>Resource associations need not consume licenses from a license
configuration. \n For example, an AMI or a stopped instance might not consume a license (depending on \n
the license rules).</p>"
 }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
 }
 }
 }
}

```

```

 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationAssociations": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListDistributedGrants": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
]
 }
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
 "type": "structure",
 "members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n \n <p>\n <code>GranteePrincipalARN</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>LicenseIssuerName</code>\n </p>\n \n "
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
}

```

```

 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",

"traits": {
 "smithy.api#documentation": "<p>Distributed grant details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
 }
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":
{
 "type": "structure",
 "members": {
 "LicenseOperationFailureList": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license configurations for your account.</p>"
 }
 }
}

```

```

 },
 "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
 <code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
 operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
 enforcement is used. \n Logical operators are <code>EQUALS</code> |
 <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>usagelimitExceeded</code> - A Boolean value that
 indicates whether the available licenses have been exceeded. \n Logical operators are
 <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n "
 }
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
 "type": "structure",
 "members": {

```

```

"LicenseConfigurations": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
},
"NextToken": {
 "target": "com.amazonaws.licensemanager#String",

 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListLicenseConversionTasks": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {

```



```

 "type": "structure",
 "members": {
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {

"smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>\n Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n </p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTasks": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 },

```

```

"com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
{
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n \n \n <p>\n <code>LicenseConfigurationArn</code>\n

```

```

 </p>\n \n "
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
 "type": "structure",
 "members": {
 "ReportGenerators": {
 "target": "com.amazonaws.licensemanager#ReportGeneratorList",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
 },

```

```

"output": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
}
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an associated license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseVersions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
 }
}

```

```

 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenses": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicensesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 }
 },

```

```

 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>Fingerprint</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token
for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#ListLicensesResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 }
 }

```



```

 },
 "com.amazonaws.licensemanager#ListReceivedGrants": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the\n recipient as this Amazon Web Services account, your organization, or an organizational unit\n (OU) to which this member account belongs.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
 },
 "errors": [
 {

```

```

 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
}
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
 "smithy.api#required": {}
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n
 \n
 \n
 <p>\n
 <code>ParentArn</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>GranteePrincipalArn</code>\n
 </p>\n
 \n
 "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
{
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
 "type": "structure",
 "members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are

```

```

supported:</p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>LicenseIssuerName</code>\n </p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n \n <p>\n <code>GranterAccountId</code>\n </p>\n \n \n }\n },\n "NextToken": {\n "target": "com.amazonaws.licensemanager#String",\n "traits": {\n "smithy.api#documentation": "<p>Token for the next set of results.</p>"\n }\n },\n "MaxResults": {\n "target": "com.amazonaws.licensemanager#MaxSize100",\n "traits": {\n "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"\n }\n }\n },\n "traits": {\n "smithy.api#input": {}\n }\n },\n "com.amazonaws.licensemanager#ListReceivedGrantsResponse": {\n "type": "structure",\n "members": {\n "Grants": {\n "target": "com.amazonaws.licensemanager#GrantList",\n "traits": {\n "smithy.api#documentation": "<p>Received grant details.</p>"\n }\n },\n "NextToken": {\n "target": "com.amazonaws.licensemanager#String",\n "traits": {\n "smithy.api#documentation": "<p>Token for the next set of results.</p>"\n }\n }\n },\n "traits": {\n "smithy.api#output": {}\n }\n },\n "com.amazonaws.licensemanager#ListReceivedLicenses": {\n "type": "operation",\n "input": {\n

```

```

 "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists received licenses.</p>"
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },

```

```

 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 }
 },
 "traits": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n \n <p>\n <code>Fingerprint</code>\n </p>\n \n \n <p>\n <code>IssuerName</code>\n </p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
}

```

```

 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",
 "traits": {
 "smithy.api#documentation": "<p>Received license details.</p>"
 }
 }
 },

 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListResourceInventory": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],

```



```

{
 "target": "com.amazonaws.licensemanager#FailedDependencyException"
},
{
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
},
{
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
}
},
"com.amazonaws.licensemanager#ListResourceInventoryRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#InventoryFilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>account_id</code>
- The ID of the Amazon Web Services account that owns the resource.\n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>application_name</code> - The name of the
application. \n Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n \n \n <p>\n <code>license_included</code> - The type of license included. \n
 Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.\n Possible values
are <code>sql-server-enterprise</code> | \n <code>sql-server-standard</code> | \n <code>sql-
server-web</code> | \n <code>windows-server-datacenter</code>.</p>\n \n \n "

```

```

 <p>\n <code>platform</code> - The platform of the resource.\n Logical operators are
 <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n \n \n <code>resource_id</code> - The ID of the resource. \n Logical operators are
 <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <code>tag:<key></code> - The key/value combination of a tag assigned \n to the resource. Logical
 operators are <code>EQUALS</code> (single account) or\n <code>EQUALS</code> |
 <code>NOT_EQUALS</code> (cross account).</p>\n \n "
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListResourceInventoryResponse": {
 "type": "structure",
 "members": {
 "ResourceInventoryList": {
 "target": "com.amazonaws.licensemanager#ResourceInventoryList",
 "traits": {
 "smithy.api#documentation": "<p>Information
about the resources.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListTagsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
}
},
"com.amazonaws.licensemanager#ListTagsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the tags.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListTokens": {

```

```

 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListTokensRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListTokensResponse"
 },
 "errors":
 [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists your tokens.</p>"
 }
},
"com.amazonaws.licensemanager#ListTokensRequest": {
 "type": "structure",
 "members": {
 "TokenIds": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Token IDs.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
 \n
 \n
 <p>\n
 <code>LicenseArns</code>\n
 </p>\n
 \n
 "
 }
 },
 "NextToken": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation":
"<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListTokensResponse": {
 "type": "structure",
 "members": {
 "Tokens": {
 "target": "com.amazonaws.licensemanager#TokenList",
 "traits": {
 "smithy.api#documentation": "<p>Received token details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
 },
 "errors": [
 {

```

```

 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying
license\n consumption details by resource at a selected point in time. Use this action to audit the\n current
license consumption for any license inventory and configuration.</p>"
}
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {

```

```

 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n<code>resourceArn</code> - The ARN of the license configuration resource.\n
 Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>resourceType</code> - The resource type
(<code>EC2_INSTANCE</code> | <code>EC2_HOST</code> | <code>EC2_AMI</code> |
<code>SYSTEMS_MANAGER_MANAGED_INSTANCE</code>). \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>resourceAccount</code> - The ID of the account that owns the resource. \n Logical operators
are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n "
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {

"LicenseConfigurationUsageList": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#Location": {
 "type": "string"
},
"com.amazonaws.licensemanager#Long": {
 "type": "long"
},
"com.amazonaws.licensemanager#ManagedResourceSummary": {
 "type": "structure",

```

```

 "members": {
 "ResourceType":
 {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
 }
 },
 "AssociationCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
 },
 "com.amazonaws.licensemanager#ManagedResourceSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
 }
 },
 "com.amazonaws.licensemanager#MaxSize100": {
 "type": "integer",
 "traits": {
 "smithy.api#range": {
 "min": 1,
 "max": 100
 }
 }
 },
 "com.amazonaws.licensemanager#MaxSize3StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 3
 }
 }
 },
 "com.amazonaws.licensemanager#Message": {

```



```

 "type": "string"
 },
 "com.amazonaws.licensemanager#Metadata": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The key name.</p>"
 }
 },
 },

 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The value.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
 }
 },
 "com.amazonaws.licensemanager#MetadataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Metadata"
 }
 },
 "com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement maximum count is reached.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#Options": {
 "type": "structure",
 "members": {
 "ActivationOverrideBehavior": {
 "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",

```

```

 "traits": {
 "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n \n \n <p>As a license administrator, you can
optionally specify an\n <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n
 \n \n <p>As a grantor, you can optionally specify an\n
<code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n account in your
organization.</p>\n \n \n <p>As a grantee, if the grantor creating the distributed
grant doesnt specify an\n <code>ActivationOverrideBehavior</code>, you can optionally specify one
when you\n are activating the grant.</p>\n \n \n <dl>\n
<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n <dd>\n <p>Use this value to activate a grant
without replacing any member accounts\n active grants for the same product.</p>\n </dd>\n
<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n <dd>\n <p>Use this value to activate a
grant and disable other active grants in any\n member accounts
for the same product. This action will also replace their\n previously activated grants with this activated
grant.</p>\n </dd>\n </dl>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
such as activation\n override behavior. For more information, see Granted licenses in
License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},
"com.amazonaws.licensemanager#OrganizationConfiguration": {
 "type": "structure",
 "members": {
 "EnableIntegration": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation":
"<p>Enables Organizations integration.</p>",
 "smithy.api#required": {}
 }
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
},
},
"com.amazonaws.licensemanager#PrincipalArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 }
}

```

```

 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 1
 }
 }
 },
 "com.amazonaws.licensemanager#ProductInformation": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductInformationFilterList": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
 "traits": {
 "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n <p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>. </p>\n <p>The following filters and are supported when
the resource type \n is <code>SSM_MANAGED</code>:</p>\n
 \n \n <p>\n <code>Application Name</code> - The name of the
application.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Publisher</code> - The publisher of the application.\n Logical
operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Version</code> - The version of the application.\n Logical operator is
<code>EQUALS</code>.</p>\n \n \n <p>\n <code>Platform
Name</code> - The name of the platform.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Platform Type</code> - The platform type.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Tag:key</code> - The key of a tag attached to an
Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is
<code>NOT_EQUALS</code>. The key for your tag must be appended to <code>Tag:</code> following the
example: <code>Tag:name-of-your-key</code>. <code>ProductInformationFilterValue</code> is optional if you
are not using values for the key.\n </p>\n \n \n <p>\n <code>AccountId</code> - The 12-digit ID of an Amazon Web Services account you wish to exclude from
automated discovery.\n Logical operator is <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>License Included</code> - The type of license included.\n Logical
operators are <code>EQUALS</code> and <code>NOT_EQUALS</code>.\n Possible values are:

```

```

<code>sql-server-enterprise</code> | \n <code>sql-server-standard</code> | \n <code>sql-server-
web</code> | \n <code>windows-server-datacenter</code>.</p>\n \n \n
<p>The following filters and logical operators are supported when the resource type\n is
<code>RDS</code>:</p>\n \n \n <p>\n <code>Engine Edition</code> -
The edition of the database engine.\n Logical operator is <code>EQUALS</code>.\n Possible
values are: <code>oracle-ee</code> | <code>oracle-se</code> | <code>oracle-se1</code> | <code>oracle-
se2</code>.</p>\n \n \n <p>\n <code>License Pack</code> - The license
pack.\n Logical operator is <code>EQUALS</code>.\n Possible values are: <code>data
guard</code> | \n <code>diagnostic pack sqlt</code> | \n
 <code>tuning pack sqlt</code> | \n <code>ols</code> | \n <code>olap</code>.</p>\n
 \n ",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#ProductInformationFilter": {
 "type": "structure",
 "members": {
 "ProductInformationFilterName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Filter name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductInformationFilterValue": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Filter value.</p>"
 }
 }
 },
 "ProductInformationFilterComparator": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Logical operator.</p>",
 "smithy.api#required": {}
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes product information filters.</p>"
}
},

```

```

"com.amazonaws.licensemanager#ProductInformationFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilter"
 }
},
"com.amazonaws.licensemanager#ProductInformationList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformation"
 }
},
"com.amazonaws.licensemanager#ProvisionalConfiguration": {
 "type": "structure",
 "members": {
 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
},
"com.amazonaws.licensemanager#RateLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "RateLimitExceeded",
 "httpResponseCode": 429
 },
 "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief wait.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 429
 }
},
"com.amazonaws.licensemanager#ReceivedMetadata": {
 "type": "structure",
 "members": {

```

```

 "ReceivedStatus": {
 "target": "com.amazonaws.licensemanager#ReceivedStatus",
 "traits": {
 "smithy.api#documentation": "<p>Received status.</p>"
 }
 },
 "ReceivedStatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Received
status reason.</p>"
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
 },
 "com.amazonaws.licensemanager#ReceivedStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue":
"PENDING_ACCEPT"
 }
 },
 "REJECTED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 },
 "WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
 }
},
"com.amazonaws.licensemanager#RedirectException": {
 "type": "structure",
 "members": {
 "Location": {
 "target": "com.amazonaws.licensemanager#Location",
 "traits": {
 "smithy.api#httpHeader": "Location"
 }
 }
 },
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
},
"traits": {
 "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 308
}

```

```

 },
 "com.amazonaws.licensemanager#RejectGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#RejectGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#RejectGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
 }
 },
 "com.amazonaws.licensemanager#RejectGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 },

```



```

 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#RejectGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#RenewType": {
 "type": "enum",
 "members": {
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "WEEKLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Weekly"
 }
 },
 "MONTHLY": {

```

```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Monthly"
 }
 },
 "com.amazonaws.licensemanager#ReportContext": {
 "type": "structure",
 "members": {
 "licenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {

 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
 }
 },
 "com.amazonaws.licensemanager#ReportFrequency": {
 "type": "structure",
 "members": {
 "value": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {
 "smithy.api#documentation": "<p>Number of times within the frequency period that a report is
generated. \n The only supported value is <code>1</code>.</p>"
 }
 },
 "period": {
 "target": "com.amazonaws.licensemanager#ReportFrequencyType",

 "traits": {
 "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,
or monthly.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 }
 },
 "com.amazonaws.licensemanager#ReportFrequencyType": {

```

```

"type": "enum",
"members": {
 "DAY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DAY"
 }
 },
 "WEEK": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WEEK"
 }
 },
 "MONTH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "MONTH"
 }
 }
},
"com.amazonaws.licensemanager#ReportGenerator": {
 "type": "structure",
 "members": {
 "ReportGeneratorName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>"
 }
 },
 "ReportType": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>License configuration type for this generator.</p>"
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 },
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
 }
 },
 "LastRunStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
 }
 },
 "LastRunFailureReason": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
 }
 },
 "LastReportGenerationTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
 }
 },
 "ReportCreatorAccount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report generator.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "S3Location": {
 "target": "com.amazonaws.licensemanager#S3Location",
 "traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
 }
 }
}

```

```

 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the report was created.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
 }
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
},
"com.amazonaws.licensemanager#ReportGeneratorList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ReportGenerator"
 }
},
"com.amazonaws.licensemanager#ReportGeneratorName": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
},
"com.amazonaws.licensemanager#ReportType": {
 "type": "enum",
 "members": {
 "LICENSE_CONFIGURATION_SUMMARY_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
 }
 }
 }
},
"LICENSE_CONFIGURATION_USAGE_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationUsageReport"
 }
}

```

```

 }
 }
},
"com.amazonaws.licensemanager#ReportTypeList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ReportType"
 }
},
"com.amazonaws.licensemanager#ResourceInventory": {
 "type": "structure",
 "members": {
 "ResourceId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "Platform": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Platform of the resource.</p>"
 }
 },
 "PlatformVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
 }
 },
 "ResourceOwningAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
}
},
"traits": {
 "smithy.api#documentation": "<p>Details about a resource.</p>"
}
},
"com.amazonaws.licensemanager#ResourceInventoryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ResourceInventory"
 }
},
"com.amazonaws.licensemanager#ResourceLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ResourceLimitExceeded",

 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResource.NotFound",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The resource cannot be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
}

```

```

},
"com.amazonaws.licensemanager#ResourceType": {
 "type": "enum",
 "members": {
 "EC2_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_INSTANCE"
 }
 },
 "EC2_HOST": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_HOST"
 }
 },
 "EC2_AMI": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_AMI"
 }
 },
 "RDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "RDS"
 }
 },
 "SYSTEMS_MANAGER_MANAGED_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
 }
 }
 }
},
"com.amazonaws.licensemanager#S3Location": {
 "type": "structure",
 "members": {
 "bucket": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
 }
 },
 "keyPrefix": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```



```

 "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
 }
}
},
"traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
}
},
"com.amazonaws.licensemanager#ServerInternalException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InternalServerError",
 "httpResponseCode": 500
 },
 "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
 "smithy.api#error": "server",
 "smithy.api#httpError": 500
 }
},
"com.amazonaws.licensemanager#SignedToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 4096
 }
 }
},
"com.amazonaws.licensemanager#StatusReasonMessage": {
 "type": "string",
 "traits":
{
 "smithy.api#length": {
 "min": 0,
 "max": 400
 },
 "smithy.api#pattern": "^[\s\S]+$"
}
},
"com.amazonaws.licensemanager#String": {
 "type": "string"
},

```

```

"com.amazonaws.licensemanager#StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
},
"com.amazonaws.licensemanager#Tag": {
 "type": "structure",
 "members": {
 "Key": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Tag key.</p>"
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Tag value.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#TagKeyList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
},
"com.amazonaws.licensemanager#TagList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Tag"
 }
},
"com.amazonaws.licensemanager#TagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#TagResourceResponse"
 },
 "errors": [

```

```

 {
 "target":
"com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#TagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits":
{
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>One or more tags.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#TagResourceResponse": {
 "type": "structure",
 "members": {},

```

```

 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#TokenData": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
 },
 "TokenType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "ExpirationTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
 }
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller.</p>"
 }
 },
 "RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
 }
 },
 "traits": {

 "smithy.api#documentation": "<p>Describes a token.</p>"
 },
 "com.amazonaws.licensemanager#TokenList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#TokenData"
 }
 },
 "com.amazonaws.licensemanager#TokenString": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 4096
 },
 "smithy.api#pattern": "^\\S+$"
 }
 },
 "com.amazonaws.licensemanager#TokenType": {
 "type": "enum",
 "members": {
 "REFRESH_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REFRESH_TOKEN"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
 {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request

```

```

again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#UntagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UntagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UntagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Removes the specified tags from the specified license
configuration.</p>"
 }
},
"com.amazonaws.licensemanager#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "TagKeys": {
 "target": "com.amazonaws.licensemanager#TagKeyList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#UntagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseConfigurationStatus": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
 "traits": {
 "smithy.api#documentation": "<p>New status of the license configuration.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\nconfiguration is licenseAffinityToHost.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>New number of licenses managed by the license configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New name of the license configuration.</p>"
 }
 },
 "Description": {

```



```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New description of the license configuration.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>New product information.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates a report generator.</p>\n <p>After you make changes to a
report generator, it starts generating new reports within 60 minutes of being updated.</p>"
 }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
{
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to
update.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportGeneratorName": {
 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
 },
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation":
 "<p>Type of reports to generate. The following report types are supported:</p>\n \n \n <p>License configuration report - Reports the number and details of consumed licenses for a license
configuration.</p>\n \n \n <p>Resource report - Reports the tracked licenses and

```

```

resource consumption for a license configuration.</p>\n \n ",
 "smithy.api#required": {}
 }
},
"ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>The report context.</p>",
 "smithy.api#required": {}
 }
},
"ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits":
{
 "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
 "smithy.api#required": {}
}
},
"ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
},
"Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
}
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
{
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
 "type": "operation",

```

```

"input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
},
"output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
 },
 {
 "target": "com.amazonaws.licensemanager#LicenseUsageException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n <p>You can update the license specifications of AMIs, instances, and hosts.\n You cannot update the license specifications for launch templates and CloudFormation templates, \n as they send license configurations to the operation that creates the resource.</p>"
}
},

"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services resource.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "AddLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
 }
 },
 "RemoveLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation":
"<p>ARNs of the license configurations to remove.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
],
 "traits": {
 "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
 },
 },
 "com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
 }
 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {},
 "traits": {

```

```

 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#UsageOperation": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 }
 }
 },
 "com.amazonaws.licensemanager#ValidationException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",

 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 }
}

```

## 1.93 [github.com/redis/go-redis/v9](https://github.com/redis/go-redis/v9) 9.5.3

### 1.93.1 Available under license :

Copyright (c) 2013 The [github.com/redis/go-redis](https://github.com/redis/go-redis) Authors.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.94 golang-org-x-exp 0.0.0-20240604190554-fc45aab8b7f8

## 1.94.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License



## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or  
Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices  
stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works  
that You distribute, all copyright, patent, trademark, and  
attribution notices from the Source form of the Work,  
excluding those notices that do not pertain to any part of  
the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its  
distribution, then any Derivative Works that You distribute must  
include a readable copy of the attribution notices contained  
within such NOTICE file, excluding  
those notices that do not  
pertain to any part of the Derivative Works, in at least one  
of the following places: within a NOTICE text file distributed  
as part of the Derivative Works; within the Source form or  
documentation, if provided along with the Derivative Works; or,  
within a display generated by the Derivative Works, if and  
wherever such third-party notices normally appear. The contents  
of the NOTICE file are for informational purposes only and  
do not modify the License. You may add Your own attribution  
notices within Derivative Works that You distribute, alongside  
or as an addendum to the NOTICE text from the Work, provided  
that such additional attribution notices cannot be construed  
as modifying the License.

You may add Your own copyright statement to Your modifications and  
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or  
for any such Derivative Works as a whole, provided Your use,  
reproduction, and distribution of the Work otherwise complies with  
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,  
any Contribution intentionally submitted for inclusion in the Work  
by You to the Licensor shall be under the terms and conditions of  
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify  
the terms of any separate license agreement you may have executed  
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade  
names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.95 gomemcache 0.0.0-20230905024940-24af94b03874

## 1.95.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,



work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.96 go-redsync-redsync 4.13.0

## 1.96.1 Available under license :

Copyright (c) 2023, Mahmud Ridwan  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the Redsync nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.97 aws-aws-sdk-go-v2-service-internal-endpoint-discovery 1.9.10

### 1.97.1 Available under license :

name: License Scan

on: [pull\_request]

jobs:

licensescan:

name: License Scan

runs-on: ubuntu-latest

strategy:

matrix:

python-version: [3.9]

```

steps:
- name: Checkout target
 uses: actions/checkout@v2
 with:
 path: sdkbase
 ref: ${ github.base_ref }
- name: Checkout this ref
 uses: actions/checkout@v2
 with:
 path: new-ref
 fetch-depth: 0
- name: Get Diff
 run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT ${ github.event.pull_request.base.sha }
 ${ github.sha } > refDiffFiles.txt
- name: Get Target Files
 run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt - > targetFiles.txt
- name: Checkout scancode
 uses: actions/checkout@v2
 with:
 repository: nexB/scancode-toolkit
 path: scancode-toolkit
 fetch-depth: 1
- name: Set up Python ${ matrix.python-version }
 uses: actions/setup-python@v2
 with:
 python-version: ${ matrix.python-version }
ScanCode
- name: Self-configure scancode
 working-directory: ./scancode-toolkit
 run: ./scancode --help
- name: Run Scan code on target
 run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
 toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
- name: Run Scan code on pr ref
 run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
 toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
compare
- name: License test
 run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
 are the same. Success."; exit 0; fi
CreateLicense
Initialize stack step
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
Serialize stack step

```

setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
ListReceivedLicenses  
Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2

disableHTTPS  
 ComputePayloadHash  
 Retry  
 RetryMetricsHeader  
 setLegacyContextSigningOptions  
 Signing  
 Deserialize stack step  
 AddRawResponseToMetadata  
 ErrorCloseResponseBody  
 CloseResponseBody  
 ResponseErrorWrapper  
 RequestIDRetriever  
 OperationDeserializer  
 AddTimeOffsetMiddleware  
 RecordResponseTiming  
 RequestResponseLogger  
 {  
   "smithy": "2.0",  
   "shapes": {  
     "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {  
       "type": "integer"  
     },  
     "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {  
       "type": "long"  
     },  
     "com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {  
       "type": "structure",  
       "members": {  
         "Name": {  
           "target": "smithy.api#String",  
           "traits": {  
             "smithy.api#documentation": "<p>The type of name to filter by.</p>"  
           }  
         },  
         "Values": {  
           "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",  
           "traits": {  
             "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"  
           }  
         },  
         "Operator": {  
           "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",  
           "traits": {  
             "smithy.api#documentation": "<p>An operator for filtering results.</p>"  
           }  
         }  
       }  
     },  
     "traits": {

"smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe operation.\n Filters can be used to match a set of resources by specific criteria.</p>"

```
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the Linux subscriptions service settings.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/GetServiceSettings"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest": {
 "type": "structure",
 "members": {}
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
```

```

"LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
},
"LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>Lists the settings defined for Linux subscriptions discovery. The
settings include if\n Organizations integration has been enabled, and
which Regions data will be aggregated from.</p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
 }
},
"StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
 }
},
"HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays
the aggregated data for Linux\n subscriptions.</p>"
 }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
 "type": "structure",
 "members": {
 "AmiId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
 }
 },
 "InstanceID": {
 "target": "smithy.api#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
 }
 },
 "InstanceType": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance type of the resource.</p>"
 }
 },
},
"AccountID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
 }
},
"Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of the instance.</p>"
 }
},
"Region": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
 }
},
"UsageOperation": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n operation values in the <i>License Manager User
Guide</i>.</p>"
 }
},
"ProductCode": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
 "traits": {
 "smithy.api#documentation": "<p>The product code for the instance. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-
operation.html\">Usage\n operation values in the <i>License Manager User Guide</i> .</p>"
 }
},
"LastUpdatedTime": {
 "target": "smithy.api#String",

```



```

 "traits": {
 "smithy.api#documentation": "<p>The time in which the last discovery
updated the instance details.</p>"
 }
 },
 "SubscriptionName": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the subscription being used by the instance.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Details discovered information about a running instance using Linux
subscriptions.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Instance"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
 "smithy.api#error": "server"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LicenseManagerLinuxSubscriptions": {
 "type": "service",
 "version": "2018-05-10",
 "operations": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
 }
]
},

```

```

 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
 }
],

 "traits": {
 "aws.api#service": {
 "sdkId": "License Manager Linux Subscriptions",
 "arnNamespace": "license-manager-linux-subscriptions",
 "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
 },
 "aws.auth#sigv4": {
 "name": "license-manager-linux-subscriptions"
 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id",
 "content-length",
 "x-api-key",
 "authorization",
 "x-amz-date",

 "x-amz-security-token",
 "Access-Control-Allow-Headers",
 "Access-Control-Allow-Methods",
 "Access-Control-Allow-Origin"
],
 "additionalExposedHeaders": [
 "x-amzn-errortype",
 "x-amzn-requestid",
 "x-amzn-trace-id"
]
 },
 "smithy.api#documentation": "<p>With License Manager, you can discover and track your commercial Linux subscriptions on running Amazon EC2 instances.</p>",
 "smithy.api#title": "AWS License Manager Linux Subscriptions",
 "smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,

```

```

 "documentation": "The
AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",

 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
},
"rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
],
"type": "tree",
"rules": [
 {

 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [

```

```

 {
 "ref": "UseFIPS"
 },
 true
]
}
],
"error": "Invalid Configuration: FIPS and custom endpoint are not supported",
"type": "error"
},
{
 "conditions": [],
 "type": "tree",
 "rules": [
 {

"conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],

"endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
}
],
{
 "conditions": [],

```

```

 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",

"argv": [
 {
 "ref": "Region"
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
],

"assign": "PartitionResult"
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],

{
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 }

```

```

 },
 true
]
}
],
"type": "tree",
"rules": [
{
 "conditions": [
 {

 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
],
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
}
],
"type": "tree",
"rules": [
{
 "conditions": [],
 "type": "tree",

```

```

 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 },
 {
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
 "type": "error"
 }
],
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 "ref": "UseFIPS"
],
 true
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,

```

```

{
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
],
 "type": "tree",

 "rules": [
 {
 "conditions": [],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 },
 {
 "conditions": [],
 "error": "FIPS is enabled but this partition does not support FIPS",
 "type": "error"
 }
]
},

{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {

```



```

 "ref": "UseDualStack"
 },
 true
]
}
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
]
 },
 {
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 }
]
 }
],
},

```

```

{
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
}
],
{
 "conditions": [],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url":
"https://license-manager-linux-subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
}
]
}
]
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
]
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",

```

```

 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {

```

```

 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
 },
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint":
 {
 "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
}

```

```

 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint":
{
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
 }
 }
 }
}

```

```

 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {

```

```

 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 }
 }

```

```

 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {

 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled
and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {

```

```

 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",

 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",

 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,

```



```

 "UseDualStack": false,

 "Endpoint": "https://example.com"
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
},
"version": "1.0"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled LinuxSubscriptionsDiscovery"
 },
 {
 "name": "Disabled",
 "value": "Disabled",
 "documentation": "Disabled LinuxSubscriptionsDiscovery"
 }
]
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
 "type": "structure",

```

```

"members": {
 "SourceRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "OrganizationIntegration": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
 "traits": {
 "smithy.api#documentation": "<p>Details if you have enabled resource discovery across your
accounts in Organizations.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
 "type":
"operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with
commercial Linux\n subscriptions.</p>",
 "smithy.api#http": {

```

```

"code": 200,
 "method": "POST",
 "uri": "/subscription/ListLinuxSubscriptionInstances"
},
"smithy.api#idempotent": {},
"smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "Instances"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or more sets of key-value pairs that you specify. For example, you can filter by the name of\n <code>AmiID</code> with an optional operator to see subscriptions that match, partially\nmatch, or don't match a certain Amazon Machine Image (AMI) ID.</p>\n <p>The valid names for this filter are:</p>\n \n \n <p>\n <code>AmiID</code>\n </p>\n \n \n <p>\n <code>InstanceID</code>\n </p>\n \n \n <p>\n <code>AccountID</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n \n <p>\n <code>Region</code>\n </p>\n \n \n <p>\n <code>UsageOperation</code>\n </p>\n \n \n <p>\n <code>ProductCode</code>\n </p>\n \n \n <p>\n <code>InstanceType</code>\n </p>\n \n \n <p>The valid Operators for this filter are:</p>\n \n \n <p>\n <code>contains</code>\n </p>\n \n \n <p>\n <code>equals</code>\n </p>\n \n \n <p>\n <code>NotEqual</code>\n </p>\n \n "
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>",
 "smithy.api#length": {

```

```

 "min": 1,
 "max": 16384
 }
}
},
"traits": {
 "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {
 "type": "structure",
 "members": {
 "Instances": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",
 "traits": {
 "smithy.api#documentation":
"<p>An array that contains instance objects.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
]
},

```

```

 "traits": {
 "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have
linked your\n organization, the returned results will include data aggregated across your accounts in\n
Organizations.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListLinuxSubscriptions"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "Subscriptions"
 }
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n more sets of key-value pairs that you specify. For example, you can filter by the name of\n
<code>Subscription</code> with an optional operator to see subscriptions that match,\n partially match, or don't
match a certain subscription's name.</p>\n <p>The valid names for this filter are:</p>\n \n
\n <p>\n <code>Subscription</code>\n </p>\n \n \n
<p>The valid Operators for this filter are:</p>\n
 \n
 \n <p>\n <code>contains</code>\n </p>\n \n
 \n <p>\n <code>equals</code>\n </p>\n \n
 \n <p>\n <code>NotEqual</code>\n </p>\n \n "
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>",
 "smithy.api#length": {

```

```

 "min": 1,
 "max": 16384
 }
}
},
"traits": {
 "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
 "type": "structure",
 "members": {
 "Subscriptions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
 "traits": {
 "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
 }
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "EQUAL",
 "value": "Equal",
 "documentation": "Equal operator"
 },
 {
 "name": "NOT_EQUAL",
 "value": "NotEqual",
 "documentation": "Not equal operator"
 },
 {
 "name": "CONTAINS",
 "value": "Contains",
 "documentation": "Contains operator"
 }
]
 }
}

```

```

 },
 "smithy.api#length": {
 "min": 1,
 "max": 20
 }
 }
},

"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled OrganizationIntegration"
 },
 {
 "name": "Disabled",
 "value": "Disabled",
 "documentation": "Disabled OrganizationIntegration"
 }
]
 }
},

"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
},

"com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "InProgress",
 "value": "InProgress",
 "documentation": "InProgress status"
 },
 {
 "name": "Completed",
 "value": "Completed",
 "documentation": "Completed status"
 },
 {
 "name": "Successful",

```

```

 "value": "Successful",
 "documentation": "Successful status"
 },
 {
 "name": "Failed",
 "value": "Failed",
 "documentation": "Failed status"
 }
]
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String",
 "traits":
{
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 },
 "smithy.api#uniqueItems": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
 "type": "map",
 "key": {
 "target": "smithy.api#String"
 },
 "value": {
 "target": "smithy.api#String"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the subscription.</p>"
 }
 }
 }
}

```



```

 }
 },
 "Type": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.</p>"
 }
 },
 "InstanceCount": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An object which details a discovered Linux subscription.</p>"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request was denied due to request throttling.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
 }
 },

```

```

"output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/UpdateServiceSettings"
 },
 "smithy.api#idempotent": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest":
{
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
 "smithy.api#required": {}
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated from.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowUpdate": {
 "target": "smithy.api#Boolean",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux
subscriptions. If you\n allow updates, you can aggregate Linux subscription data in more than one home
Region.</p>"
 }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The
settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated
from.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation":
 "<p>A message which details the Linux subscriptions service settings current status.</p>"
 }
 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n subscriptions.</p>"
 }
 }
 }
},

```

```

"com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",
 "smithy.api#error": "client"
 }
}
}
}

```

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

// Deletes the specified license.

```

func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
 if params == nil {
 params = &DeleteLicenseInput{}
 }

```

```

 result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

```

```

 out := result.(*DeleteLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

```

```
type DeleteLicenseInput struct {
```

// Amazon Resource Name (ARN) of the license.

```

//
// This member is required.
LicenseArn *string

// Current version of the license.
//
// This member is required.
SourceVersion
*string

noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

// Date when the license is deleted.
DeletionDate *string

// License status.
Status types.LicenseDeletionStatus

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{}, middleware.After)
if err != nil {
return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "DeleteLicense"); err != nil {
return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err !=
nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {

```

```

 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil
{
 return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}

```

```

}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "DeleteLicense",
 }
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Creates a license.
func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
 if params == nil {
 params = &CreateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }
}

```

```

out := result.(*CreateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type CreateLicenseInput struct {

 // License beneficiary.
 //
 // This member is required.
 Beneficiary *string

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 // the request.
 //
 //
 // This member is required.
 ClientToken *string

 // Configuration for consumption of the license. Choose a provisional
 // configuration for workloads running with continuous connectivity. Choose a
 // borrow configuration for workloads with offline usage.
 //
 // This member is required.
 ConsumptionConfiguration *types.ConsumptionConfiguration

 // License entitlements.
 //
 // This member is required.
 Entitlements []types.Entitlement

 // Home Region for the license.
 //
 // This member is required.
 HomeRegion *string

 // License issuer.
 //
 // This member is required.
 Issuer *types.Issuer

 // License name.
 //
 // This member is required.
 LicenseName *string

 // Product name.

```



```

//
// This member is required.
ProductName *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about
the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.
Version *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{}, middleware.After)
if err != nil {

```

```

 return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "CreateLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if
err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return
err
}
if err = addTimeOffsetBuild(stack, c); err != nil {

```

```

 return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CreateLicense",
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists received licenses.

```

```

func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns
...func(*Options)) (*ListReceivedLicensesOutput, error) {
 if params == nil {
 params = &ListReceivedLicensesInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,
c.addOperationListReceivedLicensesMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*ListReceivedLicensesOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type ListReceivedLicensesInput struct {

 // Filters to scope the results. The following filters are supported:
 //
 // - ProductSKU
 //
 // - Status
 //
 //
 // - Fingerprint
 //
 // - IssuerName
 //
 // - Beneficiary
 Filters []types.Filter

 // Amazon Resource Names (ARNs) of the licenses.
 LicenseArns []string

 // Maximum number of results to return in a single call.
 MaxResults *int32

 // Token for the next set of results.
 NextToken *string

 noSmithyDocumentSerde
}

type ListReceivedLicensesOutput struct {

 // Received license details.

```

Licenses []types.GrantedLicense

// Token for the next set of results.

NextToken \*string

// Metadata pertaining to the operation's result.

ResultMetadata middleware.Metadata

noSmithyDocumentSerde

}

func (c \*Client) addOperationListReceivedLicensesMiddlewares(stack \*middleware.Stack, options Options) (err error) {

if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {  
return err

}

err = stack.Serialize.Add(&awsAwsjson11\_serializeOpListReceivedLicenses{}, middleware.After)

if err != nil {

return err

}

err = stack.Deserialize.Add(&awsAwsjson11\_deserializeOpListReceivedLicenses{},  
middleware.After)

if err != nil {

return err

}

if err := addProtocolFinalizerMiddlewares(stack, options, "ListReceivedLicenses"); err != nil {

return fmt.Errorf("add protocol finalizers: %v", err)

}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {

return err

}

if err = addSetLoggerMiddleware(stack, options); err != nil {

return err

}

if err = addClientRequestID(stack); err != nil {

return err

}

if err = addComputeContentLength(stack); err != nil {

return err

}

if err = addResolveEndpointMiddleware(stack, options); err != nil {

return err

}

if err = addComputePayloadSHA256(stack); err != nil {

return err

}

if err = addRetry(stack, options); err != nil {

```

 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err
= smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opListReceivedLicenses(region string)
*awsmiddleware.RegisterServiceMetadata {

```

```
return
&awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "ListReceivedLicenses",
}
}
```

CheckoutLicense

Initialize stack step

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

OperationInputValidation

Serialize stack step

setOperationInput

ResolveEndpoint

OperationSerializer

Build stack step

ClientRequestID

ComputeContentLength

UserAgent

AddTimeOffsetMiddleware

RecursionDetection

Finalize stack step

ResolveAuthScheme

GetIdentity

ResolveEndpointV2

disableHTTPS

ComputePayloadHash

Retry

RetryMetricsHeader

setLegacyContextSigningOptions

Signing

Deserialize stack step

AddRawResponseToMetadata

ErrorCloseResponseBody

CloseResponseBody

ResponseErrorWrapper

RequestIDRetriever

OperationDeserializer

AddTimeOffsetMiddleware

RecordResponseTiming

RequestResponseLogger

DisassociateLicense

Initialize stack step

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

OperationInputValidation  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
CheckoutBorrowLicense  
Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step



ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
AssociateLicense  
Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody

```

CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package grafana

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Removes the Grafana Enterprise license from a workspace.
func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
...func(*Options)) (*DisassociateLicenseOutput, error) {
 if params == nil {
 params = &DisassociateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*DisassociateLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type DisassociateLicenseInput struct {

 // The type of license to remove from the workspace.
 //
 // This member is required.
 LicenseType types.LicenseType

 //
 The ID of the workspace to remove the Grafana Enterprise license from.
 //

```

```

// This member is required.
WorkspaceId *string

noSmithyDocumentSerde
}

type DisassociateLicenseOutput struct {

// A structure containing information about the workspace.
//
// This member is required.
Workspace *types.WorkspaceDescription

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{}, middleware.After)
if err != nil {
return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "DisassociateLicense");
err != nil {
return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = addClientRequestID(stack); err != nil {
return err
}
if err = addComputeContentLength(stack); err != nil {
return err
}

```

```

}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
}

```

```

if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID:
 ServiceID,
 OperationName: "DisassociateLicense",
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license for offline use.
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
 if params == nil {
 params = &CheckoutBorrowLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,
c.addOperationCheckoutBorrowLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckoutBorrowLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

```

```

type CheckoutBorrowLicenseInput struct {

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 //
 the request.
 //
 // This member is required.
 ClientToken *string

 // Digital signature method. The possible value is JSON Web Signature (JWS)
 // algorithm PS384. For more information, see [RFC 7518 Digital Signature with RSASSA-PSS].
 //
 // [RFC 7518 Digital Signature with RSASSA-PSS]: https://tools.ietf.org/html/rfc7518#section-3.5
 //
 // This member is required.
 DigitalSignatureMethod types.DigitalSignatureMethod

 // License entitlements. Partial checkouts are not supported.
 //
 // This member is required.
 Entitlements []types.EntitlementData

 // Amazon Resource Name (ARN) of the license. The license must use the borrow
 // consumption configuration.
 //
 // This member is required.
 LicenseArn *string

 // Information about constraints.
 CheckoutMetadata []types.Metadata

 // Node ID.
 NodeId *string

 noSmithyDocumentSerde
}

```

```

type CheckoutBorrowLicenseOutput struct {

 // Information about constraints.
 CheckoutMetadata []types.Metadata

 // Allowed license entitlements.
 EntitlementsAllowed
 []types.EntitlementData

 // Date and time at which the license checkout expires.

```

```

Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{}, middleware.After)
 if err != nil {
 return
 }
 err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutBorrowLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {

```

```

 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return
err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}

```



```

}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region string)
*awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckoutBorrowLicense",
 }
}
ListLicenses
Initialize stack step
 RegisterServiceMetadata
 legacyEndpointContextSetter
 SetLogger
Serialize stack step
 setOperationInput
 ResolveEndpoint
 OperationSerializer
Build stack step
 ClientRequestID
 ComputeContentLength
 UserAgent
 AddTimeOffsetMiddleware
 RecursionDetection
Finalize stack step
 ResolveAuthScheme
 GetIdentity
 ResolveEndpointV2
 disableHTTPS
 ComputePayloadHash
 Retry
 RetryMetricsHeader
 setLegacyContextSigningOptions
 Signing
Deserialize stack step

```

AddRawResponseToMetadata

ErrorCloseResponseBody

CloseResponseBody

ResponseErrorWrapper

RequestIDRetriever

OperationDeserializer

AddTimeOffsetMiddleware

RecordResponseTiming

RequestResponseLogger

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.

DeleteLicense

Initialize stack step

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

OperationInputValidation

Serialize stack step

setOperationInput

ResolveEndpoint

OperationSerializer

Build stack step

ClientRequestID

ComputeContentLength

UserAgent

AddTimeOffsetMiddleware

RecursionDetection

Finalize stack step

ResolveAuthScheme

GetIdentity

ResolveEndpointV2

disableHTTPS

ComputePayloadHash

Retry

RetryMetricsHeader

setLegacyContextSigningOptions

Signing

Deserialize stack step

AddRawResponseToMetadata

ErrorCloseResponseBody

CloseResponseBody

ResponseErrorWrapper

RequestIDRetriever

OperationDeserializer

AddTimeOffsetMiddleware

RecordResponseTiming

RequestResponseLogger

```

GetLicense
Initialize stack step
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
Serialize stack step
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

```

// Checks in the specified license. Check in a license when it is no longer in use.
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))
(*CheckInLicenseOutput, error) {
 if params == nil {
 params = &CheckInLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,
c.addOperationCheckInLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckInLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CheckInLicenseInput struct {

 // License consumption token.
 //
 // This member is required.
 LicenseConsumptionToken *string

 // License beneficiary.
 Beneficiary *string

 noSmithyDocumentSerde
}

type
 CheckInLicenseOutput struct {
 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
 }

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{}, middleware.After)

```

```

if err != nil {
 return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "CheckInLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if
err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {

```

```

 return err
}
if err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckInLicense",
 }
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

```

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
 if params == nil {
 params = &ListLicensesInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*ListLicensesOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type ListLicensesInput struct {

 // Filters to scope the results. The following filters are supported:
 //
 // - Beneficiary
 //
 // - ProductSKU
 //
 // - Fingerprint
 //
 // - Status
 Filters
 []types.Filter

 // Amazon Resource Names (ARNs) of the licenses.
 LicenseArns []string

 // Maximum number of results to return in a single call.
 MaxResults *int32

 // Token for the next set of results.
 NextToken *string

 noSmithyDocumentSerde
}

type ListLicensesOutput struct {

 // License details.
 Licenses []types.License

```

```

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack,
 options, "ListLicenses"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
}

```



```

if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack);
err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 }
}

```

```
 OperationName: "ListLicenses",
 }
}
```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package grafana
```

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

```
// Assigns a Grafana Enterprise license to a workspace. To upgrade, you must use
// ENTERPRISE for the licenseType , and pass in a valid Grafana Labs token for the
// grafanaToken . Upgrading to Grafana Enterprise incurs additional fees. For more
// information, see [Upgrade a workspace to Grafana Enterprise].
```

```

//
// [Upgrade a workspace to Grafana Enterprise]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-Grafana-Enterprise.html
func (c *Client) AssociateLicense(ctx context.Context, params *AssociateLicenseInput, optFns ...func(*Options))
(*AssociateLicenseOutput, error) {
 if params == nil {
 params = &AssociateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx,
 "AssociateLicense", params, optFns, c.addOperationAssociateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*AssociateLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type AssociateLicenseInput struct {

 // The type of license to associate with the workspace.
 //
 // Amazon Managed Grafana workspaces no longer support Grafana Enterprise free
 // trials.
 //
 // This member is required.
 LicenseType types.LicenseType

 // The ID of the workspace to associate the license with.
 //
 // This member is required.
 WorkspaceId *string

 // A token from Grafana Labs that ties your Amazon Web Services account with a
 // Grafana Labs account. For more information, see [Link your account with Grafana Labs].
 //
 // [Link your account with Grafana Labs]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-Grafana-Enterprise.html#AMG-workspace-register-enterprise
 GrafanaToken *string

 noSmithyDocumentSerde
}

type AssociateLicenseOutput
struct {

```

```

// A structure containing data about the workspace.
//
// This member is required.
Workspace *types.WorkspaceDescription

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "AssociateLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack,
options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }

```

```

}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack);
err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "AssociateLicense",
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
 if params == nil {
 params = &GetLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*GetLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type GetLicenseInput struct {

 // Amazon Resource Name (ARN) of the license.
 //
 // This member is required.
 LicenseArn *string

 // License version.
 Version *string

```

```
noSmithyDocumentSerde
}
```

```
type
```

```
GetLicenseOutput struct {
```

```
// License details.
```

```
License *types.License
```

```
// Metadata pertaining to the operation's result.
```

```
ResultMetadata middleware.Metadata
```

```
noSmithyDocumentSerde
```

```
}
```

```
func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
```

```
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
```

```
 return err
```

```
}
```

```
err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{}, middleware.After)
```

```
if err != nil {
```

```
 return err
```

```
}
```

```
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{}, middleware.After)
```

```
if err != nil {
```

```
 return err
```

```
}
```

```
if err := addProtocolFinalizerMiddlewares(stack, options, "GetLicense"); err != nil {
```

```
 return fmt.Errorf("add protocol finalizers: %v", err)
```

```
}
```

```
if err = addLegacyEndpointContextSetter(stack, options); err != nil {
```

```
 return err
```

```
}
```

```
if err = addSetLoggerMiddleware(stack, options); err != nil {
```

```
 return err
```

```
}
```

```
if err = addClientRequestID(stack); err
```

```
!= nil {
```

```
 return err
```

```
}
```

```
if err = addComputeContentLength(stack); err != nil {
```

```
 return err
```

```
}
```

```
if err = addResolveEndpointMiddleware(stack, options); err != nil {
```

```
 return err
```

```
}
```

```

if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}

```



```

 }
 return nil
}

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "GetLicense",
 }
}

// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license.
//
// If the account that created the license is the same that is performing the
// check out, you must specify the account as the beneficiary.
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
 if params == nil {
 params = &CheckoutLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckoutLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CheckoutLicenseInput struct {

//

```

```

Checkout type.
//
// This member is required.
CheckoutType types.CheckoutType

// Unique, case-sensitive identifier that you provide to ensure the idempotency of
// the request.
//
// This member is required.
ClientToken *string

// License entitlements.
//
// This member is required.
Entitlements []types.EntitlementData

// Key fingerprint identifying the license.
//
// This member is required.
KeyFingerprint *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// License beneficiary.
Beneficiary *string

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

// Checkout type.
CheckoutType types.CheckoutType

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

```

```

// Amazon Resource Name (ARN) of the checkout license.
LicenseArn
*string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack,
options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }

```

```

}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack);
err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
}

```

```

if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckoutLicense",
}
}

```

Apache License  
 Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,



and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

CheckInLicense

Initialize stack step

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

OperationInputValidation

Serialize stack step

setOperationInput

ResolveEndpoint

OperationSerializer

Build stack step

ClientRequestID

ComputeContentLength

```

UserAgent
AddTimeOffsetMiddleware
RecursionDetection
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
{
 "smithy": "2.0",
 "shapes": {
 "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
 "type": "structure",
 "members": {
 "DirectoryId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
 }
 }
 }
 }
 },

```

```

 "traits": {
 "smithy.api#documentation":
 "<p>Details about an Active Directory identity provider.</p>"
 },
 "com.amazonaws.licensemanagerusersubscriptions#AssociateUser": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Associates the user to an EC2 instance to utilize user-based
subscriptions.</p>\n <note>\n <p>Your estimated bill for charges on the number of users and related
costs will take 48\n hours to appear for billing periods that haven't closed (marked as Pending billing
status) in Amazon Web Services Billing. For more information, see Viewing your\n
monthly charges in the <i>Amazon Web Services Billing User Guide</i>.</p>\n </note>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/AssociateUser"
 },
 },
 },
 },

```

```

 "smithy.api#idempotent": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the
EC2 instance, which provides user-based subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>The identity provider of the user.</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },

```

```

"com.amazonaws.licenseanagerusersubscriptions#BoxInteger": {
 "type": "integer"
},
"com.amazonaws.licenseanagerusersubscriptions#ConflictException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current
state of the\n resource.</p>",
 "smithy.api#error": "server"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],

```

```

 "traits": {
 "smithy.api#documentation": "<p>Deregisters the identity provider from providing user-based
subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/DeregisterIdentityProvider"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#documentation":
 "<p>Metadata that describes the results of an identity provider operation.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DisassociateUser": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest"
 },

```

```

"output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/DisassociateUser"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 }
 },

```

```

 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation":
"<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Filter": {
 "type": "structure",
 "members": {
 "Attribute": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
 }
 }
 },
 "Operation": {
 "target": "smithy.api#String",

```



```

 "traits": {
 "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
 }
 },
 "Value": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Value of the filter.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>A filter name and value pair that is used
to return more specific results from a describe\n operation. Filters can be used to match a set of resources by
specific criteria, such as tags,\n attributes, or IDs.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Filter"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#IdentityProvider": {
 "type": "union",
 "members": {
 "ActiveDirectoryIdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that details an Active Directory identity provider.</p>"
 }
 }
 }
},
"traits": {
 "smithy.api#documentation":
"<p>Details about an identity provider.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 }
 }
},

```

```

 "Settings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "<p>An object that details the registered identity providers product
related configuration\n settings such as the subnets to provision VPC endpoints.</p>",
 "smithy.api#required":
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of an identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "FailureMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation":
"<p>Describes an identity provider.</p>"
 },
 "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based

```

```

subscriptions.</p>",
 "smithy.api#required": {}
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status
of an EC2 instance resource.</p>",
 "smithy.api#required": {}
 }
 },
 "Products": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
 "smithy.api#required": {}
 }
 },
 "LastStatusCheckDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date of the last status check.</p>"
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 },
 "AssociationDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
 }
 },
 "DisassociationDate": {
 "target": "smithy.api#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based
subscriptions.</p>"
 },
 "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#InternalServerException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
 "smithy.api#error": "server"
 },
 "com.amazonaws.licenseanagerusersubscriptions#LicenseManagerUserSubscriptions": {
 "type": "service",
 },
 "version": "2018-05-10",
 "operations": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUser"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUser"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProviders"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstances"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations"
 }
],
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
 }
],
"traits": {
 "aws.api#service": {
 "sdkId": "License Manager User Subscriptions",
 "arnNamespace": "license-manager-user-subscriptions",
 "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
 },
 "aws.auth#sigv4": {
 "name": "license-manager-user-subscriptions"
 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id",
 "content-length",
 "x-api-key",
 "authorization",
 "x-amz-date",
 "x-amz-security-token",
 "Access-Control-Allow-Headers",
 "Access-Control-Allow-Methods",
 "Access-Control-Allow-Origin"
]
 },

```

```

 "additionalExposedHeaders": [
 "x-amzn-errortype",
 "x-amzn-requestid",
 "x-amzn-trace-id"
]
},
"smithy.api#documentation": "<p>With License Manager, you can create user-based subscriptions to
utilize licensed software with\n a per user subscription fee on Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager User Subscriptions",
"smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack
endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
 }
},
"rules": [
 {
 "conditions": [
 {
 "fn": "isSet",

```

```

 "argv": [
 {
 "ref": "Endpoint"
 }
]
 },
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {}
 }
 }
]
}

```



```

 "headers": {}
 },
 "type": "endpoint"
}
]
},
{
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
 "type": "tree",
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "fn": "booleanEquals",

```

```

 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 },
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
],
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
],
 "type": "tree",
 "rules": [

```

```

 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 },
 {
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
 }
]
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "type": "tree",
}

"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
],
 }
]
 }
]
 }
]

```

```

 "supportsFIPS"

]
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 },
 {
 "conditions": [],
 "error": "FIPS is enabled but this partition does not support FIPS",
 "type": "error"
 }
],
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [

```

```

 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 {
 "conditions": [],
 "error": "DualStack is enabled but this partition does
not support DualStack",
 "type": "error"
 }
],
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]

```

```

 }
]
},
{
 "conditions":
[],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation":
"For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
 }
 },
 },
]
}

```

```

"params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with
FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-
1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},

```

```

{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1
with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },

```



```

 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1
with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect":

```

```

{
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 }
},
"params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
}
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack":
true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but
this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},

```

```

{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},

{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},

{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},

{
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,

```

```

 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
}
}

```

```

],
 "version": "1.0"
 }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProviders": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the identity providers for user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/ListIdentityProviders"
 },
 "smithy.api#paginated":
 {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",

```

```

 "items": "IdentityProviderSummaries"
 }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse":
{
 "type": "structure",
 "members": {
 "IdentityProviderSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list identity providers operation.</p>",
 "smithy.api#required": {}
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstances": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse"
 },

```

```

"errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/instance/ListInstances"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceSummaries"
 }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {

```

```

 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n more sets of key-value pairs that you specify.</p>"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse": {
 "type":
"structure",
 "members": {
 "InstanceSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list instances operation.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 }
]
}

```



```

 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity
provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListProductSubscriptions"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "ProductUserSummaries"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
 "type": "structure",
 "members": {
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name
of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {

"smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match
one or\n more sets of key-value pairs that you specify.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions
operation.</p>"
 }
 }
 },

 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest"
 },
 "output": {

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target":
"com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListUserAssociations"
 },
 "smithy.api#paginated":
{
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceUserSummaries"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n more sets of key-value pairs that you specify.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
}

```

```

 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary": {
 "type": "structure",
 "members": {

 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of a product for a user.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for a product for a user.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 }
}

```

```

 },
 "SubscriptionStartDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The
start date of a subscription.</p>"
 }
 },
 "SubscriptionEndDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The end date of a subscription.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The summary of the user-based subscription products for a user.</p>"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#ProductUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/RegisterIdentityProvider"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Settings": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "<p>The registered identity providers product related configuration
settings such as the\n subnets to provision VPC endpoints.</p>"
 }
 }
}
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse": {
 "type": "structure",
 "members": {

```

```

 "IdentityProviderSummary":
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
 "smithy.api#required": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 404
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup": {
 "type": "string",

"traits": {
 "smithy.api#length": {
 "min": 5,
 "max": 200
 },
 "smithy.api#pattern": "^sg-([0-9a-z]{8})([0-9a-z]{17})$"
}

 },
 "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request failed because a service quota is exceeded.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Settings": {

```



```

 "type": "structure",
 "members": {
 "Subnets": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation":
 "<p>The subnets defined for the registered identity provider.</p>",
 "smithy.api#length": {
 "min": 1
 },
 "smithy.api#required": {}
 }
 },
 "SecurityGroupId": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup",
 "traits": {
 "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688
communication between resources in\n your VPC and the VPC endpoint for activation servers.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The registered identity providers product related configuration settings
such as the\n subnets to provision VPC endpoints, and the security group ID that
is associated with the VPC\n endpoints. The security group should permit inbound TCP port 1688
communication from resources\n in the VPC.</p>"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerException"
 },
 {

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Starts a product subscription for a user with the specified identity provider.</p>\n <note>\n <p>Your estimated bill for charges on the number of users and related costs will take 48\n hours to appear for billing periods that haven't closed (marked as Pending billing status) in Amazon Web Services Billing. For more information, see Viewing your\n monthly charges in the <i>Amazon Web Services Billing User Guide</i>.</p>\n </note>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/StartProductSubscription"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",

```

```

 "smithy.api#required": {}
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the start product subscription
operation.</p>",
 "smithy.api#required": {}
 }
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscription": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity
provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/StopProductSubscription"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 }
}

```

```

 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
 "traits": {
 "smithy.api#documentation":
"<p>Metadata that describes the start product subscription operation.</p>",
 "smithy.api#required": {}
 }
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#Subnet": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "subnet-[a-z0-9]{8,17}"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#Subnets": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnet"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ThrottlingException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the
request.</p>",
 "smithy.api#error": "client"
 }
},

```

```

"com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered identity\n provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/UpdateIdentityProviderSettings"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "UpdateSettings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateSettings",
 "traits": {
 "smithy.api#documentation": "<p>Updates the registered identity providers product related
configuration settings. You can\n update any combination of settings in a single operation such as the:</p>\n
\n \n <p>Subnets which you want to add to provision VPC endpoints.</p>\n \n
 \n <p>Subnets which you want to remove the VPC endpoints from.</p>\n \n
 \n <p>Security group ID which permits traffic to the VPC endpoints.</p>\n \n ",
 "smithy.api#required": {}
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#required": {}
 }
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#UpdateSettings": {
 "type": "structure",
 "members": {
 "AddSubnets": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint for products that\n require connectivity to activation servers.</p>",
 "smithy.api#required": {}
 }
 },
 "RemoveSubnets": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "SecurityGroupId": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup",
 "traits": {
 "smithy.api#documentation": "<p>A security group ID

```

that allows inbound TCP port 1688 communication between resources in your VPC and the VPC endpoints for activation servers.

```
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration settings such as the subnets to provision VPC endpoints.</p>"
 },
 "com.amazonaws.licensemanagerusersubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A parameter is not valid.</p>",
 "smithy.api#error": "client"
 }
 }
}
{
 "smithy": "2.0",
 "metadata": {
 "suppressions": [
 {
 "id": "HttpMethodSemantics",
 "namespace": "*"
 },
 {
 "id": "HttpStatusCodeSemantics",
 "namespace": "*"
 },
 {
 "id": "PaginatedTrait",
 "namespace": "*"
 },
 {
 "id": "HttpHeaderTrait",
 "namespace": "*"
 },
 {
 "id": "HttpUriConflict",
 "namespace": "*"
 },
],
 },
}
```



```

 {
 "id": "Service",
 "namespace": "*"
 }
]
},
"shapes": {
 "com.amazonaws.licensemanager#AWSLicenseManager": {
 "type": "service",
 "version": "2018-08-01",
 "operations": [
 {
 "target": "com.amazonaws.licensemanager#AcceptGrant"
 },

{
 "target": "com.amazonaws.licensemanager#CheckInLicense"
},
{
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
},
{
 "target": "com.amazonaws.licensemanager#CheckoutLicense"
},
{
 "target": "com.amazonaws.licensemanager#CreateGrant"
},
{
 "target": "com.amazonaws.licensemanager#CreateGrantVersion"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicense"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
},
{
 "target": "com.amazonaws.licensemanager#CreateToken"
},

```

```

{
 "target": "com.amazonaws.licensemanager#DeleteGrant"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicense"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#DeleteToken"
},
{
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
},
{
 "target": "com.amazonaws.licensemanager#GetAccessToken"
},
{
 "target": "com.amazonaws.licensemanager#GetGrant"
},
{
 "target": "com.amazonaws.licensemanager#GetLicense"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseUsage"
},
{
 "target": "com.amazonaws.licensemanager#GetServiceSettings"
},
{
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#ListDistributedGrants"
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenses"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseVersions"
 },
 {
 "target": "com.amazonaws.licensemanager#ListReceivedGrants"
 },
 {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
 },
 {
 "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
 },
 {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
 },
 {
 "target": "com.amazonaws.licensemanager#ListResourceInventory"
 },
 {
 "target": "com.amazonaws.licensemanager#ListTagsForResource"
 },
 {
 "target": "com.amazonaws.licensemanager#ListTokens"
 },
 {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#RejectGrant"
 },
 {
 "target": "com.amazonaws.licensemanager#TagResource"
 },
 {
 "target": "com.amazonaws.licensemanager#UntagResource"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
 }
],
"traits": {
 "aws.api#service": {
 "sdkId": "License Manager",
 "arnNamespace": "license-manager",
 "cloudFormationName": "LicenseManager",
 "cloudTrailEventSource": "licensemanager.amazonaws.com",
 "endpointPrefix": "license-manager"
 },
 "aws.auth#sigv4": {
 "name": "license-manager"
 },
 "aws.protocols#awsJson1_1": {},
 "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n Amazon Web Services accounts and on-premises servers.</p>",
 "smithy.api#title": "AWS License Manager",
 "smithy.api#xmlNamespace": {
 "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
 },
 "smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 }
 }
 },

```

```

 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send
this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant
endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
 },
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
 }
]
}

```

```

]
 }
},
"error": "Invalid Configuration: FIPS and custom endpoint are not supported",
"type": "error"
},
{
"conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
"error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
"type": "error"
},
{
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
},
{
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
]
},
"type": "tree",
"rules": [

```

"UseFIPS"

```
{
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "

 },
 true
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
```

```

 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
}
]
},
{
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 }
],
 "supportsDualStack"
 }
]
}
],
"type": "tree",
"rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
{
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
}
]
},

```



```

{
 "conditions": [
 {
 "fn": "booleanEquals",

 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,

{
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
],
 "type": "tree",
 "rules": [

{
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
},

```

```

 {
 "conditions": [],
 "error": "FIPS is enabled but this
partition does not support FIPS",
 "type": "error"
 }
],
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 }
],
 "supportsDualStack"
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",

```

```

 "properties": {},
 "headers": {}
 },
 {
 "type": "endpoint"
 }
]
},
{
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
}
]
},
{
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
]
}
]
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint":
{
 "url": "https://license-manager.af-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "af-south-1",
 "UseFIPS": false,

```

```

 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-3.amazonaws.com"
 }
 }
}

```

```

 },
 "params": {
 "Region": "ap-northeast-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-1.amazonaws.com"
 }
 }
},
{
 "params": {
 "Region": "ap-southeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-southeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},

```

```

{
 "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-southeast-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ca-central-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ca-central-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-central-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-central-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-north-1.amazonaws.com"
 }
 }
}

```

```

 },
 "params": {
 "Region": "eu-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region":
"eu-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},

```

```

{
 "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.me-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "me-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.sa-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "sa-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.amazonaws.com"
 }
 },
 "params": {

```



```

 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region

```

```

us-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-2.amazonaws.com"
 }
 },
 "params": {

```

```

 "Region": "us-west-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,

 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",

```

```

 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-northwest-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,

```

```

 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation":
 "For region us-gov-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {

```

```

 "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
}

```

```

 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled
but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,

```

```

 "UseDualStack": false
 }
},

{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },

```



```

 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,

 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {

```

```

 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 },
 "version": "1.0"
}
},
"com.amazonaws.licensemanager#AcceptGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
},
"traits": {
 "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
}
},
"com.amazonaws.licensemanager#AcceptGrantRequest": {

```

```

"type": "structure",
"members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#AcceptGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant
ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#AccessDeniedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },

```

```

 "traits": {
 "aws.protocols#awsQueryError": {

"code": "ServiceAccessDenied",
 "httpResponseCode": 401
 },
 "smithy.api#documentation": "<p>Access to resource denied.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 401
 }
},
"com.amazonaws.licensemanager#ActivationOverrideBehavior": {
 "type": "enum",
 "members": {
 "DISTRIBUTED_GRANTS_ONLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
 }
 },
 "ALL_GRANTS_PERMITTED_BY_ISSUER": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
 }
 }
 }
},
"com.amazonaws.licensemanager#AllowedOperation": {

"type": "enum",
 "members": {
 "CREATE_GRANT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateGrant"
 }
 },
 "CHECKOUT_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutLicense"
 }
 },
 "CHECKOUT_BORROW_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutBorrowLicense"
 }
 }
 }
}

```

```

 }
 },
 "CHECK_IN_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckInLicense"
 }
 },
 "EXTEND_CONSUMPTION_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ExtendConsumptionLicense"
 }
 },
 "LIST_PURCHASED_LICENSES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ListPurchasedLicenses"
 }
 },
 "CREATE_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateToken"
 }
 }
},
"com.amazonaws.licensemanager#AllowedOperationList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#AllowedOperation"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max":
7
 }
 }
},
"com.amazonaws.licensemanager#Arn": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 2048

```

```

 },
 "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d))?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:~{0,62}:[A-Za-z0-9_/.-]{0,63}:~{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9:/+=,~-]{0,1023}$"
 }
},
"com.amazonaws.licensemanager#ArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 }
},
"com.amazonaws.licensemanager#AuthorizationException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError":
 {
 "code": "AuthorizationFailure",
 "httpResponseCode": 403
 },
 "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to perform the action. Check the IAM\n policy associated with this account.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 403
 }
},
"com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
 "type": "structure",
 "members": {
 "LastRunTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes automated discovery.</p>"
 }
},
"com.amazonaws.licensemanager#Boolean": {
 "type": "boolean",
 "traits": {

```

```

 "smithy.api#default": false
 }
},
"com.amazonaws.licensemanager#BorrowConfiguration": {
 "type": "structure",
 "members": {
 "AllowEarlyCheckIn": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",
 "smithy.api#required": {}
 }
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
},
"com.amazonaws.licensemanager#BoxBoolean": {
 "type": "boolean"
},
"com.amazonaws.licensemanager#BoxInteger": {
 "type": "integer"
},
"com.amazonaws.licensemanager#BoxLong": {
 "type": "long"
},
"com.amazonaws.licensemanager#CheckInLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
}
},
"com.amazonaws.licensemanager#CheckInLicenseRequest":
{
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}

```



```

 },
 "com.amazonaws.licensemanager#CheckInLicenseResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CheckoutBorrowLicense":
 {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
 }
]
 }

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
}
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
 "type": "structure",
 "members":
{
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must use the borrow consumption configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
 "smithy.api#required": {}
 }
 },
 "DigitalSignatureMethod": {
 "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
 "traits": {
 "smithy.api#documentation": "<p>Digital signature method. The possible value is JSON Web Signature (JWS) algorithm PS384.\n For more information, see RFC 7518 Digital Signature with RSASSA-PSS.</p>",
 "smithy.api#required": {}
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
 }
}
}

```

```

 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
 "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 },
 "EntitlementsAllowed": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
 }
 }
 },

```

```

 "IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
 }
 },
 "CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CheckoutLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]
 }
 }
}

```

```

{
 "target": "com.amazonaws.licensemanager#RedirectException"
},
{
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
},
{
 "target":
"com.amazonaws.licensemanager#ServerInternalException"
},
{
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
},
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Checks out the specified license.</p>\n <note>\n <p>If the
account that created the license is the same that is performing the check out, you must\n specify the account
as the beneficiary.</p>\n </note>"
}
},
"com.amazonaws.licensemanager#CheckoutLicenseRequest": {
 "type": "structure",
 "members": {
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
SKU.</p>",
 "smithy.api#required": {}
 }
 },
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>",
 "smithy.api#required": {}
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
 "smithy.api#required": {}
 }
 }
 },

```

```

 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 }
 },
 "smithy.api#required": {}
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#CheckoutLicenseResponse": {
 "type": "structure",
 "members": {
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>"
 }
 },
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 }
 }
 }
}

```

```

 },
 "EntitlementsAllowed": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
 },
 "SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CheckoutType": {
 "type": "enum",
 "members": {
 "PROVISIONAL": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "PROVISIONAL"
 }
 },
 "PERPETUAL": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PERPETUAL"
 }
 }
},
"com.amazonaws.licensemanager#ClientRequestToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 36
 }
 }
},
"com.amazonaws.licensemanager#ClientToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 2048
 },
 "smithy.api#pattern": "^\\S+$"
 }
},
"com.amazonaws.licensemanager#ConflictException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ConflictException",
 "httpResponseCode":
409
 },
 "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 409
 }
}

```



```

 }
 },
 "com.amazonaws.licensemanager#ConsumedLicenseSummary": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
 }
 },
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about license consumption.</p>"
 },
 "com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
 }
 },
 "com.amazonaws.licensemanager#ConsumptionConfiguration": {
 "type": "structure",
 "members": {
 "RenewType": {
 "target": "com.amazonaws.licensemanager#RenewType",
 "traits": {
 "smithy.api#documentation": "<p>Renewal frequency.</p>"
 }
 },
 },
 "ProvisionalConfiguration": {
 "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
 },
 "BorrowConfiguration": {
 "target": "com.amazonaws.licensemanager#BorrowConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrantRequest": {

```

```

"type": "structure",
"members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Principals": {
 "target": "com.amazonaws.licensemanager#PrincipalArnList",
 "traits": {
 "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an
Amazon Resource Name (ARN):</p>

<p>An Amazon Web Services
account, which includes only the account specified.</p>

<p>An organizational unit (OU), which includes all accounts in the OU.</p>

<p>An organization, which will include all accounts across your organization.</p>

"smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
 "smithy.api#required": {}
 }
}
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CreateGrantVersion":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information, see\n Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrantVersionRequest": {
 "type": "structure",
 "members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Grant name.</p>"
 }
},
"AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
},
"StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
},
"SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the grant.</p>"
 }
},
"Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
}
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateGrantVersionResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 }
 },
 "Status": {

```

```

 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the grant.</p>"
 }
 }
},
"traits":
{
 "smithy.api#output": {}
},
"com.amazonaws.licensemanager#CreateLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
},

```

```

 "traits": {
 "smithy.api#documentation": "<p>Creates a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a license configuration.</p>\n <p>A license configuration is an abstraction of a customer license agreement that can be\n consumed and enforced by License Manager. Components include specifications for the license\n type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a\n license must be associated with a host), and the number of licenses purchased and used.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>",

```



```

 "smithy.api#required": {}
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used.
Exceeding a hard limit\n blocks the launch of new instances.</p>"
 }
 },
 "LicenseRules": {
 "target":
"com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example,
#allowedTenancy=EC2-DedicatedHost). The available rules \n vary by dimension, as follows.</p>\n
\n \n <p>\n <code>Cores</code> dimension: <code>allowedTenancy</code> |\n
 <code>licenseAffinityToHost</code> |\n <code>maximumCores</code> |
 <code>minimumCores</code>\n </p>\n \n <p>\n <code>Instances</code> dimension: <code>allowedTenancy</code> |\n <code>maximumCores</code> |
 <code>minimumCores</code> |\n <code>maximumSockets</code> | <code>minimumSockets</code> |\n <code>maximumVcpus</code> | <code>minimumVcpus</code>\n </p>\n \n \n <p>\n <code>Sockets</code> dimension: <code>allowedTenancy</code> |\n <code>licenseAffinityToHost</code> |\n <code>maximumSockets</code> |
 <code>minimumSockets</code>\n </p>\n \n \n <p>\n <code>vCPUs</code> dimension: <code>allowedTenancy</code> |\n <code>honorVcpuOptimization</code> |\n <code>maximumVcpus</code> |
 <code>minimumVcpus</code>\n </p>\n \n \n <p>The unit for

```

`licenseAffinityToHost` is days and the range is 1 to 180. The possible values for `allowedTenancy` are `EC2-Default`, `EC2-DedicatedHost`, and `EC2-DedicatedInstance`. The possible values for `honorVcpuOptimization` are `True` and `False`.

```
 }
 },

 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
{
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
 "type": "operation",
```

```

"input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
},
"output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {

 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting the license type for.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting from. \n\n For the structure of the source license, see Convert a license type using the CLI in

```

the *<i>License Manager User Guide</i>.</p>*

```
 "smithy.api#required": {}
 },
 "DestinationLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting to.
For the structure of the destination license, see <a href='\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI in
the <i>License Manager User Guide</i>.</p>"
```

```
 "smithy.api#required": {}
 },
 "traits": {
 "smithy.api#input": {}
 },
 },
 "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

 "traits": {
 "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 },
 "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
```

```

 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Creates a report generator.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "ReportGeneratorName":
{
 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
},
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be generated:</p>\n \n \n <p>License configuration report - Reports the number and details of consumed licenses for a license configuration.</p>\n \n \n <p>Resource report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n \n ",
 "smithy.api#required": {}
 }
 }
},

```

```

 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>Defines the type of license configuration the report generator
tracks.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be
generated daily, monthly, or weekly.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique,
case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn":
 {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"
 }
}
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>",
 "smithy.api#required": {}
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region for the license.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
 "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 }
 },

```



```

 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseVersion": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target":
"com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>",
 "smithy.api#required": {}
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",

```

```

 "traits":
{
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
}
},
"HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the license.</p>",
 "smithy.api#required": {}
 }
},
"Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
 "smithy.api#required": {}
 }
},
"LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
},
"Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
},
"ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>",

```

```

 "smithy.api#required": {}
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output":

```

```

 {}
 }
},
"com.amazonaws.licensemanager#CreateToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n <p>A refresh token is a JWT token used to get an access token. With an access token,\n you can call AssumeRoleWithWebIdentity to get role credentials that you can use to \n call License Manager to manage the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#CreateTokenRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {

```

```

 "target": "com.amazonaws.licensemanager#Arn",
 "traits":
 {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is
mapped to the aud claim of the\n JWT token.</p>",
 "smithy.api#required": {}
 }
},
"RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the
token. \n License Manager does not check whether the roles are in use.</p>"
 }
},
"ExpirationInDays": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {
 "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The
default is 365 days.</p>"
 }
},
"TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The
data is mapped\n to the amr claim of the JWT token.</p>"
 }
},
"ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
 "smithy.api#required": {}
 }
}
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateTokenResponse": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
 },
 "TokenType": {
 "target": "com.amazonaws.licensemanager#TokenType",
 "traits": {
 "smithy.api#documentation": "<p>Token type.</p>"
 }
 },
 "Token": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DateTime": {
 "type": "timestamp"
},
"com.amazonaws.licensemanager#DatetimeRange": {
 "type": "structure",
 "members": {
 "Begin": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Start of the time range.</p>",
 "smithy.api#required": {}
 }
 },
 "End": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>End of the time range.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
 }
},
"com.amazonaws.licensemanager#DeleteGrant": {
 "type": "operation",
 "input": {

```

```

 "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#DeleteGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
 }
 }
 }
}

```



```

 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the
grant.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
 }
 }
}

```

```

 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },

```

```

 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n <p>You cannot delete a license configuration that is in use.</p>"
 },
 "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {

```

```

 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n <p>This action deletes the report generator, which stops it from generating future reports.\n The action cannot be reversed. It has no effect on the previous reports from this generator.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be deleted.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {

```

```

 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseResponse": {
 "type": "structure",
 "members": {
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "DeletionDate": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 }
}

```

```

 },
 "com.amazonaws.licensemanager#DeleteToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
 }
 },
 "com.amazonaws.licensemanager#DeleteTokenRequest": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }
 }

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteTokenResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DigitalSignatureMethod": {
 "type": "enum",
 "members": {
 "JWT_PS384": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "JWT_PS384"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#Entitlement": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#Long",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
 }
 },
 "Overage": {

```

```

 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement unit.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowCheckIn": {
 "target":
"com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
 },
 "com.amazonaws.licensemanager#EntitlementData": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement
data value.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data unit.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }
}

```



```

 },
 "traits": {
 "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
 }
 },
 "com.amazonaws.licensemanager#EntitlementDataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementData"
 }
 },
 "com.amazonaws.licensemanager#EntitlementDataUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count"
 }
 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "Bytes"
 }
 },
 "KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
 },
 "MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
 },
 "GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes"
 }
 },
 "TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
 },
 "BITS":
{
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits"
 }
},
 "KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits"
 }
 },
 "MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
 },
 "GIGABITS": {

```

```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
 },
 "TERABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
 }
},
"PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
},
"BYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
},
"KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
},
"MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
},
"GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
},
"TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes/Second"
 }
},

```

```

"BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
},
"KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
},
"MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue":
"Megabits/Second"
 }
},
"GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
},
"TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
},
"COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
}
},
"com.amazonaws.licensemanager#EntitlementList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Entitlement"
 }
},
"com.amazonaws.licensemanager#EntitlementNotAllowedException":
{
 "type": "structure",

```

```

"members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
},
"traits": {
 "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
}
},
"com.amazonaws.licensemanager#EntitlementUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count"
 }
 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "Bytes"
 }
},
"KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
},
"MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
},
"GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes"
 }
},
"TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
},
"BITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits"
 }
},
"KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits"
 }
},
"MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
},
"GIGABITS": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
 },
 "TERABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
 },
 "PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
 },
 "BYTES_PER_SECOND": {
 "target":
"smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
 },
 "KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
 },
 "MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
 },
 "GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
 },
 "TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes/Second"
 }
 },

```

```

"BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
},
"KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
},
"MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits/Second"
 }
},
"GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
},

"TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
},
"COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
}
},
"com.amazonaws.licensemanager#EntitlementUsage": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement usage name.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```



```

 },
 "ConsumedValue": {
 "target": "com.amazonaws.licensemanager#String",

 "traits": {
 "smithy.api#documentation": "<p>Resource usage consumed.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
 }
 },
 "com.amazonaws.licensemanager#EntitlementUsageList":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementUsage"
 }
},
 "com.amazonaws.licensemanager#ExtendLicenseConsumption": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "DryRun": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
 "type": "structure",
 "members": {

```

```

"LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
},

"Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
 }
},

"traits": {
 "smithy.api#output": {}
}
},

"com.amazonaws.licensemanager#FailedDependencyException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 },
 "ErrorCode": {
 "target": "com.amazonaws.licensemanager#String"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "FailedDependency",
 "httpResponseCode": 424
 },
 "smithy.api#documentation":
"<p>A dependency required to run the API is missing.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 424
 }
},

"com.amazonaws.licensemanager#Filter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#FilterName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
 }
 }
 },

```

```

 "Values": {
 "target": "com.amazonaws.licensemanager#FilterValues",
 "traits": {
 "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only
specify one value for the filter.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter
name and value pair that is used to return more specific results from a\n describe operation. Filters can be used
to match a set of resources by specific criteria,\n such as tags, attributes, or IDs.</p>"
 }
 },
 "com.amazonaws.licensemanager#FilterLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "FilterLimitExceeded",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter"
 }
 },
 "com.amazonaws.licensemanager#FilterName": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#FilterValue": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#FilterValues": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#FilterValue",
 "traits": {

```

```

 "smithy.api#xmlName": "item"
 }
 }
 },
 "com.amazonaws.licensemanager#Filters": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter",
 "traits": {
 "smithy.api#xmlName": "item"
 }
 }
 },
 "com.amazonaws.licensemanager#GetAccessToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets a temporary access token to use with
AssumeRoleWithWebIdentity. Access
tokens\n are valid for one hour.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetAccessTokenRequest": {
 "type": "structure",
 "members": {
 "Token": {

```

```

 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
 "smithy.api#required": {}
 }
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetAccessTokenResponse":
{
 "type": "structure",
 "members": {
 "AccessToken": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Temporary access token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#GetGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetGrantResponse": {
 "type": "structure",
 "members": {
 "Grant": {
 "target": "com.amazonaws.licensemanager#Grant",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Grant details.</p>"
 }
}
},
"traits": {

"smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#GetLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
 },
 "output": {

```



```

 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
 }
 }
 }
}

```

```

 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",

 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License configuration status.</p>"
 }
 },
 "OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
 }
 },
 "ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
 }
 },
 "ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",

```

```

 "traits": {
 "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseConversionTask": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
 }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information
on.</p>",

```

```

 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license
conversion task is associated with.</p>"
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information
about the license type converted from.</p>"
 }
 },
 "DestinationLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
 }
 }
 }
}

```

```

 },

 "StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
 }
 },

 "LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
 }
 },

 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was
completed.</p>"
 }
 },

 "traits": {
 "smithy.api#output": {}
 }
},

"com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
]
}

```

```

 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
 }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
 "smithy.api#required": true
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "ReportGenerator": {
 "target": "com.amazonaws.licensemanager#ReportGenerator",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
}

```

```

 },
 "com.amazonaws.licensemanager#GetLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {

"smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseResponse": {
 "type": "structure",
 "members": {
 "License": {
 "target": "com.amazonaws.licensemanager#License",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseUsage": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
 },
 "errors": [
 {

```



```

 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {

"target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseUsageRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseUsageResponse": {
 "type": "structure",
 "members": {
 "LicenseUsage": {
 "target":
"com.amazonaws.licensemanager#LicenseUsage",
 "traits": {
 "smithy.api#documentation": "<p>License usage details.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#GetServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetServiceSettingsRequest": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data, discovery data,\n and so on.</p>"
 }
 }
 }
 }
}

```

```

 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n cross-account discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
 }
 }
 },
 "LicenseManagerResourceShareArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License
Manager management account \n provides member accounts with access to this share.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#Grant": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {

```

```

"target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
},
"ParentArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Parent ARN.</p>",
 "smithy.api#required": {}
 }
},
"LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>",
 "smithy.api#required": {}
 }
},
"GranteePrincipalArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {

"smithy.api#documentation": "<p>The grantee principal ARN.</p>",
 "smithy.api#required": {}
 }
},
"HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
},
"GrantStatus": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>",
 "smithy.api#required": {}
 }
},
"StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
},

```

```

"Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>",
 "smithy.api#required": {}
 }
},
"GrantedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Granted operations.</p>",
 "smithy.api#required": {}
 }
},
"Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
},
"traits": {
 "smithy.api#documentation":
"<p>Describes a grant.</p>"
}
},
"com.amazonaws.licensemanager#GrantList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Grant"
 }
},
"com.amazonaws.licensemanager#GrantStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_ACCEPT"
 }
 },
 "REJECTED": {

```

```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 },
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 },
 "WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
 }
},
"com.amazonaws.licensemanager#GrantedLicense": {
 "type": "structure",
 "members": {

```

```

"LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
},
"LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
},
"ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
},
"ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
},
"Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {
 "smithy.api#documentation": "<p>Granted license issuer.</p>"
 }
},
"HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
 }
},
>Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>Granted license status.</p>"
 }
},
Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in

```

ISO8601-UTC format.</p>"

```
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Granted license metadata.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
 }
 }
},
"Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Version of the granted license.</p>"
 }
},
"ReceivedMetadata": {
 "target": "com.amazonaws.licensemanager#ReceivedMetadata",
 "traits": {
 "smithy.api#documentation": "<p>Granted license received metadata.</p>"
 }
}
},
"traits": {
```



```

 "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
 },
 "com.amazonaws.licensemanager#GrantedLicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#GrantedLicense"
 }
 },
 "com.amazonaws.licensemanager#ISO8601DateTime": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^(?:(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|[1-2][0-9])T(2[0-3]|[0-1][0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(?:Z|[-+](?:2[0-3]|[0-1][0-9]):[0-5][0-9])+$)"
 }
 },
 "com.amazonaws.licensemanager#Integer": {
 "type": "integer"
 },
 "com.amazonaws.licensemanager#InvalidParameterValueException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidParameterValueProvided",
 "httpResponseCode": 400
 },
 "smithy.api#documentation":
 "<p>One or more parameter values are not valid.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#InvalidResourceStateException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 }
 }
}

```

```

 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResourceState",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its
state. </p>\n <p>For example, you cannot allocate a license to an instance in the process of shutting\n
down.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },

 "com.amazonaws.licensemanager#InventoryFilter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the filter.</p>",
 "smithy.api#required": {}
 }
 },
 "Condition": {
 "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
 "traits": {
 "smithy.api#documentation": "<p>Condition of the filter.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Value of the filter.</p>"
 }
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An inventory filter.</p>"
 }
},
"com.amazonaws.licensemanager#InventoryFilterCondition": {
 "type": "enum",
 "members": {
 "EQUALS": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "EQUALS"
 }
 },
 "NOT_EQUALS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "NOT_EQUALS"
 }
 },
 "BEGINS_WITH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "BEGINS_WITH"
 }
 },
 "CONTAINS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CONTAINS"
 }
 }
},
"com.amazonaws.licensemanager#InventoryFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#InventoryFilter"
 }
},
"com.amazonaws.licensemanager#Issuer": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#IssuerDetails": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>"
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n and support the RSASSA-PSS SHA-256 signing
algorithm.</p>"
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#License": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
 }
 }
 }
}

```

```

 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>"
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-UTC format.</p>"
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 },
 "Entitlements": {

```

```

"target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
},
"ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
},
"LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>License metadata.</p>"
 }
},
"CreateTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>License
creation time.</p>"
 }
},
"Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
},
"com.amazonaws.licensemanager#LicenseConfiguration": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 }
 }
}

```

```

 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Number of licenses consumed.</p>"
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license configuration.</p>"
 }
 },
 "OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
 }
 },
 "ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
 }
 },
 "ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be consumed and enforced by License Manager. Components include specifications for the license type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM\n must be associated with a host), and the number of licenses purchased and used.</p>"
 }
}

```



```

 }
 },
 "com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of server resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource consuming licenses.</p>"
 }
 },
 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
 }
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
 }
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#LicenseConfigurationStatus": {
 "type": "enum",
 "members":
 {
 "AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 }
 }
},
 "com.amazonaws.licensemanager#LicenseConfigurationUsage": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits":
 {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 }
 },
 },

```

```

 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time when the license configuration was initially associated with
the resource.</p>"
 }
 },

 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
 },

 "traits": {
 "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license
configuration.</p>"
 },

 "com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
 }
 },

 "com.amazonaws.licensemanager#LicenseConfigurations": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfiguration"
 }
 },

 "com.amazonaws.licensemanager#LicenseConversionContext": {

 "type": "structure",
 "members": {
 "UsageOperation": {
 "target": "com.amazonaws.licensemanager#UsageOperation",
 "traits": {
 "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you
are converting your resource from. For more information about which platforms correspond to which usage
operation values see <a href='\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-
fields.html#billing-info\">Sample data: usage operation by platform\\n \\n </p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
 }
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTask": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {

 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "The Amazon Resource Name (ARN) of the resource associated
with the license type\n conversion task.</p>"
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "Information about the license type this conversion task converted
from.</p>"
 }
 },
 "DestinationLicenseContext": {
 "target":
"com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "Information about the license type this conversion task converted
to.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "The status of the conversion task.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "The status message for the conversion task.</p>"
 }
 },
 "StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",

```

```

 "traits": {
 "smithy.api#documentation":
 "<p>The time the conversion task was started at.</p>"
 }
 },
 "LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
 }
 },
 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseConversionTaskId": {
 "type": "string",
 "traits": {

 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^\\p{L}t-[a-zA-Z0-9]*$"
 }
},
"com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
 "type": "enum",
 "members": {
 "IN_PROGRESS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "IN_PROGRESS"
 }
 },
 "SUCCEEDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUCCEEDED"
 }
 }
 }
}

```

```

 },
 "FAILED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED"
 }
 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTasks":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTask"
 }
},
"com.amazonaws.licensemanager#LicenseCountingType": {
 "type": "enum",
 "members": {
 "VCPU": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "vCPU"
 }
 },
 "INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Instance"
 }
 },
 "CORE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Core"
 }
 },
 "SOCKET": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Socket"
 }
 }
 }
},
"com.amazonaws.licensemanager#LicenseDeletionStatus": {
 "type": "enum",
 "members": {

```

```

 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
 },
 "com.amazonaws.licensemanager#LicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#License"
 }
 },
 "com.amazonaws.licensemanager#LicenseOperationFailure": {

 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type.</p>"
 }
 },
 "ErrorMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Error message.</p>"
 }
 },
 "FailureTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {

 "smithy.api#documentation": "<p>Failure time.</p>"
 }
 }
 }
 }

```

```

 },
 "OperationName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the operation.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
 }
 },
 "OperationRequestedBy": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
 }
 },
 "MetadataList": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Reserved.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
 },
 "com.amazonaws.licensemanager#LicenseOperationFailureList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
 }
 },
 "com.amazonaws.licensemanager#LicenseSpecification": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",

```



```

 "smithy.api#required": {}
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
 },
 "com.amazonaws.licensemanager#LicenseSpecifications": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseSpecification"
 }
 },
 "com.amazonaws.licensemanager#LicenseStatus": {
 "type": "enum",
 "members": {
 "AVAILABLE": {
 "target": "smithy.api#Unit",

 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 },
 "PENDING_AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_AVAILABLE"
 }
 },
 "DEACTIVATED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DEACTIVATED"
 }
 },
 "SUSPENDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUSPENDED"
 }
 }
 }
 }
}

```

```

 },
 "EXPIRED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EXPIRED"
 }
 },
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
 },
 "com.amazonaws.licensemanager#LicenseUsage": {
 "type": "structure",
 "members": {
 "EntitlementUsages": {
 "target": "com.amazonaws.licensemanager#EntitlementUsageList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlement usages.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#LicenseUsageException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "LicenseUsageFailure",
 "httpResponseCode": 412
 }
 }
 }
}

```

```

 },
 "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource
launch.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 412
 }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the resource associations for the
specified license configuration.</p>\n <p>Resource associations need not consume licenses from a license
configuration. \n For example, an AMI or a stopped instance might not consume a license (depending on \n
the license rules).</p>"
 }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationAssociations": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListDistributedGrants": {
 "type": "operation",
 "input": {

```

```

 "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
 "type": "structure",
 "members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n "
 }
 }
 }
}

```

```

\n <p>\n <code>GranteePrincipalARN</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n\n\n <p>\n <code>LicenseIssuerName</code>\n </p>\n\n"
 }
},
"NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
},
"MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
},
"traits": {
 "smithy.api#input": {}
},
},
"com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",

"traits": {
 "smithy.api#documentation": "<p>Distributed grant details.</p>"
},
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
 }
}

```

```

 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":
{
 "type": "structure",
 "members": {
 "LicenseOperationFailureList": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
 "traits": {
 "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseConfigurations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
],

```



```

{
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
}
},
"com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
 <code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
 operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
 enforcement is used. \n Logical operators are <code>EQUALS</code> |
 <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>usagelimitExceeded</code> - A Boolean value that
 indicates whether the available licenses have been exceeded. \n Logical operators are

```

```

<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n "
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurations": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",

 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasks": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
]
}

```

```

 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
}
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
 "type": "structure",
 "members": {
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>\n Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n </p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTasks": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
 }
 }
 },

```

```

 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
 }
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
 {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n \n \n <p>\n <code>LicenseConfigurationArn</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
 "type": "structure",
 "members": {
 "ReportGenerators": {
 "target": "com.amazonaws.licensemanager#ReportGeneratorList",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license
configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an associated license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",

```

```

 "traits": {

"smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseVersions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
],

```

```

 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
 "type": "structure",
 "members": {
 "Licenses": {

```



```

 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 },

 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenses": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicensesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
 }
}

```

```

 },
 "com.amazonaws.licensemanager#ListLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 }
 },

 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>Fingerprint</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicensesResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 },

```

```

 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

"smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#ListReceivedGrants": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the\n recipient as this Amazon Web Services account, your organization, or an organizational unit\n (OU) to which this member account belongs.</p>"
 }
 }
 }

```

```

 },
 "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
 "smithy.api#required": {}
 }
 },
 "Filters": {

```

```

 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n
 \n \n <p>\n <code>ParentArn</code>\n </p>\n \n \n <p>\n <code>GranteePrincipalArn</code>\n </p>\n \n \n }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
{
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
 "type": "structure",

```

```

"members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>LicenseIssuerName</code>\n </p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n \n <code>GranterAccountId</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",
 "traits": {
 "smithy.api#documentation": "<p>Received grant details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
}
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicenses": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists received licenses.</p>"
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
 }
}

```

```

 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
 }
}

```



```

 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n"
 }
 }
 }
}

```

```

 \n \n <p>\n <code>Status</code>\n </p>\n \n \n <p>\n <code>Fingerprint</code>\n </p>\n \n \n <p>\n <code>IssuerName</code>\n </p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",
 "traits": {
 "smithy.api#documentation": "<p>Received license details.</p>"
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListResourceInventory": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
 }
}

```

```

 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FailedDependencyException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListResourceInventoryRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#InventoryFilterList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>account_id</code>
- The ID of the Amazon Web Services account that owns the resource.\n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>application_name</code> - The name of the
application. \n Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n \n \n <p>\n <code>license_included</code> - The type of license included. \n
 Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.\n Possible values
are <code>sql-server-enterprise</code> | \n <code>sql-server-standard</code> | \n <code>sql-
server-web</code> | \n <code>windows-server-datacenter</code>.</p>\n \n \n <p>\n <code>platform</code> - The platform of the resource.\n Logical operators are
<code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n \n \n <p>\n <code>resource_id</code> - The ID of the resource. \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>tag:<key></code> - The key/value combination of a tag assigned \n to the resource. Logical
operators are <code>EQUALS</code> (single account) or\n <code>EQUALS</code> |
<code>NOT_EQUALS</code> (cross account).</p>\n \n "
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListResourceInventoryResponse": {
 "type": "structure",
 "members": {
 "ResourceInventoryList": {
 "target": "com.amazonaws.licensemanager#ResourceInventoryList",
 "traits": {
 "smithy.api#documentation": "<p>Information
about the resources.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListTagsForResource": {
 "type": "operation",

```

```

"input": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
},
"output": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
},
"com.amazonaws.licensemanager#ListTagsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "Tags": {

```

```

 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the tags.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListTokens": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListTokensRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListTokensResponse"
 },
 "errors":
[
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists your tokens.</p>"
 }
},
"com.amazonaws.licensemanager#ListTokensRequest": {
 "type": "structure",
 "members": {
 "TokenIds": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Token IDs.</p>"
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
\n \n <p>\n <code>LicenseArns</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation":
"<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListTokensResponse": {
 "type": "structure",
 "members": {
 "Tokens": {
 "target": "com.amazonaws.licensemanager#TokenList",
 "traits": {
 "smithy.api#documentation": "<p>Received token details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
}

```

```

 },
 "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
 {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying
license\n consumption details by resource at a selected point in time. Use this action to audit the\n current
license consumption for any license inventory and configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },

```



```

 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n<code>resourceArn</code> - The ARN of the license configuration resource.\n Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>resourceType</code> - The resource type
(<code>EC2_INSTANCE</code> | <code>EC2_HOST</code> | <code>EC2_AMI</code> |
<code>SYSTEMS_MANAGER_MANAGED_INSTANCE</code>). \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>resourceAccount</code> - The ID of the account that owns the resource. \n Logical operators
are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n "
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {

 "LicenseConfigurationUsageList": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#Location": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#Long": {
 "type": "long"
 },
 "com.amazonaws.licensemanager#ManagedResourceSummary": {
 "type": "structure",
 "members": {
 "ResourceType": {
 {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
 }
 },
 "AssociationCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
 }
 },
 "com.amazonaws.licensemanager#ManagedResourceSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
 }
 },
 "com.amazonaws.licensemanager#MaxSize100": {
 "type": "integer",
 "traits": {
 "smithy.api#range": {
 "min": 1,
 "max": 100
 }
 }
 },
 },

```

```

"com.amazonaws.licensemanager#MaxSize3StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 3
 }
 }
},
"com.amazonaws.licensemanager#Message": {
 "type": "string"
},
"com.amazonaws.licensemanager#Metadata": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The key name.</p>"
 }
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The value.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
 }
},
"com.amazonaws.licensemanager#MetadataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Metadata"
 }
},
"com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement
maximum count is reached.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#Options": {
 "type": "structure",
 "members": {
 "ActivationOverrideBehavior": {
 "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
 "traits": {
 "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n \n \n <p>As a license administrator, you can
optionally specify an\n <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n
\n \n <p>As a grantor, you can optionally specify an\n
<code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n account in your
organization.</p>\n \n \n <p>As a grantee, if the grantor creating the distributed
grant doesnt specify an\n <code>ActivationOverrideBehavior</code>, you can optionally specify one
when you\n are activating the grant.</p>\n \n \n <dl>\n
<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n <dd>\n <p>Use this value to activate a grant
without replacing any member accounts\n active grants for the same product.</p>\n </dd>\n
<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n <dd>\n <p>Use this value to activate a
grant and disable other active grants in any\n member accounts
for the same product. This action will also replace their\n previously activated grants with this activated
grant.</p>\n </dd>\n </dl>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
such as activation\n override behavior. For more information, see Granted licenses in
License Manager in the <i>License Manager User Guide</i>.</p>"
 }
 },
 "com.amazonaws.licensemanager#OrganizationConfiguration": {
 "type": "structure",
 "members": {
 "EnableIntegration": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation":

```

```

 "<p>Enables Organizations integration.</p>",
 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
}
},
"com.amazonaws.licensemanager#PrincipalArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 1
 }
 }
},
"com.amazonaws.licensemanager#ProductInformation": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "ProductInformationFilterList": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
 "traits": {
 "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n <p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>. </p>\n <p>The following filters and are supported when
the resource type \n is <code>SSM_MANAGED</code>:</p>\n
 \n \n <p>\n <code>Application Name</code> - The name of the
application.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Publisher</code> - The publisher of the application.\n Logical
operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Version</code> - The version of the application.\n Logical operator is
<code>EQUALS</code>.</p>\n \n \n <p>\n <code>Platform

```

Name - The name of the platform. Logical operator is `EQUALS`.

Platform Type - The platform type.

Logical operator is `EQUALS`.

Tag:key - The key of a tag attached to an Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`. The key for your tag must be appended to `Tag:` following the example: `Tag:name-of-your-key`. `ProductInformationFilterValue` is optional if you are not using values for the key.

AccountId - The 12-digit ID of an Amazon Web Services account you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`.

License Included - The type of license included. Logical operators are `EQUALS` and `NOT_EQUALS`. Possible values are: `sql-server-enterprise` | `sql-server-standard` | `sql-server-web` | `windows-server-datacenter`.

The following filters and logical operators are supported when the resource type is `RDS`:

Engine Edition - The edition of the database engine. Logical operator is `EQUALS`. Possible values are: `oracle-ee` | `oracle-se` | `oracle-se1` | `oracle-se2`.

License Pack - The license pack. Logical operator is `EQUALS`. Possible values are: `data guard` | `diagnostic pack sqlt` | `tuning pack sqlt` | `ols` | `olap`.

```

 "smithy.api#required": {}
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
 },
 "com.amazonaws.licensemanager#ProductInformationFilter": {
 "type": "structure",
 "members": {
 "ProductInformationFilterName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Filter name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductInformationFilterValue": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Filter value.</p>"
 }
 }
 }
 },

```

```

 "ProductInformationFilterComparator": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Logical operator.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes product information filters.</p>"
 }
 },
 "com.amazonaws.licensemanager#ProductInformationFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilter"
 }
 },
 "com.amazonaws.licensemanager#ProductInformationList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformation"
 }
 },
 "com.amazonaws.licensemanager#ProvisionalConfiguration": {
 "type": "structure",
 "members": {
 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
},
"com.amazonaws.licensemanager#RateLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {

```

```

 "aws.protocols#awsQueryError": {
 "code": "RateLimitExceeded",
 "httpResponseCode": 429
 },
 "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief
wait.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 429
 }
},
"com.amazonaws.licensemanager#ReceivedMetadata": {
 "type": "structure",
 "members": {
 "ReceivedStatus": {
 "target": "com.amazonaws.licensemanager#ReceivedStatus",
 "traits": {
 "smithy.api#documentation": "<p>Received status.</p>"
 }
 },
 "ReceivedStatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Received
status reason.</p>"
 }
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
}
},
"com.amazonaws.licensemanager#ReceivedStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",

```



```

 "traits": {
 "smithy.api#enumValue":
"PENDING_ACCEPT"
 }
 },
 "REJECTED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 },
 "WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
 }
},
"com.amazonaws.licensemanager#RedirectException": {
 "type": "structure",
 "members": {
 "Location": {
 "target": "com.amazonaws.licensemanager#Location",

```

```

 "traits": {
 "smithy.api#httpHeader": "Location"
 },
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 },
 "traits": {
 "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 308
 },
 "com.amazonaws.licensemanager#RejectGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#RejectGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#RejectGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
 }
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#RejectGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#RejectGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#RenewType":
{
 "type": "enum",
 "members": {

```

```

 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "WEEKLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Weekly"
 }
 },
 "MONTHLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Monthly"
 }
 }
 },
 "com.amazonaws.licensemanager#ReportContext": {
 "type": "structure",
 "members": {
 "licenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this generator reports on.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
 }
 },
 "com.amazonaws.licensemanager#ReportFrequency": {
 "type": "structure",
 "members": {
 "value": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {
 "smithy.api#documentation": "<p>Number of times within the frequency period that a report is generated. \n The only supported value is <code>1</code>.</p>"
 }
 }
 },
 "period": {

```

```

 "target": "com.amazonaws.licensemanager#ReportFrequencyType",

 "traits": {
 "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,
or monthly.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 },
 "com.amazonaws.licensemanager#ReportFrequencyType": {
 "type": "enum",
 "members": {
 "DAY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DAY"
 }
 },
 "WEEK": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WEEK"
 }
 },
 "MONTH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "MONTH"
 }
 }
 },
 "com.amazonaws.licensemanager#ReportGenerator": {
 "type": "structure",
 "members": {
 "ReportGeneratorName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>"
 }
 },
 "ReportType": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>License
configuration type for this generator.</p>"
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 }
 },
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
 }
 },
 "LastRunStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
 }
 },
 "LastRunFailureReason": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
 }
 },
 "LastReportGenerationTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
 }
 },
 "ReportCreatorAccount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report
generator.</p>"
 }
 },

```

```

 "Description": {
 "target": "com.amazonaws.licensemanager#String",

 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "S3Location": {
 "target": "com.amazonaws.licensemanager#S3Location",
 "traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the report was created.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
 },
 "com.amazonaws.licensemanager#ReportGeneratorList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ReportGenerator"
 }
 },
 "com.amazonaws.licensemanager#ReportGeneratorName": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
 },
 "com.amazonaws.licensemanager#ReportType": {

```

```

 "type": "enum",
 "members": {
 "LICENSE_CONFIGURATION_SUMMARY_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
 }
 },
 "LICENSE_CONFIGURATION_USAGE_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationUsageReport"
 }
 }
 },
 "com.amazonaws.licensemanager#ReportTypeList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ReportType"
 }
 },
 "com.amazonaws.licensemanager#ResourceInventory": {
 "type": "structure",
 "members": {
 "ResourceId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "Platform": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```



```

 "smithy.api#documentation": "<p>Platform of the resource.</p>"
 },
 "PlatformVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
 }
 },
 "ResourceOwningAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a resource.</p>"
 },
 "com.amazonaws.licensemanager#ResourceInventoryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ResourceInventory"
 }
 },
 "com.amazonaws.licensemanager#ResourceLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ResourceLimitExceeded",

 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#ResourceNotFoundException": {
 "type": "structure",
 "members": {

```

```

 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResource.NotFound",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The resource cannot be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#ResourceType": {
 "type": "enum",
 "members": {
 "EC2_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_INSTANCE"
 }
 },
 "EC2_HOST": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_HOST"
 }
 },
 "EC2_AMI": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_AMI"
 }
 },
 "RDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "RDS"
 }
 },
 "SYSTEMS_MANAGER_MANAGED_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
 }
 }
 }
}

```

```

 },
 "com.amazonaws.licensemanager#S3Location": {
 "type": "structure",
 "members": {
 "bucket": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
 }
 },
 "keyPrefix": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
 }
 },
 "com.amazonaws.licensemanager#ServerInternalException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InternalServerError",
 "httpResponseCode": 500
 },
 "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
 "smithy.api#error": "server",
 "smithy.api#httpError": 500
 }
 },
 "com.amazonaws.licensemanager#SignedToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 4096
 }
 }
 },
 "com.amazonaws.licensemanager#StatusReasonMessage": {

```

```

 "type": "string",
 "traits":
{
 "smithy.api#length": {
 "min": 0,
 "max": 400
 },
 "smithy.api#pattern": "^[\\s\\S]+$"
}
},
"com.amazonaws.licensemanager#String": {
 "type": "string"
},
"com.amazonaws.licensemanager#StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
},
"com.amazonaws.licensemanager#Tag": {
 "type": "structure",
 "members": {
 "Key": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Tag key.</p>"
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Tag value.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#TagKeyList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
},
"com.amazonaws.licensemanager#TagList": {
 "type": "list",

```

```

 "member": {
 "target": "com.amazonaws.licensemanager#Tag"
 }
 },
 "com.amazonaws.licensemanager#TagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#TagResourceResponse"
 },
 "errors": [
 {
 "target":
"com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#TagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits":
{
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>One or more tags.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#TagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#TokenData": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
 },
 "TokenType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "ExpirationTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
 }
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller.</p>"
 }
 },
 "RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a token.</p>"
 },
 "com.amazonaws.licensemanager#TokenList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#TokenData"
 }
 },
 "com.amazonaws.licensemanager#TokenString": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 4096
 },
 "smithy.api#pattern": "^\\S+$"
 }
 },
 "com.amazonaws.licensemanager#TokenType": {
 "type": "enum",
 "members": {
 "REFRESH_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REFRESH_TOKEN"
 }
 }
 }
 }

```

```

 }
 },
 "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
{
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request
again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
 "com.amazonaws.licensemanager#UntagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UntagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UntagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Removes the specified tags from the specified license
configuration.</p>"
 }
 },

```



```

"com.amazonaws.licensemanager#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "TagKeys": {
 "target": "com.amazonaws.licensemanager#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UntagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseConfigurationStatus": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
 "traits": {
 "smithy.api#documentation": "<p>New status of the license configuration.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\nconfiguration is licenseAffinityToHost.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>New number of licenses managed by the license configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {

```

```

 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New description of the license configuration.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>New product information.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "traits": {
 {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"

```

```

 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates a report generator.</p>\n <p>After you make changes to a
report generator, it starts generating new reports within 60 minutes of being updated.</p>"
 },
 "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
 {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to
update.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportGeneratorName": {

```

```

 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
 },
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation":
 "<p>Type of reports to generate. The following report types are supported:</p>\n
 \n
 \n
 <p>License configuration report - Reports the number and details of consumed licenses for a license
 configuration.</p>\n
 \n
 \n
 <p>Resource report - Reports the tracked licenses and
 resource consumption for a license configuration.</p>\n
 \n
 ",
 "smithy.api#required": {}
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>The report context.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
 idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 }
},
"traits": {

```

```

 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
{
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
 },
 {
 "target": "com.amazonaws.licensemanager#LicenseUsageException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n <p>You can update the license specifications of AMIs, instances, and hosts.\n You cannot update the license specifications for launch templates and CloudFormation templates, \n as they send license configurations to the operation that creates the resource.</p>"
 }
}

```

```

 }
 },

 "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services
resource.</p>",
 "smithy.api#required": {}
 }
 },
 "AddLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
 }
 },
 "RemoveLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation":
"<p>ARNs of the license configurations to remove.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },

 "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },

 "com.amazonaws.licensemanager#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
 },
 "errors": [

```

```

{
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
},
{
 "target": "com.amazonaws.licensemanager#AuthorizationException"
},
{
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
},
{
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
},
"com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
 }
 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {

```



```

 "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UsageOperation": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 }
 }
},
"com.amazonaws.licensemanager#ValidationException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
}
}
}

```

## 1.98 [github.com/aws/aws-sdk-go-v2/service/internal/endpoint-discovery](https://github.com/aws/aws-sdk-go-v2/service/internal/endpoint-discovery) 1.9.10

## 1.98.1 Available under license :

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

```
// Checks out the specified license.
```

```
//
```

```
// If the account that created the license is the same that is performing the
```

```
// check out, you must specify the account as the beneficiary.
```

```
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
 if params == nil {
 params = &CheckoutLicenseInput{}
 }
```

```
 result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
 if err != nil {
 return nil, err
 }
```

```
 out := result.(*CheckoutLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}
```

```
type CheckoutLicenseInput struct {
```

```
 //
```

```
 Checkout type.
```

```
 //
```

```
 // This member is required.
```

```
 CheckoutType types.CheckoutType
```

```
 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 // the request.
```

```
 //
```

```
 // This member is required.
```

```
 ClientToken *string
```

```

// License entitlements.
//
// This member is required.
Entitlements []types.EntitlementData

// Key fingerprint identifying the license.
//
// This member is required.
KeyFingerprint *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// License beneficiary.
Beneficiary *string

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

// Checkout type.
CheckoutType types.CheckoutType

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the checkout license.
LicenseArn
*string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

```

```

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack,
options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
}

```

```

if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack,
c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {

```

```

 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err !=
nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckoutLicense",
 }
}
name: License Scan

on: [pull_request]

jobs:
 licensescan:
 name: License Scan
 runs-on: ubuntu-latest
 strategy:
 matrix:
 python-version: [3.9]

 steps:
 - name: Checkout target
 uses: actions/checkout@v2
 with:
 path: sdkbase
 ref: ${{ github.base_ref }}
 - name: Checkout this ref
 uses: actions/checkout@v2
 with:
 path: new-ref

```

```

 fetch-depth: 0
- name: Get Diff
 run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT ${ github.event.pull_request.base.sha }
${ github.sha } > refDiffFiles.txt
- name: Get Target Files
 run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt -> targetFiles.txt
- name: Checkout scancode
 uses: actions/checkout@v2
 with:
 repository: nexB/scancode-toolkit
 path: scancode-toolkit
 fetch-depth: 1
- name: Set up Python ${ matrix.python-version }
 uses: actions/setup-python@v2
 with:
 python-version: ${ matrix.python-version }
ScanCode
- name: Self-configure scancode
 working-directory: ./scancode-toolkit
 run: ./scancode --help
- name: Run Scan code on target
 run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
- name: Run Scan code on pr ref
 run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
compare
- name: License test
 run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
are the same. Success."; exit 0; fi
// Code generated by smithy-go-codegen DO NOT EDIT.

```

package grafana

```

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

// Removes the Grafana Enterprise license from a workspace.

```

func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
...func(*Options)) (*DisassociateLicenseOutput, error) {
 if params == nil {
 params = &DisassociateLicenseInput{}
 }
}

```

```

}

result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
if err != nil {
 return nil, err
}

out := result.(*DisassociateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type DisassociateLicenseInput struct {

 // The type of license to remove from the workspace.
 //
 // This member is required.
 LicenseType types.LicenseType

 //
 // The ID of the workspace to remove the Grafana Enterprise license from.
 //
 // This member is required.
 WorkspaceId *string

 noSmithyDocumentSerde
}

type DisassociateLicenseOutput struct {

 // A structure containing information about the workspace.
 //
 // This member is required.
 Workspace *types.WorkspaceDescription

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{}, middleware.After)

```



```

if err != nil {
 return err
}
err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{}, middleware.After)
if err != nil {
 return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "DisassociateLicense");
err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}

```

```

if
err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err
!= nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
}

```

```

 return nil
}

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "DisassociateLicense",
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
 if params == nil {
 params = &ListLicensesInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*ListLicensesOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type ListLicensesInput struct {

 // Filters to scope the results. The following filters are supported:
 //
 // - Beneficiary
 //

```

```

// - ProductSKU
//
// - Fingerprint
//
// - Status
Filters
[]types.Filter

// Amazon Resource Names (ARNs) of the licenses.
LicenseArns []string

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListLicensesOutput struct {

// License details.
Licenses []types.License

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{}, middleware.After)
if err != nil {
return err
}
if err := addProtocolFinalizerMiddlewares(stack,

```

```

options, "ListLicenses"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {

```

```

 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil
{
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "ListLicenses",
}
}

```

```

{
 "smithy": "2.0",
 "shapes": {
 "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
 "type": "structure",
 "members": {
 "DirectoryId": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Directory",
 "traits": {
 "smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
 }
 },
 "ActiveDirectorySettings": {
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectorySettings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>ActiveDirectorySettings</code> resource contains details about \n\t\t\tthe Active Directory, including network access details such as domain name and IP \n\t\t\taddresses, and the credential provider for user administration.</p>"
 }
 },
 "ActiveDirectoryType": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryType",
 "traits": {
 "smithy.api#documentation": "<p>The type of Active Directory either a self-managed Active Directory or an \n\t\t\tAmazon Web Services Managed Active Directory.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about an Active Directory identity provider.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectorySettings": {
 "type": "structure",

```

```

"members": {
 "DomainName": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name for the Active Directory.</p>"
 }
 },
 "DomainIpv4List": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IPv4List",
 "traits": {
 "smithy.api#documentation": "<p>A list of domain IPv4 addresses that are used for the Active Directory.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 2
 }
 }
 },
 "DomainCredentialsProvider": {
 "target":
"com.amazonaws.licenseanagerusersubscriptions#CredentialsProvider",
 "traits": {
 "smithy.api#documentation": "<p>Points to the <code>CredentialsProvider</code> resource that contains information about the credential provider for user administration.</p>"
 }
 },
 "DomainNetworkSettings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DomainNetworkSettings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>DomainNetworkSettings</code> resource contains an array of subnets that apply for the Active Directory.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains network access and credential details that are needed for user administration in the Active Directory.</p>"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryType":
{
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "SELF_MANAGED",
 "value": "SELF_MANAGED",
 "documentation": "SELF_MANAGED type of Active Directory"
 }
]
 }
}

```



```

 },
 {
 "name": "AWS_MANAGED",
 "value": "AWS_MANAGED",
 "documentation": "AWS_MANAGED type of Active Directory"
 }
]
}
},
"com.amazonaws.licensemanagerusersubscriptions#Arn": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^arn:[a-z0-9-\\.]{1,63}:[a-z0-9-\\.]{1,63}:[a-z0-9-\\.]{1,63}:[a-zA-Z0-9-\\.]{1,510}/[a-zA-Z0-9-\\.]{1,510}$"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#AssociateUser":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],

```







```

 "smithy.api#required": {}
 },
 "LicenseServerSettings": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerSettings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>LicenseServerSettings</code> resource to create for
the endpoint. The \n\t\t\tsettings include the type of license server and the Secrets Manager secret that \n\t\t\ttenables
administrators to add or remove users associated with the \n\t\t\t\tlicense server.</p>",
 "smithy.api#required": {}
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags that apply for the license server endpoint.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#CreateLicenseServerEndpointResponse":
{
 "type": "structure",
 "members": {
 "IdentityProviderArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the identity provider
specified in the request.</p>"
 }
 },
 "LicenseServerEndpointArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The ARN of the <code>LicenseServerEndpoint</code>
resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#CredentialsProvider": {
 "type": "union",

```



```

 "smithy.api#documentation": "<p>Deletes a <code>LicenseServerEndpoint</code> resource.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/license-server/DeleteLicenseServerEndpoint"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#DeleteLicenseServerEndpointRequest": {
 "type": "structure",
 "members": {
 "LicenseServerEndpointArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) that identifies the
<code>LicenseServerEndpoint</code> \n\t\t\tresource to delete.</p>",
 "smithy.api#required": {}
 }
 },
 "ServerType": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerType",
 "traits": {
 "smithy.api#documentation": "<p>The type of License Server that the delete request refers to.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#DeleteLicenseServerEndpointResponse": {
 "type": "structure",
 "members": {
 "LicenseServerEndpoint": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpoint",
 "traits": {
 "smithy.api#documentation": "<p>Shows details from the <code>LicenseServerEndpoint</code>
resource that was deleted.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider": {

```

```

 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deregisters the Active Directory identity provider from License Manager user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/DeregisterIdentityProvider"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest":
{
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {

```



```

 "smithy.api#documentation": "<p>An object that specifies details for the Active Directory identity
provider.</p>"
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
<code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>"
 }
 },
 "IdentityProviderArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) that identifies the identity
provider to deregister.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#Directory":
{
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^(d|sd)-[0-9a-f]{10}$"
 }
}

```

```

 },
 "com.amazonaws.licenseanagerusersubscriptions#DisassociateUser": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/DisassociateUser"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest":
 {
 "type": "structure",
 "members": {
 "Username": {

```

```

 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the Active Directory identity provider for the
user.</p>"
 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance which provides user-based
subscriptions.</p>"
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the Active Directory identity
provider.</p>"
 }
 },
 "InstanceUserArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the user to disassociate
from the EC2 instance.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains
information for the user to disassociate.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanagerusersubscriptions#DisassociateUserResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummary": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#DomainNetworkSettings": {
 "type": "structure",
 "members": {
 "Subnets": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>Contains a list of subnets that apply for the Active Directory
domain.</p>",
 "smithy.api#length": {
 "min": 1
 },
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains network settings for the Active Directory domain.</p>"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#Filter": {
 "type": "structure",
 "members": {
 "Attribute": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
 }
 },
 "Operation": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
 }
 },
 "Value": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation":
"<p>Value of the filter.</p>"
 }
 }
 }
}

```

```
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter name and value pair that is used to return more specific results from a describe\n\t\t\t\tor list operation. You can use filters can be used to match a set of resources by specific \n\t\t\t\tcriteria, such as tags, attributes, or IDs.</p>"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Filter"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProvider": {
 "type": "union",
 "members": {
 "ActiveDirectoryIdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryIdentityProvider",
 "traits": {

 "smithy.api#documentation": "<p>The <code>ActiveDirectoryIdentityProvider</code> resource contains settings \n\t\t\t\tand other details about a specific Active Directory identity provider.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Refers to an identity provider.</p>"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>The <code>IdentityProvider</code> resource contains information about \n\t\t\t\tan identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Settings": {

 "target": "com.amazonaws.licensemanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>Settings</code> resource contains details about the registered \n\t\t\t\tidentity providers product related configuration settings, such as the \n\t\t\t\tsubnets to provision VPC endpoints.</p>",
```

```

 "smithy.api#required": {}
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of the identity provider.</p>",
 }
 },
 "smithy.api#required": {}
},
 "IdentityProviderArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the identity provider.</p>"
 }
 },
 "FailureMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes an identity provider.</p>"
 },
 "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#InstanceSummary": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based

```

```

subscriptions.</p>",
 "smithy.api#required": {}
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of an EC2 instance resource.</p>",
 "smithy.api#required": {}
 }
 },
 "Products": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
 "smithy.api#required": {}
 }
 },
 "LastStatusCheckDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date of the last status check.</p>"
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
 },
 "com.amazonaws.licensemanagerusersubscriptions#InstanceSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceSummary"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance that provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {

 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>The <code>IdentityProvider</code> resource specifies details
about the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",
 "smithy.api#required": {}
 }
 },
 "InstanceUserArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) that identifies the instance
user.</p>"
 }
 },

 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains the user
information for the product subscription.</p>"
 }
 }
}

```



```

 }
 },
 "AssociationDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
 }
 },
 "DisassociationDate": {
 "target": "smithy.api#String",
 "traits": {

 "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based
subscriptions.</p>"
 },
 "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#InternalServerError": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
 "smithy.api#error": "server",
 "smithy.api#httpError": 500
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#IPv4": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^(?:25[0-5]|2[0-4][0-9]|1[0-9][0-9]|[1-9][0-9]|[0-9])(\\.(?!$)|$)){4}$"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#IPv4List": {
 "type": "list",

```

```

"member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IPv4"
},
"com.amazonaws.licenseanagerusersubscriptions#LicenseManagerUserSubscriptions": {
 "type": "service",
 "version": "2018-05-10",
 "operations": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUser"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#CreateLicenseServerEndpoint"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeleteLicenseServerEndpoint"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUser"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProviders"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstances"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListLicenseServerEndpoints"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptions"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListTagsForResource"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociations"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscription"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#TagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#UntagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
 }
],
 "traits": {
 "aws.api#service": {
 "sdkId": "License Manager User Subscriptions",
 "arnNamespace": "license-manager-user-subscriptions",
 "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
 },
 "aws.auth#sigv4": {
 "name": "license-manager-user-subscriptions"
 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id",
 "content-length",
 "x-api-key",
 "authorization",
 "x-amz-date",
 "x-amz-security-token",
 "Access-Control-Allow-Headers",
 "Access-Control-Allow-Methods",
 "Access-Control-Allow-Origin"
],
 "additionalExposedHeaders": [
 "x-amzn-errortype",
 "x-amzn-requestid",
 "x-amzn-trace-id"
]
 }
 },

```

```

"smithy.api#documentation": "<p>With License Manager, you can create user-based subscriptions to
utilize licensed software with a per user subscription fee on Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager User Subscriptions",
"smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn":
"AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured
endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
 },
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
]
}

```

```

],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},

 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"

```

```

 },
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "rules": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]
 }
]
 }
]
 }
],
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]

```

```

],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",

 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
],
 },
],
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 },
],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
}

```

```

 }
],
 "type": "tree"
 },
 {
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
 }
],
 "type": "tree"
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
],
 true
 }
],
 "rules": [

```





```

 "supportsDualStack"
]
}

]

 }
],
"rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
"type": "tree"
},
{
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
}
],
"type": "tree"
},
{
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
],
"type": "tree"
}
],
"type": "tree"
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",

```

```

 "type": "error"
 }
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 }
]
}

```

```

 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-1.
1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack":
true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 }
 }

```

```

 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack":
false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },

```

```

{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack":
true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition
does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",

```

```

 "UseFIPS": true,
 "UseDualStack": false
 }
},

{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 }
}

```

```

 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {

```



```

 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint":
"https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are
not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
],
"version": "1.0"
}

```



```

 "ServerEndpoint": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServerEndpoint",
 "traits": {
 "smithy.api#documentation":
"<p>The <code>ServerEndpoint</code> resource contains the network \n\t\t\taddress of the RDS license server
endpoint.</p>"
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The message associated with the provisioning status, if there is
one.</p>"
 }
 },
 "LicenseServerEndpointId": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#LicenseServerEndpointId",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the license server endpoint.</p>"
 }
 },
 "LicenseServerEndpointArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation":
"<p>The ARN of the <code>ServerEndpoint</code> resource for the RDS \n\t\t\tlicense server.</p>"
 }
 },
 "LicenseServerEndpointProvisioningStatus": {
 "target":
"com.amazonaws.licenseanagerusersubscriptions#LicenseServerEndpointProvisioningStatus",
 "traits": {
 "smithy.api#documentation": "<p>The current state of the provisioning process for the RDS license
\n\t\t\tserver endpoint</p>"
 }
 },
 "LicenseServers": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#LicenseServerList",
 "traits": {
 "smithy.api#documentation": "<p>An array of <code>LicenseServer</code> resources that represent
the \n\t\t\tlicense servers that are accessed through this endpoint.</p>"
 }
 },
 "CreationTime": {
 "target": "smithy.api#Timestamp",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp when License Manager created the license server

```

```
endpoint.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains details about a network endpoint for a Remote Desktop Services (RDS) \n\t\t\t\tlicense server.</p>"
 },
 "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointId": {
 "type": "string"
 },
 "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpoint"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointProvisioningStatus": {
 "type": "string",
 "traits":
{
 "smithy.api#enum": [
 {
 "name": "PROVISIONING",
 "value": "PROVISIONING",
 "documentation": ""
 },
 {
 "name": "PROVISIONING_FAILED",
 "value": "PROVISIONING_FAILED",
 "documentation": ""
 },
 {
 "name": "PROVISIONED",
 "value": "PROVISIONED",
 "documentation": ""
 },
 {
 "name": "DELETING",
 "value": "DELETING",
 "documentation": ""
 },
 {
 "name": "DELETION_FAILED",
 "value": "DELETION_FAILED",
 "documentation": ""
 }
],
```

```

 {
 "name": "DELETED",
 "value": "DELETED",
 "documentation": ""
 }
]
}
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerHealthStatus": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "HEALTHY",
 "value": "HEALTHY",
 "documentation": ""
 },
 {
 "name": "UNHEALTHY",
 "value": "UNHEALTHY",
 "documentation": ""
 },
 {
 "name": "NOT_APPLICABLE",
 "value": "NOT_APPLICABLE",
 "documentation": ""
 }
]
 }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerList":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServer"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerSettings": {
 "type": "structure",
 "members": {
 "ServerType": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerType",
 "traits": {
 "smithy.api#documentation": "<p>The type of license server.</p>",
 "smithy.api#required": {}
 }
 },
 "ServerSettings": {

```

```
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServerSettings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>ServerSettings</code> resource contains the settings
for your \n\t\t\tserver.</p>",
```

```
 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#documentation": "<p>The settings to configure your license server.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProviders": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the Active Directory identity providers for user-based
subscriptions.</p>",
 "smithy.api#http": {
```

```

 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/ListIdentityProviders"
 },

 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "IdentityProviderSummaries"
 }
}
},
"com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n
\n \n <p>Product</p>\n \n \n <p>DirectoryId</p>\n \n "
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
\n\tfrom a previously truncated response.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummaries": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummaryList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>An array of <code>IdentityProviderSummary</code> resources that
 contain details about the Active Directory identity providers that meet the request criteria.</p>",
 "smithy.api#required": {}
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't
 empty, there are additional elements that the service hasn't included in this request. Use this token with the
 next request to retrieve additional objects.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListInstances": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 }
]
 }
 }
}

```



```

 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/instance/ListInstances"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceSummaries"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
\n\tfrom a previously truncated response.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n
\n \n <p>Status</p>\n \n \n <p>InstanceId</p>\n \n "
 }
 }
 },
 "traits": {

```

```

 "smithy.api#input": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse": {
 "type": "structure",
 "members": {
 "InstanceSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>An array of InstanceSummary resources that contain details about the instances that provide user-based subscriptions and also meet the request criteria.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't empty, there are additional elements that the service hasn't included in this request. Use this token with the next request to retrieve additional objects.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListLicenseServerEndpoints": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListLicenseServerEndpointsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListLicenseServerEndpointsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 }
]
 }
}

```

```

 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>List the Remote Desktop Services (RDS) License Server endpoints
</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/license-server/ListLicenseServerEndpoints"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "LicenseServerEndpoints"
 }
 }
},
"com.amazonaws.licensemanagerusersubscriptions#ListLicenseServerEndpointsRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>",
 "smithy.api#range": {
 "min": 1,
 "max": 100
 }
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n
\n \n <p>IdentityProviderArn</p>\n \n "
 }
 },
 "NextToken": {
 "target": "smithy.api#String",

```



```

 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListProductSubscriptions"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "ProductUserSummaries"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
 "type":
"structure",
 "members": {
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
<code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>"
 }
 }
 }
},
"IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",

```

```

 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n
\n \n <p>Status</p>\n \n \n <p>Username</p>\n
\n \n <p>Domain</p>\n \n "
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
\n\tfrom a previously truncated response.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions
operation.</p>"
 }
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't

```

empty, \n\tthere are additional elements that the service hasn't included in this request. Use this token \n\t\twith the next request to

retrieve additional objects.</p>"

```
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListTagsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Returns the list of tags for the specified resource.</p>",
 "smithy.api#http": {
 "method": "GET",
 "uri": "/tags/{ResourceArn}"
 },
 "smithy.api#readonly": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource whose tags you want to retrieve.</p>",
 "smithy.api#httpLabel": {},
```

```

 "smithy.api#required": {}
 }
},
"traits": {

"smithy.api#input": {}
},
"com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags for the specified resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {

```



```

 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
"traits":
{
 "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListUserAssociations"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceUserSummaries"
 }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required":
 {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 }
},

```

```

 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline
results:</p>\n \n \n <p>Status</p>\n \n \n <p>Username</p>\n \n \n <p>Domain</p>\n \n "
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
\n\tfrom a previously truncated response.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't
empty, \n\tthere are additional elements that the service hasn't included in this request. Use this token \n\t\twith the
next request to retrieve additional objects.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 },
 "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits":

```

```

{
 "smithy.api#documentation": "<p>The user name from the identity provider for this product
user.</p>",
 "smithy.api#required": {}
},
"Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
},
"IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
},
"Status": {
 "target": "smithy.api#String",

 "traits": {
 "smithy.api#documentation": "<p>The status of a product for this user.</p>",
 "smithy.api#required": {}
 }
},
"ProductUserArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) for this product user.</p>"
 }
},
"StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for a product for this user.</p>"
 }
},
"Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory
that contains the user information for the product subscription.</p>"
 }
},
"SubscriptionStartDate": {

```

```

 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The start date of a subscription.</p>"
 }
 },
 "SubscriptionEndDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The end date of a subscription.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>A summary of the user-based subscription products for a specific
user.</p>"
},
"com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#RdsSalSettings": {
 "type": "structure",
 "members": {
 "RdsSalCredentialsProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#CredentialsProvider",
 "traits": {
 "smithy.api#documentation": "<p>The <code>CredentialsProvider</code> resource contains a
reference to \n\t\t\tthe credentials provider that's used for RDS license server user administration.</p>",
 "smithy.api#required": {}
 }
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Server settings that are specific to a Remote Desktop Services (RDS)
license server.</p>"
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProvider": {
 "type":
"operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse"
 }
}

```

```

 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/RegisterIdentityProvider"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider to register.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
<code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>",
 "smithy.api#required": {}
 },
 "Settings": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "<p>The registered identity providers product related configuration
\n\t\t\tsettings such as the subnets to provision VPC endpoints.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags that apply to the identity provider's registration.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
 }
 },
 "smithy.api#required": {}
 }
},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#ResourceArn": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^arn:([a-z0-9-\\.]{1,63}):([a-z0-9-\\.]{1,63}):([a-z0-9-\\.]{1,63}):([a-z0-9-
\\.]{1,63}):([a-z0-9-\\.]{1,510})/([a-z0-9-\\.]{1,510})$"
 }
}

```

```

 },
 "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 404
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#SecretsManagerCredentialsProvider":
 {
 "type": "structure",
 "members": {
 "SecretId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the Secrets Manager secret that contains
credentials.</p>",
 "smithy.api#length": {
 "min": 1
 }
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains a credentials secret that's stored in Secrets Manager.</p>"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 5,
 "max": 200
 },
 "smithy.api#pattern": "^sg-([0-9a-z]{8})([0-9a-z]{17})$"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#ServerEndpoint": {
 "type": "structure",
 "members": {
 "Endpoint": {
 "target": "smithy.api#String",

```









```

 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code>
| <code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains the user
for whom to start the product \n\t\t\tsubscription.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags that apply to the product subscription.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionResponse":
{
 "type": "structure",
 "members": {
 "ProductUserSummary": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the start product subscription
operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionRequest"
 }
}

```

```

 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/StopProductSubscription"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>"
 }
 }
 }
 },
 },

```



```

 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Subnet": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^subnet-[a-z0-9]{8,17}"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Subnets": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnet"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#TagKeyList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#sensitive": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#TagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds tags to a resource.</p>",
 "smithy.api#http": {
 "method": "PUT",
 "uri": "/tags/{ResourceArn}"
 },

 "smithy.api#idempotent": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#TagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource that you want
to tag.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 },
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags to apply to the specified resource.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits":
 {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#TagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#Tags": {

```

```

 "type": "map",
 "key": {
 "target": "smithy.api#String"
 },
 "value": {
 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#sensitive": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the request.</p>",
 "smithy.api#error": "client"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#UntagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UntagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UntagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Removes

```



```

tags from a resource.</p>",
 "smithy.api#http": {
 "method": "DELETE",
 "uri": "/tags/{ResourceArn}"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource that you want
to remove tags from.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 },
 "TagKeys": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>The tag keys to remove from the resource.</p>",
 "smithy.api#httpQuery": "tagKeys",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#UntagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
 }
}

```



```

identity provider to update.</p>"
 }
 },
 "UpdateSettings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateSettings",
 "traits": {
 "smithy.api#documentation": "<p>Updates the registered identity providers product related
configuration settings. You can\n\t\t\tupdate any combination of settings in a single operation such as the:</p>\n
\n \n <p>Subnets which you want to add to provision VPC endpoints.</p>\n \n
 \n <p>Subnets which you want to remove the VPC endpoints from.</p>\n \n
 \n <p>Security group ID which permits traffic to the VPC endpoints.</p>\n \n ",
 "smithy.api#required": {}
 }
 },
 },
 "traits": {

"smithy.api#input": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#required": {}
 }
 },
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#UpdateSettings": {
 "type": "structure",
 "members": {
 "AddSubnets": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint
for products that\n\t\t\trequire connectivity to activation servers.</p>",
 "smithy.api#required": {}
 }
 },
 "RemoveSubnets": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",

```

```
"traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
 "smithy.api#required": {}
},
"SecurityGroupId": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup",
 "traits": {
 "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688 communication between resources in\n\\n\\t\\tyour VPC and the VPC endpoints for activation servers.</p>"
 }
},
"traits": {
 "smithy.api#documentation":
"<p>Updates the registered identity providers product related configuration settings such as\n\\n\\t\\ttthe subnets to provision VPC endpoints.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A parameter is not valid.</p>",
 "smithy.api#error": "client"
 }
}
}
```

// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

```
// Creates a license.
```

```
func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
```

```

(*CreateLicenseOutput, error) {
 if params == nil {
 params = &CreateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CreateLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CreateLicenseInput struct {

 // License beneficiary.
 //
 // This member is required.
 Beneficiary *string

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 // the request.
 //
 //
 // This member is required.
 ClientToken *string

 // Configuration for consumption of the license. Choose a provisional
 // configuration for workloads running with continuous connectivity. Choose a
 // borrow configuration for workloads with offline usage.
 //
 // This member is required.
 ConsumptionConfiguration *types.ConsumptionConfiguration

 // License entitlements.
 //
 // This member is required.
 Entitlements []types.Entitlement

 // Home Region for the license.
 //
 // This member is required.
 HomeRegion *string

 // License issuer.

```

```

//
// This member is required.
Issuer *types.Issuer

// License name.
//
// This member is required.
LicenseName *string

// Product name.
//
// This member is required.
ProductName *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about
the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.
Version *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

```

```

func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CreateLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if
 err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {
 return err
 }
 if err = addRecordResponseTiming(stack); err != nil {
 return err
 }
 if err = addSpanRetryLoop(stack, options); err != nil {
 return err
 }
 if err = addClientUserAgent(stack, options); err != nil {

```

```

 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err
= addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack);

```



```

err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CreateLicense",
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks in the specified license. Check in a license when it is no longer in use.
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))
(*CheckInLicenseOutput, error) {
 if params == nil {
 params = &CheckInLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,
c.addOperationCheckInLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckInLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CheckInLicenseInput struct {

```

```

// License consumption token.
//
// This member is required.
LicenseConsumptionToken *string

// License beneficiary.
Beneficiary *string

noSmithyDocumentSerde
}

type
CheckInLicenseOutput struct {
// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{}, middleware.After)
if err != nil {
return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "CheckInLicense"); err != nil {
return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = addClientRequestID(stack); err != nil {
return err
}
if
err = addComputeContentLength(stack); err != nil {
return err
}
}

```

```

if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if
err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {

```

```

 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckInLicense",
 }
}
ListLicenses
Initialize stack step
 spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
spanInitializeEnd
Serialize stack step
 spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID

```

ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
CheckoutLicense  
Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme

```

GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
 if params == nil {
 params = &GetLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*GetLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

```

```

}

type GetLicenseInput struct {

 // Amazon Resource Name (ARN) of the license.
 //
 // This member is required.
 LicenseArn *string

 // License version.
 Version *string

 noSmithyDocumentSerde
}

type
GetLicenseOutput struct {

 // License details.
 License *types.License

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "GetLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
}

```

```

}
if err = addClientRequestID(stack); err
!= nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options);
err != nil {
 return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err != nil {
 return err
}
}

```



```

 if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region), middleware.Before);
 err != nil {
 return err
 }
 if err = addRecursionDetection(stack); err != nil {
 return err
 }
 if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
 }
 if err = addResponseErrorMiddleware(stack); err != nil {
 return err
 }
 if err = addRequestResponseLogging(stack, options); err != nil {
 return err
 }
 if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
 }
 if err = addSpanInitializeStart(stack); err != nil {
 return err
 }
 if err = addSpanInitializeEnd(stack); err != nil {
 return err
 }
 if err = addSpanBuildRequestStart(stack); err != nil {
 return err
 }
 if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
 }
 return nil
}

```

```

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "GetLicense",
 }
}
DisassociateLicense
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger

```

OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
AssociateLicense  
Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer

```

Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

```

```
package licensemanager
```

```

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

```

// Checks out the specified license for offline use.
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
 if params == nil {
 params = &CheckoutBorrowLicenseInput{}
 }
}

```

```

 result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,
c.addOperationCheckoutBorrowLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckoutBorrowLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CheckoutBorrowLicenseInput struct {

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 //
 the request.
 //
 // This member is required.
 ClientToken *string

 // Digital signature method. The possible value is JSON Web Signature (JWS)
 // algorithm PS384. For more information, see [RFC 7518 Digital Signature with RSASSA-PSS].
 //
 // [RFC 7518 Digital Signature with RSASSA-PSS]: https://tools.ietf.org/html/rfc7518#section-3.5
 //
 // This member is required.
 DigitalSignatureMethod types.DigitalSignatureMethod

 // License entitlements. Partial checkouts are not supported.
 //
 // This member is required.
 Entitlements []types.EntitlementData

 // Amazon Resource Name (ARN) of the license. The license must use the borrow
 // consumption configuration.
 //
 // This member is required.
 LicenseArn *string

 // Information about constraints.
 CheckoutMetadata []types.Metadata

 // Node ID.
 NodeId *string

 noSmithyDocumentSerde
}

```

```

type CheckoutBorrowLicenseOutput struct {

 // Information about constraints.
 CheckoutMetadata []types.Metadata

 // Allowed license entitlements.
 EntitlementsAllowed
 []types.EntitlementData

 // Date and time at which the license checkout expires.
 Expiration *string

 // Date and time at which the license checkout is issued.
 IssuedAt *string

 // Amazon Resource Name (ARN) of the license.
 LicenseArn *string

 // License consumption token.
 LicenseConsumptionToken *string

 // Node ID.
 NodeId *string

 // Signed token.
 SignedToken *string

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{}, middleware.After)
 if err != nil {
 return
 err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutBorrowLicense"); err != nil {

```

```

return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}

```

```

}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options);
err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckoutBorrowLicense",
}

```

```
}
}
CheckInLicense
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
spanInitializeEnd
Serialize stack step
spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
AWS SDK for Go
Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.
Copyright 2014-2015 Stripe, Inc.
ListReceivedLicenses
Initialize stack step
```



```

spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
spanInitializeEnd
Serialize stack step
spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"

```

```

smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
 if params == nil {
 params = &DeleteLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*DeleteLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type DeleteLicenseInput struct {

 // Amazon Resource Name (ARN) of the license.
 //
 // This member is required.
 LicenseArn *string

 // Current version of the license.
 //
 // This member is required.
 SourceVersion
 *string

 noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

 // Date when the license is deleted.
 DeletionDate *string

 // License status.
 Status types.LicenseDeletionStatus

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

```

```

noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "DeleteLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err !=
 nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {
 return err
 }
 if err = addRecordResponseTiming(stack); err != nil {
 return err
 }
 if err = addSpanRetryLoop(stack, options); err != nil {

```

```

return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err
!= nil {
return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = addRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
if err = addSpanInitializeStart(stack); err != nil {
return err
}
if err = addSpanInitializeEnd(stack); err != nil {
return err
}

```

```

}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if
err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "DeleteLicense",
}
}
CreateLicense
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
spanInitializeEnd
Serialize stack step
spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions

```

Signing

Deserialize stack step

AddRawResponseToMetadata

ErrorCloseResponseBody

CloseResponseBody

ResponseErrorWrapper

RequestIDRetriever

OperationDeserializer

AddTimeOffsetMiddleware

RecordResponseTiming

RequestResponseLogger

```
{
 "smithy": "2.0",
 "shapes": {
 "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
 "type": "integer"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
 "type": "long"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 }
]
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Remove a third-party subscription provider from the Bring Your Own License (BYOL) subscriptions \n\t\t\tregistered to your account.</p>",
 "smithy.api#http": {
 "code": 200,
```

```

 "method": "POST",
 "uri": "/subscription/DeregisterSubscriptionProvider"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderRequest": {
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the subscription provider resource to deregister.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of name to filter by.</p>"
 }
 },
 "Values": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
 }
 }
 },
 "Operator": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
 "traits": {
 "smithy.api#documentation": "<p>An operator for filtering results.</p>"
 }
 }
}

```

```

 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe operation.\n Filters can be used to match a set of resources by specific criteria.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
 "type":
"list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderRequest"
 },
 "output": {
 "target":
"com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Get details for a Bring Your Own License (BYOL) subscription that's registered to your account.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/GetRegisteredSubscriptionProvider"
 },
 "smithy.api#idempotent": {}
 }
}

```



```

 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderRequest": {
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation":
 "<p>The Amazon Resource Name (ARN) of the BYOL registration resource to get details for.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderResponse": {
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) for the BYOL registration
resource specified in the request.</p>"
 }
 },
 "SubscriptionProviderSource": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSource",
 "traits": {
 "smithy.api#documentation": "<p>The subscription provider for the BYOL registration resource
specified \n\t\t\tin the request.</p>"
 }
 },
 "SecretArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SecretArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the third-party access
secret stored in Secrets Manager for the BYOL \n\t\t\tregistration resource specified in the request.</p>"
 }
 },
 "SubscriptionProviderStatus": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderStatus",
 "traits": {
 "smithy.api#documentation": "<p>The status of the Linux subscription provider access token from the
last \n\t\t\tsuccessful subscription data request.</p>"
 }
 }
 }
 }
 }
}

```



```

 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest": {
 "type": "structure",
 "members": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>Lists
the settings defined for Linux subscriptions discovery. The settings include ifn Organizations integration has
been enabled, and which Regions data will be aggregated from.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
 }
 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n subscriptions.</p>"
 }
 }
 }
},

```

```

"com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
 "type": "structure",
 "members": {
 "AmiId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
 }
 },
 "InstanceID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
 }
 },
 "InstanceType": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance type of the resource.</p>"
 }
 },
 "AccountID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of the instance.</p>"
 }
 },
 "Region": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
 }
 },
 "UsageOperation": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n operation values in the <i>License Manager User
Guide</i>.</p>"
 }
 }
 }
}

```

```

 }
 },
 "ProductCode": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
 "traits": {
 "smithy.api#documentation": "<p>The product code for the instance. For more information, see Usage operation values in the <i>License Manager User Guide</i> .</p>"
 }
 },
 "LastUpdatedTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The time in which the last discovery updated the instance details.</p>"
 }
 },
 "SubscriptionName": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the license subscription that the instance uses.</p>"
 }
 },
 "OsVersion": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The operating system software version that runs on your instance.</p>"
 }
 },
 "SubscriptionProviderCreateTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp when you registered the third-party Linux subscription \n\t\t\tprovider for the subscription that the instance uses.</p>"
 }
 },
 "SubscriptionProviderUpdateTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp from the last time that the instance synced with the registered \n\t\t\tthird-party Linux subscription provider.</p>"
 }
 },
 "DualSubscription": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Indicates that you have two different license subscriptions for

```



```

 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProviders"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListTagsForResource"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
 }
],
 "traits": {
 "aws.api#service": {
 "sdkId": "License Manager Linux Subscriptions",
 "arnNamespace": "license-manager-linux-subscriptions",
 "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
 },
 "aws.auth#sigv4": {
 "name": "license-manager-linux-subscriptions"
 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id"
],
 "additionalExposedHeaders": [
 "x-amzn-errortype",
 "x-amzn-requestid",

```

```

 "x-amzn-trace-id"
]
},
"smithy.api#documentation": "<p>With License Manager,
you can discover and track your commercial Linux subscriptions on running\n Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager Linux Subscriptions",
"smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
 },
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
]
}

```



```

 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
 }
],
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
},
{
 "conditions": [],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]
 }
]
},
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
},
{
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}

```

```

 }
],
 "type": "tree"
}
],
"type": "tree"
},
{
 "conditions": [],
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
 }
]
 }
]
 }
]
}

```

```

 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],

 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 }
]
 }
]
 },
 {
 "fn": "supportsFIPS"
 }
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
],

```

```

 "rules": [
 {
 "conditions": [],

"rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],

 "type": "tree"
 },
 "type": "tree"
},
{
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
 "type": "error"
},
 "type": "tree"
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "rules": [
 {
 "conditions": [
 {

```

```

 "fn": "booleanEquals",
 "argv": [
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 },
 true
]
 },
 "rules": [
 {
 "conditions": [],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
 }
],
 "type": "tree"
},
{
 "conditions": [],
 "error": "FIPS is enabled
but this partition does not support FIPS",
 "type": "error"
}
],
"type": "tree"
},
{

```

```

"conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
]
 },
 {
 "conditions": [],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 }
]

```

```

 "type": "tree"
 }

],
 "type": "tree"
 },
 {
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
 }
],
"type": "tree"
},
{
 "conditions": [],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
}
],
"type": "tree"
}
],
"type": "tree"
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
],
"type": "tree"
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [

```

```

{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
 }
 }
},
{
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
 }
 }
},
{
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
 }
 }
},
{
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
 }
 }
}

```



```

 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},

```

```

{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
 }
 },

```

```

 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack

```

```

enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS":
false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},

```

```

{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
},

```

```

 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {

```

```

 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled LinuxSubscriptionsDiscovery"
 },
 {
 "name": "Disabled",
 "value": "Disabled",
 "documentation": "Disabled LinuxSubscriptionsDiscovery"
 }
]
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
 "type": "structure",
 "members": {
 "SourceRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "OrganizationIntegration": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
 "traits": {
 "smithy.api#documentation":
 "<p>Details if you have enabled resource discovery across your accounts in Organizations.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with commercial Linux\n subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListLinuxSubscriptionInstances"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "Instances"
 }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest":
{
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results by your specified criteria. \n \tFor example, you can specify <code>Region</code> in the <code>Name</code>, with the \n \t<code>contains</code> operator to list all subscriptions that match a partial string in the \n \t<code>Value</code>, such as <code>us-west</code>.</p>\n <p>For each filter, you can specify one of the following values for the <code>Name</code> key \n \tto streamline results:</p>\n \n \n <p>\n <code>AccountID</code>\n </p>\n \n \n <p>\n <code>AmiID</code>\n </p>\n \n \n <p>\n <code>DualSubscription</code>\n </p>\n \n \n <p>\n <code>InstanceID</code>\n </p>\n \n \n <p>\n <code>InstanceType</code>\n </p>\n \n \n <p>\n <code>ProductCode</code>\n </p>\n \n \n <p>\n <code>Region</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n \n <p>\n <code>UsageOperation</code>\n </p>\n \n \n <p>For each filter, you can use one of the following <code>Operator</code>"
 }
 }
 }
}

```



```

values to \n \t\define the behavior of the filter:</p>\n \n \n <p>\n
<code>contains</code>\n </p>\n \n \n <p>\n
<code>>equals</code>\n </p>\n \n \n <p>\n
<code>Notequal</code>\n </p>\n \n "
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum items to return in a request.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to
start paginating. This \n\tis the nextToken from a previously truncated response.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 16384
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {
 "type": "structure",
 "members": {
 "Instances": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",
 "traits": {
 "smithy.api#documentation": "<p>An array that contains instance objects.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this \n\tfield
isn't empty, there are additional elements that the service hasn't \n\tincluded in this request. Use this token with the
next request to retrieve \n\tadditional objects.</p>"
 }
 }
 }
}

```

```

 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have linked your\n organization, the returned results will include data aggregated across your accounts in\nOrganizations.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListLinuxSubscriptions"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 }
 }
 },
 "items": "Subscriptions"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n more sets of key-value pairs that you specify. For example, you can filter by the name of\n<code>Subscription</code> with an optional operator to see subscriptions that match,\n partially match, or don't

```

```

match a certain subscription's name.</p>\n <p>The valid names for this filter are:</p>\n \n \n <p>\n <code>Subscription</code>\n </p>\n \n \n <p>The\n valid Operators for this filter are:</p>\n \n \n <p>\n <code>contains</code>\n </p>\n \n \n <p>\n <code>equals</code>\n </p>\n \n \n <p>\n <code>Notequal</code>\n </p>\n \n \n }\n },\n "MaxResults": {\n "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",\n "traits": {\n "smithy.api#documentation": "<p>The maximum items to return in a request.</p>"\n }\n },\n "NextToken": {\n "target": "smithy.api#String",\n "traits": {\n "smithy.api#documentation": "<p>A token to specify where to start paginating. This \n\tis the nextToken from a previously truncated response.</p>",\n "smithy.api#length": {\n "min": 1,\n "max": 16384\n }\n }\n },\n "traits": {\n "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if parameters in request increases."\n }\n},\n"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {\n "type": "structure",\n "members": {\n "Subscriptions": {\n "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",\n "traits": {\n "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"\n }\n },\n "NextToken": {\n "target": "smithy.api#String",\n "traits": {\n "smithy.api#documentation": "<p>The next token used for paginated responses. When this \n\tfield isn't empty, there are additional elements that the service hasn't \n\tincluded in this request. Use this token with the next request to retrieve \n\tadditional objects.</p>"\n }\n }\n }\n}

```

```

 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProviders": {
 "type": "operation",
 "input": {
 "target":
"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProvidersRequest"
 },
 "output": {
 "target":
"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProvidersResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>List Bring Your Own License (BYOL) subscription registration
resources for your account.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListRegisteredSubscriptionProviders"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "RegisteredSubscriptionProviders"
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProvidersRequest": {
 "type": "structure",
 "members": {
 "SubscriptionProviderSources": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSourceList",

```





```

 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "tags": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The metadata tags for the requested resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "EQUAL",
 "value": "Equal",
 "documentation": "Equal operator"
 },
 {
 "name": "NOT_EQUAL",
 "value": "NotEqual",
 "documentation": "Not equal operator"
 },
 {
 "name": "CONTAINS",
 "value": "Contains",
 "documentation": "Contains operator"
 }
],
 "smithy.api#length": {
 "min": 1,
 "max": 20
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration":
{
 "type": "string",
 "traits": {
 "smithy.api#enum": [

```

```

 {
 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled OrganizationIntegration"
 },
 {
 "name": "Disabled",
 "value": "Disabled",
 "documentation": "Disabled OrganizationIntegration"
 }
]
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Register the supported third-party subscription provider for your Bring Your Own License (BYOL) subscription.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/RegisterSubscriptionProvider"
 },
 "smithy.api#idempotent": {}
 }
}

```





```

 }
 },
 "SubscriptionProviderStatus": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderStatus",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of the registration action for the Linux
subscription provider \n\t\t\tthat you requested.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
},
"com.amazonaws.licensemanagerlinuxsubscriptions#RegisteredSubscriptionProvider":
{
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Linux subscription
provider resource that you registered.</p>"
 }
 },
 "SubscriptionProviderSource": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSource",
 "traits": {
 "smithy.api#documentation": "<p>A supported third-party Linux subscription provider. License
Manager currently supports \n\t\t\tRed Hat subscriptions.</p>"
 }
 },
 "SecretArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SecretArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Secrets Manager secret
that stores your registered Linux subscription provider \n\t\t\taccess token. For RHEL account subscriptions, this is
the offline token.</p>"
 }
 },
 "SubscriptionProviderStatus": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderStatus",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of your registered Linux subscription provider
access token \n\t\t\tfrom the last time License Manager retrieved subscription data. For RHEL account subscriptions,
\n\t\t\tthis is the status of the offline token.</p>"
 }
 },
 },
},

```

```

"SubscriptionProviderStatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A detailed message that's associated with your BYOL subscription
\n\t\t\tprovider token status.</p>"
 }
},
"LastSuccessfulDataRetrievalTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp from the last time that License Manager accessed
third-party subscription data \n\t\t\tfor your account from your registered Linux subscription provider.</p>"
 }
},
"traits": {
 "smithy.api#documentation": "<p>A third-party provider for operating system (OS) platform software and
license \n\t\t\tsubscriptions, such as Red Hat. When you register a third-party Linux subscription \n\t\t\tprovider,
License Manager can get subscription data from the registered provider.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#RegisteredSubscriptionProviderList":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisteredSubscriptionProvider"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Unable to find the requested Amazon Web Services resource.</p>",
 "smithy.api#error": "client"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#SecretArn": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^arn:[a-z0-9-\\.]{1,63}:secretsmanager:[a-z0-9-\\.]{0,63}:[a-z0-9-
\\.]{0,63}:secret:[^/]{1,1023}$"
 }
}

```

```

 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "InProgress",
 "value": "InProgress",
 "documentation": "InProgress status"
 },
 {
 "name": "Completed",
 "value": "Completed",
 "documentation": "Completed status"
 },
 {
 "name": "Successful",
 "value": "Successful",
 "documentation": "Successful status"
 },
 {
 "name": "Failed",
 "value": "Failed",
 "documentation": "Failed status"
 }
]
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 },
 "smithy.api#uniqueItems": {}
 }
 }
 }

```

```

 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
 "type": "map",
 "key": {
 "target": "smithy.api#String"
 },
 "value": {
 "target": "smithy.api#String"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the subscription.</p>"
 }
 },
 "Type": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.</p>"
 }
 },
 "InstanceCount": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An object which details a discovered Linux subscription.</p>"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn": {

```



```

"com.amazonaws.licensemanagerlinuxsubscriptions#TagKeyList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#sensitive": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#TagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Add metadata tags to the specified Amazon Web Services
resource.</p>",
 "smithy.api#http": {
 "method": "PUT",
 "uri": "/tags/{resourceArn}"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#TagResourceRequest": {
 "type": "structure",
 "members": {
 "resourceArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",

```





```

 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#documentation":
"<p>The request was denied due to request throttling.</p>",
 "smithy.api#error": "client"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Remove one or more metadata tag from the specified Amazon Web
Services resource.</p>",
 "smithy.api#http": {
 "method": "DELETE",
 "uri": "/tags/{resourceArn}"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "resourceArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Amazon Web Services
resource to remove the metadata tags from.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 }
 },
 "tagKeys": {

```

```
"target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>A list of metadata tag keys to remove from the requested\n\t\t\tresource.</p>",
 "smithy.api#httpQuery": "tagKeys",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
 }
},
"errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/UpdateServiceSettings"
 },

```

```

 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
 "smithy.api#required": {}
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated from.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowUpdate": {
 "target": "smithy.api#Boolean",
 "traits": {
 "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux subscriptions. If you\n allow updates, you can aggregate Linux subscription data in more than one home Region.</p>"
 }
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated from.</p>"
 }
 }
 }
}

```

```

 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
 }
 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n subscriptions.</p>"
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",
 "smithy.api#error": "client"
 }
}
}
}

```

GetLicense

Initialize stack step

spanInitializeStart

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

OperationInputValidation

spanInitializeEnd

Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
CheckoutBorrowLicense  
Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID

ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package grafana
```

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

```
// Assigns a Grafana Enterprise license to a workspace. To upgrade, you must use
// ENTERPRISE for the licenseType , and pass in a valid Grafana Labs token for the
// grafanaToken . Upgrading to Grafana Enterprise incurs additional fees. For more
// information, see [Upgrade a workspace to Grafana Enterprise].
//
```

```
// [Upgrade a workspace to Grafana Enterprise]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-Grafana-Enterprise.html
```

```
func (c *Client) AssociateLicense(ctx context.Context, params *AssociateLicenseInput, optFns ...func(*Options))
(*AssociateLicenseOutput, error) {
 if params == nil {
 params = &AssociateLicenseInput{}
```

```
 }

 result, metadata, err := c.invokeOperation(ctx,
 "AssociateLicense", params, optFns, c.addOperationAssociateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }
```

```
 out := result.(*AssociateLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}
```

```
type AssociateLicenseInput struct {
```

```
 // The type of license to associate with the workspace.
 //
```

```

// Amazon Managed Grafana workspaces no longer support Grafana Enterprise free
// trials.
//
// This member is required.
LicenseType types.LicenseType

// The ID of the workspace to associate the license with.
//
// This member is required.
WorkspaceId *string

// A token from Grafana Labs that ties your Amazon Web Services account with a
// Grafana Labs account. For more information, see [Link your account with Grafana Labs].
//
// [Link your account with Grafana Labs]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-
Grafana-Enterprise.html#AMG-workspace-register-enterprise
GrafanaToken *string

noSmithyDocumentSerde
}

type AssociateLicenseOutput
struct {

// A structure containing data about the workspace.
//
// This member is required.
Workspace *types.WorkspaceDescription

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{}, middleware.After)
if err != nil {
return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "AssociateLicense"); err != nil {

```



```

return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack,
options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack,

```

```

c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err !=
nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,

```

```
ServiceID: ServiceID,
OperationName: "AssociateLicense",
}
}
```

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

DeleteLicense

Initialize stack step

spanInitializeStart

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

OperationInputValidation

spanInitializeEnd

Serialize stack step

spanBuildRequestStart

setOperationInput

ResolveEndpoint

OperationSerializer

Build stack step

ClientRequestID

ComputeContentLength

UserAgent

AddTimeOffsetMiddleware

RecursionDetection

spanBuildRequestEnd

Finalize stack step

ResolveAuthScheme

GetIdentity

ResolveEndpointV2

disableHTTPS

ComputePayloadHash

```

spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists received licenses.
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns
...func(*Options)) (*ListReceivedLicensesOutput, error) {
 if params == nil {
 params = &ListReceivedLicensesInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,
c.addOperationListReceivedLicensesMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*ListReceivedLicensesOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type ListReceivedLicensesInput struct {

```



```

// Filters to scope the results. The following filters are supported:
//
// - ProductSKU
//
// - Status
//
//
// - Fingerprint
//
// - IssuerName
//
// - Beneficiary
Filters []types.Filter

// Amazon Resource Names (ARNs) of the licenses.
LicenseArns []string

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListReceivedLicensesOutput struct {

// Received license details.
Licenses []types.GrantedLicense

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err
error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{}, middleware.After)
if err != nil {
return err
}

```

```

}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{ },
middleware.After)
if err != nil {
 return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "ListReceivedLicenses"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err =
addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {

```

```

 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err !=
nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opListReceivedLicenses(region string)
*awsmiddleware.RegisterServiceMetadata {

```

```

return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "ListReceivedLicenses",
}
}
{
 "smithy": "2.0",
 "metadata": {
 "suppressions": [
 {
 "id": "HttpMethodSemantics",
 "namespace": "*"
 },
 {
 "id": "HttpStatusCodeSemantics",
 "namespace": "*"
 },
 {
 "id": "PaginatedTrait",
 "namespace": "*"
 },
 {
 "id": "HttpHeaderTrait",
 "namespace": "*"
 },
 {
 "id": "HttpUriConflict",
 "namespace": "*"
 },
 {
 "id": "Service",
 "namespace": "*"
 }
]
 },
 "shapes": {
 "com.amazonaws.licensemanager#AWSLicenseManager": {
 "type": "service",
 "version": "2018-08-01",
 "operations": [
 {
 "target": "com.amazonaws.licensemanager#AcceptGrant"
 },
 {
 "target": "com.amazonaws.licensemanager#CheckInLicense"
 },
]
 }
 }
}

```

```

{
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
},
{
 "target": "com.amazonaws.licensemanager#CheckoutLicense"
},
{
 "target": "com.amazonaws.licensemanager#CreateGrant"
},
{
 "target": "com.amazonaws.licensemanager#CreateGrantVersion"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicense"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
},
{
 "target": "com.amazonaws.licensemanager#CreateToken"
},
{
 "target": "com.amazonaws.licensemanager#DeleteGrant"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicense"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#DeleteToken"
},
{
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
}

```

```

},
{
 "target": "com.amazonaws.licensemanager#GetAccessToken"
},
{
 "target": "com.amazonaws.licensemanager#GetGrant"
},
{
 "target": "com.amazonaws.licensemanager#GetLicense"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseUsage"
},
{
 "target": "com.amazonaws.licensemanager#GetServiceSettings"
},
{
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#ListDistributedGrants"
},
{
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenses"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
}

```

```

},
{
 "target": "com.amazonaws.licensemanager#ListLicenseVersions"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedGrants"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
},
{
 "target": "com.amazonaws.licensemanager#ListResourceInventory"
},
{
 "target": "com.amazonaws.licensemanager#ListTagsForResource"
},
{
 "target": "com.amazonaws.licensemanager#ListTokens"
},
{
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#RejectGrant"
},
{
 "target": "com.amazonaws.licensemanager#TagResource"
},
{
 "target": "com.amazonaws.licensemanager#UntagResource"
},
{
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
},
{

```

```

 "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
 }
],
"traits": {
 "aws.api#service": {
 "sdkId": "License Manager",
 "arnNamespace": "license-manager",
 "cloudFormationName": "LicenseManager",
 "cloudTrailEventSource": "licensemanager.amazonaws.com",
 "endpointPrefix": "license-manager"
 },
 "aws.auth#sigv4": {
 "name": "license-manager"
 },
 "aws.protocols#awsJson1_1": {},
 "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n Amazon Web Services accounts and on-premises servers.</p>",
 "smithy.api#title": "AWS License Manager",
 "smithy.api#xmlNamespace": {
 "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
 },
 "smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {

```



```

 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
},
"rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
 },
 {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 }
],
"conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]

```

```

],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
},
{
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
]
},
{
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
]
 },
 {
 "assign": "PartitionResult"
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",

```

"UseFIPS"

```
 "argv": [
 {
 "ref":
 "UseDualStack",
 },
 true
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
],
 }
]
 }
]
}
```

```

"supportsDualStack"
]
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}

 },
 "type": "endpoint"
 }
],
 {
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
 }
],
{
 "conditions": [
 {
 "fn": "booleanEquals",

 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {

```

```

 "fn": "booleanEquals",
 "argv": [
 true,
],
 },
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
],
 },
],
"type": "tree",
"rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 },
 {
 "conditions": [],
 "error": "FIPS is enabled but this
partition does not support FIPS",
 "type": "error"
 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
],
 }
],
 }
],

```

```

 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 }
],
 }
],
 }
],
 "supportsDualStack"
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 {
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
 }
],
{
 "conditions": [],
 "endpoint": {

```

```

 "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
]
}
]
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.af-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "af-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",

```

```

 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
},
{
 "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-south-1",
 "UseFIPS": false,

```



```

 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-1.amazonaws.com"
 }
 }
},
{
 "params": {
 "Region": "ap-southeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-2.amazonaws.com"
 }
 }
},
{
 "params": {
 "Region": "ap-southeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-3.amazonaws.com"
 }
 }
},
{
 "params": {
 "Region": "ap-southeast-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {

```

```

 "url": "https://license-manager.ca-central-1.amazonaws.com"
 }
},

"params": {
 "Region": "ca-central-1",
 "UseFIPS": false,
 "UseDualStack": false
}
},
{
 "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-central-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-central-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-north-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region":
"eu-south-1",
 "UseFIPS": false,

```

```

 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {

```

```

 "url": "https://license-manager.me-south-1.amazonaws.com"
 }
},
"params": {
 "Region": "me-south-1",
 "UseFIPS": false,
 "UseDualStack": false
}
},
{
 "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.sa-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "sa-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
}

```

```

 },
 {
 "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region
us-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-1.amazonaws.com"
 }
 }
 }
]
}

```

```

 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 }
}

```

```

 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-northwest-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 }
 }

```

```

 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {

```



```

 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation":
 "For region us-gov-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.api.aws"
 }
 },
 },

```

```

"params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {

```

```

 "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
 }
},
"params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
}
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled
but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",

```

```

 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },

 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",

 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,

```

```

 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
],
"version": "1.0"
}
},
"com.amazonaws.licensemanager#AcceptGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
 },
 "output": {

```

```

 "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
 },
 "com.amazonaws.licensemanager#AcceptGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#AcceptGrantResponse": {
 "type": "structure",
 "members": {

```

```

 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant
ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#AccessDeniedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ServiceAccessDenied",
 "httpResponseCode": 401
 },
 "smithy.api#documentation": "<p>Access to resource denied.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 401
 }
 },
 "com.amazonaws.licensemanager#ActivationOverrideBehavior": {
 "type": "enum",
 "members": {
 "DISTRIBUTED_GRANTS_ONLY": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
 }
},
"ALL_GRANTS_PERMITTED_BY_ISSUER": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
 }
}
},
"com.amazonaws.licensemanager#AllowedOperation": {
 "type": "enum",
 "members": {
 "CREATE_GRANT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateGrant"
 }
 },
 "CHECKOUT_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutLicense"
 }
 },
 "CHECKOUT_BORROW_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutBorrowLicense"
 }
 },
 "CHECK_IN_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckInLicense"
 }
 },
 "EXTEND_CONSUMPTION_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ExtendConsumptionLicense"
 }
 },
 "LIST_PURCHASED_LICENSES": {
 "target": "smithy.api#Unit",

```



```

 "traits": {
 "smithy.api#enumValue": "ListPurchasedLicenses"
 }
 },
 "CREATE_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateToken"
 }
 }
},
"com.amazonaws.licensemanager#AllowedOperationList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#AllowedOperation"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max":
7
 }
 }
},
"com.amazonaws.licensemanager#Arn": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 2048
 },
 "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d))?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[A-Za-
z0-9_/.-]{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9:/+=,@.-]{0,1023}$"
 }
},
"com.amazonaws.licensemanager#ArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 }
},
"com.amazonaws.licensemanager#AuthorizationException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 }
}

```

```

 },
 "traits": {
 "aws.protocols#awsQueryError":
 {
 "code": "AuthorizationFailure",
 "httpResponseCode": 403
 },
 "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to
perform the action. Check the IAM\n policy associated with this account.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 403
 }
},
"com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
 "type": "structure",
 "members": {
 "LastRunTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes automated discovery.</p>"
 }
},

"com.amazonaws.licensemanager#Boolean": {
 "type": "boolean",
 "traits": {
 "smithy.api#default": false
 }
},
"com.amazonaws.licensemanager#BorrowConfiguration": {
 "type": "structure",
 "members": {
 "AllowEarlyCheckIn": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",

```

```

 "smithy.api#required": {}
 }
}

},
 "traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
 }
},
 "com.amazonaws.licensemanager#BoxBoolean": {
 "type": "boolean"
 },
 "com.amazonaws.licensemanager#BoxInteger": {
 "type": "integer"
 },
 "com.amazonaws.licensemanager#BoxLong": {
 "type": "long"
 },
 "com.amazonaws.licensemanager#CheckInLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
 }
},
"com.amazonaws.licensemanager#CheckInLicenseRequest":
{
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CheckInLicenseResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicense":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
 },

```

```

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
 "type": "structure",
 "members":
{
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must

```

```

use the borrow consumption configuration.</p>",
 "smithy.api#required": {}
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
 "smithy.api#required": {}
 }
 },
 "DigitalSignatureMethod": {
 "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
 "traits": {
 "smithy.api#documentation": "<p>Digital signature method. The possible
value is JSON Web Signature (JWS) algorithm PS384.\n For more information, see RFC 7518 Digital Signature with RSASSA-PSS.</p>",
 "smithy.api#required": {}
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
 "type": "structure",
 "members": {

```

```

"LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
},
"LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
},
"EntitlementsAllowed":
{
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
},
"NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
},
"SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
},
"IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
 }
},
"Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
 }
},
"CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CheckoutLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 },

```



```

 "traits": {
 "smithy.api#documentation": "<p>Checks out the specified license.</p>\n <note>\n <p>If the
account that created the license is the same that is performing the check out, you must\n specify the account
as the beneficiary.</p>\n </note>"
 }
 },
 "com.amazonaws.licensemanager#CheckoutLicenseRequest": {
 "type": "structure",
 "members": {
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
SKU.</p>",
 "smithy.api#required": {}
 }
 },
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>",
 "smithy.api#required": {}
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 }
},
"traits": {

"smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicenseResponse": {
 "type": "structure",
 "members": {
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>"
 }
 },
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 },
 "EntitlementsAllowed": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
 },
 "SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 }
 }
}

```

```

 }
 },
 "IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CheckoutType": {
 "type": "enum",
 "members": {
 "PROVISIONAL": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PROVISIONAL"
 }
 },
 "PERPETUAL": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PERPETUAL"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#ClientRequestToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,

```

```

 "max": 36
 }
}
},
"com.amazonaws.licensemanager#ClientToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 2048
 },
 "smithy.api#pattern": "^\\S+$"
 }
},
"com.amazonaws.licensemanager#ConflictException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ConflictException",
 "httpResponseCode":
409
 },
 "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 409
 }
},
"com.amazonaws.licensemanager#ConsumedLicenseSummary": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
 }
 }
}

```

```

 },

 "traits": {
 "smithy.api#documentation": "<p>Details about license consumption.</p>"
 }
},
"com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
 }
},
"com.amazonaws.licensemanager#ConsumptionConfiguration": {
 "type": "structure",
 "members": {
 "RenewType": {
 "target": "com.amazonaws.licensemanager#RenewType",
 "traits": {
 "smithy.api#documentation": "<p>Renewal frequency.</p>"
 }
 },
 "ProvisionalConfiguration": {
 "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
 },
 "BorrowConfiguration": {
 "target": "com.amazonaws.licensemanager#BorrowConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantResponse"
 },
 "errors": [
 {

```

```

 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href='\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrantRequest": {
 "type": "structure",
 "members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Principals": {
 "target": "com.amazonaws.licensemanager#PrincipalArnList",
 "traits": {
 "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an Amazon Resource Name (ARN):</p>\n \n \n <p>An Amazon Web Services account, which includes only the account specified.</p>\n \n \n \n \n <p>An organizational unit (OU), which includes all accounts in the OU.</p>\n \n \n \n <p>An organization, which will include all accounts across your organization.</p>\n \n ",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
 "smithy.api#required": {}
 }
 },
 },
 "traits": {
 "smithy.api#input": {}
 }
},

"com.amazonaws.licensemanager#CreateGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Grant ARN.</p>"
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateGrantVersion":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
}

```



```

 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information, see\n Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrantVersionRequest": {
 "type": "structure",
 "members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 }
 }
 },
 "smithy.api#required": {}
},
"GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
},
"GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>"
 }
},
"AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
},

```

```

 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the grant.</p>"
 }
 },
 "Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateGrantVersionResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the grant.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#CreateLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a license configuration.</p>\n <p>A license configuration is an abstraction of a customer license agreement that can be\n consumed and enforced by License Manager. Components include specifications for the license\n type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a \n license must be associated with a host), and the number of licenses purchased and used.</p>"
 }
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used. Exceeding a hard limit\n blocks the launch of new instances.</p>"
 }
 },
 "LicenseRules": {
 "target":
"com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example, #allowedTenancy=EC2-DedicatedHost). The available rules \n vary by dimension, as follows.</p>\n
\n \n <p>\n <code>Cores</code> dimension: <code>allowedTenancy</code> |\n
 <code>licenseAffinityToHost</code> |\n <code>maximumCores</code> |\n
 <code>minimumCores</code>\n </p>\n \n \n <p>\n <code>Instances</code> dimension: <code>allowedTenancy</code> |\n <code>maximumCores</code> |\n
 <code>minimumCores</code> |\n <code>maximumSockets</code> | <code>minimumSockets</code> |\n
 <code>maximumVcpus</code> | <code>minimumVcpus</code>\n </p>\n \n
 <p>\n <code>Sockets</code> dimension: <code>allowedTenancy</code> |\n
 <code>licenseAffinityToHost</code> |\n <code>maximumSockets</code> |\n
 <code>minimumSockets</code>\n </p>\n \n \n <p>\n <code>vCPUs</code> dimension: <code>allowedTenancy</code> |\n
 <code>honorVcpuOptimization</code> |\n <code>maximumVcpus</code> |\n
 <code>minimumVcpus</code>\n </p>\n \n \n <p>The unit for
 <code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible \n values for
 <code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and \n
 <code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are \n
 <code>True</code> and <code>False</code>.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",

```

```

 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
{
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
 }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting the license type for.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting from. \n\n For the structure of the source license, see Convert a license type using the CLI in the <i>License Manager User Guide</i>.</p>",
 "smithy.api#required": {}
 }
 },
 "DestinationLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting to. For the structure of the destination license, see Convert a license type using the CLI in the <i>License Manager User Guide</i>.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

 "traits": {
 "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {

```



```

 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Creates a report generator.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "ReportGeneratorName":
 {
 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
 },
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be
generated:</p>\n \n \n <p>License configuration report - Reports the number and
details of consumed licenses for a license configuration.</p>\n \n \n <p>Resource
report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n \n
 ",
 "smithy.api#required": {}
 }
 }
},
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>Defines the type of license configuration the report generator
tracks.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be
generated daily, monthly, or weekly.</p>",
 "smithy.api#required": {}
 }
 }
}

```

```

 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique,
case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>",
 "smithy.api#required": {}
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region for the license.</p>",
 "smithy.api#required": {}
 }
 }
},
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 }
}

```

```

 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
 "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {

```

```

 "smithy.api#documentation": "<p>License status.</p>"
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseVersion": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
},

```

```

 "traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target":
"com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>",
 "smithy.api#required": {}
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-

```

```

UTC format.</p>",
 "smithy.api#required": {}
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>"
 }
 }
}

```

```

 },
 "traits": {

"smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output":
 }
 },
 "com.amazonaws.licensemanager#CreateToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
],
 },

```



```

 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
],
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n <p>A refresh token is a JWT token used to get an access token. With an access token,\n you can call AssumeRoleWithWebIdentity to get role credentials that you can use to \n call License Manager to manage the specified license.</p>"
},
},
"com.amazonaws.licensemanager#CreateTokenRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n JWT token.</p>",
 "smithy.api#required": {}
 }
 },
 },
 "RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the token.\n License Manager does not check whether the roles are in use.</p>"
 }
 },
 },
 "ExpirationInDays": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The
default is 365 days.</p>"
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The
data is mapped\nto the amr claim of the JWT token.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#CreateTokenResponse": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
 },
 "TokenType": {
 "target": "com.amazonaws.licensemanager#TokenType",
 "traits": {
 "smithy.api#documentation": "<p>Token type.</p>"
 }
 },
 "Token": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#DateTime": {
 "type": "timestamp"
 },
 "com.amazonaws.licensemanager#DatetimeRange": {
 "type": "structure",
 "members": {
 "Begin": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Start of the time range.</p>",
 "smithy.api#required": {}
 }
 },
 "End": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>End of the time range.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
 }
 },
 "com.amazonaws.licensemanager#DeleteGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
}
},
"com.amazonaws.licensemanager#DeleteGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the
grant.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes the specified license.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
 },
},

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n <p>You cannot delete a license configuration that is in use.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
 "type": "structure",
 "members":

```

```

{
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n <p>This action
deletes the report generator, which stops it from generating future reports.\n The action cannot be reversed. It
has no effect on the previous reports from this generator.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be
deleted.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",

```



```

 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>",
 "smithy.api#required":
 {}
 }
},
"traits": {
 "smithy.api#input": {}
},
"com.amazonaws.licensemanager#DeleteLicenseResponse": {
 "type": "structure",
 "members": {
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "DeletionDate": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
 },
 "com.amazonaws.licensemanager#DeleteTokenRequest": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteTokenResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DigitalSignatureMethod": {
 "type": "enum",
 "members": {
 "JWT_PS384": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "JWT_PS384"
 }
 },
 "com.amazonaws.licensemanager#Entitlement": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#Long",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
 }
 },
 "Overage": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement unit.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowCheckIn": {
 "target":
"com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
 }
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
 }
},
"com.amazonaws.licensemanager#EntitlementData": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement
data value.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data unit.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
 }
},
"com.amazonaws.licensemanager#EntitlementDataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementData"
 }
},
"com.amazonaws.licensemanager#EntitlementDataUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

"smithy.api#enumValue": "Count"
 }
 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes"
 }
 },
 "KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
 },
 "MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
 },
 "GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "Gigabytes"
 }
},
"TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
},
"BITS":
{
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits"
 }
},
"KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits"
 }
},
"MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
},
"GIGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
},
"TERABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
}
},
"PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
},
"BYTES_PER_SECOND": {

```

```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
 },
 "KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
 },
 "MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
 },
 "GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
 },
 "TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes/Second"
 }
 },
 "BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
 },
 "KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
 },
 "MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue":
"Megabits/Second"
 }
 },

```

```

 "GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
 },
 "TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
 },
 "COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
 }
 },
 "com.amazonaws.licensemanager#EntitlementList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Entitlement"
 }
 },
 "com.amazonaws.licensemanager#EntitlementNotAllowedException": {
 {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#EntitlementUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count"
 }
 }
 }
 }
 }
}

```



```

 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS":
 {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes"
 }
 },
 "KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
 },
 "MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
 },
 "GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes"
 }
 }
}

```

```

 }
 },
 "TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
 },
 "BITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits"
 }
 },
 "KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {

 "smithy.api#enumValue": "Kilobits"
 }
 },
 "MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
 },
 "GIGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
 },
 "TERABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
 },
 "PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
 },
 "BYTES_PER_SECOND": {
 "target":

```

```

"smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
},
"KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
},
"MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
},
"GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
},
"TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {

"smithy.api#enumValue": "Terabytes/Second"
 }
},
"BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
},
"KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
},
"MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits/Second"
 }
},

```

```

"GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
},

"TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
},

"COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
}
},

"com.amazonaws.licensemanager#EntitlementUsage": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement usage name.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumedValue": {
 "target": "com.amazonaws.licensemanager#String",

 "traits": {
 "smithy.api#documentation": "<p>Resource usage consumed.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
 "smithy.api#required": {}
 }
}
},
"traits": {
 "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
}
},
"com.amazonaws.licensemanager#EntitlementUsageList":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementUsage"
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumption": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {

```

```

 "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "DryRun": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},

```

```

"com.amazonaws.licensemanager#FailedDependencyException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 },
 "ErrorCode": {
 "target": "com.amazonaws.licensemanager#String"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "FailedDependency",
 "httpResponseCode": 424
 },
 "smithy.api#documentation":
 "<p>A dependency required to run the API is missing.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 424
 }
},
"com.amazonaws.licensemanager#Filter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#FilterName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
 }
 },
 "Values": {
 "target": "com.amazonaws.licensemanager#FilterValues",
 "traits": {
 "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only specify one value for the filter.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter name and value pair that is used to return more specific results from a\n describe operation. Filters can be used to match a set of resources by specific criteria,\n such as tags, attributes, or IDs.</p>"
 }
},
"com.amazonaws.licensemanager#FilterLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {

```

```

 "target": "com.amazonaws.licensemanager#Message"
 }
},
"traits": {
 "aws.protocols#awsQueryError": {
 "code": "FilterLimitExceeded",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
}
},
"com.amazonaws.licensemanager#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter"
 }
},
"com.amazonaws.licensemanager#FilterName": {
 "type": "string"
},
"com.amazonaws.licensemanager#FilterValue": {
 "type": "string"
},
"com.amazonaws.licensemanager#FilterValues": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#FilterValue",
 "traits": {
 "smithy.api#xmlName": "item"
 }
 }
},
"com.amazonaws.licensemanager#Filters": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter",
 "traits": {
 "smithy.api#xmlName": "item"
 }
 }
},
"com.amazonaws.licensemanager#GetAccessToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
 },

```



```

"output": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets a temporary access token to use with
AssumeRoleWithWebIdentity. Access
tokens\n are valid for one hour.</p>"
 }
},
"com.amazonaws.licensemanager#GetAccessTokenRequest": {
 "type": "structure",
 "members": {
 "Token": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
 "smithy.api#required": {}
 }
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},

```

```

"com.amazonaws.licensemanager#GetAccessTokenResponse":
{
 "type": "structure",
 "members": {
 "AccessToken": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Temporary access token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {

```

```

 "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#GetGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetGrantResponse": {
 "type": "structure",
 "members": {
 "Grant": {
 "target": "com.amazonaws.licensemanager#Grant",
 "traits": {
 "smithy.api#documentation": "<p>Grant details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseResponse"
 },
 "errors": [

```

```

 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
}

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license
configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 }
 }
 }
}

```

```

 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",

 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License configuration status.</p>"
 }
 },
},
"OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
 }
},
"ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
 }
 },
 "ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#GetLicenseConversionTask": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
 }
 },

```

```

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information on.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
 }
 }
 },
 "ResourceArn": {

```



```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license
conversion task is associated with.</p>"
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information
about the license type converted from.</p>"
 }
 },
 "DestinationLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
 }
 },
 "StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
 }
 },
 "LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
 }
 },
 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was

```

```

completed.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
 }
},

```

```

"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
 "smithy.api#required": true
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "ReportGenerator": {
 "target": "com.amazonaws.licensemanager#ReportGenerator",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": true
 }
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseResponse": {
 "type": "structure",
 "members": {
 "License": {
 "target": "com.amazonaws.licensemanager#License",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseUsage": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
 }
}

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetLicenseUsageRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseUsageResponse": {
 "type": "structure",
 "members": {
 "LicenseUsage": {
 "target":
"com.amazonaws.licensemanager#LicenseUsage",
 "traits": {
 "smithy.api#documentation": "<p>License usage details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#GetServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
}
},
"com.amazonaws.licensemanager#GetServiceSettingsRequest": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data,
discovery data,\n and so on.</p>"
 }
 }
 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n cross-account discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
 },
 "LicenseManagerResourceShareArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License
Manager management account \n provides member accounts with access to this share.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#Grant": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
 },
 "ParentArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Parent ARN.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },

```

```

 "GranteePrincipalArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The grantee principal ARN.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantStatus": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Granted operations.</p>",
 "smithy.api#required": {}
 }
 },
 "Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
 }
 }
}

```



```

 },
 "traits": {
 "smithy.api#documentation":
"<p>Describes a grant.</p>"
 }
 },
 "com.amazonaws.licensemanager#GrantList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Grant"
 }
 },
 "com.amazonaws.licensemanager#GrantStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_ACCEPT"
 }
 },
 "REJECTED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 }
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 },
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 },
 "WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
 }
},
"com.amazonaws.licensemanager#GrantedLicense": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
 },
 "ProductSKU": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {
 "smithy.api#documentation": "<p>Granted license issuer.</p>"
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>Granted license status.</p>"
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in ISO8601-UTC format.</p>"
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
 }
}

```

```

 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Granted license metadata.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
 }
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Version of the granted license.</p>"
 }
 },
 "ReceivedMetadata": {
 "target": "com.amazonaws.licensemanager#ReceivedMetadata",
 "traits": {
 "smithy.api#documentation": "<p>Granted license received metadata.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
 },
 "com.amazonaws.licensemanager#GrantedLicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#GrantedLicense"
 }
 },
 "com.amazonaws.licensemanager#ISO8601DateTime":
 {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^(-(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|[1-2][0-9])T(2[0-3]|0[0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(?:Z|[-+](?:2[0-3]|0[0-9]):[0-5][0-9])+$)"
 }
 }

```

```

 },
 "com.amazonaws.licensemanager#Integer": {
 "type": "integer"
 },
 "com.amazonaws.licensemanager#InvalidParameterValueException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidParameterValueProvided",
 "httpResponseCode": 400
 },
 "smithy.api#documentation":
 "<p>One or more parameter values are not valid.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#InvalidResourceStateException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResourceState",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its
state. </p>\n <p>For example, you cannot allocate a license to an instance in the process of shutting\n
down.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#InventoryFilter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Name of the filter.</p>",
 "smithy.api#required": {}
 }
},
"Condition": {
 "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
 "traits": {
 "smithy.api#documentation": "<p>Condition of the filter.</p>",
 "smithy.api#required": {}
 }
},
"Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Value of the filter.</p>"
 }
}
},
"traits": {
 "smithy.api#documentation": "<p>An inventory filter.</p>"
}
},
"com.amazonaws.licensemanager#InventoryFilterCondition": {
 "type": "enum",
 "members": {
 "EQUALS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EQUALS"
 }
 },
 "NOT_EQUALS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "NOT_EQUALS"
 }
 },
 "BEGINS_WITH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "BEGINS_WITH"
 }
 },
 "CONTAINS": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "CONTAINS"
 }
 }
 },
 "com.amazonaws.licensemanager#InventoryFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#InventoryFilter"
 }
 },
 "com.amazonaws.licensemanager#Issuer": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>",
 "smithy.api#required": {}
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#IssuerDetails": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>"
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n and support the RSASSA-PSS SHA-256 signing

```

```

algorithm.</p>"
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
 }
},
"com.amazonaws.licensemanager#License": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>"
 }
 }
 },

```



```

 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

 "smithy.api#documentation": "<p>Home Region of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 },
 "Entitlements": {

 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>License metadata.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {

```

```

 "smithy.api#documentation": "<p>License
creation time.</p>"
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseConfiguration": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
 }
 }
 },

```

```

"LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
},
"LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 }
},
"LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
 }
},
"DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
},
"ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license configuration.</p>"
 }
},
"OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
 }
},
"ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
 }
}

```

```

 }
 },
 "ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be\n consumed and enforced by License Manager. Components include specifications for the license\n type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM\n must be associated with a host), and the number of licenses purchased and used.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
 "type": "structure",
 "members": {
 "ResourceArn":
 {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of server resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource
consuming licenses.</p>"
 }
 },
 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
 }
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
 }
 },
 "com.amazonaws.licensemanager#LicenseConfigurationStatus": {
 "type": "enum",
 "members":
 {
 "AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 }
 }
 },

```

```

"com.amazonaws.licensemanager#LicenseConfigurationUsage": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 },
 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time when the license configuration was initially associated with
the resource.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license
configuration.</p>"
 }
 },

```

```

"com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
 }
},
"com.amazonaws.licensemanager#LicenseConfigurations": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfiguration"
 }
},
"com.amazonaws.licensemanager#LicenseConversionContext": {
 "type": "structure",
 "members": {
 "UsageOperation": {
 "target": "com.amazonaws.licensemanager#UsageOperation",
 "traits": {
 "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you
are converting your resource from. For more information about which platforms correspond to which usage
operation values see <a href='\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-
fields.html#billing-info\">Sample data: usage operation by platform\\n \\n </p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseConversionTask": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\\n conversion task.</p>"
 }
 }
 },
 "SourceLicenseContext": {

```

```

 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
 }
 },
 "DestinationLicenseContext": {
 "target":
"com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>The status of the conversion task.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
 },
 "StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
 }
 },
 "LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
 }
 },
 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
 }
 }
},
"traits": {

```



```

 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConversionTaskId": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^\\p{Ll}t-[a-zA-Z0-9]*$"
 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
 "type": "enum",
 "members": {
 "IN_PROGRESS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "IN_PROGRESS"
 }
 },
 "SUCCEEDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUCCEEDED"
 }
 },
 "FAILED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTasks": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTask"
 }
 },
 "com.amazonaws.licensemanager#LicenseCountingType": {
 "type": "enum",
 "members": {
 "VCPU": {

```

```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "vCPU"
 }
 },
 "INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Instance"
 }
 },
 "CORE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Core"
 }
 },
 "SOCKET": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Socket"
 }
 }
},
"com.amazonaws.licensemanager#LicenseDeletionStatus": {
 "type": "enum",
 "members": {
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
 }
},
"com.amazonaws.licensemanager#LicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#License"
 }
},

```

```

"com.amazonaws.licensemanager#LicenseOperationFailure": {

 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type.</p>"
 }
 },
 "ErrorMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Error message.</p>"
 }
 },
 "FailureTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Failure time.</p>"
 }
 },
 "OperationName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the operation.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource.</p>"
 }
 },
 "OperationRequestedBy": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
 }
 }
 }
}

```

```

"MetadataList": {

 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Reserved.</p>"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
},
"com.amazonaws.licensemanager#LicenseOperationFailureList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
 }
},
"com.amazonaws.licensemanager#LicenseSpecification": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",

 "smithy.api#required": {}
 }
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseSpecifications": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseSpecification"
 }
},

```

```

"com.amazonaws.licensemanager#LicenseStatus": {
 "type": "enum",
 "members": {
 "AVAILABLE": {
 "target": "smithy.api#Unit",

 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 },
 "PENDING_AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_AVAILABLE"
 }
 },
 "DEACTIVATED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DEACTIVATED"
 }
 },
 "SUSPENDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUSPENDED"
 }
 },
 "EXPIRED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EXPIRED"
 }
 },

 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
 }
}

```

```

 },
 "com.amazonaws.licensemanager#LicenseUsage": {
 "type": "structure",
 "members": {
 "EntitlementUsages": {
 "target": "com.amazonaws.licensemanager#EntitlementUsageList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlement usages.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#LicenseUsageException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "LicenseUsageFailure",
 "httpResponseCode": 412
 },
 "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource launch.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 412
 }
 },
 "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 }
]
 }
 }

```

```

 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the resource associations for the
specified license configuration.</p>\n <p>Resource associations need not consume licenses from a license
configuration. \n For example, an AMI or a stopped instance might not consume a license (depending on \n
the license rules).</p>"
}
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationAssociations": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListDistributedGrants": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 }
]
 }
 }
}

```



```

 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
 "type": "structure",
 "members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n \n <p>\n <code>GranteePrincipalARN</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>LicenseIssuerName</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",

"traits": {
 "smithy.api#documentation": "<p>Distributed grant details.</p>"
}
},
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
 }
}

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":
{
 "type": "structure",
 "members": {
 "LicenseOperationFailureList": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
 "traits": {
 "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
 },

 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
 }
 }
 }
 }

```

```

 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n
<code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
<code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n
<code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
enforcement is used. \n Logical operators are <code>EQUALS</code> |
<code>NOT_EQUALS</code>.</p>\n \n \n <p>\n
<code>usagelimitExceeded</code> - A Boolean value that
indicates whether the available licenses have been exceeded. \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n "
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurations": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasks": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
 "type": "structure",
 "members": {
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {

```

```

 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {

"smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>\n Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n </p>"
 }
 }
},
 "traits": {
 "smithy.api#input": {}
 }
},
 "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTasks": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
 },
 "errors": [

```

```

 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
{
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n \n \n <p>\n <code>LicenseConfigurationArn</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },

```



```

 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits":
 {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
 "type": "structure",
 "members": {
 "ReportGenerators": {
 "target": "com.amazonaws.licensemanager#ReportGeneratorList",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an
associated license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseSpecifications": {

```

```

 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseVersions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
 "type": "structure",
 "members": {

```

```

"LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
},
"NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
},
"MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
},
"traits": {
 "smithy.api#input": {}
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenses": {
 "type": "operation",
 "input": {

```

```

 "target": "com.amazonaws.licensemanager#ListLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicensesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>Fingerprint</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n "
 }
 }
}

```

```

 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token
for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicensesResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrants": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
 }
 },

```

```

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the\n recipient as this Amazon Web Services account, your organization, or an organizational unit\n (OU) to which this member account belongs.</p>"
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
}
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
 "smithy.api#required": {}
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n
 \n
 \n
 <p>\n
 <code>ParentArn</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>GranteePrincipalArn</code>\n
 </p>\n
 \n
 "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 }
}

```



```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
 {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
 "type": "structure",
 "members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>LicenseIssuerName</code>\n </p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n \n <p>\n <code>GranterAccountId</code>\n </p>\n \n "
 }
 },
 "NextToken": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",
 "traits": {
 "smithy.api#documentation": "<p>Received grant details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicenses": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists received licenses.</p>"
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
 \n
 \n
 <p>\n
 <code>ProductSKU</code>\n
 \n
 \n
 <p>\n
 <code>Status</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>Fingerprint</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>IssuerName</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>Beneficiary</code>\n
 </p>\n
 \n
 "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",
 "traits": {
 "smithy.api#documentation": "<p>Received license details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListResourceInventory": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FailedDependencyException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
}
},
"com.amazonaws.licensemanager#ListResourceInventoryRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#InventoryFilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>account_id</code>
- The ID of the Amazon Web Services account that owns the resource.\n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>application_name</code> - The name of the
application. \n Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n \n \n <p>\n <code>license_included</code> - The type of license included. \n Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.\n Possible values
are <code>sql-server-enterprise</code> | \n <code>sql-server-standard</code> | \n <code>sql-
server-web</code> | \n <code>windows-server-datacenter</code>.</p>\n \n \n <p>\n <code>platform</code> - The platform of the resource.\n Logical operators are
<code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n \n \n <p>\n <code>resource_id</code> - The ID of the resource. \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>tag:<key></code> - The key/value combination of a tag assigned \n to the resource. Logical
operators are <code>EQUALS</code> (single account) or\n <code>EQUALS</code> |
<code>NOT_EQUALS</code> (cross account).</p>\n \n "
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListResourceInventoryResponse": {
 "type": "structure",
 "members": {
 "ResourceInventoryList": {
 "target": "com.amazonaws.licensemanager#ResourceInventoryList",
 "traits": {
 "smithy.api#documentation": "<p>Information
about the resources.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListTagsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]
}

```



```

 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#ListTagsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the tags.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListTokens": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListTokensRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListTokensResponse"
 },

```

```

"errors":
[
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists your tokens.</p>"
}
},
"com.amazonaws.licensemanager#ListTokensRequest": {
 "type": "structure",
 "members": {
 "TokenIds": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Token IDs.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
 \n
 \n
 <p>\n
 <code>LicenseArns</code>\n
 </p>\n
 \n
 "
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",

```

```

 "traits": {
 "smithy.api#documentation":
 "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListTokensResponse": {
 "type": "structure",
 "members": {
 "Tokens": {
 "target": "com.amazonaws.licensemanager#TokenList",
 "traits": {
 "smithy.api#documentation": "<p>Received token details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying
license\n consumption details by resource at a selected point in time. Use this action to audit the\n current
license consumption for any license inventory and configuration.</p>"
 },
 "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>resourceArn</code> - The ARN of the license configuration resource.\n Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>resourceType</code> - The resource type

```

(`EC2_INSTANCE` | `EC2_HOST` | `EC2_AMI` | `SYSTEMS_MANAGER_MANAGED_INSTANCE`). \n Logical operators are `EQUALS` | `NOT_EQUALS`.

`resourceAccount` - The ID of the account that owns the resource. \n Logical operators are `EQUALS` | `NOT_EQUALS`.

```

 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {

 "LicenseConfigurationUsageList": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#Location": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#Long": {
 "type": "long"
 },
 "com.amazonaws.licensemanager#ManagedResourceSummary": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
 }
 }
 }
 }
}

```

```

 },
 "AssociationCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
 },
 "com.amazonaws.licensemanager#ManagedResourceSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
 }
 },
 "com.amazonaws.licensemanager#MaxSize100": {
 "type": "integer",
 "traits": {
 "smithy.api#range": {
 "min": 1,
 "max": 100
 }
 }
 },
 "com.amazonaws.licensemanager#MaxSize3StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 3
 }
 }
 },
 "com.amazonaws.licensemanager#Message": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#Metadata": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>The key name.</p>"
 }
 },

 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The value.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
 },
 "com.amazonaws.licensemanager#MetadataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Metadata"
 }
 },
 "com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement
maximum count is reached.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#Options": {
 "type": "structure",
 "members": {
 "ActivationOverrideBehavior": {
 "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
 "traits": {
 "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n \n \n <p>As a license administrator, you can
optionally specify an\n <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n

```

```

 \n \n <p>As a grantor, you can optionally specify an\n
 <code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n
 account in your organization.</p>\n \n \n <p>As a grantee, if the grantor creating the distributed\n
 grant doesnt specify an\n <code>ActivationOverrideBehavior</code>, you can optionally specify one\n
 when you\n are activating the grant.</p>\n \n\n<dl>\n<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n <dd>\n <p>Use this value to activate a grant\n without replacing any member accounts\n active grants for the same product.</p>\n </dd>\n<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n <dd>\n <p>Use this value to activate a\n grant and disable other active grants in any\n member accounts\n for the same product. This action will also replace their\n previously activated grants with this activated\n grant.</p>\n </dd>\n</dl>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,\n such as activation\n override behavior. For more information, see <a\n href='\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-licenses.html\"'\n >Granted licenses in\n License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},
"com.amazonaws.licensemanager#OrganizationConfiguration": {
 "type": "structure",
 "members": {
 "EnableIntegration": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation":
 "<p>Enables Organizations integration.</p>",
 "smithy.api#required": {}
 }
 }
 }
},
 "traits": {
 "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
 }
},
"com.amazonaws.licensemanager#PrincipalArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 1
 }
 }
}

```



```

 }
 },
 "com.amazonaws.licensemanager#ProductInformation": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
 "smithy.api#required": {}
 }
 },
 },
 "ProductInformationFilterList": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
 "traits": {
 "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n <p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>.</p>\n <p>The following filters and are supported when
the resource type \n is <code>SSM_MANAGED</code>:</p>\n
 \n \n <p>\n <code>Application Name</code> - The name of the
application.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Publisher</code> - The publisher of the application.\n Logical
operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Version</code> - The version of the application.\n Logical operator is
<code>EQUALS</code>.</p>\n \n \n <p>\n <code>Platform
Name</code> - The name of the platform.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Platform Type</code> - The platform type.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Tag:key</code> - The key of a tag attached to an
Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is
<code>NOT_EQUALS</code>. The key for your tag must be appended to <code>Tag:</code> following the
example: <code>Tag:name-of-your-key</code>. <code>ProductInformationFilterValue</code> is optional if you
are not using values for the key.\n </p>\n \n \n <p>\n <code>AccountId</code> - The 12-digit ID of an Amazon Web Services account you wish to exclude from
automated discovery.\n Logical operator is <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>License Included</code> - The type of license included.\n Logical
operators are <code>EQUALS</code> and <code>NOT_EQUALS</code>.\n Possible values are:
<code>sql-server-enterprise</code> | \n <code>sql-server-standard</code> | \n <code>sql-server-
web</code> | \n <code>windows-server-datacenter</code>.</p>\n \n \n <p>The following filters and logical operators are supported when the resource type\n is
<code>RDS</code>:</p>\n \n \n <p>\n <code>Engine Edition</code> -
The edition of the database engine.\n Logical operator is <code>EQUALS</code>.\n Possible
values are: <code>oracle-ee</code> | <code>oracle-se</code> | <code>oracle-se1</code> | <code>oracle-
se2</code>.</p>\n \n \n <p>\n <code>License Pack</code> - The license

```

```

pack.\n Logical operator is <code>EQUALS</code>.\n Possible values are: <code>data
guard</code> | \n <code>diagnostic pack sqlt</code> | \n
 <code>tuning pack sqlt</code> | \n <code>ols</code> | \n <code>olap</code>.</p>\n
\n ",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
 },
 "com.amazonaws.licensemanager#ProductInformationFilter": {
 "type": "structure",
 "members": {
 "ProductInformationFilterName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Filter name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductInformationFilterValue": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Filter value.</p>"
 }
 },
 "ProductInformationFilterComparator": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Logical operator.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes product information filters.</p>"
 }
 },
 "com.amazonaws.licensemanager#ProductInformationFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilter"
 }
 },
 "com.amazonaws.licensemanager#ProductInformationList": {

```

```

 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformation"
 }
 },
 "com.amazonaws.licensemanager#ProvisionalConfiguration": {
 "type": "structure",
 "members": {
 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#RateLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "RateLimitExceeded",
 "httpResponseCode": 429
 },
 "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief wait.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 429
 }
 },
 "com.amazonaws.licensemanager#ReceivedMetadata": {
 "type": "structure",
 "members": {
 "ReceivedStatus": {
 "target": "com.amazonaws.licensemanager#ReceivedStatus",
 "traits": {
 "smithy.api#documentation": "<p>Received status.</p>"
 }
 }
 },
 "ReceivedStatusReason": {

```

```

 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Received
status reason.</p>"
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
}
},
"com.amazonaws.licensemanager#ReceivedStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue":
"PENDING_ACCEPT"
 }
 },
 "REJECTED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
},
"DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
},
"DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
},
"WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
}
},
"com.amazonaws.licensemanager#RedirectException": {
 "type": "structure",
 "members": {
 "Location": {
 "target": "com.amazonaws.licensemanager#Location",
 "traits": {
 "smithy.api#httpHeader": "Location"
 }
 },
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 308
 }
},
"com.amazonaws.licensemanager#RejectGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#RejectGrantRequest"
 },
 "output": {

```

```

 "target": "com.amazonaws.licensemanager#RejectGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#RejectGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}
},
"com.amazonaws.licensemanager#RejectGrantResponse": {
 "type": "structure",

```

```

"members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#RenewType":
{
 "type": "enum",
 "members": {
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "WEEKLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Weekly"
 }
 },
 "MONTHLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Monthly"
 }
 }
 }
},

```

```

"com.amazonaws.licensemanager#ReportContext": {
 "type": "structure",
 "members": {
 "licenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
 }
 },
 "com.amazonaws.licensemanager#ReportFrequency": {
 "type": "structure",
 "members": {
 "value": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {
 "smithy.api#documentation": "<p>Number of times within the frequency period that a report is
generated. \n The only supported value is <code>1</code>.</p>"
 }
 },
 "period": {
 "target": "com.amazonaws.licensemanager#ReportFrequencyType",
 "traits": {
 "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,
or monthly.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 }
 },
 "com.amazonaws.licensemanager#ReportFrequencyType": {
 "type": "enum",
 "members": {
 "DAY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DAY"
 }
 }
 }
 }
 }

```



```

 },
 "WEEK": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WEEK"
 }
 },
 "MONTH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "MONTH"
 }
 }
 },
 "com.amazonaws.licensemanager#ReportGenerator": {
 "type": "structure",
 "members": {
 "ReportGeneratorName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>"
 }
 },
 "ReportType": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>License configuration type for this generator.</p>"
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 }
 },
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
 }
 }
 }
 }
}

```

```

 }
 },
 "LastRunStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
 }
 },
 "LastRunFailureReason": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
 }
 },
 "LastReportGenerationTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
 }
 },
 "ReportCreatorAccount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report
generator.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "S3Location": {
 "target": "com.amazonaws.licensemanager#S3Location",
 "traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the report was created.</p>"
 }
 },

```

```

 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
 }
},
"com.amazonaws.licensemanager#ReportGeneratorList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ReportGenerator"
 }
},
"com.amazonaws.licensemanager#ReportGeneratorName": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
},
"com.amazonaws.licensemanager#ReportType": {
 "type": "enum",
 "members": {
 "LICENSE_CONFIGURATION_SUMMARY_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
 }
 }
 }
},
"LICENSE_CONFIGURATION_USAGE_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationUsageReport"
 }
}
},
"com.amazonaws.licensemanager#ReportTypeList": {
 "type": "list",
 "member": {

```

```

 "target": "com.amazonaws.licensemanager#ReportType"
 },
 "com.amazonaws.licensemanager#ResourceInventory": {
 "type": "structure",
 "members": {
 "ResourceId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "Platform": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Platform of the resource.</p>"
 }
 },
 "PlatformVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
 }
 },
 "ResourceOwningAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a resource.</p>"
 }
 }
}

```

```

},
"com.amazonaws.licensemanager#ResourceInventoryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ResourceInventory"
 }
},
"com.amazonaws.licensemanager#ResourceLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ResourceLimitExceeded",

 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResource.NotFound",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The resource cannot be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#ResourceType": {
 "type": "enum",
 "members": {
 "EC2_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "EC2_INSTANCE"
 },
 "EC2_HOST": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_HOST"
 }
 },
 "EC2_AMI": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_AMI"
 }
 },
 "RDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "RDS"
 }
 },
 "SYSTEMS_MANAGER_MANAGED_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
 }
 }
},
"com.amazonaws.licensemanager#S3Location": {
 "type": "structure",
 "members": {
 "bucket": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
 }
 },
 "keyPrefix": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ServerInternalException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InternalServerError",
 "httpResponseCode": 500
 },
 "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
 "smithy.api#error": "server",
 "smithy.api#httpError": 500
 }
 },
 "com.amazonaws.licensemanager#SignedToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 4096
 }
 }
 },
 "com.amazonaws.licensemanager#StatusReasonMessage": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 400
 },
 "smithy.api#pattern": "^[\\s\\S]+$"
 }
 },
 "com.amazonaws.licensemanager#String": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
 },
 "com.amazonaws.licensemanager#Tag": {

```

```

"type": "structure",
"members": {
 "Key": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Tag key.</p>"
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Tag value.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#TagKeyList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
},
"com.amazonaws.licensemanager#TagList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Tag"
 }
},
"com.amazonaws.licensemanager#TagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#TagResourceResponse"
 },
 "errors": [
 {
 "target":
"com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],

```



```

 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#TagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>One or more tags.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#TagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#TokenData": {
 "type": "structure",
 "members": {

```

```

"TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
},
"TokenType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
 }
},
"LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
},
"ExpirationTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
 }
},
"TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller.</p>"
 }
},
"RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
 }
}
},
"traits": {

```

```

 "smithy.api#documentation": "<p>Describes a token.</p>"
 }
},
"com.amazonaws.licensemanager#TokenList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#TokenData"
 }
},
"com.amazonaws.licensemanager#TokenString": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 4096
 },
 "smithy.api#pattern": "^\\S+$"
 }
},
"com.amazonaws.licensemanager#TokenType": {
 "type": "enum",
 "members": {
 "REFRESH_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REFRESH_TOKEN"
 }
 }
 }
},
"com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
{
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#UntagResource": {
 "type": "operation",

```

```

"input": {
 "target": "com.amazonaws.licensemanager#UntagResourceRequest"
},
"output": {
 "target": "com.amazonaws.licensemanager#UntagResourceResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Removes the specified tags from the specified license configuration.</p>"
},
"com.amazonaws.licensemanager#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "TagKeys": {
 "target": "com.amazonaws.licensemanager#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {

```

```

 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#UntagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseConfigurationStatus": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
 "traits": {
 "smithy.api#documentation": "<p>New status of the license configuration.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\n
configuration is licenseAffinityToHost.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>New number of licenses managed by the license
configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New description of the license configuration.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>New product information.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "traits":
{
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
],

```

```

{
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
},
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Updates a report generator.</p>\n <p>After you make changes to a
report generator, it starts generating new reports within 60 minutes of being updated.</p>"
}
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
{
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to
update.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportGeneratorName": {
 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation":
 "<p>Type of reports to generate. The following report types are supported:</p>\n \n \n
<p>License configuration report - Reports the number and details of consumed licenses for a license
configuration.</p>\n \n \n
<p>Resource report - Reports the tracked licenses and
resource consumption for a license configuration.</p>\n \n ",
 "smithy.api#required": {}
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {

```



```

 "smithy.api#documentation": "<p>The report context.</p>",
 "smithy.api#required": {}
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
{
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
 },
 "errors": [

```

```

 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
 },
 {
 "target": "com.amazonaws.licensemanager#LicenseUsageException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n <p>You can update the license specifications of AMIs, instances, and hosts.\n You cannot update the license specifications for launch templates and CloudFormation templates, \n as they send license configurations to the operation that creates the resource.</p>"
 },
 "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services resource.</p>",
 "smithy.api#required": {}
 }
 },
 "AddLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
 }
 }
 }
 },

```

```

 "RemoveLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation":
"<p>ARNs of the license configurations to remove.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
 }
 },

```

```

"com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
 }
 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UsageOperation": {
 "type": "string",
 "traits": {
 "smithy.api#length": {

```

```

 "min": 0,
 "max": 50
 }
}
},
"com.amazonaws.licensemanager#ValidationException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",

 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
}
}
}

```

# 1.99 github.com/alessandro-c/gomemcached-lock 1.0.0

## 1.99.1 Available under license :

Apache License  
 Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,



indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.100 aws-aws-sdk-go-v2 1.32.8

## 1.100.1 Available under license :

name: License Scan

on: [pull\_request]

jobs:

licensescan:

name: License Scan

runs-on: ubuntu-latest

strategy:

matrix:

python-version: [3.9]

steps:

- name: Checkout target

uses: actions/checkout@v2

with:

path: sdkbase

ref: \${ github.base\_ref }

- name: Checkout this ref

uses: actions/checkout@v2

with:

path: new-ref

fetch-depth: 0

- name: Get Diff

run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT \${ github.event.pull\_request.base.sha }

\${ github.sha } > refDiffFiles.txt

- name: Get Target Files

run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt - > targetFiles.txt

- name: Checkout scancode

uses: actions/checkout@v2

with:

repository: nexB/scancode-toolkit

path: scancode-toolkit

fetch-depth: 1

- name: Set up Python \${ matrix.python-version }

uses: actions/setup-python@v2

with:

python-version: \${ matrix.python-version }

# ScanCode

- name: Self-configure scancode

working-directory: ./scancode-toolkit

run: ./scancode --help

- name: Run Scan code on target

run: cat targetFiles.txt | while read filename; do echo ./sdkbase/\$filename; done | xargs ./scancode-

```

toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
- name: Run Scan code on pr ref
 run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
compare
- name: License test
 run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
are the same. Success."; exit 0; fi
CreateLicense
Initialize stack step
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
Serialize stack step
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
ListReceivedLicenses
Initialize stack step
RegisterServiceMetadata
legacyEndpointContextSetter

```

SetLogger  
 Serialize stack step  
 setOperationInput  
 ResolveEndpoint  
 OperationSerializer  
 Build stack step  
 ClientRequestID  
 ComputeContentLength  
 UserAgent  
 AddTimeOffsetMiddleware  
 RecursionDetection  
 Finalize stack step  
 ResolveAuthScheme  
 GetIdentity  
 ResolveEndpointV2  
 disableHTTPS  
 ComputePayloadHash  
 Retry  
 RetryMetricsHeader  
 setLegacyContextSigningOptions  
 Signing  
 Deserialize stack step  
 AddRawResponseToMetadata  
 ErrorCloseResponseBody  
 CloseResponseBody  
 ResponseErrorWrapper  
 RequestIDRetriever  
 OperationDeserializer  
 AddTimeOffsetMiddleware  
 RecordResponseTiming  
 RequestResponseLogger  
 {  
   "smithy": "2.0",  
   "shapes": {  
     "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {  
       "type": "integer"  
     },  
     "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {  
       "type": "long"  
     },  
     "com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {  
       "type": "structure",  
       "members": {  
         "Name": {  
           "target": "smithy.api#String",  
           "traits": {  
             "smithy.api#documentation": "<p>The type of name to filter by.</p>"  
           }  
         }  
       }  
     }

```

 },
 "Values": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
 }
 },
 "Operator": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
 "traits": {
 "smithy.api#documentation": "<p>An operator for filtering results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe operation.\n Filters can be used to match a set of resources by specific criteria.</p>"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the Linux subscriptions service settings.</p>",
 "smithy.api#http": {

```

```

 "code": 200,
 "method": "POST",
 "uri": "/subscription/GetServiceSettings"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest":
{
 "type": "structure",
 "members": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>Lists the settings defined for Linux subscriptions discovery. The
settings include if\n Organizations integration has been enabled, and
which Regions data will be aggregated from.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
 }
 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays

```

the aggregated data for Linux\n subscriptions.</p>"

```
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
 "type": "structure",
 "members": {
 "AmiId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
 }
 },
 "InstanceID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
 }
 },
 "InstanceType": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance type of the resource.</p>"
 }
 }
 },
 "AccountID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of the instance.</p>"
 }
 },
 "Region": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
 }
 },
 "UsageOperation": {
 "target": "smithy.api#String",
 "traits": {
```

```

 "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n operation values in the <i>License Manager User
Guide</i>.</p>"
 },
 "ProductCode": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
 "traits": {
 "smithy.api#documentation": "<p>The product code for the instance. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-
operation.html\">Usage\n operation values in the <i>License Manager User Guide</i> .</p>"
 }
 },
 "LastUpdatedTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The time in which the last discovery
updated the instance details.</p>"
 }
 },
 "SubscriptionName": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the subscription being used by the instance.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details discovered information about a running instance using Linux
subscriptions.</p>"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Instance"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An exception occurred with the service.</p>",

```



```

 "smithy.api#error": "server"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LicenseManagerLinuxSubscriptions": {
 "type": "service",
 "version": "2018-05-10",
 "operations": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
 }
],
 "traits": {
 "aws.api#service": {
 "sdkId": "License Manager Linux Subscriptions",
 "arnNamespace": "license-manager-linux-subscriptions",
 "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
 },
 "aws.auth#sigv4": {
 "name": "license-manager-linux-subscriptions"
 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id",
 "content-length",
 "x-api-key",
 "authorization",
 "x-amz-date",
 "x-amz-security-token",
 "Access-Control-Allow-Headers",
 "Access-Control-Allow-Methods",
 "Access-Control-Allow-Origin"
]
 }
 }
}

```

```

],
 "additionalExposedHeaders": [
 "x-amzn-errortype",
 "x-amzn-requestid",
 "x-amzn-trace-id"
]
},
"smithy.api#documentation": "<p>With License Manager, you can discover and track your commercial
Linux subscriptions on running\n Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager Linux Subscriptions",
"smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The
AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",

 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
 },
 "rules": [
 {
 "conditions": [
 {

```

```

 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 },
 "type": "tree",
 "rules": [
 {

 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],
 "type": "tree",
 "rules": [
 {

 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],

```

```

 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
},
{
 "conditions": [],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
],
 "assign": "PartitionResult"
 }
],
 "type": "tree",
 "rules": [
 {

```

```

"conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",

```

```

 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 }
],
},
{
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
 "type": "error"
}
],
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {

```

```

 "ref": "UseFIPS"
 },
 true
]
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,

{
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
],
 "type": "tree",

"rules": [
 {
 "conditions": [],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 }
]

```

```

 },
 {
 "conditions": [],
 "error": "FIPS is enabled but this partition does not support FIPS",
 "type": "error"
 }
]
},

{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {

 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "type": "tree",
 "rules": [

```



```

 {
 "conditions": [],

 "endpoint": {
 "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
}

},

{
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
}
],
},
{
 "conditions": [],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url":
"https://license-manager-linux-subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
}
]
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}

```

```

]
 }
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",

```

```

 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,

```

```

 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint":
{
 "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint":

```

```

{
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
}
},
"params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
}
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{

```

```

 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 }
}

```

```

 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled
and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",

"UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",

 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 }
 }

```

```

 }
 },
 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,

"Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
}

],
 "version": "1.0"
}

},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
 "type": "string",
 "traits": {

```



```

"smithy.api#enum": [
 {
 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled LinuxSubscriptionsDiscovery"
 },
 {
 "name": "Disabled",
 "value": "Disabled",
 "documentation": "Disabled LinuxSubscriptionsDiscovery"
 }
]
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
 "type": "structure",
 "members": {
 "SourceRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "OrganizationIntegration": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
 "traits": {
 "smithy.api#documentation": "<p>Details if you have enabled resource discovery across your
accounts in Organizations.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
 "type":
"operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
 },
 "errors": [

```



```

 <p>\n <code>Notequal</code>\n </p>\n \n "
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 16384
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if parameters in request increases."
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {
 "type": "structure",
 "members": {
 "Instances": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",
 "traits": {
 "smithy.api#documentation":
 "<p>An array that contains instance objects.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
 }
 }
}

```



```

 <code>Notequal</code>\n </p>\n \n "
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>",
 "smithy.api#length": {

 "min": 1,
 "max": 16384
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if parameters in request increases."
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
 "type": "structure",
 "members": {
 "Subscriptions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
 "traits": {
 "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
 }
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [

```

```

 {
 "name": "EQUAL",
 "value": "Equal",
 "documentation": "Equal operator"
 },
 {
 "name": "NOT_EQUAL",
 "value": "NotEqual",
 "documentation": "Not equal operator"
 },
 {
 "name": "CONTAINS",
 "value": "Contains",
 "documentation": "Contains operator"
 }
],
 "smithy.api#length": {
 "min": 1,
 "max": 20
 }
}
},

```

```

"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled OrganizationIntegration"
 },
 {
 "name": "Disabled",
 "value": "Disabled",
 "documentation": "Disabled OrganizationIntegration"
 }
]
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
 "type": "string",

```

```

 "traits": {
 "smithy.api#enum": [
 {
 "name": "InProgress",
 "value": "InProgress",
 "documentation": "InProgress status"
 },
 {
 "name": "Completed",
 "value": "Completed",
 "documentation": "Completed status"
 },
 {
 "name": "Successful",
 "value": "Successful",
 "documentation": "Successful status"
 },
 {
 "name": "Failed",
 "value": "Failed",
 "documentation": "Failed status"
 }
]
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String",
 "traits":
 {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 },
 "smithy.api#uniqueItems": {}
 }
},
 "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
 "type": "map",

```

```

 "key": {
 "target": "smithy.api#String"
 },
 "value": {
 "target": "smithy.api#String"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the subscription.</p>"
 }
 },
 "Type": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.</p>"
 }
 },
 "InstanceCount": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An object which details a discovered Linux subscription.</p>"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException": {
 "type": "structure",
 "members": {
 "message": {

```



```

 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#documentation": "<p>The request was denied due to request throttling.</p>",
 "smithy.api#error": "client"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/UpdateServiceSettings"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest":
{
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The
settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated
from.</p>",

 "smithy.api#required": {}
 }
 },
 "AllowUpdate": {
 "target": "smithy.api#Boolean",
 "traits": {
 "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux
subscriptions. If you\n allow updates, you can aggregate Linux subscription data in more than one home
Region.</p>"
 }
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 }
 }
 },

 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The
settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated
from.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",

```

```

 "traits": {
 "smithy.api#documentation":
 "<p>A message which details the Linux subscriptions service settings current status.</p>"
 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n subscriptions.</p>"
 }
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",
 "smithy.api#error": "client"
 }
 }
}

```

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

// Deletes the specified license.

```

func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
 if params == nil {
 params = &DeleteLicenseInput{}
 }
}

```

```

 result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*DeleteLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type DeleteLicenseInput struct {

 // Amazon Resource Name (ARN) of the license.
 //
 // This member is required.
 LicenseArn *string

 // Current version of the license.
 //
 // This member is required.
 SourceVersion
 *string

 noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

 // Date when the license is deleted.
 DeletionDate *string

 // License status.
 Status types.LicenseDeletionStatus

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{}, middleware.After)
 if err != nil {
 return err
 }

```

```

}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{}, middleware.After)
if err != nil {
 return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "DeleteLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err !=
nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}

```

```

}
if err = addTimeOffsetBuild(stack, c); err != nil
{
 return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "DeleteLicense",
 }
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"

```

```

)

// Creates a license.
func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
 if params == nil {
 params = &CreateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CreateLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CreateLicenseInput struct {

 // License beneficiary.
 //
 // This member is required.
 Beneficiary *string

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 // the request.
 //
 //
 // This member is required.
 ClientToken *string

 // Configuration for consumption of the license. Choose a provisional
 // configuration for workloads running with continuous connectivity. Choose a
 // borrow configuration for workloads with offline usage.
 //
 // This member is required.
 ConsumptionConfiguration *types.ConsumptionConfiguration

 // License entitlements.
 //
 // This member is required.
 Entitlements []types.Entitlement

 // Home Region for the license.
 //

```

```

// This member is required.
HomeRegion *string

// License issuer.
//
// This member is required.
Issuer *types.Issuer

// License name.
//
// This member is required.
LicenseName *string

// Product name.
//
// This member is required.
ProductName *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about
the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.
Version *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

```



```
noSmithyDocumentSerde
}
```

```
func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CreateLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }
}
```

```
if
err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
```

```

if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return
err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CreateLicense",
}
}

```

```
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists received licenses.
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns
...func(*Options)) (*ListReceivedLicensesOutput, error) {
 if params == nil {
 params = &ListReceivedLicensesInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,
c.addOperationListReceivedLicensesMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*ListReceivedLicensesOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type ListReceivedLicensesInput struct {

 // Filters to scope the results. The following filters are supported:
 //
 // - ProductSKU
 //
 // - Status
 //
 // - Fingerprint
 //
 // - IssuerName
 //
 // - Beneficiary
 Filters []types.Filter

 // Amazon Resource Names (ARNs) of the licenses.

```

```

LicenseArns []string

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListReceivedLicensesOutput struct {

// Received license details.
Licenses []types.GrantedLicense

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{},
middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "ListReceivedLicenses"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
}

```

```

}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err
= smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
}

```

```

if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opListReceivedLicenses(region string)
*awsmiddleware.RegisterServiceMetadata {
 return
 &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "ListReceivedLicenses",
 }
}

CheckoutLicense
Initialize stack step
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
Serialize stack step
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step

```

AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
DisassociateLicense  
Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
CheckoutBorrowLicense  
Initialize stack step  
RegisterServiceMetadata

legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
AssociateLicense  
Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware



```

RecursionDetection
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

```

```
package grafana
```

```

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

```

// Removes the Grafana Enterprise license from a workspace.
func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
...func(*Options)) (*DisassociateLicenseOutput, error) {
 if params == nil {
 params = &DisassociateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*DisassociateLicenseOutput)

```

```

out.ResultMetadata = metadata
return out, nil
}

type DisassociateLicenseInput struct {

 // The type of license to remove from the workspace.
 //
 // This member is required.
 LicenseType types.LicenseType

 //
 // The ID of the workspace to remove the Grafana Enterprise license from.
 //
 // This member is required.
 WorkspaceId *string

 noSmithyDocumentSerde
}

type DisassociateLicenseOutput struct {

 // A structure containing information about the workspace.
 //
 // This member is required.
 Workspace *types.WorkspaceDescription

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "DisassociateLicense");

```

```

err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {

```

```

 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID:
 ServiceID,
 OperationName: "DisassociateLicense",
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

```

```

package licensemanager

```

```

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

```

// Checks out the specified license for offline use.

```

```

func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns

```

```

...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
if params == nil {
 params = &CheckoutBorrowLicenseInput{}
}

result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,
c.addOperationCheckoutBorrowLicenseMiddlewares)
if err != nil {
 return nil, err
}

out := result.(*CheckoutBorrowLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type CheckoutBorrowLicenseInput struct {

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 //
 the request.
 //
 // This member is required.
 ClientToken *string

 // Digital signature method. The possible value is JSON Web Signature (JWS)
 // algorithm PS384. For more information, see [RFC 7518 Digital Signature with RSASSA-PSS].
 //
 // [RFC 7518 Digital Signature with RSASSA-PSS]: https://tools.ietf.org/html/rfc7518#section-3.5
 //
 // This member is required.
 DigitalSignatureMethod types.DigitalSignatureMethod

 // License entitlements. Partial checkouts are not supported.
 //
 // This member is required.
 Entitlements []types.EntitlementData

 // Amazon Resource Name (ARN) of the license. The license must use the borrow
 // consumption configuration.
 //
 // This member is required.
 LicenseArn *string

 // Information about constraints.
 CheckoutMetadata []types.Metadata

 // Node ID.

```

```

 NodeId *string

 noSmithyDocumentSerde
}

type CheckoutBorrowLicenseOutput struct {

 // Information about constraints.
 CheckoutMetadata []types.Metadata

 // Allowed license entitlements.
 EntitlementsAllowed
 []types.EntitlementData

 // Date and time at which the license checkout expires.
 Expiration *string

 // Date and time at which the license checkout is issued.
 IssuedAt *string

 // Amazon Resource Name (ARN) of the license.
 LicenseArn *string

 // License consumption token.
 LicenseConsumptionToken *string

 // Node ID.
 NodeId *string

 // Signed token.
 SignedToken *string

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{}, middleware.After)

```

```

if err != nil {
 return
 err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutBorrowLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return
 err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}

```

```

if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region string)

```

```

*awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckoutBorrowLicense",
 }
}

```

```

ListLicenses

```

```

Initialize stack step

```

```

 RegisterServiceMetadata

```

```

 legacyEndpointContextSetter

```

```

 SetLogger

```

```

Serialize stack step

```

```

 setOperationInput

```

```

 ResolveEndpoint

```

```

 OperationSerializer

```

```

Build stack step

```

```

 ClientRequestID

```



ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.

DeleteLicense

Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS

ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
GetLicense  
Initialize stack step  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
Serialize stack step  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer

```

AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package licenseseanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks in the specified license. Check in a license when it is no longer in use.
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))
(*CheckInLicenseOutput, error) {
 if params == nil {
 params = &CheckInLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,
c.addOperationCheckInLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckInLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CheckInLicenseInput struct {

 // License consumption token.
 //
 // This member is required.
 LicenseConsumptionToken *string

 // License beneficiary.
 Beneficiary *string

 noSmithyDocumentSerde
}

type

```

```

CheckInLicenseOutput struct {
 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CheckInLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if
 err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {
 return err
 }
}

```

```

if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 }
}

```

```

 OperationName: "CheckInLicense",
 }
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
 if params == nil {
 params = &ListLicensesInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*ListLicensesOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type ListLicensesInput struct {

 // Filters to scope the results. The following filters are supported:
 //
 // - Beneficiary
 //
 // - ProductSKU
 //
 // - Fingerprint
 //
 // - Status
 Filters
 []types.Filter

```

```

// Amazon Resource Names (ARNs) of the licenses.
LicenseArns []string

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListLicensesOutput struct {

// License details.
Licenses []types.License

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{}, middleware.After)
if err != nil {
return err
}
if err := addProtocolFinalizerMiddlewares(stack,
options, "ListLicenses"); err != nil {
return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
}

```

```

}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack);
err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
}

```



```

if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "ListLicenses",
 }
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// Code generated by smithy-go-codegen DO NOT EDIT.

package grafana

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

```
// Assigns a Grafana Enterprise license to a workspace. To upgrade, you must use
// ENTERPRISE for the licenseType , and pass in a valid Grafana Labs token for the
// grafanaToken . Upgrading to Grafana Enterprise incurs additional fees. For more
// information, see [Upgrade a workspace to Grafana Enterprise].
//
```

```
// [Upgrade a workspace to Grafana Enterprise]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-Grafana-Enterprise.html
```

```
func (c *Client) AssociateLicense(ctx context.Context, params *AssociateLicenseInput, optFns ...func(*Options))
(*AssociateLicenseOutput, error) {
 if params == nil {
 params = &AssociateLicenseInput{}
```

```
 }

 result, metadata, err := c.invokeOperation(ctx,
 "AssociateLicense", params, optFns, c.addOperationAssociateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }
```

```
 out := result.(*AssociateLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}
```

```
type AssociateLicenseInput struct {
```

```
 // The type of license to associate with the workspace.
```

```
 //
```

```
 // Amazon Managed Grafana workspaces no longer support Grafana Enterprise free
 // trials.
```

```
 //
```

```
 // This member is required.
```

```
 LicenseType types.LicenseType
```

```
 // The ID of the workspace to associate the license with.
```

```

//
// This member is required.
WorkspaceId *string

// A token from Grafana Labs that ties your Amazon Web Services account with a
// Grafana Labs account. For more information, see [Link your account with Grafana Labs].
//
// [Link your account with Grafana Labs]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-
Grafana-Token.html#AMG-workspace-register-enterprise
GrafanaToken *string

noSmithyDocumentSerde
}

type AssociateLicenseOutput
struct {

// A structure containing data about the workspace.
//
// This member is required.
Workspace *types.WorkspaceDescription

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{}, middleware.After)
if err != nil {
return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "AssociateLicense"); err != nil {
return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack,

```

```

options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack);
err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {

```

```

 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "AssociateLicense",
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
 if params == nil {
 params = &GetLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
 if err != nil {

```

```

 return nil, err
}

out := result.(*GetLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type GetLicenseInput struct {

 // Amazon Resource Name (ARN) of the license.
 //
 // This member is required.
 LicenseArn *string

 // License version.
 Version *string

 noSmithyDocumentSerde
}

type
GetLicenseOutput struct {

 // License details.
 License *types.License

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "GetLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }
}

```

```

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err
!= nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region),

```

```

middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "GetLicense",
 }
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license.
//
// If the account that created the license is the same that is performing the
// check out, you must specify the account as the beneficiary.
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
 if params == nil {

```



```

 params = &CheckoutLicenseInput{}
}

result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
if err != nil {
 return nil, err
}

out := result.(*CheckoutLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type CheckoutLicenseInput struct {

 //
 Checkout type.
 //
 // This member is required.
 CheckoutType types.CheckoutType

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 // the request.
 //
 // This member is required.
 ClientToken *string

 // License entitlements.
 //
 // This member is required.
 Entitlements []types.EntitlementData

 // Key fingerprint identifying the license.
 //
 // This member is required.
 KeyFingerprint *string

 // Product SKU.
 //
 // This member is required.
 ProductSKU *string

 // License beneficiary.
 Beneficiary *string

 // Node ID.
 NodeId *string

```

```

noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

 // Checkout type.
 CheckoutType types.CheckoutType

 // Allowed license entitlements.
 EntitlementsAllowed []types.EntitlementData

 // Date and time at which the license checkout expires.
 Expiration *string

 // Date and time at which the license checkout is issued.
 IssuedAt *string

 // Amazon Resource Name (ARN) of the checkout license.
 LicenseArn
 *string

 // License consumption token.
 LicenseConsumptionToken *string

 // Node ID.
 NodeId *string

 // Signed token.
 SignedToken *string

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
}

```

```

}
if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack,
options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}

```

```

if err = addOpCheckoutLicenseValidationMiddleware(stack);
err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckoutLicense",
 }
}

```

Apache License  
 Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>



Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

CheckInLicense

Initialize stack step

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

OperationInputValidation

Serialize stack step

setOperationInput

ResolveEndpoint

OperationSerializer

Build stack step

ClientRequestID

ComputeContentLength

UserAgent

AddTimeOffsetMiddleware

RecursionDetection

Finalize stack step

ResolveAuthScheme

GetIdentity

ResolveEndpointV2

disableHTTPS

ComputePayloadHash

Retry

RetryMetricsHeader

setLegacyContextSigningOptions

Signing

Deserialize stack step

AddRawResponseToMetadata

ErrorCloseResponseBody

CloseResponseBody

ResponseErrorWrapper

RequestIDRetriever

OperationDeserializer

AddTimeOffsetMiddleware

RecordResponseTiming

RequestResponseLogger

{

  "smithy": "2.0",

  "shapes": {

    "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException": {

      "type": "structure",

      "members": {

        "message": {

```

 "target": "smithy.api#String"
 }
},
"traits": {
 "smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
 "smithy.api#error": "client"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
 "type": "structure",
 "members": {
 "DirectoryId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
 }
 }
 }
},
"traits": {
 "smithy.api#documentation":
"<p>Details about an Active Directory identity provider.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUser": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Associates the user to an EC2 instance to utilize user-based
subscriptions.</p>\n <note>\n <p>Your estimated bill for charges on the number of users and related
costs will take 48\n hours to appear for billing periods that haven't closed (marked as Pending billing
status) in Amazon Web Services Billing. For more information, see Viewing your\n
monthly charges in the <i>Amazon Web Services Billing User Guide</i>.</p>\n </note>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/AssociateUser"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#AssociateUserRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the
EC2 instance, which provides user-based subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>The identity provider of the user.</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#BoxInteger": {
 "type": "integer"
 },
 "com.amazonaws.licenseanagerusersubscriptions#ConflictException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current state of the\n resource.</p>",
 "smithy.api#error": "server"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deregisters the identity provider from providing user-based
subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/DeregisterIdentityProvider"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 }
 }
},

```

```

"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#documentation":
"<p>Metadata that describes the results of an identity provider operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DisassociateUser": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
 "smithy.api#http": {

```

```

 "code": 200,
 "method": "POST",
 "uri": "/user/DisassociateUser"
 },
 "smithy.api#idempotent": {}
}

},
"com.amazonaws.licensemanagerusersubscriptions#DisassociateUserRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation":
 "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 }
 }
},
"com.amazonaws.licensemanagerusersubscriptions#DisassociateUserResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummary": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
 "smithy.api#required": {}
 }
}
},

```

"com.amazonaws.licensemanagerusersubscriptions#Filter": {

```

 "type": "structure",
 "members": {
 "Attribute": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
 }
 },
 "Operation": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
 }
 },
 "Value": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Value of the filter.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter name and value pair that is used
to return more specific results from a describe\n operation. Filters can be used to match a set of resources by
specific criteria, such as tags,\n attributes, or IDs.</p>"
 }
},

```

"com.amazonaws.licensemanagerusersubscriptions#FilterList": {

```

 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Filter"
 }
},

```

"com.amazonaws.licensemanagerusersubscriptions#IdentityProvider": {

```

 "type": "union",
 "members": {
 "ActiveDirectoryIdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryIdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that details an Active Directory identity provider.</p>"
 }
 }
 }
}

```



```

 }
 },
 "traits": {
 "smithy.api#documentation":
"<p>Details about an identity provider.</p>"
 },
 },
 "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Settings": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "<p>An object that details the registered identity providers product
related configuration\n settings such as the subnets to provision VPC endpoints.</p>",
 "smithy.api#required":
{}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of an identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "FailureMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
 }
 }
 }
 },

```

```

 "traits": {
 "smithy.api#documentation":
"<p>Describes an identity provider.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status
of an EC2 instance resource.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Products": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
 "smithy.api#required": {}
 }
 },
 "LastStatusCheckDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date of the last status check.</p>"
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 },
 "AssociationDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
 }
 },
 "DisassociationDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
 }
 }
},
 "traits": {
 "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based
subscriptions.</p>"
 }
},
 "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#InternalServerError": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
 "smithy.api#error": "server"
 }
},
 "com.amazonaws.licensemanagerusersubscriptions#LicenseManagerUserSubscriptions": {

```

```

"type": "service",

"version": "2018-05-10",
"operations": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUser"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUser"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListInstances"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations"
 }
],
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
 }
],
"traits": {
 "aws.api#service": {
 "sdkId": "License Manager User Subscriptions",
 "arnNamespace": "license-manager-user-subscriptions",
 "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
 },
 "aws.auth#sigv4": {
 "name": "license-manager-user-subscriptions"
 }
}

```

```

 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id",
 "content-length",
 "x-api-key",
 "authorization",
 "x-amz-date",
 "x-amz-security-token",
 "Access-Control-Allow-Headers",
 "Access-Control-Allow-Methods",
 "Access-Control-Allow-Origin"
],
 "additionalExposedHeaders": [
 "x-amzn-errortype",
 "x-amzn-requestid",
 "x-amzn-trace-id"
]
 }
],
 "smithy.api#documentation": "<p>With License Manager, you can create user-based subscriptions to utilize licensed software with a per user subscription fee on Amazon EC2 instances.</p>",
 "smithy.api#title": "AWS License Manager User Subscriptions",
 "smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",

```

```

 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
},
"rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 }
],
 true
 }
]
 },
 {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",

```

```

 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],

"error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
"type": "error"
},
{
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
],
{
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
],

```



```

 "assign": "PartitionResult"
 }
],
"type": "tree",

"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
],
 },

```

```

 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 },
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 {
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
 }
],
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
],
 }
]
 }

```

```

 true
]
 }
],
 "type": "tree",

 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
]
 },
 {
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 },
 {
 "conditions": [],
 "error": "FIPS is enabled but this partition does not support FIPS",
 "type": "error"
 }
]
},

```

```

{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
]
 },
 {
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 }
],

```

```

 {
 "conditions": [],
 "error": "DualStack is enabled but this partition does
not support DualStack",
 "type": "error"
 }
],
 },
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
}
]
},
{
 "conditions":
[],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation":

```

```

"For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with
FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-
1.api.amazonaws.com.cn"
 }
 },

```

```

 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1
with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {

```

```

 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
 }
 },

 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1
with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 },

```



```

"params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect":
{
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack":
true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"

```

```

 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but
this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {

```

```

 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{

```

```

 "documentation": "For custom endpoint with region not set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
}

```

```

 }
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the identity providers for user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/ListIdentityProviders"
 },
 "smithy.api#paginated":
 {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "IdentityProviderSummaries"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse":
{
 "type": "structure",
 "members": {
 "IdentityProviderSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Metadata that describes the list identity providers operation.</p>",
 "smithy.api#required": {}
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstances": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",

```

```

 "uri": "/instance/ListInstances"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceSummaries"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n more sets of key-value pairs that you specify.</p>"
 }
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse": {
 "type":
"structure",
 "members": {
 "InstanceSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list instances operation.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
}

```

```

 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListProductSubscriptions"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "ProductUserSummaries"
 }
 }
}

```



```

 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
 "type": "structure",
 "members": {
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name
of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match
one or\n more sets of key-value pairs that you specify.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions
operation.</p>"
 }
 },

 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
},

"com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target":
"com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",

```

```

 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListUserAssociations"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceUserSummaries"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity
provider.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n more sets of key-value pairs that you specify.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Token for
the next set of results.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }
}

```

```

 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of a product for a user.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for a product for a user.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 },
 "SubscriptionStartDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The
start date of a subscription.</p>"
 }
 },
 "SubscriptionEndDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The end date of a subscription.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The summary of the user-based subscription products for a user.</p>"
 },
 "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProvider": {
 "type": "operation",
 "input": {

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/RegisterIdentityProvider"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 },
 "Settings": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "<p>The registered identity providers product related configuration settings such as the\n subnets to provision VPC endpoints.</p>"
 }
 },
 },
 "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary":
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 },
 "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 },
 "traits": {
 "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 404
 },
 },
 "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup": {
 "type": "string",

```

```

"traits": {
 "smithy.api#length": {
 "min": 5,
 "max": 200
 },
 "smithy.api#pattern": "^sg-([0-9a-z]{8})([0-9a-z]{17})$"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request failed because a service quota is exceeded.</p>",
 "smithy.api#error": "client"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#Settings": {
 "type": "structure",
 "members": {
 "Subnets": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation":
"<p>The subnets defined for the registered identity provider.</p>",
 "smithy.api#length": {
 "min": 1
 },
 "smithy.api#required": {}
 }
 },
 "SecurityGroupId": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup",
 "traits": {
 "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688
communication between resources in\n your VPC and the VPC endpoint for activation servers.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The registered identity providers product related configuration settings
such as the\n subnets to provision VPC endpoints, and the security group ID that
is associated with the VPC\n endpoints. The security group should permit inbound TCP port 1688
communication from resources\n in the VPC.</p>"
 }
}

```



```

 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscription": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Starts a product subscription for a user with the specified identity provider.</p>\n <note>\n <p>Your estimated bill for charges on the number of users and related costs will take 48\n hours to appear for billing periods that haven't closed (marked as Pending billing status) in Amazon Web Services Billing.\n For more information, see <a\n href=\"https://docs.aws.amazon.com/awsaccountbilling/latest/aboutv2/invoice.html\">Viewing your\n monthly charges in the <i>Amazon Web Services Billing User Guide</i>.</p>\n </note>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/StartProductSubscription"
 }
 }
 },

```

```

"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the start product subscription operation.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscription": {
 "type": "operation",
 "input": {

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/StopProductSubscription"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }
}

```

```

 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required":
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the user.</p>"
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
 "traits": {
 "smithy.api#documentation":
 "<p>Metadata that describes the start product subscription operation.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Subnet": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "subnet-[a-z0-9]{8,17}"
 }
 }
}

```

```

 },
 "com.amazonaws.licenseanagerusersubscriptions#Subnets": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnet"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the request.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered identity\n provider.</p>",
 "smithy.api#http": {
 "code": 200,

```

```

 "method": "POST",
 "uri": "/identity-provider/UpdateIdentityProviderSettings"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "UpdateSettings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateSettings",
 "traits": {
 "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration settings. You can\n update any combination of settings in a single operation such as the:</p>\n\n \n <p>Subnets which you want to add to provision VPC endpoints.</p>\n \n \n <p>Subnets which you want to remove the VPC endpoints from.</p>\n \n \n <p>Security group ID which permits traffic to the VPC endpoints.</p>\n \n ",
 "smithy.api#required": {}
 }
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#required": {}
 }
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateSettings": {
 "type": "structure",

```

```

"members": {
 "AddSubnets": {

 "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint for products that\n require connectivity to activation servers.</p>",
 "smithy.api#required": {}
 }
 },
 "RemoveSubnets": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
 "smithy.api#required": {}
 }
 },
 "SecurityGroupId": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup",
 "traits": {
 "smithy.api#documentation": "<p>A security group ID
that allows inbound TCP port 1688 communication between resources in\n your VPC and the VPC endpoints for
activation servers.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Updates the registered identity providers product related configuration
settings such as\n the subnets to provision VPC endpoints.</p>"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A parameter is not valid.</p>",
 "smithy.api#error": "client"
 }
}
}
{
 "smithy": "2.0",
 "metadata": {

```

```

"suppressions": [
 {
 "id": "HttpMethodSemantics",
 "namespace": "*"
 },
 {
 "id": "HttpStatusCodeSemantics",
 "namespace": "*"
 },
 {
 "id": "PaginatedTrait",
 "namespace": "*"
 },
 {
 "id": "HttpHeaderTrait",
 "namespace": "*"
 },
 {
 "id": "HttpUriConflict",
 "namespace": "*"
 },
 {
 "id": "Service",
 "namespace": "*"
 }
]
},
"shapes": {
 "com.amazonaws.licensemanager#AWSLicenseManager": {
 "type": "service",
 "version": "2018-08-01",
 "operations": [
 {
 "target": "com.amazonaws.licensemanager#AcceptGrant"
 },
 {
 "target": "com.amazonaws.licensemanager#CheckInLicense"
 },
 {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
 },
 {
 "target": "com.amazonaws.licensemanager#CheckoutLicense"
 },
 {
 "target": "com.amazonaws.licensemanager#CreateGrant"
 },

```



```

{
 "target": "com.amazonaws.licensemanager#CreateGrantVersion"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicense"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
},
{
 "target": "com.amazonaws.licensemanager#CreateToken"
},
{
 "target": "com.amazonaws.licensemanager#DeleteGrant"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicense"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#DeleteToken"
},
{
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
},
},
{
 "target": "com.amazonaws.licensemanager#GetAccessToken"
},
{
 "target": "com.amazonaws.licensemanager#GetGrant"
},
{
 "target": "com.amazonaws.licensemanager#GetLicense"
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
 },
 {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
 },
 {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
 },
 {
 "target": "com.amazonaws.licensemanager#GetLicenseUsage"
 },
 {
 "target": "com.amazonaws.licensemanager#GetServiceSettings"
 },
 {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
 },
 {
 "target": "com.amazonaws.licensemanager#ListDistributedGrants"
 },
 {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenses"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseVersions"
 },
 {
 "target": "com.amazonaws.licensemanager#ListReceivedGrants"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
 },
 {
 "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
 },
 {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
 },
 {
 "target": "com.amazonaws.licensemanager#ListResourceInventory"
 },
 {
 "target": "com.amazonaws.licensemanager#ListTagsForResource"
 },
 {
 "target": "com.amazonaws.licensemanager#ListTokens"
 },
 {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
 },
 {
 "target": "com.amazonaws.licensemanager#RejectGrant"
 },
 {
 "target": "com.amazonaws.licensemanager#TagResource"
 },
 {
 "target": "com.amazonaws.licensemanager#UntagResource"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
 }
],
"traits": {
 "aws.api#service": {
 "sdkId": "License Manager",
 "arnNamespace": "license-manager",
 "cloudFormationName": "LicenseManager",
 "cloudTrailEventSource": "licensemanager.amazonaws.com",

```

```

 "endpointPrefix": "license-manager"
 },
 "aws.auth#sigv4": {
 "name": "license-manager"
 },
 "aws.protocols#awsJson1_1": {},
 "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software
vendors across multiple \n Amazon Web Services accounts and on-premises servers.</p>",
 "smithy.api#title": "AWS License Manager",
 "smithy.api#xmlNamespace": {
 "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
 },
 "smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send
this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant
endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
 },
 "rules": [
 {
 "conditions": [

```

```

 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 }
 }
 }
]
}

```



```

 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 },
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
],
 "type": "tree",
 "rules": [

```

```

 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 },
 {
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
 }
]
},
{
 "conditions": [
 {
 "fn": "booleanEquals",

 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,

 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"

```



```

 },
 "supportsFIPS"
]
}
]
}
],
"type": "tree",
"rules": [
{
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
],
{
 "conditions": [],
 "error": "FIPS is enabled but this
partition does not support FIPS",
 "type": "error"
}
],
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [

```

```

 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 }
],
 "supportsDualStack"
]
 }
]
},
"type": "tree",
"rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
{
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
}
],
{
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
]
}
]

```

```

 },
 {
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
 }
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.af-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "af-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 }
]
}

```

```

 }
 },
 {
 "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
},
{
 "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-1.amazonaws.com"
 }
 }
}

```

```

 },
 "params": {
 "Region": "ap-southeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-southeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-southeast-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ca-central-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ca-central-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 }
}

```

```

 },
 {
 "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-central-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-central-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-north-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region":
"eu-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-1.amazonaws.com"
 }
 }
 }
]
}

```

```

 },
 "params": {
 "Region": "eu-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
 "expect": {

 "endpoint": {
 "url": "https://license-manager.eu-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.me-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "me-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},

```

```

{
 "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.sa-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "sa-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-2.amazonaws.com"
 }
 }
}

```



```

 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region
us-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },

```

```

{
 "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.api.aws"
 }
 },

```

```

 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-northwest-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{

```

```

 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",

```

```

 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation":
"For region us-gov-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.api.aws"
 }
 },
},
"params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {

```

```

 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},

```

```

 {
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled
but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,

```

```

 "UseDualStack": false
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 },
 "params": {
 "UseFIPS": false,

 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 }
 }
 }
 }
}

```



```

 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
}
],
"version": "1.0"
}
},
"com.amazonaws.licensemanager#AcceptGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],

```

```

 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#AcceptGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#AcceptGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant
ARN.</p>"
 }
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#AccessDeniedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {}
 }
},
"code": "ServiceAccessDenied",
"httpResponseCode": 401
},
"smithy.api#documentation": "<p>Access to resource denied.</p>",
"smithy.api#error": "client",
"smithy.api#httpError": 401
}
},
"com.amazonaws.licensemanager#ActivationOverrideBehavior": {
 "type": "enum",
 "members": {
 "DISTRIBUTED_GRANTS_ONLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
 }
 },
 "ALL_GRANTS_PERMITTED_BY_ISSUER": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
 }
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#AllowedOperation": {
 "type": "enum",
 "members": {
 "CREATE_GRANT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateGrant"
 }
 },
 "CHECKOUT_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutLicense"
 }
 },
 "CHECKOUT_BORROW_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutBorrowLicense"
 }
 },
 "CHECK_IN_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckInLicense"
 }
 },
 "EXTEND_CONSUMPTION_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ExtendConsumptionLicense"
 }
 },
 "LIST_PURCHASED_LICENSES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ListPurchasedLicenses"
 }
 },
 "CREATE_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateToken"
 }
 }
 }
 }
}

```

```

 }
 }
},
"com.amazonaws.licensemanager#AllowedOperationList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#AllowedOperation"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max":
7
 }
 }
},
"com.amazonaws.licensemanager#Arn": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 2048
 },
 "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d))?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[A-Za-
z0-9_/.-]{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9:/+=, @.-]{0,1023}$"
 }
},
"com.amazonaws.licensemanager#ArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 }
},
"com.amazonaws.licensemanager#AuthorizationException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError":
{
 "code": "AuthorizationFailure",
 "httpResponseCode": 403
 },
 "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to
perform the action. Check the IAM\n policy associated with this account.</p>",

```

```

 "smithy.api#error": "client",
 "smithy.api#httpError": 403
 }
},
"com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
 "type": "structure",
 "members": {
 "LastRunTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes automated discovery.</p>"
 }
},

"com.amazonaws.licensemanager#Boolean": {
 "type": "boolean",
 "traits": {
 "smithy.api#default": false
 }
},

"com.amazonaws.licensemanager#BorrowConfiguration": {
 "type": "structure",
 "members": {
 "AllowEarlyCheckIn": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
 }
},

```

```

"com.amazonaws.licensemanager#BoxBoolean": {
 "type": "boolean"
},
"com.amazonaws.licensemanager#BoxInteger": {
 "type": "integer"
},
"com.amazonaws.licensemanager#BoxLong": {
 "type": "long"
},
"com.amazonaws.licensemanager#CheckInLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
 }
}

```

```

 },
 "com.amazonaws.licensemanager#CheckInLicenseRequest":
 {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CheckInLicenseResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CheckoutBorrowLicense":
 {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
 }
]
 }

```



```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
 },
 "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
 "type": "structure",
 "members":
{
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must
use the borrow consumption configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }
}

```

```

 }
 },
 "DigitalSignatureMethod": {
 "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
 "traits": {
 "smithy.api#documentation": "<p>Digital signature method. The possible
value is JSON Web Signature (JWS) algorithm PS384.\n For more information, see RFC 7518 Digital Signature with RSASSA-PSS.</p>",
 "smithy.api#required": {}
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {}
 }
 }
 }
}

```

```

 "smithy.api#documentation": "<p>License consumption token.</p>"
 },
 "EntitlementsAllowed": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
 },
 "IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
 }
 },
 "CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CheckoutLicense": {
 "type": "operation",

```

```

"input": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
},
"output": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Checks out the specified license.</p>\n <note>\n <p>If the\naccount that created the license is the same that is performing the check out, you must\n specify the account\nas the beneficiary.</p>\n </note>"
 }
},
"com.amazonaws.licensemanager#CheckoutLicenseRequest": {
 "type": "structure",
 "members": {

```

```

 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
SKU.</p>",
 "smithy.api#required": {}
 }
 },
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>",
 "smithy.api#required": {}
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 }
 }
}

```

```

 }
 }
},
"traits": {

"smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicenseResponse": {
 "type": "structure",
 "members": {
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>"
 }
 },
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 },
 "EntitlementsAllowed": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
 },
 "SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
 }
 },
 "Expiration": {

```

```

 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CheckoutType": {
 "type": "enum",
 "members": {
 "PROVISIONAL": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PROVISIONAL"
 }
 },
 "PERPETUAL": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PERPETUAL"
 }
 }
 }
},
"com.amazonaws.licensemanager#ClientRequestToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 36
 }
 }
},
"com.amazonaws.licensemanager#ClientToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,

```

```

 "max": 2048
 },
 "smithy.api#pattern": "^\\S+$"
 }
 },
 "com.amazonaws.licensemanager#ConflictException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ConflictException",
 "httpResponseCode":
409
 },
 "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 409
 }
 },
 "com.amazonaws.licensemanager#ConsumedLicenseSummary": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about license consumption.</p>"
 }
 },
 "com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
 "type": "list",
 "member": {

```



```

 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
 }
},
"com.amazonaws.licensemanager#ConsumptionConfiguration": {
 "type": "structure",
 "members": {
 "RenewType": {
 "target": "com.amazonaws.licensemanager#RenewType",
 "traits": {
 "smithy.api#documentation": "<p>Renewal frequency.</p>"
 }
 },
 "ProvisionalConfiguration": {
 "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
 },
 "BorrowConfiguration": {
 "target": "com.amazonaws.licensemanager#BorrowConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
]
}

```

```

 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href='\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrantRequest": {
 "type": "structure",
 "members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
 }
 }
},
"LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
},
"Principals": {

```

```

 "target": "com.amazonaws.licensemanager#PrincipalArnList",
 "traits": {
 "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an
Amazon Resource Name\n (ARN):</p>\n \n \n <p>An Amazon Web Services
account, which includes only the account specified.</p>\n \n \n \n \n <p>An organizational unit (OU), which includes all accounts in the OU.</p>\n \n \n
 \n <p>An organization, which will include all accounts across your organization.</p>\n
 \n ",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
 "smithy.api#required": {}
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},

"com.amazonaws.licensemanager#CreateGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 }
 },
 "Version": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CreateGrantVersion":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information, see\n Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},

```

```

"com.amazonaws.licensemanager#CreateGrantVersionRequest": {
 "type": "structure",
 "members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 }
 },
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>"
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the grant.</p>"
 }
 }
 }
}

```

```

 },
 "Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CreateGrantVersionResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the grant.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CreateLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
 },
 "errors": [

```

```

{
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
},
{
 "target": "com.amazonaws.licensemanager#AuthorizationException"
},
{
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
},
{
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#RedirectException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
},
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Creates a license.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Creates a license configuration.</p>\n <p>A license configuration is an abstraction of a customer license agreement that can be\n consumed and enforced by License Manager. Components include specifications for the license\n type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a \n license must be associated with a host), and the number of licenses purchased and used.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used.

```



```

Exceeding a hard limit\n blocks the launch of new instances.</p>"
 }
},
"LicenseRules": {
 "target":
"com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example,
#allowedTenancy=EC2-DedicatedHost). The available rules \n vary by dimension, as follows.</p>\n
\n \n <p>\n <code>Cores</code> dimension: <code>allowedTenancy</code> |\n
 <code>licenseAffinityToHost</code> |\n <code>maximumCores</code> |
<code>minimumCores</code>\n </p>\n \n \n <p>\n <code>Instances</code> dimension: <code>allowedTenancy</code> |\n <code>maximumCores</code> |
<code>minimumCores</code> |\n <code>maximumSockets</code> | <code>minimumSockets</code> |\n <code>maximumVcpus</code> | <code>minimumVcpus</code>\n </p>\n \n <p>\n <code>Sockets</code> dimension: <code>allowedTenancy</code> |\n <code>licenseAffinityToHost</code> |\n <code>maximumSockets</code> |
<code>minimumSockets</code>\n </p>\n \n \n <p>\n <code>vCPUs</code> dimension: <code>allowedTenancy</code> |\n <code>honorVcpuOptimization</code> |\n <code>maximumVcpus</code> |
<code>minimumVcpus</code>\n </p>\n \n \n <p>The unit for
<code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible \n values for
<code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and \n
<code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are \n
<code>True</code> and <code>False</code>.</p>"
 }
},

"Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
 }
},
"DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
},
"ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
}
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
 {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
 },

```

```

 "traits": {
 "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {

 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting
the license type for.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting
from. \n\n For the structure of the source license, see <a href=\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI in
the <i>License Manager User Guide</i>.</p>",
 "smithy.api#required": {}
 }
 },
 "DestinationLicenseContext": {
 {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting to.
For the structure of the destination license, see <a href=\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI in
the <i>License Manager User Guide</i>.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

```

```

"traits": {
 "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
}
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a report generator.</p>"
 }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {

```

```

"type": "structure",
"members": {
 "ReportGeneratorName":
 {
 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
 },
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be
generated:</p>\n \n \n <p>License configuration report - Reports the number and
details of consumed licenses for a license configuration.</p>\n \n \n <p>Resource
report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n \n
",
 "smithy.api#required": {}
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>Defines the type of license configuration the report generator
tracks.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be
generated daily, monthly, or weekly.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique,
case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn":
 {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
name.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>",
 "smithy.api#required": {}
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region for the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-UTC format.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
},
"LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
},
"ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
}
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 }
 }
},
"traits": {

```



```

 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CreateLicenseVersion": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target":
"com.amazonaws.licensemanager#Arn",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>",
 "smithy.api#required": {}
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-UTC format.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
 },
 "Entitlements": {

```

```

 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",

```

```

 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 }
},
"traits": {
 "smithy.api#output":
{}
}
},
"com.amazonaws.licensemanager#CreateToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 }
],

```

```

{
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
},
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n <p>A refresh token is a JWT token used to get an access token. With an access token,\n you can call AssumeRoleWithWebIdentity to get role credentials that you can use to \n call License Manager to manage the specified license.</p>"
},
},
"com.amazonaws.licensemanager#CreateTokenRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
{
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n JWT token.</p>",
 "smithy.api#required": {}
 }
 },
 "RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the token. \n License Manager does not check whether the roles are in use.</p>"
 }
 },
 "ExpirationInDays": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {
 "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The default is 365 days.</p>"
 }
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The data is mapped\n to the amr claim of the JWT token.</p>"
 }
 }
}

```

```

 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CreateTokenResponse": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",

 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
 },
 "TokenType": {
 "target": "com.amazonaws.licensemanager#TokenType",
 "traits": {
 "smithy.api#documentation": "<p>Token type.</p>"
 }
 },
 "Token": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DateTime": {
 "type": "timestamp"
},
"com.amazonaws.licensemanager#DatetimeRange": {
 "type": "structure",
 "members": {
 "Begin": {

```

```

 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Start of the time range.</p>",
 "smithy.api#required": {}
 }
 },
 "End": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>End of the time range.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
}
},
"com.amazonaws.licensemanager#DeleteGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
},

```

```

 "traits": {
 "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
 }
 },
 "com.amazonaws.licensemanager#DeleteGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the
grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 }
 }
 }
}

```



```

 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],

```

```

 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified license.</p>"
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
 },
 },

 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n <p>You cannot delete a license configuration that is in use.</p>"
 }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
 "type": "structure",
 "members":
{
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license configuration.</p>",
 "smithy.api#required": {}
 }
 }
}
},
"traits": {

```

```

 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n <p>This action deletes the report generator, which stops it from generating future reports.\n The action cannot be reversed. It has no effect on the previous reports from this generator.</p>"
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be
deleted.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 }
}

```

```

},
"com.amazonaws.licensemanager#DeleteLicenseResponse": {
 "type": "structure",
 "members": {
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "DeletionDate": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],

```

```

{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
}
},
"com.amazonaws.licensemanager#DeleteTokenRequest": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#DeleteTokenResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
}
},
"com.amazonaws.licensemanager#DigitalSignatureMethod": {
 "type": "enum",
 "members": {
 "JWT_PS384": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "JWT_PS384"
 }
 }
 }
}
},
"com.amazonaws.licensemanager#Entitlement": {
 "type": "structure",
 "members": {
 "Name": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#Long",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
 }
 },
 "Overage": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement unit.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowCheckIn": {
 "target":
"com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
 }
},
"com.amazonaws.licensemanager#EntitlementData": {
 "type": "structure",
 "members": {
 "Name": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement
data value.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data unit.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
 },
 "com.amazonaws.licensemanager#EntitlementDataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementData"
 }
 },
 "com.amazonaws.licensemanager#EntitlementDataUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count"
 }
 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS": {

```



```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes"
 }
 },
 "KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
 },
 "MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
 },
 "GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes"
 }
 },
 "TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
 },
 "BITS":

```

```

{
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits"
 }
},
"KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits"
 }
},
"MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
},
"GIGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
},
"TERABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
}
},
"PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
},
"BYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
},
"KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
}

```

```

},
"MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
},
"GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
},
"TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes/Second"
 }
},
"BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
},
"KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
},
"MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue":
"Megabits/Second"
 }
},
"GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
},
"TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
}

```

```

 }
 },
 "COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
 }
},
"com.amazonaws.licensemanager#EntitlementList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Entitlement"
 }
},
"com.amazonaws.licensemanager#EntitlementNotAllowedException":
{
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#EntitlementUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count"
 }
 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS":
 {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes"
 }
 },
 "KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
 },
 "MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
 },
 "GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes"
 }
 },
 "TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
 },
 "BITS": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "Bits"
 }
 },
 "KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits"
 }
 },
 "MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
 },
 "GIGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
 },
 "TERABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
 },
 "PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
 },
 "BYTES_PER_SECOND": {
 "target":
"smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
 },
 "KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
 },

```

```

"MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
},
"GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
},
"TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes/Second"
 }
},
"BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
},
"KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
},
"MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits/Second"
 }
},
"GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
},
"TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
}

```

```

 }
 },
 "COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
 }
},
"com.amazonaws.licensemanager#EntitlementUsage": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement usage name.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumedValue": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Resource usage consumed.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
 }
},
"com.amazonaws.licensemanager#EntitlementUsageList":

```



```

{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementUsage"
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumption": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",

```

```

 "smithy.api#required": {}
 },
 "DryRun": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#FailedDependencyException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 },
 "ErrorCode": {
 "target": "com.amazonaws.licensemanager#String"
 }
 }
},

```

```

 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "FailedDependency",
 "httpResponseCode": 424
 },
 "smithy.api#documentation":
 "<p>A dependency required to run the API is missing.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 424
 }
 },
 "com.amazonaws.licensemanager#Filter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#FilterName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
 }
 },
 "Values": {
 "target": "com.amazonaws.licensemanager#FilterValues",
 "traits": {
 "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only
specify one value for the filter.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter
name and value pair that is used to return more specific results from a\n describe operation. Filters can be used
to match a set of resources by specific criteria,\n such as tags, attributes, or IDs.</p>"
 }
 },
 "com.amazonaws.licensemanager#FilterLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "FilterLimitExceeded",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
 "smithy.api#error": "client",

```

```

 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter"
 }
},
"com.amazonaws.licensemanager#FilterName": {
 "type": "string"
},
"com.amazonaws.licensemanager#FilterValue": {
 "type": "string"
},
"com.amazonaws.licensemanager#FilterValues": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#FilterValue",
 "traits": {
 "smithy.api#xmlName": "item"
 }
 }
},
"com.amazonaws.licensemanager#Filters": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter",
 "traits": {
 "smithy.api#xmlName": "item"
 }
 }
},
"com.amazonaws.licensemanager#GetAccessToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],

```

```

 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets a temporary access token to use with
AssumeRoleWithWebIdentity. Access
tokens\n are valid for one hour.</p>"
 }
},
"com.amazonaws.licensemanager#GetAccessTokenRequest": {
 "type": "structure",
 "members": {
 "Token": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
 "smithy.api#required": {}
 }
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetAccessTokenResponse":
{
 "type": "structure",
 "members": {
 "AccessToken": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Temporary access token.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#GetGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",

```

```

 "smithy.api#required": {}
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetGrantResponse": {
 "type": "structure",
 "members": {
 "Grant": {
 "target": "com.amazonaws.licensemanager#Grant",
 "traits": {
 "smithy.api#documentation": "<p>Grant details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
]
}

```

```

 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {

```



```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "traits":
{
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",

 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License configuration status.</p>"
 }
 }
},
"OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
 }
},
"ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
 }
},
"ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
 }
},

```

```

"Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
 }
},
"ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
},
"AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
},
"DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#GetLicenseConversionTask": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
],

```

```

{
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information
on.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license
conversion task is associated with.</p>"
 }
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information

```

about the license type converted from.</p>"

```
 }
 },
 "DestinationLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
 }
 },
 "StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
 }
 },
 "LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
 }
 },
 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was
completed.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
```

```

{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
 }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
 "smithy.api#required":

```

```

 {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "ReportGenerator": {
 "target": "com.amazonaws.licensemanager#ReportGenerator",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseResponse": {
 "type": "structure",
 "members": {

```

```

 "License": {
 "target": "com.amazonaws.licensemanager#License",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },

 "com.amazonaws.licensemanager#GetLicenseUsage": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "target": "com.amazonaws.licensemanager#ValidationException"
 },
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
 }
},

"com.amazonaws.licensemanager#GetLicenseUsageRequest": {
 "type": "structure",
 "members": {

```



```

 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseUsageResponse": {
 "type": "structure",
 "members": {
 "LicenseUsage": {
 "target":
"com.amazonaws.licensemanager#LicenseUsage",
 "traits": {
 "smithy.api#documentation": "<p>License usage details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#GetServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
 }
}

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetServiceSettingsRequest": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data,
discovery data,\n and so on.</p>"
 }
 }
 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n cross-account discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
 }
 }
 },
 "LicenseManagerResourceShareArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License

```

```

Manager management account \n provides member accounts with access to this share.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#Grant": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
 },
 "ParentArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Parent ARN.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>",
 "smithy.api#required": {}
 }
 },
 "GranteePrincipalArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The grantee principal ARN.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },

```

```

 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantStatus": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Granted operations.</p>",
 "smithy.api#required": {}
 }
 },
 "Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation":
 "<p>Describes a grant.</p>"
 },
 "com.amazonaws.licensemanager#GrantList": {
 "type": "list",

```

```

"member": {
 "target": "com.amazonaws.licensemanager#Grant"
}
},
"com.amazonaws.licensemanager#GrantStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_ACCEPT"
 }
 },
 "REJECTED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 },
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 }
 }
}

```

```

 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 },
 "WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
 }
},
"com.amazonaws.licensemanager#GrantedLicense": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Granted license issuer.</p>"
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>Granted license status.</p>"
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in ISO8601-UTC format.</p>"
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Granted license metadata.</p>"
 }
 },
 "CreateTime": {

```

```

 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Version of the granted license.</p>"
 }
 },
 "ReceivedMetadata": {
 "target": "com.amazonaws.licensemanager#ReceivedMetadata",
 "traits": {
 "smithy.api#documentation": "<p>Granted license received metadata.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
 },
 "com.amazonaws.licensemanager#GrantedLicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#GrantedLicense"
 }
 },
 "com.amazonaws.licensemanager#ISO8601DateTime":
{
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^(-(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|[1-2][0-9])T(2[0-3]|[0-1][0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(?:Z|[-+](?:2[0-3]|[0-1][0-9]):[0-5][0-9])+$)"
 }
},
 "com.amazonaws.licensemanager#Integer": {
 "type": "integer"
 },
 "com.amazonaws.licensemanager#InvalidParameterValueException": {
 "type": "structure",
 "members": {
 "Message": {

```



```

 "target": "com.amazonaws.licensemanager#Message"
 }
},
"traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidParameterValueProvided",
 "httpResponseCode": 400
 },
 "smithy.api#documentation":
 "<p>One or more parameter values are not valid.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
}
},
"com.amazonaws.licensemanager#InvalidResourceStateException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResourceState",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its
state. </p>\n <p>For example, you cannot allocate a license to an instance in the process of shutting\n
down.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},

"com.amazonaws.licensemanager#InventoryFilter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the filter.</p>",
 "smithy.api#required": {}
 }
 },
 "Condition": {
 "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
 "traits": {
 "smithy.api#documentation": "<p>Condition of the filter.</p>",

```

```

 "smithy.api#required": {}
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Value of the filter.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>An inventory filter.</p>"
},
"com.amazonaws.licensemanager#InventoryFilterCondition": {
 "type": "enum",
 "members": {
 "EQUALS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EQUALS"
 }
 },
 "NOT_EQUALS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "NOT_EQUALS"
 }
 },
 "BEGINS_WITH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "BEGINS_WITH"
 }
 },
 "CONTAINS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CONTAINS"
 }
 }
 }
},
"com.amazonaws.licensemanager#InventoryFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#InventoryFilter"
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#Issuer": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>",
 "smithy.api#required": {}
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#IssuerDetails": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>"
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n and support the RSASSA-PSS SHA-256 signing
algorithm.</p>"
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
 }
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#License": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>"
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",

```

```

 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 },
 "Entitlements": {

"target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>License metadata.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>License
creation time.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 }

```

```

 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseConfiguration": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license configuration.</p>"
 }
 },
 "OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
 }
 },
 "ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
 }
 },
 "ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
 }
 },
 "ProductInformationList": {

```

```

 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be\n consumed and enforced by License Manager. Components include specifications for the license\n type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM\n must be associated with a host), and the number of licenses purchased and used.</p>"
}
},
"com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
 "type": "structure",
 "members": {
 "ResourceArn":
{
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of server resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource consuming licenses.</p>"
 }
 }
 },
 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {

```



```

"smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
 }
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
}
},
"com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
 }
},
"com.amazonaws.licensemanager#LicenseConfigurationStatus": {
 "type": "enum",
 "members":
{
 "AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 }
}
},
"com.amazonaws.licensemanager#LicenseConfigurationUsage": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 }
 },

```

```

 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 },
 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time when the license configuration was initially associated with
the resource.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license
configuration.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
 }
 },
 "com.amazonaws.licensemanager#LicenseConfigurations": {
 "type": "list",
 "member": {

```

```

 "target": "com.amazonaws.licensemanager#LicenseConfiguration"
 },
 "com.amazonaws.licensemanager#LicenseConversionContext": {
 "type": "structure",
 "members": {
 "UsageOperation": {
 "target": "com.amazonaws.licensemanager#UsageOperation",
 "traits": {
 "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you
are converting your resource from. For more information about which platforms correspond to which usage
operation values see <a href='\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-
fields.html#billing-info\">Sample data: usage operation by platform\\n \\n </p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTask": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\\n conversion task.</p>"
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
 }
 },
 "DestinationLicenseContext": {
 "target":

```

```

"com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
 },
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>The status of the conversion task.</p>"
 }
 },
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
 },
 },
 "StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
 }
 },
 },
 "LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
 }
 },
 },
 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
 }
 },
 },
 "traits": {
 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseConversionTaskId": {
 "type": "string",
 "traits": {

```

```

 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^\\c{[a-zA-Z0-9]}*$"
 }
},
"com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
 "type": "enum",
 "members": {
 "IN_PROGRESS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "IN_PROGRESS"
 }
 },
 "SUCCEEDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUCCEEDED"
 }
 },
 "FAILED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED"
 }
 }
 }
},
"com.amazonaws.licensemanager#LicenseConversionTasks": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTask"
 }
},
"com.amazonaws.licensemanager#LicenseCountingType": {
 "type": "enum",
 "members": {
 "VCPU": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "vCPU"
 }
 },
 "INSTANCE": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "Instance"
 }
 },
 "CORE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Core"
 }
 },
 "SOCKET": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Socket"
 }
 }
}
},
"com.amazonaws.licensemanager#LicenseDeletionStatus": {
 "type": "enum",
 "members": {
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
 }
},
"com.amazonaws.licensemanager#LicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#License"
 }
},
"com.amazonaws.licensemanager#LicenseOperationFailure": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type.</p>"
 }
 },
 "ErrorMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Error message.</p>"
 }
 },
 "FailureTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Failure time.</p>"
 }
 },
 "OperationName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the operation.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
 }
 },
 "OperationRequestedBy": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
 }
 },
 "MetadataList": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Reserved.</p>"
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
 }
 },
 "com.amazonaws.licensemanager#LicenseOperationFailureList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
 }
 },
 "com.amazonaws.licensemanager#LicenseSpecification": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",

 "smithy.api#required": {}
 }
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
 }
 },
 "com.amazonaws.licensemanager#LicenseSpecifications": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseSpecification"
 }
 },
 "com.amazonaws.licensemanager#LicenseStatus": {
 "type": "enum",
 "members": {
 "AVAILABLE": {
 "target": "smithy.api#Unit",

```



```

 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 },
 "PENDING_AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_AVAILABLE"
 }
 },
 "DEACTIVATED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DEACTIVATED"
 }
 },
 "SUSPENDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUSPENDED"
 }
 },
 "EXPIRED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EXPIRED"
 }
 },
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
},
"com.amazonaws.licensemanager#LicenseUsage": {
 "type": "structure",
 "members": {
 "EntitlementUsages": {
 "target": "com.amazonaws.licensemanager#EntitlementUsageList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>License entitlement usages.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseUsageException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "LicenseUsageFailure",
 "httpResponseCode": 412
 },
 "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource
launch.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 412
 }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 }
]
}

```

```

 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the resource associations for the
specified license configuration.</p>\n <p>Resource associations need not consume licenses from a license
configuration. \n For example, an AMI or a stopped instance might not consume a license (depending on \n
the license rules).</p>"
}
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationAssociations": {

```

```

 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListDistributedGrants": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
}

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
 "type": "structure",
 "members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n \n <p>\n <code>GranteePrincipalARN</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>LicenseIssuerName</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {

```

```

 "target": "com.amazonaws.licensemanager#GrantList",

 "traits": {
 "smithy.api#documentation": "<p>Distributed grant details.</p>"
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {

```

```

"type": "structure",
"members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":
{
 "type": "structure",
 "members": {
 "LicenseOperationFailureList": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
 "traits": {
 "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurations": {

```

```

 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
 },

 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 }
 }
}

```



```

 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n
<code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
<code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n
<code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
enforcement is used. \n Logical operators are <code>EQUALS</code> |
<code>NOT_EQUALS</code>.</p>\n \n \n <p>\n
<code>usagelimitExceeded</code> - A Boolean value that
indicates whether the available licenses have been exceeded. \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n "
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurations": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ListLicenseConversionTasks": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
 "type": "structure",
 "members": {
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "Filters": {

```

```

 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>\n Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n </p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTasks": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 }
],
 "com.amazonaws.licensemanager#AuthorizationException"
},

```

```

{
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
},
{
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
},
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
}
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
{
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n \n \n <p>\n <code>LicenseConfigurationArn</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
 "type": "structure",
 "members": {
 "ReportGenerators": {
 "target": "com.amazonaws.licensemanager#ReportGeneratorList",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an
associated license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
 }
 },
 "NextToken": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseVersions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
},

"NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListLicenses": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicensesResponse"
 },
 "errors": [

```



```

{
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
},
{
 "target": "com.amazonaws.licensemanager#AuthorizationException"
},
{
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
},
{
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
},
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
},
"com.amazonaws.licensemanager#ListLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>Fingerprint</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token

```

for the next set of results.</p>"

```
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicensesResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedGrants": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
```

```

 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the\n recipient as this Amazon Web Services account, your organization, or an organizational unit\n (OU) to which this member account belongs.</p>"
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 }
]
}

```

```

 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
 }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
 "smithy.api#required": {}
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n
 \n
 \n
 <p>\n
 <code>ParentArn</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>GranteePrincipalArn</code>\n
 </p>\n
 \n
 "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},

```

```

"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
{
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
 "type": "structure",
 "members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>LicenseIssuerName</code>\n </p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n \n <p>\n <code>GranterAccountId</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 },

```

```

 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",
 "traits": {
 "smithy.api#documentation": "<p>Received grant details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedLicenses": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists received licenses.</p>"
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#ValidationException"
 },
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
 },
 },
 "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 },
 "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```



```

 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
}
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
 \n
 \n
 <p>\n
 <code>ProductSKU</code>\n
 \n
 \n
 <p>\n
 <code>Status</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>Fingerprint</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>IssuerName</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>Beneficiary</code>\n
 </p>\n
 \n
 "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
 "type": "structure",

```

```

"members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",
 "traits": {
 "smithy.api#documentation": "<p>Received license details.</p>"
 }
 },

 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListResourceInventory": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FailedDependencyException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
}

```

```

 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
 }
},
"com.amazonaws.licensemanager#ListResourceInventoryRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#InventoryFilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>account_id</code>
- The ID of the Amazon Web Services account that owns the resource.\n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>application_name</code> - The name of the
application. \n Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n \n \n <p>\n <code>license_included</code> - The type of license included. \n
Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.\n Possible values
are <code>sql-server-enterprise</code> | \n <code>sql-server-standard</code> | \n <code>sql-
server-web</code> | \n <code>windows-server-datacenter</code>.</p>\n \n \n <p>\n <code>platform</code> - The platform of the resource.\n Logical operators are
<code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n \n \n <p>\n <code>resource_id</code> - The ID of the resource. \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>tag:<key></code> - The key/value combination of a tag assigned \n to the resource. Logical
operators are <code>EQUALS</code> (single account) or\n <code>EQUALS</code> |
<code>NOT_EQUALS</code> (cross account).</p>\n \n "
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},

```

```

"com.amazonaws.licensemanager#ListResourceInventoryResponse": {
 "type": "structure",
 "members": {
 "ResourceInventoryList": {
 "target": "com.amazonaws.licensemanager#ResourceInventoryList",
 "traits": {
 "smithy.api#documentation": "<p>Information
about the resources.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListTagsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ListTagsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",

 "smithy.api#required": {}
 }
 },
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the tags.</p>"
 }
 },
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListTokens": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListTokensRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListTokensResponse"
 },
 "errors":
 [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
]

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists your tokens.</p>"
 }
},
"com.amazonaws.licensemanager#ListTokensRequest": {
 "type": "structure",
 "members": {
 "TokenIds": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Token IDs.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
\n \n <p>\n <code>LicenseArns</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation":
 "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {

```

```

 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#ListTokensResponse": {
 "type": "structure",
 "members": {
 "Tokens": {
 "target": "com.amazonaws.licensemanager#TokenList",
 "traits": {
 "smithy.api#documentation": "<p>Received token details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
],

```

```

 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying
license\n consumption details by resource at a selected point in time. Use this action to audit the\n current
license consumption for any license inventory and configuration.</p>"
 }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>resourceArn</code> - The ARN of the license configuration resource.\n Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n <p>\n <code>resourceType</code> - The resource type
(<code>EC2_INSTANCE</code> | <code>EC2_HOST</code> | <code>EC2_AMI</code> |
<code>SYSTEMS_MANAGER_MANAGED_INSTANCE</code>). \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>resourceAccount</code> - The ID of the account that owns the resource. \n Logical operators
are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n "
 }
 }
 }
}

```



```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationUsageList": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#Location": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#Long": {
 "type": "long"
 },
 "com.amazonaws.licensemanager#ManagedResourceSummary": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
 }
 },
 "AssociationCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
 }
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
 }
 },
 "com.amazonaws.licensemanager#ManagedResourceSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
 }
 },
 "com.amazonaws.licensemanager#MaxSize100": {
 "type": "integer",
 "traits": {
 "smithy.api#range": {
 "min": 1,
 "max": 100
 }
 }
 },
 "com.amazonaws.licensemanager#MaxSize3StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 3
 }
 }
 },
 "com.amazonaws.licensemanager#Message": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#Metadata": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The key name.</p>"
 }
 }
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>The value.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
 }
},
"com.amazonaws.licensemanager#MetadataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Metadata"
 }
},
"com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement
maximum count is reached.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#Options": {
 "type": "structure",
 "members": {
 "ActivationOverrideBehavior": {
 "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
 "traits": {
 "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n \n \n <p>As a license administrator, you can
optionally specify an\n <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n
\n \n <p>As a grantor, you can optionally specify an\n
<code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n account in your
organization.</p>\n \n \n <p>As a grantee, if the grantor creating the distributed
grant doesnt specify an\n <code>ActivationOverrideBehavior</code>, you can optionally specify one
when you\n are activating the grant.</p>\n \n \n <dl>\n
<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n <dd>\n <p>Use this value to activate a grant
without replacing any member accounts\n active grants for the same product.</p>\n </dd>\n
<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n <dd>\n <p>Use this value to activate a

```

```

grant and disable other active grants in any\n member accounts
for the same product. This action will also replace their\n previously activated grants with this activated
grant.</p>\n </dd>\n </dl>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
such as activation\n override behavior. For more information, see Granted licenses in
License Manager in the <i>License Manager User Guide</i>.</p>"
 },
 "com.amazonaws.licensemanager#OrganizationConfiguration": {
 "type": "structure",
 "members": {
 "EnableIntegration": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation":
 "<p>Enables Organizations integration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
 }
 },
 "com.amazonaws.licensemanager#PrincipalArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 1
 }
 }
 },
 "com.amazonaws.licensemanager#ProductInformation": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
 "smithy.api#required": {}
 }
},
"ProductInformationFilterList": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
 "traits": {
 "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n <p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>.</p>\n <p>The following filters and are supported when
the resource type \n is <code>SSM_MANAGED</code>:</p>\n
 \n \n <p>\n <code>Application Name</code> - The name of the
application.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Publisher</code> - The publisher of the application.\n Logical
operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Version</code> - The version of the application.\n Logical operator is
<code>EQUALS</code>.</p>\n \n \n <p>\n <code>Platform
Name</code> - The name of the platform.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Platform Type</code> - The platform type.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Tag:key</code> - The key of a tag attached to an
Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is
<code>NOT_EQUALS</code>. The key for your tag must be appended to <code>Tag:</code> following the
example: <code>Tag:name-of-your-key</code>. <code>ProductInformationFilterValue</code> is optional if you
are not using values for the key.\n </p>\n \n \n <p>\n <code>AccountId</code> - The 12-digit ID of an Amazon Web Services account you wish to exclude from
automated discovery.\n Logical operator is <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>License Included</code> - The type of license included.\n Logical
operators are <code>EQUALS</code> and <code>NOT_EQUALS</code>.\n Possible values are:
<code>sql-server-enterprise</code> | \n <code>sql-server-standard</code> | \n <code>sql-server-
web</code> | \n <code>windows-server-datacenter</code>.</p>\n \n \n <p>The following filters and logical operators are supported when the resource type\n is
<code>RDS</code>:</p>\n \n \n <p>\n <code>Engine Edition</code> -
The edition of the database engine.\n Logical operator is <code>EQUALS</code>.\n Possible
values are: <code>oracle-ee</code> | <code>oracle-se</code> | <code>oracle-se1</code> | <code>oracle-
se2</code>.</p>\n \n \n <p>\n <code>License Pack</code> - The license
pack.\n Logical operator is <code>EQUALS</code>.\n Possible values are: <code>data
guard</code> | \n <code>diagnostic pack sqlt</code> | \n <code>tuning pack sqlt</code> | \n <code>ols</code> | \n <code>olap</code>.</p>\n \n \n "smithy.api#required": {}
 }
}
},

```

```

 "traits": {
 "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#ProductInformationFilter": {
 "type": "structure",
 "members": {
 "ProductInformationFilterName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Filter name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductInformationFilterValue": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Filter value.</p>"
 }
 },
 "ProductInformationFilterComparator": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Logical operator.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes product information filters.</p>"
 }
 },
 "com.amazonaws.licensemanager#ProductInformationFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilter"
 }
 },
 "com.amazonaws.licensemanager#ProductInformationList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformation"
 }
 },
 "com.amazonaws.licensemanager#ProvisionalConfiguration": {
 "type": "structure",
 "members": {

```

```

 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#RateLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "RateLimitExceeded",
 "httpResponseCode": 429
 },
 "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief
wait.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 429
 }
 },
 "com.amazonaws.licensemanager#ReceivedMetadata": {
 "type": "structure",
 "members": {
 "ReceivedStatus": {
 "target": "com.amazonaws.licensemanager#ReceivedStatus",
 "traits": {
 "smithy.api#documentation": "<p>Received status.</p>"
 }
 },
 "ReceivedStatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Received
status reason.</p>"
 }
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Allowed operations.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
 }
},
"com.amazonaws.licensemanager#ReceivedStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue":
"PENDING_ACCEPT"
 }
 },
 "REJECTED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
 }
}

```



```

 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 },
 "WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
 }
 }
},
"com.amazonaws.licensemanager#RedirectException": {
 "type": "structure",
 "members": {
 "Location": {
 "target": "com.amazonaws.licensemanager#Location",
 "traits": {
 "smithy.api#httpHeader": "Location"
 }
 },
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 308
 }
},
"com.amazonaws.licensemanager#RejectGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#RejectGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#RejectGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#RejectGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}
},
"com.amazonaws.licensemanager#RejectGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 }
 },
 "Status": {

```

```

 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#RenewType":
{
 "type": "enum",
 "members": {
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "WEEKLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Weekly"
 }
 },
 "MONTHLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Monthly"
 }
 }
 }
},
"com.amazonaws.licensemanager#ReportContext": {
 "type": "structure",
 "members": {
 "licenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
}
},
"com.amazonaws.licensemanager#ReportFrequency": {
 "type": "structure",
 "members": {
 "value": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {
 "smithy.api#documentation": "Number of times within the frequency period that a report is
generated. \n The only supported value is <code>1</code>.</p>"
 }
 },
 "period": {
 "target": "com.amazonaws.licensemanager#ReportFrequencyType",

 "traits": {
 "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,
or monthly.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 }
},
"com.amazonaws.licensemanager#ReportFrequencyType": {
 "type": "enum",
 "members": {
 "DAY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DAY"
 }
 },
 "WEEK": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WEEK"
 }
 }
 },
}

```

```

 "MONTH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "MONTH"
 }
 }
 },
 "com.amazonaws.licensemanager#ReportGenerator": {
 "type": "structure",
 "members": {
 "ReportGeneratorName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>"
 }
 },
 "ReportType": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>License
configuration type for this generator.</p>"
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 }
 },
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
 }
 },
 "LastRunStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
 }
 }
 }
 }
}

```

```

 },
 "LastRunFailureReason":
 {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
 }
 },
 "LastReportGenerationTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
 }
 },
 "ReportCreatorAccount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report
generator.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",

 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "S3Location": {
 "target": "com.amazonaws.licensemanager#S3Location",
 "traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the report was created.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
 }
 },
 "com.amazonaws.licensemanager#ReportGeneratorList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ReportGenerator"
 }
 },
 "com.amazonaws.licensemanager#ReportGeneratorName": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
 },
 "com.amazonaws.licensemanager#ReportType": {
 "type": "enum",
 "members": {
 "LICENSE_CONFIGURATION_SUMMARY_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
 }
 },
 "LICENSE_CONFIGURATION_USAGE_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationUsageReport"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#ReportTypeList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ReportType"
 }
 },
 "com.amazonaws.licensemanager#ResourceInventory": {
 "type": "structure",
 "members": {

```

```

 "ResourceId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "Platform": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Platform of the resource.</p>"
 }
 },
 "PlatformVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
 }
 },
 "ResourceOwningAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a resource.</p>"
 },
 "com.amazonaws.licensemanager#ResourceInventoryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ResourceInventory"
 }
 }
 }

```



```

},
"com.amazonaws.licensemanager#ResourceLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ResourceLimitExceeded",

 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResource.NotFound",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The resource cannot be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#ResourceType": {
 "type": "enum",
 "members": {
 "EC2_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_INSTANCE"
 }
 },
 "EC2_HOST": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "EC2_HOST"
 },
 "EC2_AMI": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_AMI"
 }
 },
 "RDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "RDS"
 }
 },
 "SYSTEMS_MANAGER_MANAGED_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
 }
 }
},
"com.amazonaws.licensemanager#S3Location": {
 "type": "structure",
 "members": {
 "bucket": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
 }
 },
 "keyPrefix": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
 }
},
"com.amazonaws.licensemanager#ServerInternalException": {
 "type": "structure",
 "members": {
 "Message": {

```

```

 "target": "com.amazonaws.licensemanager#Message"
 }
},
"traits": {
 "aws.protocols#awsQueryError": {
 "code": "InternalServerError",
 "httpResponseCode": 500
 },
 "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
 "smithy.api#error": "server",
 "smithy.api#httpError": 500
}
},
"com.amazonaws.licensemanager#SignedToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 4096
 }
 }
},
"com.amazonaws.licensemanager#StatusReasonMessage": {
 "type": "string",
 "traits":
{
 "smithy.api#length": {
 "min": 0,
 "max": 400
 },
 "smithy.api#pattern": "^[\\s\\S]+$"
}
},
"com.amazonaws.licensemanager#String": {
 "type": "string"
},
"com.amazonaws.licensemanager#StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
},
"com.amazonaws.licensemanager#Tag": {
 "type": "structure",
 "members": {
 "Key": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Tag key.</p>"
 }
 }
 }
}

```

```

 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Tag value.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
 },
 "com.amazonaws.licensemanager#TagKeyList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
 },
 "com.amazonaws.licensemanager#TagList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Tag"
 }
 },
 "com.amazonaws.licensemanager#TagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#TagResourceResponse"
 },
 "errors": [
 {
 "target":
"com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]
 },

```

```

 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#TagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>One or more tags.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#TagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#TokenData": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
 }
 },
 },

```

```

"TokenType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
 }
},
"LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
},
"ExpirationTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
 }
},
"TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller.</p>"
 }
},
"RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes a token.</p>"
}
},
"com.amazonaws.licensemanager#TokenList": {
 "type": "list",

```

```

 "member": {
 "target": "com.amazonaws.licensemanager#TokenData"
 }
 },
 "com.amazonaws.licensemanager#TokenString": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 4096
 },
 "smithy.api#pattern": "^\\S+$"
 }
 },
 "com.amazonaws.licensemanager#TokenType": {
 "type": "enum",
 "members": {
 "REFRESH_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REFRESH_TOKEN"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
 {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#UntagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UntagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UntagResourceResponse"
 }
 },

```

```

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Removes the specified tags from the specified license
configuration.</p>"
},
},
"com.amazonaws.licensemanager#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 },
 "TagKeys": {
 "target": "com.amazonaws.licensemanager#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
 "smithy.api#required": {}
 }
 },
},
"traits": {
 "smithy.api#input": {}
},
},
"com.amazonaws.licensemanager#UntagResourceResponse": {
 "type": "structure",
 "members": {},

```



```

 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },

```

```

"LicenseConfigurationStatus": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
 "traits": {
 "smithy.api#documentation": "<p>New status of the license configuration.</p>"
 }
},
"LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {

 "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\n
configuration is licenseAffinityToHost.</p>"
 }
},
"LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>New number of licenses managed by the license
configuration.</p>"
 }
},
"LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
 }
},
"Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
 }
},
"Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New description of the license configuration.</p>"
 }
},
"ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>New product information.</p>"
 }
},
"DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",

```

```

 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "traits": {
{
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
],

```

```

 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates a report generator.</p>\n <p>After you make changes to a
report generator, it starts generating new reports within 60 minutes of being updated.</p>"
 }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
{
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to
update.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportGeneratorName": {
 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
 },
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation":
 "<p>Type of reports to generate. The following report types are supported:</p>\n \n \n <p>License configuration report - Reports the number and details of consumed licenses for a license
configuration.</p>\n \n \n <p>Resource report - Reports the tracked licenses and
resource consumption for a license configuration.</p>\n \n ",
 "smithy.api#required": {}
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>The report context.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",

```

```

 "traits":
 {
 "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
 "smithy.api#required": {}
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
{
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],

```

```

 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },

 {
 "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
 },
 {
 "target": "com.amazonaws.licensemanager#LicenseUsageException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n <p>You can update the license specifications of AMIs, instances, and hosts.\n You cannot update the license specifications for launch templates and CloudFormation templates, \n as they send license configurations to the operation that creates the resource.</p>"
 }
},

"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services resource.</p>",
 "smithy.api#required": {}
 }
 },
 "AddLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
 }
 },
 "RemoveLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation":
 "<p>ARNs of the license configurations to remove.</p>"
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
 }
},
"com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UsageOperation": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 }
 }
},
"com.amazonaws.licensemanager#ValidationException": {

```



```

 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",

 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
}
}
}

```

## 1.101 [github.com/aws/aws-sdk-go-v2/service/dynamodbstreams](https://github.com/aws/aws-sdk-go-v2/service/dynamodbstreams) 1.20.10

### 1.101.1 Available under license :

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

```
// Checks out the specified license.
```

```
//
```

```
// If the account that created the license is the same that is performing the
// check out, you must specify the account as the beneficiary.
```

```

func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
 if params == nil {
 params = &CheckoutLicenseInput{}
 }

```

```

 result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
 if err != nil {

```

```

 return nil, err
}

out := result.(*CheckoutLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type CheckoutLicenseInput struct {

 //
 Checkout type.
 //
 // This member is required.
 CheckoutType types.CheckoutType

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 // the request.
 //
 // This member is required.
 ClientToken *string

 // License entitlements.
 //
 // This member is required.
 Entitlements []types.EntitlementData

 // Key fingerprint identifying the license.
 //
 // This member is required.
 KeyFingerprint *string

 // Product SKU.
 //
 // This member is required.
 ProductSKU *string

 // License beneficiary.
 Beneficiary *string

 // Node ID.
 NodeId *string

 noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

```

```

// Checkout type.
CheckoutType types.CheckoutType

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the checkout license.
LicenseArn
*string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {

```

```

return err
}
if err = addSetLoggerMiddleware(stack,
options); err != nil {
return err
}
if err = addClientRequestID(stack); err != nil {
return err
}
if err = addComputeContentLength(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = addComputePayloadSHA256(stack); err != nil {
return err
}
if err = addRetry(stack, options); err != nil {
return err
}
if err = addRawResponseToMetadata(stack); err != nil {
return err
}
if err = addRecordResponseTiming(stack); err != nil {
return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
return err
}
if err = addTimeOffsetBuild(stack,
c); err != nil {
return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
return err
}

```

```

}
if err = addOpCheckoutLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err !=
nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckoutLicense",
 }
}

```

name: License Scan

on: [pull\_request]

jobs:

licensescan:

name: License Scan

runs-on: ubuntu-latest

strategy:

matrix:

python-version: [3.9]

steps:

- name: Checkout target

uses: actions/checkout@v2

with:

path: sdkbase

ref: \${{ github.base\_ref }}

- name: Checkout this ref

uses: actions/checkout@v2

with:

path: new-ref

fetch-depth: 0

- name: Get Diff

run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT \${{ github.event.pull\_request.base.sha }}

\${{ github.sha }} > refDiffFiles.txt

- name: Get Target Files

run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt - > targetFiles.txt

- name: Checkout scancode

uses: actions/checkout@v2

with:

repository: nexB/scancode-toolkit

path: scancode-toolkit

fetch-depth: 1

- name: Set up Python \${{ matrix.python-version }}

uses: actions/setup-python@v2

with:

python-version: \${{ matrix.python-version }}

# ScanCode

- name: Self-configure scancode

working-directory: ./scancode-toolkit

run: ./scancode --help

- name: Run Scan code on target

run: cat targetFiles.txt | while read filename; do echo ./sdkbase/\$filename; done | xargs ./scancode-toolkit/scancode -l -n 30 --json-pp - | grep short\_name | sort | uniq >> old-licenses.txt

- name: Run Scan code on pr ref

run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/\$filename; done | xargs ./scancode-toolkit/scancode -l -n 30 --json-pp - | grep short\_name | sort | uniq >> new-licenses.txt

```

compare
- name: License test
 run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
are the same. Success."; exit 0; fi
// Code generated by smithy-go-codegen DO NOT EDIT.

package grafana

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Removes the Grafana Enterprise license from a workspace.
func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
...func(*Options)) (*DisassociateLicenseOutput, error) {
 if params == nil {
 params = &DisassociateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*DisassociateLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type DisassociateLicenseInput struct {

 // The type of license to remove from the workspace.
 //
 // This member is required.
 LicenseType types.LicenseType

 //
 The ID of the workspace to remove the Grafana Enterprise license from.
 //
 // This member is required.
 WorkspaceId *string

```

```

noSmithyDocumentSerde
}

type DisassociateLicenseOutput struct {

 // A structure containing information about the workspace.
 //
 // This member is required.
 Workspace *types.WorkspaceDescription

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "DisassociateLicense");
 err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }

```



```

}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if
err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
}

```

```

if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err
!= nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "DisassociateLicense",
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))

```

```

(*ListLicensesOutput, error) {
 if params == nil {
 params = &ListLicensesInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*ListLicensesOutput)
 out.ResultMetadata = metadata
 return out, nil
}

```

```

type ListLicensesInput struct {

```

```

 // Filters to scope the results. The following filters are supported:

```

```

 //

```

```

 // - Beneficiary

```

```

 //

```

```

 // - ProductSKU

```

```

 //

```

```

 // - Fingerprint

```

```

 //

```

```

 // - Status

```

```

 Filters

```

```

 []types.Filter

```

```

 // Amazon Resource Names (ARNs) of the licenses.

```

```

 LicenseArns []string

```

```

 // Maximum number of results to return in a single call.

```

```

 MaxResults *int32

```

```

 // Token for the next set of results.

```

```

 NextToken *string

```

```

 noSmithyDocumentSerde

```

```

}

```

```

type ListLicensesOutput struct {

```

```

 // License details.

```

```

 Licenses []types.License

```

```

 // Token for the next set of results.

```

NextToken \*string

// Metadata pertaining to the operation's result.

ResultMetadata middleware.Metadata

noSmithyDocumentSerde

}

```
func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
```

```
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{}, middleware.After)
```

```
 if err != nil {
```

```
 return err
 }
```

```
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{}, middleware.After)
```

```
 if err != nil {
```

```
 return err
 }
```

```
 if err := addProtocolFinalizerMiddlewares(stack,
```

```
 options, "ListLicenses"); err != nil {
```

```
 return fmt.Errorf("add protocol finalizers: %v", err)
 }
```

```
 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
```

```
 return err
 }
```

```
 if err = addSetLoggerMiddleware(stack, options); err != nil {
```

```
 return err
 }
```

```
 if err = addClientRequestID(stack); err != nil {
```

```
 return err
 }
```

```
 if err = addComputeContentLength(stack); err != nil {
```

```
 return err
 }
```

```
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
```

```
 return err
 }
```

```
 if err = addComputePayloadSHA256(stack); err != nil {
```

```
 return err
 }
```

```
 if err = addRetry(stack, options); err != nil {
```

```
 return err
 }
```

```
 if err = addRawResponseToMetadata(stack); err != nil {
```

```
 return err
 }
```

```

}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
}

```

```

if err = addSpanInitializeEnd(stack); err != nil
{
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "ListLicenses",
}
}
{
 "smithy": "2.0",
 "shapes": {
 "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
 "type": "structure",
 "members": {
 "DirectoryId": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Directory",
 "traits": {
 "smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
 }
 }
 },
 "ActiveDirectorySettings":
 }
 "target": "com.amazonaws.licensemanagerusersubscriptions#ActiveDirectorySettings",
 "traits": {

```

```

 "smithy.api#documentation": "<p>The <code>ActiveDirectorySettings</code> resource contains
details about \n\t\t\tthe Active Directory, including network access details such as domain name and IP
\n\t\t\taddresses, and the credential provider for user administration.</p>"
 },
 "ActiveDirectoryType": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryType",
 "traits": {
 "smithy.api#documentation": "<p>The type of Active Directory either a self-managed Active
Directory or an \n\t\t\tAmazon Web Services Managed Active Directory.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about an Active Directory identity
provider.</p>"
 },
 "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectorySettings": {
 "type": "structure",
 "members": {
 "DomainName": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name for the Active Directory.</p>"
 }
 },
 "DomainIpv4List": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IPv4List",
 "traits": {
 "smithy.api#documentation": "<p>A list of domain IPv4 addresses that are used for the Active
Directory.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 2
 }
 }
 },
 "DomainCredentialsProvider": {
 "target":
"com.amazonaws.licenseanagerusersubscriptions#CredentialsProvider",
 "traits": {
 "smithy.api#documentation": "<p>Points to the <code>CredentialsProvider</code> resource that
contains \n\t\t\tinformation about the credential provider for user administration.</p>"
 }
 },
 "DomainNetworkSettings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DomainNetworkSettings",

```







```

 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance that provides the user-based
subscription.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>The identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains
information for the user to associate.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags that apply for the user association.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#BoxInteger": {

```

```

 "type": "integer"
 },
 "com.amazonaws.licenseanagerusersubscriptions#ConflictException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current
state of the\n\t\t\tresource.</p>",
 "smithy.api#error": "server"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#CreateLicenseServerEndpoint": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#CreateLicenseServerEndpointRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#CreateLicenseServerEndpointResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {

```





```

 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
}

],
"traits": {
 "smithy.api#documentation": "<p>Deletes a <code>LicenseServerEndpoint</code> resource.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/license-server/DeleteLicenseServerEndpoint"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerusersubscriptions#DeleteLicenseServerEndpointRequest": {
 "type": "structure",
 "members": {
 "LicenseServerEndpointArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) that identifies the
<code>LicenseServerEndpoint</code> \n\t\t\t\tresource to delete.</p>",
 "smithy.api#required": {}
 }
 },
 "ServerType": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerType",
 "traits": {
 "smithy.api#documentation": "<p>The type of License Server that the delete request refers to.</p>",
 "smithy.api#required": {}
 }
 }
 }
}
},

```

```

 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#DeleteLicenseServerEndpointResponse": {
 "type": "structure",
 "members": {
 "LicenseServerEndpoint": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpoint",
 "traits": {
 "smithy.api#documentation": "<p>Shows details from the <code>LicenseServerEndpoint</code> resource that was deleted.</p>"
 }
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
]
}

```

```

 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deregisters the Active Directory identity provider from License Manager user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/DeregisterIdentityProvider"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderRequest":
{
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the Active Directory identity provider.</p>"
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> | <code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n</p>"
 }
 },
 "IdentityProviderArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) that identifies the identity provider to deregister.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderResponse": {
 "type": "structure",

```



```

"members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#Directory":
{
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^(d|sd)-[0-9a-f]{10}$"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#DisassociateUser": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUserRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUserResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
],

```

```

 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/DisassociateUser"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest":
{
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the Active Directory identity provider for the
user.</p>"
 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance which provides user-based
subscriptions.</p>"
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the Active Directory identity
provider.</p>"
 }
 },
 "InstanceUserArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the user to disassociate
from the EC2 instance.</p>"
 }
 }
 },
 "traits": {}
}

```

```

 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains
information for the user to disassociate.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DomainNetworkSettings": {
 "type": "structure",
 "members": {
 "Subnets": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>Contains a list of subnets that apply for the Active Directory
domain.</p>",
 "smithy.api#length": {
 "min": 1
 },
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains network settings for the Active Directory domain.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Filter": {

```



```

 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>The <code>IdentityProvider</code> resource contains information about \n\t\t\t\tan identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Settings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>Settings</code> resource contains details about the registered \n\t\t\t\tidentity providers product related configuration settings, such as the \n\t\t\t\tsubnets to provision VPC endpoints.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProviderArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the identity provider.</p>"
 }
 },
 "FailureMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
 }
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes an identity provider.</p>"
 },
 "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of an EC2 instance resource.</p>",
 "smithy.api#required": {}
 }
 },
 "Products": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
 "smithy.api#required": {}
 }
 },
 "LastStatusCheckDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date of the last status check.</p>"
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
 }
}
},
"traits": {
 "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList": {

"type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance that provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {

 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>The <code>IdentityProvider</code> resource specifies details
about the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "InstanceUserArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) that identifies the instance
user.</p>"
 }
 },
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
 }
 },
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains the user
information for the product subscription.</p>"
 }
 },
 },
 "AssociationDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
 }
 },
 },
 "DisassociationDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
 }
 },
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based
subscriptions.</p>"
 },
 },
 "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary"
 }
 },
 },
 "com.amazonaws.licensemanagerusersubscriptions#InternalServerError": {

```



```

"type": "structure",
"members": {
 "message": {
 "target": "smithy.api#String"
 }
},
"traits": {
 "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
 "smithy.api#error": "server",
 "smithy.api#httpError": 500
}
},
"com.amazonaws.licenseanagerusersubscriptions#IPv4": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^(?:25[0-5]|2[0-4][0-9]|1[0-9][0-9]|[1-9][0-9]|[0-9])(\\.(?!$)|$)){4}$"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#IPv4List": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IPv4"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#LicenseManagerUserSubscriptions": {
 "type": "service",
 "version": "2018-05-10",
 "operations": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUser"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#CreateLicenseServerEndpoint"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeleteLicenseServerEndpoint"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUser"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProviders"
 },
 {

```

```

 "target": "com.amazonaws.licensemanagerusersubscriptions#ListInstances"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListLicenseServerEndpoints"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListTagsForResource"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#TagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#UntagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
 }
],
"traits": {
 "aws.api#service": {
 "sdkId": "License Manager User Subscriptions",
 "arnNamespace": "license-manager-user-subscriptions",
 "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
 },
 "aws.auth#sigv4": {
 "name": "license-manager-user-subscriptions"
 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",

```

```

 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id",
 "content-length",
 "x-api-key",

 "authorization",
 "x-amz-date",
 "x-amz-security-token",
 "Access-Control-Allow-Headers",
 "Access-Control-Allow-Methods",
 "Access-Control-Allow-Origin"
],
 "additionalExposedHeaders": [
 "x-amzn-errortype",
 "x-amzn-requestid",
 "x-amzn-trace-id"
]
},
 "smithy.api#documentation": "<p>With License Manager, you can create user-based subscriptions to
utilize licensed software with\n\tta per user subscription fee on Amazon EC2 instances.</p>",
 "smithy.api#title": "AWS License Manager User Subscriptions",
 "smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn":
 "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured

```

endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",

```
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
},
"rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
],

"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
 },
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
],

```

```

 true
]
}
],
"error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
"type": "error"
},
{
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},

 "headers": {}
 },
 "type": "endpoint"
}
],
"type": "tree"
},
{
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
]
},
],
"rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv":
[
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
 "rules": [

```

```

{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",

 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
],
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",

```

```

 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
},
"rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
"type": "tree"
},
{
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
}
],
"type": "tree"
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
}
],

```

```

"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 },
 true
]
 }
],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
 },
 {
 "conditions": [],
 "error": "FIPS is enabled but this partition does not support FIPS",
 "type": "error"
 }
],

"type": "tree"
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [

```



```

 {
 "ref": "UseDualStack"
 },
 true
]
}
],
"rules": [
 {
 "conditions": [

 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }

]

 },
],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
},
{
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
}
],

```

```

 "type": "tree"
 },
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
 }
],
"type": "tree"
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint":
{
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
 }
 },
 },
]
}

```

```

 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,

"UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {

"url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-
1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack":
true
 }
 }

```

```

 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack":
false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
 }
 }
 }
]
}

```

```

 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack":
true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },

```

```

 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition
does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,

```

```

 "UseDualStack": false
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 },
 "params": {

```

```

 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {

 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint":
"https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{

```





```

 "traits": {
 "smithy.api#documentation": "<p>Information about a Remote Desktop Services (RDS) license
server.</p>"
 },
 },
 "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpoint": {
 "type": "structure",
 "members": {
 "IdentityProviderArn": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the identity provider that's
associated with \n\t\t\tthe RDS license server endpoint.</p>"
 }
 },
 "ServerType": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerType",
 "traits": {
 "smithy.api#documentation": "<p>The type of license server.</p>"
 }
 },
 "ServerEndpoint": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerEndpoint",
 "traits": {
 "smithy.api#documentation":
 "<p>The <code>ServerEndpoint</code> resource contains the network \n\t\t\taddress of the RDS license server
endpoint.</p>"
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The message associated with the provisioning status, if there is
one.</p>"
 }
 },
 "LicenseServerEndpointId": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointId",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the license server endpoint.</p>"
 }
 },
 "LicenseServerEndpointArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation":
 "<p>The ARN of the <code>ServerEndpoint</code> resource for the RDS \n\t\t\tlicense server.</p>"
 }
 }
 }
 }
}

```

```

 },
 "LicenseServerEndpointProvisioningStatus": {
 "target":
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointProvisioningStatus",
 "traits": {
 "smithy.api#documentation": "<p>The current state of the provisioning process for the RDS license
\n\t\t\tserver endpoint</p>"
 }
 },
 "LicenseServers": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerList",
 "traits": {
 "smithy.api#documentation": "<p>An array of <code>LicenseServer</code> resources that represent
the \n\t\t\tlicense servers that are accessed through this endpoint.</p>"
 }
 },
 "CreationTime": {
 "target": "smithy.api#Timestamp",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp when License Manager created the license server
endpoint.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains details about a network endpoint for a Remote Desktop
Services (RDS) \n\t\t\tlicense server.</p>"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointId": {
 "type": "string"
 },
 "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpoint"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointProvisioningStatus": {
 "type": "string",
 "traits":
{
 "smithy.api#enum": [
 {
 "name": "PROVISIONING",
 "value": "PROVISIONING",
 "documentation": ""
 }
]
}

```

```

 },
 {
 "name": "PROVISIONING_FAILED",
 "value": "PROVISIONING_FAILED",
 "documentation": ""
 },
 {
 "name": "PROVISIONED",
 "value": "PROVISIONED",
 "documentation": ""
 },
 {
 "name": "DELETING",
 "value": "DELETING",
 "documentation": ""
 },
 {
 "name": "DELETION_FAILED",
 "value": "DELETION_FAILED",
 "documentation": ""
 },
 {
 "name": "DELETED",
 "value": "DELETED",
 "documentation": ""
 }
]
}
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerHealthStatus": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "HEALTHY",
 "value": "HEALTHY",
 "documentation": ""
 },
 {
 "name": "UNHEALTHY",
 "value": "UNHEALTHY",
 "documentation": ""
 },
 {
 "name": "NOT_APPLICABLE",
 "value": "NOT_APPLICABLE",
 "documentation": ""
 }
]
 }
}

```

```

]
 }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerList":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServer"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerSettings": {
 "type": "structure",
 "members": {
 "ServerType": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerType",
 "traits": {
 "smithy.api#documentation": "<p>The type of license server.</p>",
 "smithy.api#required": {}
 }
 },
 "ServerSettings": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerSettings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>ServerSettings</code> resource contains the settings
for your \n\t\t\tserver.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The settings to configure your license server.</p>"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the Active Directory identity providers for user-based
subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/ListIdentityProviders"
 },

 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "IdentityProviderSummaries"
 }
 }
},
"com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n"
 }
 }
 }
}

```

[illegible]

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/instance/ListInstances"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceSummaries"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single

```



```
request.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken\n\tfrom a previously truncated response.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n\n \n <p>Status</p>\n \n \n <p>InstanceId</p>\n \n"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse": {
 "type": "structure",
 "members": {
 "InstanceSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>An array of <code>InstanceSummary</code> resources that contain details \n\t\t\tabout the instances that provide user-based subscriptions and also meet the \n\t\t\trequest criteria.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't empty, \n\tthere are additional elements that the service hasn't included in this request. Use this token\n\t\twith the next request to retrieve additional objects.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListLicenseServerEndpoints": {
```

```

 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListLicenseServerEndpointsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListLicenseServerEndpointsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>List the Remote Desktop Services (RDS) License Server endpoints
</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/license-server/ListLicenseServerEndpoints"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "LicenseServerEndpoints"
 }
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#ListLicenseServerEndpointsRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {

```



```

 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptions": {
 "type": "operation",
 "input": {

 "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListProductSubscriptions"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",

```

```

 "pageSize": "MaxResults",
 "items": "ProductUserSummaries"
 }
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
 "type":
"structure",
 "members": {
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
<code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>"
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n
\n \n <p>Status</p>\n \n \n <p>Username</p>\n \n \n <p>Domain</p>\n \n "
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
\n\tfrom a previously truncated response.</p>"
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions
operation.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't
empty, \n\tthere are additional elements that the service hasn't included in this request. Use this token \n\t\twith the
next request to
retrieve additional objects.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListTagsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
]
}

```

```

 }
],
 "traits": {
 "smithy.api#documentation": "<p>Returns the list of tags for the specified resource.</p>",
 "smithy.api#http": {
 "method": "GET",
 "uri": "/tags/{ResourceArn}"
 },
 "smithy.api#readonly": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource whose tags
you want to retrieve.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags for the specified resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest"
 }
}

```

```

 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits":
 {
 "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListUserAssociations"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceUserSummaries"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",

```



```

 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required":
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline
results:</p>\n \n \n <p>Status</p>\n \n \n <p>Username</p>\n \n \n <p>Domain</p>\n \n "
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
\n\tfrom a previously truncated response.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanagerusersubscriptions#ListUserAssociationsResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummaries": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
 }
 }
 }
}

```

```

 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't
empty, \n\tthere are additional elements that the service hasn't included in this request. Use this token \n\t\twith the
next request to retrieve additional objects.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for this product
user.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of a product for this user.</p>",
 "smithy.api#required": {}
 }
 }
}

```

```

 },
 "ProductUserArn": {
 "target": "com.amazonaws.licenseanageruserssubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) for this product user.</p>"
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for a product for this user.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory
that contains the user information for the product subscription.</p>"
 }
 },
 "SubscriptionStartDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The start date of a subscription.</p>"
 }
 },
 "SubscriptionEndDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The end date of a subscription.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A summary of the user-based subscription products for a specific
user.</p>"
 },
 "com.amazonaws.licenseanageruserssubscriptions#ProductUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanageruserssubscriptions#ProductUserSummary"
 }
 },
 "com.amazonaws.licenseanageruserssubscriptions#RdsSalSettings": {
 "type": "structure",
 "members": {
 "RdsSalCredentialsProvider": {

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#CredentialsProvider",
 "traits": {
 "smithy.api#documentation": "<p>The <code>CredentialsProvider</code> resource contains a
reference to \n\t\t\tthe credentials provider that's used for RDS license server user administration.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Server settings that are specific to a Remote Desktop Services (RDS)
license server.</p>"
 },
 "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProvider": {
 "type":
"operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
 "smithy.api#http": {

```

```

 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/RegisterIdentityProvider"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider to
register.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
<code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>",
 "smithy.api#required": {}
 }
 },
 "Settings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "<p>The registered identity providers product related configuration
\n\t\t\tsettings such as the subnets to provision VPC endpoints.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags that apply to the identity provider's registration.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse": {
 "type": "structure",

```

```

"members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",

 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#ResourceArn": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^arn:([a-z0-9-\\.]{1,63}):([a-z0-9-\\.]{1,63}):([a-z0-9-\\.]{1,63}):([a-z0-9-
\\.]{1,63}):([a-z0-9-\\.]{1,510})/([a-z0-9-\\.]{1,510})$"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 404
 }
},
"com.amazonaws.licensemanagerusersubscriptions#SecretsManagerCredentialsProvider":
{
 "type": "structure",
 "members": {
 "SecretId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the Secrets Manager secret that contains
credentials.</p>",
 "smithy.api#length": {
 "min": 1
 }
 }
 }
 }
}

```









```

 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionRequest": {
 "type":
"structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code>
| <code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains the user
for whom to start the product \n\t\t\t\t\tsubscription.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags that apply to the product subscription.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },

```

```

"com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionResponse":
{
 "type": "structure",
 "members": {
 "ProductUserSummary": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the start product subscription
operation.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionResponse"
 },
 },

"errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
]

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/StopProductSubscription"
 }
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>"
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>"
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> | <code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n</p>"
 }
 },
 "ProductUserArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the product user.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The

```

domain name of the Active Directory that contains the user for whom to stop the product \n\t\t\tsubscription.</p>"

```
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the start product subscription
operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Subnet": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^subnet-[a-z0-9]{8,17}"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Subnets": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnet"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#TagKeyList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 },
 "traits": {
```

```

 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#sensitive": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#TagResource": {

 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds tags to a resource.</p>",
 "smithy.api#http": {
 "method": "PUT",
 "uri": "/tags/{ResourceArn}"
 },
 },

 "smithy.api#idempotent": {}
},
"com.amazonaws.licenseanagerusersubscriptions#TagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource that you want to tag.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags to apply to the specified resource.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits":
{
 "smithy.api#input": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#TagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#Tags": {
 "type": "map",
 "key": {
 "target": "smithy.api#String"
 },
 "value": {
 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#sensitive": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ThrottlingException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the request.</p>",

```

```

 "smithy.api#error": "client"
 },
 "com.amazonaws.licenseanagerusersubscriptions#UntagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UntagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UntagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Removes
tags from a resource.</p>",
 "smithy.api#http": {
 "method": "DELETE",
 "uri": "/tags/{ResourceArn}"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource that you want
to remove tags from.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 },
 "TagKeys": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>The tag keys to remove from the resource.</p>",
 "smithy.api#httpQuery": "tagKeys",
 "smithy.api#required": {}
 }
 }
 }
 }
}

```



```

 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#UntagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered identity\n\t\t\t\tprovider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/UpdateIdentityProviderSettings"
 },
 "smithy.api#idempotent": {}
 }
}

```



```

 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#UpdateSettings": {
 "type": "structure",
 "members": {
 "AddSubnets": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint
for products that require connectivity to activation servers.</p>",
 "smithy.api#required": {}
 }
 },
 "RemoveSubnets": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
 "smithy.api#required": {}
 }
 },
 "SecurityGroupId": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup",
 "traits": {
 "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688
communication between resources in your VPC and the VPC endpoints for activation servers.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation":
 "<p>Updates the registered identity providers product related configuration settings such as the subnets to
provision VPC endpoints.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {

```

```

 "smithy.api#documentation": "<p>A parameter is not valid.</p>",
 "smithy.api#error": "client"
 }
}
}
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Creates a license.
func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
 if params == nil {
 params = &CreateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CreateLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CreateLicenseInput struct {

 // License beneficiary.
 //
 // This member is required.
 Beneficiary *string

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 // the request.
 //
 //

```

This member is required.  
ClientToken \*string

// Configuration for consumption of the license. Choose a provisional  
// configuration for workloads running with continuous connectivity. Choose a  
// borrow configuration for workloads with offline usage.  
//  
// This member is required.  
ConsumptionConfiguration \*types.ConsumptionConfiguration

// License entitlements.  
//  
// This member is required.  
Entitlements []types.Entitlement

// Home Region for the license.  
//  
// This member is required.  
HomeRegion \*string

// License issuer.  
//  
// This member is required.  
Issuer \*types.Issuer

// License name.  
//  
// This member is required.  
LicenseName \*string

// Product name.  
//  
// This member is required.  
ProductName \*string

// Product SKU.  
//  
// This member is required.  
ProductSKU \*string

// Date and time range during which the license is valid, in ISO8601-UTC format.  
//  
// This member is required.  
Validity \*types.DatetimeRange

// Information about  
the license.  
LicenseMetadata []types.Metadata

```

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

 // Amazon Resource Name (ARN) of the license.
 LicenseArn *string

 // License status.
 Status types.LicenseStatus

 // License version.
 Version *string

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CreateLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if
 err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {

```

```

return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}
if err = addComputePayloadSHA256(stack); err != nil {
return err
}
if err = addRetry(stack, options); err != nil {
return err
}
if err = addRawResponseToMetadata(stack); err != nil {
return err
}
if err = addRecordResponseTiming(stack); err != nil {
return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err
= addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = addRecursionDetection(stack); err != nil {
return err
}

```

```

}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack);
err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CreateLicense",
 }
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

```



```

// Checks in the specified license. Check in a license when it is no longer in use.
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))
(*CheckInLicenseOutput, error) {
 if params == nil {
 params = &CheckInLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,
c.addOperationCheckInLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckInLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CheckInLicenseInput struct {

 // License consumption token.
 //
 // This member is required.
 LicenseConsumptionToken *string

 // License beneficiary.
 Beneficiary *string

 noSmithyDocumentSerde
}

type
 CheckInLicenseOutput struct {
 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
 }

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{}, middleware.After)

```

```

if err != nil {
 return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "CheckInLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if
err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {

```

```

 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if
err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata

```

```
{
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckInLicense",
}
}
```

ListLicenses

Initialize stack step

spanInitializeStart

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

spanInitializeEnd

Serialize stack step

spanBuildRequestStart

setOperationInput

ResolveEndpoint

OperationSerializer

Build stack step

ClientRequestID

ComputeContentLength

UserAgent

AddTimeOffsetMiddleware

RecursionDetection

spanBuildRequestEnd

Finalize stack step

ResolveAuthScheme

GetIdentity

ResolveEndpointV2

disableHTTPS

ComputePayloadHash

spanRetryLoop

Retry

RetryMetricsHeader

setLegacyContextSigningOptions

Signing

Deserialize stack step

AddRawResponseToMetadata

ErrorCloseResponseBody

CloseResponseBody

ResponseErrorWrapper

RequestIDRetriever

OperationDeserializer

AddTimeOffsetMiddleware

RecordResponseTiming

RequestResponseLogger

```
CheckoutLicense
Initialize stack step
 spanInitializeStart
 RegisterServiceMetadata
 legacyEndpointContextSetter
 SetLogger
 OperationInputValidation
 spanInitializeEnd
Serialize stack step
 spanBuildRequestStart
 setOperationInput
 ResolveEndpoint
 OperationSerializer
Build stack step
 ClientRequestID
 ComputeContentLength
 UserAgent
 AddTimeOffsetMiddleware
 RecursionDetection
 spanBuildRequestEnd
Finalize stack step
 ResolveAuthScheme
 GetIdentity
 ResolveEndpointV2
 disableHTTPS
 ComputePayloadHash
 spanRetryLoop
 Retry
 RetryMetricsHeader
 setLegacyContextSigningOptions
 Signing
Deserialize stack step
 AddRawResponseToMetadata
 ErrorCloseResponseBody
 CloseResponseBody
 ResponseErrorWrapper
 RequestIDRetriever
 OperationDeserializer
 AddTimeOffsetMiddleware
 RecordResponseTiming
 RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.
```

```
package licensemanager
```

```
import (
 "context"
 "fmt"
```

```

awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
 if params == nil {
 params = &GetLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*GetLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type GetLicenseInput struct {

 // Amazon Resource Name (ARN) of the license.
 //
 // This member is required.
 LicenseArn *string

 // License version.
 Version *string

 noSmithyDocumentSerde
}

type
GetLicenseOutput struct {

 // License details.
 License *types.License

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

```

```

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "GetLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err
 != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {
 return err
 }
 if err = addRecordResponseTiming(stack); err != nil {
 return err
 }
 if err = addSpanRetryLoop(stack, options); err != nil {
 return err
 }
}

```

```

if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options);
err != nil {
 return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region), middleware.Before);
err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {

```



```

 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "GetLicense",
 }
}
DisassociateLicense
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
spanInitializeEnd
Serialize stack step
spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step

```

AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
AssociateLicense  
Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware

```

RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license for offline use.
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
 if params == nil {
 params = &CheckoutBorrowLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,
c.addOperationCheckoutBorrowLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckoutBorrowLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CheckoutBorrowLicenseInput struct {

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 //
 the request.
 //
 // This member is required.
 ClientToken *string

 // Digital signature method. The possible value is JSON Web Signature (JWS)
 // algorithm PS384. For more information, see [RFC 7518 Digital Signature with RSASSA-PSS].
 //
 // [RFC 7518 Digital Signature with RSASSA-PSS]: https://tools.ietf.org/html/rfc7518#section-3.5
 //
 // This member is required.

```

DigitalSignatureMethod types.DigitalSignatureMethod

// License entitlements. Partial checkouts are not supported.

//

// This member is required.

Entitlements []types.EntitlementData

// Amazon Resource Name (ARN) of the license. The license must use the borrow

// consumption configuration.

//

// This member is required.

LicenseArn \*string

// Information about constraints.

CheckoutMetadata []types.Metadata

// Node ID.

NodeId \*string

noSmithyDocumentSerde

}

type CheckoutBorrowLicenseOutput struct {

// Information about constraints.

CheckoutMetadata []types.Metadata

// Allowed license entitlements.

EntitlementsAllowed

[]types.EntitlementData

// Date and time at which the license checkout expires.

Expiration \*string

// Date and time at which the license checkout is issued.

IssuedAt \*string

// Amazon Resource Name (ARN) of the license.

LicenseArn \*string

// License consumption token.

LicenseConsumptionToken \*string

// Node ID.

NodeId \*string

// Signed token.

SignedToken \*string

```

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{}, middleware.After)
 if err != nil {
 return
 }
 err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutBorrowLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}

```

```

}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options);
err != nil {
 return err
}

```

```

}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckoutBorrowLicense",
}
}
CheckInLicense
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
spanInitializeEnd
Serialize stack step
spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2

```

disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.

ListReceivedLicenses

Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader



```

setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
 if params == nil {
 params = &DeleteLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*DeleteLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type DeleteLicenseInput struct {

 // Amazon Resource Name (ARN) of the license.
 //
 // This member is required.

```

```

LicenseArn *string

// Current version of the license.
//
// This member is required.
SourceVersion
*string

noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

// Date when the license is deleted.
DeletionDate *string

// License status.
Status types.LicenseDeletionStatus

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{}, middleware.After)
if err != nil {
return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "DeleteLicense"); err != nil {
return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err !=
nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
}

```

```

if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err
!= nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {

```

```

 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if
err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "DeleteLicense",
 }
}
CreateLicense
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
spanInitializeEnd

```

```

Serialize stack step
 spanBuildRequestStart
 setOperationInput
 ResolveEndpoint
 OperationSerializer
Build stack step
 ClientRequestID
 ComputeContentLength
 UserAgent
 AddTimeOffsetMiddleware
 RecursionDetection
 spanBuildRequestEnd
Finalize stack step
 ResolveAuthScheme
 GetIdentity
 ResolveEndpointV2
 disableHTTPS
 ComputePayloadHash
 spanRetryLoop
 Retry
 RetryMetricsHeader
 setLegacyContextSigningOptions
 Signing
Deserialize stack step
 AddRawResponseToMetadata
 ErrorCloseResponseBody
 CloseResponseBody
 ResponseErrorWrapper
 RequestIDRetriever
 OperationDeserializer
 AddTimeOffsetMiddleware
 RecordResponseTiming
 RequestResponseLogger
{
 "smithy": "2.0",
 "shapes": {
 "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
 "type": "integer"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
 "type": "long"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderRequest"
 },
 "output": {

```

```

 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Remove a third-party subscription provider from the Bring Your Own License (BYOL) subscriptions \n\t\t\tregistered to your account.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/DeregisterSubscriptionProvider"
 },
 "smithy.api#idempotent": {}
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderRequest": {
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the subscription provider resource to deregister.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderResponse": {
 "type": "structure",
 "members": {},
 "traits": {

```

```

 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of name to filter by.</p>"
 }
 },
 "Values": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
 }
 },
 "Operator": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
 "traits": {
 "smithy.api#documentation": "<p>An operator for filtering results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe operation.\n Filters can be used to match a set of resources by specific criteria.</p>"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderResponse"
 },
 "errors": [
 {

```

```

 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Get details for a Bring Your Own License (BYOL) subscription that's
registered to your account.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/GetRegisteredSubscriptionProvider"
 },
 "smithy.api#idempotent": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderRequest": {
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation":
"<p>The Amazon Resource Name (ARN) of the BYOL registration resource to get details for.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderResponse": {
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) for the BYOL registration
resource specified in the request.</p>"
 }
 }
 }
}

```





```

"output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the Linux subscriptions service settings for your account.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/GetServiceSettings"
 },
 "smithy.api#idempotent": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest": {
 "type": "structure",
 "members": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>Lists
the settings defined for Linux subscriptions discovery. The settings include ifn Organizations integration has
been enabled, and which Regions data will be aggregated from.</p>"
 }
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
 },
 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n subscriptions.</p>"
 },
 },
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
 "type": "structure",
 "members": {
 "AmiId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
 },
 },
 "InstanceID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
 },
 },
 "InstanceType": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance type of the resource.</p>"
 },
 },
 "AccountID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
 },
 },
 },
 },

```

```

 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of the instance.</p>"
 }
 },
 "Region": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
 }
 },
 "UsageOperation": {
 "target": "smithy.api#String",

 "traits": {
 "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n operation values in the <i>License Manager User
Guide</i>.</p>"
 }
 },
 "ProductCode": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
 "traits": {
 "smithy.api#documentation": "<p>The product code for the instance. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-
operation.html\">Usage\n operation values in the <i>License Manager User Guide</i> .</p>"
 }
 },
 "LastUpdatedTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The time in which the last discovery updated the instance
details.</p>"
 }
 },
 "SubscriptionName": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the license subscription that the instance uses.</p>"
 }
 },
 "OsVersion": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The operating system software version that runs on your

```

```
instance.</p>"
 }
},
"SubscriptionProviderCreateTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp when you registered
the third-party Linux subscription \n\t\tprovider for the subscription that the instance uses.</p>"
 }
},
"SubscriptionProviderUpdateTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp from the last time that the instance synced with the
registered \n\t\tthird-party Linux subscription provider.</p>"
 }
},
"DualSubscription": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Indicates that you have two different license subscriptions for
\n\t\tthe same software on your instance.</p>"
 }
},
"RegisteredWithSubscriptionProvider": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Indicates that your instance uses a BYOL license subscription from \n\t\tta
third-party Linux subscription provider that you've registered with License Manager.</p>"
 }
}
},
"traits": {
 "smithy.api#documentation": "<p>Details discovered information about a running instance using Linux
subscriptions.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Instance"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError": {
 "type": "structure",
 "members": {
 "message": {
```

```

 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#documentation":
"<p>An exception occurred with the service.</p>",
 "smithy.api#error": "server"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#LicenseManagerLinuxSubscriptions": {
 "type": "service",
 "version": "2018-05-10",
 "operations": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProviders"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListTagsForResource"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
 }
],
 "traits": {

```

```

"aws.api#service": {
 "sdkId": "License Manager Linux Subscriptions",
 "arnNamespace": "license-manager-linux-subscriptions",
 "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
},
"aws.auth#sigv4": {
 "name": "license-manager-linux-subscriptions"
},
"aws.protocols#restJson1": {},
"smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id"
],
 "additionalExposedHeaders": [
 "x-amzn-errortype",
 "x-amzn-requestid",
 "x-amzn-trace-id"
]
},
"smithy.api#documentation": "<p>With License Manager,
you can discover and track your commercial Linux subscriptions on running Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager Linux Subscriptions",
"smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,

```

"documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",

"type": "Boolean"

},

"Endpoint": {

"builtIn": "SDK::Endpoint",

"required": false,

"documentation": "Override the endpoint used to send this request",

"type": "String"

}

},

"rules": [

{

"conditions": [

{

"fn": "isSet",

"argv": [

{

"ref": "Endpoint"

}

]

}

],

"rules": [

{

"conditions": [

{

"fn": "booleanEquals",

"argv": [

{

"ref": "UseFIPS"

},

true

]

}

],

"error": "Invalid Configuration: FIPS and custom endpoint are not supported",

"type": "error"

},

{

"conditions": [],

"rules": [

{

"conditions": [

{

"fn": "booleanEquals",

"argv": [



```

 {
 "ref": "UseDualStack"
 },
 true
]
}

],
"error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
"type": "error"
},
{
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
],
"type": "tree"

}
],
"type": "tree"
},
{
 "conditions": [],
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
]
 }
],
 "rules": [
 {
 "conditions": [
 {

```

```

 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]
 }
],

"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 }
]
 }
]
 }
]
 },
 "supportsFIPS"
]

```

```

]
 }
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
],
"rules": [
 {
 "conditions": [],

"rules": [

 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],

 "type": "tree"
},
 "type": "tree"
},
{
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
 "type": "error"
}

```

```

 }
],
 "type": "tree"
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 },
 true
]
 }
],
 "rules": [
 {
 "conditions": [],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",

```

```

"properties": {},

 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
 }
],
 "type": "tree"
 },
 {
 "conditions": [],
 "error": "FIPS is enabled
but this partition does not support FIPS",
 "type": "error"
 }
],
 "type": "tree"
 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
]
 }
]

```

```

]
 }
]
 }
],
"rules": [
 {
 "conditions": [],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
 }
],
"rules": [
 {
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
 }
],
"rules": [
 {
 "conditions": [],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 }
]

```

```

],
 "type": "tree"
 }
],
 "type": "tree"
}
],
"type": "tree"
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
],
"type": "tree"
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
 }
 }
 },
 {
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
 }
 }
 },
 {
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 }
],

```

```

{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
 }
 }
},
{
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.cn-north-
1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 }
}

```



```

 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},

```

```

{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {

```

```

"Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS":
false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 }
}

```

```

 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {

```

```

 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,

```

```

 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
}
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled LinuxSubscriptionsDiscovery"
 },
 {
 "name": "Disabled",
 "value": "Disabled",
 "documentation": "Disabled LinuxSubscriptionsDiscovery"
 }
]
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
 "type": "structure",
 "members": {
 "SourceRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "OrganizationIntegration": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
 "traits": {
 "smithy.api#documentation":

```

```

"<p>Details if you have enabled resource discovery across your accounts in Organizations.</p>",
 "smithy.api#required": {}
}
},
"traits": {
 "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with commercial Linux\n subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListLinuxSubscriptionInstances"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "Instances"
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest":

```

```

{
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results by your
specified criteria. \n \tFor example, you can specify <code>Region</code> in the <code>Name</code>, with the
\n \t<code>contains</code> operator to list all subscriptions that match a partial string in the \n
\n \t<code>Value</code>, such as <code>us-west</code>.</p>\n <p>For each filter, you can specify one of the
following values for the <code>Name</code> key \n \tto streamline results:</p>\n \n \n
<p>\n <code>AccountID</code>\n </p>\n \n \n
<p>\n <code>AmiID</code>\n </p>\n \n \n
<p>\n <code>DualSubscription</code>\n </p>\n \n \n
<p>\n <code>InstanceID</code>\n </p>\n \n \n
<p>\n <code>InstanceType</code>\n </p>\n \n \n
<p>\n <code>ProductCode</code>\n </p>\n \n \n
<p>\n <code>Region</code>\n </p>\n \n \n
<p>\n <code>Status</code>\n </p>\n \n \n
<p>\n <code>UsageOperation</code>\n </p>\n \n \n <p>For each filter, you can use
one of the following <code>Operator</code>
values to \n \tdefine the behavior of the filter:</p>\n \n \n
<p>\n <code>contains</code>\n </p>\n \n \n
<p>\n <code>equals</code>\n </p>\n \n \n
<p>\n <code>Notequal</code>\n </p>\n \n "
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum items to return in a request.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to
start paginating. This \n\tis the nextToken from a previously truncated response.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 16384
 }
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
 }
}

```



```

 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {
 "type": "structure",
 "members": {
 "Instances": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",
 "traits": {
 "smithy.api#documentation": "<p>An array that contains instance objects.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this \n\tfield isn't empty, there are additional elements that the service hasn't \n\tincluded in this request. Use this token with the next request to retrieve \n\tadditional objects.</p>"
 }
 }
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have linked your\n\t organization, the returned results will include data aggregated across your accounts in\n\t Organizations.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",

```

```

 "uri": "/subscription/ListLinuxSubscriptions"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",

 "items": "Subscriptions"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those
that match one or\n more sets of key-value pairs that you specify. For example, you can filter by the name of\n
<code>Subscription</code> with an optional operator to see subscriptions that match,\n partially match, or don't
match a certain subscription's name.</p>\n <p>The valid names for this filter are:</p>\n \n
\n <p>\n <code>Subscription</code>\n </p>\n \n \n
<p>The
valid Operators for this filter are:</p>\n \n \n <p>\n
<code>contains</code>\n </p>\n \n \n <p>\n
<code>equals</code>\n </p>\n \n \n <p>\n
<code>Notequal</code>\n </p>\n \n "
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum items to return in a request.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This \n\tis
the nextToken from a previously truncated response.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 16384
 }
 }
 }
 },
}

```

```

 "traits": {
 "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
 "type": "structure",
 "members": {
 "Subscriptions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
 "traits": {
 "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this \n\tfield
isn't empty, there are additional elements that the service hasn't \n\tincluded in this request. Use this token with the
next request to retrieve \n\tadditional objects.</p>"
 }
 }
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProviders": {
 "type": "operation",
 "input": {
 "target":
"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProvidersRequest"
 },
 "output": {
 "target":
"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProvidersResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>List Bring Your Own License (BYOL) subscription registration

```

```

resources for your account.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListRegisteredSubscriptionProviders"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "RegisteredSubscriptionProviders"
 }
}

},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProvidersRequest": {
 "type": "structure",
 "members": {
 "SubscriptionProviderSources": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSourceList",
 "traits": {
 "smithy.api#documentation": "<p>To filter your results, specify which subscription providers to
return \n\t\t\tin the list.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum items to return in a request.</p>",
 "smithy.api#range": {
 "min": 1,
 "max": 100
 }
 }
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This \n\t\tis the
nextToken from a previously truncated response.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}

```



```

 "smithy.api#http": {
 "method": "GET",
 "uri": "/tags/{resourceArn}"
 },
 "smithy.api#readonly": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListTagsForResourceRequest": {
 "type": "structure",
 "members": {
 "resourceArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource for which to
list metadata tags.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "tags": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The metadata tags for the requested resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "EQUAL",
 "value": "Equal",
 "documentation": "Equal operator"
 },
 {

```

```

 "name": "NOT_EQUAL",
 "value": "NotEqual",
 "documentation": "Not equal operator"
 },
 {
 "name": "CONTAINS",
 "value": "Contains",
 "documentation": "Contains operator"
 }
],
"smithy.api#length": {
 "min": 1,
 "max": 20
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration":
{
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled OrganizationIntegration"
 },
 {
 "name": "Disabled",
 "value": "Disabled",
 "documentation": "Disabled OrganizationIntegration"
 }
]
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProviderResponse"
 },

```





```

 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProviderResponse": {
 "type": "structure",
 "members": {
 "SubscriptionProviderSource": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSource",
 "traits": {
 "smithy.api#documentation":
"<p>The Linux subscription provider that you registered.</p>"
 }
 },
 "SubscriptionProviderArn": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Linux subscription
provider resource that you registered.</p>"
 }
 },
 "SubscriptionProviderStatus": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderStatus",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of the registration action for the Linux
subscription provider \n\t\t\t\tthat you requested.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#RegisteredSubscriptionProvider":
{
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Linux subscription
provider resource that you registered.</p>"
 }
 },
 "SubscriptionProviderSource": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSource",

```

```

 "traits": {
 "smithy.api#documentation": "<p>A supported third-party Linux subscription provider. License Manager currently supports \n\t\t\tRed Hat subscriptions.</p>"
 },
 },
 "SecretArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SecretArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Secrets Manager secret that stores your registered Linux subscription provider \n\t\t\taccess token. For RHEL account subscriptions, this is the offline token.</p>"
 }
 },
 "SubscriptionProviderStatus": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderStatus",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of your registered Linux subscription provider access token \n\t\t\tfrom the last time License Manager retrieved subscription data. For RHEL account subscriptions, \n\t\t\tthis is the status of the offline token.</p>"
 }
 },
 "SubscriptionProviderStatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 {
 "smithy.api#documentation": "<p>A detailed message that's associated with your BYOL subscription \n\t\t\tprovider token status.</p>"
 }
 },
 },
 "LastSuccessfulDataRetrievalTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp from the last time that License Manager accessed third-party subscription data \n\t\t\tfor your account from your registered Linux subscription provider.</p>"
 }
 },
 },
 "traits": {
 "smithy.api#documentation": "<p>A third-party provider for operating system (OS) platform software and license \n\t\t\tsubscriptions, such as Red Hat. When you register a third-party Linux subscription \n\t\t\tprovider, License Manager can get subscription data from the registered provider.</p>"
 },
},
"com.amazonaws.licensemanagerlinuxsubscriptions#RegisteredSubscriptionProviderList":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisteredSubscriptionProvider"
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Unable to find the requested Amazon Web Services resource.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#SecretArn": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^arn:[a-z0-9-\\.]{1,63}:secretsmanager:[a-z0-9-\\.]{0,63}:[a-z0-9-\\.]{0,63}:secret:[^/]{1,1023}$"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "InProgress",
 "value": "InProgress",
 "documentation": "InProgress status"
 },
 {
 "name": "Completed",
 "value": "Completed",
 "documentation": "Completed status"
 },
 {
 "name": "Successful",
 "value": "Successful",
 "documentation": "Successful status"
 },
 {
 "name": "Failed",
 "value": "Failed",
 "documentation": "Failed status"
 }
]
 }
 }
}

```

```

 },

 "com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 },
 "smithy.api#uniqueItems": {}
 }
 },

 "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
 "type": "map",
 "key": {
 "target": "smithy.api#String"
 },
 "value": {
 "target": "smithy.api#String"
 }
 },

 "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the subscription.</p>"
 }
 },
 "Type": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.</p>"
 }
 }
 }
 }
 }

```



```

 "smithy.api#enum": [
 {
 "name": "ACTIVE",
 "value": "ACTIVE",
 "documentation": "ACTIVE status"
 },
 {
 "name": "INVALID",
 "value": "INVALID",
 "documentation": "INVALID status"
 }
],
 "documentation": "INVALID status"
 },
 {
 "name": "PENDING",
 "value": "PENDING",
 "documentation": "PENDING status"
 }
]
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#TagKeyList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#sensitive": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#TagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 }
],

```



```

"com.amazonaws.licensemanagerlinuxsubscriptions#Tags": {
 "type": "map",
 "key": {
 "target": "smithy.api#String"
 },
 "value": {
 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#sensitive": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation":
 "<p>The request was denied due to request throttling.</p>",
 "smithy.api#error": "client"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UntagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Remove one or more metadata tag from the specified Amazon Web Services resource.</p>",

```



```

 "smithy.api#http": {
 "method": "DELETE",
 "uri": "/tags/{resourceArn}"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "resourceArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Amazon Web Services resource to remove the metadata tags from.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 },
 "tagKeys": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>A list of metadata tag keys to remove from the requested resource.</p>",
 "smithy.api#httpQuery": "tagKeys",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
 }
}

```

```

 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/UpdateServiceSettings"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
 "smithy.api#required": {}
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated from.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowUpdate": {
 "target":
"smithy.api#Boolean",
 "traits": {
 "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux subscriptions. If you\n allow updates, you can aggregate Linux subscription data in more than one home

```

```

Region.</p>"
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The
settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated
from.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
 }
 }
 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n subscriptions.</p>"
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException": {
 "type": "structure",

```

```

 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",
 "smithy.api#error": "client"
 }
 }
}

```

GetLicense

Initialize stack step

spanInitializeStart

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

OperationInputValidation

spanInitializeEnd

Serialize stack step

spanBuildRequestStart

setOperationInput

ResolveEndpoint

OperationSerializer

Build stack step

ClientRequestID

ComputeContentLength

UserAgent

AddTimeOffsetMiddleware

RecursionDetection

spanBuildRequestEnd

Finalize stack step

ResolveAuthScheme

GetIdentity

ResolveEndpointV2

disableHTTPS

ComputePayloadHash

spanRetryLoop

Retry

RetryMetricsHeader

setLegacyContextSigningOptions

Signing

Deserialize stack step

AddRawResponseToMetadata

ErrorCloseResponseBody

CloseResponseBody

ResponseErrorWrapper

RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
CheckoutBorrowLicense  
Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
// Code generated by smithy-go-codegen DO NOT EDIT.

```

package grafana

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Assigns a Grafana Enterprise license to a workspace. To upgrade, you must use
// ENTERPRISE for the licenseType , and pass in a valid Grafana Labs token for the
// grafanaToken . Upgrading to Grafana Enterprise incurs additional fees. For more
// information, see [Upgrade a workspace to Grafana Enterprise].
//
// [Upgrade a workspace to Grafana Enterprise]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-
// Grafana-Enterprise.html
func (c *Client) AssociateLicense(ctx context.Context, params *AssociateLicenseInput, optFns ...func(*Options))
(*AssociateLicenseOutput, error) {
 if params == nil {
 params = &AssociateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx,
 "AssociateLicense", params, optFns, c.addOperationAssociateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*AssociateLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type AssociateLicenseInput struct {

 // The type of license to associate with the workspace.
 //
 // Amazon Managed Grafana workspaces no longer support Grafana Enterprise free
 // trials.
 //
 // This member is required.
 LicenseType types.LicenseType

 // The ID of the workspace to associate the license with.
 //
 // This member is required.

```

```

WorkspaceId *string

// A token from Grafana Labs that ties your Amazon Web Services account with a
// Grafana Labs account. For more information, see [Link your account with Grafana Labs].
//
// [Link your account with Grafana Labs]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-
Grafana-Enterprise.html#AMG-workspace-register-enterprise
GrafanaToken *string

noSmithyDocumentSerde
}

type AssociateLicenseOutput
struct {

// A structure containing data about the workspace.
//
// This member is required.
Workspace *types.WorkspaceDescription

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{}, middleware.After)
if err != nil {
return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "AssociateLicense"); err != nil {
return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack,
options); err != nil {
return err
}

```

```

}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack,
c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),

```



```

middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err !=
nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "AssociateLicense",
}
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

DeleteLicense

Initialize stack step

spanInitializeStart

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

OperationInputValidation

spanInitializeEnd

```

Serialize stack step
 spanBuildRequestStart
 setOperationInput
 ResolveEndpoint
 OperationSerializer
Build stack step
 ClientRequestID
 ComputeContentLength
 UserAgent
 AddTimeOffsetMiddleware
 RecursionDetection
 spanBuildRequestEnd
Finalize stack step
 ResolveAuthScheme
 GetIdentity
 ResolveEndpointV2
 disableHTTPS
 ComputePayloadHash
 spanRetryLoop
 Retry
 RetryMetricsHeader
 setLegacyContextSigningOptions
 Signing
Deserialize stack step
 AddRawResponseToMetadata
 ErrorCloseResponseBody
 CloseResponseBody
 ResponseErrorWrapper
 RequestIDRetriever
 OperationDeserializer
 AddTimeOffsetMiddleware
 RecordResponseTiming
 RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists received licenses.
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns

```

```

...func(*Options)) (*ListReceivedLicensesOutput, error) {
 if params == nil {
 params = &ListReceivedLicensesInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,
c.addOperationListReceivedLicensesMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*ListReceivedLicensesOutput)
 out.ResultMetadata = metadata
 return out, nil
}

```

```

type ListReceivedLicensesInput struct {

```

```

 // Filters to scope the results. The following filters are supported:

```

```

 //

```

```

 // - ProductSKU

```

```

 //

```

```

 // - Status

```

```

 //

```

```

 //

```

```

 // - Fingerprint

```

```

 //

```

```

 // - IssuerName

```

```

 //

```

```

 // - Beneficiary

```

```

 Filters []types.Filter

```

```

 // Amazon Resource Names (ARNs) of the licenses.

```

```

 LicenseArns []string

```

```

 // Maximum number of results to return in a single call.

```

```

 MaxResults *int32

```

```

 // Token for the next set of results.

```

```

 NextToken *string

```

```

 noSmithyDocumentSerde

```

```

}

```

```

type ListReceivedLicensesOutput struct {

```

```

 // Received license details.

```

```

 Licenses []types.GrantedLicense

```



```

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{},
middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "ListReceivedLicenses"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }

```

```

}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err =
addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err !=
nil {
 return err
}

```

```

}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opListReceivedLicenses(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "ListReceivedLicenses",
}
}
{
 "smithy": "2.0",
 "metadata": {
 "suppressions": [
 {
 "id": "HttpMethodSemantics",
 "namespace": "*"
 },
 {
 "id": "HttpStatusCodeSemantics",
 "namespace": "*"
 },
 {
 "id": "PaginatedTrait",
 "namespace": "*"
 },
 {
 "id": "HttpHeaderTrait",
 "namespace": "*"
 },
 {
 "id": "HttpUriConflict",
 "namespace": "*"
 },
],
 },
}

```

```

 {
 "id": "Service",
 "namespace": "*"
 }
]
},
"shapes": {
 "com.amazonaws.licensemanager#AWSLicenseManager": {
 "type": "service",
 "version": "2018-08-01",
 "operations": [
 {
 "target": "com.amazonaws.licensemanager#AcceptGrant"
 },

{
 "target": "com.amazonaws.licensemanager#CheckInLicense"
},
{
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
},
{
 "target": "com.amazonaws.licensemanager#CheckoutLicense"
},
{
 "target": "com.amazonaws.licensemanager#CreateGrant"
},
{
 "target": "com.amazonaws.licensemanager#CreateGrantVersion"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicense"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
},
{
 "target": "com.amazonaws.licensemanager#CreateToken"
},

```

```

{
 "target": "com.amazonaws.licensemanager#DeleteGrant"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicense"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#DeleteToken"
},
{
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
},
{
 "target": "com.amazonaws.licensemanager#GetAccessToken"
},
{
 "target": "com.amazonaws.licensemanager#GetGrant"
},
{
 "target": "com.amazonaws.licensemanager#GetLicense"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseUsage"
},
{
 "target": "com.amazonaws.licensemanager#GetServiceSettings"
},
{
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#ListDistributedGrants"
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenses"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
 },
 {
 "target": "com.amazonaws.licensemanager#ListLicenseVersions"
 },
 {
 "target": "com.amazonaws.licensemanager#ListReceivedGrants"
 },
 {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
 },
 {
 "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
 },
 {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
 },
 {
 "target": "com.amazonaws.licensemanager#ListResourceInventory"
 },
 {
 "target": "com.amazonaws.licensemanager#ListTagsForResource"
 },
 {
 "target": "com.amazonaws.licensemanager#ListTokens"
 },
 {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#RejectGrant"
 },
 {
 "target": "com.amazonaws.licensemanager#TagResource"
 },
 {
 "target": "com.amazonaws.licensemanager#UntagResource"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
 },
 {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
 }
],
"traits": {
 "aws.api#service": {
 "sdkId": "License Manager",
 "arnNamespace": "license-manager",
 "cloudFormationName": "LicenseManager",
 "cloudTrailEventSource": "licensemanager.amazonaws.com",
 "endpointPrefix": "license-manager"
 },
 "aws.auth#sigv4": {
 "name": "license-manager"
 },
 "aws.protocols#awsJson1_1": {},
 "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n Amazon Web Services accounts and on-premises servers.</p>",
 "smithy.api#title": "AWS License Manager",
 "smithy.api#xmlNamespace": {
 "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
 },
 "smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 }
 }
 },

```

```

 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send
this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant
endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
 },
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
 }
]
}

```



```

]
 }
},
"error": "Invalid Configuration: FIPS and custom endpoint are not supported",
"type": "error"
},
{
"conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
"error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
"type": "error"
},
{
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
},
{
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
]
},
"type": "tree",
"rules": [

```

"UseFIPS"

```
{
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "

 },
 true
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
```

```

 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
},
{
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 }
]
 }
]
},
"supportsDualStack"
]
}
]
}
],
"type": "tree",
"rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
{
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
}
]
},

```

```

{
 "conditions": [
 {
 "fn": "booleanEquals",

 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,

{
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
],
 "type": "tree",
 "rules": [

{
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
},

```

```

 {
 "conditions": [],
 "error": "FIPS is enabled but this
partition does not support FIPS",
 "type": "error"
 }
],
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 }
],
 "supportsDualStack"
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",

```

```

 "properties": {},
 "headers": {}
 },
 {
 "type": "endpoint"
 }
]
},
{
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
}
]
},
{
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
]
}
]
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint":
{
 "url": "https://license-manager.af-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "af-south-1",
 "UseFIPS": false,

```

```

 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-3.amazonaws.com"
 }
 }
}

```

```

 },
 "params": {
 "Region": "ap-northeast-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-1.amazonaws.com"
 }
 }
},
{
 "params": {
 "Region": "ap-southeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-southeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},

```



```

{
 "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-southeast-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ca-central-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ca-central-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-central-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-central-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-north-1.amazonaws.com"
 }
 }
}

```

```

 },
 "params": {
 "Region": "eu-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region":
"eu-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},

```

```

{
 "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.me-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "me-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.sa-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "sa-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.amazonaws.com"
 }
 },
 "params": {

```

```

 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region

```

```

us-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-2.amazonaws.com"
 }
 },
 "params": {

```

```

 "Region": "us-west-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,

 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",

```

```

 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-northwest-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,

```

```

 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation":
 "For region us-gov-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {

```



```

 "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
}

```

```

 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled
but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,

```

```

 "UseDualStack": false
 }
},

{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },

```

```

 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,

"UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {

```

```

 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 },
 "version": "1.0"
}
},
"com.amazonaws.licensemanager#AcceptGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
},
"traits": {
 "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
}
},
"com.amazonaws.licensemanager#AcceptGrantRequest": {

```

```

 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#AcceptGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant
ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#AccessDeniedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 }
 },

```

```

 "traits": {
 "aws.protocols#awsQueryError": {

"code": "ServiceAccessDenied",
 "httpResponseCode": 401
 },
 "smithy.api#documentation": "<p>Access to resource denied.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 401
 }
},
"com.amazonaws.licensemanager#ActivationOverrideBehavior": {
 "type": "enum",
 "members": {
 "DISTRIBUTED_GRANTS_ONLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
 }
 },
 "ALL_GRANTS_PERMITTED_BY_ISSUER": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
 }
 }
 }
},
"com.amazonaws.licensemanager#AllowedOperation": {

"type": "enum",
 "members": {
 "CREATE_GRANT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateGrant"
 }
 },
 "CHECKOUT_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutLicense"
 }
 },
 "CHECKOUT_BORROW_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutBorrowLicense"
 }
 }
 }
}

```

```

 }
 },
 "CHECK_IN_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckInLicense"
 }
 },
 "EXTEND_CONSUMPTION_LICENSE":
{
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ExtendConsumptionLicense"
 }
 },
 "LIST_PURCHASED_LICENSES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ListPurchasedLicenses"
 }
 },
 "CREATE_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateToken"
 }
 }
},
"com.amazonaws.licensemanager#AllowedOperationList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#AllowedOperation"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max":
7
 }
 }
},
"com.amazonaws.licensemanager#Arn": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 2048

```



```

 },
 "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d))?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:~{0,62}:[A-Za-z0-9_/.-]{0,63}:~{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9:/+=,~-]{0,1023}$"
 }
},
"com.amazonaws.licensemanager#ArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 }
},
"com.amazonaws.licensemanager#AuthorizationException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError":
 {
 "code": "AuthorizationFailure",
 "httpResponseCode": 403
 },
 "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to perform the action. Check the IAM\n policy associated with this account.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 403
 }
},
"com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
 "type": "structure",
 "members": {
 "LastRunTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes automated discovery.</p>"
 }
},
"com.amazonaws.licensemanager#Boolean": {
 "type": "boolean",
 "traits": {

```

```

 "smithy.api#default": false
 }
},
"com.amazonaws.licensemanager#BorrowConfiguration": {
 "type": "structure",
 "members": {
 "AllowEarlyCheckIn": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",
 "smithy.api#required": {}
 }
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
},
"com.amazonaws.licensemanager#BoxBoolean": {
 "type": "boolean"
},
"com.amazonaws.licensemanager#BoxInteger": {
 "type": "integer"
},
"com.amazonaws.licensemanager#BoxLong": {
 "type": "long"
},
"com.amazonaws.licensemanager#CheckInLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
}
},
"com.amazonaws.licensemanager#CheckInLicenseRequest":
{
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}

```

```

 },
 "com.amazonaws.licensemanager#CheckInLicenseResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CheckoutBorrowLicense":
 {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
 }
]
 }

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
 }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
 "type": "structure",
 "members":
{
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must use the borrow consumption configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
 "smithy.api#required": {}
 }
 },
 "DigitalSignatureMethod": {
 "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
 "traits": {
 "smithy.api#documentation": "<p>Digital signature method. The possible value is JSON Web Signature (JWS) algorithm PS384.\n For more information, see RFC 7518 Digital Signature with RSASSA-PSS.</p>",
 "smithy.api#required": {}
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
 }
}

```

```

 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
 "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 },
 "EntitlementsAllowed": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
 }
 }
 },

```

```

 "IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
 }
 },
 "CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CheckoutLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]
 }
 }
}

```

```

{
 "target": "com.amazonaws.licensemanager#RedirectException"
},
{
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
},
{
 "target":
"com.amazonaws.licensemanager#ServerInternalException"
},
{
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
},
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Checks out the specified license.</p>\n <note>\n <p>If the
account that created the license is the same that is performing the check out, you must\n specify the account
as the beneficiary.</p>\n </note>"
}
},
"com.amazonaws.licensemanager#CheckoutLicenseRequest": {
 "type": "structure",
 "members": {
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
SKU.</p>",
 "smithy.api#required": {}
 }
 },
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>",
 "smithy.api#required": {}
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
 "smithy.api#required": {}
 }
 }
 },

```



```

 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 }
 },
 "smithy.api#required": {}
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#CheckoutLicenseResponse": {
 "type": "structure",
 "members": {
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>"
 }
 },
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 }
 }
 }
}

```

```

 },
 "EntitlementsAllowed": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
 },
 "SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CheckoutType": {
 "type": "enum",
 "members": {
 "PROVISIONAL": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "PROVISIONAL"
 }
 },
 "PERPETUAL": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PERPETUAL"
 }
 }
},
"com.amazonaws.licensemanager#ClientRequestToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 36
 }
 }
},
"com.amazonaws.licensemanager#ClientToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 2048
 },
 "smithy.api#pattern": "^\\S+$"
 }
},
"com.amazonaws.licensemanager#ConflictException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ConflictException",
 "httpResponseCode":
409
 },
 "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 409
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ConsumedLicenseSummary": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
 }
 },
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about license consumption.</p>"
 },
 "com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
 }
 },
 "com.amazonaws.licensemanager#ConsumptionConfiguration": {
 "type": "structure",
 "members": {
 "RenewType": {
 "target": "com.amazonaws.licensemanager#RenewType",
 "traits": {
 "smithy.api#documentation": "<p>Renewal frequency.</p>"
 }
 },
 },
 "ProvisionalConfiguration": {
 "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
 },
 "BorrowConfiguration": {
 "target": "com.amazonaws.licensemanager#BorrowConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
 },
 "com.amazonaws.licensemanager#CreateGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateGrantRequest": {

```

```

"type": "structure",
"members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Principals": {
 "target": "com.amazonaws.licensemanager#PrincipalArnList",
 "traits": {
 "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an
Amazon Resource Name (ARN):</p>

<p>An Amazon Web Services
account, which includes only the account specified.</p>

<p>An organizational unit (OU), which includes all accounts in the OU.</p>

<p>An organization, which will include all accounts across your organization.</p>

"smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
 "smithy.api#required": {}
 }
}
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CreateGrantVersion":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information, see\n Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrantVersionRequest": {
 "type": "structure",
 "members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 }
 }
 },
 "smithy.api#required": {}
},
"GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
},
"GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```



```

 "smithy.api#documentation": "<p>Grant name.</p>"
 }
},
"AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
},
"StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
},
"SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the grant.</p>"
 }
},
"Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
}
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateGrantVersionResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 }
 },
 "Status": {

```

```

 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the grant.</p>"
 }
 }
},
"traits":
{
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
},

```

```

 "traits": {
 "smithy.api#documentation": "<p>Creates a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a license configuration.</p>\n <p>A license configuration is an abstraction of a customer license agreement that can be\n consumed and enforced by License Manager. Components include specifications for the license\n type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a \n license must be associated with a host), and the number of licenses purchased and used.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>",

```

```

 "smithy.api#required": {}
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used.
Exceeding a hard limit\n blocks the launch of new instances.</p>"
 }
 },
 "LicenseRules": {
 "target":
"com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example,
#allowedTenancy=EC2-DedicatedHost). The available rules \n vary by dimension, as follows.</p>\n
\n \n <p>\n <code>Cores</code> dimension: <code>allowedTenancy</code> |\n <code>licenseAffinityToHost</code> |\n <code>maximumCores</code> |
<code>minimumCores</code>\n </p>\n \n \n <p>\n <code>Instances</code> dimension: <code>allowedTenancy</code> | \n <code>maximumCores</code> |
<code>minimumCores</code> |\n <code>maximumSockets</code> | <code>minimumSockets</code> |\n <code>maximumVcpus</code> | <code>minimumVcpus</code>\n </p>\n \n \n <p>\n <code>Sockets</code> dimension: <code>allowedTenancy</code> | \n <code>licenseAffinityToHost</code> |\n <code>maximumSockets</code> |
<code>minimumSockets</code>\n </p>\n \n \n <p>\n <code>vCPUs</code> dimension: <code>allowedTenancy</code> | \n <code>honorVcpuOptimization</code> | \n <code>maximumVcpus</code> |
<code>minimumVcpus</code>\n </p>\n \n \n <p>The unit for

```

`licenseAffinityToHost` is days and the range is 1 to 180. The possible values for `allowedTenancy` are `EC2-Default`, `EC2-DedicatedHost`, and `EC2-DedicatedInstance`. The possible values for `honorVcpuOptimization` are `True` and `False`.

```
 }
 },

 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
{
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
 "type": "operation",
```

```

"input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
},
"output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting the license type for.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting from. \n\n For the structure of the source license, see Convert a license type using the CLI in"
 }
 }
 }
}

```

the *<i>License Manager User Guide</i>.</p>*

```
 "smithy.api#required": {}
 },
 "DestinationLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting to.
For the structure of the destination license, see <a href='\"https://docs.aws.amazon.com/license-
manager/latest/userguide/conversion-procedures.html#conversion-cli\">Convert a license type using the CLI in
the <i>License Manager User Guide</i>.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
```

```

 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Creates a report generator.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "ReportGeneratorName":
{
 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
},
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be generated:</p>\n \n \n <p>License configuration report - Reports the number and details of consumed licenses for a license configuration.</p>\n \n \n <p>Resource report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n \n ",
 "smithy.api#required": {}
 }
 }
 }
},

```



```

 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>Defines the type of license configuration the report generator
tracks.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be
generated daily, monthly, or weekly.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique,
case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn":
 {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"
 }
}
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>",
 "smithy.api#required": {}
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region for the license.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
 "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 }
 },

```

```

 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseVersion": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target":
"com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>",
 "smithy.api#required": {}
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",

```

```

 "traits":
{
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
}
},
"HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the license.</p>",
 "smithy.api#required": {}
 }
},
"Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
 "smithy.api#required": {}
 }
},
"LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
},
"Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
},
"ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>",

```

```

 "smithy.api#required": {}
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output":

```

```

 {}
 },
 "com.amazonaws.licensemanager#CreateToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n <p>A refresh token is a JWT token used to get an access token. With an access token,\n you can call AssumeRoleWithWebIdentity to get role credentials that you can use to \n call License Manager to manage the specified license.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateTokenRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {

```



```

 "target": "com.amazonaws.licensemanager#Arn",
 "traits":
 {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n JWT token.</p>",
 "smithy.api#required": {}
 }
},
"RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the token. \n License Manager does not check whether the roles are in use.</p>"
 }
},
"ExpirationInDays": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {
 "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The default is 365 days.</p>"
 }
},
"TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The data is mapped\n to the amr claim of the JWT token.</p>"
 }
},
"ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
 "smithy.api#required": {}
 }
}
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CreateTokenResponse": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
 },
 "TokenType": {
 "target": "com.amazonaws.licensemanager#TokenType",
 "traits": {
 "smithy.api#documentation": "<p>Token type.</p>"
 }
 },
 "Token": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#DateTime": {
 "type": "timestamp"
 },
 "com.amazonaws.licensemanager#DatetimeRange": {
 "type": "structure",
 "members": {
 "Begin": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Start of the time range.</p>",
 "smithy.api#required": {}
 }
 },
 "End": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>End of the time range.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
 }
 },
 "com.amazonaws.licensemanager#DeleteGrant": {
 "type": "operation",
 "input": {

```

```

 "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#DeleteGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
 }
 }
 }
}

```

```

 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the
grant.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
 }
 }
}

```

```

 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },

```

```

 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n <p>You cannot delete a license configuration that is in use.</p>"
 },
 "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {

```

```

 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n <p>This action deletes the report generator, which stops it from generating future reports.\n The action cannot be reversed. It has no effect on the previous reports from this generator.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be deleted.</p>",
 "smithy.api#required": {}
 }
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {

```

```

 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteLicenseResponse": {
 "type": "structure",
 "members": {
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "DeletionDate": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 }
}

```



```

 },
 "com.amazonaws.licensemanager#DeleteToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
 }
 },
 "com.amazonaws.licensemanager#DeleteTokenRequest": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }
 }

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteTokenResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DigitalSignatureMethod": {
 "type": "enum",
 "members": {
 "JWT_PS384": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "JWT_PS384"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#Entitlement": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#Long",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
 }
 },
 "Overage": {

```

```

 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement unit.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowCheckIn": {
 "target":
"com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
 },
 "com.amazonaws.licensemanager#EntitlementData": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement
data value.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data unit.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
 }
 },
 "com.amazonaws.licensemanager#EntitlementDataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementData"
 }
 },
 "com.amazonaws.licensemanager#EntitlementDataUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count"
 }
 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "Bytes"
 }
 },
 "KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
 },
 "MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
 },
 "GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes"
 }
 },
 "TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
 },
 "BITS":
{
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits"
 }
},
 "KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits"
 }
 },
 "MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
 },
 "GIGABITS": {

```

```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
 },
 "TERABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
 }
},
"PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
},
"BYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
},
"KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
},
"MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
},
"GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
},
"TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes/Second"
 }
},

```

```

"BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
},
"KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
},
"MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue":
"Megabits/Second"
 }
},
"GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
},
"TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
},
"COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
}
},
"com.amazonaws.licensemanager#EntitlementList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Entitlement"
 }
},
"com.amazonaws.licensemanager#EntitlementNotAllowedException":
{
 "type": "structure",

```

```

"members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
},
"traits": {
 "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
}
},
"com.amazonaws.licensemanager#EntitlementUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count"
 }
 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",
 "traits": {

```



```

 "smithy.api#enumValue": "Bytes"
 }
},
"KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
},
"MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
},
"GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes"
 }
},
"TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
},
"BITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits"
 }
},
"KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits"
 }
},
"MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
},
"GIGABITS": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
 },
 "TERABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
 },
 "PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
 },
 "BYTES_PER_SECOND": {
 "target":
"smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
 },
 "KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
 },
 "MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
 },
 "GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
 },
 "TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes/Second"
 }
 },

```

```

"BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
},
"KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
},
"MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits/Second"
 }
},
"GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
},

"TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
},
"COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
}
},
"com.amazonaws.licensemanager#EntitlementUsage": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement usage name.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "ConsumedValue": {
 "target": "com.amazonaws.licensemanager#String",

 "traits": {
 "smithy.api#documentation": "<p>Resource usage consumed.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
 }
 },
 "com.amazonaws.licensemanager#EntitlementUsageList":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementUsage"
 }
},
 "com.amazonaws.licensemanager#ExtendLicenseConsumption": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "DryRun": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
 "type": "structure",
 "members": {

```

```

"LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
},

"Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
 }
},

"traits": {
 "smithy.api#output": {}
}
},

"com.amazonaws.licensemanager#FailedDependencyException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 },
 "ErrorCode": {
 "target": "com.amazonaws.licensemanager#String"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "FailedDependency",
 "httpResponseCode": 424
 },
 "smithy.api#documentation":
"<p>A dependency required to run the API is missing.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 424
 }
},

"com.amazonaws.licensemanager#Filter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#FilterName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
 }
 }
 },

```

```

 "Values": {
 "target": "com.amazonaws.licensemanager#FilterValues",
 "traits": {
 "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only
specify one value for the filter.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter
name and value pair that is used to return more specific results from a\n describe operation. Filters can be used
to match a set of resources by specific criteria,\n such as tags, attributes, or IDs.</p>"
 }
 },
 "com.amazonaws.licensemanager#FilterLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "FilterLimitExceeded",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter"
 }
 },
 "com.amazonaws.licensemanager#FilterName": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#FilterValue": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#FilterValues": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#FilterValue",
 "traits": {

```

```

 "smithy.api#xmlName": "item"
 }
 }
 },
 "com.amazonaws.licensemanager#Filters": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter",
 "traits": {
 "smithy.api#xmlName": "item"
 }
 }
 },
 "com.amazonaws.licensemanager#GetAccessToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets a temporary access token to use with
AssumeRoleWithWebIdentity. Access
tokens\n are valid for one hour.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetAccessTokenRequest": {
 "type": "structure",
 "members": {
 "Token": {

```



```

 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
 "smithy.api#required": {}
 }
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetAccessTokenResponse":
{
 "type": "structure",
 "members": {
 "AccessToken": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Temporary access token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#GetGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetGrantResponse": {
 "type": "structure",
 "members": {
 "Grant": {
 "target": "com.amazonaws.licensemanager#Grant",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Grant details.</p>"
 }
}
},
"traits": {

"smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#GetLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
 },
 "output": {

```

```

 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
 }
 }
 }
}

```

```

 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",

 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License configuration status.</p>"
 }
 },
 "OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
 }
 },
 "ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
 }
 },
 "ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",

```

```

 "traits": {
 "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseConversionTask": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
 }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information
on.</p>",

```

```

 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license
conversion task is associated with.</p>"
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information
about the license type converted from.</p>"
 }
 },
 "DestinationLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
 }
 }
 }
}

```



```

 },

 "StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
 }
 },

 "LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
 }
 },

 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was
completed.</p>"
 }
 },

 "traits": {
 "smithy.api#output": {}
 }
},

"com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
]
}

```

```

 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
 }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
 "smithy.api#required": true
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "ReportGenerator": {
 "target": "com.amazonaws.licensemanager#ReportGenerator",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
}

```

```

 },
 "com.amazonaws.licensemanager#GetLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {

"smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseResponse": {
 "type": "structure",
 "members": {
 "License": {
 "target": "com.amazonaws.licensemanager#License",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseUsage": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
 },
 "errors": [
 {

```

```

 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {

"target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseUsageRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseUsageResponse": {
 "type": "structure",
 "members": {
 "LicenseUsage": {
 "target":
"com.amazonaws.licensemanager#LicenseUsage",
 "traits": {
 "smithy.api#documentation": "<p>License usage details.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#GetServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetServiceSettingsRequest": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data, discovery data,\n and so on.</p>"
 }
 }
 }
 }
}

```

```

 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n cross-account discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
 }
 }
 },
 "LicenseManagerResourceShareArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License
Manager management account \n provides member accounts with access to this share.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#Grant": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "GrantName": {

```

```

"target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
},
"ParentArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Parent ARN.</p>",
 "smithy.api#required": {}
 }
},
"LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>",
 "smithy.api#required": {}
 }
},
"GranteePrincipalArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {

"smithy.api#documentation": "<p>The grantee principal ARN.</p>",
 "smithy.api#required": {}
 }
},
"HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
},
"GrantStatus": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>",
 "smithy.api#required": {}
 }
},
"StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
},

```

```

"Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>",
 "smithy.api#required": {}
 }
},
"GrantedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Granted operations.</p>",
 "smithy.api#required": {}
 }
},
"Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
},
"traits": {
 "smithy.api#documentation":
"<p>Describes a grant.</p>"
}
},
"com.amazonaws.licensemanager#GrantList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Grant"
 }
},
"com.amazonaws.licensemanager#GrantStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_ACCEPT"
 }
 },
 "REJECTED": {

```



```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 },
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits":
 {
 "smithy.api#enumValue": "DISABLED"
 }
 },
 "WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
 }
 },
 "com.amazonaws.licensemanager#GrantedLicense": {
 "type": "structure",
 "members": {

```

```

"LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
},
"LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
},
"ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
},
"ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
},
"Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {
 "smithy.api#documentation": "<p>Granted license issuer.</p>"
 }
},
"HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
 }
},
>Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>Granted license status.</p>"
 }
},
Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in

```

ISO8601-UTC format.</p>"

```
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Granted license metadata.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
 }
 },
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Version of the granted license.</p>"
 }
 },
 "ReceivedMetadata": {
 "target": "com.amazonaws.licensemanager#ReceivedMetadata",
 "traits": {
 "smithy.api#documentation": "<p>Granted license received metadata.</p>"
 }
 },
 },
 "traits": {
```

```

 "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
 },
 "com.amazonaws.licensemanager#GrantedLicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#GrantedLicense"
 }
 },
 "com.amazonaws.licensemanager#ISO8601DateTime": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^(?:(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|[1-2][0-9])T(2[0-3]|[0-1][0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(?:Z|[-+](?:2[0-3]|[0-1][0-9]):[0-5][0-9])+$)"
 }
 },
 "com.amazonaws.licensemanager#Integer": {
 "type": "integer"
 },
 "com.amazonaws.licensemanager#InvalidParameterValueException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidParameterValueProvided",
 "httpResponseCode": 400
 },
 "smithy.api#documentation":
 "<p>One or more parameter values are not valid.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#InvalidResourceStateException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 }
 }
}

```

```

 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResourceState",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its
state. </p>\n <p>For example, you cannot allocate a license to an instance in the process of shutting\n
down.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },

 "com.amazonaws.licensemanager#InventoryFilter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the filter.</p>",
 "smithy.api#required": {}
 }
 },
 "Condition": {
 "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
 "traits": {
 "smithy.api#documentation": "<p>Condition of the filter.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Value of the filter.</p>"
 }
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An inventory filter.</p>"
 }
},

"com.amazonaws.licensemanager#InventoryFilterCondition": {
 "type": "enum",
 "members": {
 "EQUALS": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "EQUALS"
 }
 },
 "NOT_EQUALS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "NOT_EQUALS"
 }
 },
 "BEGINS_WITH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "BEGINS_WITH"
 }
 },
 "CONTAINS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CONTAINS"
 }
 }
}
},
"com.amazonaws.licensemanager#InventoryFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#InventoryFilter"
 }
},
"com.amazonaws.licensemanager#Issuer": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#IssuerDetails": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>"
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n and support the RSASSA-PSS SHA-256 signing
algorithm.</p>"
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#License": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
 }
 }
 }
}

```

```

 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>"
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-UTC format.</p>"
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 },
 "Entitlements": {

```



```

"target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
},
"ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
},
"LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>License metadata.</p>"
 }
},
"CreateTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>License
creation time.</p>"
 }
},
"Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
},
"com.amazonaws.licensemanager#LicenseConfiguration": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 }
 }
}

```

```

 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license configuration.</p>"
 }
},
"OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
 }
},
"ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
 }
},
"ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
 }
},
"ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
},
"AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
},
"traits": {
 "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be\n consumed and enforced by License Manager. Components include specifications for the license\n type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM\n must be associated with a host), and the number of licenses purchased and used.</p>"
}

```

```

 }
 },
 "com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of server resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource consuming licenses.</p>"
 }
 },
 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
 }
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
 }
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#LicenseConfigurationStatus": {
 "type": "enum",
 "members":
 {
 "AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 }
 }
},
 "com.amazonaws.licensemanager#LicenseConfigurationUsage": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits":
 {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 }
 },
 },

```

```

 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time when the license configuration was initially associated with
the resource.</p>"
 }
 },

 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
 },

 "traits": {
 "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license
configuration.</p>"
 },

 "com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
 }
 },

 "com.amazonaws.licensemanager#LicenseConfigurations": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfiguration"
 }
 },

 "com.amazonaws.licensemanager#LicenseConversionContext": {

 "type": "structure",
 "members": {
 "UsageOperation": {
 "target": "com.amazonaws.licensemanager#UsageOperation",
 "traits": {
 "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you
are converting your resource from. For more information about which platforms correspond to which usage
operation values see <a href='\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-
fields.html#billing-info\">Sample data: usage operation by platform\\n \\n </p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
 }
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTask": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {

 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\n conversion task.</p>"
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
 }
 },
 "DestinationLicenseContext": {
 "target":
"com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>The status of the conversion task.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
 },
 "StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",

```

```

 "traits": {
 "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
 }
 },
 "LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
 }
 },
 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConversionTaskId": {
 "type": "string",
 "traits": {

 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^\\c{a-zA-Z0-9}*$"
 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
 "type": "enum",
 "members": {
 "IN_PROGRESS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "IN_PROGRESS"
 }
 },
 "SUCCEEDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUCCEEDED"
 }
 }
 }
 }
}

```



```

 },
 "FAILED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED"
 }
 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTasks":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTask"
 }
},
"com.amazonaws.licensemanager#LicenseCountingType": {
 "type": "enum",
 "members": {
 "VCPU": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "vCPU"
 }
 },
 "INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Instance"
 }
 },
 "CORE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Core"
 }
 },
 "SOCKET": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Socket"
 }
 }
 }
},
"com.amazonaws.licensemanager#LicenseDeletionStatus": {
 "type": "enum",
 "members": {

```

```

 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
 },
 "com.amazonaws.licensemanager#LicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#License"
 }
 },
 "com.amazonaws.licensemanager#LicenseOperationFailure": {

 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type.</p>"
 }
 },
 "ErrorMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Error message.</p>"
 }
 },
 "FailureTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {

 "smithy.api#documentation": "<p>Failure time.</p>"
 }
 }
 }
 }

```

```

 },
 "OperationName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the operation.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
 }
 },
 "OperationRequestedBy": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
 }
 },
 "MetadataList": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Reserved.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
 },
 "com.amazonaws.licensemanager#LicenseOperationFailureList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
 }
 },
 "com.amazonaws.licensemanager#LicenseSpecification": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",

```

```

 "smithy.api#required": {}
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-account</code>.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
 },
 "com.amazonaws.licensemanager#LicenseSpecifications": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseSpecification"
 }
 },
 "com.amazonaws.licensemanager#LicenseStatus": {
 "type": "enum",
 "members": {
 "AVAILABLE": {
 "target": "smithy.api#Unit",

 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 },
 "PENDING_AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_AVAILABLE"
 }
 },
 "DEACTIVATED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DEACTIVATED"
 }
 },
 "SUSPENDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUSPENDED"
 }
 }
 }
 }
}

```

```

 },
 "EXPIRED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EXPIRED"
 }
 },
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
 },
 "com.amazonaws.licensemanager#LicenseUsage": {
 "type": "structure",
 "members": {
 "EntitlementUsages": {
 "target": "com.amazonaws.licensemanager#EntitlementUsageList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlement usages.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#LicenseUsageException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "LicenseUsageFailure",
 "httpResponseCode": 412
 }
 }
 }

```

```

 },
 "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource
launch.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 412
 }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
 },
 "output": {

"target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the resource associations for the
specified license configuration.</p>\n <p>Resource associations need not consume licenses from a license
configuration. \n For example, an AMI or a stopped instance might not consume a license (depending on \n
the license rules).</p>"
 }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationAssociations": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListDistributedGrants": {
 "type": "operation",
 "input": {

```

```

 "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
 "type": "structure",
 "members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n "
 }
 }
 }
}

```



```

 \n <p>\n <code>GranteePrincipalARN</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>LicenseIssuerName</code>\n </p>\n \n "
 }
},
"NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
},
"MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
},
"traits": {
 "smithy.api#input": {}
},
},
"com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",

"traits": {
 "smithy.api#documentation": "<p>Distributed grant details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
},
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
 }
}

```

```

 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":
{
 "type": "structure",
 "members": {
 "LicenseOperationFailureList": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
 "traits": {
 "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseConfigurations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
]
}

```

```

{
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
}
},
"com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
 <code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
 operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
 enforcement is used. \n Logical operators are <code>EQUALS</code> |
 <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>usagelimitExceeded</code> - A Boolean value that
 indicates whether the available licenses have been exceeded. \n Logical operators are

```

```

<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n "
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurations": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",

 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasks": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
]
}

```

```

 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
}
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
 "type": "structure",
 "members": {
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>\n Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n </p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTasks": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
 }
 }
 },

```

```

 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
 }
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
 {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n \n \n <p>\n <code>LicenseConfigurationArn</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
 "type": "structure",
 "members": {
 "ReportGenerators": {
 "target": "com.amazonaws.licensemanager#ReportGeneratorList",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license
configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
 }
 }
}

```



```

 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an associated license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",

```

```

 "traits": {

"smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseVersions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
],

```

```

 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
 "type": "structure",
 "members": {
 "Licenses": {

```

```

 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 },

 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenses": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicensesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
 }
}

```

```

 },
 "com.amazonaws.licensemanager#ListLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 }
 },

 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>Fingerprint</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token
for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicensesResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 },

```

```

 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

"smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#ListReceivedGrants": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the\n recipient as this Amazon Web Services account, your organization, or an organizational unit\n (OU) to which this member account belongs.</p>"
 }
 }
 }

```

```

 },
 "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
 "smithy.api#required": {}
 }
 },
 "Filters": {

```

```

 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n
 \n \n <p>\n <code>ParentArn</code>\n </p>\n \n \n <p>\n <code>GranteePrincipalArn</code>\n </p>\n \n \n }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
{
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
 "type": "structure",

```



```

"members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>LicenseIssuerName</code>\n </p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n \n <code>GranterAccountId</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",
 "traits": {
 "smithy.api#documentation": "<p>Received grant details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
}
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicenses": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists received licenses.</p>"
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
 }
}

```

```

 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
 }
}

```

```

 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n"
 }
 }
}

```

```

 \n \n <p>\n <code>Status</code>\n </p>\n \n \n <p>\n <code>Fingerprint</code>\n </p>\n \n \n <p>\n <code>IssuerName</code>\n </p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",
 "traits": {
 "smithy.api#documentation": "<p>Received license details.</p>"
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListResourceInventory": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
 }
}

```

```

 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FailedDependencyException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListResourceInventoryRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#InventoryFilterList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>account_id</code>
- The ID of the Amazon Web Services account that owns the resource.\n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>application_name</code> - The name of the
application. \n Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n \n \n <p>\n <code>license_included</code> - The type of license included. \n
 Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.\n Possible values
are <code>sql-server-enterprise</code> | \n <code>sql-server-standard</code> | \n <code>sql-
server-web</code> | \n <code>windows-server-datacenter</code>.</p>\n \n \n <p>\n <code>platform</code> - The platform of the resource.\n Logical operators are
<code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n \n \n <p>\n <code>resource_id</code> - The ID of the resource. \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>tag:<key></code> - The key/value combination of a tag assigned \n to the resource. Logical
operators are <code>EQUALS</code> (single account) or\n <code>EQUALS</code> |
<code>NOT_EQUALS</code> (cross account).</p>\n \n "
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListResourceInventoryResponse": {
 "type": "structure",
 "members": {
 "ResourceInventoryList": {
 "target": "com.amazonaws.licensemanager#ResourceInventoryList",
 "traits": {
 "smithy.api#documentation": "<p>Information
about the resources.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListTagsForResource": {
 "type": "operation",

```

```

"input": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
},
"output": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
},
"com.amazonaws.licensemanager#ListTagsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "Tags": {

```



```

 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the tags.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListTokens": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListTokensRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListTokensResponse"
 },
 "errors":
[
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists your tokens.</p>"
 }
},
"com.amazonaws.licensemanager#ListTokensRequest": {
 "type": "structure",
 "members": {
 "TokenIds": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Token IDs.</p>"
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
\n \n <p>\n <code>LicenseArns</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation":
"<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListTokensResponse": {
 "type": "structure",
 "members": {
 "Tokens": {
 "target": "com.amazonaws.licensemanager#TokenList",
 "traits": {
 "smithy.api#documentation": "<p>Received token details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
}

```

```

 },
 "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
 {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying
license\n consumption details by resource at a selected point in time. Use this action to audit the\n current
license consumption for any license inventory and configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },

```

```

 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n<code>resourceArn</code> - The ARN of the license configuration resource.\n Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>resourceType</code> - The resource type
(<code>EC2_INSTANCE</code> | <code>EC2_HOST</code> | <code>EC2_AMI</code> |
<code>SYSTEMS_MANAGER_MANAGED_INSTANCE</code>). \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>resourceAccount</code> - The ID of the account that owns the resource. \n Logical operators
are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n "
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {

 "LicenseConfigurationUsageList": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#Location": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#Long": {
 "type": "long"
 },
 "com.amazonaws.licensemanager#ManagedResourceSummary": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
 }
 },
 "AssociationCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
 }
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
 },
 "com.amazonaws.licensemanager#ManagedResourceSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
 }
 },
 "com.amazonaws.licensemanager#MaxSize100": {
 "type": "integer",
 "traits": {
 "smithy.api#range": {
 "min": 1,
 "max": 100
 }
 }
 },

```

```

"com.amazonaws.licensemanager#MaxSize3StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 3
 }
 }
},
"com.amazonaws.licensemanager#Message": {
 "type": "string"
},
"com.amazonaws.licensemanager#Metadata": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The key name.</p>"
 }
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The value.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
 }
},
"com.amazonaws.licensemanager#MetadataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Metadata"
 }
},
"com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement
maximum count is reached.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#Options": {
 "type": "structure",
 "members": {
 "ActivationOverrideBehavior": {
 "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
 "traits": {
 "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n \n \n <p>As a license administrator, you can
optionally specify an\n <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n
\n \n <p>As a grantor, you can optionally specify an\n
<code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n account in your
organization.</p>\n \n \n <p>As a grantee, if the grantor creating the distributed
grant doesnt specify an\n <code>ActivationOverrideBehavior</code>, you can optionally specify one
when you\n are activating the grant.</p>\n \n \n <dl>\n
<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n <dd>\n <p>Use this value to activate a grant
without replacing any member accounts\n active grants for the same product.</p>\n </dd>\n
<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n <dd>\n <p>Use this value to activate a
grant and disable other active grants in any\n member accounts
for the same product. This action will also replace their\n previously activated grants with this activated
grant.</p>\n </dd>\n </dl>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
such as activation\n override behavior. For more information, see Granted licenses in
License Manager in the <i>License Manager User Guide</i>.</p>"
 }
 },
 "com.amazonaws.licensemanager#OrganizationConfiguration": {
 "type": "structure",
 "members": {
 "EnableIntegration": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation":

```

```

 "<p>Enables Organizations integration.</p>",
 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
}
},
"com.amazonaws.licensemanager#PrincipalArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 1
 }
 }
},
"com.amazonaws.licensemanager#ProductInformation": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "ProductInformationFilterList": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
 "traits": {
 "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n <p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>. </p>\n <p>The following filters and are supported when
the resource type \n is <code>SSM_MANAGED</code>:</p>\n
 \n \n <p>\n <code>Application Name</code> - The name of the
application.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Publisher</code> - The publisher of the application.\n Logical
operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Version</code> - The version of the application.\n Logical operator is
<code>EQUALS</code>.</p>\n \n \n <p>\n <code>Platform

```



Name - The name of the platform. Logical operator is `EQUALS`.

Platform Type - The platform type.

Logical operator is `EQUALS`.

Tag:key - The key of a tag attached to an Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`. The key for your tag must be appended to `Tag:` following the example: `Tag:name-of-your-key`. `ProductInformationFilterValue` is optional if you are not using values for the key.

AccountId - The 12-digit ID of an Amazon Web Services account you wish to exclude from automated discovery. Logical operator is `NOT_EQUALS`.

License Included - The type of license included. Logical operators are `EQUALS` and `NOT_EQUALS`. Possible values are: `sql-server-enterprise` | `sql-server-standard` | `sql-server-web` | `windows-server-datacenter`.

The following filters and logical operators are supported when the resource type is `RDS`:

Engine Edition - The edition of the database engine. Logical operator is `EQUALS`. Possible values are: `oracle-ee` | `oracle-se` | `oracle-se1` | `oracle-se2`.

License Pack - The license pack. Logical operator is `EQUALS`. Possible values are: `data guard` | `diagnostic pack sqlt` | `tuning pack sqlt` | `ols` | `olap`.

```

 "smithy.api#required": {}
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
 },
 "com.amazonaws.licensemanager#ProductInformationFilter": {
 "type": "structure",
 "members": {
 "ProductInformationFilterName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Filter name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductInformationFilterValue": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Filter value.</p>"
 }
 }
 }
 },

```

```

 "ProductInformationFilterComparator": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Logical operator.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes product information filters.</p>"
 }
 },
 "com.amazonaws.licensemanager#ProductInformationFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilter"
 }
 },
 "com.amazonaws.licensemanager#ProductInformationList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformation"
 }
 },
 "com.amazonaws.licensemanager#ProvisionalConfiguration": {
 "type": "structure",
 "members": {
 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
},
"com.amazonaws.licensemanager#RateLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {

```

```

 "aws.protocols#awsQueryError": {
 "code": "RateLimitExceeded",
 "httpResponseCode": 429
 },
 "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief
wait.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 429
 }
},
"com.amazonaws.licensemanager#ReceivedMetadata": {
 "type": "structure",
 "members": {
 "ReceivedStatus": {
 "target": "com.amazonaws.licensemanager#ReceivedStatus",
 "traits": {
 "smithy.api#documentation": "<p>Received status.</p>"
 }
 },
 "ReceivedStatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Received
status reason.</p>"
 }
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
}
},
"com.amazonaws.licensemanager#ReceivedStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue":
"PENDING_ACCEPT"
 }
 },
 "REJECTED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 },
 "WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
 }
},
"com.amazonaws.licensemanager#RedirectException": {
 "type": "structure",
 "members": {
 "Location": {
 "target": "com.amazonaws.licensemanager#Location",

```

```

 "traits": {
 "smithy.api#httpHeader": "Location"
 },
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 },
 "traits": {
 "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 308
 },
 "com.amazonaws.licensemanager#RejectGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#RejectGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#RejectGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
 }
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#RejectGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
 "com.amazonaws.licensemanager#RejectGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
 "com.amazonaws.licensemanager#RenewType":
{
 "type": "enum",
 "members": {

```

```

 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "WEEKLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Weekly"
 }
 },
 "MONTHLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Monthly"
 }
 }
 },
 "com.amazonaws.licensemanager#ReportContext": {
 "type": "structure",
 "members": {
 "licenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {

 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
 }
 },
 "com.amazonaws.licensemanager#ReportFrequency": {
 "type": "structure",
 "members": {
 "value": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {
 "smithy.api#documentation": "<p>Number of times within the frequency period that a report is
generated. \n The only supported value is <code>1</code>.</p>"
 }
 }
 },
 "period": {

```

```

 "target": "com.amazonaws.licensemanager#ReportFrequencyType",

 "traits": {
 "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,
or monthly.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 }
},
"com.amazonaws.licensemanager#ReportFrequencyType": {
 "type": "enum",
 "members": {
 "DAY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DAY"
 }
 },
 "WEEK": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WEEK"
 }
 },
 "MONTH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "MONTH"
 }
 }
 }
},
"com.amazonaws.licensemanager#ReportGenerator": {
 "type": "structure",
 "members": {
 "ReportGeneratorName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>"
 }
 },
 "ReportType": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {

```



```

 "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>License
configuration type for this generator.</p>"
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 }
 },
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
 }
 },
 "LastRunStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
 }
 },
 "LastRunFailureReason":
 {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
 }
 },
 "LastReportGenerationTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
 }
 },
 "ReportCreatorAccount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report
generator.</p>"
 }
 },

```

```

 "Description": {
 "target": "com.amazonaws.licensemanager#String",

 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "S3Location": {
 "target": "com.amazonaws.licensemanager#S3Location",
 "traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the report was created.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
 },
 "com.amazonaws.licensemanager#ReportGeneratorList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ReportGenerator"
 }
 },
 "com.amazonaws.licensemanager#ReportGeneratorName": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
 },
 "com.amazonaws.licensemanager#ReportType": {

```

```

 "type": "enum",
 "members": {
 "LICENSE_CONFIGURATION_SUMMARY_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
 }
 },
 "LICENSE_CONFIGURATION_USAGE_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationUsageReport"
 }
 }
 },
 "com.amazonaws.licensemanager#ReportTypeList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ReportType"
 }
 },
 "com.amazonaws.licensemanager#ResourceInventory": {
 "type": "structure",
 "members": {
 "ResourceId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "Platform": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Platform of the resource.</p>"
 },
 "PlatformVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
 }
 },
 "ResourceOwningAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a resource.</p>"
 },
 "com.amazonaws.licensemanager#ResourceInventoryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ResourceInventory"
 }
 },
 "com.amazonaws.licensemanager#ResourceLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ResourceLimitExceeded",

 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#ResourceNotFoundException": {
 "type": "structure",
 "members": {

```

```

 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResource.NotFound",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The resource cannot be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#ResourceType": {
 "type": "enum",
 "members": {
 "EC2_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_INSTANCE"
 }
 },
 "EC2_HOST": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_HOST"
 }
 },
 "EC2_AMI": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_AMI"
 }
 },
 "RDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "RDS"
 }
 },
 "SYSTEMS_MANAGER_MANAGED_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
 }
 }
 }
}

```

```

 },
 "com.amazonaws.licensemanager#S3Location": {
 "type": "structure",
 "members": {
 "bucket": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
 }
 },
 "keyPrefix": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
 }
 },
 "com.amazonaws.licensemanager#ServerInternalException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InternalServerError",
 "httpResponseCode": 500
 },
 "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
 "smithy.api#error": "server",
 "smithy.api#httpError": 500
 }
 },
 "com.amazonaws.licensemanager#SignedToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 4096
 }
 }
 },
 "com.amazonaws.licensemanager#StatusReasonMessage": {

```

```

 "type": "string",
 "traits":
{
 "smithy.api#length": {
 "min": 0,
 "max": 400
 },
 "smithy.api#pattern": "^[\s\S]+$"
}
},
"com.amazonaws.licensemanager#String": {
 "type": "string"
},
"com.amazonaws.licensemanager#StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
},
"com.amazonaws.licensemanager#Tag": {
 "type": "structure",
 "members": {
 "Key": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Tag key.</p>"
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Tag value.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#TagKeyList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
},
"com.amazonaws.licensemanager#TagList": {
 "type": "list",

```

```

 "member": {
 "target": "com.amazonaws.licensemanager#Tag"
 }
 },
 "com.amazonaws.licensemanager#TagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#TagResourceResponse"
 },
 "errors": [
 {
 "target":
"com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#TagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits":
{
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",

```



```

 "traits": {
 "smithy.api#documentation": "<p>One or more tags.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#TagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#TokenData": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
 },
 "TokenType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "ExpirationTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
 }
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller.</p>"
 }
 },
 "RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a token.</p>"
 },
 "com.amazonaws.licensemanager#TokenList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#TokenData"
 }
 },
 "com.amazonaws.licensemanager#TokenString": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 4096
 },
 "smithy.api#pattern": "^\\S+$"
 }
 },
 "com.amazonaws.licensemanager#TokenType": {
 "type": "enum",
 "members": {
 "REFRESH_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REFRESH_TOKEN"
 }
 }
 }
 }

```

```

 }
 },
 "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
{
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request
again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
 "com.amazonaws.licensemanager#UntagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UntagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UntagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Removes the specified tags from the specified license
configuration.</p>"
 }
 },

```

```

"com.amazonaws.licensemanager#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "TagKeys": {
 "target": "com.amazonaws.licensemanager#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UntagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseConfigurationStatus": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
 "traits": {
 "smithy.api#documentation": "<p>New status of the license configuration.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\nconfiguration is licenseAffinityToHost.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>New number of licenses managed by the license configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {

```

```

 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New description of the license configuration.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>New product information.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "traits": {
 {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"

```

```

 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates a report generator.</p>\n <p>After you make changes to a
report generator, it starts generating new reports within 60 minutes of being updated.</p>"
 },
 "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
 {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to
update.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportGeneratorName": {

```

```

 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
 },
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation":
 "<p>Type of reports to generate. The following report types are supported:</p>\n \n \n <p>License configuration report - Reports the number and details of consumed licenses for a license\n configuration.</p>\n \n \n <p>Resource report - Reports the tracked licenses and\n resource consumption for a license configuration.</p>\n \n ",
 "smithy.api#required": {}
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>The report context.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the\n idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 }
},
"traits": {

```



```

 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
{
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
 },
 {
 "target": "com.amazonaws.licensemanager#LicenseUsageException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n <p>You can update the license specifications of AMIs, instances, and hosts.\n You cannot update the license specifications for launch templates and CloudFormation templates, \n as they send license configurations to the operation that creates the resource.</p>"
 }
}

```

```

 }
 },

 "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services
resource.</p>",
 "smithy.api#required": {}
 }
 },
 "AddLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
 }
 },
 "RemoveLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation":
"<p>ARNs of the license configurations to remove.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },

 "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },

 "com.amazonaws.licensemanager#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
 },
 "errors": [

```

```

{
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
},
{
 "target": "com.amazonaws.licensemanager#AuthorizationException"
},
{
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
},
{
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
},
},
"com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
 }
 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UsageOperation": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 }
 }
},
"com.amazonaws.licensemanager#ValidationException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",

 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
}
}
}

```

## 1.102 [github.com/aws/aws-sdk-go-v2/service/dynamodb](https://github.com/aws/aws-sdk-go-v2/service/dynamodb) 1.32.8

## 1.102.1 Available under license :

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

```
// Checks out the specified license.
```

```
//
```

```
// If the account that created the license is the same that is performing the
```

```
// check out, you must specify the account as the beneficiary.
```

```
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
 if params == nil {
 params = &CheckoutLicenseInput{
 }
}
```

```
 result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
 if err != nil {
 return nil, err
 }
```

```
 out := result.(*CheckoutLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}
```

```
type CheckoutLicenseInput struct {
```

```
 //
```

```
 Checkout type.
```

```
 //
```

```
 // This member is required.
```

```
 CheckoutType types.CheckoutType
```

```
 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 // the request.
```

```
 //
```

```
 // This member is required.
```

```
 ClientToken *string
```

```

// License entitlements.
//
// This member is required.
Entitlements []types.EntitlementData

// Key fingerprint identifying the license.
//
// This member is required.
KeyFingerprint *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// License beneficiary.
Beneficiary *string

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

// Checkout type.
CheckoutType types.CheckoutType

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the checkout license.
LicenseArn
*string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

```

```

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack,
options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
}

```

```

if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack,
c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {

```



```

 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err !=
nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckoutLicense",
 }
}
name: License Scan

on: [pull_request]

jobs:
 licensescan:
 name: License Scan
 runs-on: ubuntu-latest
 strategy:
 matrix:
 python-version: [3.9]

 steps:
 - name: Checkout target
 uses: actions/checkout@v2
 with:
 path: sdkbase
 ref: ${{ github.base_ref }}
 - name: Checkout this ref
 uses: actions/checkout@v2
 with:
 path: new-ref

```

```

 fetch-depth: 0
- name: Get Diff
 run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT ${ github.event.pull_request.base.sha }}
${ github.sha }} > refDiffFiles.txt
- name: Get Target Files
 run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt - > targetFiles.txt
- name: Checkout scancode
 uses: actions/checkout@v2
 with:
 repository: nexB/scancode-toolkit
 path: scancode-toolkit
 fetch-depth: 1
- name: Set up Python ${ matrix.python-version }}
 uses: actions/setup-python@v2
 with:
 python-version: ${ matrix.python-version }}
ScanCode
- name: Self-configure scancode
 working-directory: ./scancode-toolkit
 run: ./scancode --help
- name: Run Scan code on target
 run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
- name: Run Scan code on pr ref
 run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
compare
- name: License test
 run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
are the same. Success."; exit 0; fi
// Code generated by smithy-go-codegen DO NOT EDIT.

```

package grafana

```

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

// Removes the Grafana Enterprise license from a workspace.

```

func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
...func(*Options)) (*DisassociateLicenseOutput, error) {
 if params == nil {
 params = &DisassociateLicenseInput{}
 }
}

```

```

}

result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
if err != nil {
 return nil, err
}

out := result.(*DisassociateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type DisassociateLicenseInput struct {

 // The type of license to remove from the workspace.
 //
 // This member is required.
 LicenseType types.LicenseType

 //
 // The ID of the workspace to remove the Grafana Enterprise license from.
 //
 // This member is required.
 WorkspaceId *string

 noSmithyDocumentSerde
}

type DisassociateLicenseOutput struct {

 // A structure containing information about the workspace.
 //
 // This member is required.
 Workspace *types.WorkspaceDescription

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{}, middleware.After)

```

```

if err != nil {
 return err
}
err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{}, middleware.After)
if err != nil {
 return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "DisassociateLicense");
err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}

```

```

if
err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err
!= nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
}

```

```

return nil
}

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "DisassociateLicense",
}
}
{
 "smithy": "2.0",
 "shapes": {
 "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
 "type": "structure",
 "members": {
 "DirectoryId": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Directory",
 "traits": {
 "smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
 }
 }
 },
 "ActiveDirectorySettings":
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectorySettings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>ActiveDirectorySettings</code> resource contains
details about \n\t\t\tthe Active Directory, including network access details such as domain name and IP
\n\t\t\taddresses, and the credential provider for user administration.</p>"
 }
 },
 "ActiveDirectoryType": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryType",
 "traits": {
 "smithy.api#documentation": "<p>The type of Active Directory either a self-managed Active

```

Directory or an \n\t\t\tAmazon Web Services Managed Active Directory.</p>"

```
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about an Active Directory identity
provider.</p>"
 },
 "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectorySettings": {
 "type": "structure",
 "members": {
 "DomainName": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name for the Active Directory.</p>"
 }
 },
 "DomainIpv4List": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Ipv4List",
 "traits": {
 "smithy.api#documentation": "<p>A list of domain IPv4 addresses that are used for the Active
Directory.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 2
 }
 }
 },
 "DomainCredentialsProvider": {
 "target":
"com.amazonaws.licenseanagerusersubscriptions#CredentialsProvider",
 "traits": {
 "smithy.api#documentation": "<p>Points to the <code>CredentialsProvider</code> resource that
contains \n\t\t\tinformation about the credential provider for user administration.</p>"
 }
 },
 "DomainNetworkSettings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DomainNetworkSettings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>DomainNetworkSettings</code> resource contains an
array of \n\t\t\tsubnets that apply for the Active Directory.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains network access and credential details that are needed for
\n\t\t\tuser administration in the Active Directory.</p>"
 }
 }
}
```

```

 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryType":
 {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "SELF_MANAGED",
 "value": "SELF_MANAGED",
 "documentation": "SELF_MANAGED type of Active Directory"
 },
 {
 "name": "AWS_MANAGED",
 "value": "AWS_MANAGED",
 "documentation": "AWS_MANAGED type of Active Directory"
 }
]
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#Arn": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^arn:[a-z0-9-\\.]{1,63}:[a-z0-9-\\.]{1,63}:[a-z0-9-\\.]{1,63}:[a-z0-9-\\.]{1,63}:[a-zA-Z0-9-\\.]{1,510}/[a-zA-Z0-9-\\.]{1,510}$"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#AssociateUser":
 {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 }
]
 }
}

```





```

 "smithy.api#documentation": "<p>The identity provider for the user.</p>",
 "smithy.api#required": {}
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains
information for the user to associate.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags that apply for the user association.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#BoxInteger": {
 "type": "integer"
 },
 "com.amazonaws.licenseanagerusersubscriptions#ConflictException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 },

```

```

 "traits": {
 "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current
state of the\n\t\t\t\tresource.</p>",
 "smithy.api#error": "server"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#CreateLicenseServerEndpoint": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#CreateLicenseServerEndpointRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#CreateLicenseServerEndpointResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a network endpoint for the Remote Desktop Services (RDS)
license server.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/license-server/CreateLicenseServerEndpoint"
 },
 "smithy.api#idempotent": {}
 }
 }
}

```



```

 "smithy.api#documentation": "<p>The ARN of the <code>LicenseServerEndpoint</code>
resource.</p>"
 }
}
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#CredentialsProvider": {
 "type": "union",
 "members": {
 "SecretsManagerCredentialsProvider":
{
 "target": "com.amazonaws.licenseanagerusersubscriptions#SecretsManagerCredentialsProvider",
 "traits": {
 "smithy.api#documentation": "<p>Identifies the Secrets Manager secret that contains credentials
needed for \n\t\t\tuser administration in the Active Directory.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains information about the credential provider for user
\n\t\t\tadministration.</p>"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#DeleteLicenseServerEndpoint": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeleteLicenseServerEndpointRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeleteLicenseServerEndpointResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
}

],
"traits": {
 "smithy.api#documentation": "<p>Deletes a <code>LicenseServerEndpoint</code> resource.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/license-server/DeleteLicenseServerEndpoint"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#DeleteLicenseServerEndpointRequest": {
 "type": "structure",
 "members": {
 "LicenseServerEndpointArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) that identifies the
<code>LicenseServerEndpoint</code> \n\t\t\tresource to delete.</p>",
 "smithy.api#required": {}
 }
 },
 "ServerType": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServerType",
 "traits": {
 "smithy.api#documentation": "<p>The type of License Server that the delete request refers to.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#DeleteLicenseServerEndpointResponse": {
 "type": "structure",
 "members": {
 "LicenseServerEndpoint": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#LicenseServerEndpoint",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Shows details from the <code>LicenseServerEndpoint</code>
resource that was deleted.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deregisters the Active Directory identity provider from License
Manager user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/DeregisterIdentityProvider"
 }
 }
}

```

```

 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest":
{
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the Active Directory identity
provider.</p>"
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
<code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>"
 }
 },
 "IdentityProviderArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) that identifies the identity
provider to deregister.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```



```

 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Directory":
 {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^(d|sd)-[0-9a-f]{10}$"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DisassociateUser": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,

```

```

 "method": "POST",
 "uri": "/user/DisassociateUser"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest":
{
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the Active Directory identity provider for the
user.</p>"
 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance which provides user-based
subscriptions.</p>"
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the Active Directory identity
provider.</p>"
 }
 },
 "InstanceUserArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the user to disassociate
from the EC2 instance.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains
information for the user to disassociate.</p>"
 }
 }
 },
 "traits": {

```

```

 "smithy.api#input": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DomainNetworkSettings": {
 "type": "structure",
 "members": {
 "Subnets": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>Contains a list of subnets that apply for the Active Directory domain.</p>",
 "smithy.api#length": {
 "min": 1
 },
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains network settings for the Active Directory domain.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Filter": {
 "type": "structure",
 "members": {
 "Attribute": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
 }
 }
 },
 "Operation": {

```

```
"target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
 }
 },
 "Value": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation":
"<p>Value of the filter.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter name and value pair that is used to return more specific results from a describe\n\t\t\t\t\tor list operation. You can use filters can be used to match a set of resources by specific \n\t\t\t\t\tcriteria, such as tags, attributes, or IDs.</p>"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Filter"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProvider": {
 "type": "union",
 "members": {
 "ActiveDirectoryIdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryIdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>The <code>ActiveDirectoryIdentityProvider</code> resource contains settings \n\t\t\t\t\tand other details about a specific Active Directory identity provider.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Refers to an identity provider.</p>"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>The <code>IdentityProvider</code> resource contains information
```

```

about \n\t\t\tan identity provider.</p>",
 "smithy.api#required": {}
 },
 "Settings": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>Settings</code> resource contains details about the
registered \n\t\t\tidentity providers product related configuration settings, such as the \n\t\t\tsubnets to provision VPC
endpoints.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProviderArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the identity provider.</p>"
 }
 },
 "FailureMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes an identity provider.</p>"
 },
 "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummaryList": {
 "type": "list",

```

```

 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary"
 },
 "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of an EC2 instance resource.</p>",
 "smithy.api#required": {}
 }
 },
 "Products": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
 "smithy.api#required": {}
 }
 },
 "LastStatusCheckDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date of the last status check.</p>"
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList": {

```



```

 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains the user information for the product subscription.</p>"
 }
 },
 "AssociationDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
 }
 },
 "DisassociationDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based subscriptions.</p>"
 },
 "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#InternalServerError": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An exception occurred with the service.</p>",

```



```

 "smithy.api#error": "server",
 "smithy.api#httpError": 500
 }
},
"com.amazonaws.licensemanagerusersubscriptions#IPv4": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^(?:25[0-5]|2[0-4][0-9]|1[0-9][0-9]|[1-9][0-9]|[0-9])(\\.(?!$)|$)){4}$"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#IPv4List": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IPv4"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseManagerUserSubscriptions": {
 "type": "service",
 "version": "2018-05-10",
 "operations": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUser"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#CreateLicenseServerEndpoint"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DeleteLicenseServerEndpoint"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUser"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListInstances"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListLicenseServerEndpoints"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions"
 }
],

```

```

{
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListTagsForResource"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#TagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#UntagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
 }
],
"traits": {
 "aws.api#service": {
 "sdkId": "License Manager User Subscriptions",
 "arnNamespace": "license-manager-user-subscriptions",
 "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
 },
 "aws.auth#sigv4": {
 "name": "license-manager-user-subscriptions"
 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id",
 "content-length",
 "x-api-key",

```



```

 }
 },
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
],

 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {

```

```

 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},

 "headers": {}
 },
 "type": "endpoint"
 },
 "type": "tree"
},
{
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
]
},
"rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv":
[
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },

```

```

true

]

},
{
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
}
],
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",

"argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
},
{
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
}
]

```

```

 }
],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],

 "type": "tree"
},
{
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
}
],
 "type": "tree"
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "fn": "getAttr",

```

```

 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 },
 true
]
}
],
"rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
"type": "tree"
},
{
 "conditions": [],
 "error": "FIPS is enabled but this partition does not support FIPS",
 "type": "error"
}
],

 "type": "tree"
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]
},
],
"rules": [

```



```

{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 },
 {
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
 }
],
 "type": "tree"
},
{
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},

```

```

 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
}
],
"type": "tree"
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 }
]
}

```

```

 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 },

```

```

 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack":
false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {

```

```

 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack":
true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition
does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",

```

```

 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},

{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },

```

```

 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {

```

```

 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint":
"https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are
not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,

```



```

 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
}
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServer": {
 "type": "structure",
 "members": {
 "ProvisioningStatus": {
 "target":
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointProvisioningStatus",
 "traits": {
 "smithy.api#documentation": "<p>The current state of the provisioning process for the RDS
\n\t\t\t\tlicense server.</p>"
 }
 },
 "HealthStatus": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerHealthStatus",
 "traits": {
 "smithy.api#documentation": "<p>The health status of the RDS license server.</p>"
 }
 },
 "Ipv4Address": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A list of domain IPv4 addresses that are used for the RDS
\n\t\t\t\tlicense server.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Information about a Remote Desktop Services (RDS) license
server.</p>"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpoint": {
 "type": "structure",
 "members": {

```

```

 "IdentityProviderArn": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the identity provider that's
associated with \n\t\t\tthe RDS license server endpoint.</p>"
 }
 },
 "ServerType": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerType",
 "traits": {
 "smithy.api#documentation": "<p>The type of license server.</p>"
 }
 },
 "ServerEndpoint": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerEndpoint",
 "traits": {
 "smithy.api#documentation":
"<p>The <code>ServerEndpoint</code> resource contains the network \n\t\t\taddress of the RDS license server
endpoint.</p>"
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The message associated with the provisioning status, if there is
one.</p>"
 }
 },
 "LicenseServerEndpointId": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointId",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the license server endpoint.</p>"
 }
 },
 "LicenseServerEndpointArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation":
"<p>The ARN of the <code>ServerEndpoint</code> resource for the RDS \n\t\t\tlicense server.</p>"
 }
 },
 "LicenseServerEndpointProvisioningStatus": {
 "target":
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointProvisioningStatus",
 "traits": {
 "smithy.api#documentation": "<p>The current state of the provisioning process for the RDS license
\n\t\t\tserver endpoint</p>"
 }
 }
 }

```

```

 },
 "LicenseServers": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerList",
 "traits": {
 "smithy.api#documentation": "<p>An array of <code>LicenseServer</code> resources that represent
the \n\t\t\t\t\tlicense servers that are accessed through this endpoint.</p>"
 }
 },
 "CreationTime": {
 "target": "smithy.api#Timestamp",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp when License Manager created the license server
endpoint.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains details about a network endpoint for a Remote Desktop
Services (RDS) \n\t\t\t\t\tlicense server.</p>"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointId": {
 "type": "string"
 },
 "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpoint"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointProvisioningStatus": {
 "type": "string",
 "traits":
 {
 "smithy.api#enum": [
 {
 "name": "PROVISIONING",
 "value": "PROVISIONING",
 "documentation": ""
 },
 {
 "name": "PROVISIONING_FAILED",
 "value": "PROVISIONING_FAILED",
 "documentation": ""
 },
 {
 "name": "PROVISIONED",

```

```

 "value": "PROVISIONED",
 "documentation": ""
 },
 {
 "name": "DELETING",
 "value": "DELETING",
 "documentation": ""
 },
 {
 "name": "DELETION_FAILED",
 "value": "DELETION_FAILED",
 "documentation": ""
 },
 {
 "name": "DELETED",
 "value": "DELETED",
 "documentation": ""
 }
]
}
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerHealthStatus": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "HEALTHY",
 "value": "HEALTHY",
 "documentation": ""
 },
 {
 "name": "UNHEALTHY",
 "value": "UNHEALTHY",
 "documentation": ""
 },
 {
 "name": "NOT_APPLICABLE",
 "value": "NOT_APPLICABLE",
 "documentation": ""
 }
]
 }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerList":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServer"
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#LicenseServerSettings": {
 "type": "structure",
 "members": {
 "ServerType": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerType",
 "traits": {
 "smithy.api#documentation": "<p>The type of license server.</p>",
 "smithy.api#required": {}
 }
 },
 "ServerSettings": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerSettings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>ServerSettings</code> resource contains the settings
for your \n\t\t\tserver.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The settings to configure your license server.</p>"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 }
]
 }
}

```

```

 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the Active Directory identity providers for user-based
subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/ListIdentityProviders"
 },

 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "IdentityProviderSummaries"
 }
}
},
"com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n
\n \n <p>Product</p>\n \n \n <p>DirectoryId</p>\n \n "
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken

```



```

 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/instance/ListInstances"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceSummaries"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
\n\tfrom a previously truncated response.</p>"
 }
 }
 }
}

```





```

 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>List the Remote Desktop Services (RDS) License Server endpoints
</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/license-server/ListLicenseServerEndpoints"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "LicenseServerEndpoints"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListLicenseServerEndpointsRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>",
 "smithy.api#range": {
 "min": 1,
 "max": 100
 }
 }
 }
 }
}

```



```

 "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListProductSubscriptions"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "ProductUserSummaries"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
 "type":

```

```

"structure",
 "members": {
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
<code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>"
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n
\n \n <p>Status</p>\n \n \n <p>Username</p>\n
\n \n <p>Domain</p>\n \n "
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
\n\tfrom a previously truncated response.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse": {

```

```

 "type": "structure",
 "members": {
 "ProductUserSummaries": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions
operation.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't
empty, \n\tthere are additional elements that the service hasn't included in this request. Use this token \n\t\twith the
next request to
retrieve additional objects.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#ListTagsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListTagsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListTagsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
]
 },
 "traits": {
 "smithy.api#documentation": "<p>Returns the list of tags for the specified resource.</p>",
 "smithy.api#http": {
 "method": "GET",
 "uri": "/tags/{ResourceArn}"
 }
 }
 }

```

```

 },
 "smithy.api#readonly": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource whose tags
you want to retrieve.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags for the specified resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 }
],

```

```

 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits":
{
 "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListUserAssociations"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceUserSummaries"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required":
 {}
 }
 },
 "IdentityProvider": {

```



```

 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline
results:</p>\n \n \n <p>Status</p>\n \n \n <p>Username</p>\n \n \n <p>Domain</p>\n \n "
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
\n\tfrom a previously truncated response.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
 }
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't
empty, \n\tthere are additional elements that the service hasn't included in this request. Use this token \n\t\twith the
next request to retrieve additional objects.</p>"
 }
 }
}

```

```

 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits":
{
 "smithy.api#documentation": "<p>The user name from the identity provider for this product
user.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",

 "traits": {
 "smithy.api#documentation": "<p>The status of a product for this user.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductUserArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) for this product user.</p>"
 }
 },
 "StatusMessage": {

```

```

 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for a product for this user.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory
that contains the user information for the product subscription.</p>"
 }
 },
 "SubscriptionStartDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The start date of a subscription.</p>"
 }
 },
 "SubscriptionEndDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The end date of a subscription.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>A summary of the user-based subscription products for a specific
user.</p>"
}
},
"com.amazonaws.licenseanageruserssubscriptions#ProductUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanageruserssubscriptions#ProductUserSummary"
 }
},
"com.amazonaws.licenseanageruserssubscriptions#RdsSalSettings": {
 "type": "structure",
 "members": {
 "RdsSalCredentialsProvider": {
 "target": "com.amazonaws.licenseanageruserssubscriptions#CredentialsProvider",
 "traits": {
 "smithy.api#documentation": "<p>The <code>CredentialsProvider</code> resource contains a
reference to the credentials provider that's used for RDS license server user administration.</p>",
 "smithy.api#required": {}
 }
 }
 }
},

```

```

 "traits": {
 "smithy.api#documentation": "<p>Server settings that are specific to a Remote Desktop Services (RDS)
license server.</p>"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider": {
 "type":
"operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/RegisterIdentityProvider"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest": {

```

```

 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider to
register.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
<code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>",
 "smithy.api#required": {}
 }
 },
 "Settings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "\n\t\t\tsettings such as the subnets to provision VPC endpoints.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags that apply to the identity provider's registration.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",

```

```

 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#output": {}
},
"com.amazonaws.licensemanagerusersubscriptions#ResourceArn": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^arn:([a-z0-9-\\.]{1,63}):([a-z0-9-\\.]{1,63}):([a-z0-9-\\.]{1,63}):([a-z0-9-\\.]{1,63}):([a-z0-9-\\.]{1,510})/([a-z0-9-\\.]{1,510})$"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 404
 }
},
"com.amazonaws.licensemanagerusersubscriptions#SecretsManagerCredentialsProvider":
{
 "type": "structure",
 "members": {
 "SecretId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the Secrets Manager secret that contains
credentials.</p>",
 "smithy.api#length": {
 "min": 1
 }
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains a credentials secret that's stored in Secrets Manager.</p>"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#SecurityGroup": {

```









```

 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code>
| <code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains the user
for whom to start the product \n\t\t\t\t\tsubscription.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags that apply to the product subscription.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#StartProductSubscriptionResponse":
{
 "type": "structure",
 "members": {
 "ProductUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Metadata that describes the start product subscription
operation.</p>",
 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#output": {}
},
"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscription": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity
provider.</p>",
 "smithy.api#http": {
 "code": 200,

```



```

"com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the start product subscription
operation.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Subnet": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^subnet-[a-z0-9]{8,17}"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Subnets": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnet"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#TagKeyList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#sensitive": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#TagResource": {

```

```

"type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds tags to a resource.</p>",
 "smithy.api#http": {
 "method": "PUT",
 "uri": "/tags/{ResourceArn}"
 },
 "smithy.api#idempotent": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#TagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource that you want to tag.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 },
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags to apply to the specified resource.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }

```

```

 },
 "traits":
 {
 "smithy.api#input": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#TagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Tags": {
 "type": "map",
 "key": {
 "target": "smithy.api#String"
 },
 "value": {
 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#sensitive": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the request.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#UntagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UntagResourceRequest"
 },

```

```

"output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UntagResourceResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Removes
tags from a resource.</p>",
 "smithy.api#http": {
 "method": "DELETE",
 "uri": "/tags/{ResourceArn}"
 },
 "smithy.api#idempotent": {}
},
"com.amazonaws.licenseanagerusersubscriptions#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource that you want
to remove tags from.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 },
 "TagKeys": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>The tag keys to remove from the resource.</p>",
 "smithy.api#httpQuery": "tagKeys",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#UntagResourceResponse": {

```



```

 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
 },
 },

 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered identity\n\t\t\t\tprovider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/UpdateIdentityProviderSettings"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider"
 },
 },
 "Product": {

```



```
"members": {
 "AddSubnets": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint
for products that\n\t\t\trequire connectivity to activation servers.</p>",
 "smithy.api#required": {}
 }
 },
 "RemoveSubnets": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
 "smithy.api#required": {}
 }
 },
 "SecurityGroupId": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#SecurityGroup",
 "traits": {
 "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688
communication between resources in\n\t\t\tyour VPC and the VPC endpoints for activation servers.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation":
"<p>Updates the registered identity providers product related configuration settings such as\n\t\t\tthe subnets to
provision VPC endpoints.</p>"
 },
 "com.amazonaws.licensemanagerusersubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A parameter is not valid.</p>",
 "smithy.api#error": "client"
 }
 }
}

// Code generated by smithy-go-codegen DO NOT EDIT.
```

```

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
 if params == nil {
 params = &ListLicensesInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*ListLicensesOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type ListLicensesInput struct {

 // Filters to scope the results. The following filters are supported:
 //
 // - Beneficiary
 //
 // - ProductSKU
 //
 // - Fingerprint
 //
 // - Status
 Filters
 []types.Filter

 // Amazon Resource Names (ARNs) of the licenses.
 LicenseArns []string

 // Maximum number of results to return in a single call.
 MaxResults *int32

```

```

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListLicensesOutput struct {

// License details.
Licenses []types.License

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{}, middleware.After)
if err != nil {
return err
}
if err := addProtocolFinalizerMiddlewares(stack,
options, "ListLicenses"); err != nil {
return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = addClientRequestID(stack); err != nil {
return err
}
if err = addComputeContentLength(stack); err != nil {
return err
}

```

```

}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
}

```

```

if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil
{
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "ListLicenses",
 }
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Creates a license.
func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {

```

```

if params == nil {
 params = &CreateLicenseInput{}
}

result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
if err != nil {
 return nil, err
}

out := result.(*CreateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type CreateLicenseInput struct {

 // License beneficiary.
 //
 // This member is required.
 Beneficiary *string

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 // the request.
 //
 //
 // This member is required.
 ClientToken *string

 // Configuration for consumption of the license. Choose a provisional
 // configuration for workloads running with continuous connectivity. Choose a
 // borrow configuration for workloads with offline usage.
 //
 // This member is required.
 ConsumptionConfiguration *types.ConsumptionConfiguration

 // License entitlements.
 //
 // This member is required.
 Entitlements []types.Entitlement

 // Home Region for the license.
 //
 // This member is required.
 HomeRegion *string

 // License issuer.
 //

```



```

// This member is required.
Issuer *types.Issuer

// License name.
//
// This member is required.
LicenseName *string

// Product name.
//
// This member is required.
ProductName *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about
the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.
Version *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {

```

```

if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{}, middleware.After)
if err != nil {
 return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{}, middleware.After)
if err != nil {
 return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "CreateLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if
err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}

```

```

}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err
= addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack);
err != nil {
 return err
}

```

```

 }
 if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
 }
 return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CreateLicense",
 }
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks in the specified license. Check in a license when it is no longer in use.
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))
(*CheckInLicenseOutput, error) {
 if params == nil {
 params = &CheckInLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,
c.addOperationCheckInLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckInLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CheckInLicenseInput struct {

 // License consumption token.
 //

```

```

// This member is required.
LicenseConsumptionToken *string

// License beneficiary.
Beneficiary *string

noSmithyDocumentSerde
}

type
CheckInLicenseOutput struct {
// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{}, middleware.After)
if err != nil {
return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "CheckInLicense"); err != nil {
return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = addClientRequestID(stack); err != nil {
return err
}
if
err = addComputeContentLength(stack); err != nil {
return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
return err
}

```

```

}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if
err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
}

```

```

if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckInLicense",
 }
}
ListLicenses
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
spanInitializeEnd
Serialize stack step
spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent

```

```

AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
 if params == nil {
 params = &GetLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
 if err != nil {
 return nil, err
 }
}

```



```

}

out := result.(*GetLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type GetLicenseInput struct {

 // Amazon Resource Name (ARN) of the license.
 //
 // This member is required.
 LicenseArn *string

 // License version.
 Version *string

 noSmithyDocumentSerde
}

type
GetLicenseOutput struct {

 // License details.
 License *types.License

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "GetLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }
}

```

```

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err
!= nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options);

```

```

err != nil {
 return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region), middleware.Before);
err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "GetLicense",
 }
}

```

CheckoutLicense  
Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
DisassociateLicense  
Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation

spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
AssociateLicense  
Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step

```

ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks out the specified license for offline use.
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
 if params == nil {
 params = &CheckoutBorrowLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,

```

```

c.addOperationCheckoutBorrowLicenseMiddlewares)
if err != nil {
 return nil, err
}

out := result.(*CheckoutBorrowLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type CheckoutBorrowLicenseInput struct {

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 //
 // the request.
 //
 // This member is required.
 ClientToken *string

 // Digital signature method. The possible value is JSON Web Signature (JWS)
 // algorithm PS384. For more information, see [RFC 7518 Digital Signature with RSASSA-PSS].
 //
 // [RFC 7518 Digital Signature with RSASSA-PSS]: https://tools.ietf.org/html/rfc7518#section-3.5
 //
 // This member is required.
 DigitalSignatureMethod types.DigitalSignatureMethod

 // License entitlements. Partial checkouts are not supported.
 //
 // This member is required.
 Entitlements []types.EntitlementData

 // Amazon Resource Name (ARN) of the license. The license must use the borrow
 // consumption configuration.
 //
 // This member is required.
 LicenseArn *string

 // Information about constraints.
 CheckoutMetadata []types.Metadata

 // Node ID.
 NodeId *string

 noSmithyDocumentSerde
}

type CheckoutBorrowLicenseOutput struct {

```

```

// Information about constraints.
CheckoutMetadata []types.Metadata

// Allowed license entitlements.
EntitlementsAllowed
[]types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{}, middleware.After)
if err != nil {
return
err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutBorrowLicense"); err != nil {
return fmt.Errorf("add protocol finalizers: %v", err)
}
}

```



```

}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
}

```

```

if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options);
err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckoutBorrowLicense",
}
}

```

}  
CheckInLicense  
Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
AWS SDK for Go  
Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.  
Copyright 2014-2015 Stripe, Inc.  
ListReceivedLicenses  
Initialize stack step  
spanInitializeStart

```

RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
spanInitializeEnd
Serialize stack step
spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"

```

)

```
// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
 if params == nil {
 params = &DeleteLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*DeleteLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}
```

```
type DeleteLicenseInput struct {
```

```
 // Amazon Resource Name (ARN) of the license.
```

```
 //
```

```
 // This member is required.
```

```
 LicenseArn *string
```

```
 // Current version of the license.
```

```
 //
```

```
 // This member is required.
```

```
 SourceVersion
```

```
 *string
```

```
 noSmithyDocumentSerde
```

```
}
```

```
type DeleteLicenseOutput struct {
```

```
 // Date when the license is deleted.
```

```
 DeletionDate *string
```

```
 // License status.
```

```
 Status types.LicenseDeletionStatus
```

```
 // Metadata pertaining to the operation's result.
```

```
 ResultMetadata middleware.Metadata
```

```
 noSmithyDocumentSerde
```

```

}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "DeleteLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err !=
 nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {
 return err
 }
 if err = addRecordResponseTiming(stack); err != nil {
 return err
 }
 if err = addSpanRetryLoop(stack, options); err != nil {
 return err
 }

```

```

}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err
!= nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
}

```

```

if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if
err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "DeleteLicense",
}
}
CreateLicense
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
spanInitializeEnd
Serialize stack step
spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing

```



```

Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
{
 "smithy": "2.0",
 "shapes": {
 "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
 "type": "integer"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
 "type": "long"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 }
],
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Remove a third-party subscription provider from the Bring Your Own License (BYOL) subscriptions \n\t\t\tregistered to your account.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",

```

```

 "uri": "/subscription/DeregisterSubscriptionProvider"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderRequest": {
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the subscription provider resource to deregister.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of name to filter by.</p>"
 }
 },
 "Values": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
 }
 }
 },
 "Operator": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
 "traits": {
 "smithy.api#documentation": "<p>An operator for filtering results.</p>"
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe operation.\n Filters can be used to match a set of resources by specific criteria.</p>"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
 "type":
 "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderRequest"
 },
 "output": {
 "target":
"com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Get details for a Bring Your Own License (BYOL) subscription that's registered to your account.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/GetRegisteredSubscriptionProvider"
 },
 "smithy.api#idempotent": {}
 }
 },
 },

```

```

"com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderRequest": {
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation":
"<p>The Amazon Resource Name (ARN) of the BYOL registration resource to get details for.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderResponse": {
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) for the BYOL registration
resource specified in the request.</p>"
 }
 },
 "SubscriptionProviderSource": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSource",
 "traits": {
 "smithy.api#documentation": "<p>The subscription provider for the BYOL registration resource
specified \n\t\t\tin the request.</p>"
 }
 },
 "SecretArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SecretArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the third-party access
secret stored in Secrets Manager for the BYOL \n\t\t\tregistration resource specified in the request.</p>"
 }
 },
 "SubscriptionProviderStatus": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderStatus",
 "traits": {
 "smithy.api#documentation": "<p>The status of the Linux subscription provider access token from the
last \n\t\t\tsuccessful subscription data request.</p>"
 }
 }
 },
 },

```

```

 "SubscriptionProviderStatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The detailed message from your subscription provider token
status.</p>"
 }
 },
 "LastSuccessfulDataRetrievalTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp from the last time License Manager retrieved
subscription details \n\t\t\tfrom your registered third-party Linux subscription provider.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings": {
 "type": "operation",
 "input": {
 "target":
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the Linux subscriptions service settings for your account.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/GetServiceSettings"
 }
 },
 "smithy.api#idempotent": {}
}

```

```

 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest": {
 "type": "structure",
 "members": {}
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>Lists
the settings defined for Linux subscriptions discovery. The settings include if Organizations integration has
been enabled, and which Regions data will be aggregated from.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
 }
 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n subscriptions.</p>"
 }
 }
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
 "type": "structure",

```

```

"members": {
 "AmiId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
 }
 },
 "InstanceID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
 }
 },
 "InstanceType": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance type of the resource.</p>"
 }
 },
 "AccountID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of the instance.</p>"
 }
 },
 "Region": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
 }
 },
 "UsageOperation": {
 "target": "smithy.api#String",

 "traits": {
 "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n operation values in the <i>License Manager User
Guide</i>.</p>"
 }
 },

```

```

 "ProductCode": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
 "traits": {
 "smithy.api#documentation": "<p>The product code for the instance. For more information, see Usage\\n operation values in the <i>License Manager User Guide</i> .</p>"
 }
 },
 "LastUpdatedTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The time in which the last discovery updated the instance details.</p>"
 }
 },
 "SubscriptionName": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the license subscription that the instance uses.</p>"
 }
 },
 "OsVersion": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The operating system software version that runs on your instance.</p>"
 }
 },
 "SubscriptionProviderCreateTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp when you registered the third-party Linux subscription \\n\\t\\tprovider for the subscription that the instance uses.</p>"
 }
 },
 "SubscriptionProviderUpdateTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp from the last time that the instance synced with the registered \\n\\t\\tthird-party Linux subscription provider.</p>"
 }
 },
 "DualSubscription": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Indicates that you have two different license subscriptions for \\n\\t\\tthe same software on your instance.</p>"
 }
 }
 }

```





```

 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProviders"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListTagsForResource"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
 }
],
"traits": {
 "aws.api#service": {
 "sdkId": "License Manager Linux Subscriptions",
 "arnNamespace": "license-manager-linux-subscriptions",
 "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
 },
 "aws.auth#sigv4": {
 "name": "license-manager-linux-subscriptions"
 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id"
],
 "additionalExposedHeaders": [
 "x-amzn-errortype",
 "x-amzn-requestid",
 "x-amzn-trace-id"
]
 }
}

```

```

 },
 "smithy.api#documentation": "<p>With License Manager,
you can discover and track your commercial Linux subscriptions on running\n Amazon EC2 instances.</p>",
 "smithy.api#title": "AWS License Manager Linux Subscriptions",
 "smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
 },
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
]
 },
],

```

```

"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
 },
 {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]
 }
]
 },
 {
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],

```

```

 "type": "tree"
 }
],
 "type": "tree"
},
{
 "conditions": [],
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 {

```

```

 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],

"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 }
]
 }
]
 },
 {
 "fn": "supportsFIPS"
 }
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
],
"rules": [
 {

```

```

 "conditions": [],

 "rules": [

 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],

 "type": "tree"
},
 "type": "tree"
},
{
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
 "type": "error"
}
],
 "type": "tree"
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "rules": [
 {
 "conditions": [
 {

```

```

 "fn": "booleanEquals",
 "argv": [
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 },
 true
]
 },
],
 "rules": [
 {
 "conditions": [],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
 },
 "properties": {},
 "headers": {}
 },
 {
 "type": "endpoint"
 }
],
 "type": "tree"
 },
 {
 "type": "tree"
 },
 {
 "conditions": [],
 "error": "FIPS is enabled
but this partition does not support FIPS",
 "type": "error"
 },
 {
 "type": "tree"
 },
 {
 "conditions": [

```



```

 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 },
 {
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
]
 }
],
 "rules": [
 {
 "conditions": [],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
 }
]
 }
]
}

```

```

 }
],
 "type": "tree"
 },
 {
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
 }
],
"type": "tree"
},
{
 "conditions": [],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
}
],
"type": "tree"
}
],
"type": "tree"
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
],
"type": "tree"
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {

```

```

 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
 }
 }
 }
}

```

```

 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},

```

```

{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
 }
 },

```

```

 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack

```

```

enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS":
false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},

```

```

{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
},
{
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
},

```



```

 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {

```

```

 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled LinuxSubscriptionsDiscovery"
 },
 {
 "name": "Disabled",
 "value": "Disabled",
 "documentation": "Disabled LinuxSubscriptionsDiscovery"
 }
]
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
 "type": "structure",
 "members": {
 "SourceRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "OrganizationIntegration": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
 "traits": {
 "smithy.api#documentation":
"<p>Details if you have enabled resource discovery across your accounts in Organizations.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with commercial Linux\n subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListLinuxSubscriptionInstances"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "Instances"
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest":
{
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results by your specified criteria. \n \tFor example, you can specify <code>Region</code> in the <code>Name</code>, with the \n \t<code>contains</code> operator to list all subscriptions that match a partial string in the \n \t<code>Value</code>, such as <code>us-west</code>.</p>\n <p>For each filter, you can specify one of the following values for the <code>Name</code> key \n \tto streamline results:</p>\n \n \n <p>\n <code>AccountID</code>\n </p>\n \n \n <p>\n <code>AmiID</code>\n </p>\n \n \n <p>\n <code>DualSubscription</code>\n </p>\n \n \n <p>\n <code>InstanceID</code>\n </p>\n \n \n <p>\n <code>InstanceType</code>\n </p>\n \n \n <p>\n <code>ProductCode</code>\n </p>\n \n \n <p>\n <code>Region</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n \n <p>\n <code>UsageOperation</code>\n </p>\n \n \n <p>For each filter, you can use one of the following <code>Operator</code>"
 }
 }
 }
}

```

```

values to \n \t\define the behavior of the filter:</p>\n \n \n <p>\n
<code>contains</code>\n </p>\n \n \n <p>\n
<code>equals</code>\n </p>\n \n \n <p>\n
<code>Notequal</code>\n </p>\n \n "
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum items to return in a request.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to
start paginating. This \n\tis the nextToken from a previously truncated response.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 16384
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {
 "type": "structure",
 "members": {
 "Instances": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",
 "traits": {
 "smithy.api#documentation": "<p>An array that contains instance objects.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this \n\tfield
isn't empty, there are additional elements that the service hasn't \n\tincluded in this request. Use this token with the
next request to retrieve \n\tadditional objects.</p>"
 }
 }
 }
}

```

```

 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have linked your\n organization, the returned results will include data aggregated across your accounts in\nOrganizations.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListLinuxSubscriptions"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 }
 }
 },
 "items": "Subscriptions"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n more sets of key-value pairs that you specify. For example, you can filter by the name of\n<code>Subscription</code> with an optional operator to see subscriptions that match,\n partially match, or don't

```

```

match a certain subscription's name.</p>\n <p>The valid names for this filter are:</p>\n \n
\n <p>\n <code>Subscription</code>\n </p>\n \n \n
<p>The
valid Operators for this filter are:</p>\n \n \n <p>\n <code>contains</code>\n </p>\n \n \n <p>\n <code>equals</code>\n </p>\n \n \n <p>\n <code>Notequal</code>\n </p>\n \n "
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum items to return in a request.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This \n\tis the nextToken from a previously truncated response.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 16384
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if parameters in request increases."
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
 "type": "structure",
 "members": {
 "Subscriptions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
 "traits": {
 "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this \n\tfield isn't empty, there are additional elements that the service hasn't \n\tincluded in this request. Use this token with the next request to retrieve \n\tadditional objects.</p>"
 }
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProviders": {
 "type": "operation",
 "input": {
 "target":
"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProvidersRequest"
 },
 "output": {
 "target":
"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProvidersResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>List Bring Your Own License (BYOL) subscription registration
resources for your account.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListRegisteredSubscriptionProviders"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "RegisteredSubscriptionProviders"
 }
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProvidersRequest": {
 "type": "structure",
 "members": {
 "SubscriptionProviderSources": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSourceList",

```







```

 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "tags": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The metadata tags for the requested resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "EQUAL",
 "value": "Equal",
 "documentation": "Equal operator"
 },
 {
 "name": "NOT_EQUAL",
 "value": "NotEqual",
 "documentation": "Not equal operator"
 },
 {
 "name": "CONTAINS",
 "value": "Contains",
 "documentation": "Contains operator"
 }
],
 "smithy.api#length": {
 "min": 1,
 "max": 20
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration":
{
 "type": "string",
 "traits": {
 "smithy.api#enum": [

```

```

 {
 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled OrganizationIntegration"
 },
 {
 "name": "Disabled",
 "value": "Disabled",
 "documentation": "Disabled OrganizationIntegration"
 }
]
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Register the supported third-party subscription provider for your Bring Your Own License (BYOL) subscription.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/RegisterSubscriptionProvider"
 },
 "smithy.api#idempotent": {}
 }
}

```



```

 }
 },
 "SubscriptionProviderStatus": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderStatus",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of the registration action for the Linux
subscription provider \n\t\t\tthat you requested.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
},
"com.amazonaws.licensemanagerlinuxsubscriptions#RegisteredSubscriptionProvider":
{
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Linux subscription
provider resource that you registered.</p>"
 }
 },
 "SubscriptionProviderSource": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSource",
 "traits": {
 "smithy.api#documentation": "<p>A supported third-party Linux subscription provider. License
Manager currently supports \n\t\t\tRed Hat subscriptions.</p>"
 }
 },
 "SecretArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SecretArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Secrets Manager secret
that stores your registered Linux subscription provider \n\t\t\taccess token. For RHEL account subscriptions, this is
the offline token.</p>"
 }
 },
 "SubscriptionProviderStatus": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderStatus",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of your registered Linux subscription provider
access token \n\t\t\tfrom the last time License Manager retrieved subscription data. For RHEL account subscriptions,
\n\t\t\tthis is the status of the offline token.</p>"
 }
 },
 },
},

```

```

"SubscriptionProviderStatusMessage": {
 "target": "smithy.api#String",
 "traits":
{
 "smithy.api#documentation": "<p>A detailed message that's associated with your BYOL subscription
\n\t\t\tprovider token status.</p>"
 }
},
"LastSuccessfulDataRetrievalTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp from the last time that License Manager accessed
third-party subscription data \n\t\t\tfor your account from your registered Linux subscription provider.</p>"
 }
},
"traits": {
 "smithy.api#documentation": "<p>A third-party provider for operating system (OS) platform software and
license \n\t\t\tsubscriptions, such as Red Hat. When you register a third-party Linux subscription \n\t\t\tprovider,
License Manager can get subscription data from the registered provider.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#RegisteredSubscriptionProviderList":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisteredSubscriptionProvider"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Unable to find the requested Amazon Web Services resource.</p>",
 "smithy.api#error": "client"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#SecretArn": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^arn:[a-z0-9-\\.]{1,63}:secretsmanager:[a-z0-9-\\.]{0,63}:[a-z0-9-
\\.]{0,63}:secret:[^/]{1,1023}$"
 }
}

```

```

 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "InProgress",
 "value": "InProgress",
 "documentation": "InProgress status"
 },
 {
 "name": "Completed",
 "value": "Completed",
 "documentation": "Completed status"
 },
 {
 "name": "Successful",
 "value": "Successful",
 "documentation": "Successful status"
 },
 {
 "name": "Failed",
 "value": "Failed",
 "documentation": "Failed status"
 }
]
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 },
 "smithy.api#uniqueItems": {}
 }
 }
 }

```

```

 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
 "type": "map",
 "key": {
 "target": "smithy.api#String"
 },
 "value": {
 "target": "smithy.api#String"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the subscription.</p>"
 }
 },
 "Type": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.</p>"
 }
 },
 "InstanceCount": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An object which details a discovered Linux subscription.</p>"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn": {

```





```

"com.amazonaws.licensemanagerlinuxsubscriptions#TagKeyList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#sensitive": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#TagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Add metadata tags to the specified Amazon Web Services resource.</p>",
 "smithy.api#http": {
 "method": "PUT",
 "uri": "/tags/{resourceArn}"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#TagResourceRequest": {
 "type": "structure",
 "members": {
 "resourceArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",

```



```

 "target": "smithy.api#String"
 }
},
"traits": {
 "smithy.api#documentation":
"<p>The request was denied due to request throttling.</p>",
 "smithy.api#error": "client"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UntagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Remove one or more metadata tag from the specified Amazon Web
Services resource.</p>",
 "smithy.api#http": {
 "method": "DELETE",
 "uri": "/tags/{resourceArn}"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "resourceArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Amazon Web Services
resource to remove the metadata tags from.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 }
 },
 "tagKeys": {

```

```
"target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>A list of metadata tag keys to remove from the requested\n\t\t\tresource.</p>",
 "smithy.api#httpQuery": "tagKeys",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
 }
},
"errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/UpdateServiceSettings"
 },
```

```

 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
 "smithy.api#required": {}
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated from.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowUpdate": {
 "target": "smithy.api#Boolean",
 "traits": {
 "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux subscriptions. If you\n allow updates, you can aggregate Linux subscription data in more than one home Region.</p>"
 }
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated from.</p>"
 }
 }
 }
}

```

```

 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
 }
 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n subscriptions.</p>"
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",
 "smithy.api#error": "client"
 }
}
}
}

```

GetLicense

Initialize stack step

spanInitializeStart

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

OperationInputValidation

spanInitializeEnd

Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
CheckoutBorrowLicense  
Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID



ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package grafana
```

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

```
// Assigns a Grafana Enterprise license to a workspace. To upgrade, you must use
// ENTERPRISE for the licenseType , and pass in a valid Grafana Labs token for the
// grafanaToken . Upgrading to Grafana Enterprise incurs additional fees. For more
// information, see [Upgrade a workspace to Grafana Enterprise].
//
```

```
// [Upgrade a workspace to Grafana Enterprise]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-Grafana-Enterprise.html
```

```
func (c *Client) AssociateLicense(ctx context.Context, params *AssociateLicenseInput, optFns ...func(*Options))
(*AssociateLicenseOutput, error) {
 if params == nil {
 params = &AssociateLicenseInput{}
```

```
 }

 result, metadata, err := c.invokeOperation(ctx,
 "AssociateLicense", params, optFns, c.addOperationAssociateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }
```

```

 out := result.(*AssociateLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}
```

```
type AssociateLicenseInput struct {
```

```
 // The type of license to associate with the workspace.
 //
```

```

// Amazon Managed Grafana workspaces no longer support Grafana Enterprise free
// trials.
//
// This member is required.
LicenseType types.LicenseType

// The ID of the workspace to associate the license with.
//
// This member is required.
WorkspaceId *string

// A token from Grafana Labs that ties your Amazon Web Services account with a
// Grafana Labs account. For more information, see [Link your account with Grafana Labs].
//
// [Link your account with Grafana Labs]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-
Grafana-Enterprise.html#AMG-workspace-register-enterprise
GrafanaToken *string

noSmithyDocumentSerde
}

type AssociateLicenseOutput
struct {

// A structure containing data about the workspace.
//
// This member is required.
Workspace *types.WorkspaceDescription

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{}, middleware.After)
if err != nil {
return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "AssociateLicense"); err != nil {

```

```

return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack,
options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack,

```

```

c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err !=
nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 }
}

```

```
ServiceID: ServiceID,
OperationName: "AssociateLicense",
}
}
```

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.



Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

```
// Lists received licenses.
```

```
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns
...func(*Options)) (*ListReceivedLicensesOutput, error) {
 if params == nil {
 params = &ListReceivedLicensesInput{}
 }
}
```

```
result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,
c.addOperationListReceivedLicensesMiddlewares)
if err != nil {
 return nil, err
}
```

```

out := result.(*ListReceivedLicensesOutput)
out.ResultMetadata = metadata
return out, nil
}

```

```

type ListReceivedLicensesInput struct {

```

```

 // Filters to scope the results. The following filters are supported:

```

```

 //

```

```

 // - ProductSKU

```

```

 //

```

```

 // - Status

```

```

 //

```

```

 //

```

```

 // - Fingerprint

```

```

 //

```

```

 // - IssuerName

```

```

 //

```

```

 // - Beneficiary

```

```

 Filters []types.Filter

```

```

 // Amazon Resource Names (ARNs) of the licenses.

```

```

 LicenseArns []string

```

```

 // Maximum number of results to return in a single call.

```

```

 MaxResults *int32

```

```

 // Token for the next set of results.

```

```

 NextToken *string

```

```

 noSmithyDocumentSerde

```

```

}

```

```

type ListReceivedLicensesOutput struct {

```

```

 // Received license details.

```

```

 Licenses []types.GrantedLicense

```

```

 // Token for the next set of results.

```

```

 NextToken *string

```

```

 // Metadata pertaining to the operation's result.

```

```

 ResultMetadata middleware.Metadata

```

```

 noSmithyDocumentSerde

```

```

}

```

```

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err

```

```

error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{},
 middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "ListReceivedLicenses"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {
 return err
 }
 if err = addRecordResponseTiming(stack); err != nil {
 return err
 }
 if err = addSpanRetryLoop(stack, options); err != nil {
 return err
 }
 if err =

```

```

addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err !=
nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {

```

```

 return err
}
return nil
}

func newServiceMetadataMiddleware_opListReceivedLicenses(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "ListReceivedLicenses",
}
}
DeleteLicense
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
spanInitializeEnd
Serialize stack step
spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody

```

```

ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
{
 "smithy": "2.0",
 "metadata": {
 "suppressions": [
 {
 "id": "HttpMethodSemantics",
 "namespace": "*"
 },
 {
 "id": "HttpStatusCodeSemantics",
 "namespace": "*"
 },
 {
 "id": "PaginatedTrait",
 "namespace": "*"
 },
 {
 "id": "HttpHeaderTrait",
 "namespace": "*"
 },
 {
 "id": "HttpUriConflict",
 "namespace": "*"
 },
 {
 "id": "Service",
 "namespace": "*"
 }
]
 },
 "shapes": {
 "com.amazonaws.licensemanager#AWSLicenseManager": {
 "type": "service",
 "version": "2018-08-01",
 "operations": [
 {
 "target": "com.amazonaws.licensemanager#AcceptGrant"
 },
 {
 "target": "com.amazonaws.licensemanager#CheckInLicense"
 }
]
 }
 }
}

```

```

{
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
},
{
 "target": "com.amazonaws.licensemanager#CheckoutLicense"
},
{
 "target": "com.amazonaws.licensemanager#CreateGrant"
},
{
 "target": "com.amazonaws.licensemanager#CreateGrantVersion"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicense"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
},
{
 "target": "com.amazonaws.licensemanager#CreateToken"
},
{
 "target": "com.amazonaws.licensemanager#DeleteGrant"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicense"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#DeleteToken"
},
{
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
}

```



```

},
{
 "target": "com.amazonaws.licensemanager#GetAccessToken"
},
{
 "target": "com.amazonaws.licensemanager#GetGrant"
},
{
 "target": "com.amazonaws.licensemanager#GetLicense"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseUsage"
},
{
 "target": "com.amazonaws.licensemanager#GetServiceSettings"
},
{
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#ListDistributedGrants"
},
{
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenses"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
}

```

```

},
{
 "target": "com.amazonaws.licensemanager#ListLicenseVersions"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedGrants"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
},
{
 "target": "com.amazonaws.licensemanager#ListResourceInventory"
},
{
 "target": "com.amazonaws.licensemanager#ListTagsForResource"
},
{
 "target": "com.amazonaws.licensemanager#ListTokens"
},
{
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#RejectGrant"
},
{
 "target": "com.amazonaws.licensemanager#TagResource"
},
{
 "target": "com.amazonaws.licensemanager#UntagResource"
},
{
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
},
{

```

```

 "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
 }
],
"traits": {
 "aws.api#service": {
 "sdkId": "License Manager",
 "arnNamespace": "license-manager",
 "cloudFormationName": "LicenseManager",
 "cloudTrailEventSource": "licensemanager.amazonaws.com",
 "endpointPrefix": "license-manager"
 },
 "aws.auth#sigv4": {
 "name": "license-manager"
 },
 "aws.protocols#awsJson1_1": {},
 "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n Amazon Web Services accounts and on-premises servers.</p>",
 "smithy.api#title": "AWS License Manager",
 "smithy.api#xmlNamespace": {
 "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
 },
 "smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {

```

```

 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
},
"rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
 },
 {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 }
],
"conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]

```

```

],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
},
{
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
]
},
"tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",

```

"UseFIPS"

```
 "argv": [
 {
 "ref":

 },
 true
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
],
 }
]
 }
]
}
```

```

"supportsDualStack"
]
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}

 },
 "type": "endpoint"
 }
],
 {
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
 }
],
{
 "conditions": [
 {
 "fn": "booleanEquals",

 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {

```

```

 "fn": "booleanEquals",
 "argv": [
 true,
],
 },
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
],
 },
],
"type": "tree",
"rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 },
 {
 "conditions": [],
 "error": "FIPS is enabled but this
partition does not support FIPS",
 "type": "error"
 }
],
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
],
 }
],
}

```



```

 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 }
],
 }
],
 }
],
 "supportsDualStack"
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 {
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
 }
],
{
 "conditions": [],
 "endpoint": {

```

```

 "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
]
}
]
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.af-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "af-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",

```

```

 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
},
{
 "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-south-1",
 "UseFIPS": false,

```

```

 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-1.amazonaws.com"
 }
 }
},
{
 "params": {
 "Region": "ap-southeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-2.amazonaws.com"
 }
 }
},
{
 "params": {
 "Region": "ap-southeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-3.amazonaws.com"
 }
 }
},
{
 "params": {
 "Region": "ap-southeast-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {

```

```

 "url": "https://license-manager.ca-central-1.amazonaws.com"
 }
},

"params": {
 "Region": "ca-central-1",
 "UseFIPS": false,
 "UseDualStack": false
}
},
{
 "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-central-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-central-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-north-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region":
"eu-south-1",
 "UseFIPS": false,

```

```

 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {

```

```

 "url": "https://license-manager.me-south-1.amazonaws.com"
 },
 "params": {
 "Region": "me-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.sa-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "sa-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
}

```

```

 },
 {
 "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region
us-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-1.amazonaws.com"
 }
 }
 }
]
}

```



```

 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 }
}

```

```

 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-northwest-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 }
 }

```

```

 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {

```

```

 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation":
 "For region us-gov-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.api.aws"
 }
 },
 },

```

```

"params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {

```

```

 "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled
but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",

```

```

 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },

 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",

 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,

```

```

 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
],
"version": "1.0"
}
},
"com.amazonaws.licensemanager#AcceptGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
 },
 "output": {

```



```

 "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
 },
 "com.amazonaws.licensemanager#AcceptGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#AcceptGrantResponse": {
 "type": "structure",
 "members": {

```

```

 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant
ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#AccessDeniedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ServiceAccessDenied",
 "httpResponseCode": 401
 },
 "smithy.api#documentation": "<p>Access to resource denied.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 401
 }
 },
 "com.amazonaws.licensemanager#ActivationOverrideBehavior": {
 "type": "enum",
 "members": {
 "DISTRIBUTED_GRANTS_ONLY": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
 }
},
"ALL_GRANTS_PERMITTED_BY_ISSUER": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
 }
}
},
"com.amazonaws.licensemanager#AllowedOperation": {
 "type": "enum",
 "members": {
 "CREATE_GRANT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateGrant"
 }
 },
 "CHECKOUT_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutLicense"
 }
 },
 "CHECKOUT_BORROW_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutBorrowLicense"
 }
 },
 "CHECK_IN_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckInLicense"
 }
 },
 "EXTEND_CONSUMPTION_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ExtendConsumptionLicense"
 }
 },
 "LIST_PURCHASED_LICENSES": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "ListPurchasedLicenses"
 }
 },
 "CREATE_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateToken"
 }
 }
},
"com.amazonaws.licensemanager#AllowedOperationList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#AllowedOperation"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max":
7
 }
 }
},
"com.amazonaws.licensemanager#Arn": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 2048
 },
 "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d))?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[A-Za-
z0-9_/.-]{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9:/+=, @.-]{0,1023}$"
 }
},
"com.amazonaws.licensemanager#ArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 }
},
"com.amazonaws.licensemanager#AuthorizationException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 }
}

```

```

 },
 "traits": {
 "aws.protocols#awsQueryError":
 {
 "code": "AuthorizationFailure",
 "httpResponseCode": 403
 },
 "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to
perform the action. Check the IAM\n policy associated with this account.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 403
 }
},
"com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
 "type": "structure",
 "members": {
 "LastRunTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes automated discovery.</p>"
 }
},

"com.amazonaws.licensemanager#Boolean": {
 "type": "boolean",
 "traits": {
 "smithy.api#default": false
 }
},

"com.amazonaws.licensemanager#BorrowConfiguration": {
 "type": "structure",
 "members": {
 "AllowEarlyCheckIn": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",

```

```

 "smithy.api#required": {}
 }
}

},
"traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
}
},
"com.amazonaws.licensemanager#BoxBoolean": {
 "type": "boolean"
},
"com.amazonaws.licensemanager#BoxInteger": {
 "type": "integer"
},
"com.amazonaws.licensemanager#BoxLong": {
 "type": "long"
},
"com.amazonaws.licensemanager#CheckInLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
 }
},
"com.amazonaws.licensemanager#CheckInLicenseRequest":
{
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CheckInLicenseResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicense":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
 },

```

```

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
 "type": "structure",
 "members":
{
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must

```



```

use the borrow consumption configuration.</p>",
 "smithy.api#required": {}
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
 "smithy.api#required": {}
 }
 },
 "DigitalSignatureMethod": {
 "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
 "traits": {
 "smithy.api#documentation": "<p>Digital signature method. The possible
value is JSON Web Signature (JWS) algorithm PS384.\n For more information, see RFC 7518 Digital Signature with RSASSA-PSS.</p>",
 "smithy.api#required": {}
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
 "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
 "type": "structure",
 "members": {

```

```

"LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
},
"LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
},
"EntitlementsAllowed":
{
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
},
"NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
},
"SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
},
"IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
 }
},
"Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
 }
},
"CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CheckoutLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 },

```

```

 "traits": {
 "smithy.api#documentation": "<p>Checks out the specified license.</p>\n <note>\n <p>If the
account that created the license is the same that is performing the check out, you must\n specify the account
as the beneficiary.</p>\n </note>"
 }
 },
 "com.amazonaws.licensemanager#CheckoutLicenseRequest": {
 "type": "structure",
 "members": {
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
SKU.</p>",
 "smithy.api#required": {}
 }
 },
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>",
 "smithy.api#required": {}
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 }
},
"traits": {

"smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicenseResponse": {
 "type": "structure",
 "members": {
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>"
 }
 },
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 },
 "EntitlementsAllowed": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
 },
 "SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 }
 }
}

```

```

 }
 },
 "IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CheckoutType": {
 "type": "enum",
 "members": {
 "PROVISIONAL": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PROVISIONAL"
 }
 },
 "PERPETUAL": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PERPETUAL"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#ClientRequestToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,

```

```

 "max": 36
 }
}
},
"com.amazonaws.licensemanager#ClientToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 2048
 },
 "smithy.api#pattern": "^\\S+$"
 }
},
"com.amazonaws.licensemanager#ConflictException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ConflictException",
 "httpResponseCode":
409
 },
 "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 409
 }
},
"com.amazonaws.licensemanager#ConsumedLicenseSummary": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
 }
 }
}

```

```

 },

 "traits": {
 "smithy.api#documentation": "<p>Details about license consumption.</p>"
 }
},
"com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
 }
},
"com.amazonaws.licensemanager#ConsumptionConfiguration": {
 "type": "structure",
 "members": {
 "RenewType": {
 "target": "com.amazonaws.licensemanager#RenewType",
 "traits": {
 "smithy.api#documentation": "<p>Renewal frequency.</p>"
 }
 },
 "ProvisionalConfiguration": {
 "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
 },
 "BorrowConfiguration": {
 "target": "com.amazonaws.licensemanager#BorrowConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantResponse"
 },
 "errors": [
 {

```



```

 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrantRequest": {
 "type": "structure",
 "members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Principals": {
 "target": "com.amazonaws.licensemanager#PrincipalArnList",
 "traits": {
 "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an
Amazon Resource Name (ARN):</p>\n \n \n <p>An Amazon Web Services
account, which includes only the account specified.</p>\n \n \n \n \n <p>An organizational unit (OU), which includes all accounts in the OU.</p>\n \n \n \n \n <p>An organization, which will include all accounts across your organization.</p>\n \n \n",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Grant ARN.</p>"
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateGrantVersion":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information, see\n Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrantVersionRequest": {
 "type": "structure",
 "members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 }
 }
 },
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>"
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 }
},

```

```

 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the grant.</p>"
 }
 },
 "Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateGrantVersionResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the grant.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#CreateLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a license configuration.</p>\n <p>A license configuration is an abstraction of a customer license agreement that can be\n consumed and enforced by License Manager. Components include specifications for the license\n type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a \n license must be associated with a host), and the number of licenses purchased and used.</p>"
 }
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used. Exceeding a hard limit\n blocks the launch of new instances.</p>"
 }
 },
 "LicenseRules": {
 "target":
"com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example, #allowedTenancy=EC2-DedicatedHost). The available rules \n vary by dimension, as follows.</p>\n
\n \n <p>\n <code>Cores</code> dimension: <code>allowedTenancy</code> |\n <code>licenseAffinityToHost</code> |\n <code>maximumCores</code> |\n <code>minimumCores</code>\n </p>\n \n \n <p>\n <code>Instances</code> dimension: <code>allowedTenancy</code> |\n <code>maximumCores</code> |\n <code>minimumCores</code> |\n <code>maximumSockets</code> | <code>minimumSockets</code> |\n <code>maximumVcpus</code> | <code>minimumVcpus</code>\n </p>\n \n \n <p>\n <code>Sockets</code> dimension: <code>allowedTenancy</code> |\n <code>licenseAffinityToHost</code> |\n <code>maximumSockets</code> |\n <code>minimumSockets</code>\n </p>\n \n \n <p>\n <code>vCPUs</code> dimension: <code>allowedTenancy</code> |\n <code>honorVcpuOptimization</code> |\n <code>maximumVcpus</code> |\n <code>minimumVcpus</code>\n </p>\n \n \n <p>The unit for <code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible \n values for <code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and \n <code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are \n <code>True</code> and <code>False</code>.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",

```



```

 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
{
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
 }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting the license type for.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting from. \n\n For the structure of the source license, see Convert a license type using the CLI in the <i>License Manager User Guide</i>.</p>",
 "smithy.api#required": {}
 }
 },
 "DestinationLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting to. For the structure of the destination license, see Convert a license type using the CLI in the <i>License Manager User Guide</i>.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

 "traits": {
 "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Creates a report generator.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "ReportGeneratorName":
 {
 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
 },
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be
generated:</p>\n \n \n <p>License configuration report - Reports the number and
details of consumed licenses for a license configuration.</p>\n \n \n <p>Resource
report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n \n
",
 "smithy.api#required": {}
 }
 }
},
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>Defines the type of license configuration the report generator
tracks.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be
generated daily, monthly, or weekly.</p>",
 "smithy.api#required": {}
 }
 }
}

```

```

 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique,
case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>",
 "smithy.api#required": {}
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region for the license.</p>",
 "smithy.api#required": {}
 }
 }
},
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 }
}

```

```

 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {

```

```

 "smithy.api#documentation": "<p>License status.</p>"
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseVersion": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
},

```



```

 "traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target":
"com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>",
 "smithy.api#required": {}
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-

```

```

UTC format.</p>",
 "smithy.api#required": {}
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>"
 }
 }
}

```

```

 },
 "traits": {

"smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>"
 }
 },
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output":
{}
 }
},
"com.amazonaws.licensemanager#CreateToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
],

```

```

 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
],
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n <p>A refresh token is a JWT token used to get an access token. With an access token,\n you can call AssumeRoleWithWebIdentity to get role credentials that you can use to \n call License Manager to manage the specified license.</p>"
}
},
"com.amazonaws.licensemanager#CreateTokenRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n JWT token.</p>",
 "smithy.api#required": {}
 }
 },
 },
 "RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the token.\n License Manager does not check whether the roles are in use.</p>"
 }
 },
 },
 "ExpirationInDays": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The
default is 365 days.</p>"
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The
data is mapped\nto the amr claim of the JWT token.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#CreateTokenResponse": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
 },
 "TokenType": {
 "target": "com.amazonaws.licensemanager#TokenType",
 "traits": {
 "smithy.api#documentation": "<p>Token type.</p>"
 }
 },
 "Token": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#DateTime": {
 "type": "timestamp"
 },
 "com.amazonaws.licensemanager#DatetimeRange": {
 "type": "structure",
 "members": {
 "Begin": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Start of the time range.</p>",
 "smithy.api#required": {}
 }
 },
 "End": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>End of the time range.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
 }
 },
 "com.amazonaws.licensemanager#DeleteGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
}
},
"com.amazonaws.licensemanager#DeleteGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the
grant.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {

```



```

 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes the specified license.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
 },
},

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n <p>You cannot delete a license configuration that is in use.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
 "type": "structure",
 "members":

```

```

{
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n <p>This action deletes the report generator, which stops it from generating future reports.\n The action cannot be reversed. It has no effect on the previous reports from this generator.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be deleted.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>",
 "smithy.api#required":
 {}
 }
},
"traits": {
 "smithy.api#input": {}
},
"com.amazonaws.licensemanager#DeleteLicenseResponse": {
 "type": "structure",
 "members": {
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "DeletionDate": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
 },
 "com.amazonaws.licensemanager#DeleteTokenRequest": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteTokenResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DigitalSignatureMethod": {
 "type": "enum",
 "members": {
 "JWT_PS384": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "JWT_PS384"
 }
 },
 "com.amazonaws.licensemanager#Entitlement": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#Long",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
 }
 },
 "Overage": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement unit.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowCheckIn": {
 "target":
"com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
 }
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
 }
},
"com.amazonaws.licensemanager#EntitlementData": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement
data value.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data unit.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
 }
},
"com.amazonaws.licensemanager#EntitlementDataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementData"
 }
},
"com.amazonaws.licensemanager#EntitlementDataUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

"smithy.api#enumValue": "Count"
 }
 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes"
 }
 },
 "KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
 },
 "MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
 },
 "GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {

```



```

 "smithy.api#enumValue": "Gigabytes"
 }
},
"TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
},
"BITS":
{
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits"
 }
},
"KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits"
 }
},
"MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
},
"GIGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
},
"TERABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
}
},
"PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
},
"BYTES_PER_SECOND": {

```

```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
 },
 "KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
 },
 "MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
 },
 "GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
 },
 "TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes/Second"
 }
 },
 "BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
 },
 "KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
 },
 "MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue":
"Megabits/Second"
 }
 },

```

```

 "GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
 },
 "TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
 },
 "COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
 }
 },
 "com.amazonaws.licensemanager#EntitlementList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Entitlement"
 }
 },
 "com.amazonaws.licensemanager#EntitlementNotAllowedException":
 {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#EntitlementUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count"
 }
 }
 }
 }

```

```

 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS":
 {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes"
 }
 },
 "KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
 },
 "MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
 },
 "GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes"
 }
 }
}

```

```

 }
 },
 "TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
 },
 "BITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits"
 }
 },
 "KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {

 "smithy.api#enumValue": "Kilobits"
 }
 },
 "MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
 },
 "GIGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
 },
 "TERABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
 },
 "PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
 },
 "BYTES_PER_SECOND": {
 "target":

```

```

"smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
},
"KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
},
"MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
},
"GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
},
"TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {

"smithy.api#enumValue": "Terabytes/Second"
 }
},
"BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
},
"KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
},
"MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits/Second"
 }
},

```

```

"GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
},

"TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
},

"COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
}
},

"com.amazonaws.licensemanager#EntitlementUsage": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement usage name.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumedValue": {
 "target": "com.amazonaws.licensemanager#String",

 "traits": {
 "smithy.api#documentation": "<p>Resource usage consumed.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
 "smithy.api#required": {}
 }
}
},
"traits": {
 "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
}
},
"com.amazonaws.licensemanager#EntitlementUsageList":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementUsage"
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumption": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {

```



```

 "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "DryRun": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},

```

```

"com.amazonaws.licensemanager#FailedDependencyException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 },
 "ErrorCode": {
 "target": "com.amazonaws.licensemanager#String"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "FailedDependency",
 "httpResponseCode": 424
 },
 "smithy.api#documentation":
 "<p>A dependency required to run the API is missing.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 424
 }
},
"com.amazonaws.licensemanager#Filter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#FilterName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
 }
 },
 "Values": {
 "target": "com.amazonaws.licensemanager#FilterValues",
 "traits": {
 "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only specify one value for the filter.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter name and value pair that is used to return more specific results from a\n describe operation. Filters can be used to match a set of resources by specific criteria,\n such as tags, attributes, or IDs.</p>"
 }
},
"com.amazonaws.licensemanager#FilterLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {

```

```

 "target": "com.amazonaws.licensemanager#Message"
 }
},
"traits": {
 "aws.protocols#awsQueryError": {
 "code": "FilterLimitExceeded",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
}
},
"com.amazonaws.licensemanager#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter"
 }
},
"com.amazonaws.licensemanager#FilterName": {
 "type": "string"
},
"com.amazonaws.licensemanager#FilterValue": {
 "type": "string"
},
"com.amazonaws.licensemanager#FilterValues": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#FilterValue",
 "traits": {
 "smithy.api#xmlName": "item"
 }
 }
},
"com.amazonaws.licensemanager#Filters": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter",
 "traits": {
 "smithy.api#xmlName": "item"
 }
 }
},
"com.amazonaws.licensemanager#GetAccessToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
 },

```

```

"output": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets a temporary access token to use with
AssumeRoleWithWebIdentity. Access
tokens\n are valid for one hour.</p>"
 }
},
"com.amazonaws.licensemanager#GetAccessTokenRequest": {
 "type": "structure",
 "members": {
 "Token": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
 "smithy.api#required": {}
 }
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},

```

```

"com.amazonaws.licensemanager#GetAccessTokenResponse":
{
 "type": "structure",
 "members": {
 "AccessToken": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Temporary access token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {

```

```

 "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#GetGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetGrantResponse": {
 "type": "structure",
 "members": {
 "Grant": {
 "target": "com.amazonaws.licensemanager#Grant",
 "traits": {
 "smithy.api#documentation": "<p>Grant details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseResponse"
 },
 "errors": [

```

```

 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
}

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license
configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 }
 }
 }
}

```



```

 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",

 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License configuration status.</p>"
 }
 },
},
"OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
 }
},
"ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
 }
 },
 "ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#GetLicenseConversionTask": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
 },
 },

```

```

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information on.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
 }
 }
 },
 "ResourceArn": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license
conversion task is associated with.</p>"
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information
about the license type converted from.</p>"
 }
 },
 "DestinationLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
 }
 },
 "StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
 }
 },
 "LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
 }
 },
 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was

```

```

completed.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
 }
},

```

```

"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
 "smithy.api#required": true
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "ReportGenerator": {
 "target": "com.amazonaws.licensemanager#ReportGenerator",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": true
 }
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseResponse": {
 "type": "structure",
 "members": {
 "License": {
 "target": "com.amazonaws.licensemanager#License",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseUsage": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
 }
}

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetLicenseUsageRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseUsageResponse": {
 "type": "structure",
 "members": {
 "LicenseUsage": {
 "target":
"com.amazonaws.licensemanager#LicenseUsage",
 "traits": {
 "smithy.api#documentation": "<p>License usage details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#GetServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {

```



```

 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
}
},
"com.amazonaws.licensemanager#GetServiceSettingsRequest": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data,
discovery data,\n and so on.</p>"
 }
 }
 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n cross-account discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
 },
 "LicenseManagerResourceShareArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License
Manager management account \n provides member accounts with access to this share.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#Grant": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
 },
 "ParentArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Parent ARN.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },

```

```

 "GranteePrincipalArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The grantee principal ARN.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantStatus": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Granted operations.</p>",
 "smithy.api#required": {}
 }
 },
 "Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#documentation":
"<p>Describes a grant.</p>"
 }
 },
 "com.amazonaws.licensemanager#GrantList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Grant"
 }
 },
 "com.amazonaws.licensemanager#GrantStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_ACCEPT"
 }
 },
 "REJECTED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 }
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 },
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 },
 "WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
 }
},
"com.amazonaws.licensemanager#GrantedLicense": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
 },
 "ProductSKU": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {
 "smithy.api#documentation": "<p>Granted license issuer.</p>"
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>Granted license status.</p>"
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in ISO8601-UTC format.</p>"
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
 }
}

```

```

 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Granted license metadata.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
 }
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Version of the granted license.</p>"
 }
 },
 "ReceivedMetadata": {
 "target": "com.amazonaws.licensemanager#ReceivedMetadata",
 "traits": {
 "smithy.api#documentation": "<p>Granted license received metadata.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
 },
 "com.amazonaws.licensemanager#GrantedLicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#GrantedLicense"
 }
 },
 "com.amazonaws.licensemanager#ISO8601DateTime":
 {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^(-(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|[1-2][0-9])T(2[0-3]|0[0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(?:Z|[-+](?:2[0-3]|0[0-9]):[0-5][0-9])+$)"
 }
 }

```

```

 },
 "com.amazonaws.licensemanager#Integer": {
 "type": "integer"
 },
 "com.amazonaws.licensemanager#InvalidParameterValueException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidParameterValueProvided",
 "httpResponseCode": 400
 },
 "smithy.api#documentation":
 "<p>One or more parameter values are not valid.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#InvalidResourceStateException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResourceState",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its
state. </p>\n <p>For example, you cannot allocate a license to an instance in the process of shutting\n
down.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#InventoryFilter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```



```

 "smithy.api#documentation": "<p>Name of the filter.</p>",
 "smithy.api#required": {}
 },
 "Condition": {
 "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
 "traits": {
 "smithy.api#documentation": "<p>Condition of the filter.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Value of the filter.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>An inventory filter.</p>"
},
"com.amazonaws.licensemanager#InventoryFilterCondition": {
 "type": "enum",
 "members": {
 "EQUALS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EQUALS"
 }
 },
 "NOT_EQUALS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "NOT_EQUALS"
 }
 },
 "BEGINS_WITH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "BEGINS_WITH"
 }
 },
 "CONTAINS": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "CONTAINS"
 }
 }
 },
 "com.amazonaws.licensemanager#InventoryFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#InventoryFilter"
 }
 },
 "com.amazonaws.licensemanager#Issuer": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>",
 "smithy.api#required": {}
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#IssuerDetails": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>"
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n and support the RSASSA-PSS SHA-256 signing

```

```

algorithm.</p>"
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
 }
},
"com.amazonaws.licensemanager#License": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>"
 }
 }
 },

```

```

 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

 "smithy.api#documentation": "<p>Home Region of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 },
 "Entitlements": {

 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>License metadata.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {

```

```

 "smithy.api#documentation": "<p>License
creation time.</p>"
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseConfiguration": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
 }
 }
 },

```

```

"LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
},
"LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 }
},
"LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
 }
},
"DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
},
"ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license configuration.</p>"
 }
},
"OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
 }
},
"ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
 }
}

```

```

 }
 },
 "ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be\n consumed and enforced by License Manager. Components include specifications for the license\n type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM\n must be associated with a host), and the number of licenses purchased and used.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
 "type": "structure",
 "members": {
 "ResourceArn":
 {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of server resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource
consuming licenses.</p>"
 }
 },
 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
 }
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
 }
 },
 "com.amazonaws.licensemanager#LicenseConfigurationStatus": {
 "type": "enum",
 "members":
 {
 "AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 }
 }
 },

```



```

"com.amazonaws.licensemanager#LicenseConfigurationUsage": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 },
 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time when the license configuration was initially associated with
the resource.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license
configuration.</p>"
 }
 },

```

```

"com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
 }
},
"com.amazonaws.licensemanager#LicenseConfigurations": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfiguration"
 }
},
"com.amazonaws.licensemanager#LicenseConversionContext": {
 "type": "structure",
 "members": {
 "UsageOperation": {
 "target": "com.amazonaws.licensemanager#UsageOperation",
 "traits": {
 "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you
are converting your resource from. For more information about which platforms correspond to which usage
operation values see <a href='\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-
fields.html#billing-info\">Sample data: usage operation by platform\\n \\n </p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseConversionTask": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\\n conversion task.</p>"
 }
 }
 },
 "SourceLicenseContext": {

```

```

 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
 }
 },
 "DestinationLicenseContext": {
 "target":
"com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>The status of the conversion task.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
 },
 "StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
 }
 },
 "LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
 }
 },
 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
 }
 }
},
"traits": {

```

```

 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConversionTaskId": {
 "type": "string",
 "traits": {

 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^\\p{L}t-[a-zA-Z0-9]*$"
 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
 "type": "enum",
 "members": {
 "IN_PROGRESS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "IN_PROGRESS"
 }
 },
 "SUCCEEDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUCCEEDED"
 }
 },
 "FAILED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTasks":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTask"
 }
},
 "com.amazonaws.licensemanager#LicenseCountingType": {
 "type": "enum",
 "members": {
 "VCPU": {

```

```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "vCPU"
 }
 },
 "INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Instance"
 }
 },
 "CORE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Core"
 }
 },
 "SOCKET": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Socket"
 }
 }
},
"com.amazonaws.licensemanager#LicenseDeletionStatus": {
 "type": "enum",
 "members": {
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
 }
},
"com.amazonaws.licensemanager#LicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#License"
 }
},

```

```

"com.amazonaws.licensemanager#LicenseOperationFailure": {

 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type.</p>"
 }
 },
 "ErrorMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Error message.</p>"
 }
 },
 "FailureTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Failure time.</p>"
 }
 },
 "OperationName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the operation.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
 }
 },
 "OperationRequestedBy": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
 }
 }
 }
}

```

```

"MetadataList": {

 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Reserved.</p>"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
},
"com.amazonaws.licensemanager#LicenseOperationFailureList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
 }
},
"com.amazonaws.licensemanager#LicenseSpecification": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",

 "smithy.api#required": {}
 }
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseSpecifications": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseSpecification"
 }
},

```

```

"com.amazonaws.licensemanager#LicenseStatus": {
 "type": "enum",
 "members": {
 "AVAILABLE": {
 "target": "smithy.api#Unit",

 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 },
 "PENDING_AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_AVAILABLE"
 }
 },
 "DEACTIVATED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DEACTIVATED"
 }
 },
 "SUSPENDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUSPENDED"
 }
 },
 "EXPIRED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EXPIRED"
 }
 },

 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
 }
}

```



```

 },
 "com.amazonaws.licensemanager#LicenseUsage": {
 "type": "structure",
 "members": {
 "EntitlementUsages": {
 "target": "com.amazonaws.licensemanager#EntitlementUsageList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlement usages.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#LicenseUsageException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "LicenseUsageFailure",
 "httpResponseCode": 412
 },
 "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource launch.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 412
 }
 },
 "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 }
]
 }
 }

```

```

 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the resource associations for the
specified license configuration.</p>\n <p>Resource associations need not consume licenses from a license
configuration. \n For example, an AMI or a stopped instance might not consume a license (depending on \n
the license rules).</p>"
}
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationAssociations": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListDistributedGrants": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 }
]
 }
 }
}

```

```

 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
 "type": "structure",
 "members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n \n <p>\n <code>GranteePrincipalARN</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>LicenseIssuerName</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",

"traits": {
 "smithy.api#documentation": "<p>Distributed grant details.</p>"
}
},
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
 }
}

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":
{
 "type": "structure",
 "members": {
 "LicenseOperationFailureList": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
 "traits": {
 "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
 },

 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
 }
 }
 }
 }
}

```

```

 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
 <code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
 operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
 enforcement is used. \n Logical operators are <code>EQUALS</code> |
 <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>usagelimitExceeded</code> - A Boolean value that
 indicates whether the available licenses have been exceeded. \n Logical operators are
 <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n "
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurations": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",

```



```

 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasks": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
 "type": "structure",
 "members": {
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {

```

```

 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {

"smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>\n Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n </p>"
 }
 }
},
 "traits": {
 "smithy.api#input": {}
 }
},
 "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTasks": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
 },
 "errors": [

```

```

 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
{
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n \n \n <p>\n <code>LicenseConfigurationArn</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },

```

```

 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits":
 {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
 "type": "structure",
 "members": {
 "ReportGenerators": {
 "target": "com.amazonaws.licensemanager#ReportGeneratorList",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an
associated license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseSpecifications": {

```

```

 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseVersions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
 "type": "structure",
 "members": {

```

```

"LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
},
"NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
},
"MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
},
"traits": {
 "smithy.api#input": {}
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenses": {
 "type": "operation",
 "input": {

```

```

 "target": "com.amazonaws.licensemanager#ListLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicensesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 }
 },

 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>Fingerprint</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n "
 }
 }
}

```



```

 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token
for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicensesResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrants": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
 }
 },

```

```

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the\n recipient as this Amazon Web Services account, your organization, or an organizational unit\n (OU) to which this member account belongs.</p>"
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
}
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
 "smithy.api#required": {}
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n
 \n
 \n
 <p>\n
 <code>ParentArn</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>GranteePrincipalArn</code>\n
 </p>\n
 \n
 "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
 {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
 "type": "structure",
 "members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>LicenseIssuerName</code>\n </p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n \n <p>\n <code>GranterAccountId</code>\n </p>\n \n "
 }
 },
 "NextToken": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",
 "traits": {
 "smithy.api#documentation": "<p>Received grant details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicenses": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists received licenses.</p>"
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
 \n
 \n
 <p>\n
 <code>ProductSKU</code>\n
 \n
 \n
 <p>\n
 <code>Status</code>\n
 \n
 \n
 <p>\n
 <code>Fingerprint</code>\n
 \n
 \n
 <p>\n
 <code>IssuerName</code>\n
 \n
 \n
 <p>\n
 <code>Beneficiary</code>\n
 \n
 "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 }
}

```



```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",
 "traits": {
 "smithy.api#documentation": "<p>Received license details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListResourceInventory": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FailedDependencyException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
}
},
"com.amazonaws.licensemanager#ListResourceInventoryRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#InventoryFilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>account_id</code>
- The ID of the Amazon Web Services account that owns the resource.\n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>application_name</code> - The name of the
application. \n Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n \n \n <p>\n <code>license_included</code> - The type of license included. \n Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.\n Possible values
are <code>sql-server-enterprise</code> | \n <code>sql-server-standard</code> | \n <code>sql-
server-web</code> | \n <code>windows-server-datacenter</code>.</p>\n \n \n <p>\n <code>platform</code> - The platform of the resource.\n Logical operators are
<code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n \n \n <p>\n <code>resource_id</code> - The ID of the resource. \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>tag:<key></code> - The key/value combination of a tag assigned \n to the resource. Logical
operators are <code>EQUALS</code> (single account) or\n <code>EQUALS</code> |
<code>NOT_EQUALS</code> (cross account).</p>\n \n "
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListResourceInventoryResponse": {
 "type": "structure",
 "members": {
 "ResourceInventoryList": {
 "target": "com.amazonaws.licensemanager#ResourceInventoryList",
 "traits": {
 "smithy.api#documentation": "<p>Information
about the resources.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListTagsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#ListTagsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the tags.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListTokens": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListTokensRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListTokensResponse"
 },

```

```

"errors":
[
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists your tokens.</p>"
}
},
"com.amazonaws.licensemanager#ListTokensRequest": {
 "type": "structure",
 "members": {
 "TokenIds": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Token IDs.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
\n \n <p>\n <code>LicenseArns</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",

```

```

 "traits": {
 "smithy.api#documentation":
 "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListTokensResponse": {
 "type": "structure",
 "members": {
 "Tokens": {
 "target": "com.amazonaws.licensemanager#TokenList",
 "traits": {
 "smithy.api#documentation": "<p>Received token details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying
license\n consumption details by resource at a selected point in time. Use this action to audit the\n current
license consumption for any license inventory and configuration.</p>"
 },
 "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>resourceArn</code> - The ARN of the license configuration resource.\n Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>resourceType</code> - The resource type

```

(`EC2_INSTANCE` | `EC2_HOST` | `EC2_AMI` | `SYSTEMS_MANAGER_MANAGED_INSTANCE`). \n Logical operators are `EQUALS` | `NOT_EQUALS`.

`resourceAccount` - The ID of the account that owns the resource. \n Logical operators are `EQUALS` | `NOT_EQUALS`.

```

 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationUsageList": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#Location": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#Long": {
 "type": "long"
 },
 "com.amazonaws.licensemanager#ManagedResourceSummary": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
 }
 }
 }
 }
}

```



```

 },
 "AssociationCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
 },
 "com.amazonaws.licensemanager#ManagedResourceSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
 }
 },
 "com.amazonaws.licensemanager#MaxSize100": {
 "type": "integer",
 "traits": {
 "smithy.api#range": {
 "min": 1,
 "max": 100
 }
 }
 },
 "com.amazonaws.licensemanager#MaxSize3StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 3
 }
 }
 },
 "com.amazonaws.licensemanager#Message": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#Metadata": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>The key name.</p>"
 }
 },

 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The value.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
 },
 "com.amazonaws.licensemanager#MetadataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Metadata"
 }
 },
 "com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement
maximum count is reached.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#Options": {
 "type": "structure",
 "members": {
 "ActivationOverrideBehavior": {
 "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
 "traits": {
 "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n \n \n <p>As a license administrator, you can
optionally specify an\n <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n

```

```

 \n \n <p>As a grantor, you can optionally specify an\n
 <code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n
 account in your organization.</p>\n \n \n <p>As a grantee, if the grantor creating the distributed
 grant doesnt specify an\n <code>ActivationOverrideBehavior</code>, you can optionally specify one
 when you\n are activating the grant.</p>\n \n\n<dl>\n
<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n <dd>\n <p>Use this value to activate a grant
 without replacing any member accounts\n active grants for the same product.</p>\n </dd>\n
<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n <dd>\n <p>Use this value to activate a
 grant and disable other active grants in any\n member accounts
 for the same product. This action will also replace their\n previously activated grants with this activated
 grant.</p>\n </dd>\n</dl>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
 such as activation\n override behavior. For more information, see Granted licenses in
 License Manager in the <i>License Manager User Guide</i>.</p>"
 }
 },
 "com.amazonaws.licensemanager#OrganizationConfiguration": {
 "type": "structure",
 "members": {
 "EnableIntegration": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation":
 "<p>Enables Organizations integration.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
 }
 },
 "com.amazonaws.licensemanager#PrincipalArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 1
 }
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ProductInformation": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
 "smithy.api#required": {}
 }
 },
 },
 "ProductInformationFilterList": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
 "traits": {
 "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n <p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>.</p>\n <p>The following filters and are supported when
the resource type \n is <code>SSM_MANAGED</code>:</p>\n
 \n \n <p>\n <code>Application Name</code> - The name of the
application.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Publisher</code> - The publisher of the application.\n Logical
operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Version</code> - The version of the application.\n Logical operator is
<code>EQUALS</code>.</p>\n \n \n <p>\n <code>Platform
Name</code> - The name of the platform.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Platform Type</code> - The platform type.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Tag:key</code> - The key of a tag attached to an
Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is
<code>NOT_EQUALS</code>. The key for your tag must be appended to <code>Tag:</code> following the
example: <code>Tag:name-of-your-key</code>. <code>ProductInformationFilterValue</code> is optional if you
are not using values for the key.\n </p>\n \n \n <p>\n <code>AccountId</code> - The 12-digit ID of an Amazon Web Services account you wish to exclude from
automated discovery.\n Logical operator is <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>License Included</code> - The type of license included.\n Logical
operators are <code>EQUALS</code> and <code>NOT_EQUALS</code>.\n Possible values are:
<code>sql-server-enterprise</code> | \n <code>sql-server-standard</code> | \n <code>sql-server-
web</code> | \n <code>windows-server-datacenter</code>.</p>\n \n \n <p>The following filters and logical operators are supported when the resource type\n is
<code>RDS</code>:</p>\n \n \n <p>\n <code>Engine Edition</code> -
The edition of the database engine.\n Logical operator is <code>EQUALS</code>.\n Possible
values are: <code>oracle-ee</code> | <code>oracle-se</code> | <code>oracle-se1</code> | <code>oracle-
se2</code>.</p>\n \n \n <p>\n <code>License Pack</code> - The license

```

```

pack.\n Logical operator is <code>EQUALS</code>.\n Possible values are: <code>data
guard</code> | \n <code>diagnostic pack sqlt</code> | \n
 <code>tuning pack sqlt</code> | \n <code>ols</code> | \n <code>olap</code>.</p>\n
\n ",
 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
},
"com.amazonaws.licensemanager#ProductInformationFilter": {
 "type": "structure",
 "members": {
 "ProductInformationFilterName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Filter name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductInformationFilterValue": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Filter value.</p>"
 }
 },
 "ProductInformationFilterComparator": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Logical operator.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes product information filters.</p>"
 }
},
"com.amazonaws.licensemanager#ProductInformationFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilter"
 }
},
"com.amazonaws.licensemanager#ProductInformationList": {

```

```

 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformation"
 }
 },
 "com.amazonaws.licensemanager#ProvisionalConfiguration": {
 "type": "structure",
 "members": {
 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#RateLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "RateLimitExceeded",
 "httpResponseCode": 429
 },
 "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief wait.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 429
 }
 },
 "com.amazonaws.licensemanager#ReceivedMetadata": {
 "type": "structure",
 "members": {
 "ReceivedStatus": {
 "target": "com.amazonaws.licensemanager#ReceivedStatus",
 "traits": {
 "smithy.api#documentation": "<p>Received status.</p>"
 }
 }
 },
 "ReceivedStatusReason": {

```

```

 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Received
status reason.</p>"
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
}
},
"com.amazonaws.licensemanager#ReceivedStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue":
"PENDING_ACCEPT"
 }
 },
 "REJECTED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
},
"DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
},
"DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
},
"WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
}
},
"com.amazonaws.licensemanager#RedirectException": {
 "type": "structure",
 "members": {
 "Location": {
 "target": "com.amazonaws.licensemanager#Location",
 "traits": {
 "smithy.api#httpHeader": "Location"
 }
 },
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 308
 }
},
"com.amazonaws.licensemanager#RejectGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#RejectGrantRequest"
 },
 "output": {

```



```

 "target": "com.amazonaws.licensemanager#RejectGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#RejectGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}
},
"com.amazonaws.licensemanager#RejectGrantResponse": {
 "type": "structure",

```

```

"members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#RenewType":
{
 "type": "enum",
 "members": {
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "WEEKLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Weekly"
 }
 },
 "MONTHLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Monthly"
 }
 }
 }
},

```

```

"com.amazonaws.licensemanager#ReportContext": {
 "type": "structure",
 "members": {
 "licenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {

 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
 }
 },
 "com.amazonaws.licensemanager#ReportFrequency": {
 "type": "structure",
 "members": {
 "value": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {
 "smithy.api#documentation": "<p>Number of times within the frequency period that a report is
generated. \n The only supported value is <code>1</code>.</p>"
 }
 },
 "period": {
 "target": "com.amazonaws.licensemanager#ReportFrequencyType",

 "traits": {
 "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,
or monthly.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 }
 },
 "com.amazonaws.licensemanager#ReportFrequencyType": {
 "type": "enum",
 "members": {
 "DAY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DAY"
 }
 }
 }
 }

```

```

 },
 "WEEK": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WEEK"
 }
 },
 "MONTH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "MONTH"
 }
 }
 },
 "com.amazonaws.licensemanager#ReportGenerator": {
 "type": "structure",
 "members": {
 "ReportGeneratorName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>"
 }
 },
 "ReportType": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>License configuration type for this generator.</p>"
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 }
 },
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
 }
 }
 }
 }
}

```

```

 }
 },
 "LastRunStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
 }
 },
 "LastRunFailureReason": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
 }
 },
 "LastReportGenerationTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
 }
 },
 "ReportCreatorAccount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report
generator.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "S3Location": {
 "target": "com.amazonaws.licensemanager#S3Location",
 "traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the report was created.</p>"
 }
 },

```

```

 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
 }
},
"com.amazonaws.licensemanager#ReportGeneratorList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ReportGenerator"
 }
},
"com.amazonaws.licensemanager#ReportGeneratorName": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
},
"com.amazonaws.licensemanager#ReportType": {
 "type": "enum",
 "members": {
 "LICENSE_CONFIGURATION_SUMMARY_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
 }
 },
 "LICENSE_CONFIGURATION_USAGE_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationUsageReport"
 }
 }
 }
},
"com.amazonaws.licensemanager#ReportTypeList": {
 "type": "list",
 "member": {

```

```

 "target": "com.amazonaws.licensemanager#ReportType"
 },
 "com.amazonaws.licensemanager#ResourceInventory": {
 "type": "structure",
 "members": {
 "ResourceId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "Platform": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Platform of the resource.</p>"
 }
 },
 "PlatformVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
 }
 },
 "ResourceOwningAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a resource.</p>"
 }
 }
}

```

```

},
"com.amazonaws.licensemanager#ResourceInventoryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ResourceInventory"
 }
},
"com.amazonaws.licensemanager#ResourceLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ResourceLimitExceeded",

 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResource.NotFound",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The resource cannot be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#ResourceType": {
 "type": "enum",
 "members": {
 "EC2_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {

```



```

 "smithy.api#enumValue": "EC2_INSTANCE"
 },
 "EC2_HOST": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_HOST"
 }
 },
 "EC2_AMI": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_AMI"
 }
 },
 "RDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "RDS"
 }
 },
 "SYSTEMS_MANAGER_MANAGED_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
 }
 }
},
"com.amazonaws.licensemanager#S3Location": {
 "type": "structure",
 "members": {
 "bucket": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
 }
 },
 "keyPrefix": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ServerInternalException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InternalServerError",
 "httpResponseCode": 500
 },
 "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
 "smithy.api#error": "server",
 "smithy.api#httpError": 500
 }
 },
 "com.amazonaws.licensemanager#SignedToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 4096
 }
 }
 },
 "com.amazonaws.licensemanager#StatusReasonMessage": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 400
 },
 "smithy.api#pattern": "^[\\s\\S]+$"
 }
 },
 "com.amazonaws.licensemanager#String": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
 },
 "com.amazonaws.licensemanager#Tag": {

```

```

"type": "structure",
"members": {
 "Key": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Tag key.</p>"
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Tag value.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#TagKeyList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
},
"com.amazonaws.licensemanager#TagList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Tag"
 }
},
"com.amazonaws.licensemanager#TagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#TagResourceResponse"
 },
 "errors": [
 {
 "target":
"com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],

```

```

 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#TagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>One or more tags.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#TagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#TokenData": {
 "type": "structure",
 "members": {

```

```

"TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
},
"TokenType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
 }
},
"LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
},
"ExpirationTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
 }
},
"TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller.</p>"
 }
},
"RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
 }
}
},
"traits": {

```

```

 "smithy.api#documentation": "<p>Describes a token.</p>"
 }
},
"com.amazonaws.licensemanager#TokenList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#TokenData"
 }
},
"com.amazonaws.licensemanager#TokenString": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 4096
 },
 "smithy.api#pattern": "^\\S+$"
 }
},
"com.amazonaws.licensemanager#TokenType": {
 "type": "enum",
 "members": {
 "REFRESH_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REFRESH_TOKEN"
 }
 }
 }
},
"com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
{
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#UntagResource": {
 "type": "operation",

```

```

"input": {
 "target": "com.amazonaws.licensemanager#UntagResourceRequest"
},
"output": {
 "target": "com.amazonaws.licensemanager#UntagResourceResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Removes the specified tags from the specified license configuration.</p>"
}
},
"com.amazonaws.licensemanager#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "TagKeys": {
 "target": "com.amazonaws.licensemanager#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {

```

```

 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#UntagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",

```



```

 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseConfigurationStatus": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
 "traits": {
 "smithy.api#documentation": "<p>New status of the license configuration.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\n
configuration is licenseAffinityToHost.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>New number of licenses managed by the license
configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New description of the license configuration.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>New product information.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "traits":
{
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
],

```

```

{
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
},
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Updates a report generator.</p>\n <p>After you make changes to a
report generator, it starts generating new reports within 60 minutes of being updated.</p>"
}
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
{
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to
update.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportGeneratorName": {
 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation":
 "<p>Type of reports to generate. The following report types are supported:</p>\n \n \n
<p>License configuration report - Reports the number and details of consumed licenses for a license
configuration.</p>\n \n \n
<p>Resource report - Reports the tracked licenses and
resource consumption for a license configuration.</p>\n \n ",
 "smithy.api#required": {}
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {

```

```

 "smithy.api#documentation": "<p>The report context.</p>",
 "smithy.api#required": {}
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
{
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
 },
 "errors": [

```

```

 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
 },
 {
 "target": "com.amazonaws.licensemanager#LicenseUsageException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n <p>You can update the license specifications of AMIs, instances, and hosts.\n You cannot update the license specifications for launch templates and CloudFormation templates, \n as they send license configurations to the operation that creates the resource.</p>"
 },
 "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services resource.</p>",
 "smithy.api#required": {}
 }
 },
 "AddLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
 }
 }
 }
 },

```

```

 "RemoveLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation":
"<p>ARNs of the license configurations to remove.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
 }
 },
 },

```

```

"com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
 }
 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UsageOperation": {
 "type": "string",
 "traits": {
 "smithy.api#length": {

```

```

 "min": 0,
 "max": 50
 }
}
},
"com.amazonaws.licensemanager#ValidationException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",

 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
}
}
}
}

```

## 1.103 redis-go-redis 9.5.3

### 1.103.1 Available under license :

Copyright (c) 2013 The github.com/redis/go-redis Authors.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE



GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.104 google-golang-org-genproto-googleapis-api 0.0.0-20240610135401-a8a62080eff3

## 1.104.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.105 go.etcd.io/etcd/api/v3 3.5.14

## 1.105.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions



of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.106 [github.com/go-redsync/redsync/v4](https://github.com/go-redsync/redsync/v4)

### 4.13.0

#### 1.106.1 Available under license :

Copyright (c) 2023, Mahmud Ridwan  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Redsync nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.107 [github.com/aws/aws-sdk-go-v2/feature/dynamodb/attributevalue](https://github.com/aws/aws-sdk-go-v2/feature/dynamodb/attributevalue) 1.14.1

## 1.107.1 Available under license :

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

```
// Checks out the specified license.
```

```
//
```

```
// If the account that created the license is the same that is performing the
```

```
// check out, you must specify the account as the beneficiary.
```

```
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
 if params == nil {
 params = &CheckoutLicenseInput{
 }
}
```

```
 result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
 if err != nil {
 return nil, err
 }
```

```
 out := result.(*CheckoutLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}
```

```
type CheckoutLicenseInput struct {
```

```
 //
```

```
 Checkout type.
```

```
 //
```

```
 // This member is required.
```

```
 CheckoutType types.CheckoutType
```

```
 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 // the request.
```

```
 //
```

```
 // This member is required.
```

```
 ClientToken *string
```

```

// License entitlements.
//
// This member is required.
Entitlements []types.EntitlementData

// Key fingerprint identifying the license.
//
// This member is required.
KeyFingerprint *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// License beneficiary.
Beneficiary *string

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

// Checkout type.
CheckoutType types.CheckoutType

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the checkout license.
LicenseArn
*string

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

```

```

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack,
options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
}

```

```

if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack,
c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {

```

```

 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err !=
nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckoutLicense",
 }
}
name: License Scan

on: [pull_request]

jobs:
 licensescan:
 name: License Scan
 runs-on: ubuntu-latest
 strategy:
 matrix:
 python-version: [3.9]

 steps:
 - name: Checkout target
 uses: actions/checkout@v2
 with:
 path: sdkbase
 ref: ${ github.base_ref }
 - name: Checkout this ref
 uses: actions/checkout@v2
 with:
 path: new-ref

```

```

 fetch-depth: 0
- name: Get Diff
 run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT ${{ github.event.pull_request.base.sha }}
${{ github.sha }} > refDiffFiles.txt
- name: Get Target Files
 run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt -> targetFiles.txt
- name: Checkout scancode
 uses: actions/checkout@v2
 with:
 repository: nexB/scancode-toolkit
 path: scancode-toolkit
 fetch-depth: 1
- name: Set up Python ${{ matrix.python-version }}
 uses: actions/setup-python@v2
 with:
 python-version: ${{ matrix.python-version }}
ScanCode
- name: Self-configure scancode
 working-directory: ./scancode-toolkit
 run: ./scancode --help
- name: Run Scan code on target
 run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
- name: Run Scan code on pr ref
 run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
compare
- name: License test
 run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
are the same. Success."; exit 0; fi
// Code generated by smithy-go-codegen DO NOT EDIT.

```

package grafana

```

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

// Removes the Grafana Enterprise license from a workspace.

```

func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
...func(*Options)) (*DisassociateLicenseOutput, error) {
 if params == nil {
 params = &DisassociateLicenseInput{}
 }
}

```



```

}

result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
if err != nil {
 return nil, err
}

out := result.(*DisassociateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type DisassociateLicenseInput struct {

 // The type of license to remove from the workspace.
 //
 // This member is required.
 LicenseType types.LicenseType

 //
 // The ID of the workspace to remove the Grafana Enterprise license from.
 //
 // This member is required.
 WorkspaceId *string

 noSmithyDocumentSerde
}

type DisassociateLicenseOutput struct {

 // A structure containing information about the workspace.
 //
 // This member is required.
 Workspace *types.WorkspaceDescription

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{}, middleware.After)

```

```

if err != nil {
 return err
}
err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{}, middleware.After)
if err != nil {
 return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "DisassociateLicense");
err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}

```

```

if
err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err
!= nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
}

```

```

 return nil
}

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "DisassociateLicense",
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
 if params == nil {
 params = &ListLicensesInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*ListLicensesOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type ListLicensesInput struct {

 // Filters to scope the results. The following filters are supported:
 //
 // - Beneficiary
 //

```

```

// - ProductSKU
//
// - Fingerprint
//
// - Status
Filters
[]types.Filter

// Amazon Resource Names (ARNs) of the licenses.
LicenseArns []string

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListLicensesOutput struct {

// License details.
Licenses []types.License

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{}, middleware.After)
if err != nil {
return err
}
if err := addProtocolFinalizerMiddlewares(stack,

```

```

options, "ListLicenses"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {

```

```

 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil
{
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "ListLicenses",
 }
}

```

```

{
 "smithy": "2.0",
 "shapes": {
 "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
 "type": "structure",
 "members": {
 "DirectoryId": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Directory",
 "traits": {
 "smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
 }
 },
 "ActiveDirectorySettings": {
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectorySettings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>ActiveDirectorySettings</code> resource contains details about the Active Directory, including network access details such as domain name and IP addresses, and the credential provider for user administration.</p>"
 }
 },
 "ActiveDirectoryType": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryType",
 "traits": {
 "smithy.api#documentation": "<p>The type of Active Directory either a self-managed Active Directory or an Amazon Web Services Managed Active Directory.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about an Active Directory identity provider.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectorySettings": {
 "type": "structure",

```



```

"members": {
 "DomainName": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name for the Active Directory.</p>"
 }
 },
 "DomainIpv4List": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IPv4List",
 "traits": {
 "smithy.api#documentation": "<p>A list of domain IPv4 addresses that are used for the Active Directory.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 2
 }
 }
 },
 "DomainCredentialsProvider": {
 "target":
"com.amazonaws.licensemanagerusersubscriptions#CredentialsProvider",
 "traits": {
 "smithy.api#documentation": "<p>Points to the <code>CredentialsProvider</code> resource that contains information about the credential provider for user administration.</p>"
 }
 },
 "DomainNetworkSettings": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DomainNetworkSettings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>DomainNetworkSettings</code> resource contains an array of subnets that apply for the Active Directory.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains network access and credential details that are needed for user administration in the Active Directory.</p>"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryType":
{
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "SELF_MANAGED",
 "value": "SELF_MANAGED",
 "documentation": "SELF_MANAGED type of Active Directory"
 }
]
 }
}

```

```

 },
 {
 "name": "AWS_MANAGED",
 "value": "AWS_MANAGED",
 "documentation": "AWS_MANAGED type of Active Directory"
 }
]
}
},
"com.amazonaws.licensemanagerusersubscriptions#Arn": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^arn:[a-z0-9-\\.]{1,63}:[a-z0-9-\\.]{1,63}:[a-z0-9-\\.]{1,63}:[a-zA-Z0-9-\\.]{1,510}/[a-zA-Z0-9-\\.]{1,510}$"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#AssociateUser":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUserResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],

```







```

 "smithy.api#required": {}
 },
 "LicenseServerSettings": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerSettings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>LicenseServerSettings</code> resource to create for
the endpoint. The \n\t\t\tsettings include the type of license server and the Secrets Manager secret that \n\t\t\ttenables
administrators to add or remove users associated with the \n\t\t\t\tlicense server.</p>",
 "smithy.api#required": {}
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags that apply for the license server endpoint.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#CreateLicenseServerEndpointResponse":
{
 "type": "structure",
 "members": {
 "IdentityProviderArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the identity provider
specified in the request.</p>"
 }
 },
 "LicenseServerEndpointArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The ARN of the <code>LicenseServerEndpoint</code>
resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#CredentialsProvider": {
 "type": "union",

```



```

 "smithy.api#documentation": "<p>Deletes a <code>LicenseServerEndpoint</code> resource.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/license-server/DeleteLicenseServerEndpoint"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#DeleteLicenseServerEndpointRequest": {
 "type": "structure",
 "members": {
 "LicenseServerEndpointArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) that identifies the
<code>LicenseServerEndpoint</code> \n\t\t\tresource to delete.</p>",
 "smithy.api#required": {}
 }
 },
 "ServerType": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerType",
 "traits": {
 "smithy.api#documentation": "<p>The type of License Server that the delete request refers to.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#DeleteLicenseServerEndpointResponse": {
 "type": "structure",
 "members": {
 "LicenseServerEndpoint": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpoint",
 "traits": {
 "smithy.api#documentation": "<p>Shows details from the <code>LicenseServerEndpoint</code>
resource that was deleted.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider": {

```



```

 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deregisters the Active Directory identity provider from License Manager user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/DeregisterIdentityProvider"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest":
{
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {

```

```

 "smithy.api#documentation": "<p>An object that specifies details for the Active Directory identity
provider.</p>"
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
<code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>"
 }
 },
 "IdentityProviderArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) that identifies the identity
provider to deregister.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#Directory":
{
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^(d|sd)-[0-9a-f]{10}$"
 }
}

```

```

 },
 "com.amazonaws.licenseanagerusersubscriptions#DisassociateUser": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/DisassociateUser"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest":
 {
 "type": "structure",
 "members": {
 "Username": {

```

```

 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the Active Directory identity provider for the
user.</p>"
 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance which provides user-based
subscriptions.</p>"
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the Active Directory identity
provider.</p>"
 }
 },
 "InstanceUserArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the user to disassociate
from the EC2 instance.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains
information for the user to disassociate.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanagerusersubscriptions#DisassociateUserResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummary": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
 "smithy.api#required": {}
 }
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#DomainNetworkSettings": {
 "type": "structure",
 "members": {
 "Subnets": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>Contains a list of subnets that apply for the Active Directory
domain.</p>",
 "smithy.api#length": {
 "min": 1
 },
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains network settings for the Active Directory domain.</p>"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#Filter": {
 "type": "structure",
 "members": {
 "Attribute": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of an attribute to use as a filter.</p>"
 }
 },
 "Operation": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of search (For example, eq, geq, leq)</p>"
 }
 },
 "Value": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation":
"<p>Value of the filter.</p>"
 }
 }
 }
}

```

```
}
},
 "traits": {
 "smithy.api#documentation": "<p>A filter name and value pair that is used to return more specific results
from a describe\n\t\t\t\t\tfor list operation. You can use filters can be used to match a set of resources by specific
\n\t\t\t\t\tcriteria, such as tags, attributes, or IDs.</p>"
 }
},
 "com.amazonaws.licenseanagerusersubscriptions#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Filter"
 }
},
 "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider": {
 "type": "union",
 "members": {
 "ActiveDirectoryIdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryIdentityProvider",
 "traits": {

 "smithy.api#documentation": "<p>The <code>ActiveDirectoryIdentityProvider</code> resource
contains settings \n\t\t\t\tand other details about a specific Active Directory identity provider.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Refers to an identity provider.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>The <code>IdentityProvider</code> resource contains information
about \n\t\t\t\tan identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Settings": {

 "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>Settings</code> resource contains details about the
registered \n\t\t\t\tidentity providers product related configuration settings, such as the \n\t\t\t\tsubnets to provision VPC
endpoints.</p>",
```

```

 "smithy.api#required": {}
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of the identity provider.</p>",
 }
 },
 "smithy.api#required": {}
},
 "IdentityProviderArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the identity provider.</p>"
 }
 },
 "FailureMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The failure message associated with an identity provider.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes an identity provider.</p>"
 },
 "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based

```

```

subscriptions.</p>",
 "smithy.api#required": {}
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of an EC2 instance resource.</p>",
 "smithy.api#required": {}
 }
 },
 "Products": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
 "smithy.api#required": {}
 }
 },
 "LastStatusCheckDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date of the last status check.</p>"
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
 },
 "com.amazonaws.licensemanagerusersubscriptions#InstanceSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceSummary"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",

```



```

 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance that provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>The <code>IdentityProvider</code> resource specifies details
about the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",
 "smithy.api#required": {}
 }
 },
 "InstanceUserArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) that identifies the instance
user.</p>"
 }
 },
},
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains the user
information for the product subscription.</p>"
 }
 }
}

```

```

 }
 },
 "AssociationDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
 }
 },
 "DisassociationDate": {
 "target": "smithy.api#String",
 "traits": {

 "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based
subscriptions.</p>"
 },
 "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#InternalServerError": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
 "smithy.api#error": "server",
 "smithy.api#httpError": 500
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#IPv4": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^(?:25[0-5]|2[0-4][0-9]|1[0-9][0-9]|[1-9][0-9]|[0-9])(\\.(?!$)|$)){4}$"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#IPv4List": {
 "type": "list",

```

```

"member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IPv4"
},
"com.amazonaws.licenseanagerusersubscriptions#LicenseManagerUserSubscriptions": {
 "type": "service",
 "version": "2018-05-10",
 "operations": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AssociateUser"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#CreateLicenseServerEndpoint"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeleteLicenseServerEndpoint"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUser"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProviders"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstances"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListLicenseServerEndpoints"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptions"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListTagsForResource"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociations"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StartProductSubscription"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#TagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#UntagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
 }
],
 "traits": {
 "aws.api#service": {
 "sdkId": "License Manager User Subscriptions",
 "arnNamespace": "license-manager-user-subscriptions",
 "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
 },
 "aws.auth#sigv4": {
 "name": "license-manager-user-subscriptions"
 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id",
 "content-length",
 "x-api-key",
],
 "authorization",
 "x-amz-date",
 "x-amz-security-token",
 "Access-Control-Allow-Headers",
 "Access-Control-Allow-Methods",
 "Access-Control-Allow-Origin"
],
 "additionalExposedHeaders": [
 "x-amzn-errortype",
 "x-amzn-requestid",
 "x-amzn-trace-id"
]
 },
 },

```

```

"smithy.api#documentation": "<p>With License Manager, you can create user-based subscriptions to
utilize licensed software with a per user subscription fee on Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager User Subscriptions",
"smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn":
"AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured
endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
 },
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
]
}

```

```

],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"

```

```

 },
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "rules": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]
 }
]
 }
]
 }
],
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]

```

```

],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",

 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
],
 },
],
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 },
],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
}

```



```

 }
],
 "type": "tree"
 },
 {
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
 }
],
 "type": "tree"
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
],
 true
 }
],
 "rules": [

```



```

 "supportsDualStack"
]
 }
]
}

],
"rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 },
 {
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
 }
],
"type": "tree"
},
{
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
},
],
"type": "tree"
}
],
"type": "tree"
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",

```

```

 "type": "error"
 }
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 }
]
}

```

```

 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack":
true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 }
 }

```

```

 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack":
false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },

```

```

{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack":
true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition
does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",

```

```

 "UseFIPS": true,
 "UseDualStack": false
 }
},

{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 }
}

```



```

 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {

```

```

 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint":
"https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are
not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
],
"version": "1.0"
}

```

```
}
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServer": {
 "type": "structure",
 "members": {
 "ProvisioningStatus": {
 "target":

 "traits": {
 "smithy.api#documentation": "<p>The current state of the provisioning process for the RDS
\n\t\t\tlicense server.</p>"
 }
 },
 "HealthStatus": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerHealthStatus",
 "traits": {
 "smithy.api#documentation": "<p>The health status of the RDS license server.</p>"
 }
 },
 "Ipv4Address": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A list of domain IPv4 addresses that are used for the RDS
\n\t\t\tlicense server.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Information about a Remote Desktop Services (RDS) license
server.</p>"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpoint": {
 "type": "structure",
 "members": {
 "IdentityProviderArn": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the identity provider that's
\n\t\t\tthe RDS license server endpoint.</p>"
 }
 },
 "ServerType": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerType",
 "traits": {
 "smithy.api#documentation": "<p>The type of license server.</p>"
 }
 },
```

```

 "ServerEndpoint": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServerEndpoint",
 "traits": {
 "smithy.api#documentation":
 "<p>The <code>ServerEndpoint</code> resource contains the network \n\t\t\taddress of the RDS license server
 endpoint.</p>"
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The message associated with the provisioning status, if there is
 one.</p>"
 }
 },
 "LicenseServerEndpointId": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#LicenseServerEndpointId",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the license server endpoint.</p>"
 }
 },
 "LicenseServerEndpointArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation":
 "<p>The ARN of the <code>ServerEndpoint</code> resource for the RDS \n\t\t\tlicense server.</p>"
 }
 },
 "LicenseServerEndpointProvisioningStatus": {
 "target":
 "com.amazonaws.licenseanagerusersubscriptions#LicenseServerEndpointProvisioningStatus",
 "traits": {
 "smithy.api#documentation": "<p>The current state of the provisioning process for the RDS license
 \n\t\t\tserver endpoint</p>"
 }
 },
 "LicenseServers": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#LicenseServerList",
 "traits": {
 "smithy.api#documentation": "<p>An array of <code>LicenseServer</code> resources that represent
 the \n\t\t\tlicense servers that are accessed through this endpoint.</p>"
 }
 },
 "CreationTime": {
 "target": "smithy.api#Timestamp",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp when License Manager created the license server

```



```

 {
 "name": "DELETED",
 "value": "DELETED",
 "documentation": ""
 }
]
}
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerHealthStatus": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "HEALTHY",
 "value": "HEALTHY",
 "documentation": ""
 },
 {
 "name": "UNHEALTHY",
 "value": "UNHEALTHY",
 "documentation": ""
 },
 {
 "name": "NOT_APPLICABLE",
 "value": "NOT_APPLICABLE",
 "documentation": ""
 }
]
 }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerList":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServer"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerSettings": {
 "type": "structure",
 "members": {
 "ServerType": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerType",
 "traits": {
 "smithy.api#documentation": "<p>The type of license server.</p>",
 "smithy.api#required": {}
 }
 },
 "ServerSettings": {

```

```
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServerSettings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>ServerSettings</code> resource contains the settings
for your \n\t\t\tserver.</p>",
```

```
 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#documentation": "<p>The settings to configure your license server.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProviders": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the Active Directory identity providers for user-based
subscriptions.</p>",
 "smithy.api#http": {
```

```

 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/ListIdentityProviders"
 },

 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "IdentityProviderSummaries"
 }
}
},
"com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n
\n \n <p>Product</p>\n \n \n <p>DirectoryId</p>\n
\n "
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
\n\tfrom a previously truncated response.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#ListIdentityProvidersResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummaries": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummaryList",

```



```

 "traits": {
 "smithy.api#documentation": "<p>An array of <code>IdentityProviderSummary</code> resources that
 contain details about the Active Directory identity providers that meet the request criteria.</p>",
 "smithy.api#required": {}
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't
 empty, there are additional elements that the service hasn't included in this request. Use this token with the
 next request to retrieve additional objects.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListInstances": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 }
]
 }
 }

```

```

 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/instance/ListInstances"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceSummaries"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
\n\tfrom a previously truncated response.</p>"
 }
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n
\n \n <p>Status</p>\n \n \n <p>InstanceId</p>\n \n "
 }
 }
},
"traits": {

```

```

 "smithy.api#input": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListInstancesResponse": {
 "type": "structure",
 "members": {
 "InstanceSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>An array of InstanceSummary resources that contain details about the instances that provide user-based subscriptions and also meet the request criteria.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't empty, there are additional elements that the service hasn't included in this request. Use this token with the next request to retrieve additional objects.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListLicenseServerEndpoints": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListLicenseServerEndpointsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListLicenseServerEndpointsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 }
]
 }
}

```

```

 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>List the Remote Desktop Services (RDS) License Server endpoints
</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/license-server/ListLicenseServerEndpoints"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "LicenseServerEndpoints"
 }
 }
},
"com.amazonaws.licensemanagerusersubscriptions#ListLicenseServerEndpointsRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>",
 "smithy.api#range": {
 "min": 1,
 "max": 100
 }
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n
\n \n <p>IdentityProviderArn</p>\n \n "
 }
 },
 "NextToken": {
 "target": "smithy.api#String",

```

```
"traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken\n\tfrom a previously truncated response.</p>"
 },
},
"traits": {
 "smithy.api#input": {}
 },
},
"com.amazonaws.licensemanagerusersubscriptions#ListLicenseServerEndpointsResponse": {
 "type": "structure",
 "members": {
 "LicenseServerEndpoints": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointList",
 "traits": {
 "smithy.api#documentation": "<p>An array of <code>LicenseServerEndpoint</code> resources that\n\t\t\tcontain detailed information about the RDS License Servers that meet \n\t\tthe request criteria.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't\n\t\tempty, \n\tthere are additional elements that the service hasn't included in this request. Use this token \n\t\twith the\n\t\tnext request to retrieve additional objects.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
},
"com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 }
]
 }
}
```

```

 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListProductSubscriptions"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "ProductUserSummaries"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
 "type":
"structure",
 "members": {
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
<code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>"
 }
 }
 }
},
"IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",

```

```

 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n
\n \n <p>Status</p>\n \n \n <p>Username</p>\n
\n \n <p>Domain</p>\n \n "
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
\n\tfrom a previously truncated response.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions
operation.</p>"
 }
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't

```

empty, \n\tthere are additional elements that the service hasn't included in this request. Use this token \n\t\twith the next request to

retrieve additional objects.</p>"

```
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListTagsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Returns the list of tags for the specified resource.</p>",
 "smithy.api#http": {
 "method": "GET",
 "uri": "/tags/{ResourceArn}"
 },
 "smithy.api#readonly": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource whose tags you want to retrieve.</p>",
 "smithy.api#httpLabel": {},
```



```

 "smithy.api#required": {}
 }
},
"traits": {

"smithy.api#input": {}
},
"com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags for the specified resource.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
"traits":
{
 "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListUserAssociations"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceUserSummaries"
 }
},
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required":
 {}
 }
 },
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 },

```

```

 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline
results:</p>\n \n \n <p>Status</p>\n \n \n <p>Username</p>\n \n \n <p>Domain</p>\n \n "
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
\n\tfrom a previously truncated response.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't
empty, \n\tthere are additional elements that the service hasn't included in this request. Use this token \n\t\twith the
next request to retrieve additional objects.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 },
 "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits":

```

```

{
 "smithy.api#documentation": "<p>The user name from the identity provider for this product
user.</p>",
 "smithy.api#required": {}
},
"Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
},
"IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
},
"Status": {
 "target": "smithy.api#String",

 "traits": {
 "smithy.api#documentation": "<p>The status of a product for this user.</p>",
 "smithy.api#required": {}
 }
},
"ProductUserArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) for this product user.</p>"
 }
},
"StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for a product for this user.</p>"
 }
},
"Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory
that contains the user information for the product subscription.</p>"
 }
},
"SubscriptionStartDate": {

```

```

 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The start date of a subscription.</p>"
 }
 },
 "SubscriptionEndDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The end date of a subscription.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>A summary of the user-based subscription products for a specific
user.</p>"
},
"com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#RdsSalSettings": {
 "type": "structure",
 "members": {
 "RdsSalCredentialsProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#CredentialsProvider",
 "traits": {
 "smithy.api#documentation": "<p>The <code>CredentialsProvider</code> resource contains a
reference to \n\t\t\tthe credentials provider that's used for RDS license server user administration.</p>",
 "smithy.api#required": {}
 }
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Server settings that are specific to a Remote Desktop Services (RDS)
license server.</p>"
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProvider": {
 "type":
"operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse"
 }
}

```

```

 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/RegisterIdentityProvider"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider to register.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
<code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>",
 "smithy.api#required": {}
 },
 "Settings": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "<p>The registered identity providers product related configuration
\n\t\t\tsettings such as the subnets to provision VPC endpoints.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags that apply to the identity provider's registration.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#ResourceArn": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^arn:([a-z0-9-\\.]{1,63}):([a-z0-9-\\.]{1,63}):([a-z0-9-\\.]{1,63}):([a-z0-9-
\\.]{1,63}):([a-z0-9-\\.]{1,510})/([a-z0-9-\\.]{1,510})$"
 }
}

```

```

 },
 "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 404
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#SecretsManagerCredentialsProvider":
 {
 "type": "structure",
 "members": {
 "SecretId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the Secrets Manager secret that contains
credentials.</p>",
 "smithy.api#length": {
 "min": 1
 }
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains a credentials secret that's stored in Secrets Manager.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 5,
 "max": 200
 },
 "smithy.api#pattern": "^sg-([0-9a-z]{8})([0-9a-z]{17})$"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ServerEndpoint": {
 "type": "structure",
 "members": {
 "Endpoint": {
 "target": "smithy.api#String",

```



```

 "traits": {
 "smithy.api#documentation": "<p>The network address of the endpoint.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A network endpoint through which you can access one or more
servers.</p>"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ServerSettings": {
 "type": "union",
 "members": {
 "RdsSalSettings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#RdsSalSettings",
 "traits": {
 "smithy.api#documentation": "The <code>RdsSalSettings</code> resource
contains settings to configure a specific Remote Desktop Services (RDS) license server.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains settings for a specific server.</p>"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ServerType": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "RDS_SAL",
 "value": "RDS_SAL",
 "documentation": ""
 }
]
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation":
"<p>The request failed because a service quota is exceeded.</p>",
 "smithy.api#error": "client"
 }
}

```



```
"target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"},
{
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
},
{
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
},
{
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
},
{
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Starts a product subscription for a user with the specified identity provider.</p>\n <note>\n <p>Your estimated bill for charges on the number of users and related costs will take 48\n\t\t\thours to appear for billing periods that haven't closed (marked as Pending billing status) in Amazon Web Services Billing. For more information, see Viewing your\n\t\t\t\tmonthly charges in the <i>Amazon Web Services Billing User Guide</i>.</p>\n </note>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/StartProductSubscription"
 }
 },
 "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider of the user.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
```

```

 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code>
| <code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains the user
for whom to start the product \n\t\t\tsubscription.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags that apply to the product subscription.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#StartProductSubscriptionResponse":
{
 "type": "structure",
 "members": {
 "ProductUserSummary": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the start product subscription
operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionRequest"
 }
}

```

```

 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/StopProductSubscription"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>"
 }
 }
 }
 },
 },

```



```

 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Subnet": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^subnet-[a-z0-9]{8,17}"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Subnets": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnet"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#TagKeyList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#sensitive": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#TagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds tags to a resource.</p>",
 "smithy.api#http": {
 "method": "PUT",
 "uri": "/tags/{ResourceArn}"
 },

 "smithy.api#idempotent": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#TagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource that you want
to tag.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 },
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags to apply to the specified resource.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#TagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Tags": {

```



```

 "type": "map",
 "key": {
 "target": "smithy.api#String"
 },
 "value": {
 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#sensitive": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the request.</p>",
 "smithy.api#error": "client"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#UntagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UntagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UntagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Removes

```

```

tags from a resource.</p>",
 "smithy.api#http": {
 "method": "DELETE",
 "uri": "/tags/{ResourceArn}"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource that you want
to remove tags from.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 },
 "TagKeys": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>The tag keys to remove from the resource.</p>",
 "smithy.api#httpQuery": "tagKeys",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#UntagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse"
 }
}

```

```
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates additional product configuration settings for the registered
identity\n\t\t\t\tprovider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/UpdateIdentityProviderSettings"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider"
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> | <code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n</p>"
 }
 },
 "IdentityProviderArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the
```

```

identity provider to update.</p>"
 }
 },
 "UpdateSettings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UpdateSettings",
 "traits": {
 "smithy.api#documentation": "<p>Updates the registered identity providers product related
configuration settings. You can\n\t\t\tupdate any combination of settings in a single operation such as the:</p>\n
\n \n <p>Subnets which you want to add to provision VPC endpoints.</p>\n \n
 \n <p>Subnets which you want to remove the VPC endpoints from.</p>\n \n
 \n <p>Security group ID which permits traffic to the VPC endpoints.</p>\n \n ",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#UpdateIdentityProviderSettingsResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",
 "traits": {
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#UpdateSettings": {
 "type": "structure",
 "members": {
 "AddSubnets": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint
for products that\n\t\t\trequire connectivity to activation servers.</p>",
 "smithy.api#required": {}
 }
 },
 "RemoveSubnets": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",

```

```
"traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
 "smithy.api#required": {}
},
"SecurityGroupId": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup",
 "traits": {
 "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688 communication between resources in\n\\n\\t\\tyour VPC and the VPC endpoints for activation servers.</p>"
 }
},
"traits": {
 "smithy.api#documentation":
"<p>Updates the registered identity providers product related configuration settings such as\n\\n\\t\\ttthe subnets to provision VPC endpoints.</p>"
}
},
"com.amazonaws.licenseanagerusersubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A parameter is not valid.</p>",
 "smithy.api#error": "client"
 }
}
}
```

// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

```
// Creates a license.
```

```
func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
```

```

(*CreateLicenseOutput, error) {
 if params == nil {
 params = &CreateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CreateLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CreateLicenseInput struct {

 // License beneficiary.
 //
 // This member is required.
 Beneficiary *string

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 // the request.
 //
 //
 // This member is required.
 ClientToken *string

 // Configuration for consumption of the license. Choose a provisional
 // configuration for workloads running with continuous connectivity. Choose a
 // borrow configuration for workloads with offline usage.
 //
 // This member is required.
 ConsumptionConfiguration *types.ConsumptionConfiguration

 // License entitlements.
 //
 // This member is required.
 Entitlements []types.Entitlement

 // Home Region for the license.
 //
 // This member is required.
 HomeRegion *string

 // License issuer.

```

```

//
// This member is required.
Issuer *types.Issuer

// License name.
//
// This member is required.
LicenseName *string

// Product name.
//
// This member is required.
ProductName *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about
the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.
Version *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

```

```

func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CreateLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if
 err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {
 return err
 }
 if err = addRecordResponseTiming(stack); err != nil {
 return err
 }
 if err = addSpanRetryLoop(stack, options); err != nil {
 return err
 }
 if err = addClientUserAgent(stack, options); err != nil {

```



```

 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err
= addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack);

```

```

err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CreateLicense",
}
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks in the specified license. Check in a license when it is no longer in use.
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))
(*CheckInLicenseOutput, error) {
 if params == nil {
 params = &CheckInLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,
c.addOperationCheckInLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckInLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CheckInLicenseInput struct {

```

```

// License consumption token.
//
// This member is required.
LicenseConsumptionToken *string

// License beneficiary.
Beneficiary *string

noSmithyDocumentSerde
}

type
CheckInLicenseOutput struct {
// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{}, middleware.After)
if err != nil {
return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "CheckInLicense"); err != nil {
return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
if err = addClientRequestID(stack); err != nil {
return err
}
if
err = addComputeContentLength(stack); err != nil {
return err
}
}

```

```

if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if
err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {

```

```

 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckInLicense",
 }
}
ListLicenses
Initialize stack step
 spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
spanInitializeEnd
Serialize stack step
 spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID

```

```

ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
 if params == nil {
 params = &GetLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)

```

```

if err != nil {
 return nil, err
}

out := result.(*GetLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type GetLicenseInput struct {

 // Amazon Resource Name (ARN) of the license.
 //
 // This member is required.
 LicenseArn *string

 // License version.
 Version *string

 noSmithyDocumentSerde
}

type
GetLicenseOutput struct {

 // License details.
 License *types.License

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "GetLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }
}

```

```

}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err
!= nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
}

```



```

if err = addUserAgentRetryMode(stack, options);
err != nil {
 return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region), middleware.Before);
err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "GetLicense",
 }
}

```

```
}
CheckoutLicense
Initialize stack step
 spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
 spanInitializeEnd
Serialize stack step
 spanBuildRequestStart
 setOperationInput
 ResolveEndpoint
 OperationSerializer
Build stack step
 ClientRequestID
 ComputeContentLength
 UserAgent
 AddTimeOffsetMiddleware
 RecursionDetection
 spanBuildRequestEnd
Finalize stack step
 ResolveAuthScheme
 GetIdentity
 ResolveEndpointV2
 disableHTTPS
 ComputePayloadHash
 spanRetryLoop
 Retry
 RetryMetricsHeader
 setLegacyContextSigningOptions
 Signing
Deserialize stack step
 AddRawResponseToMetadata
 ErrorCloseResponseBody
 CloseResponseBody
 ResponseErrorWrapper
 RequestIDRetriever
 OperationDeserializer
 AddTimeOffsetMiddleware
 RecordResponseTiming
 RequestResponseLogger
DisassociateLicense
Initialize stack step
 spanInitializeStart
 RegisterServiceMetadata
 legacyEndpointContextSetter
 SetLogger
```

OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
AssociateLicense  
Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer

```

Build stack step
 ClientRequestID
 ComputeContentLength
 UserAgent
 AddTimeOffsetMiddleware
 RecursionDetection
 spanBuildRequestEnd
Finalize stack step
 ResolveAuthScheme
 GetIdentity
 ResolveEndpointV2
 disableHTTPS
 ComputePayloadHash
 spanRetryLoop
 Retry
 RetryMetricsHeader
 setLegacyContextSigningOptions
 Signing
Deserialize stack step
 AddRawResponseToMetadata
 ErrorCloseResponseBody
 CloseResponseBody
 ResponseErrorWrapper
 RequestIDRetriever
 OperationDeserializer
 AddTimeOffsetMiddleware
 RecordResponseTiming
 RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

```

```
package licensemanager
```

```

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

```

// Checks out the specified license for offline use.
func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
 if params == nil {
 params = &CheckoutBorrowLicenseInput{}
 }
}

```

```

 result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,
c.addOperationCheckoutBorrowLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckoutBorrowLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CheckoutBorrowLicenseInput struct {

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 //
 the request.
 //
 // This member is required.
 ClientToken *string

 // Digital signature method. The possible value is JSON Web Signature (JWS)
 // algorithm PS384. For more information, see [RFC 7518 Digital Signature with RSASSA-PSS].
 //
 // [RFC 7518 Digital Signature with RSASSA-PSS]: https://tools.ietf.org/html/rfc7518#section-3.5
 //
 // This member is required.
 DigitalSignatureMethod types.DigitalSignatureMethod

 // License entitlements. Partial checkouts are not supported.
 //
 // This member is required.
 Entitlements []types.EntitlementData

 // Amazon Resource Name (ARN) of the license. The license must use the borrow
 // consumption configuration.
 //
 // This member is required.
 LicenseArn *string

 // Information about constraints.
 CheckoutMetadata []types.Metadata

 // Node ID.
 NodeId *string

 noSmithyDocumentSerde
}

```

```

type CheckoutBorrowLicenseOutput struct {

 // Information about constraints.
 CheckoutMetadata []types.Metadata

 // Allowed license entitlements.
 EntitlementsAllowed
 []types.EntitlementData

 // Date and time at which the license checkout expires.
 Expiration *string

 // Date and time at which the license checkout is issued.
 IssuedAt *string

 // Amazon Resource Name (ARN) of the license.
 LicenseArn *string

 // License consumption token.
 LicenseConsumptionToken *string

 // Node ID.
 NodeId *string

 // Signed token.
 SignedToken *string

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{}, middleware.After)
 if err != nil {
 return
 err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutBorrowLicense"); err != nil {

```

```

return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}

```

```

}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options);
err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckoutBorrowLicense",
}

```



```
}
}
CheckInLicense
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
spanInitializeEnd
Serialize stack step
spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
AWS SDK for Go
Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.
Copyright 2014-2015 Stripe, Inc.
ListReceivedLicenses
Initialize stack step
```

```

spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
spanInitializeEnd
Serialize stack step
spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"

```

```

smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
 if params == nil {
 params = &DeleteLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*DeleteLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type DeleteLicenseInput struct {

 // Amazon Resource Name (ARN) of the license.
 //
 // This member is required.
 LicenseArn *string

 // Current version of the license.
 //
 // This member is required.
 SourceVersion
 *string

 noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

 // Date when the license is deleted.
 DeletionDate *string

 // License status.
 Status types.LicenseDeletionStatus

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

```

```

noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "DeleteLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err !=
 nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {
 return err
 }
 if err = addRecordResponseTiming(stack); err != nil {
 return err
 }
 if err = addSpanRetryLoop(stack, options); err != nil {

```

```

return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err
!= nil {
return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = addRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
if err = addSpanInitializeStart(stack); err != nil {
return err
}
if err = addSpanInitializeEnd(stack); err != nil {
return err
}

```

```

}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if
err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "DeleteLicense",
}
}
CreateLicense
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
spanInitializeEnd
Serialize stack step
spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions

```

Signing

Deserialize stack step

AddRawResponseToMetadata

ErrorCloseResponseBody

CloseResponseBody

ResponseErrorWrapper

RequestIDRetriever

OperationDeserializer

AddTimeOffsetMiddleware

RecordResponseTiming

RequestResponseLogger

```
{
 "smithy": "2.0",
 "shapes": {
 "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
 "type": "integer"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
 "type": "long"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 }
]
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Remove a third-party subscription provider from the Bring Your Own License (BYOL) subscriptions \n\t\t\tregistered to your account.</p>",
 "smithy.api#http": {
 "code": 200,
```

```

 "method": "POST",
 "uri": "/subscription/DeregisterSubscriptionProvider"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderRequest": {
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the subscription provider resource to deregister.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of name to filter by.</p>"
 }
 },
 "Values": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
 }
 }
 },
 "Operator": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
 "traits": {
 "smithy.api#documentation": "<p>An operator for filtering results.</p>"
 }
 }
}

```



```

 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe operation.\n Filters can be used to match a set of resources by specific criteria.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
 "type":
"list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderRequest"
 },
 "output": {
 "target":
"com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Get details for a Bring Your Own License (BYOL) subscription that's registered to your account.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/GetRegisteredSubscriptionProvider"
 },
 "smithy.api#idempotent": {}
 }
}

```





```

 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest": {
 "type": "structure",
 "members": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>Lists
the settings defined for Linux subscriptions discovery. The settings include if Organizations integration has
been enabled, and which Regions data will be aggregated from.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
 }
 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux subscriptions.</p>"
 }
 }
 }
},

```

```

"com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
 "type": "structure",
 "members": {
 "AmiId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
 }
 },
 "InstanceID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
 }
 },
 "InstanceType": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance type of the resource.</p>"
 }
 },
 "AccountID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of the instance.</p>"
 }
 },
 "Region": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
 }
 },
 "UsageOperation": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For
more information, see\n <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-
subscriptions-usage-operation.html\">Usage\n operation values in the <i>License Manager User
Guide</i>.</p>"
 }
 }
 }
}

```

```

 }
 },
 "ProductCode": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
 "traits": {
 "smithy.api#documentation": "<p>The product code for the instance. For more information, see Usage operation values in the <i>License Manager User Guide</i> .</p>"
 }
 },
 "LastUpdatedTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The time in which the last discovery updated the instance details.</p>"
 }
 },
 "SubscriptionName": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the license subscription that the instance uses.</p>"
 }
 },
 "OsVersion": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The operating system software version that runs on your instance.</p>"
 }
 },
 "SubscriptionProviderCreateTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp when you registered the third-party Linux subscription \n\t\t\tprovider for the subscription that the instance uses.</p>"
 }
 },
 "SubscriptionProviderUpdateTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp from the last time that the instance synced with the registered \n\t\t\tthird-party Linux subscription provider.</p>"
 }
 },
 "DualSubscription": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>Indicates that you have two different license subscriptions for

```



```

 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProviders"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListTagsForResource"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
 }
],
 "traits": {
 "aws.api#service": {
 "sdkId": "License Manager Linux Subscriptions",
 "arnNamespace": "license-manager-linux-subscriptions",
 "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
 },
 "aws.auth#sigv4": {
 "name": "license-manager-linux-subscriptions"
 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id"
],
 "additionalExposedHeaders": [
 "x-amzn-errortype",
 "x-amzn-requestid",

```



```

 "x-amzn-trace-id"
]
},
"smithy.api#documentation": "<p>With License Manager,
you can discover and track your commercial Linux subscriptions on running\n Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager Linux Subscriptions",
"smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
 },
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
]
}

```

```

 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
 }
],
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
},
{
 "conditions": [],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]
 }
]
},
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
},
{
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}

```

```

 }
],
 "type": "tree"
}
],
"type": "tree"
},
{
 "conditions": [],
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
 }
]
 }
]
 }
]
}

```

```

 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],

 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 }
]
 }
]
 },
 {
 "fn": "supportsFIPS"
 }
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
],

```

```

 "rules": [
 {
 "conditions": [],

"rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],

 "type": "tree"
 },
 {
 "type": "tree"
 },
 {
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
 "type": "error"
 }
],
 "type": "tree"
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "rules": [
 {
 "conditions": [
 {

```

```

 "fn": "booleanEquals",
 "argv": [
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 },
 true
]
 },
 "rules": [
 {
 "conditions": [],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
 }
],
 "type": "tree"
},
{
 "conditions": [],
 "error": "FIPS is enabled
but this partition does not support FIPS",
 "type": "error"
}
],
"type": "tree"
},
{

```

```

 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
]
 },
 {
 "conditions": [],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 }
]
 }

```

```

 "type": "tree"
 }

],
 "type": "tree"
},
{
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
}
],
"type": "tree"
},
{
 "conditions": [],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
}
],
"type": "tree"
}
],
"type": "tree"
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
],
"type": "tree"
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [

```



```

{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
 }
 }
}

```

```

 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},

```

```

{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"
 }
 },

```

```

 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack

```

```

enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS":
false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},

```

```

{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
},
{
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
},

```

```

 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {

 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {

 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {

```

```

 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled LinuxSubscriptionsDiscovery"
 },
 {
 "name": "Disabled",
 "value": "Disabled",
 "documentation": "Disabled LinuxSubscriptionsDiscovery"
 }
]
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
 "type": "structure",
 "members": {
 "SourceRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "OrganizationIntegration": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
 "traits": {
 "smithy.api#documentation":
 "<p>Details if you have enabled resource discovery across your accounts in Organizations.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 }
]
}

```



```

 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with commercial Linux\n subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListLinuxSubscriptionInstances"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "Instances"
 }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest":
{
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results by your specified criteria. \n \tFor example, you can specify <code>Region</code> in the <code>Name</code>, with the \n \t<code>contains</code> operator to list all subscriptions that match a partial string in the \n \t<code>Value</code>, such as <code>us-west</code>.</p>\n <p>For each filter, you can specify one of the following values for the <code>Name</code> key \n \tto streamline results:</p>\n \n \n <p>\n <code>AccountID</code>\n </p>\n \n \n <p>\n <code>AmiID</code>\n </p>\n \n \n <p>\n <code>DualSubscription</code>\n </p>\n \n \n <p>\n <code>InstanceID</code>\n </p>\n \n \n <p>\n <code>InstanceType</code>\n </p>\n \n \n <p>\n <code>ProductCode</code>\n </p>\n \n \n <p>\n <code>Region</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n \n <p>\n <code>UsageOperation</code>\n </p>\n \n \n <p>For each filter, you can use one of the following <code>Operator</code>"
 }
 }
 }
}

```

```

values to \n \t\tdefine the behavior of the filter:</p>\n \n \n <p>\n <code>contains</code>\n </p>\n \n \n <p>\n <code>equals</code>\n </p>\n \n \n <p>\n <code>Notequal</code>\n </p>\n \n \n }\n },\n "MaxResults": {\n "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",\n "traits": {\n "smithy.api#documentation": "<p>The maximum items to return in a request.</p>"\n }\n },\n "NextToken": {\n "target": "smithy.api#String",\n "traits": {\n "smithy.api#documentation": "<p>A token to specify where to\nstart paginating. This \n\tis the nextToken from a previously truncated response.</p>",\n "smithy.api#length": {\n "min": 1,\n "max": 16384\n }\n }\n },\n "traits": {\n "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if\nparameters in request increases."\n }\n},\n"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {\n "type": "structure",\n "members": {\n "Instances": {\n "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",\n "traits": {\n "smithy.api#documentation": "<p>An array that contains instance objects.</p>"\n }\n },\n "NextToken": {\n\n "target": "smithy.api#String",\n "traits": {\n "smithy.api#documentation": "<p>The next token used for paginated responses. When this \n\tfield\nisn't empty, there are additional elements that the service hasn't \n\tincluded in this request. Use this token with the\nnext request to retrieve \n\tadditional objects.</p>"\n }\n }\n }\n}

```

```

 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have linked your\n organization, the returned results will include data aggregated across your accounts in\n Organizations.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListLinuxSubscriptions"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 }
 }
 },
 "items": "Subscriptions"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n more sets of key-value pairs that you specify. For example, you can filter by the name of\n <code>Subscription</code> with an optional operator to see subscriptions that match,\n partially match, or don't

```

```

match a certain subscription's name.</p>\n <p>The valid names for this filter are:</p>\n \n
\n <p>\n <code>Subscription</code>\n </p>\n \n \n
<p>The
valid Operators for this filter are:</p>\n \n \n <p>\n <code>contains</code>\n </p>\n \n \n <p>\n <code>equals</code>\n </p>\n \n \n <p>\n <code>NotEqual</code>\n </p>\n \n "
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum items to return in a request.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This \n\tis
the nextToken from a previously truncated response.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 16384
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
 "type": "structure",
 "members": {
 "Subscriptions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
 "traits": {
 "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this \n\tfield
isn't empty, there are additional elements that the service hasn't \n\tincluded in this request. Use this token with the
next request to retrieve \n\tadditional objects.</p>"
 }
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProviders": {
 "type": "operation",
 "input": {
 "target":
"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProvidersRequest"
 },
 "output": {
 "target":
"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProvidersResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>List Bring Your Own License (BYOL) subscription registration
resources for your account.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListRegisteredSubscriptionProviders"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "RegisteredSubscriptionProviders"
 }
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProvidersRequest": {
 "type": "structure",
 "members": {
 "SubscriptionProviderSources": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSourceList",

```





```

 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "tags": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The metadata tags for the requested resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "EQUAL",
 "value": "Equal",
 "documentation": "Equal operator"
 },
 {
 "name": "NOT_EQUAL",
 "value": "NotEqual",
 "documentation": "Not equal operator"
 },
 {
 "name": "CONTAINS",
 "value": "Contains",
 "documentation": "Contains operator"
 }
],
 "smithy.api#length": {
 "min": 1,
 "max": 20
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration":
{
 "type": "string",
 "traits": {
 "smithy.api#enum": [

```



```

 {
 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled OrganizationIntegration"
 },
 {
 "name": "Disabled",
 "value": "Disabled",
 "documentation": "Disabled OrganizationIntegration"
 }
]
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Register the supported third-party subscription provider for your Bring Your Own License (BYOL) subscription.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/RegisterSubscriptionProvider"
 },
 "smithy.api#idempotent": {}
 }
}

```



```

 }
 },
 "SubscriptionProviderStatus": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderStatus",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of the registration action for the Linux
subscription provider \n\t\t\tthat you requested.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#RegisteredSubscriptionProvider":
{
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Linux subscription
provider resource that you registered.</p>"
 }
 },
 "SubscriptionProviderSource": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSource",
 "traits": {
 "smithy.api#documentation": "<p>A supported third-party Linux subscription provider. License
Manager currently supports \n\t\t\tRed Hat subscriptions.</p>"
 }
 },
 "SecretArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SecretArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Secrets Manager secret
that stores your registered Linux subscription provider \n\t\t\taccess token. For RHEL account subscriptions, this is
the offline token.</p>"
 }
 },
 "SubscriptionProviderStatus": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderStatus",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of your registered Linux subscription provider
access token \n\t\t\tfrom the last time License Manager retrieved subscription data. For RHEL account subscriptions,
\n\t\t\tthis is the status of the offline token.</p>"
 }
 }
 },

```

```

"SubscriptionProviderStatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A detailed message that's associated with your BYOL subscription
\n\t\t\tprovider token status.</p>"
 }
},
"LastSuccessfulDataRetrievalTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp from the last time that License Manager accessed
third-party subscription data \n\t\t\tfor your account from your registered Linux subscription provider.</p>"
 }
},
"traits": {
 "smithy.api#documentation": "<p>A third-party provider for operating system (OS) platform software and
license \n\t\t\tsubscriptions, such as Red Hat. When you register a third-party Linux subscription \n\t\t\tprovider,
License Manager can get subscription data from the registered provider.</p>"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#RegisteredSubscriptionProviderList":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisteredSubscriptionProvider"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Unable to find the requested Amazon Web Services resource.</p>",
 "smithy.api#error": "client"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#SecretArn": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^arn:[a-z0-9-\\.]{1,63}:secretsmanager:[a-z0-9-\\.]{0,63}:[a-z0-9-
\\.]{0,63}:secret:[^/]{1,1023}$"
 }
}

```

```

 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "InProgress",
 "value": "InProgress",
 "documentation": "InProgress status"
 },
 {
 "name": "Completed",
 "value": "Completed",
 "documentation": "Completed status"
 },
 {
 "name": "Successful",
 "value": "Successful",
 "documentation": "Successful status"
 },
 {
 "name": "Failed",
 "value": "Failed",
 "documentation": "Failed status"
 }
]
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 },
 "smithy.api#uniqueItems": {}
 }
 }
 }

```

```

 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
 "type": "map",
 "key": {
 "target": "smithy.api#String"
 },
 "value": {
 "target": "smithy.api#String"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the subscription.</p>"
 }
 },
 "Type": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.</p>"
 }
 },
 "InstanceCount": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An object which details a discovered Linux subscription.</p>"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn": {

```



```

"com.amazonaws.licensemanagerlinuxsubscriptions#TagKeyList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#sensitive": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#TagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Add metadata tags to the specified Amazon Web Services resource.</p>",
 "smithy.api#http": {
 "method": "PUT",
 "uri": "/tags/{resourceArn}"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#TagResourceRequest": {
 "type": "structure",
 "members": {
 "resourceArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",

```





```

 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#documentation":
"<p>The request was denied due to request throttling.</p>",
 "smithy.api#error": "client"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Remove one or more metadata tag from the specified Amazon Web
Services resource.</p>",
 "smithy.api#http": {
 "method": "DELETE",
 "uri": "/tags/{resourceArn}"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "resourceArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Amazon Web Services
resource to remove the metadata tags from.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 }
 },
 "tagKeys": {

```

```
"target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>A list of metadata tag keys to remove from the requested resource.</p>",
 "smithy.api#httpQuery": "tagKeys",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
 }
},
"errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/UpdateServiceSettings"
 },

```

```

 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
 "smithy.api#required": {}
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated from.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowUpdate": {
 "target":
"smithy.api#Boolean",
 "traits": {
 "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux subscriptions. If you\n allow updates, you can aggregate Linux subscription data in more than one home Region.</p>"
 }
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated from.</p>"
 }
 }
 }
}

```

```

 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
 }
 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n subscriptions.</p>"
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",
 "smithy.api#error": "client"
 }
}
}
}

```

GetLicense

Initialize stack step

spanInitializeStart

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

OperationInputValidation

spanInitializeEnd

Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
CheckoutBorrowLicense  
Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID

```

ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package grafana

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Assigns a Grafana Enterprise license to a workspace. To upgrade, you must use
// ENTERPRISE for the licenseType , and pass in a valid Grafana Labs token for the
// grafanaToken . Upgrading to Grafana Enterprise incurs additional fees. For more
// information, see [Upgrade a workspace to Grafana Enterprise].
//
// [Upgrade a workspace to Grafana Enterprise]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-
// Grafana-Enterprise.html
func (c *Client) AssociateLicense(ctx context.Context, params *AssociateLicenseInput, optFns ...func(*Options))
(*AssociateLicenseOutput, error) {

```

```

if params == nil {
 params = &AssociateLicenseInput{}
}

result, metadata, err := c.invokeOperation(ctx,
"AssociateLicense", params, optFns, c.addOperationAssociateLicenseMiddlewares)
if err != nil {
 return nil, err
}

out := result.(*AssociateLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type AssociateLicenseInput struct {

 // The type of license to associate with the workspace.
 //
 // Amazon Managed Grafana workspaces no longer support Grafana Enterprise free
 // trials.
 //
 // This member is required.
 LicenseType types.LicenseType

 // The ID of the workspace to associate the license with.
 //
 // This member is required.
 WorkspaceId *string

 // A token from Grafana Labs that ties your Amazon Web Services account with a
 // Grafana Labs account. For more information, see [Link your account with Grafana Labs].
 //
 // [Link your account with Grafana Labs]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-Grafana-Enterprise.html#AMG-workspace-register-enterprise
 GrafanaToken *string

 noSmithyDocumentSerde
}

type AssociateLicenseOutput
struct {

 // A structure containing data about the workspace.
 //
 // This member is required.
 Workspace *types.WorkspaceDescription

```



```

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "AssociateLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack,
options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {
 return err
 }
 if err = addRecordResponseTiming(stack); err != nil {

```

```

return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
return err
}
if err = addTimeOffsetBuild(stack,
c); err != nil {
return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = addRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
if err = addSpanInitializeStart(stack); err != nil {
return err
}

```

```

}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err !=
nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "AssociateLicense",
}
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

// Lists received licenses.

```
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns
...func(*Options)) (*ListReceivedLicensesOutput, error) {
 if params == nil {
 params = &ListReceivedLicensesInput{}
 }
}
```

```
 result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,
c.addOperationListReceivedLicensesMiddlewares)
 if err != nil {
 return nil, err
 }
}
```

```
out := result.(*ListReceivedLicensesOutput)
```



```

out.ResultMetadata = metadata
return out, nil
}

type ListReceivedLicensesInput struct {

 // Filters to scope the results. The following filters are supported:
 //
 // - ProductSKU
 //
 // - Status
 //
 //
 // - Fingerprint
 //
 // - IssuerName
 //
 // - Beneficiary
 Filters []types.Filter

 // Amazon Resource Names (ARNs) of the licenses.
 LicenseArns []string

 // Maximum number of results to return in a single call.
 MaxResults *int32

 // Token for the next set of results.
 NextToken *string

 noSmithyDocumentSerde
}

type ListReceivedLicensesOutput struct {

 // Received license details.
 Licenses []types.GrantedLicense

 // Token for the next set of results.
 NextToken *string

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err
error) {

```

```

if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{}, middleware.After)
if err != nil {
 return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{},
middleware.After)
if err != nil {
 return err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "ListReceivedLicenses"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err =

```

```

addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err !=
nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {

```

```

return err
}
return nil
}

func newServiceMetadataMiddleware_opListReceivedLicenses(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "ListReceivedLicenses",
}
}
DeleteLicense
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
spanInitializeEnd
Serialize stack step
spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody

```

```

ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
{
 "smithy": "2.0",
 "metadata": {
 "suppressions": [
 {
 "id": "HttpMethodSemantics",
 "namespace": "*"
 },
 {
 "id": "HttpStatusCodeSemantics",
 "namespace": "*"
 },
 {
 "id": "PaginatedTrait",
 "namespace": "*"
 },
 {
 "id": "HttpHeaderTrait",
 "namespace": "*"
 },
 {
 "id": "HttpUriConflict",
 "namespace": "*"
 },
 {
 "id": "Service",
 "namespace": "*"
 }
]
 },
 "shapes": {
 "com.amazonaws.licensemanager#AWSLicenseManager": {
 "type": "service",
 "version": "2018-08-01",
 "operations": [
 {
 "target": "com.amazonaws.licensemanager#AcceptGrant"
 },
 {
 "target": "com.amazonaws.licensemanager#CheckInLicense"
 }
]
 }
 }
}

```

```

{
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
},
{
 "target": "com.amazonaws.licensemanager#CheckoutLicense"
},
{
 "target": "com.amazonaws.licensemanager#CreateGrant"
},
{
 "target": "com.amazonaws.licensemanager#CreateGrantVersion"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicense"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
},
{
 "target": "com.amazonaws.licensemanager#CreateToken"
},
{
 "target": "com.amazonaws.licensemanager#DeleteGrant"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicense"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#DeleteToken"
},
{
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
}

```

```

},
{
 "target": "com.amazonaws.licensemanager#GetAccessToken"
},
{
 "target": "com.amazonaws.licensemanager#GetGrant"
},
{
 "target": "com.amazonaws.licensemanager#GetLicense"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseUsage"
},
{
 "target": "com.amazonaws.licensemanager#GetServiceSettings"
},
{
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#ListDistributedGrants"
},
{
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenses"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
}

```

```

},
{
 "target": "com.amazonaws.licensemanager#ListLicenseVersions"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedGrants"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
},
{
 "target": "com.amazonaws.licensemanager#ListResourceInventory"
},
{
 "target": "com.amazonaws.licensemanager#ListTagsForResource"
},
{
 "target": "com.amazonaws.licensemanager#ListTokens"
},
{
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#RejectGrant"
},
{
 "target": "com.amazonaws.licensemanager#TagResource"
},
{
 "target": "com.amazonaws.licensemanager#UntagResource"
},
{
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
},
{

```



```

 "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
 }
],
"traits": {
 "aws.api#service": {
 "sdkId": "License Manager",
 "arnNamespace": "license-manager",
 "cloudFormationName": "LicenseManager",
 "cloudTrailEventSource": "licensemanager.amazonaws.com",
 "endpointPrefix": "license-manager"
 },
 "aws.auth#sigv4": {
 "name": "license-manager"
 },
 "aws.protocols#awsJson1_1": {},
 "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n Amazon Web Services accounts and on-premises servers.</p>",
 "smithy.api#title": "AWS License Manager",
 "smithy.api#xmlNamespace": {
 "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
 },
 "smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {

```

```

 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
},
"rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
 },
 {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 }
],
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]
}

```

```

],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
},
{
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
]
},
"tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",

```

"UseFIPS"

```
 "argv": [
 {
 "ref":

 },
 true
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 true
]
 }
]
 }
]
```

```

"supportsDualStack"
]
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}

 },
 "type": "endpoint"
 }
],
 {
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
 }
],
{
 "conditions": [
 {
 "fn": "booleanEquals",

 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {

```

```

 "fn": "booleanEquals",
 "argv": [
 true,
],
 },
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
],
 },
],
"type": "tree",
"rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 },
 {
 "conditions": [],
 "error": "FIPS is enabled but this
partition does not support FIPS",
 "type": "error"
 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
],
 }
],
 }
],

```

```

 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 }
],
 }
],
 }
],
 "supportsDualStack"
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 {
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
 }
],
{
 "conditions": [],
 "endpoint": {

```

```

 "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
]
}
]
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.af-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "af-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",

```



```

 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
},
{
 "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-south-1",
 "UseFIPS": false,

```

```

 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-1.amazonaws.com"
 }
 }
},
{
 "params": {
 "Region": "ap-southeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-2.amazonaws.com"
 }
 }
},
{
 "params": {
 "Region": "ap-southeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-3.amazonaws.com"
 }
 }
},
{
 "params": {
 "Region": "ap-southeast-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {

```

```

 "url": "https://license-manager.ca-central-1.amazonaws.com"
 }
},

"params": {
 "Region": "ca-central-1",
 "UseFIPS": false,
 "UseDualStack": false
}
},
{
 "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-central-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-central-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-north-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region":
"eu-south-1",
 "UseFIPS": false,

```

```

 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {

```

```

 "url": "https://license-manager.me-south-1.amazonaws.com"
 },
 "params": {
 "Region": "me-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.sa-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "sa-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
}

```

```

 },
 {
 "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region
us-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-1.amazonaws.com"
 }
 }
 }
]
}

```

```

 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 }
}

```

```

 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-northwest-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 }
 }

```



```

 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {

```

```

 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation":
 "For region us-gov-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.api.aws"
 }
 },
 },

```

```

"params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {

```

```

 "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
 }
},
"params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
}
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled
but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",

```

```

 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },

 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",

 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,

```

```

 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
],
"version": "1.0"
}
},
"com.amazonaws.licensemanager#AcceptGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
 },
 "output": {

```

```

 "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
 },
 "com.amazonaws.licensemanager#AcceptGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#AcceptGrantResponse": {
 "type": "structure",
 "members": {

```

```

 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant
ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#AccessDeniedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ServiceAccessDenied",
 "httpResponseCode": 401
 },
 "smithy.api#documentation": "<p>Access to resource denied.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 401
 }
 },
 "com.amazonaws.licensemanager#ActivationOverrideBehavior": {
 "type": "enum",
 "members": {
 "DISTRIBUTED_GRANTS_ONLY": {
 "target": "smithy.api#Unit",
 "traits": {

```



```

 "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
 }
},
"ALL_GRANTS_PERMITTED_BY_ISSUER": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
 }
}
},
"com.amazonaws.licensemanager#AllowedOperation": {
 "type": "enum",
 "members": {
 "CREATE_GRANT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateGrant"
 }
 },
 "CHECKOUT_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutLicense"
 }
 },
 "CHECKOUT_BORROW_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutBorrowLicense"
 }
 },
 "CHECK_IN_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckInLicense"
 }
 },
 "EXTEND_CONSUMPTION_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ExtendConsumptionLicense"
 }
 },
 "LIST_PURCHASED_LICENSES": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "ListPurchasedLicenses"
 }
 },
 "CREATE_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateToken"
 }
 }
},
"com.amazonaws.licensemanager#AllowedOperationList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#AllowedOperation"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max":
7
 }
 }
},
"com.amazonaws.licensemanager#Arn": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 2048
 },
 "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d))?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[A-Za-
z0-9_/.-]{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9:/+=,@.-]{0,1023}$"
 }
},
"com.amazonaws.licensemanager#ArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 }
},
"com.amazonaws.licensemanager#AuthorizationException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 }
}

```

```

 },
 "traits": {
 "aws.protocols#awsQueryError":
 {
 "code": "AuthorizationFailure",
 "httpResponseCode": 403
 },
 "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to
perform the action. Check the IAM\n policy associated with this account.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 403
 }
},
"com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
 "type": "structure",
 "members": {
 "LastRunTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes automated discovery.</p>"
 }
},

"com.amazonaws.licensemanager#Boolean": {
 "type": "boolean",
 "traits": {
 "smithy.api#default": false
 }
},

"com.amazonaws.licensemanager#BorrowConfiguration": {
 "type": "structure",
 "members": {
 "AllowEarlyCheckIn": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",

```

```

 "smithy.api#required": {}
 }
}

},
"traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
}
},
"com.amazonaws.licensemanager#BoxBoolean": {
 "type": "boolean"
},
"com.amazonaws.licensemanager#BoxInteger": {
 "type": "integer"
},
"com.amazonaws.licensemanager#BoxLong": {
 "type": "long"
},
"com.amazonaws.licensemanager#CheckInLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
 }
},
"com.amazonaws.licensemanager#CheckInLicenseRequest":
{
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CheckInLicenseResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicense":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
 },

```

```

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
 "type": "structure",
 "members":
{
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must

```

```

use the borrow consumption configuration.</p>",
 "smithy.api#required": {}
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
 "smithy.api#required": {}
 }
 },
 "DigitalSignatureMethod": {
 "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
 "traits": {
 "smithy.api#documentation": "<p>Digital signature method. The possible
value is JSON Web Signature (JWS) algorithm PS384.\n For more information, see RFC 7518 Digital Signature with RSASSA-PSS.</p>",
 "smithy.api#required": {}
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
 "type": "structure",
 "members": {

```

```

"LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
},
"LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
},
"EntitlementsAllowed":
{
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
},
"NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
},
"SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
},
"IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
 }
},
"Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
 }
},
"CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
}

```



```

 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CheckoutLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 },

```

```

 "traits": {
 "smithy.api#documentation": "<p>Checks out the specified license.</p>\n <note>\n <p>If the
account that created the license is the same that is performing the check out, you must\n specify the account
as the beneficiary.</p>\n </note>"
 }
 },
 "com.amazonaws.licensemanager#CheckoutLicenseRequest": {
 "type": "structure",
 "members": {
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
SKU.</p>",
 "smithy.api#required": {}
 }
 },
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>",
 "smithy.api#required": {}
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 }
},
"traits": {

"smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicenseResponse": {
 "type": "structure",
 "members": {
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>"
 }
 },
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 },
 "EntitlementsAllowed": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
 },
 "SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 }
 }
}

```

```

 }
 },
 "IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CheckoutType": {
 "type": "enum",
 "members": {
 "PROVISIONAL": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PROVISIONAL"
 }
 },
 "PERPETUAL": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PERPETUAL"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#ClientRequestToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,

```

```

 "max": 36
 }
}
},
"com.amazonaws.licensemanager#ClientToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 2048
 },
 "smithy.api#pattern": "^\\S+$"
 }
},
"com.amazonaws.licensemanager#ConflictException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ConflictException",
 "httpResponseCode":
409
 },
 "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 409
 }
},
"com.amazonaws.licensemanager#ConsumedLicenseSummary": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
 }
 }
}

```

```

 },

 "traits": {
 "smithy.api#documentation": "<p>Details about license consumption.</p>"
 }
},
"com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
 }
},
"com.amazonaws.licensemanager#ConsumptionConfiguration": {
 "type": "structure",
 "members": {
 "RenewType": {
 "target": "com.amazonaws.licensemanager#RenewType",
 "traits": {
 "smithy.api#documentation": "<p>Renewal frequency.</p>"
 }
 },
 "ProvisionalConfiguration": {
 "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
 },
 "BorrowConfiguration": {
 "target": "com.amazonaws.licensemanager#BorrowConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantResponse"
 },
 "errors": [
 {

```

```

 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href='\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrantRequest": {
 "type": "structure",
 "members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Principals": {
 "target": "com.amazonaws.licensemanager#PrincipalArnList",
 "traits": {
 "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an Amazon Resource Name (ARN):</p>\n \n \n <p>An Amazon Web Services account, which includes only the account specified.</p>\n \n \n <p>An organizational unit (OU), which includes all accounts in the OU.</p>\n \n \n \n <p>An organization, which will include all accounts across your organization.</p>\n \n \n \n \n ",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {

```



```

 "smithy.api#documentation": "<p>Grant ARN.</p>"
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateGrantVersion":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information,
see\n <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrantVersionRequest": {
 "type": "structure",
 "members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 }
 }
 },
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>"
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 }
},

```

```

 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the grant.</p>"
 }
 },
 "Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateGrantVersionResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the grant.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#CreateLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a license configuration.</p>\n <p>A license configuration is an abstraction of a customer license agreement that can be\n consumed and enforced by License Manager. Components include specifications for the license\n type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a \n license must be associated with a host), and the number of licenses purchased and used.</p>"
 }
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used. Exceeding a hard limit\n blocks the launch of new instances.</p>"
 }
 },
 "LicenseRules": {
 "target":
"com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example, #allowedTenancy=EC2-DedicatedHost). The available rules \n vary by dimension, as follows.</p>\n
\n \n <p>\n <code>Cores</code> dimension: <code>allowedTenancy</code> |\n <code>licenseAffinityToHost</code> |\n <code>maximumCores</code> |\n <code>minimumCores</code>\n </p>\n \n \n <p>\n <code>Instances</code> dimension: <code>allowedTenancy</code> |\n <code>maximumCores</code> |\n <code>minimumCores</code> |\n <code>maximumSockets</code> | <code>minimumSockets</code> |\n <code>maximumVcpus</code> | <code>minimumVcpus</code>\n </p>\n \n \n <p>\n <code>Sockets</code> dimension: <code>allowedTenancy</code> |\n <code>licenseAffinityToHost</code> |\n <code>maximumSockets</code> |\n <code>minimumSockets</code>\n </p>\n \n \n <p>\n <code>vCPUs</code> dimension: <code>allowedTenancy</code> |\n <code>honorVcpuOptimization</code> |\n <code>maximumVcpus</code> |\n <code>minimumVcpus</code>\n </p>\n \n \n <p>The unit for <code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible \n values for <code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and \n <code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are \n <code>True</code> and <code>False</code>.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",

```

```

 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
{
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
 }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting the license type for.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting from. \n\n For the structure of the source license, see Convert a license type using the CLI in the <i>License Manager User Guide</i>.</p>",
 "smithy.api#required": {}
 }
 },
 "DestinationLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting to. For the structure of the destination license, see Convert a license type using the CLI in the <i>License Manager User Guide</i>.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```



```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

 "traits": {
 "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Creates a report generator.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "ReportGeneratorName":
 {
 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
 },
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be
generated:</p>\n \n \n <p>License configuration report - Reports the number and
details of consumed licenses for a license configuration.</p>\n \n \n <p>Resource
report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n \n
",
 "smithy.api#required": {}
 }
 }
},
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>Defines the type of license configuration the report generator
tracks.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be
generated daily, monthly, or weekly.</p>",
 "smithy.api#required": {}
 }
 }
}

```

```

 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique,
case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 }
},
"ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
name.</p>",
 "smithy.api#required": {}
 }
},
"ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>",
 "smithy.api#required": {}
 }
},
"Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
 }
},
"HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region for the license.</p>",
 "smithy.api#required": {}
 }
}
},
"Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
 "smithy.api#required": {}
 }
},
"Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
}

```

```

 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
 "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {

```

```

 "smithy.api#documentation": "<p>License status.</p>"
 }
},
"Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
}
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateLicenseVersion": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
},

```

```

 "traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target":
"com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>",
 "smithy.api#required": {}
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-

```

```

UTC format.</p>",
 "smithy.api#required": {}
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>"
 }
 }
}

```



```

 },
 "traits": {

"smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>"
 }
 },
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output":
{}
 }
},
"com.amazonaws.licensemanager#CreateToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
],

```

```

 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
],
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n <p>A refresh token is a JWT token used to get an access token. With an access token,\n you can call AssumeRoleWithWebIdentity to get role credentials that you can use to \n call License Manager to manage the specified license.</p>"
}
},
"com.amazonaws.licensemanager#CreateTokenRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n JWT token.</p>",
 "smithy.api#required": {}
 }
 },
 },
 "RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the token.\n License Manager does not check whether the roles are in use.</p>"
 }
 },
 },
 "ExpirationInDays": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The
default is 365 days.</p>"
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The
data is mapped\nto the amr claim of the JWT token.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#CreateTokenResponse": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
 },
 "TokenType": {
 "target": "com.amazonaws.licensemanager#TokenType",
 "traits": {
 "smithy.api#documentation": "<p>Token type.</p>"
 }
 },
 "Token": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#DateTime": {
 "type": "timestamp"
 },
 "com.amazonaws.licensemanager#DatetimeRange": {
 "type": "structure",
 "members": {
 "Begin": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Start of the time range.</p>",
 "smithy.api#required": {}
 }
 },
 "End": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>End of the time range.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
 }
 },
 "com.amazonaws.licensemanager#DeleteGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
}
},
"com.amazonaws.licensemanager#DeleteGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the
grant.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes the specified license.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
 },
},

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n <p>You cannot delete a license configuration that is in use.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
 "type": "structure",
 "members":

```

```

{
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {

```



```

 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n <p>This action
deletes the report generator, which stops it from generating future reports.\n The action cannot be reversed. It
has no effect on the previous reports from this generator.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be
deleted.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>",
 "smithy.api#required":
 {}
 }
},
"traits": {
 "smithy.api#input": {}
},
"com.amazonaws.licensemanager#DeleteLicenseResponse": {
 "type": "structure",
 "members": {
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "DeletionDate": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
 },
 "com.amazonaws.licensemanager#DeleteTokenRequest": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteTokenResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#DigitalSignatureMethod": {
 "type": "enum",
 "members": {
 "JWT_PS384": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "JWT_PS384"
 }
 },
 "com.amazonaws.licensemanager#Entitlement": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#Long",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
 }
 },
 "Overage": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement unit.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowCheckIn": {
 "target":
"com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
 }
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
 }
},
"com.amazonaws.licensemanager#EntitlementData": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data name.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement
data value.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data unit.</p>",
 "smithy.api#required": {}
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
}
},
"com.amazonaws.licensemanager#EntitlementDataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementData"
 }
},
"com.amazonaws.licensemanager#EntitlementDataUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

"smithy.api#enumValue": "Count"
 }
 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes"
 }
 },
 "KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
 },
 "MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
 },
 "GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "Gigabytes"
 }
},
"TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
},
"BITS":
{
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits"
 }
},
"KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits"
 }
},
"MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
},
"GIGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
},
"TERABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
}
},
"PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
},
"BYTES_PER_SECOND": {

```

```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
 },
 "KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
 },
 "MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
 },
 "GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
 },
 "TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes/Second"
 }
 },
 "BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
 },
 "KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
 },
 "MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue":
"Megabits/Second"
 }
 },

```



```

 "GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
 },
 "TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
 },
 "COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
 }
 },
 "com.amazonaws.licensemanager#EntitlementList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Entitlement"
 }
 },
 "com.amazonaws.licensemanager#EntitlementNotAllowedException":
 {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#EntitlementUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count"
 }
 }
 }
 }

```

```

 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS":
 {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes"
 }
 },
 "KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
 },
 "MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
 },
 "GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes"
 }
 }
}

```

```

 }
 },
 "TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
 },
 "BITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits"
 }
 },
 "KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {

 "smithy.api#enumValue": "Kilobits"
 }
 },
 "MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
 },
 "GIGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
 },
 "TERABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
 },
 "PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
 },
 "BYTES_PER_SECOND": {
 "target":

```

```

"smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
},
"KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
},
"MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
},
"GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
},
"TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {

"smithy.api#enumValue": "Terabytes/Second"
 }
},
"BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
},
"KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
},
"MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits/Second"
 }
},

```

```

"GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
},

"TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
},

"COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
}
},

"com.amazonaws.licensemanager#EntitlementUsage": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement usage name.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumedValue": {
 "target": "com.amazonaws.licensemanager#String",

 "traits": {
 "smithy.api#documentation": "<p>Resource usage consumed.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
 "smithy.api#required": {}
 }
}
},
"traits": {
 "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
}
},
"com.amazonaws.licensemanager#EntitlementUsageList":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementUsage"
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumption": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {

```

```

 "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "DryRun": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},

```

```

"com.amazonaws.licensemanager#FailedDependencyException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 },
 "ErrorCode": {
 "target": "com.amazonaws.licensemanager#String"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "FailedDependency",
 "httpResponseCode": 424
 },
 "smithy.api#documentation":
 "<p>A dependency required to run the API is missing.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 424
 }
},
"com.amazonaws.licensemanager#Filter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#FilterName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
 }
 },
 "Values": {
 "target": "com.amazonaws.licensemanager#FilterValues",
 "traits": {
 "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only specify one value for the filter.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter name and value pair that is used to return more specific results from a\n describe operation. Filters can be used to match a set of resources by specific criteria,\n such as tags, attributes, or IDs.</p>"
 }
},
"com.amazonaws.licensemanager#FilterLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {

```



```

 "target": "com.amazonaws.licensemanager#Message"
 }
},
"traits": {
 "aws.protocols#awsQueryError": {
 "code": "FilterLimitExceeded",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
}
},
"com.amazonaws.licensemanager#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter"
 }
},
"com.amazonaws.licensemanager#FilterName": {
 "type": "string"
},
"com.amazonaws.licensemanager#FilterValue": {
 "type": "string"
},
"com.amazonaws.licensemanager#FilterValues": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#FilterValue",
 "traits": {
 "smithy.api#xmlName": "item"
 }
 }
},
"com.amazonaws.licensemanager#Filters": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter",
 "traits": {
 "smithy.api#xmlName": "item"
 }
 }
},
"com.amazonaws.licensemanager#GetAccessToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
 },

```

```

"output": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets a temporary access token to use with
AssumeRoleWithWebIdentity. Access
tokens\n are valid for one hour.</p>"
 }
},
"com.amazonaws.licensemanager#GetAccessTokenRequest": {
 "type": "structure",
 "members": {
 "Token": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
 "smithy.api#required": {}
 }
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},

```

```

"com.amazonaws.licensemanager#GetAccessTokenResponse":
{
 "type": "structure",
 "members": {
 "AccessToken": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Temporary access token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {

```

```

 "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#GetGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetGrantResponse": {
 "type": "structure",
 "members": {
 "Grant": {
 "target": "com.amazonaws.licensemanager#Grant",
 "traits": {
 "smithy.api#documentation": "<p>Grant details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseResponse"
 },
 "errors": [

```

```

 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
}

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license
configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 }
 }
 }
}

```

```

 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",

 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License configuration status.</p>"
 }
 },
},
"OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
 }
},
"ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
 }
 },
 "ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#GetLicenseConversionTask": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
 },
 },

```



```

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information on.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
 }
 }
 },
 "ResourceArn": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license
conversion task is associated with.</p>"
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information
about the license type converted from.</p>"
 }
 },
 "DestinationLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
 }
 },
 "StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
 }
 },
 "LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
 }
 },
 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was

```

```

completed.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
 }
},

```

```

"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
 "smithy.api#required":
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "ReportGenerator": {
 "target": "com.amazonaws.licensemanager#ReportGenerator",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseResponse": {
 "type": "structure",
 "members": {
 "License": {
 "target": "com.amazonaws.licensemanager#License",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },

 "com.amazonaws.licensemanager#GetLicenseUsage": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
 }
}

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetLicenseUsageRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseUsageResponse": {
 "type": "structure",
 "members": {
 "LicenseUsage": {
 "target":
"com.amazonaws.licensemanager#LicenseUsage",
 "traits": {
 "smithy.api#documentation": "<p>License usage details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#GetServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
}
},
"com.amazonaws.licensemanager#GetServiceSettingsRequest": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data,
discovery data,\n and so on.</p>"
 }
 }
 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n cross-account discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
 },
 "LicenseManagerResourceShareArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License
Manager management account \n provides member accounts with access to this share.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#Grant": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
 },
 "ParentArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Parent ARN.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },

```



```

 "GranteePrincipalArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The grantee principal ARN.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantStatus": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Granted operations.</p>",
 "smithy.api#required": {}
 }
 },
 "Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#documentation":
"<p>Describes a grant.</p>"
 }
 },
 "com.amazonaws.licensemanager#GrantList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Grant"
 }
 },
 "com.amazonaws.licensemanager#GrantStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_ACCEPT"
 }
 },
 "REJECTED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 }
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 },
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 },
 "WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
 }
},
"com.amazonaws.licensemanager#GrantedLicense": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
 },
 "ProductSKU": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {
 "smithy.api#documentation": "<p>Granted license issuer.</p>"
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>Granted license status.</p>"
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in ISO8601-UTC format.</p>"
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
 }
}

```

```

 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Granted license metadata.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
 }
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Version of the granted license.</p>"
 }
 },
 "ReceivedMetadata": {
 "target": "com.amazonaws.licensemanager#ReceivedMetadata",
 "traits": {
 "smithy.api#documentation": "<p>Granted license received metadata.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
 },
 "com.amazonaws.licensemanager#GrantedLicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#GrantedLicense"
 }
 },
 "com.amazonaws.licensemanager#ISO8601DateTime":
{
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^(-(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|[1-2][0-9])T(2[0-3]|0[0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(?:Z|[-+](?:2[0-3]|0[0-9]):[0-5][0-9])+$)"
 }
}

```

```

 },
 "com.amazonaws.licensemanager#Integer": {
 "type": "integer"
 },
 "com.amazonaws.licensemanager#InvalidParameterValueException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidParameterValueProvided",
 "httpResponseCode": 400
 },
 "smithy.api#documentation":
 "<p>One or more parameter values are not valid.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#InvalidResourceStateException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResourceState",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its
state. </p>\n <p>For example, you cannot allocate a license to an instance in the process of shutting\n
down.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#InventoryFilter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Name of the filter.</p>",
 "smithy.api#required": {}
 }
},
"Condition": {
 "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
 "traits": {
 "smithy.api#documentation": "<p>Condition of the filter.</p>",
 "smithy.api#required": {}
 }
},
"Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Value of the filter.</p>"
 }
}
},
"traits": {
 "smithy.api#documentation": "<p>An inventory filter.</p>"
}
},
"com.amazonaws.licensemanager#InventoryFilterCondition": {
 "type": "enum",
 "members": {
 "EQUALS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EQUALS"
 }
 },
 "NOT_EQUALS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "NOT_EQUALS"
 }
 },
 "BEGINS_WITH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "BEGINS_WITH"
 }
 },
 "CONTAINS": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "CONTAINS"
 }
 }
 },
 "com.amazonaws.licensemanager#InventoryFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#InventoryFilter"
 }
 },
 "com.amazonaws.licensemanager#Issuer": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>",
 "smithy.api#required": {}
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#IssuerDetails": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>"
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n and support the RSASSA-PSS SHA-256 signing

```



```

algorithm.</p>"
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
 }
},
"com.amazonaws.licensemanager#License": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>"
 }
 }
 },

```

```

 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

 "smithy.api#documentation": "<p>Home Region of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 },
 "Entitlements": {

 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>License metadata.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {

```

```

 "smithy.api#documentation": "<p>License
creation time.</p>"
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConfiguration": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
 }
 }
 },
 },

```

```

"LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
},
"LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 }
},
"LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
 }
},
"DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
},
"ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license configuration.</p>"
 }
},
"OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
 }
},
"ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
 }
}

```

```

 }
 },
 "ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be\n consumed and enforced by License Manager. Components include specifications for the license\n type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM\n must be associated with a host), and the number of licenses purchased and used.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
 "type": "structure",
 "members": {
 "ResourceArn":
 {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of server resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource
consuming licenses.</p>"
 }
 },
 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
 }
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
 }
 },
 "com.amazonaws.licensemanager#LicenseConfigurationStatus": {
 "type": "enum",
 "members":
 {
 "AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 }
 }
 },

```

```

"com.amazonaws.licensemanager#LicenseConfigurationUsage": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 },
 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time when the license configuration was initially associated with
the resource.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license
configuration.</p>"
 }
 },

```

```

"com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
 }
},
"com.amazonaws.licensemanager#LicenseConfigurations": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfiguration"
 }
},
"com.amazonaws.licensemanager#LicenseConversionContext": {
 "type": "structure",
 "members": {
 "UsageOperation": {
 "target": "com.amazonaws.licensemanager#UsageOperation",
 "traits": {
 "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you
are converting your resource from. For more information about which platforms correspond to which usage
operation values see <a href='\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-
fields.html#billing-info\">Sample data: usage operation by platform\\n \\n </p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseConversionTask": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\\n conversion task.</p>"
 }
 }
 },
 "SourceLicenseContext": {

```



```

 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
 }
 },
 "DestinationLicenseContext": {
 "target":
"com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>The status of the conversion task.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
 },
 "StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
 }
 },
 "LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
 }
 },
 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
 }
 }
},
"traits": {

```

```

 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConversionTaskId": {
 "type": "string",
 "traits": {

 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^\\p{Ll}t-[a-zA-Z0-9]*$"
 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
 "type": "enum",
 "members": {
 "IN_PROGRESS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "IN_PROGRESS"
 }
 },
 "SUCCEEDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUCCEEDED"
 }
 },
 "FAILED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTasks":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTask"
 }
},
 "com.amazonaws.licensemanager#LicenseCountingType": {
 "type": "enum",
 "members": {
 "VCPU": {

```

```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "vCPU"
 }
 },
 "INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Instance"
 }
 },
 "CORE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Core"
 }
 },
 "SOCKET": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Socket"
 }
 }
},
"com.amazonaws.licensemanager#LicenseDeletionStatus": {
 "type": "enum",
 "members": {
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
 }
},
"com.amazonaws.licensemanager#LicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#License"
 }
},

```

```

"com.amazonaws.licensemanager#LicenseOperationFailure": {

 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type.</p>"
 }
 },
 "ErrorMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Error message.</p>"
 }
 },
 "FailureTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Failure time.</p>"
 }
 },
 "OperationName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the operation.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the
resource.</p>"
 }
 },
 "OperationRequestedBy": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
 }
 }
 },

```

```

"MetadataList": {

 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Reserved.</p>"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
},
"com.amazonaws.licensemanager#LicenseOperationFailureList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
 }
},
"com.amazonaws.licensemanager#LicenseSpecification": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",

 "smithy.api#required": {}
 }
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseSpecifications": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseSpecification"
 }
},

```

```

"com.amazonaws.licensemanager#LicenseStatus": {
 "type": "enum",
 "members": {
 "AVAILABLE": {
 "target": "smithy.api#Unit",

 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 },
 "PENDING_AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_AVAILABLE"
 }
 },
 "DEACTIVATED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DEACTIVATED"
 }
 },
 "SUSPENDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUSPENDED"
 }
 },
 "EXPIRED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EXPIRED"
 }
 },

 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
 }
}

```

```

 },
 "com.amazonaws.licensemanager#LicenseUsage": {
 "type": "structure",
 "members": {
 "EntitlementUsages": {
 "target": "com.amazonaws.licensemanager#EntitlementUsageList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlement usages.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#LicenseUsageException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "LicenseUsageFailure",
 "httpResponseCode": 412
 },
 "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource launch.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 412
 }
 },
 "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 }
]
 }
 }

```

```

 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the resource associations for the
specified license configuration.</p>\n <p>Resource associations need not consume licenses from a license
configuration. \n For example, an AMI or a stopped instance might not consume a license (depending on \n
the license rules).</p>"
}
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}

```



```

 }
 },
 "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationAssociations": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListDistributedGrants": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 }
]
 }
 }
}

```

```

 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
 "type": "structure",
 "members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n \n <p>\n <code>GranteePrincipalARN</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>LicenseIssuerName</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",

"traits": {
 "smithy.api#documentation": "<p>Distributed grant details.</p>"
}
},
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
 }
}

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":
{
 "type": "structure",
 "members": {
 "LicenseOperationFailureList": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
 "traits": {
 "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
 },

 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
 }
 }
 }
 }
}

```

```

 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
 <code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
 operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
 enforcement is used. \n Logical operators are <code>EQUALS</code> |
 <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>usagelimitExceeded</code> - A Boolean value that
 indicates whether the available licenses have been exceeded. \n Logical operators are
 <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n "
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurations": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasks": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
 "type": "structure",
 "members": {
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {

```

```

 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {

"smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>\n Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n </p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTasks": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
 },
 "errors": [

```



```

 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
{
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n \n \n <p>\n <code>LicenseConfigurationArn</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },

```

```

 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits":
 {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
 "type": "structure",
 "members": {
 "ReportGenerators": {
 "target": "com.amazonaws.licensemanager#ReportGeneratorList",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an
associated license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseSpecifications": {

```

```

 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#ListLicenseVersions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
 "type": "structure",
 "members": {

```

```

"LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
},
"NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
},
"MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
},
"traits": {
 "smithy.api#input": {}
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenses": {
 "type": "operation",
 "input": {

```

```

 "target": "com.amazonaws.licensemanager#ListLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicensesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>Fingerprint</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n "
 }
 }
}

```

```

 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token
for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicensesResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrants": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
 }
 },

```

```

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the\n recipient as this Amazon Web Services account, your organization, or an organizational unit\n (OU) to which this member account belongs.</p>"
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {

```



```

 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
}
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
 "smithy.api#required": {}
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n
 \n
 \n
 <p>\n
 <code>ParentArn</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>GranteePrincipalArn</code>\n
 </p>\n
 \n
 "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
 {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
 "type": "structure",
 "members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>LicenseIssuerName</code>\n </p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n \n <p>\n <code>GranterAccountId</code>\n </p>\n \n "
 }
 },
 "NextToken": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",
 "traits": {
 "smithy.api#documentation": "<p>Received grant details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicenses": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists received licenses.</p>"
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
 \n
 \n
 <p>\n
 <code>ProductSKU</code>\n
 \n
 \n
 <p>\n
 <code>Status</code>\n
 \n
 \n
 <p>\n
 <code>Fingerprint</code>\n
 \n
 \n
 <p>\n
 <code>IssuerName</code>\n
 \n
 \n
 <p>\n
 <code>Beneficiary</code>\n
 \n
 "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",
 "traits": {
 "smithy.api#documentation": "<p>Received license details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListResourceInventory": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FailedDependencyException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
}
},
"com.amazonaws.licensemanager#ListResourceInventoryRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#InventoryFilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>account_id</code>
- The ID of the Amazon Web Services account that owns the resource.\n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>application_name</code> - The name of the
application. \n Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n \n \n <p>\n <code>license_included</code> - The type of license included. \n Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.\n Possible values
are <code>sql-server-enterprise</code> | \n <code>sql-server-standard</code> | \n <code>sql-
server-web</code> | \n <code>windows-server-datacenter</code>.</p>\n \n \n <p>\n <code>platform</code> - The platform of the resource.\n Logical operators are
<code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n \n \n <p>\n <code>resource_id</code> - The ID of the resource. \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>tag:<key></code> - The key/value combination of a tag assigned \n to the resource. Logical
operators are <code>EQUALS</code> (single account) or\n <code>EQUALS</code> |
<code>NOT_EQUALS</code> (cross account).</p>\n \n "
 }
 }
 }
}

```



```

 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListResourceInventoryResponse": {
 "type": "structure",
 "members": {
 "ResourceInventoryList": {
 "target": "com.amazonaws.licensemanager#ResourceInventoryList",
 "traits": {
 "smithy.api#documentation": "<p>Information
about the resources.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListTagsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#ListTagsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the tags.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListTokens": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListTokensRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListTokensResponse"
 },

```

```

"errors":
[
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists your tokens.</p>"
}
},
"com.amazonaws.licensemanager#ListTokensRequest": {
 "type": "structure",
 "members": {
 "TokenIds": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Token IDs.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
\n \n <p>\n <code>LicenseArns</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",

```

```

 "traits": {
 "smithy.api#documentation":
 "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListTokensResponse": {
 "type": "structure",
 "members": {
 "Tokens": {
 "target": "com.amazonaws.licensemanager#TokenList",
 "traits": {
 "smithy.api#documentation": "<p>Received token details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying
license\n consumption details by resource at a selected point in time. Use this action to audit the\n current
license consumption for any license inventory and configuration.</p>"
 },
 "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>resourceArn</code> - The ARN of the license configuration resource.\n Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>resourceType</code> - The resource type

```

(`EC2_INSTANCE` | `EC2_HOST` | `EC2_AMI` | `SYSTEMS_MANAGER_MANAGED_INSTANCE`). \n Logical operators are `EQUALS` | `NOT_EQUALS`.

`resourceAccount` - The ID of the account that owns the resource. \n Logical operators are `EQUALS` | `NOT_EQUALS`.

```

 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {

 "LicenseConfigurationUsageList": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#Location": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#Long": {
 "type": "long"
 },
 "com.amazonaws.licensemanager#ManagedResourceSummary": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
 }
 }
 }
 }
}

```

```

 },
 "AssociationCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
 }
 },
 "com.amazonaws.licensemanager#ManagedResourceSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
 }
 },
 "com.amazonaws.licensemanager#MaxSize100": {
 "type": "integer",
 "traits": {
 "smithy.api#range": {
 "min": 1,
 "max": 100
 }
 }
 },
 "com.amazonaws.licensemanager#MaxSize3StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 3
 }
 }
 },
 "com.amazonaws.licensemanager#Message": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#Metadata": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>The key name.</p>"
 }
 },

 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The value.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
 },
 "com.amazonaws.licensemanager#MetadataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Metadata"
 }
 },
 "com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement
maximum count is reached.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#Options": {
 "type": "structure",
 "members": {
 "ActivationOverrideBehavior": {
 "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
 "traits": {
 "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n \n \n <p>As a license administrator, you can
optionally specify an\n <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n

```



```

 \n \n <p>As a grantor, you can optionally specify an\n
 <code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n
 account in your organization.</p>\n \n \n <p>As a grantee, if the grantor creating the distributed
 grant doesnt specify an\n <code>ActivationOverrideBehavior</code>, you can optionally specify one
 when you\n are activating the grant.</p>\n \n\n<dl>\n
<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n <dd>\n <p>Use this value to activate a grant
 without replacing any member accounts\n active grants for the same product.</p>\n </dd>\n
<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n <dd>\n <p>Use this value to activate a
 grant and disable other active grants in any\n member accounts
 for the same product. This action will also replace their\n previously activated grants with this activated
 grant.</p>\n </dd>\n</dl>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
 such as activation\n override behavior. For more information, see Granted licenses in
 License Manager in the <i>License Manager User Guide</i>.</p>"
 }
 },
 "com.amazonaws.licensemanager#OrganizationConfiguration": {
 "type": "structure",
 "members": {
 "EnableIntegration": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation":
 "<p>Enables Organizations integration.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
 }
 },
 "com.amazonaws.licensemanager#PrincipalArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 1
 }
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ProductInformation": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
 "smithy.api#required": {}
 }
 },
 },
 "ProductInformationFilterList": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
 "traits": {
 "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n <p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>.</p>\n <p>The following filters and are supported when
the resource type \n is <code>SSM_MANAGED</code>:</p>\n
 \n \n <p>\n <code>Application Name</code> - The name of the
application.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Publisher</code> - The publisher of the application.\n Logical
operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Version</code> - The version of the application.\n Logical operator is
<code>EQUALS</code>.</p>\n \n \n <p>\n <code>Platform
Name</code> - The name of the platform.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Platform Type</code> - The platform type.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Tag:key</code> - The key of a tag attached to an
Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is
<code>NOT_EQUALS</code>. The key for your tag must be appended to <code>Tag:</code> following the
example: <code>Tag:name-of-your-key</code>. <code>ProductInformationFilterValue</code> is optional if you
are not using values for the key.\n </p>\n \n \n <p>\n <code>AccountId</code> - The 12-digit ID of an Amazon Web Services account you wish to exclude from
automated discovery.\n Logical operator is <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>License Included</code> - The type of license included.\n Logical
operators are <code>EQUALS</code> and <code>NOT_EQUALS</code>.\n Possible values are:
<code>sql-server-enterprise</code> | \n <code>sql-server-standard</code> | \n <code>sql-server-
web</code> | \n <code>windows-server-datacenter</code>.</p>\n \n \n <p>The following filters and logical operators are supported when the resource type\n is
<code>RDS</code>:</p>\n \n \n <p>\n <code>Engine Edition</code> -
The edition of the database engine.\n Logical operator is <code>EQUALS</code>.\n Possible
values are: <code>oracle-ee</code> | <code>oracle-se</code> | <code>oracle-se1</code> | <code>oracle-
se2</code>.</p>\n \n \n <p>\n <code>License Pack</code> - The license

```

```

pack.\n Logical operator is <code>EQUALS</code>.\n Possible values are: <code>data
guard</code> | \n <code>diagnostic pack sqlt</code> | \n
 <code>tuning pack sqlt</code> | \n <code>ols</code> | \n <code>olap</code>.</p>\n
\n ",
 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
},
"com.amazonaws.licensemanager#ProductInformationFilter": {
 "type": "structure",
 "members": {
 "ProductInformationFilterName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Filter name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductInformationFilterValue": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Filter value.</p>"
 }
 },
 "ProductInformationFilterComparator": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Logical operator.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes product information filters.</p>"
 }
},
"com.amazonaws.licensemanager#ProductInformationFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilter"
 }
},
"com.amazonaws.licensemanager#ProductInformationList": {

```

```

 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformation"
 }
 },
 "com.amazonaws.licensemanager#ProvisionalConfiguration": {
 "type": "structure",
 "members": {
 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#RateLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "RateLimitExceeded",
 "httpResponseCode": 429
 },
 "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief wait.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 429
 }
 },
 "com.amazonaws.licensemanager#ReceivedMetadata": {
 "type": "structure",
 "members": {
 "ReceivedStatus": {
 "target": "com.amazonaws.licensemanager#ReceivedStatus",
 "traits": {
 "smithy.api#documentation": "<p>Received status.</p>"
 }
 }
 },
 "ReceivedStatusReason": {

```

```

 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Received
status reason.</p>"
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
 }
},
"com.amazonaws.licensemanager#ReceivedStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue":
"PENDING_ACCEPT"
 }
 },
 "REJECTED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
},
"DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
},
"DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
},
"WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
}
},
"com.amazonaws.licensemanager#RedirectException": {
 "type": "structure",
 "members": {
 "Location": {
 "target": "com.amazonaws.licensemanager#Location",
 "traits": {
 "smithy.api#httpHeader": "Location"
 }
 },
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 308
 }
},
"com.amazonaws.licensemanager#RejectGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#RejectGrantRequest"
 },
 "output": {

```

```

 "target": "com.amazonaws.licensemanager#RejectGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#RejectGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}
},
"com.amazonaws.licensemanager#RejectGrantResponse": {
 "type": "structure",

```

```

"members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#RenewType":
{
 "type": "enum",
 "members": {
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "WEEKLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Weekly"
 }
 },
 "MONTHLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Monthly"
 }
 }
 }
},

```



```

"com.amazonaws.licensemanager#ReportContext": {
 "type": "structure",
 "members": {
 "licenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
 }
 },
 "com.amazonaws.licensemanager#ReportFrequency": {
 "type": "structure",
 "members": {
 "value": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {
 "smithy.api#documentation": "<p>Number of times within the frequency period that a report is
generated. \n The only supported value is <code>1</code>.</p>"
 }
 },
 "period": {
 "target": "com.amazonaws.licensemanager#ReportFrequencyType",
 "traits": {
 "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,
or monthly.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 }
 },
 "com.amazonaws.licensemanager#ReportFrequencyType": {
 "type": "enum",
 "members": {
 "DAY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DAY"
 }
 }
 }
 }
 }

```

```

 },
 "WEEK": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WEEK"
 }
 },
 "MONTH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "MONTH"
 }
 }
 }
},
"com.amazonaws.licensemanager#ReportGenerator": {
 "type": "structure",
 "members": {
 "ReportGeneratorName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>"
 }
 },
 "ReportType": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>License configuration type for this generator.</p>"
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 }
 },
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
 }
 }
 }
}

```

```

 }
 },
 "LastRunStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
 }
 },
 "LastRunFailureReason": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
 }
 },
 "LastReportGenerationTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
 }
 },
 "ReportCreatorAccount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report
generator.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "S3Location": {
 "target": "com.amazonaws.licensemanager#S3Location",
 "traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published
to.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the report was created.</p>"
 }
 },

```

```

 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
 }
},
"com.amazonaws.licensemanager#ReportGeneratorList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ReportGenerator"
 }
},
"com.amazonaws.licensemanager#ReportGeneratorName": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
},
"com.amazonaws.licensemanager#ReportType": {
 "type": "enum",
 "members": {
 "LICENSE_CONFIGURATION_SUMMARY_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
 }
 },
 "LICENSE_CONFIGURATION_USAGE_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationUsageReport"
 }
 }
 }
},
"com.amazonaws.licensemanager#ReportTypeList": {
 "type": "list",
 "member": {

```

```

 "target": "com.amazonaws.licensemanager#ReportType"
 },
 "com.amazonaws.licensemanager#ResourceInventory": {
 "type": "structure",
 "members": {
 "ResourceId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "Platform": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Platform of the resource.</p>"
 }
 },
 "PlatformVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
 }
 },
 "ResourceOwningAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a resource.</p>"
 }
 }
}

```

```

},
"com.amazonaws.licensemanager#ResourceInventoryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ResourceInventory"
 }
},
"com.amazonaws.licensemanager#ResourceLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ResourceLimitExceeded",

 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResource.NotFound",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The resource cannot be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#ResourceType": {
 "type": "enum",
 "members": {
 "EC2_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "EC2_INSTANCE"
 },
 "EC2_HOST": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_HOST"
 }
 },
 "EC2_AMI": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_AMI"
 }
 },
 "RDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "RDS"
 }
 },
 "SYSTEMS_MANAGER_MANAGED_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
 }
 }
},
"com.amazonaws.licensemanager#S3Location": {
 "type": "structure",
 "members": {
 "bucket": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
 }
 },
 "keyPrefix": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ServerInternalException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InternalServerError",
 "httpResponseCode": 500
 },
 "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
 "smithy.api#error": "server",
 "smithy.api#httpError": 500
 }
 },
 "com.amazonaws.licensemanager#SignedToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 4096
 }
 }
 },
 "com.amazonaws.licensemanager#StatusReasonMessage": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 400
 },
 "smithy.api#pattern": "^[\\s\\S]+$"
 }
 },
 "com.amazonaws.licensemanager#String": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
 },
 "com.amazonaws.licensemanager#Tag": {

```



```

"type": "structure",
"members": {
 "Key": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Tag key.</p>"
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Tag value.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#TagKeyList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
},
"com.amazonaws.licensemanager#TagList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Tag"
 }
},
"com.amazonaws.licensemanager#TagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#TagResourceResponse"
 },
 "errors": [
 {
 "target":
"com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],

```

```

 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#TagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>One or more tags.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#TagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#TokenData": {
 "type": "structure",
 "members": {

```

```

"TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
},
"TokenType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
 }
},
"LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
},
"ExpirationTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
 }
},
"TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller.</p>"
 }
},
"RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
 }
}
},
"traits": {

```

```

 "smithy.api#documentation": "<p>Describes a token.</p>"
 },
},
"com.amazonaws.licensemanager#TokenList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#TokenData"
 }
},
"com.amazonaws.licensemanager#TokenString": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 4096
 },
 "smithy.api#pattern": "^\\S+$"
 }
},
"com.amazonaws.licensemanager#TokenType": {
 "type": "enum",
 "members": {
 "REFRESH_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REFRESH_TOKEN"
 }
 }
 }
},
"com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
{
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#UntagResource": {
 "type": "operation",

```

```

"input": {
 "target": "com.amazonaws.licensemanager#UntagResourceRequest"
},
"output": {
 "target": "com.amazonaws.licensemanager#UntagResourceResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Removes the specified tags from the specified license configuration.</p>"
}
},
"com.amazonaws.licensemanager#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "TagKeys": {
 "target": "com.amazonaws.licensemanager#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {

```

```

 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#UntagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseConfigurationStatus": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
 "traits": {
 "smithy.api#documentation": "<p>New status of the license configuration.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\n
configuration is licenseAffinityToHost.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>New number of licenses managed by the license
configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New description of the license configuration.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>New product information.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "traits":
{
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
],

```



```

{
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
},
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Updates a report generator.</p>\n <p>After you make changes to a
report generator, it starts generating new reports within 60 minutes of being updated.</p>"
}
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
{
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to
update.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportGeneratorName": {
 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation":
 "<p>Type of reports to generate. The following report types are supported:</p>\n \n \n
<p>License configuration report - Reports the number and details of consumed licenses for a license
configuration.</p>\n \n \n
<p>Resource report - Reports the tracked licenses and
resource consumption for a license configuration.</p>\n \n ",
 "smithy.api#required": {}
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {

```

```

 "smithy.api#documentation": "<p>The report context.</p>",
 "smithy.api#required": {}
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
{
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
 },
 "errors": [

```

```

 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
 },
 {
 "target": "com.amazonaws.licensemanager#LicenseUsageException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n <p>You can update the license specifications of AMIs, instances, and hosts.\n You cannot update the license specifications for launch templates and CloudFormation templates, \n as they send license configurations to the operation that creates the resource.</p>"
 },
 "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services resource.</p>",
 "smithy.api#required": {}
 }
 },
 "AddLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
 }
 }
 }
 },

```

```

 "RemoveLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation":
"<p>ARNs of the license configurations to remove.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
 }
 },
 },

```

```

"com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
 }
 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UsageOperation": {
 "type": "string",
 "traits": {
 "smithy.api#length": {

```

```

 "min": 0,
 "max": 50
 }
}
},
"com.amazonaws.licensemanager#ValidationException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",

 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
}
}
}
}

```

# 1.108 go.etcd.io/etcd/client/v3 3.5.14

## 1.108.1 Available under license :

Apache License  
 Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or



documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.109 github.com/aws/aws-sdk-go-v2/internal/configsources 1.3.9

## 1.109.1 Available under license :

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

```
// Checks out the specified license.
```

```
//
```

```
// If the account that created the license is the same that is performing the
```

```
// check out, you must specify the account as the beneficiary.
```

```
func (c *Client) CheckoutLicense(ctx context.Context, params *CheckoutLicenseInput, optFns ...func(*Options))
(*CheckoutLicenseOutput, error) {
 if params == nil {
 params = &CheckoutLicenseInput{
 }
}
```

```
 result, metadata, err := c.invokeOperation(ctx, "CheckoutLicense", params, optFns,
c.addOperationCheckoutLicenseMiddlewares)
 if err != nil {
 return nil, err
 }
```

```
 out := result.(*CheckoutLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}
```

```
type CheckoutLicenseInput struct {
```

```
//
```

```
Checkout type.
```

```
//
```

```
// This member is required.
```

```
CheckoutType types.CheckoutType
```

```

// Unique, case-sensitive identifier that you provide to ensure the idempotency of
// the request.
//
// This member is required.
ClientToken *string

// License entitlements.
//
// This member is required.
Entitlements []types.EntitlementData

// Key fingerprint identifying the license.
//
// This member is required.
KeyFingerprint *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// License beneficiary.
Beneficiary *string

// Node ID.
NodeId *string

noSmithyDocumentSerde
}

type CheckoutLicenseOutput struct {

// Checkout type.
CheckoutType types.CheckoutType

// Allowed license entitlements.
EntitlementsAllowed []types.EntitlementData

// Date and time at which the license checkout expires.
Expiration *string

// Date and time at which the license checkout is issued.
IssuedAt *string

// Amazon Resource Name (ARN) of the checkout license.
LicenseArn
*string

```

```

// License consumption token.
LicenseConsumptionToken *string

// Node ID.
NodeId *string

// Signed token.
SignedToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack,
options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {

```

```

return err
}
if err = addRetry(stack, options); err != nil {
return err
}
if err = addRawResponseToMetadata(stack); err != nil {
return err
}
if err = addRecordResponseTiming(stack); err != nil {
return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
return err
}
if err = addTimeOffsetBuild(stack,
c); err != nil {
return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
return err
}
if err = addOpCheckoutLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = addRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}

```

```

}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err !=
nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckoutLicense",
 }
}
name: License Scan

on: [pull_request]

jobs:
 licensescan:
 name: License Scan
 runs-on: ubuntu-latest
 strategy:
 matrix:
 python-version: [3.9]

 steps:
 - name: Checkout target
 uses: actions/checkout@v2
 with:
 path: sdkbase

```

```

 ref: ${ github.base_ref }
- name: Checkout this ref
 uses: actions/checkout@v2
 with:
 path: new-ref
 fetch-depth: 0
- name: Get Diff
 run: git --git-dir ./new-ref/.git diff --name-only --diff-filter=ACMRT ${ github.event.pull_request.base.sha }
${ github.sha } > refDiffFiles.txt
- name: Get Target Files
 run: git --git-dir ./sdkbase/.git ls-files | grep -xf refDiffFiles.txt - > targetFiles.txt
- name: Checkout scancode
 uses: actions/checkout@v2
 with:
 repository: nexB/scancode-toolkit
 path: scancode-toolkit
 fetch-depth: 1
- name: Set up Python ${ matrix.python-version }
 uses: actions/setup-python@v2
 with:
 python-version: ${ matrix.python-version }
ScanCode
- name: Self-configure scancode
 working-directory: ./scancode-toolkit
 run: ./scancode --help
- name: Run Scan code on target
 run: cat targetFiles.txt | while read filename; do echo ./sdkbase/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> old-licenses.txt
- name: Run Scan code on pr ref
 run: cat refDiffFiles.txt | while read filename; do echo ./new-ref/$filename; done | xargs ./scancode-
toolkit/scancode -l -n 30 --json-pp - | grep short_name | sort | uniq >> new-licenses.txt
compare
- name: License test
 run: if ! cmp old-licenses.txt new-licenses.txt; then echo "Licenses differ! Failing."; exit -1; else echo "Licenses
are the same. Success."; exit 0; fi
// Code generated by smithy-go-codegen DO NOT EDIT.

```

package grafana

```

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

```



```

// Removes the Grafana Enterprise license from a workspace.
func (c *Client) DisassociateLicense(ctx context.Context, params *DisassociateLicenseInput, optFns
...func(*Options)) (*DisassociateLicenseOutput, error) {
 if params == nil {
 params = &DisassociateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "DisassociateLicense", params, optFns,
c.addOperationDisassociateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*DisassociateLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type DisassociateLicenseInput struct {

 // The type of license to remove from the workspace.
 //
 // This member is required.
 LicenseType types.LicenseType

 //
 // The ID of the workspace to remove the Grafana Enterprise license from.
 //
 // This member is required.
 WorkspaceId *string

 noSmithyDocumentSerde
}

type DisassociateLicenseOutput struct {

 // A structure containing information about the workspace.
 //
 // This member is required.
 Workspace *types.WorkspaceDescription

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationDisassociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err

```

```

error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsRestjson1_serializeOpDisassociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsRestjson1_deserializeOpDisassociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "DisassociateLicense");
 err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {
 return err
 }
 if err = addRecordResponseTiming(stack); err != nil {
 return err
 }
 if err = addSpanRetryLoop(stack, options); err != nil {
 return err
 }
 if err = addClientUserAgent(stack, options); err != nil {

```

```

return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if
err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
return err
}
if err = addOpDisassociateLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDisassociateLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = addRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
if err = addSpanInitializeStart(stack); err
!= nil {
return err
}
if err = addSpanInitializeEnd(stack); err != nil {
return err
}
if err = addSpanBuildRequestStart(stack); err != nil {

```

```

return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
return err
}
return nil
}

func newServiceMetadataMiddleware_opDisassociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
Region: region,
ServiceID: ServiceID,
OperationName: "DisassociateLicense",
}
}
{
"smithy": "2.0",
"shapes": {
"com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException": {
"type": "structure",
"members": {
"message": {
"target": "smithy.api#String"
}
},
"traits": {
"smithy.api#documentation": "<p>You don't have sufficient access to perform this action.</p>",
"smithy.api#error": "client"
}
},
"com.amazonaws.licensemanagerusersubscriptions#ActiveDirectoryIdentityProvider": {
"type": "structure",
"members": {
"DirectoryId": {
"target": "com.amazonaws.licensemanagerusersubscriptions#Directory",
"traits": {
"smithy.api#documentation": "<p>The directory ID for an Active Directory identity provider.</p>"
}
},
},
"ActiveDirectorySettings":
{
"target": "com.amazonaws.licensemanagerusersubscriptions#ActiveDirectorySettings",
"traits": {
"smithy.api#documentation": "<p>The <code>ActiveDirectorySettings</code> resource contains
details about \n\t\t\tthe Active Directory, including network access details such as domain name and IP
\n\t\t\taddresses, and the credential provider for user administration.</p>"
}
}
}
}

```

```

 },
 "ActiveDirectoryType": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectoryType",
 "traits": {
 "smithy.api#documentation": "<p>The type of Active Directory either a self-managed Active
Directory or an \n\t\t\tAmazon Web Services Managed Active Directory.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about an Active Directory identity
provider.</p>"
 },
 "com.amazonaws.licenseanagerusersubscriptions#ActiveDirectorySettings": {
 "type": "structure",
 "members": {
 "DomainName": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name for the Active Directory.</p>"
 }
 },
 "DomainIpv4List": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Ipv4List",
 "traits": {
 "smithy.api#documentation": "<p>A list of domain IPv4 addresses that are used for the Active
Directory.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 2
 }
 }
 },
 "DomainCredentialsProvider": {
 "target":
"com.amazonaws.licenseanagerusersubscriptions#CredentialsProvider",
 "traits": {
 "smithy.api#documentation": "<p>Points to the <code>CredentialsProvider</code> resource that
contains \n\t\t\tinformation about the credential provider for user administration.</p>"
 }
 },
 "DomainNetworkSettings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DomainNetworkSettings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>DomainNetworkSettings</code> resource contains an
array of \n\t\t\tsubnets that apply for the Active Directory.</p>"
 }
 }
 }
 }
 }

```





```

 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>The identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains
information for the user to associate.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags that apply for the user association.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#AssociateUserResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#BoxInteger": {
 "type": "integer"
 },
 "com.amazonaws.licenseanagerusersubscriptions#ConflictException": {
 "type": "structure",

```



```

"members": {
 "message": {
 "target": "smithy.api#String"
 }
},
"traits": {
 "smithy.api#documentation": "<p>The request couldn't be completed because it conflicted with the current
state of the\n\t\t\tresource.</p>",
 "smithy.api#error": "server"
}
},
"com.amazonaws.licenseanagerusersubscriptions#CreateLicenseServerEndpoint": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#CreateLicenseServerEndpointRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#CreateLicenseServerEndpointResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a network endpoint for the Remote Desktop Services (RDS)
license server.</p>",
 "smithy.api#http": {
 "code": 200,

```





```

 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes a <code>LicenseServerEndpoint</code> resource.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/license-server/DeleteLicenseServerEndpoint"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#DeleteLicenseServerEndpointRequest": {
 "type": "structure",
 "members": {
 "LicenseServerEndpointArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) that identifies the
<code>LicenseServerEndpoint</code> \n\t\t\t\tresource to delete.</p>",
 "smithy.api#required": {}
 }
 },
 "ServerType": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerType",
 "traits": {
 "smithy.api#documentation": "<p>The type of License Server that the delete request refers to.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},

```

```

"com.amazonaws.licenseanagerusersubscriptions#DeleteLicenseServerEndpointResponse": {
 "type": "structure",
 "members": {
 "LicenseServerEndpoint": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#LicenseServerEndpoint",
 "traits": {
 "smithy.api#documentation": "<p>Shows details from the <code>LicenseServerEndpoint</code>
resource that was deleted.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DeregisterIdentityProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Deregisters the Active Directory identity provider from License

```

```

Manager user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/DeregisterIdentityProvider"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderRequest":
{
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the Active Directory identity
provider.</p>"
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
<code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>"
 }
 },
 "IdentityProviderArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) that identifies the identity
provider to deregister.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProviderResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IdentityProviderSummary",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",
 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licenseanagerusersubscriptions#Directory":
{
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^(d|sd)-[0-9a-f]{10}$"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#DisassociateUser": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
]
},

```

```

 "traits": {
 "smithy.api#documentation": "<p>Disassociates the user from an EC2 instance providing user-based
subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/DisassociateUser"
 },
 "smithy.api#idempotent": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#DisassociateUserRequest":
 {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the Active Directory identity provider for the
user.</p>"
 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance which provides user-based
subscriptions.</p>"
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the Active Directory identity
provider.</p>"
 }
 },
 "InstanceUserArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the user to disassociate
from the EC2 instance.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains

```



information for the user to disassociate.</p>"

```
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanagerusersubscriptions#DisassociateUserResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummary": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the associate user operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 },
 "com.amazonaws.licensemanagerusersubscriptions#DomainNetworkSettings": {
 "type": "structure",
 "members": {
 "Subnets": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>Contains a list of subnets that apply for the Active Directory
domain.</p>",
 "smithy.api#length": {
 "min": 1
 },
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains network settings for the Active Directory domain.</p>"
 },
 },
 "com.amazonaws.licensemanagerusersubscriptions#Filter": {
 "type": "structure",
 "members": {
 "Attribute": {
 "target": "smithy.api#String",
```





```

 "smithy.api#documentation": "<p>Describes an identity provider.</p>"
 },
 "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of an EC2 instance resource.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Products": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>A list of provided user-based subscription products.</p>",
 "smithy.api#required": {}
 }
 },
 "LastStatusCheckDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date of the last status check.</p>"
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for an EC2 instance.</p>"
 }
 }
 }
},

```

```

 "traits": {
 "smithy.api#documentation": "<p>Describes an EC2 instance providing user-based subscriptions.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#InstanceSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceSummary"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummary": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>",
 "smithy.api#required": {}
 }
 },
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance that provides user-based
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>The <code>IdentityProvider</code> resource specifies details
about the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of a user associated with an EC2 instance.</p>",
 "smithy.api#required": {}
 }
 },
 "InstanceUserArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {

```

```

 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) that identifies the instance
user.</p>"
 },

 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for users of an EC2 instance.</p>"
 }
 },

 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory that contains the user
information for the product subscription.</p>"
 }
 },

 "AssociationDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date a user was associated with an EC2 instance.</p>"
 }
 },

 "DisassociationDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The date a user was disassociated from an EC2 instance.</p>"
 }
 },

 "traits": {
 "smithy.api#documentation": "<p>Describes users of an EC2 instance providing user-based
subscriptions.</p>"
 },

 "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InstanceUserSummary"
 }
 },

 "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An exception occurred with the service.</p>",
 "smithy.api#error": "server",
 "smithy.api#httpError": 500
 }
},
"com.amazonaws.licensemanagerusersubscriptions#IPv4": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^(?:(25[0-5]|2[0-4][0-9]|1[0-9][0-9]|[1-9][0-9]|[0-9])(\\.(?!$)|$)){4}$"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#IPv4List": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#IPv4"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseManagerUserSubscriptions": {
 "type": "service",
 "version": "2018-05-10",
 "operations": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AssociateUser"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#CreateLicenseServerEndpoint"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DeleteLicenseServerEndpoint"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DeregisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#DisassociateUser"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListIdentityProviders"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListInstances"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListLicenseServerEndpoints"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListProductSubscriptions"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListTagsForResource"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ListUserAssociations"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StartProductSubscription"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#TagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#UntagResource"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#UpdateIdentityProviderSettings"
 }
],
 "traits": {
 "aws.api#service": {
 "sdkId": "License Manager User Subscriptions",
 "arnNamespace": "license-manager-user-subscriptions",
 "cloudTrailEventSource": "license-manager-user-subscriptions.amazonaws.com"
 },
 "aws.auth#sigv4": {
 "name": "license-manager-user-subscriptions"
 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id",

```





```

 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
},
"rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
],

"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",

```

```

 "type": "error"
 },
 {
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},

 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
 },
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
]
 },
 {
 "rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv":
[
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [

```

```

 {
 "ref": "UseFIPS"
 },
 true
]

 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",

"argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
],
 },

{
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
}

```

```

]
 }
]

 },
],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],

 "type": "tree"
},
{
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
}
],
"type": "tree"
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",

```

```

 "argv": [
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 },
 true
]
 },
],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 },
 {
 "conditions": [],
 "error": "FIPS is enabled but this partition does not support FIPS",
 "type": "error"
 }
],
 "type": "tree"
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]
}

```

```

 }
],
 "rules": [
 {
 "conditions": [

 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
]
 }
],
 },
],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
},
{
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
}
],
"type": "tree"
},
{
 "conditions": [],
 "endpoint": {

```

```

 "url": "https://license-manager-user-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
],
"type": "tree"
}
],
"type": "tree"
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint":
{
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,

```



```

 "UseDualStack": false
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-
1.api.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack":
true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {

```

```

 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager-user-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack":
false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,

```

```

 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager-user-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack":
true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition

```

does not support one or both"

```
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
```

```

 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",

"expect": {

 "endpoint": {
 "url": "https://license-manager-user-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,

"UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-user-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 }

```

```

 },
 {
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {

 "url": "https://example.com"

 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint":
"https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are

```

```
,
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
],
 "version": "1.0"
}

},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServer": {
 "type": "structure",
 "members": {
 "ProvisioningStatus": {
 "target":
 "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointProvisioningStatus",
 "traits": {
 "smithy.api#documentation": "<p>The current state of the provisioning process for the RDS
\n\t\t\tlicense server.</p>"
 }
 },
 "HealthStatus": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerHealthStatus",
 "traits": {
 "smithy.api#documentation": "<p>The health status of the RDS license server.</p>"
 }
 },
 "Ipv4Address": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A list of domain IPv4 addresses that are used for the RDS
\n\t\t\tlicense server.</p>"
 }
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Information about a Remote Desktop Services (RDS) license
```

```

server.</p>
 }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpoint": {
 "type": "structure",
 "members": {
 "IdentityProviderArn": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the identity provider that's
associated with \n\t\t\tthe RDS license server endpoint.</p>"
 }
 },
 "ServerType": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerType",
 "traits": {
 "smithy.api#documentation": "<p>The type of license server.</p>"
 }
 },
 "ServerEndpoint": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServerEndpoint",
 "traits": {
 "smithy.api#documentation":
"<p>The <code>ServerEndpoint</code> resource contains the network \n\t\t\taddress of the RDS license server
endpoint.</p>"
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The message associated with the provisioning status, if there is
one.</p>"
 }
 },
 "LicenseServerEndpointId": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointId",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the license server endpoint.</p>"
 }
 },
 "LicenseServerEndpointArn": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation":
"<p>The ARN of the <code>ServerEndpoint</code> resource for the RDS \n\t\t\tlicense server.</p>"
 }
 },
 "LicenseServerEndpointProvisioningStatus": {

```



```

 "target":
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointProvisioningStatus",
 "traits": {
 "smithy.api#documentation": "<p>The current state of the provisioning process for the RDS license
\n\t\t\tserver endpoint</p>"
 }
 },
 "LicenseServers": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerList",
 "traits": {
 "smithy.api#documentation": "<p>An array of <code>LicenseServer</code> resources that represent
the \n\t\t\tlicense servers that are accessed through this endpoint.</p>"
 }
 },
 "CreationTime": {
 "target": "smithy.api#Timestamp",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp when License Manager created the license server
endpoint.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains details about a network endpoint for a Remote Desktop
Services (RDS) \n\t\t\tlicense server.</p>"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointId": {
 "type": "string"
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpoint"
 }
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointProvisioningStatus": {
 "type": "string",
 "traits":
{
 "smithy.api#enum": [
 {
 "name": "PROVISIONING",
 "value": "PROVISIONING",
 "documentation": ""
 },
 {

```

```

 "name": "PROVISIONING_FAILED",
 "value": "PROVISIONING_FAILED",
 "documentation": ""
 },
 {
 "name": "PROVISIONED",
 "value": "PROVISIONED",
 "documentation": ""
 },
 {
 "name": "DELETING",
 "value": "DELETING",
 "documentation": ""
 },
 {
 "name": "DELETION_FAILED",
 "value": "DELETION_FAILED",
 "documentation": ""
 },
 {
 "name": "DELETED",
 "value": "DELETED",
 "documentation": ""
 }
]
}
},
"com.amazonaws.licensemanagerusersubscriptions#LicenseServerHealthStatus": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "HEALTHY",
 "value": "HEALTHY",
 "documentation": ""
 },
 {
 "name": "UNHEALTHY",
 "value": "UNHEALTHY",
 "documentation": ""
 },
 {
 "name": "NOT_APPLICABLE",
 "value": "NOT_APPLICABLE",
 "documentation": ""
 }
]
 }
}

```

```

 },
 "com.amazonaws.licenseanagerusersubscriptions#LicenseServerList":
 {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#LicenseServer"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#LicenseServerSettings": {
 "type": "structure",
 "members": {
 "ServerType": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServerType",
 "traits": {
 "smithy.api#documentation": "<p>The type of license server.</p>",
 "smithy.api#required": {}
 }
 },
 "ServerSettings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServerSettings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>ServerSettings</code> resource contains the settings
for your \n\t\t\tserver.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The settings to configure your license server.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProviders": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 }
]
 }

```

```

 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the Active Directory identity providers for user-based
subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/ListIdentityProviders"
 },

 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "IdentityProviderSummaries"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListIdentityProvidersRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n
\n \n <p>Product</p>\n \n \n <p>DirectoryId</p>\n
\n "
 }
 }
 }
}

```



```

"errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the EC2 instances providing user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/instance/ListInstances"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceSummaries"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListInstancesRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single request.</p>"
 }
 }
 }
}

```



```

 "target": "com.amazonaws.licenseanagerusersubscriptions#ListLicenseServerEndpointsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListLicenseServerEndpointsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>List the Remote Desktop Services (RDS) License Server endpoints
</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/license-server/ListLicenseServerEndpoints"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "LicenseServerEndpoints"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListLicenseServerEndpointsRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {

```



```

 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>",
 "smithy.api#range": {
 "min": 1,
 "max": 100
 }
},
"Filters": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#FilterList",
 "traits":
{
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n
\n \n <p>IdentityProviderArn</p>\n \n "
}
},
"NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "\n\tfrom a previously truncated response.</p>"
 }
},
"traits": {
 "smithy.api#input": {}
},
"com.amazonaws.licensemanagerusersubscriptions#ListLicenseServerEndpointsResponse": {
 "type": "structure",
 "members": {
 "LicenseServerEndpoints": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#LicenseServerEndpointList",
 "traits": {
 "smithy.api#documentation": "\n\t\t\t\tAn array of <code>LicenseServerEndpoint</code> resources that
\n\t\t\t\tcontain detailed information about the RDS License Servers that meet \n\t\t\t\tthe request criteria.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't
empty, \n\tthere are additional elements that the service hasn't included in this request. Use this token \n\t\twith the
next request to retrieve additional objects.</p>"
 }
 }
 },
 "traits": {

```

```

 "smithy.api#output": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptions": {
 "type": "operation",
 "input": {

 "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the user-based subscription products available from an identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListProductSubscriptions"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "ProductUserSummaries"
 }
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsRequest": {
 "type":
 "structure",
 "members": {
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
 <p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
 <code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
 </p>"
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
 request.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline results:</p>\n
 \n \n <p>Status</p>\n \n \n <p>Username</p>\n
 \n \n <p>Domain</p>\n \n "
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
 \n\tfrom a previously truncated response.</p>"
 }
 }
 },
 },

```

```

 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListProductSubscriptionsResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list product subscriptions
operation.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't
empty, \n\tthere are additional elements that the service hasn't included in this request. Use this token \n\t\twith the
next request to
retrieve additional objects.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListTagsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
]
 },
],

```

```

 "traits": {
 "smithy.api#documentation": "<p>Returns the list of tags for the specified resource.</p>",
 "smithy.api#http": {
 "method": "GET",
 "uri": "/tags/{ResourceArn}"
 },
 "smithy.api#readonly": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource whose tags
you want to retrieve.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags for the specified resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse"
 }
}

```

```

 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits":
 {
 "smithy.api#documentation": "<p>Lists user associations for an identity provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/ListUserAssociations"
 },
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "InstanceUserSummaries"
 }
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsRequest": {
 "type": "structure",
 "members": {
 "InstanceId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the EC2 instance, which provides user-based
subscriptions.</p>",

```

```

 "smithy.api#required":
 {}

 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum number of results to return from a single
request.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>You can use the following filters to streamline
results:</p>\n \n \n <p>Status</p>\n \n \n <p>Username</p>\n \n \n <p>Domain</p>\n \n "
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This is the nextToken
\n\tfrom a previously truncated response.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ListUserAssociationsResponse": {
 "type": "structure",
 "members": {
 "InstanceUserSummaries": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InstanceUserSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the list user association operation.</p>"
 }
 }
 },
 "NextToken": {

```

```

 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this field isn't
empty, \n\tthere are additional elements that the service hasn't included in this request. Use this token \n\t\twith the
next request to retrieve additional objects.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for this product
user.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>",
 "smithy.api#required": {}
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "smithy.api#String",

 "traits": {
 "smithy.api#documentation": "<p>The status of a product for this user.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductUserArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",

```



```

 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) for this product user.</p>"
 }
 },
 "StatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for a product for this user.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The domain name of the Active Directory
that contains the user information for the product subscription.</p>"
 }
 },
 "SubscriptionStartDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The start date of a subscription.</p>"
 }
 },
 "SubscriptionEndDate": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The end date of a subscription.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A summary of the user-based subscription products for a specific
user.</p>"
 },
 "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#RdsSalSettings": {
 "type": "structure",
 "members": {
 "RdsSalCredentialsProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#CredentialsProvider",
 "traits": {
 "smithy.api#documentation": "<p>The <code>CredentialsProvider</code> resource contains a

```

```

reference to \n\t\tthe credentials provider that's used for RDS license server user administration.</p>",
 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#documentation": "<p>Server settings that are specific to a Remote Desktop Services (RDS)
license server.</p>"
},
},
"com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProvider": {
 "type":
"operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#RegisterIdentityProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Registers an identity provider for user-based subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/identity-provider/RegisterIdentityProvider"
 }
 }
}

```

```

 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderRequest": {
 "type": "structure",
 "members": {
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An object that specifies details for the identity provider to
register.</p>",
 "smithy.api#required": {}
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
<code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>",
 "smithy.api#required": {}
 }
 },
 "Settings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Settings",
 "traits": {
 "smithy.api#documentation": "<p>The registered identity providers product related configuration
\n\t\t\tsettings such as the subnets to provision VPC endpoints.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The tags that apply to the identity provider's registration.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#RegisterIdentityProviderResponse": {
 "type": "structure",
 "members": {
 "IdentityProviderSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProviderSummary",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the results of an identity provider
operation.</p>",

 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ResourceArn": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^arn:([a-z0-9-\\.]{1,63}):([a-z0-9-\\.]{1,63}):([a-z0-9-\\.]{1,63}):([a-z0-9-
\\.]{1,63}):([a-z0-9-\\.]{1,510})/([a-z0-9-\\.]{1,510})$"
 }
},
"com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The resource couldn't be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 404
 }
},
"com.amazonaws.licenseanagerusersubscriptions#SecretsManagerCredentialsProvider":
{
 "type": "structure",
 "members": {
 "SecretId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the Secrets Manager secret that contains
credentials.</p>",
 "smithy.api#length": {
 "min": 1
 }
 }
 }
 },
 "traits": {

```

```

 "smithy.api#documentation": "<p>Contains a credentials secret that's stored in Secrets Manager.</p>"
 },
 "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 5,
 "max": 200
 },
 "smithy.api#pattern": "^sg-([0-9a-z]{8})([0-9a-z]{17}))$"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ServerEndpoint": {
 "type": "structure",
 "members": {
 "Endpoint": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The network address of the endpoint.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A network endpoint through which you can access one or more servers.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ServerSettings": {
 "type": "union",
 "members": {
 "RdsSalSettings": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#RdsSalSettings",
 "traits": {
 "smithy.api#documentation": "<p>The <code>RdsSalSettings</code> resource contains settings to configure a specific Remote Desktop Services (RDS) license server.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Contains settings for a specific server.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ServerType": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {

```









```

"members": {
 "ProductUserSummary": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ProductUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the start product subscription
operation.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#StopProductSubscription": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerusersubscriptions#StopProductSubscriptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ServiceQuotaExceededException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerusersubscriptions#ValidationException"
 }
]
},

```

```

 "traits": {
 "smithy.api#documentation": "<p>Stops a product subscription for a user with the specified identity
provider.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/user/StopProductSubscription"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionRequest": {
 "type": "structure",
 "members": {
 "Username": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The user name from the identity provider for the user.</p>"
 }
 },
 "IdentityProvider": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#IdentityProvider",
 "traits": {
 "smithy.api#documentation": "<p>An
object that specifies details for the identity provider.</p>"
 }
 },
 "Product": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the user-based subscription product.</p>\n
<p>Valid values: <code>VISUAL_STUDIO_ENTERPRISE</code> |
<code>VISUAL_STUDIO_PROFESSIONAL</code> | <code>OFFICE_PROFESSIONAL_PLUS</code>\n
</p>"
 }
 },
 "ProductUserArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the product user.</p>"
 }
 },
 "Domain": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The
domain name of the Active Directory that contains the user for whom to stop the product \n\t\t\tsubscription.</p>"
 }
 }
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StopProductSubscriptionResponse": {
 "type": "structure",
 "members": {
 "ProductUserSummary": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ProductUserSummary",
 "traits": {
 "smithy.api#documentation": "<p>Metadata that describes the start product subscription
operation.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Subnet": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^subnet-[a-z0-9]{8,17}"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#Subnets": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnet"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#TagKeyList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 }
 }
}

```

```

 },
 "smithy.api#sensitive": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#TagResource": {

"type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds tags to a resource.</p>",
 "smithy.api#http": {
 "method": "PUT",
 "uri": "/tags/{ResourceArn}"
 }
 },

"smithy.api#idempotent": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#TagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource that you want
to tag.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 }
 },
 "Tags": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Tags",

```

```

 "traits": {
 "smithy.api#documentation": "<p>The tags to apply to the specified resource.</p>",
 "smithy.api#required": {}
 }
 },
 "traits":
{
 "smithy.api#input": {}
},
"com.amazonaws.licensemanagerusersubscriptions#TagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#Tags": {
 "type": "map",
 "key": {
 "target": "smithy.api#String"
 },
 "value": {
 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#sensitive": {}
 }
},
"com.amazonaws.licensemanagerusersubscriptions#ThrottlingException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The request was denied because of request throttling. Retry the request.</p>",
 "smithy.api#error": "client"
 }
},

```

```

"com.amazonaws.licenseanagerusersubscriptions#UntagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UntagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#UntagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceNotFoundException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Removes
tags from a resource.</p>",
 "smithy.api#http": {
 "method": "DELETE",
 "uri": "/tags/{ResourceArn}"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licenseanagerusersubscriptions#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#ResourceArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource that you want
to remove tags from.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 },
 "TagKeys": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>The tag keys to remove from the resource.</p>",
 "smithy.api#httpQuery": "tagKeys",
 "smithy.api#required": {}
 }
 }
 }
},

```







```

 "smithy.api#output": {}
 },
 "com.amazonaws.licenseanagerusersubscriptions#UpdateSettings": {
 "type": "structure",
 "members": {
 "AddSubnets": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets in which License Manager will
create a VPC endpoint
for products that require connectivity to activation servers.</p>",
 "smithy.api#required": {}
 }
 },
 "RemoveSubnets": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#Subnets",
 "traits": {
 "smithy.api#documentation": "<p>The ID of one or more subnets to remove.</p>",
 "smithy.api#required": {}
 }
 },
 "SecurityGroupId": {
 "target": "com.amazonaws.licenseanagerusersubscriptions#SecurityGroup",
 "traits": {
 "smithy.api#documentation": "<p>A security group ID that allows inbound TCP port 1688
communication between resources in your VPC and the VPC endpoints for activation servers.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation":
 "<p>Updates the registered identity providers product related configuration settings such as the subnets to
provision VPC endpoints.</p>"
 }
 },
 "com.amazonaws.licenseanagerusersubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A parameter is not valid.</p>",
 "smithy.api#error": "client"
 }
 }
 }
}

```

```

 }
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Lists the licenses for your account.
func (c *Client) ListLicenses(ctx context.Context, params *ListLicensesInput, optFns ...func(*Options))
(*ListLicensesOutput, error) {
 if params == nil {
 params = &ListLicensesInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "ListLicenses", params, optFns,
c.addOperationListLicensesMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*ListLicensesOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type ListLicensesInput struct {

 // Filters to scope the results. The following filters are supported:
 //
 // - Beneficiary
 //
 // - ProductSKU
 //
 // - Fingerprint
 //
 // - Status
 Filters
 []types.Filter

 // Amazon Resource Names (ARNs) of the licenses.

```

```

LicenseArns []string

// Maximum number of results to return in a single call.
MaxResults *int32

// Token for the next set of results.
NextToken *string

noSmithyDocumentSerde
}

type ListLicensesOutput struct {

// License details.
Licenses []types.License

// Token for the next set of results.
NextToken *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationListLicensesMiddlewares(stack *middleware.Stack, options Options) (err error) {
if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
return err
}
err = stack.Serialize.Add(&awsAwsjson11_serializeOpListLicenses{}, middleware.After)
if err != nil {
return err
}
err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListLicenses{}, middleware.After)
if err != nil {
return err
}
if err := addProtocolFinalizerMiddlewares(stack,
options, "ListLicenses"); err != nil {
return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
return err
}
}

```

```

if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListLicenses(options.Region), middleware.Before);
err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {

```

```

 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 {
 return err
 }
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opListLicenses(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "ListLicenses",
 }
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"

```

```

)

// Creates a license.
func (c *Client) CreateLicense(ctx context.Context, params *CreateLicenseInput, optFns ...func(*Options))
(*CreateLicenseOutput, error) {
 if params == nil {
 params = &CreateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CreateLicense", params, optFns,
c.addOperationCreateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CreateLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type CreateLicenseInput struct {

 // License beneficiary.
 //
 // This member is required.
 Beneficiary *string

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 // the request.
 //
 //
 // This member is required.
 ClientToken *string

 // Configuration for consumption of the license. Choose a provisional
 // configuration for workloads running with continuous connectivity. Choose a
 // borrow configuration for workloads with offline usage.
 //
 // This member is required.
 ConsumptionConfiguration *types.ConsumptionConfiguration

 // License entitlements.
 //
 // This member is required.
 Entitlements []types.Entitlement

 // Home Region for the license.
 //

```

```

// This member is required.
HomeRegion *string

// License issuer.
//
// This member is required.
Issuer *types.Issuer

// License name.
//
// This member is required.
LicenseName *string

// Product name.
//
// This member is required.
ProductName *string

// Product SKU.
//
// This member is required.
ProductSKU *string

// Date and time range during which the license is valid, in ISO8601-UTC format.
//
// This member is required.
Validity *types.DatetimeRange

// Information about
the license.
LicenseMetadata []types.Metadata

noSmithyDocumentSerde
}

type CreateLicenseOutput struct {

// Amazon Resource Name (ARN) of the license.
LicenseArn *string

// License status.
Status types.LicenseStatus

// License version.
Version *string

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

```

```
noSmithyDocumentSerde
}
```

```
func (c *Client) addOperationCreateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCreateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCreateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CreateLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }
}
```

```
if
err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
}
```



```

if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err
= addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpCreateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCreateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {

```

```

 return err
}
if err = addSpanBuildRequestStart(stack);
err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCreateLicense(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CreateLicense",
 }
}
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Checks in the specified license. Check in a license when it is no longer in use.
func (c *Client) CheckInLicense(ctx context.Context, params *CheckInLicenseInput, optFns ...func(*Options))
(*CheckInLicenseOutput, error) {
 if params == nil {
 params = &CheckInLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "CheckInLicense", params, optFns,
c.addOperationCheckInLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*CheckInLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

```

```

type CheckInLicenseInput struct {

 // License consumption token.
 //
 // This member is required.
 LicenseConsumptionToken *string

 // License beneficiary.
 Beneficiary *string

 noSmithyDocumentSerde
}

type
CheckInLicenseOutput struct {
 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationCheckInLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckInLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckInLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "CheckInLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if

```

```

err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if
err = addOpCheckInLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckInLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {

```

```

 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckInLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "CheckInLicense",
 }
}
ListLicenses
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
spanInitializeEnd
Serialize stack step
spanBuildRequestStart
setOperationInput
ResolveEndpoint

```

```

OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Gets detailed information about the specified license.
func (c *Client) GetLicense(ctx context.Context, params *GetLicenseInput, optFns ...func(*Options))
(*GetLicenseOutput, error) {
 if params == nil {
 params = &GetLicenseInput{}
 }
}

```

```

 result, metadata, err := c.invokeOperation(ctx, "GetLicense", params, optFns,
c.addOperationGetLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*GetLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type GetLicenseInput struct {

 // Amazon Resource Name (ARN) of the license.
 //
 // This member is required.
 LicenseArn *string

 // License version.
 Version *string

 noSmithyDocumentSerde
}

type
 GetLicenseOutput struct {

 // License details.
 License *types.License

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
 }

func (c *Client) addOperationGetLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpGetLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpGetLicense{}, middleware.After)
 if err != nil {
 return err
 }

```

```

}
if err := addProtocolFinalizerMiddlewares(stack, options, "GetLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err
!= nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}

```



```

if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options);
err != nil {
 return err
}
if err = addOpGetLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opGetLicense(options.Region), middleware.Before);
err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

```

```

func newServiceMetadataMiddleware_opGetLicense(region string) *awsmiddleware.RegisterServiceMetadata
{
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 }
}

```

```
ServiceID: ServiceID,
OperationName: "GetLicense",
}
}
CheckoutLicense
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
spanInitializeEnd
Serialize stack step
spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
DisassociateLicense
Initialize stack step
spanInitializeStart
```

RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
AssociateLicense  
Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart

```

setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger

```

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

```

// Checks out the specified license for offline use.

```

func (c *Client) CheckoutBorrowLicense(ctx context.Context, params *CheckoutBorrowLicenseInput, optFns
...func(*Options)) (*CheckoutBorrowLicenseOutput, error) {
 if params == nil {

```

```

params = &CheckoutBorrowLicenseInput{}
}

result, metadata, err := c.invokeOperation(ctx, "CheckoutBorrowLicense", params, optFns,
c.addOperationCheckoutBorrowLicenseMiddlewares)
if err != nil {
 return nil, err
}

out := result.(*CheckoutBorrowLicenseOutput)
out.ResultMetadata = metadata
return out, nil
}

type CheckoutBorrowLicenseInput struct {

 // Unique, case-sensitive identifier that you provide to ensure the idempotency of
 //
 // the request.
 //
 // This member is required.
 ClientToken *string

 // Digital signature method. The possible value is JSON Web Signature (JWS)
 // algorithm PS384. For more information, see [RFC 7518 Digital Signature with RSASSA-PSS].
 //
 // [RFC 7518 Digital Signature with RSASSA-PSS]: https://tools.ietf.org/html/rfc7518#section-3.5
 //
 // This member is required.
 DigitalSignatureMethod types.DigitalSignatureMethod

 // License entitlements. Partial checkouts are not supported.
 //
 // This member is required.
 Entitlements []types.EntitlementData

 // Amazon Resource Name (ARN) of the license. The license must use the borrow
 // consumption configuration.
 //
 // This member is required.
 LicenseArn *string

 // Information about constraints.
 CheckoutMetadata []types.Metadata

 // Node ID.
 NodeId *string

```

```

noSmithyDocumentSerde
}

type CheckoutBorrowLicenseOutput struct {

 // Information about constraints.
 CheckoutMetadata []types.Metadata

 // Allowed license entitlements.
 EntitlementsAllowed
 []types.EntitlementData

 // Date and time at which the license checkout expires.
 Expiration *string

 // Date and time at which the license checkout is issued.
 IssuedAt *string

 // Amazon Resource Name (ARN) of the license.
 LicenseArn *string

 // License consumption token.
 LicenseConsumptionToken *string

 // Node ID.
 NodeId *string

 // Signed token.
 SignedToken *string

 // Metadata pertaining to the operation's result.
 ResultMetadata middleware.Metadata

 noSmithyDocumentSerde
}

func (c *Client) addOperationCheckoutBorrowLicenseMiddlewares(stack *middleware.Stack, options Options) (err
error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpCheckoutBorrowLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpCheckoutBorrowLicense{}, middleware.After)
 if err != nil {
 return
 }
}

```

```

err
}
if err := addProtocolFinalizerMiddlewares(stack, options, "CheckoutBorrowLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
}

if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
}
if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
}
if err = addClientRequestID(stack); err != nil {
 return err
}
if err = addComputeContentLength(stack); err != nil {
 return err
}
if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
}
if err = addComputePayloadSHA256(stack); err != nil {
 return err
}
if err = addRetry(stack, options); err != nil {
 return err
}
if err = addRawResponseToMetadata(stack); err != nil {
 return err
}
if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack);
err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}

```

```

}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpCheckoutBorrowLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opCheckoutBorrowLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options);
err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opCheckoutBorrowLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{

```



```
Region: region,
ServiceID: ServiceID,
OperationName: "CheckoutBorrowLicense",
}
}
```

CheckInLicense

Initialize stack step

spanInitializeStart

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

OperationInputValidation

spanInitializeEnd

Serialize stack step

spanBuildRequestStart

setOperationInput

ResolveEndpoint

OperationSerializer

Build stack step

ClientRequestID

ComputeContentLength

UserAgent

AddTimeOffsetMiddleware

RecursionDetection

spanBuildRequestEnd

Finalize stack step

ResolveAuthScheme

GetIdentity

ResolveEndpointV2

disableHTTPS

ComputePayloadHash

spanRetryLoop

Retry

RetryMetricsHeader

setLegacyContextSigningOptions

Signing

Deserialize stack step

AddRawResponseToMetadata

ErrorCloseResponseBody

CloseResponseBody

ResponseErrorWrapper

RequestIDRetriever

OperationDeserializer

AddTimeOffsetMiddleware

RecordResponseTiming

RequestResponseLogger

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.

ListReceivedLicenses

Initialize stack step

spanInitializeStart

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

spanInitializeEnd

Serialize stack step

spanBuildRequestStart

setOperationInput

ResolveEndpoint

OperationSerializer

Build stack step

ClientRequestID

ComputeContentLength

UserAgent

AddTimeOffsetMiddleware

RecursionDetection

spanBuildRequestEnd

Finalize stack step

ResolveAuthScheme

GetIdentity

ResolveEndpointV2

disableHTTPS

ComputePayloadHash

spanRetryLoop

Retry

RetryMetricsHeader

setLegacyContextSigningOptions

Signing

Deserialize stack step

AddRawResponseToMetadata

ErrorCloseResponseBody

CloseResponseBody

ResponseErrorWrapper

RequestIDRetriever

OperationDeserializer

AddTimeOffsetMiddleware

RecordResponseTiming

RequestResponseLogger

// Code generated by smithy-go-codegen DO NOT EDIT.

package licensemanager

import (

"context"

"fmt"

```

awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
"github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
"github.com/aws/smithy-go/middleware"
smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Deletes the specified license.
func (c *Client) DeleteLicense(ctx context.Context, params *DeleteLicenseInput, optFns ...func(*Options))
(*DeleteLicenseOutput, error) {
 if params == nil {
 params = &DeleteLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx, "DeleteLicense", params, optFns,
c.addOperationDeleteLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*DeleteLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type DeleteLicenseInput struct {

 // Amazon Resource Name (ARN) of the license.
 //
 // This member is required.
 LicenseArn *string

 // Current version of the license.
 //
 // This member is required.
 SourceVersion
 *string

 noSmithyDocumentSerde
}

type DeleteLicenseOutput struct {

 // Date when the license is deleted.
 DeletionDate *string

 // License status.
 Status types.LicenseDeletionStatus

```

```

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationDeleteLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpDeleteLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpDeleteLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "DeleteLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err !=
 nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {
 return err
 }
 if err = addRecordResponseTiming(stack); err != nil {

```

```

return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
return err
}
if err = addClientUserAgent(stack, options); err != nil {
return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err
!= nil {
return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
return err
}
if err = addOpDeleteLicenseValidationMiddleware(stack); err != nil {
return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opDeleteLicense(options.Region),
middleware.Before); err != nil {
return err
}
if err = addRecursionDetection(stack); err != nil {
return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
return err
}
if err = addSpanInitializeStart(stack); err != nil {
return err
}

```

```

}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if
err = addSpanBuildRequestEnd(stack); err != nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opDeleteLicense(region string) *awsmiddleware.RegisterServiceMetadata {
 return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "DeleteLicense",
 }
}

CreateLicense
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
spanInitializeEnd
Serialize stack step
spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop

```

Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger

```
{
 "smithy": "2.0",
 "shapes": {
 "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger": {
 "type": "integer"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong": {
 "type": "long"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 }
]
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Remove a third-party subscription provider from the Bring Your Own
```

```

License (BYOL) subscriptions \n\t\t\tregistered to your account.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/DeregisterSubscriptionProvider"
 },
 "smithy.api#idempotent": {}
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderRequest": {
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the subscription provider
resource to deregister.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#DeregisterSubscriptionProviderResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Filter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of name to filter by.</p>"
 }
 },
 "Values": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>One or more values for the name to filter by.</p>"
 }
 }
 },
 "Operator": {

```



```

 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Operator",
 "traits": {
 "smithy.api#documentation": "<p>An operator for filtering results.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter object that is used to return more specific results from a describe operation.\n Filters can be used to match a set of resources by specific criteria.</p>"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList": {
 "type":
 "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Filter"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderRequest"
 },
 "output": {
 "target":
 "com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Get details for a Bring Your Own License (BYOL) subscription that's registered to your account.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/GetRegisteredSubscriptionProvider"
 }
 }
 }
}

```

```

 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderRequest": {
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation":
"<p>The Amazon Resource Name (ARN) of the BYOL registration resource to get details for.</p>",
 "smithy.api#required": {}
 }
 },
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetRegisteredSubscriptionProviderResponse": {
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) for the BYOL registration
resource specified in the request.</p>"
 }
 },
 "SubscriptionProviderSource": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSource",
 "traits": {
 "smithy.api#documentation": "<p>The subscription provider for the BYOL registration resource
specified \n\t\t\tin the request.</p>"
 }
 },
 "SecretArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SecretArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the third-party access
secret stored in Secrets Manager for the BYOL \n\t\t\tregistration resource specified in the request.</p>"
 }
 },
 "SubscriptionProviderStatus": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderStatus",
 "traits": {

```



```

 "uri": "/subscription/GetServiceSettings"

 },
 "smithy.api#idempotent": {}
}

},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsRequest": {
 "type": "structure",
 "members": {}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>Lists
the settings defined for Linux subscriptions discovery. The settings include if n Organizations integration has
been enabled, and which Regions data will be aggregated from.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
 }
 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n subscriptions.</p>"
 }
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Instance": {
 "type": "structure",
 "members": {
 "AmiId": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The AMI ID used to launch the instance.</p>"
 }
 },
 "InstanceID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance ID of the resource.</p>"
 }
 },
 "InstanceType": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The instance type of the resource.</p>"
 }
 },
 "AccountID": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The account ID which owns the instance.</p>"
 }
 },
 "Status": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The status of the instance.</p>"
 }
 },
 "Region": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The Region the instance is running in.</p>"
 }
 },
 "UsageOperation": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The usage operation of the instance. For more information, see For more information, see\n <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-

```

```

subscriptions-usage-operation.html\>Usage\n operation values in the <i>License Manager User
Guide</i>.</p>"
 }
 },
 "ProductCode": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList",
 "traits": {
 "smithy.api#documentation": "<p>The product code for the instance. For more information, see <a
href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/linux-subscriptions-usage-
operation.html\>Usage\n operation values in the <i>License Manager User Guide</i> .</p>"
 }
 },
 "LastUpdatedTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The time in which the last discovery updated the instance
details.</p>"
 }
 },
 "SubscriptionName": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the license subscription that the instance uses.</p>"
 }
 },
 "OsVersion": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The operating system software version that runs on your
instance.</p>"
 }
 },
 "SubscriptionProviderCreateTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp when you registered
the third-party Linux subscription \n\t\t\tprovider for the subscription that the instance uses.</p>"
 }
 },
 "SubscriptionProviderUpdateTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp from the last time that the instance synced with the
registered \n\t\t\tthird-party Linux subscription provider.</p>"
 }
 },
 "DualSubscription": {
 "target": "smithy.api#String",

```



```

{
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#GetServiceSettings"
},
{
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances"
},
{
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions"
},
{
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProviders"
},
{
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListTagsForResource"
},
{
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProvider"
},
{
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagResource"
},
{
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResource"
},
{
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings"
}
],
"traits": {
 "aws.api#service": {
 "sdkId": "License Manager Linux Subscriptions",
 "arnNamespace": "license-manager-linux-subscriptions",
 "cloudTrailEventSource": "license-manager-linux-subscriptions.amazonaws.com"
 },
 "aws.auth#sigv4": {
 "name": "license-manager-linux-subscriptions"
 },
 "aws.protocols#restJson1": {},
 "smithy.api#cors": {
 "additionalAllowedHeaders": [
 "*",
 "content-type",
 "x-amz-content-sha256",
 "x-amz-user-agent",
 "x-amzn-platform-id",
 "x-amzn-trace-id"
],
 "additionalExposedHeaders": [

```



```

 "x-amzn-errortype",
 "x-amzn-requestid",
 "x-amzn-trace-id"
]
},
"smithy.api#documentation": "<p>With License Manager,
you can discover and track your commercial Linux subscriptions on running Amazon EC2 instances.</p>",
"smithy.api#title": "AWS License Manager Linux Subscriptions",
"smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not
support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the
configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {
 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
 },
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
]
}

```

```

 }
]
}
],
"rules": [
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
}

],

 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
},
{
 "conditions": [],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]
 }
]
}

],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
},
{
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 }
}

```

```

 },
 "type": "endpoint"
 }
],
"type": "tree"

}
],
"type": "tree"
},
{
 "conditions": [],
 "rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 }
],

```

```

 true
]
},
{
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
}

],

"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 }
]
 }
]
 },
 {
 "fn": "supportsFIPS"
 }
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
]

```

```

 }
],
 "rules": [
 {
 "conditions": [],

"rules": [

 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],

 "type": "tree"
 },
 "type": "tree"
},
{
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support
one or both",
 "type": "error"
},
 "type": "tree"
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "rules": [
 {

```

```

 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 },
 true
]
 }
],
 "rules": [
 {
 "conditions": [],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-
fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
 }
],
 "type": "tree"
 },
 {
 "conditions": [],
 "error": "FIPS is enabled
but this partition does not support FIPS",
 "type": "error"
 }
],
"type": "tree"

```

```

 },
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsDualStack"
]
 }
]
 }
],
 "rules": [
 {
 "conditions": [],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
 }
]
 }
]
 }
]
}

```

```

 }
],
 "type": "tree"
}

],
 "type": "tree"
},
{
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
}
],
"type": "tree"
},
{
 "conditions": [],
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-linux-
subscriptions.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 "type": "tree"
}
],
"type": "tree"
}
],
"type": "tree"
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
],
"type": "tree"
}
]
},

```



```

"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-east-1.amazonaws.com"
 }
 }
 }
]
}

```

```

 }
},
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
}

```

```

 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.api.aws"

```

```

 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{

```

```

enabled",
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS":
false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
}

```

```

 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-linux-subscriptions.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 }
 }
],
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
}

```

```

 },
 "params": {
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
},
{
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
}
],
"version": "1.0"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [

```

```

 {
 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled LinuxSubscriptionsDiscovery"
 },
 {
 "name": "Disabled",
 "value": "Disabled",
 "documentation": "Disabled LinuxSubscriptionsDiscovery"
 }
]
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings": {
 "type": "structure",
 "members": {
 "SourceRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Regions in which to discover data for Linux
subscriptions.</p>",
 "smithy.api#required": {}
 }
 },
 "OrganizationIntegration": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration",
 "traits": {
 "smithy.api#documentation":
"<p>Details if you have enabled resource discovery across your accounts in Organizations.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Lists the settings defined for discovering Linux subscriptions.</p>"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstances": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse"
 },
 "errors": [
 {

```



```

 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 },

{
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
},
{
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Lists the running Amazon EC2 instances that were discovered with commercial Linux\n subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListLinuxSubscriptionInstances"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "Instances"
 }
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesRequest":
{
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results by your specified criteria. \n \tFor example, you can specify <code>Region</code> in the <code>Name</code>, with the \n \t<code>contains</code> operator to list all subscriptions that match a partial string in the \n \t<code>Value</code>, such as <code>us-west</code>.</p>\n <p>For each filter, you can specify one of the following values for the <code>Name</code> key \n \tto streamline results:</p>\n \n \n <p>\n <code>AccountID</code>\n </p>\n \n \n <p>\n <code>AmiID</code>\n </p>\n \n \n <p>\n <code>DualSubscription</code>\n </p>\n \n \n <p>\n <code>InstanceID</code>\n </p>\n \n \n <p>\n <code>InstanceType</code>\n </p>\n \n \n <p>\n <code>ProductCode</code>\n </p>\n \n \n <p>\n <code>Region</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n \n <p>\n <code>UsageOperation</code>\n </p>\n \n \n <p>For each filter, you can use

```

one of the following `Operator`

values to `\n` to define the behavior of the filter:

|                       |                           |                            |                           |                          |
|-----------------------|---------------------------|----------------------------|---------------------------|--------------------------|
| <code>contains</code> | <code>&lt;/p&gt;\n</code> | <code>&lt;/li&gt;\n</code> | <code>&lt;li&gt;\n</code> | <code>&lt;p&gt;\n</code> |
| <code>equals</code>   | <code>&lt;/p&gt;\n</code> | <code>&lt;/li&gt;\n</code> | <code>&lt;li&gt;\n</code> | <code>&lt;p&gt;\n</code> |
| <code>Notequal</code> | <code>&lt;/p&gt;\n</code> | <code>&lt;/li&gt;\n</code> | <code>&lt;/ul&gt;</code>  |                          |

```
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum items to return in a request.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to
start paginating. This \n\tis the nextToken from a previously truncated response.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 16384
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if
parameters in request increases."
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionInstancesResponse": {
 "type": "structure",
 "members": {
 "Instances": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InstanceList",
 "traits": {
 "smithy.api#documentation": "<p>An array that contains instance objects.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this \n\tfield
isn't empty, there are additional elements that the service hasn't \n\tincluded in this request. Use this token with the
next request to retrieve \n\tadditional objects.</p>"
 }
 }
 }
}
```

```

 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerError"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the Linux subscriptions that have been discovered. If you have linked your\n organization, the returned results will include data aggregated across your accounts in\nOrganizations.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListLinuxSubscriptions"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 }
 }
 },
 "items": "Subscriptions"
}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>An array of structures that you can use to filter the results to those that match one or\n more sets of key-value pairs that you specify. For example, you can filter by the name of\n

```

`Subscription` with an optional operator to see subscriptions that match, partially match, or don't match a certain subscription's name.

The valid names for this filter are:

- `Subscription`

The valid Operators for this filter are:

- `contains`
- `equals`
- `Notequal`

```

 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>The maximum items to return in a request.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A token to specify where to start paginating. This \n\tis the nextToken from a previously truncated response.</p>",
 "smithy.api#length": {
 "min": 1,
 "max": 16384
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "NextToken length limit is half of ddb accepted limit.\nIncrease this limit if parameters in request increases."
 },
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListLinuxSubscriptionsResponse": {
 "type": "structure",
 "members": {
 "Subscriptions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList",
 "traits": {
 "smithy.api#documentation": "<p>An array that contains subscription objects.</p>"
 }
 },
 "NextToken": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The next token used for paginated responses. When this \n\tfield isn't empty, there are additional elements that the service hasn't \n\tincluded in this request. Use this token with the next request to retrieve \n\tadditional objects.</p>"
 }
 }
 }
}

```

```

 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProviders": {
 "type": "operation",
 "input": {
 "target":
"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProvidersRequest"
 },
 "output": {
 "target":
"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProvidersResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"

 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>List Bring Your Own License (BYOL) subscription registration
resources for your account.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/ListRegisteredSubscriptionProviders"
 },
 "smithy.api#idempotent": {},
 "smithy.api#paginated": {
 "inputToken": "NextToken",
 "outputToken": "NextToken",
 "pageSize": "MaxResults",
 "items": "RegisteredSubscriptionProviders"
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ListRegisteredSubscriptionProvidersRequest": {
 "type": "structure",
 "members": {
 "SubscriptionProviderSources": {

```





```

 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "tags": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Tags",
 "traits": {
 "smithy.api#documentation": "<p>The metadata tags for the requested resource.</p>"
 }
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Operator": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "EQUAL",
 "value": "Equal",
 "documentation": "Equal operator"
 },
 {
 "name": "NOT_EQUAL",
 "value": "NotEqual",
 "documentation": "Not equal operator"
 },
 {
 "name": "CONTAINS",
 "value": "Contains",
 "documentation": "Contains operator"
 }
],
 "smithy.api#length": {
 "min": 1,
 "max": 20
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#OrganizationIntegration":
{
 "type": "string",
 "traits": {

```



```

 "smithy.api#enum": [
 {
 "name": "Enabled",
 "value": "Enabled",
 "documentation": "Enabled OrganizationIntegration"
 },
 {
 "name": "Disabled",
 "value": "Disabled",
 "documentation": "Disabled OrganizationIntegration"
 }
]
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ProductCodeList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProvider": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProviderRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisterSubscriptionProviderResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Register the supported third-party subscription provider for your Bring Your Own License (BYOL) subscription.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/RegisterSubscriptionProvider"
 }
 }
 }
}

```



```

 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Linux subscription
provider resource that you registered.</p>"
 },
 "SubscriptionProviderStatus": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderStatus",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of the registration action for the Linux
subscription provider \n\t\t\tthat you requested.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#RegisteredSubscriptionProvider": {
 "type": "structure",
 "members": {
 "SubscriptionProviderArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Linux subscription
provider resource that you registered.</p>"
 }
 },
 "SubscriptionProviderSource": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSource",
 "traits": {
 "smithy.api#documentation": "<p>A supported third-party Linux subscription provider. License
Manager currently supports \n\t\t\tRed Hat subscriptions.</p>"
 }
 },
 "SecretArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SecretArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Secrets Manager secret
that stores your registered Linux subscription provider \n\t\t\taccess token. For RHEL account subscriptions, this is
the offline token.</p>"
 }
 },
 "SubscriptionProviderStatus": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderStatus",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of your registered Linux subscription provider
access token \n\t\t\tfrom the last time License Manager retrieved subscription data. For RHEL account subscriptions,
\n\t\t\tthis is the status of the offline token.</p>"
 }
 }
 }
 }
}

```

```

 }
 },
 "SubscriptionProviderStatusMessage": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>A detailed message that's associated with your BYOL subscription
\n\t\t\tprovider token status.</p>"
 }
 },
 "LastSuccessfulDataRetrievalTime": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The timestamp from the last time that License Manager accessed
third-party subscription data \n\t\t\tfor your account from your registered Linux subscription provider.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A third-party provider for operating system (OS) platform software and
license \n\t\t\tsubscriptions, such as Red Hat. When you register a third-party Linux subscription \n\t\t\tprovider,
License Manager can get subscription data from the registered provider.</p>"
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#RegisteredSubscriptionProviderList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#RegisteredSubscriptionProvider"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Unable to find the requested Amazon Web Services resource.</p>",
 "smithy.api#error": "client"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#SecretArn": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^arn:[a-z0-9-\\.]{1,63}:secretsmanager:[a-z0-9-\\.]{0,63}:[a-z0-9-\\.]{0,63}:secret:[^/]{1,1023}$"
 }
 }
}

```

```

}
},
"com.amazonaws.licensemanagerlinuxsubscriptions#Status": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "InProgress",
 "value": "InProgress",
 "documentation": "InProgress status"
 },
 {
 "name": "Completed",
 "value": "Completed",
 "documentation": "Completed status"
 },
 {
 "name": "Successful",
 "value": "Successful",
 "documentation": "Successful status"
 },
 {
 "name": "Failed",
 "value": "Failed",
 "documentation": "Failed status"
 }
]
 }
},

"com.amazonaws.licensemanagerlinuxsubscriptions#StringList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 },
 "smithy.api#uniqueItems": {}
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap": {
 "type": "map",
 "key": {
 "target": "smithy.api#String"
 },
 "value": {
 "target": "smithy.api#String"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The name of the subscription.</p>"
 }
 },
 "Type": {
 "target": "smithy.api#String",
 "traits": {
 "smithy.api#documentation": "<p>The type of subscription. The type can be subscription-included with Amazon EC2, Bring Your Own\n Subscription model (BYOS), or from the Amazon Web Services Marketplace. Certain subscriptions may use licensing from the\n Amazon Web Services Marketplace as well as OS licensing from Amazon EC2 or BYOS.</p>"
 }
 },
 "InstanceCount": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>The total amount of running instances using this subscription.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>An object which details a discovered Linux subscription.</p>"
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Subscription"
 }
 }
 },

```

```

"com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn": {
 "type": "string",
 "traits": {
 "smithy.api#pattern": "^arn:[a-z0-9-\\.]{1,63}:[a-z0-9-\\.]{1,63}:[a-z0-9-\\.]{1,63}:[a-z0-9-\\.]{1,510}/[a-z0-9-\\.]{1,510}$"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSource": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "RedHat",
 "value": "RedHat",
 "documentation": "RedHat subscription provider namespace"
 }
]
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSourceList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderSource"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderStatus": {
 "type": "string",
 "traits": {
 "smithy.api#enum": [
 {
 "name": "ACTIVE",
 "value": "ACTIVE",
 "documentation": "ACTIVE status"
 },
 {
 "name": "INVALID",
 "value": "INVALID",
 "documentation": "INVALID status"
 },
 {
 "name": "PENDING",
 "value": "PENDING",
 "documentation": "PENDING status"
 }
]
 }
}

```

```

 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#TagKeyList": {
 "type": "list",
 "member": {
 "target": "smithy.api#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#sensitive": {}
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#TagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Add metadata tags to the specified Amazon Web Services
resource.</p>",
 "smithy.api#http": {
 "method": "PUT",
 "uri": "/tags/{resourceArn}"
 },
 "smithy.api#idempotent": {}
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#TagResourceRequest": {
 "type": "structure",
 "members": {
 "resourceArn": {

```





```

 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation":
 "<p>The request was denied due to request throttling.</p>",
 "smithy.api#error": "client"
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UntagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerErrorException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ResourceNotFoundException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Remove one or more metadata tag from the specified Amazon Web
Services resource.</p>",
 "smithy.api#http": {
 "method": "DELETE",
 "uri": "/tags/{resourceArn}"
 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "resourceArn": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#SubscriptionProviderArn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the Amazon Web Services
resource to remove the metadata tags from.</p>",
 "smithy.api#httpLabel": {},
 "smithy.api#required": {}
 }
 }
 },

```

```

 "tagKeys": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#TagKeyList",
 "traits": {

 "smithy.api#documentation": "<p>A list of metadata tag keys to remove from the requested
\n\t\t\tresource.</p>",
 "smithy.api#httpQuery": "tagKeys",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#UntagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse"
 }
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#InternalServerException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ThrottlingException"
 },
 {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates the service settings for Linux subscriptions.</p>",
 "smithy.api#http": {
 "code": 200,
 "method": "POST",
 "uri": "/subscription/UpdateServiceSettings"
 }
 }
}

```

```

 },
 "smithy.api#idempotent": {}
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsRequest": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Describes if the discovery of Linux subscriptions is enabled.</p>",
 "smithy.api#required": {}
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated from.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowUpdate": {
 "target":
"smithy.api#Boolean",
 "traits": {
 "smithy.api#documentation": "<p>Describes if updates are allowed to the service settings for Linux subscriptions. If you\n allow updates, you can aggregate Linux subscription data in more than one home Region.</p>"
 }
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "LinuxSubscriptionsDiscovery": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscovery",
 "traits": {
 "smithy.api#documentation": "<p>Lists if discovery has been enabled for Linux subscriptions.</p>"
 }
 },
 "LinuxSubscriptionsDiscoverySettings": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#LinuxSubscriptionsDiscoverySettings",
 "traits": {
 "smithy.api#documentation": "<p>The settings defined for Linux subscriptions discovery. The settings include if Organizations\n integration has been enabled, and which Regions data will be aggregated

```

```

from.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#Status",
 "traits": {
 "smithy.api#documentation": "<p>Indicates the status of Linux subscriptions settings being
applied.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringMap",
 "traits": {
 "smithy.api#documentation": "<p>A message which details the Linux subscriptions service settings
current status.</p>"
 }
 },

 },
 "HomeRegions": {
 "target": "com.amazonaws.licensemanagerlinuxsubscriptions#StringList",
 "traits": {
 "smithy.api#documentation": "<p>The Region in which License Manager displays the aggregated
data for Linux\n subscriptions.</p>"
 }
 }
},
"com.amazonaws.licensemanagerlinuxsubscriptions#ValidationException": {
 "type": "structure",
 "members": {
 "message": {
 "target": "smithy.api#String"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",
 "smithy.api#error": "client"
 }
}
}
}

```

GetLicense

Initialize stack step

spanInitializeStart

RegisterServiceMetadata

legacyEndpointContextSetter

SetLogger

OperationInputValidation

spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step  
ClientRequestID  
ComputeContentLength  
UserAgent  
AddTimeOffsetMiddleware  
RecursionDetection  
spanBuildRequestEnd  
Finalize stack step  
ResolveAuthScheme  
GetIdentity  
ResolveEndpointV2  
disableHTTPS  
ComputePayloadHash  
spanRetryLoop  
Retry  
RetryMetricsHeader  
setLegacyContextSigningOptions  
Signing  
Deserialize stack step  
AddRawResponseToMetadata  
ErrorCloseResponseBody  
CloseResponseBody  
ResponseErrorWrapper  
RequestIDRetriever  
OperationDeserializer  
AddTimeOffsetMiddleware  
RecordResponseTiming  
RequestResponseLogger  
CheckoutBorrowLicense  
Initialize stack step  
spanInitializeStart  
RegisterServiceMetadata  
legacyEndpointContextSetter  
SetLogger  
OperationInputValidation  
spanInitializeEnd  
Serialize stack step  
spanBuildRequestStart  
setOperationInput  
ResolveEndpoint  
OperationSerializer  
Build stack step

```

ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody
ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
// Code generated by smithy-go-codegen DO NOT EDIT.

package grafana

import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/grafana/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)

// Assigns a Grafana Enterprise license to a workspace. To upgrade, you must use
// ENTERPRISE for the licenseType , and pass in a valid Grafana Labs token for the
// grafanaToken . Upgrading to Grafana Enterprise incurs additional fees. For more
// information, see [Upgrade a workspace to Grafana Enterprise].
//
// [Upgrade a workspace to Grafana Enterprise]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-
// Grafana-Enterprise.html
func (c *Client) AssociateLicense(ctx context.Context, params *AssociateLicenseInput, optFns ...func(*Options))

```

```

(*AssociateLicenseOutput, error) {
 if params == nil {
 params = &AssociateLicenseInput{}
 }

 result, metadata, err := c.invokeOperation(ctx,
 "AssociateLicense", params, optFns, c.addOperationAssociateLicenseMiddlewares)
 if err != nil {
 return nil, err
 }

 out := result.(*AssociateLicenseOutput)
 out.ResultMetadata = metadata
 return out, nil
}

type AssociateLicenseInput struct {

 // The type of license to associate with the workspace.
 //
 // Amazon Managed Grafana workspaces no longer support Grafana Enterprise free
 // trials.
 //
 // This member is required.
 LicenseType types.LicenseType

 // The ID of the workspace to associate the license with.
 //
 // This member is required.
 WorkspaceId *string

 // A token from Grafana Labs that ties your Amazon Web Services account with a
 // Grafana Labs account. For more information, see [Link your account with Grafana Labs].
 //
 // [Link your account with Grafana Labs]: https://docs.aws.amazon.com/grafana/latest/userguide/upgrade-to-
 // Grafana-Enterprise.html#AMG-workspace-register-enterprise
 GrafanaToken *string

 noSmithyDocumentSerde
}

type AssociateLicenseOutput
struct {

 // A structure containing data about the workspace.
 //
 // This member is required.
 Workspace *types.WorkspaceDescription

```



```

// Metadata pertaining to the operation's result.
ResultMetadata middleware.Metadata

noSmithyDocumentSerde
}

func (c *Client) addOperationAssociateLicenseMiddlewares(stack *middleware.Stack, options Options) (err error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsRestjson1_serializeOpAssociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsRestjson1_deserializeOpAssociateLicense{}, middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "AssociateLicense"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack,
options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {
 return err
 }
}

```

```

if err = addRecordResponseTiming(stack); err != nil {
 return err
}
if err = addSpanRetryLoop(stack, options); err != nil {
 return err
}
if err = addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack,
c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = addOpAssociateLicenseValidationMiddleware(stack); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opAssociateLicense(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err != nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {

```

```

 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err !=
nil {
 return err
}
return nil
}

func newServiceMetadataMiddleware_opAssociateLicense(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "AssociateLicense",
}
}

```

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

// Code generated by smithy-go-codegen DO NOT EDIT.

```
package licensemanager
```

```
import (
 "context"
 "fmt"
 awsmiddleware "github.com/aws/aws-sdk-go-v2/aws/middleware"
 "github.com/aws/aws-sdk-go-v2/service/licensemanager/types"
 "github.com/aws/smithy-go/middleware"
 smithyhttp "github.com/aws/smithy-go/transport/http"
)
```

```
// Lists received licenses.
```

```
func (c *Client) ListReceivedLicenses(ctx context.Context, params *ListReceivedLicensesInput, optFns
...func(*Options)) (*ListReceivedLicensesOutput, error) {
 if params == nil {
 params = &ListReceivedLicensesInput{}
 }
}
```

```
result, metadata, err := c.invokeOperation(ctx, "ListReceivedLicenses", params, optFns,
c.addOperationListReceivedLicensesMiddlewares)
if err != nil {
 return nil, err
}
```



```

out := result.(*ListReceivedLicensesOutput)
out.ResultMetadata = metadata
return out, nil
}

```

```

type ListReceivedLicensesInput struct {

```

```

 // Filters to scope the results. The following filters are supported:

```

```

 //

```

```

 // - ProductSKU

```

```

 //

```

```

 // - Status

```

```

 //

```

```

 //

```

```

 // - Fingerprint

```

```

 //

```

```

 // - IssuerName

```

```

 //

```

```

 // - Beneficiary

```

```

 Filters []types.Filter

```

```

 // Amazon Resource Names (ARNs) of the licenses.

```

```

 LicenseArns []string

```

```

 // Maximum number of results to return in a single call.

```

```

 MaxResults *int32

```

```

 // Token for the next set of results.

```

```

 NextToken *string

```

```

 noSmithyDocumentSerde

```

```

}

```

```

type ListReceivedLicensesOutput struct {

```

```

 // Received license details.

```

```

 Licenses []types.GrantedLicense

```

```

 // Token for the next set of results.

```

```

 NextToken *string

```

```

 // Metadata pertaining to the operation's result.

```

```

 ResultMetadata middleware.Metadata

```

```

 noSmithyDocumentSerde

```

```

}

```

```

func (c *Client) addOperationListReceivedLicensesMiddlewares(stack *middleware.Stack, options Options) (err

```

```

error) {
 if err := stack.Serialize.Add(&setOperationInputMiddleware{}, middleware.After); err != nil {
 return err
 }
 err = stack.Serialize.Add(&awsAwsjson11_serializeOpListReceivedLicenses{}, middleware.After)
 if err != nil {
 return err
 }
 err = stack.Deserialize.Add(&awsAwsjson11_deserializeOpListReceivedLicenses{},
 middleware.After)
 if err != nil {
 return err
 }
 if err := addProtocolFinalizerMiddlewares(stack, options, "ListReceivedLicenses"); err != nil {
 return fmt.Errorf("add protocol finalizers: %v", err)
 }

 if err = addLegacyEndpointContextSetter(stack, options); err != nil {
 return err
 }
 if err = addSetLoggerMiddleware(stack, options); err != nil {
 return err
 }
 if err = addClientRequestID(stack); err != nil {
 return err
 }
 if err = addComputeContentLength(stack); err != nil {
 return err
 }
 if err = addResolveEndpointMiddleware(stack, options); err != nil {
 return err
 }
 if err = addComputePayloadSHA256(stack); err != nil {
 return err
 }
 if err = addRetry(stack, options); err != nil {
 return err
 }
 if err = addRawResponseToMetadata(stack); err != nil {
 return err
 }
 if err = addRecordResponseTiming(stack); err != nil {
 return err
 }
 if err = addSpanRetryLoop(stack, options); err != nil {
 return err
 }
 if err =

```

```

addClientUserAgent(stack, options); err != nil {
 return err
}
if err = smithyhttp.AddErrorCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = smithyhttp.AddCloseResponseBodyMiddleware(stack); err != nil {
 return err
}
if err = addSetLegacyContextSigningOptionsMiddleware(stack); err != nil {
 return err
}
if err = addTimeOffsetBuild(stack, c); err != nil {
 return err
}
if err = addUserAgentRetryMode(stack, options); err != nil {
 return err
}
if err = stack.Initialize.Add(newServiceMetadataMiddleware_opListReceivedLicenses(options.Region),
middleware.Before); err != nil {
 return err
}
if err = addRecursionDetection(stack); err != nil {
 return err
}
if err = addRequestIDRetrieverMiddleware(stack); err != nil {
 return err
}
if err = addResponseErrorMiddleware(stack); err != nil {
 return err
}
if err = addRequestResponseLogging(stack, options); err != nil {
 return err
}
if err = addDisableHTTPSMiddleware(stack, options); err !=
nil {
 return err
}
if err = addSpanInitializeStart(stack); err != nil {
 return err
}
if err = addSpanInitializeEnd(stack); err != nil {
 return err
}
if err = addSpanBuildRequestStart(stack); err != nil {
 return err
}
if err = addSpanBuildRequestEnd(stack); err != nil {

```

```

return err
}
return nil
}

func newServiceMetadataMiddleware_opListReceivedLicenses(region string)
*awsmiddleware.RegisterServiceMetadata {
return &awsmiddleware.RegisterServiceMetadata{
 Region: region,
 ServiceID: ServiceID,
 OperationName: "ListReceivedLicenses",
}
}
DeleteLicense
Initialize stack step
spanInitializeStart
RegisterServiceMetadata
legacyEndpointContextSetter
SetLogger
OperationInputValidation
spanInitializeEnd
Serialize stack step
spanBuildRequestStart
setOperationInput
ResolveEndpoint
OperationSerializer
Build stack step
ClientRequestID
ComputeContentLength
UserAgent
AddTimeOffsetMiddleware
RecursionDetection
spanBuildRequestEnd
Finalize stack step
ResolveAuthScheme
GetIdentity
ResolveEndpointV2
disableHTTPS
ComputePayloadHash
spanRetryLoop
Retry
RetryMetricsHeader
setLegacyContextSigningOptions
Signing
Deserialize stack step
AddRawResponseToMetadata
ErrorCloseResponseBody
CloseResponseBody

```

```

ResponseErrorWrapper
RequestIDRetriever
OperationDeserializer
AddTimeOffsetMiddleware
RecordResponseTiming
RequestResponseLogger
{
 "smithy": "2.0",
 "metadata": {
 "suppressions": [
 {
 "id": "HttpMethodSemantics",
 "namespace": "*"
 },
 {
 "id": "HttpStatusCodeSemantics",
 "namespace": "*"
 },
 {
 "id": "PaginatedTrait",
 "namespace": "*"
 },
 {
 "id": "HttpHeaderTrait",
 "namespace": "*"
 },
 {
 "id": "HttpUriConflict",
 "namespace": "*"
 },
 {
 "id": "Service",
 "namespace": "*"
 }
]
 },
 "shapes": {
 "com.amazonaws.licensemanager#AWSLicenseManager": {
 "type": "service",
 "version": "2018-08-01",
 "operations": [
 {
 "target": "com.amazonaws.licensemanager#AcceptGrant"
 },
 {
 "target": "com.amazonaws.licensemanager#CheckInLicense"
 }
]
 }
 }
}

```

```

{
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicense"
},
{
 "target": "com.amazonaws.licensemanager#CheckoutLicense"
},
{
 "target": "com.amazonaws.licensemanager#CreateGrant"
},
{
 "target": "com.amazonaws.licensemanager#CreateGrantVersion"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicense"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#CreateLicenseVersion"
},
{
 "target": "com.amazonaws.licensemanager#CreateToken"
},
{
 "target": "com.amazonaws.licensemanager#DeleteGrant"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicense"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#DeleteToken"
},
{
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumption"
}

```

```

},
{
 "target": "com.amazonaws.licensemanager#GetAccessToken"
},
{
 "target": "com.amazonaws.licensemanager#GetGrant"
},
{
 "target": "com.amazonaws.licensemanager#GetLicense"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTask"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#GetLicenseUsage"
},
{
 "target": "com.amazonaws.licensemanager#GetServiceSettings"
},
{
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#ListDistributedGrants"
},
{
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurations"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasks"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGenerators"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenses"
},
{
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource"
}

```

```

},
{
 "target": "com.amazonaws.licensemanager#ListLicenseVersions"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedGrants"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedLicenses"
},
{
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganization"
},
{
 "target": "com.amazonaws.licensemanager#ListResourceInventory"
},
{
 "target": "com.amazonaws.licensemanager#ListTagsForResource"
},
{
 "target": "com.amazonaws.licensemanager#ListTokens"
},
{
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#RejectGrant"
},
{
 "target": "com.amazonaws.licensemanager#TagResource"
},
{
 "target": "com.amazonaws.licensemanager#UntagResource"
},
{
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfiguration"
},
{
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator"
},
{
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource"
},
{

```



```

 "target": "com.amazonaws.licensemanager#UpdateServiceSettings"
 }
],
"traits": {
 "aws.api#service": {
 "sdkId": "License Manager",
 "arnNamespace": "license-manager",
 "cloudFormationName": "LicenseManager",
 "cloudTrailEventSource": "licensemanager.amazonaws.com",
 "endpointPrefix": "license-manager"
 },
 "aws.auth#sigv4": {
 "name": "license-manager"
 },
 "aws.protocols#awsJson1_1": {},
 "smithy.api#documentation": "<p>License Manager makes it easier to manage licenses from software vendors across multiple \n Amazon Web Services accounts and on-premises servers.</p>",
 "smithy.api#title": "AWS License Manager",
 "smithy.api#xmlNamespace": {
 "uri": "https://license-manager.amazonaws.com/doc/2018_08_01"
 },
 "smithy.rules#endpointRuleSet": {
 "version": "1.0",
 "parameters": {
 "Region": {
 "builtIn": "AWS::Region",
 "required": false,
 "documentation": "The AWS region used to dispatch the request.",
 "type": "String"
 },
 "UseDualStack": {
 "builtIn": "AWS::UseDualStack",
 "required": true,
 "default": false,
 "documentation": "When true, use the dual-stack endpoint. If the configured endpoint does not support dual-stack, dispatching the request MAY return an error.",
 "type": "Boolean"
 },
 "UseFIPS": {
 "builtIn": "AWS::UseFIPS",
 "required": true,
 "default": false,
 "documentation": "When true, send this request to the FIPS-compliant regional endpoint. If the configured endpoint does not have a FIPS compliant endpoint, dispatching the request will return an error.",
 "type": "Boolean"
 },
 "Endpoint": {

```

```

 "builtIn": "SDK::Endpoint",
 "required": false,
 "documentation": "Override the endpoint used to send this request",
 "type": "String"
 }
},
"rules": [
 {
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Endpoint"
 }
]
 }
]
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
]
 },
 {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported",
 "type": "error"
 }
],
"conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
]

```

```

],
 "error": "Invalid Configuration: Dualstack and custom endpoint are not supported",
 "type": "error"
 },
 {
 "conditions": [],
 "endpoint": {
 "url": {
 "ref": "Endpoint"
 },
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
]
},
{
 "conditions": [
 {
 "fn": "isSet",
 "argv": [
 {
 "ref": "Region"
 }
]
 }
]
},
"tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "aws.partition",
 "argv": [
 {
 "ref": "Region"
 }
],
 "assign": "PartitionResult"
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",

```

"UseFIPS"

```
 "argv": [
 {
 "ref":

 },
 true
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
]
 }
],
"type": "tree",
"rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
]
 }
]
 }
]
 },
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
],
 }
]
 }
]
```

```

"supportsDualStack"
]
 }
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-
fips.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 {
 "conditions": [],
 "error": "FIPS and DualStack are enabled, but this partition does not support one or
both",
 "type": "error"
 }
],
{
 "conditions": [
 {
 "fn": "booleanEquals",

 "argv": [
 {
 "ref": "UseFIPS"
 },
 true
]
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {

```

```

 "fn": "booleanEquals",
 "argv": [
 true,
],
 },
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 },
 "supportsFIPS"
],
 },
],
"type": "tree",
"rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-manager-fips.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 },
 {
 "conditions": [],
 "error": "FIPS is enabled but this
partition does not support FIPS",
 "type": "error"
 },
],
},
{
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 {
 "ref": "UseDualStack"
 },
 true
],
 }
],
}

```

```

 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [
 {
 "fn": "booleanEquals",
 "argv": [
 true,
 {
 "fn": "getAttr",
 "argv": [
 {
 "ref": "PartitionResult"
 }
],
 }
],
 }
],
 "supportsDualStack"
 }
],
 "type": "tree",
 "rules": [
 {
 "conditions": [],
 "endpoint": {
 "url": "https://license-
manager.{Region}.{PartitionResult#dualStackDnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
 }
],
 {
 "conditions": [],
 "error": "DualStack is enabled but this partition does not support DualStack",
 "type": "error"
 }
],
{
 "conditions": [],
 "endpoint": {

```

```

 "url": "https://license-manager.{Region}.{PartitionResult#dnsSuffix}",
 "properties": {},
 "headers": {}
 },
 "type": "endpoint"
}
]
}
]
},
{
 "conditions": [],
 "error": "Invalid Configuration: Missing Region",
 "type": "error"
}
]
},
"smithy.rules#endpointTests": {
 "testCases": [
 {
 "documentation": "For region af-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.af-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "af-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-1 with FIPS disabled and DualStack disabled",

```



```

 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region ap-northeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-northeast-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-northeast-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
},
{
 "documentation": "For region ap-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "ap-south-1",
 "UseFIPS": false,

```

```

 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-1.amazonaws.com"
 }
 }
},
{
 "params": {
 "Region": "ap-southeast-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-2.amazonaws.com"
 }
 }
},
{
 "params": {
 "Region": "ap-southeast-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ap-southeast-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.ap-southeast-3.amazonaws.com"
 }
 }
},
{
 "params": {
 "Region": "ap-southeast-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region ca-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {

```

```

 "url": "https://license-manager.ca-central-1.amazonaws.com"
 }
},

"params": {
 "Region": "ca-central-1",
 "UseFIPS": false,
 "UseDualStack": false
}
},
{
 "documentation": "For region eu-central-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-central-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-central-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-north-1 with FIPS
disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-north-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-south-1.amazonaws.com"
 }
 },
 "params": {
 "Region":
"eu-south-1",
 "UseFIPS": false,

```

```

 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region eu-west-3 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.eu-west-3.amazonaws.com"
 }
 },
 "params": {
 "Region": "eu-west-3",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region me-south-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {

```

```

 "url": "https://license-manager.me-south-1.amazonaws.com"
 },
 "params": {
 "Region": "me-south-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region sa-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.sa-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "sa-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
}

```

```

 },
 {
 "documentation": "For region us-east-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-east-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region
us-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-1.amazonaws.com"
 }
 }
 }
]
}

```

```

 },
 "params": {
 "Region": "us-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-west-2 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-2",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-west-2 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-west-2.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-west-2",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
 }
}

```

```

 },
 {
 "documentation": "For region us-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url":
"https://license-manager.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region cn-northwest-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-northwest-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-northwest-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 }
 },
 {
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.api.amazonwebservices.com.cn"
 }
 }
 }

```



```

 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region cn-north-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.cn-north-1.amazonaws.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
},
{
 "documentation": "For region cn-north-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.cn-north-1.api.amazonwebservices.com.cn"
 }
 },
 "params": {
 "Region": "cn-north-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{

```

```

 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-west-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
 },
 {
 "documentation":
 "For region us-gov-west-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-west-1.amazonaws.com"
 }
 },
 "params": {
 "Region": "us-gov-west-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-gov-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-gov-east-1.api.aws"
 }
 },
 },

```

```

"params": {
 "Region": "us-gov-east-1",
 "UseFIPS": true,
 "UseDualStack": true
},
{
 "documentation": "For region us-gov-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-gov-east-1.api.aws"
 }
 },
 "params": {
 "Region": "us-gov-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-iso-east-1.c2s.ic.gov"
 }
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-iso-east-1 with FIPS enabled and DualStack disabled",
 "expect": {
 "endpoint": {

```

```

 "url": "https://license-manager-fips.us-iso-east-1.c2s.ic.gov"
 }
},
"params": {
 "Region": "us-iso-east-1",
 "UseFIPS": true,
 "UseDualStack": false
}
},
{
 "documentation": "For region us-iso-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled
but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-iso-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack disabled",
 "expect": {
 "endpoint": {
 "url": "https://license-manager.us-isob-east-1.sc2s.sgov.gov"
 }
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": false
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack enabled",
 "expect": {
 "error": "FIPS and DualStack are enabled, but this partition does not support one or both"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": true
 }
},
{
 "documentation": "For region us-isob-east-1 with FIPS enabled and DualStack disabled",

```

```

 "expect": {
 "endpoint": {
 "url": "https://license-manager-fips.us-isob-east-1.sc2s.sgov.gov"
 }
 },

 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": true,
 "UseDualStack": false
 }
 },
 {
 "documentation": "For region us-isob-east-1 with FIPS disabled and DualStack enabled",
 "expect": {
 "error": "DualStack is enabled but this partition does not support DualStack"
 },
 "params": {
 "Region": "us-isob-east-1",
 "UseFIPS": false,
 "UseDualStack": true
 }
 },
 {
 "documentation": "For custom endpoint with region set and fips disabled and dualstack disabled",

 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with region not set and fips disabled and dualstack
disabled",
 "expect": {
 "endpoint": {
 "url": "https://example.com"
 }
 },
 "params": {
 "UseFIPS": false,

```

```

 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips enabled and dualstack disabled",
 "expect": {
 "error": "Invalid Configuration: FIPS and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": true,
 "UseDualStack": false,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "For custom endpoint with fips disabled and dualstack enabled",
 "expect": {
 "error":
"Invalid Configuration: Dualstack and custom endpoint are not supported"
 },
 "params": {
 "Region": "us-east-1",
 "UseFIPS": false,
 "UseDualStack": true,
 "Endpoint": "https://example.com"
 }
 },
 {
 "documentation": "Missing region",
 "expect": {
 "error": "Invalid Configuration: Missing Region"
 }
 }
],
"version": "1.0"
}
},
"com.amazonaws.licensemanager#AcceptGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#AcceptGrantRequest"
 },
 "output": {

```

```

 "target": "com.amazonaws.licensemanager#AcceptGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Accepts the specified grant.</p>"
 },
 "com.amazonaws.licensemanager#AcceptGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#AcceptGrantResponse": {
 "type": "structure",
 "members": {

```

```

 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant
ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#AccessDeniedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ServiceAccessDenied",
 "httpResponseCode": 401
 },
 "smithy.api#documentation": "<p>Access to resource denied.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 401
 }
 },
 "com.amazonaws.licensemanager#ActivationOverrideBehavior": {
 "type": "enum",
 "members": {
 "DISTRIBUTED_GRANTS_ONLY": {
 "target": "smithy.api#Unit",
 "traits": {

```



```

 "smithy.api#enumValue": "DISTRIBUTED_GRANTS_ONLY"
 }
},
"ALL_GRANTS_PERMITTED_BY_ISSUER": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ALL_GRANTS_PERMITTED_BY_ISSUER"
 }
}
},
"com.amazonaws.licensemanager#AllowedOperation": {
 "type": "enum",
 "members": {
 "CREATE_GRANT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateGrant"
 }
 },
 "CHECKOUT_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutLicense"
 }
 },
 "CHECKOUT_BORROW_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckoutBorrowLicense"
 }
 },
 "CHECK_IN_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CheckInLicense"
 }
 },
 "EXTEND_CONSUMPTION_LICENSE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ExtendConsumptionLicense"
 }
 },
 "LIST_PURCHASED_LICENSES": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "ListPurchasedLicenses"
 }
 },
 "CREATE_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "CreateToken"
 }
 }
},
"com.amazonaws.licensemanager#AllowedOperationList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#AllowedOperation"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max":
7
 }
 }
},
"com.amazonaws.licensemanager#Arn": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 2048
 },
 "smithy.api#pattern": "^arn:aws(-(cn|us-gov|iso-b|iso-c|iso-d))?:[A-Za-z0-9][A-Za-z0-9_/.-]{0,62}:[A-Za-
z0-9_/.-]{0,63}:[A-Za-z0-9_/.-]{0,63}:[A-Za-z0-9][A-Za-z0-9:/+=,@.-]{0,1023}$"
 }
},
"com.amazonaws.licensemanager#ArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 }
},
"com.amazonaws.licensemanager#AuthorizationException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 }
}

```

```

 },
 "traits": {
 "aws.protocols#awsQueryError":
 {
 "code": "AuthorizationFailure",
 "httpResponseCode": 403
 },
 "smithy.api#documentation": "<p>The Amazon Web Services user account does not have permission to
perform the action. Check the IAM\n policy associated with this account.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 403
 }
},
"com.amazonaws.licensemanager#AutomatedDiscoveryInformation": {
 "type": "structure",
 "members": {
 "LastRunTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time that automated discovery last ran.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes automated discovery.</p>"
 }
},

"com.amazonaws.licensemanager#Boolean": {
 "type": "boolean",
 "traits": {
 "smithy.api#default": false
 }
},

"com.amazonaws.licensemanager#BorrowConfiguration": {
 "type": "structure",
 "members": {
 "AllowEarlyCheckIn": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether early check-ins are allowed.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the borrow configuration, in minutes.</p>",

```

```

 "smithy.api#required": {}
 }
}

},
"traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
}
},
"com.amazonaws.licensemanager#BoxBoolean": {
 "type": "boolean"
},
"com.amazonaws.licensemanager#BoxInteger": {
 "type": "integer"
},
"com.amazonaws.licensemanager#BoxLong": {
 "type": "long"
},
"com.amazonaws.licensemanager#CheckInLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckInLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Checks in the specified license. Check in a license when it is no longer
in use.</p>"
 }
},
"com.amazonaws.licensemanager#CheckInLicenseRequest":
{
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CheckInLicenseResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicense":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse"
 },

```

```

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#EntitlementNotAllowedException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Checks out the specified license for offline use.</p>"
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseRequest": {
 "type": "structure",
 "members":
{
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The license must

```

```

use the borrow consumption configuration.</p>",
 "smithy.api#required": {}
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements. Partial checkouts are not supported.</p>",
 "smithy.api#required": {}
 }
 },
 "DigitalSignatureMethod": {
 "target": "com.amazonaws.licensemanager#DigitalSignatureMethod",
 "traits": {
 "smithy.api#documentation": "<p>Digital signature method. The possible
value is JSON Web Signature (JWS) algorithm PS384.\n For more information, see RFC 7518 Digital Signature with RSASSA-PSS.</p>",
 "smithy.api#required": {}
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 },
 "CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
"<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CheckoutBorrowLicenseResponse": {
 "type": "structure",
 "members": {

```

```

"LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
},
"LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
},
"EntitlementsAllowed":
{
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
},
"NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
},
"SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
},
"IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout
is issued.</p>"
 }
},
"Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout expires.</p>"
 }
},
"CheckoutMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about constraints.</p>"
 }
}

```



```

 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CheckoutLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CheckoutLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#NoEntitlementsAllowedException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 },

```

```

 "traits": {
 "smithy.api#documentation": "<p>Checks out the specified license.</p>\n <note>\n <p>If the
account that created the license is the same that is performing the check out, you must\n specify the account
as the beneficiary.</p>\n </note>"
 }
 },
 "com.amazonaws.licensemanager#CheckoutLicenseRequest": {
 "type": "structure",
 "members": {
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
SKU.</p>",
 "smithy.api#required": {}
 }
 },
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>",
 "smithy.api#required": {}
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Key fingerprint identifying the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Beneficiary": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 }
},
"traits": {

"smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#CheckoutLicenseResponse": {
 "type": "structure",
 "members": {
 "CheckoutType": {
 "target": "com.amazonaws.licensemanager#CheckoutType",
 "traits": {
 "smithy.api#documentation": "<p>Checkout type.</p>"
 }
 },
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 },
 "EntitlementsAllowed": {
 "target": "com.amazonaws.licensemanager#EntitlementDataList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed license entitlements.</p>"
 }
 },
 "SignedToken": {
 "target": "com.amazonaws.licensemanager#SignedToken",
 "traits": {
 "smithy.api#documentation": "<p>Signed token.</p>"
 }
 },
 "NodeId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Node ID.</p>"
 }
 }
 }
}

```

```

 }
 },
 "IssuedAt": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license checkout is issued.</p>"
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and
time at which the license checkout expires.</p>"
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the checkout license.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#CheckoutType": {
 "type": "enum",
 "members": {
 "PROVISIONAL": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PROVISIONAL"
 }
 },
 "PERPETUAL": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PERPETUAL"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#ClientRequestToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,

```

```

 "max": 36
 }
}
},
"com.amazonaws.licensemanager#ClientToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 2048
 },
 "smithy.api#pattern": "^\\S+$"
 }
},
"com.amazonaws.licensemanager#ConflictException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ConflictException",
 "httpResponseCode":
409
 },
 "smithy.api#documentation": "<p>There was a conflict processing the request. Try your request
again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 409
 }
},
"com.amazonaws.licensemanager#ConsumedLicenseSummary": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type of the resource consuming a license.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
 }
 }
}

```

```

 },

 "traits": {
 "smithy.api#documentation": "<p>Details about license consumption.</p>"
 }
},
"com.amazonaws.licensemanager#ConsumedLicenseSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummary"
 }
},
"com.amazonaws.licensemanager#ConsumptionConfiguration": {
 "type": "structure",
 "members": {
 "RenewType": {
 "target": "com.amazonaws.licensemanager#RenewType",
 "traits": {
 "smithy.api#documentation": "<p>Renewal frequency.</p>"
 }
 },
 "ProvisionalConfiguration": {
 "target": "com.amazonaws.licensemanager#ProvisionalConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
 },
 "BorrowConfiguration": {
 "target": "com.amazonaws.licensemanager#BorrowConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Details about a borrow configuration.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a consumption configuration.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantResponse"
 },
 "errors": [
 {

```

```

 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Creates a grant for the specified license. A grant shares the use of
license\n entitlements with a specific Amazon Web Services account, an organization, or an\n
organizational unit (OU). For more
information, see <a href='\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
 }
},
"com.amazonaws.licensemanager#CreateGrantRequest": {
 "type": "structure",
 "members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Principals": {
 "target": "com.amazonaws.licensemanager#PrincipalArnList",
 "traits": {
 "smithy.api#documentation": "<p>The grant principals. You can specify one of the following as an
Amazon Resource Name (ARN):</p>\n \n \n <p>An Amazon Web Services
account, which includes only the account specified.</p>\n \n \n \n \n <p>An organizational unit (OU), which includes all accounts in the OU.</p>\n \n \n \n <p>An organization, which will include all accounts across your organization.</p>\n \n ",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {

```



```

 "smithy.api#documentation": "<p>Grant ARN.</p>"
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
},
"traits": {
 "smithy.api#output": {}
}
},
"com.amazonaws.licensemanager#CreateGrantVersion":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateGrantVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified grant. For more information,
see\n <a href=\"https://docs.aws.amazon.com/license-manager/latest/userguide/granted-
licenses.html\">Granted licenses in License Manager in the <i>License Manager User Guide</i>.</p>"
}
},
"com.amazonaws.licensemanager#CreateGrantVersionRequest": {
 "type": "structure",
 "members": {
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 }
 }
 },
 "smithy.api#required": {}
},
 },
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>"
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations for the grant.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 },

```

```

 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the grant.</p>"
 }
 },
 "Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateGrantVersionResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the grant.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#CreateLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a license configuration.</p>\n <p>A license configuration is an abstraction of a customer license agreement that can be\n consumed and enforced by License Manager. Components include specifications for the license\n type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), license affinity to host (how long a \n license must be associated with a host), and the number of licenses purchased and used.</p>"
 }
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension used to track the license inventory.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```

```

 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether hard or soft license enforcement is used. Exceeding a hard limit\n blocks the launch of new instances.</p>"
 }
 },
 "LicenseRules": {
 "target":
"com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules. The syntax is #name=value (for example, #allowedTenancy=EC2-DedicatedHost). The available rules \n vary by dimension, as follows.</p>\n
\n \n <p>\n <code>Cores</code> dimension: <code>allowedTenancy</code> |\n <code>licenseAffinityToHost</code> |\n <code>maximumCores</code> |\n <code>minimumCores</code>\n </p>\n \n \n <p>\n <code>Instances</code> dimension: <code>allowedTenancy</code> |\n <code>maximumCores</code> |\n <code>minimumCores</code> |\n <code>maximumSockets</code> | <code>minimumSockets</code> |\n <code>maximumVcpus</code> | <code>minimumVcpus</code>\n </p>\n \n \n <p>\n <code>Sockets</code> dimension: <code>allowedTenancy</code> |\n <code>licenseAffinityToHost</code> |\n <code>maximumSockets</code> |\n <code>minimumSockets</code>\n </p>\n \n \n <p>\n <code>vCPUs</code> dimension: <code>allowedTenancy</code> |\n <code>honorVcpuOptimization</code> |\n <code>maximumVcpus</code> |\n <code>minimumVcpus</code>\n </p>\n \n \n <p>The unit for <code>licenseAffinityToHost</code> is days and the range is 1 to 180. The possible \n values for <code>allowedTenancy</code> are <code>EC2-Default</code>, <code>EC2-DedicatedHost</code>, and \n <code>EC2-DedicatedInstance</code>. The possible values for <code>honorVcpuOptimization</code> are \n <code>True</code> and <code>False</code>.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the license configuration.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",

```

```

 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseConfigurationResponse":
{
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Creates a new license conversion task.</p>"
 }
},
"com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource you are converting the license type for.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting from. \n\n For the structure of the source license, see Convert a license type using the CLI in the <i>License Manager User Guide</i>.</p>",
 "smithy.api#required": {}
 }
 },
 "DestinationLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information that identifies the license type you are converting to. For the structure of the destination license, see Convert a license type using the CLI in the <i>License Manager User Guide</i>.</p>",
 "smithy.api#required": {}
 }
 }
 }
}

```



```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseConversionTaskForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",

 "traits": {
 "smithy.api#documentation": "<p>The ID of the created license type conversion task.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Creates a report generator.</p>"
}
},
"com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "ReportGeneratorName":
 {
 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
 },
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation": "<p>Type of reports to generate. The following report types an be
generated:</p>\n \n \n <p>License configuration report - Reports the number and
details of consumed licenses for a license configuration.</p>\n \n \n <p>Resource
report - Reports the tracked licenses and resource consumption for a license configuration.</p>\n \n
 ",
 "smithy.api#required": {}
 }
 }
},
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>Defines the type of license configuration the report generator
tracks.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Frequency by which reports are generated. Reports can be
generated daily, monthly, or weekly.</p>",
 "smithy.api#required": {}
 }
 }
}

```

```

 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique,
case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags to add to the report generator.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the new report
generator.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 }
},
"ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product
name.</p>",
 "smithy.api#required": {}
 }
},
"ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>",
 "smithy.api#required": {}
 }
},
"Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
 }
},
"HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region for the license.</p>",
 "smithy.api#required": {}
 }
}
},
"Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>",
 "smithy.api#required": {}
 }
},
"Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
}

```

```

 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation":
 "<p>Unique, case-sensitive identifier that you provide to ensure the idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {

```

```

 "smithy.api#documentation": "<p>License status.</p>"
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#CreateLicenseVersion": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateLicenseVersionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
},

```

```

 "traits": {
 "smithy.api#documentation": "<p>Creates a new version of the specified license.</p>"
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseVersionRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target":
"com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>",
 "smithy.api#required": {}
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#Issuer",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the license.</p>",
 "smithy.api#required": {}
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-

```

```

UTC format.</p>",
 "smithy.api#required": {}
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license.</p>"
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license. Choose a provisional
configuration for workloads\n running with continuous connectivity. Choose a borrow configuration for
workloads with offline\n usage.</p>",
 "smithy.api#required": {}
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>"
 }
 }
}

```



```

 },
 "traits": {

"smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#CreateLicenseVersionResponse": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New version of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output":
 }
 },
 "com.amazonaws.licensemanager#CreateToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#CreateTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#CreateTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
],
 },

```

```

 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
],
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Creates a long-lived token.</p>\n <p>A refresh token is a JWT token used to get an access token. With an access token,\n you can call AssumeRoleWithWebIdentity to get role credentials that you can use to \n call License Manager to manage the specified license.</p>"
},
},
"com.amazonaws.licensemanager#CreateTokenRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license. The ARN is mapped to the aud claim of the\n JWT token.</p>",
 "smithy.api#required": {}
 }
 },
 },
 "RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the IAM roles to embed in the token.\n License Manager does not check whether the roles are in use.</p>"
 }
 },
 },
 "ExpirationInDays": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Token expiration, in days, counted from token creation. The
default is 365 days.</p>"
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller to be included in the JWT token. The
data is mapped\nto the amr claim of the JWT token.</p>"
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientToken",
 "traits": {
 "smithy.api#documentation": "<p>Idempotency token, valid for 10 minutes.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#CreateTokenResponse": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
 },
 "TokenType": {
 "target": "com.amazonaws.licensemanager#TokenType",
 "traits": {
 "smithy.api#documentation": "<p>Token type.</p>"
 }
 },
 "Token": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#DateTime": {
 "type": "timestamp"
 },
 "com.amazonaws.licensemanager#DatetimeRange": {
 "type": "structure",
 "members": {
 "Begin": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Start of the time range.</p>",
 "smithy.api#required": {}
 }
 },
 "End": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>End of the time range.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a time range, in ISO8601-UTC format.</p>"
 }
 },
 "com.amazonaws.licensemanager#DeleteGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes
the specified grant.</p>"
}
},
"com.amazonaws.licensemanager#DeleteGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>The Status reason for the delete request.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Current version of the
grant.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#DeleteGrantResponse": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#ConflictException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes the specified license.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse"
 },
},

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes the specified license configuration.</p>\n <p>You cannot delete a license configuration that is in use.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationRequest": {
 "type": "structure",
 "members":

```

```

{
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 }
]
}

```



```

 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Deletes the specified report generator.</p>\n <p>This action
deletes the report generator, which stops it from generating future reports.\n The action cannot be reversed. It
has no effect on the previous reports from this generator.</p>"
}
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to be
deleted.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "SourceVersion": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Current version of the license.</p>",
 "smithy.api#required":
 {}
 }
},
"traits": {
 "smithy.api#input": {}
},
"com.amazonaws.licensemanager#DeleteLicenseResponse": {
 "type": "structure",
 "members": {
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseDeletionStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "DeletionDate": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date when the license is deleted.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DeleteToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#DeleteTokenRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#DeleteTokenResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#RedirectException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
],
 "traits": {
 "smithy.api#documentation": "<p>Deletes the specified token. Must be called in the license home
Region.</p>"
 },
},
"com.amazonaws.licensemanager#DeleteTokenRequest": {
 "type": "structure",
 "members": {
 "TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#DeleteTokenResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#DigitalSignatureMethod": {
 "type": "enum",
 "members": {
 "JWT_PS384": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "JWT_PS384"
 }
 },
 "com.amazonaws.licensemanager#Entitlement": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement resource. Use only
if the unit is None.</p>"
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#Long",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement count. Use if the unit is not None.</p>"
 }
 },
 "Overage": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether overages are allowed.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement unit.</p>",
 "smithy.api#required": {}
 }
 },
 "AllowCheckIn": {
 "target":
"com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether check-ins are allowed.</p>"
 }
 }
 }
 }
}

```

```

 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a resource entitled for use with a license.</p>"
 }
},
"com.amazonaws.licensemanager#EntitlementData": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data name.</p>",
 "smithy.api#required": {}
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement
data value.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement data unit.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Data associated with an entitlement resource.</p>"
 }
},
"com.amazonaws.licensemanager#EntitlementDataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementData"
 }
},
"com.amazonaws.licensemanager#EntitlementDataUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

"smithy.api#enumValue": "Count"
 }
 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes"
 }
 },
 "KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
 },
 "MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
 },
 "GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "Gigabytes"
 }
},
"TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
},
"BITS":
{
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits"
 }
},
"KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits"
 }
},
"MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
},
"GIGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
},
"TERABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
}
},
"PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
},
"BYTES_PER_SECOND": {

```

```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
 },
 "KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
 },
 "MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
 },
 "GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
 },
 "TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes/Second"
 }
 },
 "BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
 },
 "KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
 },
 "MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue":
"Megabits/Second"
 }
 },

```



```

 "GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
 },
 "TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
 },
 "COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
 }
 },
 "com.amazonaws.licensemanager#EntitlementList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Entitlement"
 }
 },
 "com.amazonaws.licensemanager#EntitlementNotAllowedException":
 {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The entitlement is not allowed.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#EntitlementUnit": {
 "type": "enum",
 "members": {
 "COUNT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count"
 }
 }
 }
 }

```

```

 },
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "SECONDS":
 {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Seconds"
 }
 },
 "MICROSECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Microseconds"
 }
 },
 "MILLISECONDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Milliseconds"
 }
 },
 "BYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes"
 }
 },
 "KILOBYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes"
 }
 },
 "MEGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes"
 }
 },
 "GIGABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes"
 }
 }
}

```

```

 }
 },
 "TERABYTES": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabytes"
 }
 },
 "BITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits"
 }
 },
 "KILOBITS": {
 "target": "smithy.api#Unit",
 "traits": {

 "smithy.api#enumValue": "Kilobits"
 }
 },
 "MEGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits"
 }
 },
 "GIGABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits"
 }
 },
 "TERABITS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits"
 }
 },
 "PERCENT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Percent"
 }
 },
 "BYTES_PER_SECOND": {
 "target":

```

```

"smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bytes/Second"
 }
},
"KILOBYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobytes/Second"
 }
},
"MEGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabytes/Second"
 }
},
"GIGABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabytes/Second"
 }
},
"TERABYTES_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {

"smithy.api#enumValue": "Terabytes/Second"
 }
},
"BITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Bits/Second"
 }
},
"KILOBITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Kilobits/Second"
 }
},
"MEGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Megabits/Second"
 }
},

```

```

"GIGABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Gigabits/Second"
 }
},

"TERABITS_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Terabits/Second"
 }
},

"COUNT_PER_SECOND": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Count/Second"
 }
}
},

"com.amazonaws.licensemanager#EntitlementUsage": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Entitlement usage name.</p>",
 "smithy.api#required": {}
 }
 },
 "ConsumedValue": {
 "target": "com.amazonaws.licensemanager#String",

 "traits": {
 "smithy.api#documentation": "<p>Resource usage consumed.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxCount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Maximum entitlement usage count.</p>"
 }
 },
 "Unit": {
 "target": "com.amazonaws.licensemanager#EntitlementDataUnit",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Entitlement usage unit.</p>",
 "smithy.api#required": {}
 }
}
},
"traits": {
 "smithy.api#documentation": "<p>Usage associated with an entitlement resource.</p>"
}
},
"com.amazonaws.licensemanager#EntitlementUsageList":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#EntitlementUsage"
 }
},
"com.amazonaws.licensemanager#ExtendLicenseConsumption": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {

```

```

 "smithy.api#documentation": "<p>Extends the expiration date for license consumption.</p>"
 },
 "com.amazonaws.licensemanager#ExtendLicenseConsumptionRequest": {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "DryRun": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation": "<p>Checks whether you have the required permissions for the action, without actually making the request. Provides an error response if you do not have the required permissions.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ExtendLicenseConsumptionResponse": {
 "type": "structure",
 "members": {
 "LicenseConsumptionToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License consumption token.</p>"
 }
 },
 "Expiration": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Date and time at which the license consumption expires.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },

```

```

"com.amazonaws.licensemanager#FailedDependencyException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 },
 "ErrorCode": {
 "target": "com.amazonaws.licensemanager#String"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "FailedDependency",
 "httpResponseCode": 424
 },
 "smithy.api#documentation":
 "<p>A dependency required to run the API is missing.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 424
 }
},
"com.amazonaws.licensemanager#Filter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#FilterName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the filter. Filter names are case-sensitive.</p>"
 }
 },
 "Values": {
 "target": "com.amazonaws.licensemanager#FilterValues",
 "traits": {
 "smithy.api#documentation": "<p>The value of the filter, which is case-sensitive. You can only specify one value for the filter.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A filter name and value pair that is used to return more specific results from a\n describe operation. Filters can be used to match a set of resources by specific criteria,\n such as tags, attributes, or IDs.</p>"
 }
},
"com.amazonaws.licensemanager#FilterLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {

```



```

 "target": "com.amazonaws.licensemanager#Message"
 }
},
"traits": {
 "aws.protocols#awsQueryError": {
 "code": "FilterLimitExceeded",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The request uses too many filters or too many filter values.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
}
},
"com.amazonaws.licensemanager#FilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter"
 }
},
"com.amazonaws.licensemanager#FilterName": {
 "type": "string"
},
"com.amazonaws.licensemanager#FilterValue": {
 "type": "string"
},
"com.amazonaws.licensemanager#FilterValues": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#FilterValue",
 "traits": {
 "smithy.api#xmlName": "item"
 }
 }
},
"com.amazonaws.licensemanager#Filters": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Filter",
 "traits": {
 "smithy.api#xmlName": "item"
 }
 }
},
"com.amazonaws.licensemanager#GetAccessToken": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenRequest"
 },

```

```

"output": {
 "target": "com.amazonaws.licensemanager#GetAccessTokenResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets a temporary access token to use with
AssumeRoleWithWebIdentity. Access
tokens\n are valid for one hour.</p>"
 }
},
"com.amazonaws.licensemanager#GetAccessTokenRequest": {
 "type": "structure",
 "members": {
 "Token": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Refresh token, encoded as a JWT token.</p>",
 "smithy.api#required": {}
 }
 },
 "TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Token properties to validate against those present in the JWT
token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},

```

```

"com.amazonaws.licensemanager#GetAccessTokenResponse":
{
 "type": "structure",
 "members": {
 "AccessToken": {
 "target": "com.amazonaws.licensemanager#TokenString",
 "traits": {
 "smithy.api#documentation": "<p>Temporary access token.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetGrantRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {

```

```

 "smithy.api#documentation": "<p>Gets detailed information about the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#GetGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#GetGrantResponse": {
 "type": "structure",
 "members": {
 "Grant": {
 "target": "com.amazonaws.licensemanager#Grant",
 "traits": {
 "smithy.api#documentation": "<p>Grant details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetLicense": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseResponse"
 },
 "errors": [

```

```

 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
}

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the specified license
configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID for the license configuration.</p>"
 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 }
 }
 }
}

```

```

 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension for which the licenses are counted.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",

 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Sets the number of available licenses as a hard limit.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses assigned to resources.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License configuration status.</p>"
 }
 },
},
"OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the owner of the license configuration.</p>"
 }
},
"ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Summaries of the licenses consumed by resources.</p>"
 }
 },
 "ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries of the managed resources.</p>"
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags for the license configuration.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When
true, disassociates a resource when software is uninstalled.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#GetLicenseConversionTask": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseConversionTaskResponse"
 },
 },

```



```

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets information about the specified license type conversion task.</p>"
}
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskRequest": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task to retrieve information on.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseConversionTaskResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>ID of the license type conversion task.</p>"
 }
 }
 },
 "ResourceArn": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the resources the license
conversion task is associated with.</p>"
 }
 },
 "SourceLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information
about the license type converted from.</p>"
 }
 },
 "DestinationLicenseContext": {
 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type converted to.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license type conversion task.</p>"
 }
 },
 "StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was started .</p>"
 }
 },
 "LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Amount of time to complete the license type conversion.</p>"
 }
 },
 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time at which the license type conversion task was

```

```

completed.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#GetLicenseManagerReportGenerator":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Gets information about the specified report generator.</p>"
 }
},

```

```

"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorRequest": {
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>",
 "smithy.api#required": true
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseManagerReportGeneratorResponse": {
 "type": "structure",
 "members": {
 "ReportGenerator": {
 "target": "com.amazonaws.licensemanager#ReportGenerator",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#GetLicenseRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": true
 }
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseResponse": {
 "type": "structure",
 "members": {
 "License": {
 "target": "com.amazonaws.licensemanager#License",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },

 "com.amazonaws.licensemanager#GetLicenseUsage": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetLicenseUsageResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
]
 }
}

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Gets detailed information about the usage of the specified license.</p>"
 }
 },
 "com.amazonaws.licensemanager#GetLicenseUsageRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#GetLicenseUsageResponse": {
 "type": "structure",
 "members": {
 "LicenseUsage": {
 "target":
"com.amazonaws.licensemanager#LicenseUsage",
 "traits": {
 "smithy.api#documentation": "<p>License usage details.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#GetServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#GetServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Gets the License Manager settings for the current Region.</p>"
}
},
"com.amazonaws.licensemanager#GetServiceSettingsRequest": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#GetServiceSettingsResponse": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Regional S3 bucket path for storing reports, license trail event data,
discovery data,\n and so on.</p>"
 }
 }
 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>SNS topic configured to receive notifications from License
Manager.</p>"
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Indicates whether Organizations is integrated with License
Manager for\n cross-account discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Indicates whether cross-account discovery is enabled.</p>"
 },
 "LicenseManagerResourceShareArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource share. The License
Manager management account \n provides member accounts with access to this share.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 },
 "com.amazonaws.licensemanager#Grant": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant name.</p>",
 "smithy.api#required": {}
 }
 },
 "ParentArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Parent ARN.</p>",
 "smithy.api#required": {}
 }
 },
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>License ARN.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },

```



```

 "GranteePrincipalArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The grantee principal ARN.</p>",
 "smithy.api#required": {}
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the grant.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantStatus": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>",
 "smithy.api#required": {}
 }
 },
 "StatusReason": {
 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Grant status reason.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>",
 "smithy.api#required": {}
 }
 },
 "GrantedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Granted operations.</p>",
 "smithy.api#required": {}
 }
 },
 "Options": {
 "target": "com.amazonaws.licensemanager#Options",
 "traits": {
 "smithy.api#documentation": "<p>The options specified for the grant.</p>"
 }
 }
 }

```

```

 },
 "traits": {
 "smithy.api#documentation":
"<p>Describes a grant.</p>"
 }
 },
 "com.amazonaws.licensemanager#GrantList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Grant"
 }
 },
 "com.amazonaws.licensemanager#GrantStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_ACCEPT"
 }
 },
 "REJECTED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 }
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",

```

```

 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 },
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 },
 "WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
 }
},
"com.amazonaws.licensemanager#GrantedLicense": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
 },
 "ProductSKU": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {
 "smithy.api#documentation": "<p>Granted license issuer.</p>"
 }
 },
 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Home Region of the granted license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>Granted license status.</p>"
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the granted license is valid, in ISO8601-UTC format.</p>"
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Granted license beneficiary.</p>"
 }
 },
 "Entitlements": {
 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
 }
}

```

```

 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Granted license metadata.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Creation time of the granted license.</p>"
 }
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Version of the granted license.</p>"
 }
 },
 "ReceivedMetadata": {
 "target": "com.amazonaws.licensemanager#ReceivedMetadata",
 "traits": {
 "smithy.api#documentation": "<p>Granted license received metadata.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes a license that is granted to a grantee.</p>"
 },
 "com.amazonaws.licensemanager#GrantedLicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#GrantedLicense"
 }
 },
 "com.amazonaws.licensemanager#ISO8601DateTime":
{
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^(-(?:[1-9][0-9]*)?[0-9]{4})-(1[0-2]|0[1-9])-(3[0-1]|0[1-9]|[1-2][0-9])T(2[0-3]|0[0-9]):([0-5][0-9]):([0-5][0-9])(\\.([0-9]+)?(?:Z|[-+](?:2[0-3]|0[0-9]):[0-5][0-9])+$)"
 }
}

```

```

 },
 "com.amazonaws.licensemanager#Integer": {
 "type": "integer"
 },
 "com.amazonaws.licensemanager#InvalidParameterValueException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidParameterValueProvided",
 "httpResponseCode": 400
 },
 "smithy.api#documentation":
 "<p>One or more parameter values are not valid.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#InvalidResourceStateException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResourceState",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>License Manager cannot allocate a license to a resource because of its
state. </p>\n <p>For example, you cannot allocate a license to an instance in the process of shutting\n
down.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#InventoryFilter": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

```

```

 "smithy.api#documentation": "<p>Name of the filter.</p>",
 "smithy.api#required": {}
 }
},
"Condition": {
 "target": "com.amazonaws.licensemanager#InventoryFilterCondition",
 "traits": {
 "smithy.api#documentation": "<p>Condition of the filter.</p>",
 "smithy.api#required": {}
 }
},
"Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Value of the filter.</p>"
 }
}
},
"traits": {
 "smithy.api#documentation": "<p>An inventory filter.</p>"
}
},
"com.amazonaws.licensemanager#InventoryFilterCondition": {
 "type": "enum",
 "members": {
 "EQUALS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EQUALS"
 }
 },
 "NOT_EQUALS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "NOT_EQUALS"
 }
 },
 "BEGINS_WITH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "BEGINS_WITH"
 }
 },
 "CONTAINS": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "CONTAINS"
 }
 }
 },
 "com.amazonaws.licensemanager#InventoryFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#InventoryFilter"
 }
 },
 "com.amazonaws.licensemanager#Issuer": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>",
 "smithy.api#required": {}
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage
of sign and verify, \n and support the RSASSA-PSS SHA-256 signing algorithm.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about the issuer of a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#IssuerDetails": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer name.</p>"
 }
 },
 "SignKey": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Asymmetric KMS key from Key Management Service. The KMS
key must have a key usage of sign and verify, \n and support the RSASSA-PSS SHA-256 signing

```



```

algorithm.</p>"
 }
 },
 "KeyFingerprint": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Issuer key fingerprint.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details associated with the issuer of a license.</p>"
 }
},
"com.amazonaws.licensemanager#License": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
 },
 "LicenseName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License name.</p>"
 }
 },
 "ProductName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product name.</p>"
 }
 },
 "ProductSKU": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Product SKU.</p>"
 }
 },
 "Issuer": {
 "target": "com.amazonaws.licensemanager#IssuerDetails",
 "traits": {
 "smithy.api#documentation": "<p>License issuer.</p>"
 }
 }
 },

```

```

 "HomeRegion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {

 "smithy.api#documentation": "<p>Home Region of the license.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseStatus",
 "traits": {
 "smithy.api#documentation": "<p>License status.</p>"
 }
 },
 "Validity": {
 "target": "com.amazonaws.licensemanager#DatetimeRange",
 "traits": {
 "smithy.api#documentation": "<p>Date and time range during which the license is valid, in ISO8601-
UTC format.</p>"
 }
 },
 "Beneficiary": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License beneficiary.</p>"
 }
 },
 "Entitlements": {

 "target": "com.amazonaws.licensemanager#EntitlementList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlements.</p>"
 }
 },
 "ConsumptionConfiguration": {
 "target": "com.amazonaws.licensemanager#ConsumptionConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Configuration for consumption of the license.</p>"
 }
 },
 "LicenseMetadata": {
 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>License metadata.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {

```

```

 "smithy.api#documentation": "<p>License
creation time.</p>"
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>License version.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Software license that is managed in License Manager.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseConfiguration": {
 "type": "structure",
 "members": {
 "LicenseConfigurationId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Unique ID of the license configuration.</p>"
 }
 },
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the license configuration.</p>"
 }
 },
 "LicenseCountingType": {
 "target": "com.amazonaws.licensemanager#LicenseCountingType",
 "traits": {
 "smithy.api#documentation": "<p>Dimension to use to track the license inventory.</p>"
 }
 }
 },

```

```

"LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>License rules.</p>"
 }
},
"LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses managed by the license configuration.</p>"
 }
},
"LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Number of available licenses as a hard limit.</p>"
 }
},
"DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
},
"ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed. </p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the license configuration.</p>"
 }
},
"OwnerAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Account ID of the license configuration's owner.</p>"
 }
},
"ConsumedLicenseSummaryList": {
 "target": "com.amazonaws.licensemanager#ConsumedLicenseSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for licenses consumed by various resources.</p>"
 }
}

```

```

 }
 },
 "ManagedResourceSummaryList": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummaryList",
 "traits": {
 "smithy.api#documentation": "<p>Summaries for managed resources.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",
 "traits": {
 "smithy.api#documentation": "<p>Product information.</p>"
 }
 },
 "AutomatedDiscoveryInformation": {
 "target": "com.amazonaws.licensemanager#AutomatedDiscoveryInformation",
 "traits": {
 "smithy.api#documentation": "<p>Automated discovery information.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>A license configuration is an abstraction of a customer license agreement that can be\n consumed and enforced by License Manager. Components include specifications for the license\n type (licensing by instance, socket, CPU, or vCPU), allowed tenancy (shared tenancy, \n Dedicated Instance, Dedicated Host, or all of these), host affinity (how long a VM\n must be associated with a host), and the number of licenses purchased and used.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConfigurationAssociation": {
 "type": "structure",
 "members": {
 "ResourceArn":
 {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of server resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource
consuming licenses.</p>"
 }
 },
 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time when the license configuration was associated with the resource.</p>"
 }
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes an association with a license configuration.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConfigurationAssociations": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociation"
 }
 },
 "com.amazonaws.licensemanager#LicenseConfigurationStatus": {
 "type": "enum",
 "members":
 {
 "AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 },
 "DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
 }
 }
 },

```

```

"com.amazonaws.licensemanager#LicenseConfigurationUsage": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the resource.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 },
 "AssociationTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Time when the license configuration was initially associated with
the resource.</p>"
 }
 },
 "ConsumedLicenses": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of licenses consumed by the resource.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about the usage of a resource associated with a license
configuration.</p>"
 }
 },

```

```

"com.amazonaws.licensemanager#LicenseConfigurationUsageList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsage"
 }
},
"com.amazonaws.licensemanager#LicenseConfigurations": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConfiguration"
 }
},
"com.amazonaws.licensemanager#LicenseConversionContext": {
 "type": "structure",
 "members": {
 "UsageOperation": {
 "target": "com.amazonaws.licensemanager#UsageOperation",
 "traits": {
 "smithy.api#documentation": "<p>The Usage operation value that corresponds to the license type you
are converting your resource from. For more information about which platforms correspond to which usage
operation values see <a href='\"https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/billing-info-
fields.html#billing-info\">Sample data: usage operation by platform\\n \\n </p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseConversionTask": {
 "type": "structure",
 "members": {
 "LicenseConversionTaskId": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskId",
 "traits": {
 "smithy.api#documentation": "<p>The ID of the license type conversion task.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the resource associated
with the license type\\n conversion task.</p>"
 }
 }
 },
 "SourceLicenseContext": {

```



```

 "target": "com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type this conversion task converted
from.</p>"
 }
 },
 "DestinationLicenseContext": {
 "target":
"com.amazonaws.licensemanager#LicenseConversionContext",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license type this conversion task converted
to.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTaskStatus",
 "traits": {
 "smithy.api#documentation": "<p>The status of the conversion task.</p>"
 }
 },
 "StatusMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The status message for the conversion task.</p>"
 }
 },
 "StartTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation":
"<p>The time the conversion task was started at.</p>"
 }
 },
 "LicenseConversionTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the usage operation value of the resource was
changed.</p>"
 }
 },
 "EndTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>The time the conversion task was completed.</p>"
 }
 }
},
"traits": {

```

```

 "smithy.api#documentation": "<p>Information about a license type conversion task.</p>"
 },
 "com.amazonaws.licensemanager#LicenseConversionTaskId": {
 "type": "string",
 "traits": {

 "smithy.api#length": {
 "min": 0,
 "max": 50
 },
 "smithy.api#pattern": "^\\p{Ll}-[a-zA-Z0-9]*$"
 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTaskStatus": {
 "type": "enum",
 "members": {
 "IN_PROGRESS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "IN_PROGRESS"
 }
 },
 "SUCCEEDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUCCEEDED"
 }
 },
 "FAILED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "FAILED"
 }
 }
 }
 },
 "com.amazonaws.licensemanager#LicenseConversionTasks":
{
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTask"
 }
},
 "com.amazonaws.licensemanager#LicenseCountingType": {
 "type": "enum",
 "members": {
 "VCPU": {

```

```

 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "vCPU"
 }
 },
 "INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Instance"
 }
 },
 "CORE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Core"
 }
 },
 "SOCKET": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Socket"
 }
 }
},
"com.amazonaws.licensemanager#LicenseDeletionStatus": {
 "type": "enum",
 "members": {
 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
 }
},
"com.amazonaws.licensemanager#LicenseList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#License"
 }
},

```

```

"com.amazonaws.licensemanager#LicenseOperationFailure": {

 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Resource type.</p>"
 }
 },
 "ErrorMessage": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Error message.</p>"
 }
 },
 "FailureTime": {
 "target": "com.amazonaws.licensemanager#DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Failure time.</p>"
 }
 },
 "OperationName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the operation.</p>"
 }
 },
 "ResourceOwnerId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the Amazon Web Services account that owns the resource.</p>"
 }
 },
 "OperationRequestedBy": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The requester is \"License Manager Automated Discovery\".</p>"
 }
 }
 }
}

```

```

"MetadataList": {

 "target": "com.amazonaws.licensemanager#MetadataList",
 "traits": {
 "smithy.api#documentation": "<p>Reserved.</p>"
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes the failure of a license operation.</p>"
},
"com.amazonaws.licensemanager#LicenseOperationFailureList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailure"
 }
},
"com.amazonaws.licensemanager#LicenseSpecification": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",

 "smithy.api#required": {}
 }
 },
 "AmiAssociationScope": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Scope of AMI associations. The possible value is <code>cross-
account</code>.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details for associating a license configuration with a resource.</p>"
 }
},
"com.amazonaws.licensemanager#LicenseSpecifications": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#LicenseSpecification"
 }
},

```

```

"com.amazonaws.licensemanager#LicenseStatus": {
 "type": "enum",
 "members": {
 "AVAILABLE": {
 "target": "smithy.api#Unit",

 "traits": {
 "smithy.api#enumValue": "AVAILABLE"
 }
 },
 "PENDING_AVAILABLE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_AVAILABLE"
 }
 },
 "DEACTIVATED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DEACTIVATED"
 }
 },
 "SUSPENDED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SUSPENDED"
 }
 },
 "EXPIRED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EXPIRED"
 }
 },

 "PENDING_DELETE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_DELETE"
 }
 },
 "DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
 }
 }
}

```

```

 },
 "com.amazonaws.licensemanager#LicenseUsage": {
 "type": "structure",
 "members": {
 "EntitlementUsages": {
 "target": "com.amazonaws.licensemanager#EntitlementUsageList",
 "traits": {
 "smithy.api#documentation": "<p>License entitlement usages.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes the entitlement usage associated with a license.</p>"
 }
 },
 "com.amazonaws.licensemanager#LicenseUsageException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "LicenseUsageFailure",
 "httpResponseCode": 412
 },
 "smithy.api#documentation": "<p>You do not have enough licenses available to support a new resource launch.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 412
 }
 },
 "com.amazonaws.licensemanager#ListAssociationsForLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 }
]
 }
 }

```

```

 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the resource associations for the
specified license configuration.</p>\n <p>Resource associations need not consume licenses from a license
configuration. \n For example, an AMI or a stopped instance might not consume a license (depending on \n
the license rules).</p>"
}
},
"com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results
to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}

```



```

 }
 },
 "com.amazonaws.licensemanager#ListAssociationsForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurationAssociations": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationAssociations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the associations for the license
configuration.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListDistributedGrants": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListDistributedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListDistributedGrantsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 }
]
 }
 }
}

```

```

{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
},
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Lists the grants distributed for the specified license.</p>"
}
},
"com.amazonaws.licensemanager#ListDistributedGrantsRequest": {
 "type": "structure",
 "members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {

 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n \n <p>\n <code>GranteePrincipalARN</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>LicenseIssuerName</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ListDistributedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",

"traits": {
 "smithy.api#documentation": "<p>Distributed grant details.</p>"
}
},
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
]
 }
}

```

```

],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license configuration operations that failed.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListFailuresForLicenseConfigurationOperationsResponse":
{
 "type": "structure",
 "members": {
 "LicenseOperationFailureList": {
 "target": "com.amazonaws.licensemanager#LicenseOperationFailureList",
 "traits": {
 "smithy.api#documentation": "<p>License configuration operations that failed.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurations": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest"
 },

 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license configurations
for your account.</p>"
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurationsRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the license
configurations.</p>"
 }
 }
 }
 }
}

```

```

 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next
set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>licenseCountingType</code> - The dimension for which licenses are counted.\n Possible values are
 <code>vCPU</code> | <code>Instance</code> | <code>Core</code> | <code>Socket</code>.\n Logical
 operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>enforceLicenseCount</code> - A Boolean value that indicates whether hard license
 enforcement is used. \n Logical operators are <code>EQUALS</code> |
 <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>usagelimitExceeded</code> - A Boolean value that
 indicates whether the available licenses have been exceeded. \n Logical operators are
 <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n "
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseConfigurationsResponse": {
 "type": "structure",
 "members": {
 "LicenseConfigurations": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurations",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasks": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseConversionTasksResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the license type conversion tasks for your account.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksRequest": {
 "type": "structure",
 "members": {
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {

```

```

 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {

"smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>\n Filters to scope the results. Valid filters are
<code>ResourceArns</code> and <code>Status</code>.\n </p>"
 }
 }
},
"traits": {
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#ListLicenseConversionTasksResponse": {
 "type": "structure",
 "members": {
 "LicenseConversionTasks": {
 "target": "com.amazonaws.licensemanager#LicenseConversionTasks",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configuration tasks for your
account.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGenerators": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse"
 },
 "errors": [

```



```

 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target":
"com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the report generators for your account.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsRequest":
{
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:
</p>\n \n \n <p>\n <code>LicenseConfigurationArn</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },

```

```

 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits":
 {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#ListLicenseManagerReportGeneratorsResponse": {
 "type": "structure",
 "members": {
 "ReportGenerators": {
 "target": "com.amazonaws.licensemanager#ReportGeneratorList",
 "traits": {
 "smithy.api#documentation": "<p>A report generator that creates periodic reports about your license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
]
 }
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Describes the license configurations for the specified resource.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of a resource that has an
associated license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {
 "LicenseSpecifications": {

```

```

 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>License configurations associated with a resource.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenseVersions": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicenseVersionsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists all versions of the specified license.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicenseVersionsRequest": {
 "type": "structure",
 "members": {

```

```

"LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>",
 "smithy.api#required": {}
 }
},
"NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
},
"MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
},
"traits": {
 "smithy.api#input": {}
},
"com.amazonaws.licensemanager#ListLicenseVersionsResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListLicenses": {
 "type": "operation",
 "input": {

```

```

 "target": "com.amazonaws.licensemanager#ListLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListLicensesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses for your account.</p>"
 }
},
"com.amazonaws.licensemanager#ListLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>Fingerprint</code>\n </p>\n \n \n <p>\n <code>Status</code>\n </p>\n \n "
 }
 }
}

```

```

 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token
for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListLicensesResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#LicenseList",
 "traits": {
 "smithy.api#documentation": "<p>License details.</p>"
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrants": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsResponse"
 }
 },

```

```

"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists grants that are received. Received grants are grants created while specifying the\n recipient as this Amazon Web Services account, your organization, or an organizational unit\n (OU) to which this member account belongs.</p>"
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsForOrganization": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {

```



```

 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the grants received for all accounts in the organization.</p>"
}
},
"com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationRequest": {
 "type": "structure",
 "members": {
 "LicenseArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Resource Name (ARN) of the received license.</p>",
 "smithy.api#required": {}
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n
 \n
 \n
 <p>\n
 <code>ParentArn</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>GranteePrincipalArn</code>\n
 </p>\n
 \n
 "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsForOrganizationResponse":
 {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",
 "traits": {
 "smithy.api#documentation": "<p>Lists the grants the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedGrantsRequest": {
 "type": "structure",
 "members": {
 "GrantArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the grants.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n \n <p>\n <code>LicenseIssuerName</code>\n </p>\n \n \n <p>\n <code>LicenseArn</code>\n </p>\n \n \n <p>\n <code>GrantStatus</code>\n </p>\n \n \n <p>\n <code>GranterAccountId</code>\n </p>\n \n "
 }
 },
 "NextToken": {

```

```

 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedGrantsResponse": {
 "type": "structure",
 "members": {
 "Grants": {
 "target": "com.amazonaws.licensemanager#GrantList",
 "traits": {
 "smithy.api#documentation": "<p>Received grant details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicenses": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists received licenses.</p>"
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganization":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists the licenses received for all accounts in the organization.</p>"
}
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationRequest": {
 "type": "structure",
 "members": {
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are
supported:</p>\n \n \n <p>\n <code>Beneficiary</code>\n </p>\n \n \n <p>\n <code>ProductSKU</code>\n </p>\n \n "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesForOrganizationResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Lists the licenses the organization has received.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListReceivedLicensesRequest": {
 "type": "structure",
 "members": {
 "LicenseArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARNs) of the licenses.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters are supported:</p>\n
 \n
 \n
 <p>\n
 <code>ProductSKU</code>\n
 \n
 \n
 <p>\n
 <code>Status</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>Fingerprint</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>IssuerName</code>\n
 </p>\n
 \n
 \n
 <p>\n
 <code>Beneficiary</code>\n
 </p>\n
 \n
 "
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 }
 }
}

```

```

 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#ListReceivedLicensesResponse": {
 "type": "structure",
 "members": {
 "Licenses": {
 "target": "com.amazonaws.licensemanager#GrantedLicenseList",
 "traits": {
 "smithy.api#documentation": "<p>Received license details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#ListResourceInventory": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListResourceInventoryResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FailedDependencyException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 },
 {

```

```

 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists resources managed using Systems Manager inventory.</p>"
}
},
"com.amazonaws.licensemanager#ListResourceInventoryRequest": {
 "type": "structure",
 "members": {
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#InventoryFilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>account_id</code>
- The ID of the Amazon Web Services account that owns the resource.\n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>application_name</code> - The name of the
application. \n Logical operators are <code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n \n \n <p>\n <code>license_included</code> - The type of license included. \n Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.\n Possible values
are <code>sql-server-enterprise</code> | \n <code>sql-server-standard</code> | \n <code>sql-
server-web</code> | \n <code>windows-server-datacenter</code>.</p>\n \n \n <p>\n <code>platform</code> - The platform of the resource.\n Logical operators are
<code>EQUALS</code> | <code>BEGINS_WITH</code>.</p>\n \n \n <p>\n <code>resource_id</code> - The ID of the resource. \n Logical operators are
<code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>tag:<key></code> - The key/value combination of a tag assigned \n to the resource. Logical
operators are <code>EQUALS</code> (single account) or\n <code>EQUALS</code> |
<code>NOT_EQUALS</code> (cross account).</p>\n \n "
 }
 }
 }
}

```



```

 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListResourceInventoryResponse": {
 "type": "structure",
 "members": {
 "ResourceInventoryList": {
 "target": "com.amazonaws.licensemanager#ResourceInventoryList",
 "traits": {
 "smithy.api#documentation": "<p>Information
about the resources.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListTagsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListTagsForResourceResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists the tags for the specified license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#ListTagsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListTagsForResourceResponse": {
 "type": "structure",
 "members": {
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the tags.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListTokens": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListTokensRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListTokensResponse"
 },

```

```

"errors":
[
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Lists your tokens.</p>"
}
},
"com.amazonaws.licensemanager#ListTokensRequest": {
 "type": "structure",
 "members": {
 "TokenIds": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Token IDs.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#FilterList",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filter is supported:</p>\n
 \n
 \n
 <p>\n
 <code>LicenseArns</code>\n
 </p>\n
 \n
 "
 }
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#MaxSize100",

```

```

 "traits": {
 "smithy.api#documentation":
 "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#ListTokensResponse": {
 "type": "structure",
 "members": {
 "Tokens": {
 "target": "com.amazonaws.licensemanager#TokenList",
 "traits": {
 "smithy.api#documentation": "<p>Received token details.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#ListUsageForLicenseConfiguration":
{
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#FilterLimitExceededException"
 }
]
}

```

```

 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Lists all license usage records for a license configuration, displaying
license\n consumption details by resource at a selected point in time. Use this action to audit the\n current
license consumption for any license inventory and configuration.</p>"
 },
 "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "MaxResults": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum number of results to return in a single call.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 },
 "Filters": {
 "target": "com.amazonaws.licensemanager#Filters",
 "traits": {
 "smithy.api#documentation": "<p>Filters to scope the results. The following filters and logical
operators\n are supported:</p>\n \n \n <p>\n <code>resourceArn</code> - The ARN of the license configuration resource.\n Logical operators are <code>EQUALS</code> | <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>resourceType</code> - The resource type

```

(`EC2_INSTANCE` | `EC2_HOST` | `EC2_AMI` | `SYSTEMS_MANAGER_MANAGED_INSTANCE`). \n Logical operators are `EQUALS` | `NOT_EQUALS`.

`resourceAccount` - The ID of the account that owns the resource. \n Logical operators are `EQUALS` | `NOT_EQUALS`.

```

 }
 },
 "traits": {
 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#ListUsageForLicenseConfigurationResponse": {
 "type": "structure",
 "members": {

 "LicenseConfigurationUsageList": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationUsageList",
 "traits": {
 "smithy.api#documentation": "<p>Information about the license configurations.</p>"
 }
 },
 "NextToken": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token for the next set of results.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#Location": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#Long": {
 "type": "long"
 },
 "com.amazonaws.licensemanager#ManagedResourceSummary": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource associated with a license.</p>"
 }
 }
 }
 }
}

```

```

 },
 "AssociationCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>Number of resources associated with licenses.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Summary information about a managed resource.</p>"
 },
 "com.amazonaws.licensemanager#ManagedResourceSummaryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ManagedResourceSummary"
 }
 },
 "com.amazonaws.licensemanager#MaxSize100": {
 "type": "integer",
 "traits": {
 "smithy.api#range": {
 "min": 1,
 "max": 100
 }
 }
 },
 "com.amazonaws.licensemanager#MaxSize3StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 },
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 3
 }
 }
 },
 "com.amazonaws.licensemanager#Message": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#Metadata": {
 "type": "structure",
 "members": {
 "Name": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>The key name.</p>"
 }
 },

 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The value.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes key/value pairs.</p>"
 },
 "com.amazonaws.licensemanager#MetadataList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Metadata"
 }
 },
 "com.amazonaws.licensemanager#NoEntitlementsAllowedException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>There are no entitlements found for this license, or the entitlement
maximum count is reached.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
 },
 "com.amazonaws.licensemanager#Options": {
 "type": "structure",
 "members": {
 "ActivationOverrideBehavior": {
 "target": "com.amazonaws.licensemanager#ActivationOverrideBehavior",
 "traits": {
 "smithy.api#documentation": "<p>An activation option for your grant that determines the behavior of
activating a grant.\n Activation options can only be used with granted licenses sourced from the Amazon Web
Services Marketplace. Additionally, the operation must specify the value of <code>ACTIVE</code> for the\n
<code>Status</code> parameter.</p>\n \n \n <p>As a license administrator, you can
optionally specify an\n <code>ActivationOverrideBehavior</code> when activating a grant.</p>\n

```



```

 \n \n <p>As a grantor, you can optionally specify an\n
 <code>ActivationOverrideBehavior</code> when you activate a grant for a grantee\n
 account in your organization.</p>\n \n \n <p>As a grantee, if the grantor creating the distributed
 grant doesnt specify an\n <code>ActivationOverrideBehavior</code>, you can optionally specify one
 when you\n are activating the grant.</p>\n \n\n<dl>\n<dt>DISTRIBUTED_GRANTS_ONLY</dt>\n <dd>\n <p>Use this value to activate a grant
 without replacing any member accounts\n active grants for the same product.</p>\n </dd>\n<dt>ALL_GRANTS_PERMITTED_BY_ISSUER</dt>\n <dd>\n <p>Use this value to activate a
 grant and disable other active grants in any\n member accounts
 for the same product. This action will also replace their\n previously activated grants with this activated
 grant.</p>\n </dd>\n</dl>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The options you can specify when you create a new version of a grant,
 such as activation\n override behavior. For more information, see Granted licenses in
 License Manager in the <i>License Manager User Guide</i>.</p>"
 }
 },
 "com.amazonaws.licensemanager#OrganizationConfiguration": {
 "type": "structure",
 "members": {
 "EnableIntegration": {
 "target": "com.amazonaws.licensemanager#Boolean",
 "traits": {
 "smithy.api#default": false,
 "smithy.api#documentation":
 "<p>Enables Organizations integration.</p>",
 "smithy.api#required": {}
 }
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Configuration information for Organizations.</p>"
 }
 },
 "com.amazonaws.licensemanager#PrincipalArnList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Arn"
 },
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 1
 }
 }
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ProductInformation": {
 "type": "structure",
 "members": {
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Resource type. The
possible values are <code>SSM_MANAGED</code> | <code>RDS</code>.</p>",
 "smithy.api#required": {}
 }
 },
 },
 "ProductInformationFilterList": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilterList",
 "traits": {
 "smithy.api#documentation": "<p>A Product information filter consists of a
<code>ProductInformationFilterComparator</code> which is a logical operator, a
<code>ProductInformationFilterName</code> which specifies the type of filter being declared, and a
<code>ProductInformationFilterValue</code> that specifies the value to filter on. </p>\n <p>Accepted values
for <code>ProductInformationFilterName</code> are listed here along with descriptions and valid options for
<code>ProductInformationFilterComparator</code>.</p>\n <p>The following filters and are supported when
the resource type \n is <code>SSM_MANAGED</code>:</p>\n
 \n \n <p>\n <code>Application Name</code> - The name of the
application.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Publisher</code> - The publisher of the application.\n Logical
operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Application Version</code> - The version of the application.\n Logical operator is
<code>EQUALS</code>.</p>\n \n \n <p>\n <code>Platform
Name</code> - The name of the platform.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Platform Type</code> - The platform type.\n Logical operator is <code>EQUALS</code>.</p>\n \n \n <p>\n <code>Tag:key</code> - The key of a tag attached to an
Amazon Web Services resource you wish to exclude from automated discovery. Logical operator is
<code>NOT_EQUALS</code>. The key for your tag must be appended to <code>Tag:</code> following the
example: <code>Tag:name-of-your-key</code>. <code>ProductInformationFilterValue</code> is optional if you
are not using values for the key.\n </p>\n \n \n <p>\n <code>AccountId</code> - The 12-digit ID of an Amazon Web Services account you wish to exclude from
automated discovery.\n Logical operator is <code>NOT_EQUALS</code>.</p>\n \n \n <p>\n <code>License Included</code> - The type of license included.\n Logical
operators are <code>EQUALS</code> and <code>NOT_EQUALS</code>.\n Possible values are:
<code>sql-server-enterprise</code> | \n <code>sql-server-standard</code> | \n <code>sql-server-
web</code> | \n <code>windows-server-datacenter</code>.</p>\n \n \n <p>The following filters and logical operators are supported when the resource type\n is
<code>RDS</code>:</p>\n \n \n <p>\n <code>Engine Edition</code> -
The edition of the database engine.\n Logical operator is <code>EQUALS</code>.\n Possible
values are: <code>oracle-ee</code> | <code>oracle-se</code> | <code>oracle-se1</code> | <code>oracle-
se2</code>.</p>\n \n \n <p>\n <code>License Pack</code> - The license

```

```

pack.\n Logical operator is <code>EQUALS</code>.\n Possible values are: <code>data
guard</code> | \n <code>diagnostic pack sqlt</code> | \n
 <code>tuning pack sqlt</code> | \n <code>ols</code> | \n <code>olap</code>.</p>\n
\n ",
 "smithy.api#required": {}
 }
},
"traits": {
 "smithy.api#documentation": "<p>Describes product information for a license configuration.</p>"
},
"com.amazonaws.licensemanager#ProductInformationFilter": {
 "type": "structure",
 "members": {
 "ProductInformationFilterName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Filter name.</p>",
 "smithy.api#required": {}
 }
 },
 "ProductInformationFilterValue": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>Filter value.</p>"
 }
 },
 "ProductInformationFilterComparator": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Logical operator.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describes product information filters.</p>"
 }
},
"com.amazonaws.licensemanager#ProductInformationFilterList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformationFilter"
 }
},
"com.amazonaws.licensemanager#ProductInformationList": {

```

```

 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ProductInformation"
 }
 },
 "com.amazonaws.licensemanager#ProvisionalConfiguration": {
 "type": "structure",
 "members": {
 "MaxTimeToLiveInMinutes": {
 "target": "com.amazonaws.licensemanager#BoxInteger",
 "traits": {
 "smithy.api#documentation": "<p>Maximum time for the provisional configuration, in minutes.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a provisional configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#RateLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "RateLimitExceeded",
 "httpResponseCode": 429
 },
 "smithy.api#documentation": "<p>Too many requests have been submitted. Try again after a brief wait.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 429
 }
 },
 "com.amazonaws.licensemanager#ReceivedMetadata": {
 "type": "structure",
 "members": {
 "ReceivedStatus": {
 "target": "com.amazonaws.licensemanager#ReceivedStatus",
 "traits": {
 "smithy.api#documentation": "<p>Received status.</p>"
 }
 }
 },
 "ReceivedStatusReason": {

```

```

 "target": "com.amazonaws.licensemanager#StatusReasonMessage",
 "traits": {
 "smithy.api#documentation": "<p>Received
status reason.</p>"
 }
 },
 "AllowedOperations": {
 "target": "com.amazonaws.licensemanager#AllowedOperationList",
 "traits": {
 "smithy.api#documentation": "<p>Allowed operations.</p>"
 }
 }
},
"traits": {
 "smithy.api#documentation": "<p>Metadata associated with received licenses and grants.</p>"
}
},
"com.amazonaws.licensemanager#ReceivedStatus": {
 "type": "enum",
 "members": {
 "PENDING_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "PENDING_WORKFLOW"
 }
 },
 "PENDING_ACCEPT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue":
"PENDING_ACCEPT"
 }
 },
 "REJECTED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REJECTED"
 }
 },
 "ACTIVE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "ACTIVE"
 }
 },
 "FAILED_WORKFLOW": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "FAILED_WORKFLOW"
 }
},
"DELETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DELETED"
 }
},
"DISABLED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DISABLED"
 }
},
"WORKFLOW_COMPLETED": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WORKFLOW_COMPLETED"
 }
}
},
"com.amazonaws.licensemanager#RedirectException": {
 "type": "structure",
 "members": {
 "Location": {
 "target": "com.amazonaws.licensemanager#Location",
 "traits": {
 "smithy.api#httpHeader": "Location"
 }
 },
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>This is not the correct Region for the resource. Try again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 308
 }
},
"com.amazonaws.licensemanager#RejectGrant": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#RejectGrantRequest"
 },
 "output": {

```

```

 "target": "com.amazonaws.licensemanager#RejectGrantResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target":
"com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 },
 {
 "target": "com.amazonaws.licensemanager#ValidationException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Rejects the specified grant.</p>"
 }
},
"com.amazonaws.licensemanager#RejectGrantRequest": {
 "type": "structure",
 "members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the grant.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
}
},
"com.amazonaws.licensemanager#RejectGrantResponse": {
 "type": "structure",

```

```

"members": {
 "GrantArn": {
 "target": "com.amazonaws.licensemanager#Arn",
 "traits": {
 "smithy.api#documentation": "<p>Grant ARN.</p>"
 }
 },
 "Status": {
 "target": "com.amazonaws.licensemanager#GrantStatus",
 "traits": {
 "smithy.api#documentation": "<p>Grant status.</p>"
 }
 },
 "Version": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Grant version.</p>"
 }
 },
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#RenewType":
{
 "type": "enum",
 "members": {
 "NONE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "None"
 }
 },
 "WEEKLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Weekly"
 }
 },
 "MONTHLY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "Monthly"
 }
 }
 }
},

```



```

"com.amazonaws.licensemanager#ReportContext": {
 "type": "structure",
 "members": {
 "licenseConfigurationArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {

 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration that this
generator reports on.</p>",
 "smithy.api#required": {}
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details of the license configuration that this generator reports on.</p>"
 }
 },
 "com.amazonaws.licensemanager#ReportFrequency": {
 "type": "structure",
 "members": {
 "value": {
 "target": "com.amazonaws.licensemanager#Integer",
 "traits": {
 "smithy.api#documentation": "<p>Number of times within the frequency period that a report is
generated. \n The only supported value is <code>1</code>.</p>"
 }
 },
 "period": {
 "target": "com.amazonaws.licensemanager#ReportFrequencyType",

 "traits": {
 "smithy.api#documentation": "<p>Time period between each report. The period can be daily, weekly,
or monthly.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 }
 },
 "com.amazonaws.licensemanager#ReportFrequencyType": {
 "type": "enum",
 "members": {
 "DAY": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "DAY"
 }
 }
 }
 }

```

```

 },
 "WEEK": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "WEEK"
 }
 },
 "MONTH": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "MONTH"
 }
 }
 },
 "com.amazonaws.licensemanager#ReportGenerator": {
 "type": "structure",
 "members": {
 "ReportGeneratorName": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>"
 }
 },
 "ReportType": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation": "<p>Type of reports that are generated.</p>"
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {
 "smithy.api#documentation": "<p>License configuration type for this generator.</p>"
 }
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Details about how frequently reports are generated.</p>"
 }
 },
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator.</p>"
 }
 }
 }
 }
}

```

```

 }
 },
 "LastRunStatus": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Status of the last report generation attempt.</p>"
 }
 },
 "LastRunFailureReason": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Failure message for the last report generation attempt.</p>"
 }
 },
 "LastReportGenerationTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the last report was generated at.</p>"
 }
 },
 "ReportCreatorAccount": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>The Amazon Web Services account ID used to create the report generator.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "S3Location": {
 "target": "com.amazonaws.licensemanager#S3Location",
 "traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
 }
 },
 "CreateTime": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Time the report was created.</p>"
 }
 },

```

```

 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>Tags associated with the report generator.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Describe the details of a report generator.</p>"
 }
},
"com.amazonaws.licensemanager#ReportGeneratorList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ReportGenerator"
 }
},
"com.amazonaws.licensemanager#ReportGeneratorName": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 1,
 "max": 100
 }
 }
},
"com.amazonaws.licensemanager#ReportType": {
 "type": "enum",
 "members": {
 "LICENSE_CONFIGURATION_SUMMARY_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationSummaryReport"
 }
 }
 }
},
"LICENSE_CONFIGURATION_USAGE_REPORT": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "LicenseConfigurationUsageReport"
 }
}
},
"com.amazonaws.licensemanager#ReportTypeList": {
 "type": "list",
 "member": {

```

```

 "target": "com.amazonaws.licensemanager#ReportType"
 },
 "com.amazonaws.licensemanager#ResourceInventory": {
 "type": "structure",
 "members": {
 "ResourceId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the resource.</p>"
 }
 },
 "ResourceType": {
 "target": "com.amazonaws.licensemanager#ResourceType",
 "traits": {
 "smithy.api#documentation": "<p>Type of resource.</p>"
 }
 },
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the resource.</p>"
 }
 },
 "Platform": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Platform of the resource.</p>"
 }
 },
 "PlatformVersion": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Platform version of the resource in the inventory.</p>"
 }
 },
 "ResourceOwningAccountId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>ID of the account that owns the resource.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a resource.</p>"
 }
 }
}

```

```

},
"com.amazonaws.licensemanager#ResourceInventoryList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#ResourceInventory"
 }
},
"com.amazonaws.licensemanager#ResourceLimitExceededException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "ResourceLimitExceeded",

 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>Your resource limits have been exceeded.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#ResourceNotFoundException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InvalidResource.NotFound",
 "httpResponseCode": 400
 },
 "smithy.api#documentation": "<p>The resource cannot be found.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#ResourceType": {
 "type": "enum",
 "members": {
 "EC2_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {

```

```

 "smithy.api#enumValue": "EC2_INSTANCE"
 },
 "EC2_HOST": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_HOST"
 }
 },
 "EC2_AMI": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "EC2_AMI"
 }
 },
 "RDS": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "RDS"
 }
 },
 "SYSTEMS_MANAGER_MANAGED_INSTANCE": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "SYSTEMS_MANAGER_MANAGED_INSTANCE"
 }
 }
},
"com.amazonaws.licensemanager#S3Location": {
 "type": "structure",
 "members": {
 "bucket": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Name of the S3 bucket reports are published to.</p>"
 }
 },
 "keyPrefix": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Prefix of the S3 bucket reports are published to.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details of the S3 bucket that report generator reports are published to.</p>"
 }
}

```

```

 }
 },
 "com.amazonaws.licensemanager#ServerInternalException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "aws.protocols#awsQueryError": {
 "code": "InternalServerError",
 "httpResponseCode": 500
 },
 "smithy.api#documentation": "<p>The server experienced an internal error. Try again.</p>",
 "smithy.api#error": "server",
 "smithy.api#httpError": 500
 }
 },
 "com.amazonaws.licensemanager#SignedToken": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 4096
 }
 }
 },
 "com.amazonaws.licensemanager#StatusReasonMessage": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 400
 },
 "smithy.api#pattern": "^[\\s\\S]+$"
 }
 },
 "com.amazonaws.licensemanager#String": {
 "type": "string"
 },
 "com.amazonaws.licensemanager#StringList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
 },
 "com.amazonaws.licensemanager#Tag": {

```



```

"type": "structure",
"members": {
 "Key": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Tag key.</p>"
 }
 },
 "Value": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation":
"<p>Tag value.</p>"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>Details about a tag for a license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#TagKeyList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#String"
 }
},
"com.amazonaws.licensemanager#TagList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#Tag"
 }
},
"com.amazonaws.licensemanager#TagResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#TagResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#TagResourceResponse"
 },
 "errors": [
 {
 "target":
"com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 }
],

```

```

 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds the specified tags to the specified license configuration.</p>"
 }
},
"com.amazonaws.licensemanager#TagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "Tags": {
 "target": "com.amazonaws.licensemanager#TagList",
 "traits": {
 "smithy.api#documentation": "<p>One or more tags.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#TagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#TokenData": {
 "type": "structure",
 "members": {

```

```

"TokenId": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token ID.</p>"
 }
},
"TokenType": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Type of token generated. The supported value is
<code>REFRESH_TOKEN</code>.</p>"
 }
},
"LicenseArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license.</p>"
 }
},
"ExpirationTime": {
 "target": "com.amazonaws.licensemanager#ISO8601DateTime",
 "traits": {
 "smithy.api#documentation": "<p>Token expiration time, in ISO8601-UTC
format.</p>"
 }
},
"TokenProperties": {
 "target": "com.amazonaws.licensemanager#MaxSize3StringList",
 "traits": {
 "smithy.api#documentation": "<p>Data specified by the caller.</p>"
 }
},
"RoleArns": {
 "target": "com.amazonaws.licensemanager#ArnList",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Names (ARN) of the roles included in the
token.</p>"
 }
},
"Status": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Token status. The possible values are
<code>AVAILABLE</code> and <code>DELETED</code>.</p>"
 }
}
},
"traits": {

```

```

 "smithy.api#documentation": "<p>Describes a token.</p>"
 }
},
"com.amazonaws.licensemanager#TokenList": {
 "type": "list",
 "member": {
 "target": "com.amazonaws.licensemanager#TokenData"
 }
},
"com.amazonaws.licensemanager#TokenString": {
 "type": "string",
 "traits": {
 "smithy.api#length": {
 "min": 0,
 "max": 4096
 },
 "smithy.api#pattern": "^\\S+$"
 }
},
"com.amazonaws.licensemanager#TokenType": {
 "type": "enum",
 "members": {
 "REFRESH_TOKEN": {
 "target": "smithy.api#Unit",
 "traits": {
 "smithy.api#enumValue": "REFRESH_TOKEN"
 }
 }
 }
},
"com.amazonaws.licensemanager#UnsupportedDigitalSignatureMethodException":
{
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The digital signature method is unsupported. Try your request again.</p>",
 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
},
"com.amazonaws.licensemanager#UntagResource": {
 "type": "operation",

```

```

"input": {
 "target": "com.amazonaws.licensemanager#UntagResourceRequest"
},
"output": {
 "target": "com.amazonaws.licensemanager#UntagResourceResponse"
},
"errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
"traits": {
 "smithy.api#documentation": "<p>Removes the specified tags from the specified license configuration.</p>"
}
},
"com.amazonaws.licensemanager#UntagResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license configuration.</p>",
 "smithy.api#required": {}
 }
 },
 "TagKeys": {
 "target": "com.amazonaws.licensemanager#TagKeyList",
 "traits": {
 "smithy.api#documentation": "<p>Keys identifying the tags to remove.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "traits": {

```

```

 "smithy.api#input": {}
 },
 "com.amazonaws.licensemanager#UntagResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfiguration": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Modifies the attributes of an existing license configuration.</p>"
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseConfigurationRequest": {
 "type": "structure",
 "members": {
 "LicenseConfigurationArn": {
 "target": "com.amazonaws.licensemanager#String",

```

```

 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the license
configuration.</p>",
 "smithy.api#required": {}
 },
 "LicenseConfigurationStatus": {
 "target": "com.amazonaws.licensemanager#LicenseConfigurationStatus",
 "traits": {
 "smithy.api#documentation": "<p>New status of the license configuration.</p>"
 }
 },
 "LicenseRules": {
 "target": "com.amazonaws.licensemanager#StringList",
 "traits": {
 "smithy.api#documentation": "<p>New license rule. The only rule that you can add after you create a license\n
configuration is licenseAffinityToHost.</p>"
 }
 },
 "LicenseCount": {
 "target": "com.amazonaws.licensemanager#BoxLong",
 "traits": {
 "smithy.api#documentation": "<p>New number of licenses managed by the license
configuration.</p>"
 }
 },
 "LicenseCountHardLimit": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>New hard limit of the number of available licenses.</p>"
 }
 },
 "Name": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New name
of the license configuration.</p>"
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>New description of the license configuration.</p>"
 }
 },
 "ProductInformationList": {
 "target": "com.amazonaws.licensemanager#ProductInformationList",

```

```

 "traits": {
 "smithy.api#documentation": "<p>New product information.</p>"
 }
 },
 "DisassociateWhenNotFound": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>When true, disassociates a resource when software is
uninstalled.</p>"
 }
 },
 "traits":
{
 "smithy.api#input": {}
}
},
"com.amazonaws.licensemanager#UpdateLicenseConfigurationResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGenerator": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ResourceLimitExceededException"
 },
],

```



```

{
 "target": "com.amazonaws.licensemanager#ResourceNotFoundException"
},
{
 "target": "com.amazonaws.licensemanager#ServerInternalException"
},
{
 "target": "com.amazonaws.licensemanager#ValidationException"
}
],
"traits": {
 "smithy.api#documentation": "<p>Updates a report generator.</p>\n <p>After you make changes to a
report generator, it starts generating new reports within 60 minutes of being updated.</p>"
}
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorRequest":
{
 "type": "structure",
 "members": {
 "LicenseManagerReportGeneratorArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the report generator to
update.</p>",
 "smithy.api#required": {}
 }
 },
 "ReportGeneratorName": {
 "target": "com.amazonaws.licensemanager#ReportGeneratorName",
 "traits": {
 "smithy.api#documentation": "<p>Name of the report generator.</p>",
 "smithy.api#required": {}
 }
 }
 },
 "Type": {
 "target": "com.amazonaws.licensemanager#ReportTypeList",
 "traits": {
 "smithy.api#documentation":
 "<p>Type of reports to generate. The following report types are supported:</p>\n \n \n
<p>License configuration report - Reports the number and details of consumed licenses for a license
configuration.</p>\n \n \n
<p>Resource report - Reports the tracked licenses and
resource consumption for a license configuration.</p>\n \n ",
 "smithy.api#required": {}
 }
 },
 "ReportContext": {
 "target": "com.amazonaws.licensemanager#ReportContext",
 "traits": {

```

```

 "smithy.api#documentation": "<p>The report context.</p>",
 "smithy.api#required": {}
 },
 "ReportFrequency": {
 "target": "com.amazonaws.licensemanager#ReportFrequency",
 "traits": {
 "smithy.api#documentation": "<p>Frequency by which reports are generated.</p>",
 "smithy.api#required": {}
 }
 },
 "ClientToken": {
 "target": "com.amazonaws.licensemanager#ClientRequestToken",
 "traits": {
 "smithy.api#documentation": "<p>Unique, case-sensitive identifier that you provide to ensure the
idempotency of the request.</p>",
 "smithy.api#required": {}
 }
 },
 "Description": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Description of the report generator.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseManagerReportGeneratorResponse":
{
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResource": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse"
 },
 "errors": [

```

```

 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidResourceStateException"
 },
 {
 "target": "com.amazonaws.licensemanager#LicenseUsageException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Adds or removes the specified license configurations for the specified Amazon Web Services resource.</p>\n <p>You can update the license specifications of AMIs, instances, and hosts.\n You cannot update the license specifications for launch templates and CloudFormation templates, \n as they send license configurations to the operation that creates the resource.</p>"
 },
 "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceRequest": {
 "type": "structure",
 "members": {
 "ResourceArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon Web Services resource.</p>",
 "smithy.api#required": {}
 }
 },
 "AddLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation": "<p>ARNs of the license configurations to add.</p>"
 }
 }
 }
 },

```

```

 "RemoveLicenseSpecifications": {
 "target": "com.amazonaws.licensemanager#LicenseSpecifications",
 "traits": {
 "smithy.api#documentation":
"<p>ARNs of the license configurations to remove.</p>"
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateLicenseSpecificationsForResourceResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
 },
 "com.amazonaws.licensemanager#UpdateServiceSettings": {
 "type": "operation",
 "input": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsRequest"
 },
 "output": {
 "target": "com.amazonaws.licensemanager#UpdateServiceSettingsResponse"
 },
 "errors": [
 {
 "target": "com.amazonaws.licensemanager#AccessDeniedException"
 },
 {
 "target": "com.amazonaws.licensemanager#AuthorizationException"
 },
 {
 "target": "com.amazonaws.licensemanager#InvalidParameterValueException"
 },
 {
 "target": "com.amazonaws.licensemanager#RateLimitExceededException"
 },
 {
 "target": "com.amazonaws.licensemanager#ServerInternalException"
 }
],
 "traits": {
 "smithy.api#documentation": "<p>Updates License Manager settings for the current Region.</p>"
 }
 },

```

```

"com.amazonaws.licensemanager#UpdateServiceSettingsRequest": {
 "type": "structure",
 "members": {
 "S3BucketArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon S3 bucket where
the License
Manager information is stored.</p>"
 }
 },
 "SnsTopicArn": {
 "target": "com.amazonaws.licensemanager#String",
 "traits": {
 "smithy.api#documentation": "<p>Amazon Resource Name (ARN) of the Amazon SNS topic used
for License Manager alerts.</p>"
 }
 },
 "OrganizationConfiguration": {
 "target": "com.amazonaws.licensemanager#OrganizationConfiguration",
 "traits": {
 "smithy.api#documentation": "<p>Enables integration with Organizations for cross-account
discovery.</p>"
 }
 },
 "EnableCrossAccountsDiscovery": {
 "target": "com.amazonaws.licensemanager#BoxBoolean",
 "traits": {
 "smithy.api#documentation": "<p>Activates cross-account discovery.</p>"
 }
 }
 },
 "traits": {
 "smithy.api#input": {}
 }
},
"com.amazonaws.licensemanager#UpdateServiceSettingsResponse": {
 "type": "structure",
 "members": {},
 "traits": {
 "smithy.api#output": {}
 }
},
"com.amazonaws.licensemanager#UsageOperation": {
 "type": "string",
 "traits": {
 "smithy.api#length": {

```

```

 "min": 0,
 "max": 50
 }
}
},
"com.amazonaws.licensemanager#ValidationException": {
 "type": "structure",
 "members": {
 "Message": {
 "target": "com.amazonaws.licensemanager#Message"
 }
 },
 "traits": {
 "smithy.api#documentation": "<p>The provided input is not valid. Try your request again.</p>",

 "smithy.api#error": "client",
 "smithy.api#httpError": 400
 }
}
}
}
}

```

# 1.110 prometheus-client 1.19.1

## 1.110.1 Available under license :

Prometheus instrumentation library for Go applications  
 Copyright 2012-2015 The Prometheus Authors

This product includes software developed at  
 SoundCloud Ltd. (<http://soundcloud.com/>).

The following components are included in this product:

perks - a fork of <https://github.com/bmizerany/perks>  
<https://github.com/beorn7/perks>  
 Copyright 2013-2015 Blake Mizerany, Bjrn Rabenstein  
 See <https://github.com/beorn7/perks/blob/master/README.md> for license details.

Go support for Protocol Buffers - Google's data interchange format  
<http://github.com/golang/protobuf/>  
 Copyright 2010 The Go Authors  
 See source code for license details.

Support for streaming Protocol Buffer messages for the Go language (golang).  
[https://github.com/matttproud/golang\\_protobuf\\_extensions](https://github.com/matttproud/golang_protobuf_extensions)  
 Copyright 2013 Matt T. Proud

Licensed under the Apache License, Version 2.0

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You



meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.111 openssl 3.1.6-r2

### 1.111.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE  
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.  
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

- a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,
- b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,
- c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the

original

licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE

## POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so,  
attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19xx name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the



commands you use may be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (a program to direct compilers to make passes at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.

- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
  - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
  - b) use the modified Package only within your corporation or organization.
  - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
  - d) make other distribution arrangements with the Copyright Holder.
4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:
  - a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
  - b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names,  
and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not  
be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.112 goprotobuf 1.5.4

### 1.112.1 Available under license :

```
This source code was written by the Go contributors.
The master list of contributors is in the main Go distribution,
visible at http://tip.golang.org/CONTRIBUTORS.
Copyright 2010 The Go Authors. All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its

contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.113 libcrypto3 3.1.6-r2

### 1.113.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE  
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.  
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.



## Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which

contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

- a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,
- b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,
- c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the

recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

## Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so,  
attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (a program to direct compilers to make passes at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will

not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)

- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
  - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
  - b) use the modified Package only within your corporation or organization.
  - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
  - d) make other distribution arrangements with the Copyright Holder.
4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:
  - a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
  - b) accompany the distribution with the machine-readable source of the Package with your modifications.
  - c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard

names,  
and clearly documenting the differences in manual pages (or  
equivalent), together with instructions on where to get the Standard  
Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this  
Package. You may charge any fee you choose for support of this Package. You  
may not charge a fee for this Package itself. However, you may distribute this  
Package in aggregate with other (possibly commercial) programs as part of a  
larger (possibly commercial) software distribution provided that you do not  
advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output  
from the programs of this Package do not automatically fall under the copyright  
of this Package, but belong to whomever generated them, and may be sold  
commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package  
shall not  
be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote  
products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED  
WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF  
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common



control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensors and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## 1.114 ssl-client 1.36.1-r19

### 1.114.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2017 Denys Vlasenko
 *
 * Licensed under GPLv2, see file LICENSE in this source tree.
 */
```

Found in path(s):

```
* /ssl-client-c-zip/ssl_client.c
```

## 1.115 libssl3 3.1.6-r2

### 1.115.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE  
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.  
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use

in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special

exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.



## NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so,  
attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19xx name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (a program to direct compilers to make passes at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989  
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

## The Artistic License

### Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

### Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
  - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your

modifications in the Standard Version of the Package.

b) use the modified

Package only within your corporation or organization.

c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names,  
and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not  
be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote

products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License  
Version 2.0, January 2004  
<https://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS



# 1.116 protobuf 1.34.2

## 1.116.1 Available under license :

# This source code was written by the Go contributors.  
# The master list of contributors is in the main Go distribution,  
# visible at <http://tip.golang.org/CONTRIBUTORS>.  
Copyright 2010 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.117 clientmodel 0.6.1

## 1.117.1 Available under license :

Data model artifacts for Prometheus.  
Copyright 2012-2015 The Prometheus Authors

This product includes software developed at  
SoundCloud Ltd. (<http://soundcloud.com/>).

Apache License  
Version 2.0, January 2004

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

# 1.118 google-golang-org-grpc 1.64.0

## 1.118.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside



or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.  
Copyright 2014 gRPC authors.

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

# 1.119 lib-pq 1.10.9

## 1.119.1 Available under license :

```
//go:build go1.10
// +build go1.10

package pq

import (
 "context"
 "database/sql/driver"
)

// NoticeHandler returns the notice handler on the given connection, if any. A
// runtime panic occurs if c is not a pq connection. This is rarely used
// directly, use ConnectorNoticeHandler and ConnectorWithNoticeHandler instead.
func NoticeHandler(c driver.Conn) func(*Error) {
 return c.(*conn).noticeHandler
}

// SetNoticeHandler sets the given notice handler on the given connection. A
// runtime panic occurs if c is not a pq connection. A nil handler may be used
// to unset it. This is rarely used directly, use ConnectorNoticeHandler and
// ConnectorWithNoticeHandler instead.
//
// Note: Notice handlers are executed synchronously by pq meaning commands
// won't continue to be processed until the handler returns.
func SetNoticeHandler(c driver.Conn, handler func(*Error)) {
 c.(*conn).noticeHandler = handler
}

// NoticeHandlerConnector wraps a regular connector and sets a notice handler
//
// on it.
type NoticeHandlerConnector struct {
 driver.Connector
 noticeHandler func(*Error)
}

// Connect calls the underlying connector's connect method and then sets the
// notice handler.
func (n *NoticeHandlerConnector) Connect(ctx context.Context) (driver.Conn, error) {
 c, err := n.Connector.Connect(ctx)
```

```

if err == nil {
 SetNoticeHandler(c, n.noticeHandler)
}
return c, err
}

// ConnectorNoticeHandler returns the currently set notice handler, if any. If
// the given connector is not a result of ConnectorWithNoticeHandler, nil is
// returned.
func ConnectorNoticeHandler(c driver.Connector) func(*Error) {
 if c, ok := c.(*NoticeHandlerConnector); ok {
 return c.noticeHandler
 }
 return nil
}

// ConnectorWithNoticeHandler creates or sets the given handler for the given
// connector. If the given connector is a result of calling this function
// previously, it is simply set on the given connector and returned. Otherwise,
// this returns a new connector wrapping the given one and
// setting the notice
// handler. A nil notice handler may be used to unset it.
//
// The returned connector is intended to be used with database/sql.OpenDB.
//
// Note: Notice handlers are executed synchronously by pq meaning commands
// won't continue to be processed until the handler returns.
func ConnectorWithNoticeHandler(c driver.Connector, handler func(*Error)) *NoticeHandlerConnector {
 if c, ok := c.(*NoticeHandlerConnector); ok {
 c.noticeHandler = handler
 return c
 }
 return &NoticeHandlerConnector{Connector: c, noticeHandler: handler}
}

```

Copyright (c) 2011-2013, 'pq' Contributors  
Portions Copyright (C) 2011 Blake Mizerany

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.120 cJSON 1.7.18-r0

### 1.120.1 Notifications :

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)

This product includes cryptographic software written by Eric Young ([ey@cryptsoft.com](mailto:ey@cryptsoft.com)).

This product includes software written by Tim Hudson ([tjh@cryptsoft.com](mailto:tjh@cryptsoft.com)).

### 1.120.2 Available under license :

Contributors

=====

Original Author:

- [Dave Gamble](<https://github.com/DaveGamble>)

Current Maintainer:

- [Max Bruckner](<https://github.com/FSMaxB>)

- [Alan Wang](<https://github.com/Alanscut>)

Contributors:

- \* [Ajay Bhargav](<https://github.com/ajaybhargav>)
- \* [Alexander Vasiljev](<https://github.com/AlexanderVasiljev>)
- \* [Alper Akcan](<https://github.com/alperakcan>)
- \* [Andrew Tang](<https://github.com/singku>)
- \* [Andy](<https://github.com/mlh0101>)
- \* [Anton Sergeev](<https://github.com/anton-sergeev>)
- \* [Ben Buck Nason](<https://github.com/bnason-nf>)
- \* [Bernt Johan Damslara](<https://github.com/bjda>)
- \* [Bob Kocisko](<https://github.com/bobkocisko>)
- \* [Christian Schulze](<https://github.com/ChristianSch>)
- \* [Casperinious](<https://github.com/Casperinious>)
- \* [Chen Yuan](<https://github.com/zjuchenyuan>)
- \* [Debora Grosse](<https://github.com/DeboraG>)
- \* [dieyushi](<https://github.com/dieyushi>)
- \* [Dngwn Hung ()](<https://github.com/DongwenHuang>)
- \* [Donough Liu](<https://github.com/ldm0>)
- \* [Erez Oxman](<https://github.com/erez-o>)
- \*

Eswar Yaganti

- \* [Evan Todd](<https://github.com/etodd>)
- \* [Fabrice Fontaine](<https://github.com/ffontaine>)
- \* Ian Mobley
- \* Irwan Djadjadi

- \* [hopper-vul](https://github.com/hopper-vul)
- \* [HuKeping](https://github.com/HuKeping)
- \* [IvanVoid](https://github.com/npi3pak)
- \* [Jakub Wilk](https://github.com/jwilk)
- \* [Jiri Zouhar](https://github.com/loigu)
- \* [Jonathan Fether](https://github.com/jfether)
- \* [Joshua Arulsamy](https://github.com/jarulsamy)
- \* [Julian Ste](https://github.com/julian-st)
- \* [Julin Vsquez](https://github.com/juvasquezg)
- \* [Junbo Zheng](https://github.com/Junbo-Zheng)
- \* [Kevin Branigan](https://github.com/kbranigan)
- \* [Kevin Sapper](https://github.com/sappo)
- \* [Kyle Chisholm](https://github.com/ChisholmKyle)
- \* [Linus Wallgren](https://github.com/ecksun)
- \* [Luo Jin](https://github.com/Up-wind)
- \* [Max](https://github.com/maebex)
- \* [MaxBrandtner](https://github.com/MaxBrandtner)
- \* [Mateusz Szafoni](https://github.com/raiden00pl)
- \* Mike Pontillo
- \* [miaoerduo](https://github.com/miaoerduo)
- \*
- [mohawk2](https://github.com/mohawk2)
- \* [Mike Jerris](https://github.com/mjerris)
- \* [Mike Robinson](https://github.com/mhrobinson)
- \* [Moorthy](https://github.com/moorthy-bs)
- \* [myd7349](https://github.com/myd7349)
- \* [NancyLi1013](https://github.com/NancyLi1013)
- \* [Orri](https://github.com/sbvoxel)
- \* Paulo Antonio Alvarez
- \* [Pawe Malowany](https://github.com/PawelMalowany)
- \* [Pawel Winogrodzki](https://github.com/PawelWMS)
- \* [prefetchnta](https://github.com/prefetchnta)
- \* [Rafael Leal Dias](https://github.com/rafaeldias)
- \* [Randy](https://github.com/andy408)
- \* [raiden00pl](https://github.com/raiden00pl)
- \* [Robin Mallinson](https://github.com/rmallins)
- \* [Rod Vagg](https://github.com/rvagg)
- \* [Roland Meertens](https://github.com/rmeertens)
- \* [Romain Porte](https://github.com/MicroJoe)
- \* [SANJEEV BA](https://github.com/basanjeev)
- \* [Sang-Heon Jeon](https://github.com/Intuition)
- \* [Sayan Bandyopadhyay](https://github.com/saynb)
- \* [Simon Sobisch](https://github.com/GitMensch)
- \*
- [Simon Ricaldone](https://github.com/simon-p-r)
- \* [Stoian Ivanov](https://github.com/sdrsdr)
- \* [SuperH-0630](https://github.com/SuperH-0630)
- \* [Square789](https://github.com/Square789)

- \* [Stephan Gatzka](https://github.com/gatzka)
- \* [Tony Langhammer](https://github.com/BigBrainAFK)
- \* [Vemake](https://github.com/vemakereporter)
- \* [Wei Tan](https://github.com/tan-wei)
- \* [Weston Schmidt](https://github.com/schmidtwt)
- \* [xiaomianhehe](https://github.com/xiaomianhehe)
- \* [yangfl](https://github.com/yangfl)
- \* [yuta-oxo](https://github.com/yuta-oxo)
- \* [Zach Hindes](https://github.com/zhindes)
- \* [Zhao Zhixu](https://github.com/zhaozhixu)
- \* [10km](https://github.com/10km)

And probably more people on [SourceForge](https://sourceforge.net/p/cjson/bugs/search/?q=status%3Aclosed-rejected+or+status%3Aclosed-out-of-date+or+status%3Awont-fix+or+status%3Aclosed-fixed+or+status%3Aclosed&page=0)

Also thanks to all the people who reported bugs and suggested new features.

Apache License 2.0

Copyright (c) 2009-2017 Dave Gamble and cJSON contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF

OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) <year> 2007-14 Mike Karlesky, Mark VanderVoord, Greg Williams

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.121 librdkafka 2.6.1-r0

### 1.121.1 Notifications :

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)

This product includes cryptographic software written by Eric Young ([eay@cryptsoft.com](mailto:eay@cryptsoft.com)).

This product includes software written by Tim Hudson ([tjh@cryptsoft.com](mailto:tjh@cryptsoft.com)).

### 1.121.2 Available under license :

For the files wingetopt.c wingetopt.h downloaded from <https://github.com/alex85k/wingetopt>

```
/*
 * Copyright (c) 2002 Todd C. Miller <Todd.Miller@courtesan.com>
 *
 * Permission to use, copy, modify, and distribute this software for any
 * purpose with or without fee is hereby granted, provided that the above
 * copyright notice and this permission notice appear in all copies.
 *
 * THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
 * WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
 * MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
 * ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
 * WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
 * ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
 * OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
 *
 * Sponsored in part by the Defense Advanced Research Projects
 * Agency (DARPA) and Air Force Research Laboratory,
 * Air Force
 * Materiel Command, USAF, under agreement number F39502-99-1-0512.
 */
/*-
 * Copyright (c) 2000 The NetBSD Foundation, Inc.
 * All rights reserved.
 */
```



\* This code is derived from software contributed to The NetBSD Foundation  
 \* by Dieter Baron and Thomas Klausner.  
 \*  
 \* Redistribution and use in source and binary forms, with or without  
 \* modification, are permitted provided that the following conditions  
 \* are met:  
 \* 1. Redistributions of source code must retain the above copyright  
 \* notice, this list of conditions and the following disclaimer.  
 \* 2. Redistributions in binary form must reproduce the above copyright  
 \* notice, this list of conditions and the following disclaimer in the  
 \* documentation and/or other materials provided with the distribution.  
 \*  
 \* THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS  
 \* ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
 \* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY  
 \* AND FITNESS FOR A PARTICULAR  
 \* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS  
 \* BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
 \* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
 \* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
 \* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
 \* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
 \* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE  
 \* POSSIBILITY OF SUCH DAMAGE.  
 \*/  
 src/rdxxhash.[ch] src/lz4\*.[ch]: git@github.com:lz4/lz4.git 5ff839680134437dbf4678f3d0c7b371d84f4964

LZ4 Library

Copyright (c) 2011-2020, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification,  
 are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this  
 list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this  
 list of conditions and the following disclaimer in the documentation and/or  
 other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND  
 ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
 WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
 DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR  
 ANY DIRECT, INDIRECT, INCIDENTAL,  
 SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES  
 (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

parts of src/rdfnv1a.c: [http://www.isthe.com/chongo/src/fnv/hash\\_32a.c](http://www.isthe.com/chongo/src/fnv/hash_32a.c)

Please do not copyright this code. This code is in the public domain.

LANDON CURT NOLL DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL LANDON CURT NOLL BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

By:

chongo <Landon Curt Noll> /oo/

<http://www.isthe.com/chongo/>

Share and Enjoy! :-)

regexp.c and regexp.h from <https://github.com/ccxvii/minilibs> sha 875c33568b5a4aa4fb3dd0c52ea98f7f0e5ca684

"

These libraries are in the public domain (or the equivalent where that is not possible). You can do anything you want with them. You have no legal obligation to do anything else, although I appreciate attribution.

"

FindZstd.cmake: [git@github.com:facebook/folly](https://github.com/facebook/folly).git 87f1a403b49552dae75ae94c8610dd5979913477

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a

readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if

You agree to indemnify,

defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

# For src/crc32c.c copied (with modifications) from

# <http://stackoverflow.com/a/17646775/1821055>

/\* crc32c.c -- compute CRC-32C using the Intel crc32 instruction

\* Copyright (C) 2013 Mark Adler

\* Version 1.1 1 Aug 2013 Mark Adler

\*/

/\*

This software is provided 'as-is', without any express or implied warranty. In no event will the author be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Mark Adler  
madler@alumni.caltech.edu  
\*/

For sys/queue.h:

\* Copyright (c) 1991, 1993  
\* The Regents of the University of California. All rights reserved.  
\*  
\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:  
\* 1. Redistributions of source code must retain the above copyright  
\* notice, this list of conditions and the following disclaimer.  
\* 2. Redistributions in binary form must reproduce the above copyright  
\* notice, this list of conditions and the following disclaimer in the  
\* documentation and/or other materials provided with the distribution.  
\* 4. Neither the name of the University nor the names of its contributors  
\* may be used to endorse or promote products derived from this software  
\* without specific prior written permission.  
\*  
\* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND  
\* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
\* IMPLIED WARRANTIES  
OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
\* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE  
\* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL  
\* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS  
\* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)  
\* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT  
\* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY  
\* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.  
\*  
\* @(#)queue.h 8.5 (Berkeley) 8/20/94  
\* \$FreeBSD\$

For cJSON.c and cJSON.h:

Copyright (c) 2009-2017 Dave Gamble and cJSON contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

LICENSE

-----

librdkafka - Apache Kafka C driver library

Copyright (c) 2012-2022, Magnus Edenhill  
2023, Confluent Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

LICENSE.cjson

-----

For cJSON.c and cJSON.h:

Copyright (c) 2009-2017 Dave Gamble and cJSON contributors

Permission is hereby granted, free of charge, to any person obtaining a copy



of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

LICENSE.crc32c

-----  
# For src/crc32c.c copied (with modifications) from  
# <http://stackoverflow.com/a/17646775/1821055>

/\* crc32c.c -- compute CRC-32C using the Intel crc32 instruction  
\* Copyright (C) 2013 Mark Adler  
\* Version 1.1 1 Aug 2013 Mark Adler  
\*/

/\*  
This software is provided 'as-is',  
without any express or implied  
warranty. In no event will the author be held liable for any damages  
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,  
including commercial applications, and to alter it and redistribute it  
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Mark Adler  
madler@alumni.caltech.edu  
\*/

LICENSE.fnv1a

-----  
parts of src/rdfnv1a.c: [http://www.isthe.com/chongo/src/fnv/hash\\_32a.c](http://www.isthe.com/chongo/src/fnv/hash_32a.c)

Please  
do not copyright this code. This code is in the public domain.

LANDON CURT NOLL DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE,  
INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO  
EVENT SHALL LANDON CURT NOLL BE LIABLE FOR ANY SPECIAL, INDIRECT OR  
CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF  
USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR  
OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR  
PERFORMANCE OF THIS SOFTWARE.

By:  
chongo <Landon Curt Noll> /oo/  
<http://www.isthe.com/chongo/>

Share and Enjoy! :-)

LICENSE.hdrhistogram

-----  
This license covers src/rdhdrhistogram.c which is a C port of  
Coda Hale's Golang HdrHistogram <https://github.com/codahale/hdrhistogram>  
at revision 3a0bb77429bd3a61596f5e8a3172445844342120

-----  
The MIT License  
(MIT)

Copyright (c) 2014 Coda Hale

Permission is hereby granted, free of charge, to any person obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom the Software is  
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

LICENSE.lz4

-----  
src/rdxxhash.[ch] src/lz4\*.[ch]: git@github.com:lz4/lz4.git 5ff839680134437dbf4678f3d0c7b371d84f4964

LZ4 Library

Copyright (c) 2011-2020, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

LICENSE.murmur2

-----  
parts of src/rdmurmur2.c: git@github.com:abandoned/murmur2.git

MurMurHash2 Library

//-----

// MurmurHash2 was written by Austin Appleby, and is placed in the public  
// domain. The author hereby disclaims copyright to this source code.

Permission is hereby granted, free of charge, to any person  
obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom the Software is  
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all  
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

LICENSE.nanopb

-----

For

files in src/nanopb :

<https://github.com/nanopb/nanopb/blob/8ef41e0ebd45daaf19459a011f67e66224b247cd/LICENSE.txt>

Copyright (c) 2011 Petteri Aimonen <jpa at nanopb.mail.kapsi.fi>

This software is provided 'as-is', without any express or  
implied warranty. In no event will the authors be held liable  
for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any  
purpose, including commercial applications, and to alter it and  
redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you  
must not claim that you wrote the original software. If you use  
this software in a product, an acknowledgment in the product  
documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and

must not be misrepresented as being the original software.

3. This notice may  
not be removed or altered from any source  
distribution.

LICENSE.opentelemetry

-----  
For files in src/opentelemetry: <https://github.com/open-telemetry/opentelemetry-proto/blob/81a296f9dba23e32d77f46d58c8ea4244a2157a6/LICENSE>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE

text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability



incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

LICENSE.pycrc

-----  
The following license applies to the files rdcrc32.c and rdcrc32.h which have been generated by the pycrc tool.

=====

Copyright (c) 2006-2012, Thomas Pircher <tehpeh@gmx.net>

Permission is hereby granted,  
free of charge, to any person obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom the Software is  
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

LICENSE.queue

-----  
For

sys/queue.h:

- \* Copyright (c) 1991, 1993
- \* The Regents of the University of California. All rights reserved.
- \*
- \* Redistribution and use in source and binary forms, with or without
- \* modification, are permitted provided that the following conditions
- \* are met:
- \* 1. Redistributions of source code must retain the above copyright
- \* notice, this list of conditions and the following disclaimer.
- \* 2. Redistributions in binary form must reproduce the above copyright
- \* notice, this list of conditions and the following disclaimer in the
- \* documentation and/or other materials provided with the distribution.
- \* 4. Neither the name of the University nor the names of its contributors
- \* may be used to endorse or promote products derived from this software
- \* without specific prior written permission.
- \*
- \* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
- \* ANY EXPRESS OR
- IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- \* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- \* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
- \* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
- \* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
- \* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- \* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
- \* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
- \* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- \* SUCH DAMAGE.
- \*
- \* @(#)queue.h 8.5 (Berkeley) 8/20/94
- \* \$FreeBSD\$

LICENSE.regex

-----  
regex.c and regex.h from <https://github.com/ccxvii/minilibs> sha 875c33568b5a4aa4fb3dd0c52ea98f7f0e5ca684

"

These libraries are in the public domain (or the equivalent where that is not possible). You can do anything you want with them. You have no legal obligation to do anything else, although I appreciate attribution.

"

LICENSE.snappy

-----  
#####  
# LICENSE.snappy covers files: snappy.c, snappy.h, snappy\_compat.h #  
# originally retrieved from <http://github.com/andikleen/snappy-c> #  
# git revision 8015f2d28739b9a6076ebaa6c53fe27bc238d219 #  
#####

The snappy-c code is under the same license as the original snappy source

Copyright 2011 Intel Corporation All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Intel Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

LICENSE.tinychread

-----  
From <https://github.com/tinychread/tinychread/README.txt> c57166cd510ffb5022dd5f127489b131b61441b9

License

-----  
Copyright (c) 2012 Marcus Geelnard  
2013-2014 Evan Nemerson

This software is provided 'as-is', without any express or implied  
warranty. In no event will the authors be held liable for any damages  
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,  
including commercial applications, and to alter it and redistribute it  
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not  
claim that you wrote the original software. If you use this software  
in a product, an acknowledgment in the product documentation would be  
appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be  
misrepresented as being the original software.
3. This notice may not be removed or altered from any source  
distribution.

LICENSE.wingetopt

-----  
For the files wingetopt.c wingetopt.h downloaded from <https://github.com/alex85k/wingetopt>

/\*

\* Copyright (c) 2002 Todd C. Miller <Todd.Miller@courtesan.com>

\*

\* Permission to use, copy, modify, and distribute this software for any  
\* purpose with or without fee is hereby granted, provided that the above  
\* copyright notice and this permission notice appear in all copies.

\*

\* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES  
\* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF

\* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR  
\* ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR  
\* ANY DAMAGES  
\* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN  
\* ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF  
\* OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*

\* Sponsored in part by the Defense Advanced Research Projects  
\* Agency (DARPA) and Air Force Research Laboratory, Air Force  
\* Materiel Command, USAF, under agreement number F39502-99-1-0512.

\*/

/\*\_

\* Copyright (c) 2000 The NetBSD Foundation, Inc.

\* All rights reserved.

\*

\* This code is derived from software contributed to The NetBSD Foundation  
\* by Dieter Baron and Thomas Klausner.

\*

\* Redistribution and use in source and binary forms, with or without  
\* modification, are permitted provided that the following conditions  
\* are met:

\* 1. Redistributions of source code must retain the above copyright

\* notice, this list of conditions and the following disclaimer.

\* 2. Redistributions in binary form must reproduce the above copyright

\* notice,

this list of conditions and the following disclaimer in the

\* documentation and/or other materials provided with the distribution.

\*

\* THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS  
\* ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED  
\* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR  
\* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS  
\* BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
\* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF  
\* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS  
\* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN  
\* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)  
\* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE  
\* POSSIBILITY OF SUCH DAMAGE.

\*/

#####

# LICENSE.snappy covers files: snappy.c, snappy.h, snappy\_compat.h #

# originally retrieved from <http://github.com/andikleen/snappy-c> #

# git revision 8015f2d28739b9a6076ebaa6c53fe27bc238d219 #

#####

The snappy-c code is under the same license as the original snappy source

Copyright 2011 Intel Corporation All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Intel Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

librdkafka - Apache Kafka C driver library

Copyright (c) 2012-2022, Magnus Edenhill

2023, Confluent Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

## CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: librdkafka

Source: <https://github.com/confluentinc/librdkafka>

License: BSD-2-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR

ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: \*

Copyright: 2012-2022, Magnus Edenhill; 2023, Confluent Inc.

License: BSD-2-clause

Files: src/rdcrc32.c src/rdcrc32.h

Copyright: 2006-2012, Thomas Pircher <tehpeh@gmx.net>

License: MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Files: src/snappy.c src/snappy.h src/snappy\_compat.h

Copyright: 2005, Google Inc.

2011, Intel Corporation

License: BSD-3-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: src/rdxxhash.h src/rdxxhash.c

Copyright: 2012-2014, Yann Collet

License: BSD-2-clause

Files: src/regex.h src/regex.c



Copyright: n/a  
License: public-domain

License: public-domain

The files tagged with this license contain the following paragraphs:

.

These libraries are in the public domain (or the equivalent where that is not possible). You can do anything you want with them. You have no legal obligation to do anything else, although I appreciate attribution.

Files: debian/\*

Copyright: 2013 Faidon Liambotis <paravoid@debian.org>

License: BSD-2-clause

BSD-style without advertising clause

Copyright (c) 2016-2019, Magnus Edenhill

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

For files in src/nanopb :

<https://github.com/nanopb/nanopb/blob/8ef41e0ebd45daaf19459a011f67e66224b247cd/LICENSE.txt>

Copyright (c) 2011 Petteri Aimonen <jpa at nanopb.mail.kapsi.fi>

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any

purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

parts of src/rdmurmur2.c: `git@github.com:abandoned/murmur2.git`

#### MurMurHash2 Library

```
//-----
// MurmurHash2 was written by Austin Appleby, and is placed in the public
// domain. The author hereby disclaims copyright to this source code.
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: librdkafka

Source: <https://github.com/confluentinc/librdkafka>

License: BSD-2-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.  
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: \*

Copyright: 2012-2022, Magnus Edenhill; 2023 Confluent Inc.

License: BSD-2-clause

Files: src/rdcrc32.c src/rdcrc32.h

Copyright: 2006-2012, Thomas Pircher <tehpeh@gmx.net>

License: MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.  
The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.  
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Files: src/snappy.c src/snappy.h src/snappy\_compat.h

Copyright: 2005, Google Inc.

2011, Intel Corporation

License: BSD-3-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- .
  - \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
  - \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
  - \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.
- .

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: debian/\*

Copyright: 2013 Faidon Liambotis <paravoid@debian.org>

License: BSD-2-clause

This license covers src/rdhdrhistogram.c which is a C port of Coda Hale's Golang HdrHistogram <https://github.com/codahale/hdrhistogram> at revision 3a0bb77429bd3a61596f5e8a3172445844342120

-----  
The MIT License (MIT)

Copyright (c) 2014 Coda Hale

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

From <https://github.com/tinychthread/tinychthread/README.txt> c57166cd510ffb5022dd5f127489b131b61441b9

License

-----

Copyright (c) 2012 Marcus Geelnard  
2013-2014 Evan Nemerson

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

The following license applies to the files rdcrc32.c and rdcrc32.h which have been generated by the pycrc tool.

=====

Copyright (c) 2006-2012, Thomas Pircher <tehpeh@gmx.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.122 Iz4 1.10.0-r0

### 1.122.1 Available under license :

This repository uses 2 different licenses :

- all files in the `lib` directory use a BSD 2-Clause license
- all other files use a GPL-2.0-or-later license, unless explicitly stated otherwise

Relevant license is reminded at the top of each source file, and with presence of COPYING or LICENSE file in associated directories.

This model is selected to emphasize that files in the `lib` directory are designed to be included into 3rd party applications, while all other files, in `programs`, `tests` or `examples`, are intended to be used "as is", as part of their intended scenarios, with no intention to support 3rd party integration use cases.

Copyright (c) 2014, lpsantil

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: liblz4

Upstream-Contact: Yann Collet <Cyan4973@github.com>

Source: <https://github.com/lz4/lz4>

Files: \*

Copyright: (C) 2011-2020 Yann Collet

License: GPL-2+

The full text of license: <https://github.com/lz4/lz4/blob/dev/lib/LICENSE>

LZ4 Library

Copyright (c) 2011-2020, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Full name:

GNU General Public License v2.0 or later

Short identifier:

GPL-2.0-or-later

Text:

# GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work



which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you". Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies

of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and

its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable

form under the terms of

Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work

for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

- 4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.
- 5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.
- 6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.
- 7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the

section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version

published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING

RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

# 1.123 procs 0.15.1

## 1.123.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

procfs provides functions to retrieve system, kernel and process  
metrics from the pseudo-filesystem proc.

Copyright 2014-2015 The Prometheus Authors

This product includes software developed at  
SoundCloud Ltd. (<http://soundcloud.com/>).

# 1.124 go-cleanhttp 0.5.2

## 1.124.1 Available under license :

Mozilla Public License, version 2.0

### 1. Definitions

#### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the  
creation of, or owns Covered Software.

#### 1.2. "Contributor Version"



means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

### 1.5. "Incompatible With Secondary Licenses"

means

a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

### 1.6. "Executable Form"

means any form of the work other than Source Code Form.

### 1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

### 1.8. "License"

means this document.

### 1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

### 1.10. "Modifications"

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

#### 1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

#### 1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

#### 1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

### 2. License Grants and Conditions

#### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and

- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

## 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

## 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

## 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

## 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications

that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license

for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this

License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly

and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

## 6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

## 7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from

such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

## 8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section

10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that

such modified license differs from this License).

#### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is Incompatible

With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v.

2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

## 1.125 errors 0.9.1

### 1.125.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.



"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2018 autoserver <founder@autoserver.io>

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.  
Apache License 2.0

# 1.126 curl 8.12.1-r1

## 1.126.1 Available under license :

Copyright (c) <year> <owner>.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.  
COPYRIGHT AND PERMISSION NOTICE

Copyright (C) Daniel Stenberg, <daniel@haxx.se>, and many contributors, see the THANKS file.

All rights reserved.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this

Software without prior written authorization of the copyright holder.

BSD-4-Clause (University of California-Specific)

Copyright [various years] The Regents of the University of California. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement: This product includes software developed by the University of California, Berkeley and its contributors.
4. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL

INTERNET SOFTWARE CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.  
COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1996 - 2025, Daniel Stenberg, <daniel@haxx.se>, and many contributors, see the THANKS file.

All rights reserved.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

## 1.127 prometheus-client-model 0.6.1

### 1.127.1 Available under license :

Data model artifacts for Prometheus.

Copyright 2012-2015 The Prometheus Authors

This product includes software developed at  
SoundCloud Ltd. (<http://soundcloud.com/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,



and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.128 logrus 1.9.3

### 1.128.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Simon Eskildsen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.129 go-redis-redis 9.7.1

### 1.129.1 Available under license :

Copyright (c) 2013 The github.com/redis/go-redis Authors.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2025 Cisco Systems, Inc. All rights reserved.