



Open Source Used In [talos] TALN fuzzyhash:1.0.0-r3-161

Cisco Systems, Inc.

www.cisco.com

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco website at www.cisco.com/go/offices.

Text Part Number: 78EE117C99-2317141193

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).

In your requests please include the following reference number 78EE117C99-2317141193

Contents

[1.1 fuzzyhash 1.0.0-r3](#)

[1.1.1 Available under license](#)

1.1 fuzzyhash 1.0.0-r3

1.1.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# Maintainer: Steven Sturges <ststurge@cisco.com>
pkgname=fuzzyhash
pkgver=1.0.0
pkgver_tag=v1.0.0
pkgrel=3
pkgdesc="FuzzyHash is a Cisco Talos authored library means of generating locally sensitive hashes from an email message."
url="https://talos-gitlab.sv4.ironport.com/shared/fuzzy_hash.git"
arch="all !s390x"
license="Proprietary"
pkgusers="talos"
pkggroups="talos"
makedepends=""
"

source="$pkgname-$pkgver-r$pkgrel.tar.gz"
giturl="https://talos-gitlab.sv4.ironport.com/shared/fuzzy_hash.git"
gittag="HEAD"

build() {
    ### Massage Makefile to remove full path (hard-coded /usr/local/bin) of flex
    mv Makefile Makefile.orig
    sed -e "s/\usr/local/bin/flex/flex/" Makefile.orig > Makefile
```

```

### Now build
echo "building static library (.a)"
make lib
echo "building static library with lua (.a)"
make libwithlua
echo "creating shared library from lsh static library"
cc -shared -o libfuzzyhash.so -Wl,--whole-archive liblsh.a
-Wl,--no-whole-archive -lstdc++
echo "creating shared library with lua from lshlua static library"
cc -shared -o libfuzzyhashlua.so -Wl,--whole-archive liblshlua.a -Wl,--no-whole-archive -lstdc++
}

check() {
echo "no test implemented"
}

package() {
mkdir -p "$pkgdir"
cd "$pkgdir"
mkdir -p ./usr/lib
cp $srcdir/fuzzyhash-$pkgver/libfuzzyhash.so ./usr/lib/libfuzzyhash.so.$pkgver
cp $srcdir/fuzzyhash-$pkgver/libfuzzyhashlua.so ./usr/lib/libfuzzyhashlua.so.$pkgver
cd ./usr/lib
ln -s libfuzzyhash.so.$pkgver libfuzzyhash.so
ln -s libfuzzyhashlua.so.$pkgver libfuzzyhashlua.so
}

_mv() {
local dest; for dest; do true; done # get last argument
mkdir -p "$dest"
mv "$@"
}

sha512sums="
48ba61ec0d4a9a2d43dc8ea1f943f43405ca74c40b3242125a4e5b7258702bc1d75735962542a2b2af29367e259fc013
389c25a4bc4a18ee5b13d32ed871164e fuzzyhash-$pkgver.tar.gz
"

```

Found in path(s):

* /fuzzyhash-tar-gz/talos-tide-fuzzyhash-build-legacy/fuzzyhash_package/APKBUILD

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2025 Cisco Systems, Inc. All rights reserved.