

Cisco UCS C220 M3 Rackmount Servers

The Cisco® Unified Computing System™ (Cisco UCS) combines Cisco UCS C-Series Rack Servers and B-Series Blade Servers with networking and storage access into a single converged system that simplifies management and delivers greater cost efficiency and agility with increased visibility and control. The latest expansion of the Cisco UCS portfolio includes the new Cisco® UCS C220 M3 Rack Server (one rack unit [1RU]) and Cisco UCS C240 M3 Rack Server (2RU) and the Cisco UCS B200 M3 Blade Server. These three new servers increase compute density through more cores and cache balanced with more memory capacity, disk drives and with faster I/O. Together these server improvements and complementary Cisco UCS advancements deliver the best combination of features and cost efficiency required to support IT's diverse server needs. The Cisco UCS C220 M3 Rack Server is designed for performance and density over a wide range of business workloads, from web serving to distributed databases. Building on the success of the Cisco UCS C200 M2 Rack Server, the enterprise-class Cisco UCS C220 M3 server further extends the capabilities of the Cisco UCS portfolio in a 1RU form factor with the addition of the Intel® Xeon® processor E5-2600 product family, which delivers significant performance and efficiency gains. In addition, the Cisco UCS C220 M3 server offers up to two Intel® Xeon® processor E5-2600s product family, 16 DIMM slots, eight disk drives, and two 1 Gigabit Ethernet LAN-on-motherboard (LOM) ports, delivering outstanding density and performance in a compact package. The Cisco UCS C220 M3 interfaces with Cisco UCS using another unique Cisco innovation: the Cisco UCS P81E Virtual Interface Card (VIC). The Cisco UCS C220 M3 server is a high-density general-purpose 2-socket server optimized to deliver high performance for a large range of workloads, including distributed database clusters, middleware, high-performance virtual desktops, and IT and web infrastructure.

You can learn more about the Cisco UCS C220 M3 Rackmount Server on Cisco's website at the following URL:
<http://tinyurl.com/cisco-C220-M3>

You can compare the different models of Cisco UCS servers and create custom builds at the following URL:
<http://buildprice.cisco.com>

For sales and account support, please contact one of Cisco's local account managers:

Mike Kling mikling@cisco.com 225-218-2010

Cisco Product SKU	Description	USD List Price	EPL Price
UCS C220 M3 SFF Base Rack Servers and Bundles			
UCSC-C220-M3S=	UCS C220 M3 SFF w/o CPU, mem, HDD, PCIe, PSU, rail kit	2,860.00	2,002.00
UCSC-C220-M3S	UCS C220 M3 SFF w/o CPU, mem, HDD, PCIe, PSU, rail kit	2,860.00	2,002.00
UCS C220 M3 LFF Base Rack Server			
UCSC-C220-M3L	UCS C220 M3 LFF w/o CPU, mem, HDD, PCIe, PSU, w/ rail kit	2,860.00	2,002.00
UCSC-C220-M3L=	UCS C220 M3 LFF w/o CPU, mem, HDD, PCIe, PSU, rail kit	2,860.00	2,002.00
UCSC-C220-M3L-CH	UCS C220 M3 LFF w/o CPU, mem, HD, PCIe, PSU, rail kit	2,860.00	2,002.00
UCS C220 M3 Processor			
UCS-CPU-E5-2690C=	DISTIonly: 2.90 GHz E5-2690/135W 8C/20MB Cache/DDR3 1600MHz	6,103.00	4,272.10
UCS-CPU-E5-2630C=	DISTIonly: 2.30 GHz E5-2630/95W 6C/15MB Cache/DDR3 1333MHz	1,725.00	1,207.50
UCS-CPU-E5-2640C=	DISTIonly: 2.50 GHz E5-2640/95W 6C/15MB Cache/DDR3 1333MHz	2,550.00	1,785.00
UCS-CPU-E5-2650C=	DISTIonly: 2.00 GHz E5-2650/95W 8C/20MB Cache/DDR3 1600MHz	3,221.00	2,254.70
UCS-CPU-E5-2665C=	DISTIonly: 2.40 GHz E5-2665/115W 8C/20MB Cache/DDR3 1600MHz	3,934.00	2,753.80
UCS-CPU-E5-2680C=	DISTIonly: 2.70 GHz E5-2680 130W 8C/20MB Cache/DDR3 1600MHz	4,788.00	3,351.60
UCS-CPU-E5-2620C=	DISTIonly: 2.00 GHz E5-2620/95W 6C/15MB Cache/DDR3 1333MHz	1,225.00	857.50
UCS-CPU-E5-2630LC=	DISTIonly: 2.00 GHz E5-2630L/60W 6C/15MB Cache/DDR3 1333MHz	1,868.00	1,307.60
UCS-CPU-E5-2643C=	DISTIonly: 3.30 GHz E5-2643/130W 4C/10MB Cache/DDR3 1600MHz	2,550.00	1,785.00
UCS-CPU-E5-2650LC=	DISTIonly: 1.8GHz E5-2650L/70W 8C/20MB Cache/DDR3 1600MHz	3,221.00	2,254.70
UCS-CPU-E5-2690	2.90 GHz E5-2690/135W 8C/20MB Cache/DDR3 1600MHz	6,103.00	4,272.10
UCS-CPU-E5-2680	2.70 GHz E5-2680 130W 8C/20MB Cache/DDR3 1600MHz	4,788.00	3,351.60
UCS-CPU-E5-2609	2.4 GHz E5-2609/80W 4C/10MB Cache/DDR3 1066MHz	890.00	623.00
UCS-CPU-E5-2609=	2.4 GHz E5-2609/80W 4C/10MB Cache/DDR3 1066MHz/NoHeatSink	890.00	623.00
UCS-CPU-E5-2643	3.30 GHz E5-2643/130W 4C/10MB Cache/DDR3 1600MHz	2,550.00	1,785.00
UCS-CPU-E5-2620	2.00 GHz E5-2620/95W 6C/15MB Cache/DDR3 1333MHz	1,225.00	857.50
UCS-CPU-E5-2620=	2.00 GHz E5-2620/95W 6C/15MB Cache/DDR3 1333MHz/NoHeatSink	1,225.00	857.50
UCS-CPU-E5-2643=	3.30 GHz E5-2643/130W 4C/10MB Cache/DDR3 1600MHz/NoHeatSink	2,550.00	1,785.00
UCS-CPU-E5-2640	2.50 GHz E5-2640/95W 6C/15MB Cache/DDR3 1333MHz	2,550.00	1,785.00
UCS-CPU-E5-2640=	2.50 GHz E5-2640/95W 6C/15MB Cache/DDR3 1333MHz/NoHeatSink	2,550.00	1,785.00

UCS-CPU-E5-2650	2.00 GHz E5-2650/95W 8C/20MB Cache/DDR3 1600MHz	3,221.00	2,254.70
UCS-CPU-E5-2650=	2.00 GHz E5-2650/95W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	3,221.00	2,254.70
UCS-CPU-E5-2665	2.40 GHz E5-2665/115W 8C/20MB Cache/DDR3 1600MHz	3,934.00	2,753.80
UCS-CPU-E5-2665=	2.40 GHz E5-2665/115W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	3,934.00	2,753.80
UCS-CPU-E5-2680=	2.70 GHz E5-2680 130W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	4,788.00	3,351.60
UCS-CPU-E5-2630L=	2.00 GHz E5-2630L/60W 6C/15MB Cache/DDR3 1333MHz/NoHeatSink	1,868.00	1,307.60
UCS-CPU-E5-2690=	2.90 GHz E5-2690/135W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	6,103.00	4,272.10
UCS-CPU-GREASE=	CPU thermal grease syringe - needed for heatsink seal	40.00	28.00
UCS-CPU-EP-PNP=	Pick n place CPU tool set (for Intel E5 EP Socket R)	75.00	52.50
UCS-CPU-E5-2660C=	DISTIonly: 2.20 GHz E5-2660/95W 8C/20MB Cache/DDR3 1600MHz	3,600.00	2,520.00
UCS-CPU-E5-2660=	2.20 GHz E5-2660/95W 8C/20MB Cache/DDR3 1600MHz	3,600.00	2,520.00
UCS-CPU-E5-2660	2.20 GHz E5-2660/95W 8C/20MB Cache/DDR3 1600MHz	3,600.00	2,520.00
UCS-CPU-GREASE2=	C220 and C240 CPU thermal grease syringe - needed for heatsi	40.00	28.00
UCS-CPU-E5-2630	2.30 GHz E5-2630/95W 6C/15MB Cache/DDR3 1333MHz	1,725.00	1,207.50
UCS-CPU-E5-2630=	2.30 GHz E5-2630/95W 6C/15MB Cache/DDR3 1333MHz/NoHeatSink	1,725.00	1,207.50
UCS-CPU-E5-2630L	2.00 GHz E5-2630L/60W 6C/15MB Cache/DDR3 1333MHz	1,868.00	1,307.60
UCS-CPU-E5-2650L	1.8GHz E5-2650L/70W 8C/20MB Cache/DDR3 1600MHz	3,221.00	2,254.70
UCS-CPU-E5-2650L=	1.8GHz E5-2650L/70W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	3,221.00	2,254.70
UCS-CPU-E5-2670=	2.60 GHz E5-2670 115W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	4,275.00	2,992.50
UCS-CPU-E5-2670	2.60 GHz E5-2670 115W 8C/20MB Cache/DDR3 1600MHz	4,275.00	2,992.50
UCS-CPU-E5-2667	2.90 GHz E5-2667/130W 6C/15MB Cache/DDR3 1600MHz	4,275.00	2,992.50
UCS-CPU-E5-2667=	2.90 GHz E5-2667/130W 6C/15MB Cache/DDR3 1600MHz/NoHeatSink	4,275.00	2,992.50
UCS-CPU-E52660B	2.20 GHz E5-2660 v2/95W 10C/25MB Cache/DDR3 1866MHz	3,949.00	2,764.30
UCS-CPU-E52670B=	2.50 GHz E5-2670 v2/115W 10C/25MB Cache/DDR3 1866MHz (Spare)	4,489.00	3,142.30
UCS-CPU-E52670B	2.50 GHz E5-2670 v2/115W 10C/25MB Cache/DDR3 1866MHz	4,489.00	3,142.30
UCS-CPU-E52690B=	3.00 GHz E5-2690 v2/130W 10C/25MB Cache/DDR3 1866MHz (Spare)	6,103.00	4,272.10
UCS-CPU-E52690B	3.00 GHz E5-2690 v2/130W 10C/25MB Cache/DDR3 1866MHz	6,103.00	4,272.10
UCS-CPU-E52667B=	3.30 GHz E5-2667 v2/130W 8C/25MB Cache/DDR3 1866MHz (Spare)	6,090.00	4,263.00
UCS-CPU-E52667B	3.30 GHz E5-2667 v2/130W 8C/25MB Cache/DDR3 1866MHz	6,090.00	4,263.00
UCS-CPU-E52680B=	2.80 GHz E5-2680 v2/115W 10C/25MB Cache/DDR3 1866MHz (Spare)	4,980.00	3,486.00
UCS-CPU-E52695B=	2.40 GHz E5-2695 v2/115W 12C/30MB Cache/DDR3 1866MHz (Spare)	6,975.00	4,882.50
UCS-CPU-E52680B	2.80 GHz E5-2680 v2/115W 10C/25MB Cache/DDR3 1866MHz	4,980.00	3,486.00
UCS-CPU-E52695B	2.40 GHz E5-2695 v2/115W 12C/30MB Cache/DDR3 1866MHz	6,975.00	4,882.50
UCS-CPU-E52697B	2.70 GHz E5-2697 v2/130W 12C/30MB Cache/DDR3 1866MHz	7,875.00	5,512.50
UCS-CPU-E52660B=	2.20 GHz E5-2660 v2/95W 10C/25MB Cache/DDR3 1866MHz (Spare)	3,949.00	2,764.30
UCS-CPU-E52697B=	2.70 GHz E5-2697 v2/130W 12C/30MB Cache/DDR3 1866MHz (Spare)	7,875.00	5,512.50
UCS-CPU-E52620B=	2.10 GHz E5-2620 v2/80W 6C/15MB Cache/DDR3 1600MHz (Spare)	1,249.00	874.30
UCS-CPU-E52630LB=	2.40 GHz E5-2630L v2/60W 6C/15MB Cache/DDR3 1600MHz (Spare)	1,962.00	1,373.40
UCS-CPU-E52630LB	2.40 GHz E5-2630L v2/60W 6C/15MB Cache/DDR3 1600MHz	1,962.00	1,373.40
UCS-CPU-E52650B=	2.60 GHz E5-2650 v2/95W 8C/20MB Cache/DDR3 1866MHz (Spare)	3,500.00	2,450.00
UCS-CPU-E52630B=	2.60 GHz E5-2630 v2/80W 6C/15MB Cache/DDR3 1600MHz (Spare)	2,208.00	1,545.60
UCS-CPU-E52650B	2.60 GHz E5-2650 v2/95W 8C/20MB Cache/DDR3 1866MHz	3,500.00	2,450.00
UCS-CPU-E52650LB=	1.70 GHz E5-2650L v2/70W 10C/25MB Cache/DDR3 1600MHz (Spare)	3,382.00	2,367.40
UCS-CPU-E52650LB	1.70 GHz E5-2650L v2/70W 10C/25MB Cache/DDR3 1600MHz	3,382.00	2,367.40
UCS-CPU-EP2-PNP=	Pick n place CPU tools for M3/EP v2 12 Core CPUs (Purple)	75.00	52.50
UCS-CPU-E52637B=	3.50 GHz E5-2637 v2/130W 4C/15MB Cache/DDR3 1866MHz (Spare)	3,030.00	2,121.00
UCS-CPU-E52637B	3.50 GHz E5-2637 v2/130W 4C/15MB Cache/DDR3 1866MHz	3,030.00	2,121.00
UCS-CPU-E52643B=	3.50 GHz E5-2643 v2/130W 6C/25MB Cache/DDR3 1866MHz (Spare)	4,485.00	3,139.50
UCS-CPU-E52643B	3.50 GHz E5-2643 v2/130W 6C/25MB Cache/DDR3 1866MHz	4,485.00	3,139.50
UCS-CPU-E52609B=	2.50 GHz E5-2609 v2/80W 4C/10MB Cache/DDR3 1333MHz (Spare)	899.00	629.30
UCS-CPU-E52640B=	2.00 GHz E5-2640 v2/95W 8C/20MB Cache/DDR3 1600MHz (Spare)	2,626.00	1,838.20
UCS-CPU-E52609B	2.50 GHz E5-2609 v2/80W 4C/10MB Cache/DDR3 1333MHz	899.00	629.30
UCS-CPU-E52640B	2.00 GHz E5-2640 v2/95W 8C/20MB Cache/DDR3 1600MHz	2,626.00	1,838.20
UCS-CPU-E52620B	2.10 GHz E5-2620 v2/80W 6C/15MB Cache/DDR3 1600MHz	1,249.00	874.30
UCS-CPU-E52630B	2.60 GHz E5-2630 v2/80W 6C/15MB Cache/DDR3 1600MHz	2,208.00	1,545.60

UCS C220 M3 Memory

UCS-MR-1X082RY-A	8GB DDR3-1600-MHz RDIMM/PC3-12800/dual rank/1.35v	448.00	313.60
UCS-MR-1X162RY-A	16GB DDR3-1600-MHz RDIMM/PC3-12800/dual rank/1.35v	698.00	488.60
UCS-ML-1X324RZ-A	32GB DDR3-1866-MHz LRDIMM/PC3-14900/quad rank/x4/1.5v	1,880.00	1,316.00
UCS-MR-1X082RZ-A	8GB DDR3-1866-MHz RDIMM/PC3-14900/dual rank/x4/1.5v	486.00	340.20
UCS-MR-1X162RZ-A	16GB DDR3-1866-MHz RDIMM/PC3-14900/dual rank/x4/1.5v	690.00	483.00
UCS-ML-1X324RY-A	32GB DDR3-1600-MHz LR DIMM/PC3-12800/quad rank/x4/1.35v	1,880.00	1,316.00

C220 M3 SFF Hard Drive

UCS-HDD900GI2F106	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	748.00	523.60
UCS-HDD300GI2F105	300GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	1,216.00	851.20
UCS-HDD900GI2F106=	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
A03-D300GA2	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	589.00	412.30
A03-D300GA2=	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	589.00	412.30
A03-D500GC3	500GB 6Gb SATA 7.2K RPM SFF hot plug/drive sled mounted	610.00	427.00
A03-D500GC3=	500GB 6Gb SATA 7.2K RPM SFF hot plug/drive sled mounted	610.00	427.00

A03-D600GA2	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,086.00	760.20
A03-D600GA2=	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,086.00	760.20
UCS-HDD300GI2F105=	300GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	1,216.00	851.20
UCS-SD200G0KA2-E	200GB 2.5 SATA Enterprise performance SSD	4,400.00	3,080.00
UCS-SD300G0KA2-E	300GB 2.5 SATA Enterprise performance SSD	7,000.00	4,900.00
UCS-SD300G0KA2-E=	300GB 2.5 SATA Enterprise performance SSD	7,000.00	4,900.00
UCS-SD100G0KA2-E	100G SATA 2.5 inch Enterprise Performance SSD	2,430.00	1,701.00
N20-BBLKD=	UCS 2.5 inch HDD blanking panel	38.00	26.60
A03-D1TBSATA=	1TB 6Gb SATA 7.2K RPM SFF HDD/hot plug/drive sled mounted	974.00	681.80
A03-D1TBSATA	1TB 6Gb SATA 7.2K RPM SFF HDD/hot plug/drive sled mounted	974.00	681.80
UCS-SD480G0KS2-EV=	480 GB 2.5 inch Enterprise Value 6G SATA SSD	3,150.00	2,205.00
UCS-SD480G0KS2-EV	480 GB 2.5 inch Enterprise Value 6G SATA SSD	3,150.00	2,205.00
UCS-SD100G0KA2-G=	100GB 2.5 inch Enterprise Value SSD	979.00	685.30
UCS-SD100G0KA2-G	100GB 2.5 inch Enterprise Value SSD	979.00	685.30
UCS-SD120G0KS2-EV	120 GB 2.5 inch Enterprise Value 6G SATA SSD	748.00	523.60
UCS-SD240G0KS2-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	1,574.00	1,101.80

UCS C220 M3 LFF Hard Drive

UCS-HDD1T12F212	1TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	730.00	511.00
UCS-HDD1T12F212=	1TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	730.00	511.00
UCS-HDD3T12F214=	3TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted[sp	1,648.00	1,153.60
UCS-HDD2T12F213	2TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	1,199.00	839.30
UCS-HDD2T12F213=	2TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	1,199.00	839.30
UCS-HD4T7KS3-E	4TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	1,966.00	1,376.20
UCS-HD4T7KS3-E=	4TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	1,966.00	1,376.20
UCS-HDD3T12F214	3TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	1,648.00	1,153.60

UCS C220 M3 RAID Controller

UCSC-RAID-11-C220=	Cisco UCS RAID SAS 2008M-8i Mezz Card for C220 (0/1/10/5/50)	654.00	457.80
UCS-RAID-BBU=	BBU09 for 9266	422.00	295.40
UCSC-RAID-ROM1	Embedded SW RAID 0/1/10, 4 ports SAS/SATA	35.00	24.50
UCSC-RAID-ROM1=	Embedded RAID 0/1/10, 4 ports SAS/SATA	35.00	24.50
UCSC-RAID-ROM5	Embedded SW RAID 0/1/10, 8 ports SAS/SATA	35.00	24.50
UCSC-RAID-ROM5=	Embedded RAID 0/1/10, 8 ports SAS/SATA	35.00	24.50
UCS-RAID-CV-SC=	Supercap for 9266CV, 9265CV and 9285CV-8e	499.00	349.30
UCSC-RAID-ROM15	Embedded SW RAID 0/1/10/5, 4 ports SAS/SATA	135.00	94.50
UCSC-RAID-ROM55	Embedded SW RAID 0/1/10/5, 8 ports SAS/SATA	135.00	94.50
UCSC-RAID-ROM15=	Embedded RAID 0/1/10/5, 4 ports SAS/SATA	135.00	94.50
UCSC-RAID-ROM55=	Embedded RAID 0/1/10/5, 8 ports SAS/SATA	135.00	94.50
UCS-RAID-9266-NB	MegaRAID 9266-8i with no battery back up	1,798.00	1,258.60
UCSC-RAID-MZ-220	Cisco UCS RAID SAS 2008M-8i Mezz Card for C220 (0/10/10)	617.00	431.90
UCSC-RAID-MZ-220=	Cisco UCS RAID SAS 2008M-8i Mezz Card for C220 (0/10/10)	617.00	431.90
UCSC-RAID-11-C220	Cisco UCS RAID SAS 2008M-8i Mezz Card for C220 (0/1/10/5/50)	654.00	457.80
R2XX-SRAID0	Enable Single Disk Raid 0 Setting	1.00	0.70
UCSC-SWRST	RAID support for AHCI Capable SAS Controller in Intel RST	35.00	24.50
UCS-RAID-9266-NB=	MegaRAID 9266-8i with no battery back up	1,798.00	1,258.60
UCS-RAID9271CV-8I	MegaRAID 9271CV with 8 internal SAS/SATA ports with Supercap	1,686.00	1,180.20
UCS-RAID9286CV-8E	MegaRAID 9286CV Raid card with 8 external SAS/SATA ports	1,873.00	1,311.10

UCS C220 M3 PCIe Card

UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	999.38	699.57
UCSC-PCIE-IRJ45=	Intel Quad GbE adapter	999.38	699.57
N2XX-AIPCI01=	Intel Dual Port 10 GbE Ethernet X520 Server Adapter	1,873.00	1,311.10
N2XX-AIPCI01	Intel X520 Dual Port 10Gb SFP+ Adapter	1,873.00	1,311.10
N2XX-AEPCI05	Emulex LPe 12002 Dual Port 8Gb Fibre Channel HBA	3,467.00	2,426.90
N2XX-AEPCI05=	Emulex LPe 12002, 8Gb dual port Fibre Channel HBA	3,467.00	2,426.90
N2XX-AQPCI05	Qlogic QLE2562 Dual Port 8Gb Fibre Channel HBA	3,467.00	2,426.90
N2XX-ABPCI03-M3=	Broadcom 5709 Quad Port 10/100/1Gb NIC w/TOE iSCSI for M3 Se	1,001.00	700.70
N2XX-ABPCI03-M3	Broadcom 5709 Quad Port 1Gb w/TOE iSCSI for M3 Servers	1,001.00	700.70
UCSC-PCIE-BTG	Broadcom 57712 Dual Port 10GBASE-T w/TOE iSCSI	1,779.00	1,245.30
UCSC-PCIE-BTG=	BROADCOM 57712 10GBASE-T	1,779.00	1,245.30
UCSC-PCIE-C40Q-02	Cisco VIC 1285 Dual Port 40Gb QSFP CNA	2,344.00	1,640.80
UCSC-PCIE-C10T-02	Cisco VIC 1225T Dual Port 10GBaseT CNA	2,061.00	1,442.70
UCSC-PCIE-C40Q-02=	Cisco VIC 1285 Dual Port 40Gb QSFP Adapter	2,344.00	1,640.80
UCSC-PCIE-C10T-02=	Cisco VIC 1225T Dual Port 10GBaseT Adapter	2,061.00	1,442.70
UCSC-PCIE-ITG	Intel X540 Dual Port 10GBase-T Adapter	1,873.00	1,311.10
UCSC-PCIE-ITG=	Intel X540 Dual Port 10GBase-T Adapter	1,873.00	1,311.10
UCSC-PCIE-CSC-02=	Cisco VIC 1225 Dual Port 10Gb SFP+ CNA	1,594.00	1,115.80
UCSC-PCIE-CSC-02	Cisco VIC 1225 Dual Port 10Gb SFP+ CNA	1,594.00	1,115.80
UCS-RAID9271-8I=	MegaRAID 9271 w/o Supercap	1,311.00	917.70

UCS-RAID9271-8I	MegaRAID 9271 w/o Supercap	1,311.00	917.70
UCSC-PCIE-RL-C220=	Left PCIe Riser Board (Riser 1) for C220 M3	185.00	129.50
UCSC-PCIE-RR-C220=	Right PCIe Riser Board (Riser 2) for C220 M3	185.00	129.50
UCSC-PCIE-E14102	Emulex OCe14102-FX dual-port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-PCIE-B3SFP=	BROADCOM 57810 10Gb A-FEX SFP+	1,498.00	1,048.60
UCSC-PCIE-B3SFP	BROADCOM 57810 10Gb A-FEX SFP+	1,498.00	1,048.60
UCSC-PCIE-Q2672=	Qlogic QLE2672-CSC, 16Gb Fibre Channel HBA with SR Optics	5,248.00	3,673.60
UCSC-PCIE-Q2672	Qlogic QLE2672-CSC, 16Gb Fibre Channel HBA with SR Optics	5,248.00	3,673.60
UCSC-PCIE-Q8362=	Qlogic QLE8362 dual-port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-PCIE-Q8362	Qlogic QLE8362 dual-port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-F-FIO-785M=	Cisco UCS 785GB MLC Fusion ioDrive2 for C-Series Servers	21,099.00	14,769.30
UCSC-PCIE-E16002=	Emulex LPe16002-M6, 16Gb Fibre Channel HBA with SR Optics	5,248.00	3,673.60
UCSC-PCIE-E16002	Emulex LPe16002-M6, 16Gb Fibre Channel HBA with SR Optics	5,248.00	3,673.60
N2XX-AQPCI05=	Qlogic QLE2562, 8Gb dual port Fibre Channel HBA	3,467.00	2,426.90
UCS-RAID9271CV-8I=	MegaRAID 9271CV with 8 internal SAS/SATA ports with Supercap	1,686.00	1,180.20
UCS-RAID9271CV-8I	MegaRAID 9271CV with 8 internal SAS/SATA ports with Supercap	1,686.00	1,180.20
UCSC-F-FIO-1000MP	UCS 1000GB Fusion ioMemory3 PX Performance line for C-Series	21,351.00	14,945.70
UCSC-F-FIO-1300MP	UCS 1300GB Fusion ioMemory3 PX Performance line for C-Series	25,932.00	18,152.40
UCSC-F-FIO-2600MP	UCS 2600GB Fusion ioMemory3 PX Performance line for C-Series	44,996.00	31,497.20
UCSC-F-FIO-5200MP	UCS 5200GB Fusion ioMemory3 PX Performance line for C-Series	88,432.00	61,902.40
UCSC-F-FIO-1000MP	UCS 1000GB Fusion ioMemory3 PX Performance line for C-Series	21,351.00	14,945.70
UCSC-F-FIO-1300MP	UCS 1300GB Fusion ioMemory3 PX Performance line for C-Series	25,932.00	18,152.40
UCSC-F-FIO-2600MP	UCS 2600GB Fusion ioMemory3 PX Performance line for C-Series	44,996.00	31,497.20
UCSC-F-FIO-5200MP	UCS 5200GB Fusion ioMemory3 PX Performance line for C-Series	88,432.00	61,902.40

UCS C220 C220 M3 Power Supply

UCSC-PSU-650W	650W power supply for C-series rack servers	630.00	441.00
UCSC-PSU-650W=	650W power supply for C-series rack servers	630.00	441.00

UCS C220 M3 SMARTnet Maintenance

CON-SNT-C220M3SF	SMARTNET 8X5XNBD UCS C220 M3 SFF w/o	239.00	239.00
CON-SNTP-C220M3SF	SMARTNET 24X7X4 UCS C220 M3 SFF w/o	360.00	360.00

Cisco UCS C240 M3 Rackmount Servers

The form-factor-agnostic Cisco® Unified Computing System™ (Cisco UCS™) combines Cisco UCS C-Series Rack Servers and B-Series Blade Servers with networking and storage access in a single converged system that simplifies management and delivers greater cost efficiency and agility with increased visibility and control. The latest expansion of the Cisco UCS portfolio includes the new Cisco UCS C240 M3 Rack Server (two rack units [2RU]) and Cisco UCS C220 M3 Rack Server (1RU) and the Cisco UCS B200 M3 Blade Server. These three new servers increase compute density through more cores and cache balanced with more memory capacity and disk drives and faster I/O. Together these server improvements and complementary Cisco UCS advancements deliver the combination of features and cost efficiency required to support IT's diverse server needs. The Cisco UCS C240 M3 Rack Server is designed for both performance and expandability over a wide range of storage-intensive infrastructure workloads, from big data to collaboration. Building on the success of the Cisco UCS C210 M2 Rack Server, the enterprise-class Cisco UCS C240 M3 server further extends the capabilities of the Cisco UCS portfolio in a 2RU form factor with the addition of the Intel® Xeon® processor E5-2600 product family, which delivers an outstanding combination of performance, flexibility, and efficiency gains. The Cisco UCS C240 M3 offers up to two Intel® Xeon® processor E5-2600 product family, 24 DIMM slots, 24 disk drives, and four 1 Gigabit Ethernet LAN-on-motherboard (LOM) ports to provide exceptional levels of internal memory and storage expandability and exceptional performance. The Cisco UCS C240 M3 interfaces with Cisco UCS using another Cisco innovation, the Cisco UCS P81E Virtual Interface Card (VIC). Not all storage-intensive workloads are alike, and the Cisco UCS C240 M3 server's disk configuration delivers balanced performance and expandability to best meet individual workload requirements. With up to 24 internal drives, the Cisco UCS C240 M3 optionally offers 10,000-RPM and 15,000-RPM SAS drives to deliver a high number of I/O operations per second for transactional workloads such as database management systems. In addition, high-capacity SATA drives provide an economical, large-capacity solution. Superfast SSDs are a third option for workloads that demand extremely fast access to smaller amounts of data. A choice of RAID controller options also helps increase disk performance and reliability. The Cisco UCS C240 M3 further increases performance and customer choice over many types of storage-intensive applications such as collaboration, small and medium-sized business (SMB) databases, Big Data infrastructure, virtualization, server consolidation, storage servers implementations, and high-performance appliances solutions.

You can learn more about the Cisco UCS C240 M3 Rackmount Server on Cisco's website at the following URL:
<http://tinyurl.com/cisco-C240-M3>

You can compare the different models of Cisco UCS servers and create custom builds at the following URL:
<http://buildprice.cisco.com>

For sales and account support, please contact one of Cisco's local account managers:

Mike Kling mikling@cisco.com 225-218-2010

Cisco Product SKU	Description	USD List Price	EPL Price
UCS C240 M3 SFF Base Rack Servers and Bundles			
UCSC-C240-M3S	UCS C240 M3 SFF w/o CPU, mem, HD, PCIe, w/ rail kit, expdr	3,600.00	2,520.00
UCSC-C240-M3S=	UCS C240 M3 SFF w/o CPU, mem, HD, PCIe, PSU, rail kit	3,600.00	2,520.00
UCSC-C240-M3S2	UCS C240 M3 SFFw/oExpdr,CPU,mem,HD,PCIe,PSUw/rail kit,	3,140.00	2,198.00
UCSC-C240-M3S2=	UCS C240 M3 SFFw/o CPU,mem,HD,PCIe,PSU,rail kit	3,140.00	2,198.00
UCSC-C240-M3S-CH	Disti:C240M3SFF,w/oCPU,Mem,HD,PCIe,PSU,w/RIs,HSnk,Blnk,Expdr	3,600.00	2,520.00
UCSC-C240-M3S2-CH	Disti:C240M3SFF2,w/o,CPU,Mem,HD,PCIe,PSU,w/RIs,HSnk,Blnk	3,140.00	2,198.00
UCSC-C240-SNEBS=	UCS C240 M3 NEBS SFF 16 HDD backplane w/o CPU,mem,HD,PCIe,PS	3,999.00	2,799.30
UCSC-C240-SNEBS	UCS C240 M3 NEBS SFF 16 HDD backplane w/o CPU,mem,HD,PCIe,PS	3,999.00	2,799.30
UCSC-C240-M3S2-CH2	Disti:C240M3SFF2,w/o,CPU,HSnk,Mem,HD,PCIe,PSU,w/RIs,Blnk	3,140.00	2,198.00
UCSC-C240-M3S-CH2	Disti:C240M3SFF,w/oCPU,HSnk,Mem,HD,PCIe,PSU,w/RIs,Blnk,Expdr	3,600.00	2,520.00
UCS C240 M3 LFF Base Rack Server			
UCSC-C240-M3L	UCS C240 M3 LFF w/oCPU,mem,HD,PCIe,PSU w/ rail kit, expdr	3,600.00	2,520.00
UCSC-C240-M3L=	UCS C240 M3 LFF w/o CPU, mem, HD, PCIe, PSU, rail kit	3,600.00	2,520.00
UCS C240 M3 Processor			
UCS-CPU-E5-2690	2.90 GHz E5-2690/135W 8C/20MB Cache/DDR3 1600MHz	6,103.12	4,272.18
UCS-CPU-E5-2680	2.70 GHz E5-2680 130W 8C/20MB Cache/DDR3 1600MHz	4,787.99	3,351.59
UCS-CPU-E5-2609	2.4 GHz E5-2609/80W 4C/10MB Cache/DDR3 1066MHz	889.87	622.91
UCS-CPU-E5-2609=	2.4 GHz E5-2609/80W 4C/10MB Cache/DDR3 1066MHz/NoHeatSink	889.87	622.91
UCS-CPU-E5-2643	3.30 GHz E5-2643/130W 4C/10MB Cache/DDR3 1600MHz	2,549.53	1,784.67
UCS-CPU-E5-2620	2.00 GHz E5-2620/95W 6C/15MB Cache/DDR3 1333MHz	1,224.56	857.19
UCS-CPU-E5-2620=	2.00 GHz E5-2620/95W 6C/15MB Cache/DDR3 1333MHz/NoHeatSink	1,224.56	857.19

UCS-CPU-E5-2643=	3.30 GHz E5-2643/130W 4C/10MB Cache/DDR3 1600MHz/NoHeatSink	2,549.53	1,784.67
UCS-CPU-E5-2640	2.50 GHz E5-2640/95W 6C/15MB Cache/DDR3 1333MHz	2,549.53	1,784.67
UCS-CPU-E5-2640=	2.50 GHz E5-2640/95W 6C/15MB Cache/DDR3 1333MHz/NoHeatSink	2,549.53	1,784.67
UCS-CPU-E5-2650	2.00 GHz E5-2650/95W 8C/20MB Cache/DDR3 1600MHz	3,220.00	2,254.00
UCS-CPU-E5-2650=	2.00 GHz E5-2650/95W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	3,220.00	2,254.00
UCS-CPU-E5-2665	2.40 GHz E5-2665/115W 8C/20MB Cache/DDR3 1600MHz	3,933.56	2,753.49
UCS-CPU-E5-2665=	2.40 GHz E5-2665/115W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	3,933.56	2,753.49
UCS-CPU-E5-2680=	2.70 GHz E5-2680 130W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	4,787.99	3,351.59
UCS-CPU-E5-2630L=	2.00 GHz E5-2630L/60W 6C/15MB Cache/DDR3 1333MHz/NoHeatSink	1,868.34	1,307.84
UCS-CPU-E5-2690=	2.90 GHz E5-2690/135W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	6,103.12	4,272.18
UCS-CPU-E5-2660C=	DISTI:2.20 GHz E5-2660/95W 8C/20MB Cache/1600MHz/No HS,Tools	3,600.00	2,520.00
UCS-CPU-E5-2660=	2.20 GHz E5-2660/95W 8C/20MB Cache/DDR3 1600MHz	3,600.00	2,520.00
UCS-CPU-E5-2660	2.20 GHz E5-2660/95W 8C/20MB Cache/DDR3 1600MHz	3,600.00	2,520.00
UCS-CPU-GREASE2=	Thermal Grease-covers 2 CPUs-only for C220/C240-Red syringe	40.00	28.00
UCS-CPU-E5-2630=	2.30 GHz E5-2630/95W 6C/15MB Cache/DDR3 1333MHz/NoHeatSink	1,724.62	1,207.23
UCS-CPU-E5-2630L	2.00 GHz E5-2630L/60W 6C/15MB Cache/DDR3 1333MHz	1,868.34	1,307.84
UCS-CPU-E5-2650L	1.8GHz E5-2650L/70W 8C/20MB Cache/DDR3 1600MHz	3,220.00	2,254.00
UCS-CPU-E5-2650L=	1.8GHz E5-2650L/70W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	3,220.00	2,254.00
UCS-CPU-E5-2630	2.30 GHz E5-2630/95W 6C/15MB Cache/DDR3 1333MHz	1,724.62	1,207.23
UCS-CPU-E5-2670C=	DISTIonly: 2.60 GHz E5-2670 115W 8C/20MB Cache/DDR3 1600MHz	4,275.00	2,992.50
UCS-CPU-E5-2670=	2.60 GHz E5-2670 115W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	4,275.00	2,992.50
UCS-CPU-E5-2670	2.60 GHz E5-2670 115W 8C/20MB Cache/DDR3 1600MHz	4,275.00	2,992.50
UCS-CPU-E5-2667	2.90 GHz E5-2667/130W 6C/15MB Cache/DDR3 1600MHz	4,275.00	2,992.50
UCS-CPU-E5-2667C=	DISTI:2.90 GHz E5-2667/130W 6C/15MBCache/1600MHz/No HS,Tools	4,275.00	2,992.50
UCS-CPU-E5-2667=	2.90 GHz E5-2667/130W 6C/15MB Cache/DDR3 1600MHz/NoHeatSink	4,275.00	2,992.50
UCS-CPU-E5-2658=	2.10 GHz E5-2658 95W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	3,600.00	2,520.00
UCS-CPU-E5-2658	2.10 GHz E5-2658 95W 8C/20MB Cache/DDR3 1600MHz	3,600.00	2,520.00
UCS-CPU-E52630LBC=	DISTI: 2.40 GHz E5-2630L v2/60W 6C/15MB Cache/DDR3 1600MHz	1,962.00	1,373.40
UCS-CPU-E52620B=	2.10 GHz E5-2620 v2/80W 6C/15MB Cache/DDR3 1600MHz (Spare)	1,249.00	874.30
UCS-CPU-E52630LB=	2.40 GHz E5-2630L v2/60W 6C/15MB Cache/DDR3 1600MHz (Spare)	1,962.00	1,373.40
UCS-CPU-E52650BC=	DISTI: 2.60 GHz E5-2650 v2/95W 8C/20MB Cache/DDR3 1866MHz	3,500.00	2,450.00
UCS-CPU-E52630LB	2.40 GHz E5-2630L v2/60W 6C/15MB Cache/DDR3 1600MHz	1,962.00	1,373.40
UCS-CPU-E52650B=	2.60 GHz E5-2650 v2/95W 8C/20MB Cache/DDR3 1866MHz (Spare)	3,500.00	2,450.00
UCS-CPU-E52630BC=	DISTI: 2.60 GHz E5-2630 v2/80W 6C/15MB Cache/DDR3 1600MHz	2,208.00	1,545.60
UCS-CPU-E52630B=	2.60 GHz E5-2630 v2/80W 6C/15MB Cache/DDR3 1600MHz (Spare)	2,208.00	1,545.60

UCS-CPU-E52650B	2.60 GHz E5-2650 v2/95W 8C/20MB Cache/DDR3 1866MHz	3,500.00	2,450.00
UCS-CPU-E52650LB=	1.70 GHz E5-2650L v2/70W 10C/25MB Cache/DDR3 1600MHz (Spare)	3,382.00	2,367.40
UCS-CPU-E52637BC=	DISTI: 3.50 GHz E5-2637 v2/130W 4C/15MB Cache/DDR3 1866MHz	3,030.00	2,121.00
UCS-CPU-E52650LB	1.70 GHz E5-2650L v2/70W 10C/25MB Cache/DDR3 1600MHz	3,382.00	2,367.40
UCS-CPU-E52643BC=	DISTI: 3.50 GHz E5-2643 v2/130W 6C/25MB Cache/DDR3 1866MHz	4,485.00	3,139.50
UCS-CPU-EP2-PNP=	Pick n place CPU tools for M3/EP v2 12 Core CPUs (Purple)	75.00	52.50
UCS-CPU-E52637B=	3.50 GHz E5-2637 v2/130W 4C/15MB Cache/DDR3 1866MHz (Spare)	3,030.00	2,121.00
UCS-CPU-E52637B	3.50 GHz E5-2637 v2/130W 4C/15MB Cache/DDR3 1866MHz	3,030.00	2,121.00
UCS-CPU-E52643B=	3.50 GHz E5-2643 v2/130W 6C/25MB Cache/DDR3 1866MHz (Spare)	4,485.00	3,139.50
UCS-CPU-E52640BC=	DISTI: 2.00 GHz E5-2640 v2/95W 8C/20MB Cache/DDR3 1600MHz	2,626.00	1,838.20
UCS-CPU-E52643B	3.50 GHz E5-2643 v2/130W 6C/25MB Cache/DDR3 1866MHz	4,485.00	3,139.50
UCS-CPU-E52609B=	2.50 GHz E5-2609 v2/80W 4C/10MB Cache/DDR3 1333MHz (Spare)	899.00	629.30
UCS-CPU-E52640B=	2.00 GHz E5-2640 v2/95W 8C/20MB Cache/DDR3 1600MHz (Spare)	2,626.00	1,838.20
UCS-CPU-E52609B	2.50 GHz E5-2609 v2/80W 4C/10MB Cache/DDR3 1333MHz	899.00	629.30
UCS-CPU-E52640B	2.00 GHz E5-2640 v2/95W 8C/20MB Cache/DDR3 1600MHz	2,626.00	1,838.20
UCS-CPU-E52620B	2.10 GHz E5-2620 v2/80W 6C/15MB Cache/DDR3 1600MHz	1,249.00	874.30
UCS-CPU-E52650LBC=	DISTI: 1.70 GHz E5-2650L v2/70W 10C/25MB Cache/DDR3 1600MHz	3,382.00	2,367.40
UCS-CPU-E52630B	2.60 GHz E5-2630 v2/80W 6C/15MB Cache/DDR3 1600MHz	2,208.00	1,545.60
UCS-CPU-E52609BC=	DISTI: 2.50 GHz E5-2609 v2/80W 4C/10MB Cache/DDR3 1333MHz	899.00	629.30
UCS-CPU-E52620BC=	DISTI: 2.10 GHz E5-2620 v2/80W 6C/15MB Cache/DDR3 1600MHz	1,249.00	874.30
UCS-CPU-E5-2658C=	DISTI:2.10 GHz E5-2658 95W 8C/20MB Cache/DDR3 1600MHz/NHSink	3,600.00	2,520.00
UCS-CPU-E52690BC=	DISTI: 3.00 GHz E5-2690 v2/130W 10C/25MB Cache/DDR3 1866MHz	6,103.00	4,272.10
UCS-CPU-E52670B=	2.50 GHz E5-2670 v2/115W 10C/25MB Cache/DDR3 1866MHz (Spare)	4,489.00	3,142.30
UCS-CPU-E52670B	2.50 GHz E5-2670 v2/115W 10C/25MB Cache/DDR3 1866MHz	4,489.00	3,142.30
UCS-CPU-E52690B=	3.00 GHz E5-2690 v2/130W 10C/25MB Cache/DDR3 1866MHz (Spare)	6,103.00	4,272.10
UCS-CPU-E52690B	3.00 GHz E5-2690 v2/130W 10C/25MB Cache/DDR3 1866MHz	6,103.00	4,272.10
UCS-CPU-E52680BC=	DISTI: 2.80 GHz E5-2680 v2/115W 10C/25MB Cache/DDR3 1866MHz	4,980.00	3,486.00
UCS-CPU-E52695BC=	DISTI: 2.40 GHz E5-2695 v2/115W 12C/30MB Cache/DDR3 1866MHz	6,975.00	4,882.50
UCS-CPU-E52680B=	2.80 GHz E5-2680 v2/115W 10C/25MB Cache/DDR3 1866MHz (Spare)	4,980.00	3,486.00
UCS-CPU-E52670BC=	DISTI: 2.50 GHz E5-2670 v2/115W 10C/25MB Cache/DDR3 1866MHz	4,489.00	3,142.30
UCS-CPU-E52695B=	2.40 GHz E5-2695 v2/115W 12C/30MB Cache/DDR3 1866MHz (Spare)	6,975.00	4,882.50
UCS-CPU-E52680B	2.80 GHz E5-2680 v2/115W 10C/25MB Cache/DDR3 1866MHz	4,980.00	3,486.00
UCS-CPU-E52695B	2.40 GHz E5-2695 v2/115W 12C/30MB Cache/DDR3 1866MHz	6,975.00	4,882.50
UCS-CPU-E52697BC=	DISTI: 2.70 GHz E5-2697 v2/130W 12C/30MB Cache/DDR3 1866MHz	7,875.00	5,512.50
UCS-CPU-E52697B=	2.70 GHz E5-2697 v2/130W 12C/30MB Cache/DDR3 1866MHz (Spare)	7,875.00	5,512.50
UCS-CPU-E52697B	2.70 GHz E5-2697 v2/130W 12C/30MB Cache/DDR3 1866MHz	7,875.00	5,512.50
UCS-CPU-E52660B	2.20 GHz E5-2660 v2/95W 10C/25MB Cache/DDR3 1866MHz	3,949.00	2,764.30
UCS-CPU-E52660BC=	DISTI: 2.20 GHz E5-2660 v2/95W 10C/25MB Cache/DDR3 1866MHz	3,949.00	2,764.30
UCS-CPU-E52660B=	2.20 GHz E5-2660 v2/95W 10C/25MB Cache/DDR3 1866MHz (Spare)	3,949.00	2,764.30
UCS-CPU-EP-PNP=	PnP CPU tool: all M4/EX; M3/EP 10/8/6/4/2 Core (Green)	75.00	52.50
UCS-CPU-E52667D=	3.20 GHz E5-2667 v3/135W 8C/20MB Cache/DDR4 2133MHz	6,264.00	4,384.80
UCS-CPU-LPCVR=	Unpopulated CPU sockets-dust cover(M3/M4 except C22/C24/B22)	15.00	10.50

UCS C240 M3 SFF Hard Drive

UCS-HDD900GI2F106	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
UCS-HDD300GI2F105	300GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	1,216.00	851.20
UCS-HDD900GI2F106=	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
A03-D300GA2	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	589.00	412.30
A03-D146GC2	146GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	692.00	484.40
A03-D146GC2=	146GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	692.00	484.40
A03-D300GA2=	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	589.00	412.30
A03-D500GC3	500GB 6Gb SATA 7.2K RPM SFF hot plug/drive sled mounted	610.00	427.00
A03-D500GC3=	500GB 6Gb SATA 7.2K RPM SFF hot plug/drive sled mounted	610.00	427.00
A03-D600GA2	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,086.00	760.20
A03-D600GA2=	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,086.00	760.20
UCS-HDD300GI2F105=	300GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	1,216.00	851.20
UCS-SD200G0KA2-E	200GB 2.5 SATA Enterprise performance SSD	4,400.00	3,080.00
UCS-SD200G0KA2-E=	200GB 2.5 SATA Enterprise performance SSD	4,400.00	3,080.00
UCS-SD300G0KA2-E	300GB 2.5 SATA Enterprise performance SSD	7,000.00	4,900.00
UCS-SD300G0KA2-E=	300GB 2.5 SATA Enterprise performance SSD	7,000.00	4,900.00
UCS-SD100G0KA2-E	100G SATA 2.5 inch Enterprise Performance SSD	2,430.00	1,701.00
UCS-SD100G0KA2-E=	100G SATA 2.5 inch Enterprise Performance SSD	2,430.00	1,701.00
N20-BBLKD=	UCS 2.5 inch HDD blanking panel	38.00	26.60
A03-D1TBSATA=	1TB 6Gb SATA 7.2K RPM SFF HDD/hot plug/drive sled mounted	974.00	681.80
A03-D1TBSATA	1TB 6Gb SATA 7.2K RPM SFF HDD/hot plug/drive sled mounted	974.00	681.80
UCSC-HDBP-C240M3S=	2.5-in HDD Backplane for C240 M3 SFF (services spare only)	673.00	471.10
UCS-HD1T7KS2-E=	1TB SAS 7.2K RPM 2.5 inch HDD/hot plug/drive sled mounted	1,123.00	786.10
UCS-HD1T7KS2-E	1TB SAS 7.2K RPM 2.5 inch HDD/hot plug/drive sled mounted	1,123.00	786.10
UCS-SD400G0KA2-G=	400GB 2.5 Enterprise Value SSD	4,200.00	2,940.00
UCS-SD400G0KA2-G	400GB 2.5 Enterprise Value SSD	4,200.00	2,940.00
UCS-SD100G0KA2-G=	100GB 2.5 inch Enterprise Value SSD	979.00	685.30
UCS-SD100G0KA2-G	100GB 2.5 inch Enterprise Value SSD	979.00	685.30

C240 M3 LFF Hard Drive

UCS-HDD1T12F212	1TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	730.00	511.00
UCS-HDD1T12F212=	1TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	730.00	511.00
UCS-HDD300GI2F208	300GB SAS 15K RPM 3.5 inch HDD/hot plug/drive sled mounted	898.00	628.60
UCS-HDD450GI2F209	450GB SAS 15K RPM 3.5 inch HDD/hot plug/drive sled mounted	920.00	644.00
UCS-HDD600GI2F210	600GB SAS 15K RPM 3.5 inch HDD/hot plug/drive sled mounted	1,066.00	746.20
UCS-HDD500GI1F211	^500GB SATA 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	448.00	313.60
UCSC-HDBP-C240M3L=	3.5-in HDD Backplane for C240 M3 LFF (services spare only)	673.00	471.10
UCS-HDD3T12F214=	3TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted[sp	1,648.00	1,153.60
UCS-HDD2T12F213	2TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	1,199.00	839.30
UCS-HDD2T12F213=	2TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	1,199.00	839.30
UCS-HD4T7KS3-E	4TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	1,594.00	1,115.80
UCS-HD4T7KS3-E=	4TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	1,594.00	1,115.80
UCS-HDD3T12F214	3TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	1,648.00	1,153.60
UCS-HD600G15KS2-E	600GB SAS 15K RPM SFF HDD	2,156.00	1,509.20
UCS-HD450G15KS2-E=	450GB SAS 15K RPM SFF HDD	1,781.00	1,246.70
UCS-SD960G0KS2-EV=	960 GB 2.5 inch Enterprise Value 6G SATA SSD	6,168.00	4,317.60
UCS-HDD900GI2F106=	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
UCS-HD1T7KS2-E=	1TB SAS 7.2K RPM 2.5 inch HDD/hot plug/drive sled mounted	975.00	682.50
UCS-HD600G15KS2-E=	600GB SAS 15K RPM SFF HDD	2,156.00	1,509.20
UCS-HD450G15KS2-E	450GB SAS 15K RPM SFF HDD	1,781.00	1,246.70
UCS-HDD900GI2F106	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
UCS-HD1T7KS2-E	1TB SAS 7.2K RPM 2.5 inch HDD/hot plug/drive sled mounted	975.00	682.50
PI-UCS-H900GI2F106	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20

UCS C240 M3 RAID Controller

UCSC-RAID-11-C240	LSI 2008 SAS RAID Mezzanine Card for UCS C240 server	711.00	497.70
UCSC-RAID-11-C240=	LSI 2008 SAS RAID Mezzanine Card for UCS C240 server (spare)	711.00	497.70
UCS-RAID-9266	MegaRAID 9266-8i + battery backup for C240 and C220	2,061.00	1,442.70
UCS-RAID-9266=	MegaRAID 9266-8i + battery backup for C240 and C220 [spare]	2,061.00	1,442.70
UCS-RAID-BBU=	BBU09 for 9266	422.00	295.40
UCSC-RAID-ROM1	Embedded SW RAID 0/1/10, 4 ports SAS/SATA	35.00	24.50
UCSC-RAID-ROM1=	Embedded RAID 0/1/10, 4 ports SAS/SATA	35.00	24.50
UCSC-RAID-ROM5	Embedded SW RAID 0/1/10, 8 ports SAS/SATA	35.00	24.50
UCSC-RAID-ROM5=	Embedded RAID 0/1/10, 8 ports SAS/SATA	35.00	24.50
UCS-RAID-CV-SC=	Supercap for 9266CV, 9265CV and 9285CV-8e	499.00	349.30
UCSC-RAID-ROM15	Embedded SW RAID 0/1/10/5, 4 ports SAS/SATA	135.00	94.50
UCSC-RAID-ROM55	Embedded SW RAID 0/1/10/5, 8 ports SAS/SATA	135.00	94.50
UCSC-RAID-ROM15=	Embedded RAID 0/1/10/5, 4 ports SAS/SATA	135.00	94.50
UCSC-RAID-ROM55=	Embedded RAID 0/1/10/5, 8 ports SAS/SATA	135.00	94.50
UCS-RAID-9266-NB	MegaRAID 9266-8i with no battery back up	1,798.00	1,258.60
UCS-RAID-9266CV	MegaRAID 9266CV-8i w/TFM + Super Cap	1,686.00	1,180.20
UCS-RAID-9266CV=	MegaRAID 9266CV-8i w/TFM + Super Cap	1,686.00	1,180.20
UCSC-RAID-MZ-240	2008 Mezz Card for UCS C240 server, HW TSOC For RAID 0/1/10	654.00	457.80
UCSC-RAID-MZ-240=	2008 Mezz Card for UCS C240 server, HW TSOC For RAID 0/1/10	654.00	457.80
CSM-RAID-9266	MegaRAID 9266-8i + battery backup for C240 and C220	2,061.00	1,442.70
R2XX-SRAID0	Enable Single Disk Raid 0 Setting	1.00	0.70
UCSC-SWRST	RAID support for AHCI Capable SAS Controller in Intel RST	35.00	24.50
UCSC-NYTRO-200GB=	Cisco Nytro MegaRAID 200GB Controller	4,270.00	2,989.00
UCSC-NYTRO-200GB	Cisco Nytro MegaRAID 200GB Controller	4,270.00	2,989.00
UCS-RAID-9266-NB=	MegaRAID 9266-8i with no battery back up	1,798.00	1,258.60

UCS C240 M3 PCIe Card

UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	999.38	699.57
UCSC-PCIE-IRJ45=	Intel Quad GbE adapter	999.38	699.57
N2XX-ACPCI01	Cisco UCS P81E Virtual Interface Card/ 2-port 10Gbps	1,594.00	1,115.80
N2XX-AEPCI03=	Emulex LPe 11002, 4Gb Fibre Channel PCIe Dual Channel HBA	3,045.00	2,131.50
N2XX-AEPCI03	Emulex LPe 11002 Dual Port 4Gb Fibre Channel HBA	3,045.00	2,131.50
N2XX-AIPCI01=	Intel Dual Port 10 GbE Ethernet X520 Server Adapter	1,873.00	1,311.10
N2XX-AIPCI01	Intel X520 Dual Port 10Gb SFP+ Adapter	1,873.00	1,311.10
N2XX-ABPCI03	Broadcom 5709 Quad Port 10/100/1Gb NIC w/TOE iSCSI	1,001.00	700.70
N2XX-AEPCI05	Emulex LPe 12002 Dual Port 8Gb Fibre Channel HBA	3,467.00	2,426.90
N2XX-AEPCI05=	Emulex LPe 12002, 8Gb dual port Fibre Channel HBA	3,467.00	2,426.90
UCSC-PCIE-BSFP	Broadcom 57712 Dual Port 10Gb SFP+ w/TOE iSCSI	1,498.00	1,048.60
UCSC-PCIE-BSFP=	BROADCOM 57712 10Gb SFP+	1,498.00	1,048.60
N2XX-AQPCI03=	Qlogic QLE2462, 4Gb dual port Fibre Channel Host Bus Adapter	3,045.00	2,131.50
N2XX-AQPCI03	Qlogic QLE2462 Dual Port 4Gb Fibre Channel HBA	3,045.00	2,131.50
N2XX-AQPCI05	Qlogic QLE2562 Dual Port 8Gb Fibre Channel HBA	3,467.00	2,426.90
N20-BKVM=	KVM local IO cable for UCS servers console port	92.00	64.40
N2XX-ABPCI03-M3=	Broadcom 5709 Quad Port 10/100/1Gb NIC w/TOE iSCSI for M3 Se	1,001.00	700.70
N2XX-ABPCI03-M3	Broadcom 5709 Quad Port 1Gb w/TOE iSCSI for M3 Servers	1,001.00	700.70
UCSC-PCIE-M03	Mellanox ConnectX-3-EN dual port SFP+	1,196.00	837.20
UCSC-PCIE-BTG	Broadcom 57712 Dual Port 10GBASE-T w/TOE iSCSI	1,779.00	1,245.30
UCSC-PCIE-BTG=	BROADCOM 57712 10GBASE-T	1,779.00	1,245.30
UCSC-PCIE-C40Q-02	Cisco VIC 1285 Dual Port 40Gb QSFP CNA	2,344.00	1,640.80
UCSC-PCIE-C10T-02	Cisco VIC 1225T Dual Port 10GBaseT CNA	2,061.00	1,442.70
UCSC-PCIE-C40Q-02=	Cisco VIC 1285 Dual Port 40Gb QSFP Adapter	2,344.00	1,640.80
UCSC-PCIE-C10T-02=	Cisco VIC 1225T Dual Port 10GBaseT Adapter	2,061.00	1,442.70
UCSC-PCIE-ITG	Intel X540 Dual Port 10GBase-T Adapter	1,873.00	1,311.10
UCSC-PCIE-ITG=	Intel X540 Dual Port 10GBase-T Adapter	1,873.00	1,311.10
UCSC-PCIE-ESFP	Emulex OCe11102-FX Dual Port 10Gb SFP+ CNA	2,436.00	1,705.20
UCSC-PCIE-ESFP=	Emulex OCe11102-FX dual-port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-PCIE-QSFP	Qlogic QLE8242-CU Dual Port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-PCIE-QSFP=	Qlogic QLE8242-CU dual-port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-PCIE-CSC-02=	Cisco VIC 1225 Dual Port 10Gb SFP+ CNA	1,594.00	1,115.80
UCSC-PCIE-CSC-02	Cisco VIC 1225 Dual Port 10Gb SFP+ CNA	1,594.00	1,115.80
UCS-RAID9271-8I=	MegaRAID 9271 w/o Supercap	1,311.00	917.70
UCS-RAID9271-8I	MegaRAID 9271 w/o Supercap	1,311.00	917.70
N20-MBLIBATT=	Replacement Battery for Server Motherboard (CR2032)	60.00	42.00
UCSC-GPU-VGXX1	NVIDIA GRID K1	7,031.00	4,921.70
UCSC-GPU-VGXX2=	NVIDIA GRID K2	12,469.00	8,728.30
UCSC-GPU-VGXX2	NVIDIA GRID K2	12,469.00	8,728.30
UCSC-GPU-VGXX1=	NVIDIA GRID K1	7,031.00	4,921.70
UCSC-PCIE-E14102	Emulex OCe14102-FX dual-port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-PCIE-B3SFP=	BROADCOM 57810 10Gb A-FEX SFP+	1,498.00	1,048.60
UCSC-PCIE-B3SFP	BROADCOM 57810 10Gb A-FEX SFP+	1,498.00	1,048.60
UCSC-PCIE-Q2672=	Qlogic QLE2672-CSC, 16Gb Fibre Channel HBA with SR Optics	5,248.00	3,673.60
UCSC-PCIE-Q2672	Qlogic QLE2672-CSC, 16Gb Fibre Channel HBA with SR Optics	5,248.00	3,673.60
UCSC-PCIE-Q8362=	Qlogic QLE8362 dual-port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-PCIE-Q8362	Qlogic QLE8362 dual-port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-F-FIO-785M=	Cisco UCS 785GB MLC Fusion ioDrive2 for C-Series Servers	21,099.00	14,769.30
UCSC-F-FIO-365M=	Cisco UCS 365GB MLC Fusion ioDrive2 for C-Series Servers	11,520.00	8,064.00
UCSC-F-FIO-3000M=	Cisco UCS 3.0TB MLC Fusion ioDrive2 for C-Series Servers	62,429.00	43,700.30
UCSC-F-FIO-3000M	Cisco UCS 3.0TB MLC Fusion ioDrive2 for C-Series Servers	62,429.00	43,700.30
UCSC-F-FIO-1205M	Cisco UCS 1205GB MLC Fusion ioDrive2 for C-Series Servers	29,219.00	20,453.30
UCSC-F-FIO-785M	Cisco UCS 785GB MLC Fusion ioDrive2 for C-Series Servers	21,099.00	14,769.30
UCSC-F-FIO-365M	Cisco UCS 365GB MLC Fusion ioDrive2 for C-Series Servers	11,520.00	8,064.00
UCSC-F-FIO-1205M=	Cisco UCS 1205GB MLC Fusion ioDrive2 for C-Series Servers	29,219.00	20,453.30
UCSC-PCIE-E16002=	Emulex LPe16002-M6, 16Gb Fibre Channel HBA with SR Optics	5,248.00	3,673.60
UCSC-PCIE-E16002	Emulex LPe16002-M6, 16Gb Fibre Channel HBA with SR Optics	5,248.00	3,673.60
N2XX-AQPCI05=	Qlogic QLE2562, 8Gb dual port Fibre Channel HBA	3,467.00	2,426.90
UCS-RAID9271CV-8I=	MegaRAID 9271CV with 8 internal SAS/SATA ports with Supercap	1,686.00	1,180.20
UCS-RAID9271CV-8I	MegaRAID 9271CV with 8 internal SAS/SATA ports with Supercap	1,686.00	1,180.20
UCS-RAID9286CV-8E	MegaRAID 9286CV Raid card with 8 external SAS/SATA ports	1,873.00	1,311.10
UCS-RAID9286CV-8E=	MegaRAID 9286CV Raid card with 8 external SAS/SATA ports	1,873.00	1,311.10

UCS C240 M3 Power Supply

UCSC-PSU-650W=	650W power supply for C-series rack servers	630.00	441.00
UCSC-PSU-650W	650W power supply for C-series rack servers	630.00	441.00
UCSC-PSU-930WDC	930W -48V DC Common Slot Power Supply for c-series servers	1,199.00	839.30
UCSC-PSU-930WDC=	930W -48V DC Common Slot Power Supply for c-series servers	1,199.00	839.30
UCSC-CONN-930WDC=	Power connector for 930W -48V DC Power Supply for c-series s	50.00	35.00
UCSC-CONN-930WDC	Power connector for 930W -48V DC Power Supply for c-series s	50.00	35.00

UCS C240 M3 Other

UCSC-CABLE6=	SAS/SATA Cable Kit for C240 M3 24 Drive Backplane	206.00	144.20
UCSC-CMA2=	Cable Management Arm for C240, C260 rack servers	185.00	129.50
UCSC-AIRBAF-C240=	Set of spare Air Baffles for C240 Server	100.00	70.00
UCS-USBFLSH-S-4GB	4GB Flash USB Drive (shorter) for all M3 servers	100.00	70.00
UCS-USBFLSH-S-4GB=	4GB Flash USB Drive (shorter) for all M3 servers	100.00	70.00
UCSX-TPM1-001	TPM Module For UCS	75.00	52.50
UCSC-PSU-BLKP=	Power supply blanking panel/filler	58.00	40.60
C260-FAN-001=	Fan Module for C260, C240, and C420 servers	199.00	139.30
UCSC-RAIL-2U	2U Rail Kit for UCS C-Series servers	199.00	139.30
UCSC-RAIL-2U=	2U Rail Kit for UCS C-Series servers	199.00	139.30
UCS-SD-16G	16GB SD Card module for UCS Servers	140.00	98.00
UCSC-RAIL-2U-I=	Inner rail spare for C240 and C260	145.00	101.50
UCSC-CABLE4=	Set of two spare SAS/SATA Cables for C240 M3 LFF (3.5-in)	206.00	144.20
UCSC-CMA2B=	Reversible Cable Management Arm for C240 ball bearing rail k	185.00	129.50
UCSC-RAIL-2UB=	Ball Bearing Rail Kit for C240 rack servers	240.00	168.00
UCSC-GPUKIT1-C240=	C240 GPU Upgrd Kt for NVIDIA GPU w/2PCleRisers,brace,cbls	373.00	261.10
UCSC-GPUCBL-88S=	8 TO 8 PIN STRAIGHT GPU PWR CABLE K1-K2 C240 NEW MB	11.00	7.70
UCSC-GPUCBL-88Y=	8 TO 8 PIN Y GPU PWR CABLE DUAL K1-K2 C240 NEW MB	17.00	11.90
UCSC-CMA2	Cable Management Arm for C240, C260rack servers	185.00	129.50
UCSC-HS-C240M3	Heat Sink for UCS C240 M3 Rack Server	169.00	118.30
UCSC-GPUCBL-KIT=	GPU power cable kit with adapter cable plus 8 to 8 pin Y and	37.00	25.90
UCSC-GPUCBL-88Y	8 TO 8 PIN Y GPU PWR CABLE DUAL K1-K2 C240 NEW MB	17.00	11.90
UCSC-PSU-BLKP	Power supply blanking panel/filler	58.00	40.60
UCS-HD12T10KS2-E	1.2 TB 6G SAS 10K rpm SFF HDD	1,460.63	1,022.44
UCS-SD800G0KS2-EP	800GB 2.5 inch Enterprise Performance SAS SSD	12,188.00	8,531.60
UCS-SD400G0KS2-EP=	400GB 2.5 inch Enterprise Performance SAS SSD	5,623.00	3,936.10
UCS-SD400G0KS2-EP	400GB 2.5 inch Enterprise Performance SAS SSD	5,623.00	3,936.10
UCS-SD200G0KS2-EP=	200GB 2.5 inch Enterprise Performance SAS SSD	3,373.00	2,361.10
UCS-SD200G0KS2-EP	200GB 2.5 inch Enterprise Performance SAS SSD	3,373.00	2,361.10
UCS-SD800G0KS2-EP=	800GB 2.5 inch Enterprise Performance SAS SSD	12,188.00	8,531.60
UCSX-TPM1-001=	TPM Module For UCS	75.00	52.50
UCS-SD-32G	32GB SD Card for Invicta	235.00	164.50
UCS-SD-32G-S=	32GB SD Card for UCS servers	162.00	113.40
UCS-SD-32G-S	32GB SD Card for UCS servers	162.00	113.40
UCS-SD120G0KS2-EV=	120 GB 2.5 inch Enterprise Value 6G SATA SSD	748.00	523.60
UCS-SD480G0KS2-EV	480 GB 2.5 inch Enterprise Value 6G SATA SSD	3,150.00	2,205.00
UCS-SD240G0KS2-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	1,574.00	1,101.80
UCS-SD120G0KS2-EV	120 GB 2.5 inch Enterprise Value 6G SATA SSD	748.00	523.60
UCS-SD480G0KS2-EV=	480 GB 2.5 inch Enterprise Value 6G SATA SSD	3,150.00	2,205.00
UCS-SD240G0KS2-EV=	240GB 2.5 inch Enterprise Value 6G SATA SSD	1,574.00	1,101.80
TCE-SD-16G	16GB SD Card module for UCS Servers	140.00	98.00
TCE-CMA2	Cable Management Arm for C240, C260rack servers	185.00	129.50
UCSC-F-FIO-1000MP	UCS 1000GB Fusion ioMemory3 PX Performance line for C-Series	21,351.00	14,945.70
UCSC-F-FIO-1300MP	UCS 1300GB Fusion ioMemory3 PX Performance line for C-Series	25,932.00	18,152.40
UCS-M3-V2-LBL	Cisco M3 - v2 CPU asset tab ID label (Auto-Expand)	1.00	0.70
UCS-M3-V2-LBL-100=	Qty100 E5-2600 v2 labels for servers including E5-2600v2 CPU	20.00	14.00
PI-UCS-SD-32G-S	32GB SD Card for UCS servers	162.00	113.40
UCSC-SD-16G-C240	16GB SD Card Module for C240 Servers	140.00	98.00

UCS C240 M3 SMARTnet Maintenance

CON-SNT-C240M3SF	SMARTNET 8X5XNBD UCS C240 M3 SFF w/o	305.00	305.00
CON-SNTP-C240M3SF	SMARTNET 24X7X4 UCS C240 M3 SFF w/o	461.00	461.00

Cisco UCS C420 M3 Rackmount Servers

The Cisco UCS C420 M3 Rack Server is a high-density, enterprise-class, four-socket, two-rack-unit (2RU) rack server designed for compute, I/O, storage, and memory-intensive standalone and virtualized applications. The addition of the Intel® Xeon® processor E5-4600 product family delivers an optimal combination of performance, flexibility, and efficiency gains.

You can learn more about the Cisco UCS C420 M3 Rackmount Server on Cisco's website at the following URL:
<http://www.cisco.com/c/en/us/products/servers-unified-computing/ucs-c420-m3-rack-server/index.html>

You can compare the different models of Cisco UCS servers and create custom builds at the following URL:
<http://buildprice.cisco.com>

For sales and account support, please contact one of Cisco's local account managers:

Mike Kling mikling@cisco.com 225-218-2010

Cisco Product SKU	Description	USD List Price	EPL Price
UCS C420 M3 Base Rack Server			
UCSC-C420-M3	UCS C420 M3 w/o CPU, mem, HDD, PCIe, PSU, rail kit	7,500.00	5,250.00
UCSC-C420-M3=	UCS C420 M3 w/o CPU, mem, HDD, PCIe, PSU, rail kit	7,500.00	5,250.00
UCS C420 M3 Processor			
UCS-CPU-E5-4640	2.40 GHz E5-4640 95W 8C/20MB Cache/DDR3 1600MHz	8,070.00	5,649.00
UCS-CPU-E5-4650	2.70 GHz E5-4650 130W 8C/20MB Cache/DDR3 1600MHz	10,255.00	7,178.50
UCS-CPU-E5-4650=	2.70 GHz E5-4650 130W 8C/20MB Cache/DDR3 1600MHz/No HS	10,255.00	7,178.50
UCS-CPU-E5-4610	2.40 GHz E5-4610 95W 6C/15MB Cache/DDR3 1333MHz	4,526.00	3,168.20
UCS-CPU-E5-4620	2.20 GHz E5-4620 95W 8C/16MB Cache/DDR3 1333MHz	5,904.00	4,132.80
UCS-CPU-E5-4620=	2.20 GHz E5-4620 95W 8C/16MB Cache/DDR3 1333MHz/No HS	5,904.00	4,132.80
UCS-CPU-E5-4640=	2.40 GHz E5-4640 95W 8C/20MB Cache/DDR3 1600MHz/No HS	8,070.00	5,649.00
UCS-CPU-E5-4603	2.00 GHz E5-4603 95W 4C/10MB Cache/DDR3 1066MHz	2,557.00	1,789.90
UCS-CPU-E5-4603=	2.00 GHz E5-4603 95W 4C/10MB Cache/DDR3 1066MHz/No HS	2,557.00	1,789.90
UCS-CPU-E5-4610=	2.40 GHz E5-4610 95W 6C/15MB Cache/DDR3 1333MHz	4,526.00	3,168.20
UCS-CPU-E5-4607	2.20 GHz E5-4607 95W 6C/12MB Cache/DDR3 1066MHz	3,050.00	2,135.00
UCS-CPU-E5-4607=	2.20 GHz E5-4607 95W 6C/12MB Cache/DDR3 1066MHz/No HS	3,050.00	2,135.00
UCS C420 M3 Memory			
UCSC-SD-16G-C420	16GB SD card for C420 M3	140.00	98.00
UCSC-SD-16G-C420=	16GB SD card for C420 M3	140.00	98.00
UCSC-SDMD-002=	Dual SD card module for C420 M3	242.00	169.40
UCS-ML-1X324RZ-A=	32GB DDR3-1866-MHz LRDIMM/PC3-14900/quad rank/x4/1.5v	2,045.00	1,431.50
UCS-ML-1X324RZ-A	32GB DDR3-1866-MHz LRDIMM/PC3-14900/quad rank/x4/1.5v	2,045.00	1,431.50
UCS-MR-1X082RY-A	8GB DDR3-1600-MHz RDIMM/PC3-12800/dual rank/1.35v	448.00	313.60
UCS-MR-1X162RY-A	16GB DDR3-1600-MHz RDIMM/PC3-12800/dual rank/1.35v	698.00	488.60
UCS-MR-1X041RY-A	4GB DDR3-1600-MHz RDIMM/PC3-12800/single rank/1.35v	279.00	195.30
UCS-ML-1X324RY-A	32GB DDR3-1600-MHz LR DIMM/PC3-12800/quad rank/x4/1.35v	2,045.00	1,431.50
UCS C240 M3 SFF Hard Drive			
UCS-HDD900GI2F106	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
UCS-HDD300GI2F105	300GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	1,216.00	851.20
UCS-HDD900GI2F106=	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
A03-D300GA2	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	589.00	412.30
A03-D146GC2	146GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	692.00	484.40
A03-D146GC2=	146GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	692.00	484.40
A03-D300GA2=	300GB 6Gb SAS 10K RPM SFF HDD/drive sled mounted	589.00	412.30
A03-D500GC3	500GB 6Gb SATA 7.2K RPM SFF hot plug/drive sled mounted	610.00	427.00
A03-D500GC3=	500GB 6Gb SATA 7.2K RPM SFF hot plug/drive sled mounted	610.00	427.00
A03-D600GA2	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,086.00	760.20
A03-D600GA2=	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,086.00	760.20
UCS-HDD300GI2F105=	300GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	1,216.00	851.20

UCS-SD200G0KA2-E	200GB 2.5 SATA Enterprise performance SSD	4,400.00	3,080.00
UCS-SD200G0KA2-E=	200GB 2.5 SATA Enterprise performance SSD	4,400.00	3,080.00
UCS-SD300G0KA2-E	300GB 2.5 SATA Enterprise performance SSD	7,000.00	4,900.00
UCS-SD300G0KA2-E=	300GB 2.5 SATA Enterprise performance SSD	7,000.00	4,900.00
UCS-SD100G0KA2-E	100G SATA 2.5 inch Enterprise Performance SSD	2,430.00	1,701.00
UCS-SD100G0KA2-E=	100G SATA 2.5 inch Enterprise Performance SSD	2,430.00	1,701.00
N20-BBLKD=	UCS 2.5 inch HDD blanking panel	38.00	26.60
A03-D1TBSATA=	1TB 6Gb SATA 7.2K RPM SFF HDD/hot plug/drive sled mounted	974.00	681.80
A03-D1TBSATA	1TB 6Gb SATA 7.2K RPM SFF HDD/hot plug/drive sled mounted	974.00	681.80
UCSC-HDBP-C240M3S=	2.5-in HDD Backplane for C240 M3 SFF (services spare only)	673.00	471.10
UCS-HD1T7KS2-E=	1TB SAS 7.2K RPM 2.5 inch HDD/hot plug/drive sled mounted	1,123.00	786.10
UCS-HD1T7KS2-E	1TB SAS 7.2K RPM 2.5 inch HDD/hot plug/drive sled mounted	1,123.00	786.10
UCS-SD400G0KA2-G=	400GB 2.5 Enterprise Value SSD	4,200.00	2,940.00
UCS-SD400G0KA2-G	400GB 2.5 Enterprise Value SSD	4,200.00	2,940.00
UCS-SD100G0KA2-G=	100GB 2.5 inch Enterprise Value SSD	979.00	685.30
UCS-SD100G0KA2-G	100GB 2.5 inch Enterprise Value SSD	979.00	685.30

UCS C420 M3 RAID Controller

UCSC-RAID-ROM1=	Embedded RAID 0/1/10, 4 ports SAS/SATA	35.00	24.50
UCSC-RAID-ROM5=	Embedded RAID 0/1/10, 8 ports SAS/SATA	35.00	24.50
UCS-RAID-CV-SC=	Supercap for 9266CV, 9265CV and 9285CV-8e	499.00	349.30
UCSC-RAID-ROM15=	Embedded RAID 0/1/10/5, 4 ports SAS/SATA	135.00	94.50
UCSC-RAID-ROM55=	Embedded RAID 0/1/10/5, 8 ports SAS/SATA	135.00	94.50
UCS-RAID9286CV-8E	MegaRAID 9286CV Raid card with 8 external SAS/SATA ports	1,873.00	1,311.10
UCS-RAID9271CV-8I=	MegaRAID 9271CV with 8 internal SAS/SATA ports with Supercap	1,686.00	1,180.20
UCS-RAID9271CV-8I	MegaRAID 9271CV with 8 internal SAS/SATA ports with Supercap	1,686.00	1,180.20
UCS-RAID9286CV-8E=	MegaRAID 9286CV Raid card with 8 external SAS/SATA ports	1,873.00	1,311.10

UCS C420 M3 PCIe Card

UCSC-BRCKT2-C420	PCIe bracket for Cisco VIC (Kirkwood)	40.00	28.00
UCSC-BRCKT1-C420	PCIe bracket for Cisco VIC 1225	40.00	28.00
UCSC-BRCKT2-C420=	PCIe bracket for Cisco VIC (Kirkwood)	40.00	28.00
UCSC-BRCKT1-C420=	PCIe bracket for Cisco VIC 1225	40.00	28.00
UCSC-PCIE-B3SFP=	BROADCOM 57810 10Gb A-FEX SFP+	1,498.00	1,048.60
UCSC-PCIE-B3SFP	BROADCOM 57810 10Gb A-FEX SFP+	1,498.00	1,048.60
UCSC-PCIE-Q2672=	Qlogic QLE2672-CSC, 16Gb Fibre Channel HBA with SR Optics	5,248.00	3,673.60
UCSC-PCIE-Q8362=	Qlogic QLE8362 dual-port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-F-FIO-785M=	Cisco UCS 785GB MLC Fusion ioDrive2 for C-Series Servers	21,099.00	14,769.30
UCSC-F-FIO-365M=	Cisco UCS 365GB MLC Fusion ioDrive2 for C-Series Servers	11,520.00	8,064.00
UCSC-F-FIO-3000M=	Cisco UCS 3.0TB MLC Fusion ioDrive2 for C-Series Servers	62,429.00	43,700.30
UCSC-F-FIO-1205M=	Cisco UCS 1205GB MLC Fusion ioDrive2 for C-Series Servers	29,219.00	20,453.30
UCSC-F-FIO-1205M	Cisco UCS 1205GB MLC Fusion ioDrive2 for C-Series Servers	29,219.00	20,453.30
UCSC-PCIE-CSC-02	Cisco VIC 1225 Dual Port 10Gb SFP+ CNA	1,594.00	1,115.80
N2XX-AEPCI05	Emulex LPe 12002 Dual Port 8Gb Fibre Channel HBA	3,467.00	2,426.90
UCSC-PCIE-ESFP	Emulex OCe11102-FX Dual Port 10Gb SFP+ CNA	2,436.00	1,705.20
UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	999.38	699.57
UCSC-PCIE-ITG	Intel X540 Dual Port 10GBase-T Adapter	1,873.00	1,311.10
UCSC-F-FIO-3000M	Cisco UCS 3.0TB MLC Fusion ioDrive2 for C-Series Servers	62,429.00	43,700.30
UCSC-F-FIO-365M	Cisco UCS 365GB MLC Fusion ioDrive2 for C-Series Servers	11,520.00	8,064.00
UCSC-F-FIO-785M	Cisco UCS 785GB MLC Fusion ioDrive2 for C-Series Servers	21,099.00	14,769.30
UCSC-PCIE-E16002	Emulex LPe16002-M6, 16Gb Fibre Channel HBA with SR Optics	5,248.00	3,673.60
UCSC-PCIE-Q2672	Qlogic QLE2672-CSC, 16Gb Fibre Channel HBA with SR Optics	5,248.00	3,673.60
UCSC-PCIE-Q8362	Qlogic QLE8362 dual-port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-PCIE-BTG	Broadcom 57712 Dual Port 10GBASE-T w/TOE iSCSI	1,779.00	1,245.30
N2XX-ABPCI03-M3	Broadcom 5709 Quad Port 1Gb w/TOE iSCSI for M3 & later	1,001.00	700.70
UCSC-PCIE-C10T-02	Cisco VIC 1225T Dual Port 10GBaseT CNA	1,873.00	1,311.10
UCSC-PCIE-B3SFP	BROADCOM 57810 10Gb A-FEX SFP+	1,498.00	1,048.60
N2XX-AIPCI01	Intel X520 Dual Port 10Gb SFP+ Adapter	1,873.00	1,311.10
N2XX-AEPCI03	Emulex LPe 11002 Dual Port 4Gb Fibre Channel HBA	3,045.00	2,131.50
N2XX-AQPCI05	Qlogic QLE2562 Dual Port 8Gb Fibre Channel HBA	3,467.00	2,426.90
N2XX-AQPCI03	Qlogic QLE2462 Dual Port 4Gb Fibre Channel HBA	3,045.00	2,131.50

UCS C420 M3 Power Supply

UCSC-PSU2-1200	1200W 2U Power Supply for UCS	652.00	456.40
UCSC-PSU2-1400	1400W 2U Power Supply for UCS	800.00	560.00

UCS C420 M3 Other

UCSC-CABLE-S=	SAS/SATA cable (short) for C420 M3	103.00	72.10
UCSC-CABLE-S	SAS/SATA cable (short) for C420 M3	103.00	72.10
UCSC-HS-C420M3=	Heatsink for the C420 M3	99.00	69.30
UCSC-HS-C420M3	Heatsink for the C420 M3	99.00	69.30
UCSC-CABLE-L=	SAS/SATA cable (long) for C420 M3	103.00	72.10
UCSC-CABLE-L	SAS/SATA cable (long) for C420 M3	103.00	72.10
UCSC-FTCX-C420M3=	Fan Tray Connector Card for C420 M3	469.00	328.30
UCSC-AIRBAF-C420=	Air Baffle for C420 M3	100.00	70.00
UCS-HD12T10KS2-E	1.2 TB 6G SAS 10K rpm SFF HDD	1,910.00	1,337.00
UCS-SD800G0KS2-EP	800GB 2.5 inch Enterprise Performance SAS SSD	12,188.00	8,531.60
UCS-SD400G0KS2-EP=	400GB 2.5 inch Enterprise Performance SAS SSD	5,623.00	3,936.10
UCS-SD400G0KS2-EP	400GB 2.5 inch Enterprise Performance SAS SSD	5,623.00	3,936.10
UCS-SD200G0KS2-EP=	200GB 2.5 inch Enterprise Performance SAS SSD	3,373.00	2,361.10
UCS-SD200G0KS2-EP	200GB 2.5 inch Enterprise Performance SAS SSD	3,373.00	2,361.10
UCS-SD800G0KS2-EP=	800GB 2.5 inch Enterprise Performance SAS SSD	12,188.00	8,531.60
UCSX-TPM1-001=	TPM Module For UCS	75.00	52.50
UCSC-DBKP-08D	8 Drive Backplane For C-Series	313.00	219.10
UCSC-DBKP-08E	8 Drive Backplane W/ Expander For C-Series	528.00	369.60
UCS-SD-16G	16GB SD Card module for UCS Servers	140.00	98.00
UCS-SD-32G-S	32GB SD Card for UCS servers	162.00	113.40
UCS-USBFLSHA-8GB	8GB USB Flash Drive for C22/C24	125.00	87.50
UCS-USBFLSH-S-4GB	4GB Flash USB Drive (shorter) for all M3 servers	100.00	70.00

UCS C240 M3 SMARTnet Maintenance

CON-SNT-C420M3	SMARTNET 8X5XNBD UCS C420 M3 Server	519.00	519.00
CON-SNTP-C420M3	SMARTNET 24X7X4 UCS C420 M3 Server	783.00	783.00

Cisco UCS C220 M4 Rackmount Servers

The enterprise-class Cisco UCS C220 M4 server extends the capabilities of the Cisco UCS portfolio in a 1RU form factor. It incorporates the Intel® Xeon® processor E5-2600 v3 product family, next-generation DDR4 memory, and 12-Gbps SAS throughput, delivering significant performance and efficiency gains. The Cisco UCS C220 M4 rack server delivers outstanding levels of expandability and performance in a compact 1RU package:

- Up to 24 DDR4 DIMMs for improved performance and lower power consumption
- Up to 8 Small Form-Factor (SFF) drives or up to 4 Large Form-Factor (LFF) drives
- Support for 12-Gbps SAS Module RAID controller in a dedicated slot, leaving the remaining two PCIe Gen 3.0 slots available for other expansion cards
- A modular LAN-on-motherboard (mLOM) slot that can be used to install a Cisco UCS virtual interface card (VIC) or third-party network interface card (NIC) without consuming a PCIe slot
- Two embedded 1Gigabit Ethernet LAN-on-motherboard (LOM) ports

You can learn more about the Cisco UCS C220 M4 Rackmount Server on Cisco's website at the following URL:
<http://www.cisco.com/c/en/us/products/collateral/servers-unified-computing/ucs-c220-m4-rack-server/datasheet-c78-732386.html>

You can compare the different models of Cisco UCS servers and create custom builds at the following URL:
<http://buildprice.cisco.com>

For sales and account support, please contact one of Cisco's local account managers:

Mike Kling mikling@cisco.com 225-218-2010

<u>Cisco Product SKU</u>	<u>Description</u>	<u>USD List Price</u>	<u>EPL Price</u>
UCS C220 M4 LFF Base Rack Server			
UCSC-C220-M4L	UCS C220 M4 LFF w/o CPU, mem, HD, PCIe, PSU, rail kit	2,995.00	2,096.50
UCSC-C220-M4L=	UCS C220 M4 LFF w/o CPU, mem, HD, PCIe, PSU, rail kit	2,995.00	2,096.50
UCS C220 M4 Memory			
UCS-ML-1X324RU-A	32GB DDR4-2133-MHz LRDIMM/PC4-17000/quad rank/x4/1.2v	1,800.00	1,260.00
UCS-MR-1X081RU-A	8GB DDR4-2133-MHz RDIMM/PC4-17000/single rank/x4/1.2v	485.00	339.50
UCS-MR-1X081RU-A=	8GB DDR4-2133-MHz RDIMM/PC4-17000/single rank/x4/1.2v	485.00	339.50
UCS-MR-1X322RU-A=	32GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	1,580.00	1,106.00
UCS-MR-1X162RU-A=	16GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	725.00	507.50
UCS-ML-1X324RU-A=	32GB DDR4-2133-MHz LRDIMM/PC4-17000/quad rank/x4/1.2v	1,800.00	1,260.00
UCS-MR-1X322RU-A	32GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	1,580.00	1,106.00
UCS-MR-1X648RU-A=	64GB DDR4-2133-MHz TSV-RDIMM/PC4-17000/octal rank/x4/1.2v	7,000.00	4,900.00
UCS-MR-1X648RU-A	64GB DDR4-2133-MHz TSV-RDIMM/PC4-17000/octal rank/x4/1.2v	7,000.00	4,900.00
PI-UCS-M-1X162RU-A	16GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	861.00	602.70
UCS-CPU-CVR-EP-M4=	Unpopulated CPU sockets-dust cover for EP M4s	15.00	10.50
UCS C220 M4 LFF Hard Drive or C220 M4 Drive			
UCS-HD2T7KA3-E	2TB SATA 7.2K RPM 3.5 inch HDD	1,198.00	838.60
UCS-HDD1T1F212	1TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	730.00	511.00
UCS-HDD1T1F212=	1TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	730.00	511.00
UCS-HDD2T1F213	2TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	1,199.00	839.30
UCS-HDD2T1F213=	2TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	1,199.00	839.30
UCS-HDD3T1F214	3TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	1,648.00	1,153.60
UCS-HDD3T1F214=	3TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted[sp	1,648.00	1,153.60
UCS-HD6T7KL4K	6 TB 12G SAS 7.2K RPM LFF HDD (4K)	2,100.00	1,470.00
UCS-HD6T7KL4K=	6 TB 12G SAS 7.2K RPM LFF HDD (4K)	2,100.00	1,470.00
UCS-SD400G0KHY-EP	400GB 3.5 inchHybridEnterprise performance 12G SAS SSD	6,299.00	4,409.30
UCS-SD400G0KHY-EP=	400GB 3.5 inchHybridEnterprise performance 12G SAS SSD	6,299.00	4,409.30
UCS-HD4TBK9=	4TB SAS 7.2K RPM 3.5 inch SED HDD	1,754.00	1,227.80
UCS-HD4TBK9	4TB SAS 7.2K RPM 3.5 inch SED HDD	1,754.00	1,227.80
UCS-HD2T7K12G	2 TB 12G SAS 7.2K RPM SFF HDD	2,379.00	1,665.30

UCS-HD2T7K12G=	2 TB 12G SAS 7.2K RPM SFF HDD	2,379.00	1,665.30
UCS-HD12TB10K12G	1.2 TB 12G SAS 10K RPM SFF HDD	1,460.00	1,022.00
UCS-HD900G10K12G	900GB 12G SAS 10K RPM SFF HDD	1,367.00	956.90
UCS-HD600G10K12G	600GB 12G SAS 10K RPM SFF HDD	1,022.00	715.40
UCS-HD600G15K12G	600GB 12G SAS 15K RPM SFF HDD	2,117.00	1,481.90
UCS-HD450G15K12G	450GB 12G SAS 15K RPM SFF HDD	1,629.00	1,140.30
UCS-HD300G15K12G	300GB 12G SAS 15K RPM SFF HDD	1,123.00	786.10
UCS-SD400GBK9	400GB 3.5 inch Enterprise Performance 6G SAS SED SSD	7,243.00	5,070.10
UCS-SD400GBK9=	400GB 3.5 inch Enterprise Performance 6G SAS SED SSD	7,243.00	5,070.10
UCS-HD8T7KL4K	8 TB 12G SAS 7.2K RPM LFF HDD (4K)	3,729.00	2,610.30
UCS-HD300G10K12G	300GB 12G SAS 10K RPM SFF HDD	591.00	413.70
UCS-SD38TBKS4-EV	3.8TB 2.5 inch Enterprise Value 6G SATA SSD	12,000.00	8,400.00
UCS-SD960GBKS4-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	4,167.00	2,916.90
UCS-SD16TBKS4-EV	1.6TB 2.5 inch Enterprise Value 6G SATA SSD	7,000.00	4,900.00
UCS-SD480GBKS4-EV	480 GB 2.5 inch Enterprise Value 6G SATA SSD	2,167.00	1,516.90
UCS-SD120GBKS4-EV	120 GB 2.5 inch Enterprise Value 6G SATA SSD	567.00	396.90
UCS-SD240GBKS4-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	917.00	641.90
UCS-SD800G12S4-EP	800GB 2.5 inch Ent. Performance 12G SAS SSD (10X endurance)	10,011.00	7,007.70
UCS-HD1T7K12G=	1 TB 12G SAS 7.2K RPM SFF HDD	1,161.00	812.70
UCS-HD1T7K12G	1 TB 12G SAS 7.2K RPM SFF HDD	1,161.00	812.70
UCS-SD240G0KHY-EV	240GB 3.5 inch Enterprise Value 6G SATA SSD	1,574.00	1,101.80

UCS C220 M4 SFF Hard Drive or C220 M4 Drive

UCS-HDD300GI2F105	300GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	1,216.00	851.20
UCS-HDD300GI2F105=	300GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	1,216.00	851.20
UCS-HDD900GI2F106=	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
UCS-HD1T7KS2-E=	1TB SAS 7.2K RPM 2.5 inch HDD/hot plug/drive sled mounted	975.00	682.50
UCS-HD450G15KS2-E	450GB SAS 15K RPM SFF HDD	1,781.00	1,246.70
UCS-HD600G15KS2-E	600GB SAS 15K RPM SFF HDD	2,156.00	1,509.20
UCS-HD600G15KS2-E=	600GB SAS 15K RPM SFF HDD	2,156.00	1,509.20
UCS-HD450G15KS2-E=	450GB SAS 15K RPM SFF HDD	1,781.00	1,246.70
A03-D300GA2	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	589.00	412.30
A03-D300GA2=	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	589.00	412.30
A03-D1TBSATA	1TB 6Gb SATA 7.2K RPM SFF HDD/hot plug/drive sled mounted	974.00	681.80
A03-D600GA2	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,022.00	715.40
A03-D600GA2=	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,022.00	715.40
A03-D1TBSATA=	1TB 6Gb SATA 7.2K RPM SFF HDD/hot plug/drive sled mounted	974.00	681.80
UCS-HDD900GI2F106	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
UCS-HD1T7KS2-E	1TB SAS 7.2K RPM 2.5 inch HDD/hot plug/drive sled mounted	975.00	682.50
UCS-SD800G0KS2-EP=	800GB 2.5 inch Enterprise Performance SAS SSD	12,188.00	8,531.60
UCS-SD800G0KS2-EP	800GB 2.5 inch Enterprise Performance SAS SSD	12,188.00	8,531.60
UCS-SD400G0KS2-EP=	400GB 2.5 inch Enterprise Performance SAS SSD	5,623.00	3,936.10
UCS-SD400G0KS2-EP	400GB 2.5 inch Enterprise Performance SAS SSD	5,623.00	3,936.10
UCS-SD200G0KS2-EP=	200GB 2.5 inch Enterprise Performance SAS SSD	3,373.00	2,361.10
UCS-SD200G0KS2-EP	200GB 2.5 inch Enterprise Performance SAS SSD	3,373.00	2,361.10
UCS-SD16T12S2-EP=	1.6TB 2.5 inch Enterprise Performance 12G SAS SSD	19,999.00	13,999.30
UCS-SD16T12S2-EP	1.6TB 2.5 inch Enterprise Performance 12G SAS SSD	19,999.00	13,999.30
UCS-SD400G12S2-EP=	400GB 2.5 inch Enterprise performance 12G SAS SSD	6,299.00	4,409.30
UCS-SD400G12S2-EP	400GB 2.5 inch Enterprise performance 12G SAS SSD	6,299.00	4,409.30
UCS-SD120G0KS2-EV=	120 GB 2.5 inch Enterprise Value 6G SATA SSD	748.00	523.60
UCS-SD480G0KS2-EV	480 GB 2.5 inch Enterprise Value 6G SATA SSD	3,150.00	2,205.00
UCS-SD240G0KS2-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	1,574.00	1,101.80
UCS-SD120G0KS2-EV	120 GB 2.5 inch Enterprise Value 6G SATA SSD	748.00	523.60
UCS-SD240G0KS2-EV=	240GB 2.5 inch Enterprise Value 6G SATA SSD	1,574.00	1,101.80
UCS-SD480G0KS2-EV=	480 GB 2.5 inch Enterprise Value 6G SATA SSD	3,150.00	2,205.00
UCS-HD600G10KS4K	600GB 12G SAS 10K RPM SFF HDD (4K)	1,021.88	715.32
UCS-HD18TB10KS4K	1.8 TB 12G SAS 10K RPM SFF HDD (4K)	2,437.50	1,706.25
UCS-HD600G10KS4K=	600GB 12G SAS 10K RPM SFF HDD (4K)	1,021.88	715.32
UCS-SD960G0KS2-EV=	960 GB 2.5 inch Enterprise Value 6G SATA SSD	6,168.00	4,317.60
UCS-HD18TB10KS4K=	1.8 TB 12G SAS 10K RPM SFF HDD (4K)	2,437.50	1,706.25
UCS-SD400G0KHY-EP	400GB 3.5 inchHybridEnterprise performance 12G SAS SSD	6,299.00	4,409.30
UCS-SD400G0KHY-EP=	400GB 3.5 inchHybridEnterprise performance 12G SAS SSD	6,299.00	4,409.30
PI-UCS-H900GI2F106	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
UCS-HD4TBK9=	4TB SAS 7.2K RPM 3.5 inch SED HDD	1,754.00	1,227.80
UCS-HD4TBK9	4TB SAS 7.2K RPM 3.5 inch SED HDD	1,754.00	1,227.80
UCS-HD2T7K12G	2 TB 12G SAS 7.2K RPM SFF HDD	2,379.00	1,665.30
UCS-HD2T7K12G=	2 TB 12G SAS 7.2K RPM SFF HDD	2,379.00	1,665.30
UCS-HD12TB10K12G	1.2 TB 12G SAS 10K RPM SFF HDD	1,460.00	1,022.00
UCS-HD900G10K12G	900GB 12G SAS 10K RPM SFF HDD	1,367.00	956.90
UCS-HD600G10K12G	600GB 12G SAS 10K RPM SFF HDD	1,022.00	715.40
UCS-HD600G15K12G	600GB 12G SAS 15K RPM SFF HDD	2,117.00	1,481.90
UCS-HD450G15K12G	450GB 12G SAS 15K RPM SFF HDD	1,629.00	1,140.30
UCS-HD300G15K12G	300GB 12G SAS 15K RPM SFF HDD	1,123.00	786.10

UCS-HD8T7KL4K	8 TB 12G SAS 7.2K RPM LFF HDD (4K)	3,729.00	2,610.30
UCS-HD300G10K12G	300GB 12G SAS 10K RPM SFF HDD	591.00	413.70
UCS-SD38TBKS4-EV	3.8TB 2.5 inch Enterprise Value 6G SATA SSD	12,000.00	8,400.00
UCS-SD960GBKS4-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	4,167.00	2,916.90
UCS-SD16TBKS4-EV	1.6TB 2.5 inch Enterprise Value 6G SATA SSD	7,000.00	4,900.00
UCS-SD480GBKS4-EV	480 GB 2.5 inch Enterprise Value 6G SATA SSD	2,167.00	1,516.90
UCS-SD120GBKS4-EV	120 GB 2.5 inch Enterprise Value 6G SATA SSD	567.00	396.90
UCS-SD240GBKS4-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	917.00	641.90
UCS-SD800G12S4-EP	800GB 2.5 inch Ent. Performance 12G SAS SSD (10X endurance)	10,011.00	7,007.70
UCS-HD1T7K12G=	1 TB 12G SAS 7.2K RPM SFF HDD	1,161.00	812.70
UCS-HD1T7K12G	1 TB 12G SAS 7.2K RPM SFF HDD	1,161.00	812.70

UCS C220 M4 PCIe Card

UCSC-F-FIO-1000PS	UCS 1000GB Fusion ioMemory3 PX Performance line for Rack M4	21,351.00	14,945.70
UCSC-F-FIO-1300PS	UCS 1300GB Fusion ioMemory3 PX Performance line for Rack M4	25,932.00	18,152.40
UCSC-F-FIO-3200SS	UCS 3200GB Fusion ioMemory3SX Scale line for C-Series	39,743.00	27,820.10
UCSC-F-FIO-2600PS=	UCS 2600GB Fusion ioMemory3 PX Performance line for Rack M4	44,996.00	31,497.20
UCSC-F-FIO-1000PS=	UCS 1000GB Fusion ioMemory3 PX Performance line for Rack M4	21,351.00	14,945.70
UCSC-F-FIO-5200PS=	UCS 5200GB Fusion ioMemory3 PX Performance line for Rack M4	88,432.00	61,902.40
UCSC-F-FIO-1300PS=	UCS 1300GB Fusion ioMemory3 PX Performance line for Rack M4	25,932.00	18,152.40
UCSC-F-FIO-2600PS	UCS 2600GB Fusion ioMemory3 PX Performance line for Rack M4	44,996.00	31,497.20
UCSC-F-FIO-5200PS	UCS 5200GB Fusion ioMemory3 PX Performance line for Rack M4	88,432.00	61,902.40
UCSC-F-FIO-3200SS=	UCS 3200GB Fusion ioMemory3SX Scale line for C-Series	39,743.00	27,820.10
UCSC-F-FIO-6400SS=	UCS 6400GB Fusion ioMemory3 SX Scale line for C-Series	74,831.00	52,381.70
UCSC-F-FIO-6400SS	UCS 6400GB Fusion ioMemory3 SX Scale line for C-Series	74,831.00	52,381.70
UCSC-PCIE-QNICBT	Qlogic 10Gb NIC 10GbaseT 57840 iSCSI, TOE & SRIOV	1,678.00	1,174.60
UCSC-PCIE-QNICSF	Qlogic 10Gb NIC SFP+ 57840 iSCSI, TOE & SRIOV	1,163.00	814.10
UCSC-MLOM-C10T-02	Cisco UCS VIC1227T VIC MLOM - Dual Port 10GBaseT	1,772.00	1,240.40
UCSC-MLOM-CSC-02	Cisco UCS VIC1227 VIC MLOM - Dual Port 10Gb SFP+	1,499.00	1,049.30
UCSC-MLOM-CSC-02=	Cisco UCS VIC1227 VIC MLOM - Dual Port 10Gb SFP+	1,499.00	1,049.30
UCSC-MLOM-IRJ45	Intel i350 quad-port MLOM NIC	671.00	469.70
N2XX-AIPCI01=	Intel X520 Dual Port 10Gb SFP+ Adapter	1,873.00	1,311.10
N2XX-AIPCI01	Intel X520 Dual Port 10Gb SFP+ Adapter	1,873.00	1,311.10
N2XX-AQPCI05	Qlogic QLE2562 Dual Port 8Gb Fibre Channel HBA	3,467.00	2,426.90
N2XX-AEPCI05	Emulex LPe 12002 Dual Port 8Gb Fibre Channel HBA	3,467.00	2,426.90
N2XX-AEPCI05=	Emulex LPe 12002, 8Gb dual port Fibre Channel HBA	3,467.00	2,426.90
N2XX-AQPCI05=	Qlogic QLE2562 Dual Port 8Gb Fibre Channel HBA	3,467.00	2,426.90
UCSC-PCIE-CSC-02=	Cisco VIC 1225 Dual Port 10Gb SFP+ CNA	1,594.00	1,115.80
UCSC-PCIE-CSC-02	Cisco VIC 1225 Dual Port 10Gb SFP+ CNA	1,594.00	1,115.80
UCSC-PCIE-ITG	Intel X540 Dual Port 10GBase-T Adapter	1,873.00	1,311.10
UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	999.38	699.57
UCSC-PCIE-IRJ45=	Intel i350 Quad Port 1Gb Adapter	999.38	699.57
UCSC-PCIE-ITG=	Intel X540 Dual Port 10GBase-T Adapter	1,873.00	1,311.10
UCSC-PCIE-C10T-02=	Cisco VIC 1225T Dual Port 10GBaseT Adapter	1,873.00	1,311.10
UCSC-PCIE-C10T-02	Cisco VIC 1225T Dual Port 10GBaseT CNA	1,873.00	1,311.10
UCSC-PCIE-E14102=	Emulex OCe14102-UX dual-port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-PCIE-E14102	Emulex OCe14102-UX dual-port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-PCIE-Q2672=	Qlogic QLE2672-CSC, 16Gb Fibre Channel HBA with SR Optics	5,248.00	3,673.60
UCSC-PCIE-Q2672	Qlogic QLE2672-CSC, 16Gb Fibre Channel HBA with SR Optics	5,248.00	3,673.60
UCSC-PCIE-Q8362=	Qlogic QLE8362 dual-port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-PCIE-Q8362	Qlogic QLE8362 dual-port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-PCIE-E16002=	Emulex LPe16002-M6, 16Gb Fibre Channel HBA with SR Optics	3,373.00	2,361.10
UCSC-PCIE-E16002	Emulex LPe16002-M6, 16Gb Fibre Channel HBA with SR Optics	3,373.00	2,361.10
UCSC-MLOM-IRJ45=	Intel i350 quad-port MLOM NIC	671.00	469.70
UCSC-PCIE-C40Q-03=	Cisco VIC 1385 Dual Port 40Gb QSFP+ CNA w/RDMA	2,428.00	1,699.60
UCSC-PCIE-C40Q-03	Cisco VIC 1385 Dual Port 40Gb QSFP+ CNA w/RDMA	2,428.00	1,699.60
UCSC-MLOM-C10T-02=	Cisco UCS VIC1227T VIC MLOM - Dual Port 10GBaseT	1,772.00	1,240.40
UCSC-PCIE-E14102B	Emulex OCe14102B-UX dual-port 10G SFP+ with iSCSI, FCoE CNA	2,436.00	1,705.20
UCSC-BRCKT1-C420=	PCIe bracket for Cisco VIC 1225	40.00	28.00
UCSC-BRCKT1-C420	PCIe bracket for Cisco VIC 1225	40.00	28.00

UCS C220 M4 Power Supply

UCSC-PSU1-770W=	770W AC Hot-Plug Power Supply for 1U C-Series Rack Server	699.00	489.30
UCSC-PSU1-770W	770W AC Hot-Plug Power Supply for 1U C-Series Rack Server	699.00	489.30
PI-UCSC-PSU1-770W	770W AC Hot-Plug Power Supply for 1U C-Series Rack Server	699.00	489.30

UCS C220 M4 Processor

UCS-CPU-E52623D	3.00 GHz E5-2623 v3/105W 4C/10MB Cache/DDR4 1866MHz	1,435.00	1,004.50
UCS-CPU-E52699D	2.30 GHz E5-2699 v3/145W 18C/45MB Cache/DDR4 2133MHz	13,686.00	9,580.20
UCS-CPU-E52698D	2.30 GHz E5-2698 v3/135W 16C/40MB Cache/DDR4 2133MHz	10,691.00	7,483.70
UCS-CPU-E52699D=	2.30 GHz E5-2699 v3/145W 18C/45MB Cache/DDR4 2133MHz	13,686.00	9,580.20

UCS-CPU-E52623D=	3.00 GHz E5-2623 v3/105W 4C/10MB Cache/DDR4 1866MHz	1,435.00	1,004.50
UCS-CPU-E52698D=	2.30 GHz E5-2698 v3/135W 16C/40MB Cache/DDR4 2133MHz	10,691.00	7,483.70
UCS-CPU-E52697D	2.60 GHz E5-2697 v3/145W 14C/35MB Cache/DDR4 2133MHz	8,489.00	5,942.30
UCS-CPU-E52695D	2.30 GHz E5-2695 v3/120W 14C/35MB Cache/DDR4 2133MHz	7,334.00	5,133.80
UCS-CPU-E52690D	2.60 GHz E5-2690 v3/135W 12C/30MB Cache/DDR4 2133MHz	6,307.00	4,414.90
UCS-CPU-E52670D	2.30 GHz E5-2670 v3/120W 12C/30MB Cache/DDR4 2133MHz	4,767.00	3,336.90
UCS-CPU-E52667D	3.20 GHz E5-2667 v3/135W 8C/20MB Cache/DDR4 2133MHz	6,264.00	4,384.80
UCS-CPU-E52660D	2.60 GHz E5-2660 v3/105W 10C/25MB Cache/DDR4 2133MHz	4,145.00	2,901.50
UCS-CPU-E52683D	2.00 GHz E5-2683 v3/120W 14C/35MB Cache/DDR4 2133MHz	5,559.00	3,891.30
UCS-CPU-E52680D	2.50 GHz E5-2680 v3/120W 12C/30MB Cache/DDR4 2133MHz	5,259.00	3,681.30
UCS-CPU-E52609D	1.90 GHz E5-2609 v3/85W 6C/15MB Cache/DDR4 1600MHz	1,097.00	767.90
UCS-CPU-E52630D	2.40 GHz E5-2630 v3/85W 8C/20MB Cache/DDR4 1866MHz	2,116.00	1,481.20
UCS-CPU-E52650LD	1.80 GHz E5-2650L v3/65W 12C/30MB Cache/DDR4 2133MHz	3,997.00	2,797.90
UCS-CPU-E52620D	2.40 GHz E5-2620 v3/85W 6C/15MB Cache/DDR4 1866MHz	1,500.00	1,050.00
UCS-CPU-E52637D	3.50 GHz E5-2637 v3/135W 4C/15MB Cache/DDR4 2133MHz	3,161.00	2,212.70
UCS-CPU-E52643D	3.40 GHz E5-2643 v3/135W 6C/20MB Cache/DDR4 2133MHz	4,897.00	3,427.90
UCS-CPU-E52640D	2.60 GHz E5-2640 v3/90W 8C/20MB Cache/DDR4 1866MHz	2,842.00	1,989.40
UCS-CPU-E52630LD	1.80 GHz E5-2630L v3/55W 8C/20MB Cache/DDR4 1866MHz	1,923.00	1,346.10
UCS-CPU-E52697D=	2.60 GHz E5-2697 v3/145W 14C/35MB Cache/DDR4 2133MHz	8,489.00	5,942.30
UCS-CPU-E52695D=	2.30 GHz E5-2695 v3/120W 14C/35MB Cache/DDR4 2133MHz	7,334.00	5,133.80
UCS-CPU-E52680D=	2.50 GHz E5-2680 v3/120W 12C/30MB Cache/DDR4 2133MHz	5,259.00	3,681.30
UCS-CPU-E52683D=	2.00 GHz E5-2683 v3/120W 14C/35MB Cache/DDR4 2133MHz	5,559.00	3,891.30
UCS-CPU-E52690D=	2.60 GHz E5-2690 v3/135W 12C/30MB Cache/DDR4 2133MHz	6,307.00	4,414.90
UCS-CPU-E52658D=	2.20 GHz E5-2658 v3/105W 12C/30MB Cache/DDR4 2133MHz	5,345.00	3,741.50
UCS-CPU-E52670D=	2.30 GHz E5-2670 v3/120W 12C/30MB Cache/DDR4 2133MHz	4,767.00	3,336.90
UCS-CPU-E52658D	2.20 GHz E5-2658 v3/105W 12C/30MB Cache/DDR4 2133MHz	5,345.00	3,741.50
UCS-CPU-E52637D=	3.50 GHz E5-2637 v3/135W 4C/15MB Cache/DDR4 2133MHz	3,161.00	2,212.70
UCS-CPU-E52650D=	2.30 GHz E5-2650 v3/105W 10C/25MB Cache/DDR4 2133MHz	3,416.00	2,391.20
UCS-CPU-E52630D=	2.40 GHz E5-2630 v3/85W 8C/20MB Cache/DDR4 1866MHz	2,116.00	1,481.20
UCS-CPU-E52630LD=	1.80 GHz E5-2630L v3/55W 8C/20MB Cache/DDR4 1866MHz	1,923.00	1,346.10
UCS-CPU-E52643D=	3.40 GHz E5-2643 v3/135W 6C/20MB Cache/DDR4 2133MHz	4,897.00	3,427.90
UCS-CPU-E52650LD=	1.80 GHz E5-2650L v3/65W 12C/30MB Cache/DDR4 2133MHz	3,997.00	2,797.90
UCS-CPU-E52620D=	2.40 GHz E5-2620 v3/85W 6C/15MB Cache/DDR4 1866MHz	1,500.00	1,050.00
UCS-CPU-E52609D=	1.90 GHz E5-2609 v3/85W 6C/15MB Cache/DDR4 1600MHz	1,097.00	767.90
UCS-CPU-LPCVR=	Unpopulated CPU sockets-dust cover(M3/M4 except C22/C24/B22)	15.00	10.50
PI-UCS-CPU-E52650D	2.30 GHz E5-2650 v3/105W 10C/25MB Cache/DDR4 2133MHz	3,416.00	2,391.20
UCS-CPU-E52640D=	2.60 GHz E5-2640 v3/90W 8C/20MB Cache/DDR4 1866MHz	2,842.00	1,989.40
UCS-CPU-E52660D=	2.60 GHz E5-2660 v3/105W 10C/25MB Cache/DDR4 2133MHz	4,145.00	2,901.50

UCS C220 M4 Raid Controller

UCSC-SWRAID5=	Software Raid 5 upgrade key for embedded Raid	300.00	210.00
UCSC-SWRAID5	Software Raid 5 upgrade key for embedded Raid	300.00	210.00
UCSC-SAS9300-8E	Cisco 12G SAS HBA with 8 external ports	750.00	525.00
UCSC-MRAID12G	Cisco 12G SAS Modular Raid Controller	656.00	459.20
UCSC-SAS9300-8E=	Cisco 12G SAS HBA with 8 external ports	750.00	525.00
UCSC-MRAID12G-1GB=	Cisco 12Gbps SAS 1GB FBWC Cache module (Raid 0/1/5/6)	1,217.00	851.90
UCSC-MRAID12G-512=	Cisco 12Gbps SAS 512MB FBWC Cache module (Raid 0/1/5)	694.00	485.80
UCSC-MRAID12G=	Cisco 12G SAS Modular Raid Controller	656.00	459.20
UCSC-MRAID12G-4GB=	Cisco 12Gbps SAS 4GB FBWC Cache module (Raid 0/1/5/6)	1,967.00	1,376.90
UCSC-MRAID12G-2GB=	Cisco 12Gbps SAS 2GB FBWC Cache module (Raid 0/1/5/6)	1,405.00	983.50
UCSC-MRAID12G-2GB	Cisco 12Gbps SAS 2GB FBWC Cache module (Raid 0/1/5/6)	1,405.00	983.50
UCSC-MRAID12G-1GB	Cisco 12Gbps SAS 1GB FBWC Cache module (Raid 0/1/5/6)	1,217.00	851.90
UCSC-MRAID12G-4GB	Cisco 12Gbps SAS 4GB FBWC Cache module (Raid 0/1/5/6)	1,967.00	1,376.90
UCSC-MRAID12G-512	Cisco 12Gbps SAS 512MB FBWC Cache module (Raid 0/1/5)	694.00	485.80
PI-UCSC-MRD12G-1GB	Cisco 12Gbps SAS 1GB FBWC Cache module (Raid 0/1/5/6)	1,217.00	851.90
PI-UCSC-MRAID12G	Cisco 12G SAS Modular Raid Controller	656.00	459.20
UCSC-SAS12GHBA=	Cisco 12Gbps Modular SAS HBA	656.00	459.20

UCS C220 M4 SFF Base Rack Server

CUIC-XPODS-ENT-UP=	Cisco UCS Dir Upgrade from Small ExpressPod to Ent. Edition	40,000.00	28,000.00
UCSC-C220-M4S	UCS C220 M4 SFF w/o CPU, mem, HD, PCIe, PSU, rail kit	3,365.00	2,355.50
UCSC-C220-M4S=	UCS C220 M4 SFF w/o CPU, mem, HD, PCIe, PSU, rail kit	3,365.00	2,355.50
UCSC-10PK-C220M4S	MULTIPACK:10-PkC220 M4 SFF w/o CPU,mem,HD,PCI,PSU,railkit	3,365.00	2,355.50

UCS C220 M4 Other

UCSC-HS-C220M4	Heat sink for UCS C220 M4 rack servers	99.00	69.30
UCSC-RAILB-M4	Ball Bearing Rail Kit for C220 M4 and C240 M4 rack servers	220.00	154.00
UCSC-CMAF-M4	Reversible CMA for C220 M4 friction & ball bearing rail kits	85.00	59.50
UCSC-MLOM-BLK	MLOM Blanking Panel	58.00	40.60
UCSC-BZL-C220M4	C220 M4 Security Bezel	130.00	91.00
UCSC-RAILF-M4	Friction Rail Kit for C220 M4 rack servers	175.00	122.50

UCS-220CBLSR8	C220 M4 set of 2 SATA/SW RAID cables for 8HDD bckpln chassis	129.00	90.30
UCS-220CBLSR4	C220 M4 SATA/SW RAID cable (1) for 4 HDD backplane chassis	89.00	62.30
UCSC-MLOM-BLK=	MLOM Blanking Panel	58.00	40.60
UCSC-FAN-C220M4=	C220 M4 Fan Module (one)	199.00	139.30
UCSC-PCI-2B-220M4=	C220 M4 PCIe Riser 2 w/ PCIe SSD connector 8639	200.00	140.00
UCSC-CMAF-M4=	Reversible CMA for C220 M4 friction & ball bearing rail kits	85.00	59.50
UCSC-BZL-C220M4=	C220 M4 Security Bezel	153.00	107.10
UCSC-PCI-2C-220M4=	C220 M4 PCIe Riser 3 (HBA)	89.00	62.30
UCSC-PSU-BLKP1U=	Power Supply Blanking Panel for C220 M4 servers	58.00	40.60
UCSC-HS-C220M4=	Heat sink for UCS C220 M4 rack servers	99.00	69.30
UCSC-BAFF-C220M4=	C220 M4 Air Baffle, Plastic Kit	95.00	66.50
UCSC-RAILF-M4=	Friction Rail Kit for C220 M4 rack servers	175.00	122.50
UCSC-PSU-BLKP1U	Power Supply Blanking Panel for C220 M4 servers	58.00	40.60
UCS-220CBLMR8=	C220 M4 set of 2 RAID cntrlr cables for 8HDD bckpln chassis	149.00	104.30
UCSC-RAILB-M4=	Ball Bearing Rail Kit for C220 M4 and C240 M4 rack servers	220.00	154.00
UCSC-PCI-2A-220M4=	C220 M4 PCIe Riser 2	100.00	70.00
UCS-220CBLSR4=	C220 M4 SATA/SW RAID cable (1) for 4 HDD backplane chassis	89.00	62.30
UCS-220CBLSR8=	C220 M4 set of 2 SATA/SW RAID cables for 8HDD bckpln chassis	129.00	90.30
UCS-220CBLMR4=	C220 M4 RAID controller cable (1) for 4HDD bckpln chassis	89.00	62.30
UCSC-SCCBL220=	Supercap cable 950mm	59.00	41.30
UCSC-PSU-BLKP240	Power Supply Blanking Panel for C240 M4 servers	58.00	40.60
UCSX-TPM2-001	Trusted Platform Module 1.2 for UCS (SPI-based)	75.00	52.50
UCSX-TPM2-001=	Trusted Platform Module 1.2 for UCS (SPI-based)	75.00	52.50
UCSC-CMA-M4=	Reversible CMA for C240 M4 ball bearing rail kit	85.00	59.50
CUIC-PHY-SERV-U	Cisco UCS Director Resource Lic - One physical Server node	7,500.00	5,250.00
UCS-SD-64G-S	64GB SD Card for UCS Servers	364.00	254.80
UCS-SD-32G-S=	32GB SD Card for UCS servers	162.00	113.40
UCS-SD-32G-S	32GB SD Card for UCS servers	162.00	113.40
UCS-CPU-GREASE3=	Thermal Grease-covers 2 CPUs-M4 servers-White syringe	40.00	28.00
UCS-USBFLSHB-16GB	UCS Servers 16GB Flash USB Drive	200.00	140.00
UCS-USBFLSHB-16GB=	UCS Servers 16GB Flash USB Drive	200.00	140.00
PI-UCS-SD-32G-S	32GB SD Card for UCS servers	162.00	113.40
UCS-SD-64G-S=	64GB SD Card for UCS Servers	364.00	254.80
UCSC-SCCBL220	Supercap cable 950mm	59.00	41.30

UCS C220 M4 Bundles

UCS-SPM-C220M4-A1	UCS SPSelect C220M4S Adv1 w/2xE52680 v3,8x16GB,VIC1227 + C1	20,524.00	14,366.80
UCS-SPM-C220M4-A2	UCS SPSelect C220M4S Adv2 w/2xE52670 v3,8x16GB,VIC1227 + C1	19,710.00	13,797.00
UCS-SPM-C220M4-B1	UCS SPSelect C220M4S Bas1 w/2xE52609 v3,4x16GB,VIC1227 + C1	10,477.00	7,333.90
UCS-SPM-C220M4-S1	UCS SPSelect C220M4S Std1 w/2xE52630 v3,4x16GB,VIC1227 + C1	12,058.00	8,440.60
UCS-SPM-C220M4-S2	UCS SPSelect C220M4S Std2 w/2xE52620 v3,4x16GB,VIC1227 + C1	11,102.00	7,771.40

UCS C220 M4 SMARTnet Maintenance

CON-SNT-C220M4L	SNTC-8X5XNBD UCS C220 M4 LFF w/o CPU, mem, HD	331.00	331.00
CON-SNTP-C220M4L	SNTC-24X7X4 UCS C220 M4 LFF w/o CPU, mem, HD	449.00	449.00
CON-SNT-SMC220A1	SNTC-8X5XNBD UCS SP Select C220M4S Advanced1 w/2xE52680 v3,8	331.00	331.00
CON-SNT-SMC220A2	SNTC-8X5XNBD UCS SP Select C220M4S Advanced2 w/2xE52670 v3,8	331.00	331.00
CON-SNT-SMC220B1	SNTC-8X5XNBD UCS SP Select C220M4S Basic1 w/2xE52609 v3,4x16	331.00	331.00
CON-SNT-SMC220S1	SNTC-8X5XNBD UCS SP Select C220M4S Standard1 w/2xE52630 v3,4	331.00	331.00
CON-SNT-SMC220S2	SNTC-8X5XNBD UCS SP Select C220M4S Standard2 w/2xE52630 v3,4	331.00	331.00

Cisco UCS C240 M4 Rackmount Servers

The enterprise-class Cisco UCS C240 M4 server extends the capabilities of the Cisco UCS portfolio in a 2RU form factor. Based on the Intel® Xeon® processor E5-2600 v3 series, it delivers an outstanding combination of performance, flexibility, and efficiency. In addition, the Cisco UCS C240 M4 offers outstanding levels of internal memory and storage expandability with exceptional performance. It delivers:

- Up to 24 DDR4 DIMMs for improved performance and lower power consumption
- Up to 6 PCI Express (PCIe) 3.0 slots (4 full-height, full-length)
- Up to 24 small form factor (SFF) drives or 12 large form factor (LFF) drives, plus two (optional) internal SATA boot drives
- Support for 12-Gbps SAS drives
- A modular LAN-on-motherboard (mLOM) slot for installing a next-generation Cisco virtual interface card (VIC) or third-party network interface card (NIC) without consuming a PCIe slot
- 2 x 1 Gigabit Ethernet embedded LOM ports
- Supports up to two double-wide NVIDIA graphics processing units (GPUs), providing a graphics-rich experience to more virtual users
- Excellent reliability, availability, and serviceability (RAS) features with tool-free CPU insertion, easy-to-use latching lid, hot-swappable and hot-pluggable components, and redundant Cisco® Flexible Flash (FlexFlash) SD cards.

You can learn more about the Cisco UCS C240 M3 Rackmount Server on Cisco's website at the following URL:

<http://www.cisco.com/c/en/us/products/collateral/servers-unified-computing/ucs-c240-m4-rack-server/datasheet-c78-732455.html>

You can compare the different models of Cisco UCS servers and create custom builds at the following URL:

<http://buildprice.cisco.com>

For sales and account support, please contact one of Cisco's local account managers:

Mike Kling mikling@cisco.com 225-218-2010

<u>Cisco Product SKU</u>	<u>Description</u>	<u>USD List Price</u>	<u>EPL Price</u>
C240 M4 LFF Base Rack Server			
UCSC-C240-M4L	UCS C240 M4 LFF 12 HD w/o CPU,mem,HD,PCIe,PS,railkt w/expdr	3,425.00	2,397.50
UCSC-C240-M4L=	UCS C240 M4 LFF 12 HD w/o CPU,mem,HD,PCIe,PS,rail w/expdr	3,425.00	2,397.50
C240 M4 SFF Base Rack Server			
UCSC-C240-M4S2	UCS C240 M4 SFF 16 HD w/o CPU,mem,HD,PCIe,PS,railkt w/expndr	4,065.00	2,845.50
UCSC-C240-M4SX	UCS C240 M4 SFF 24 HD w/o CPU,mem,HD,PCIe,PS,railkt w/expndr	3,995.00	2,796.50
UCSC-C240-M4S	UCS C240 M4 SFF 8 HD w/o expdr,CPU,mem,HD,PCIe,PS,railkt	3,505.00	2,453.50
UCSC-C240-M4SX=	UCS C240 M4 SFF 24 HD w/o CPU,mem,HD,PCIe,PS,rail w/expndr	3,995.00	2,796.50

UCSC-C240-M4S=	UCS C240 M4 SFF 8 HD w/o expdr,CPU,mem,HD,PCIe,PS,railkt	3,505.00	2,453.50
UCSC-C240-M4S2=	UCS C240 M4 SFF 16 HD w/o CPU,mem,HD,PCIe,PS,rail w/expndr	4,065.00	2,845.50
CUIC-XPODS-UP=	Cisco UCS Director Upgrade - Small ExpressPod to Svr license	45,600.00	31,920.00

C240 M4 Other

UCSC-IP-PCH-240M4	Interposer board + cables for onboard PCH SATA 6G	200.00	140.00
UCSC-PCI-1C-240M4	Right PCI Riser Bd (Riser 1) 2onbd SATA bootdrvs+ 2PCI slts	148.00	103.60
UCSC-PCI-2-C240M4	Left PCIe Riser Board (Riser 2) for C240 M4	148.00	103.60
UCSC-PCI-1B-240M4	Right PCIe Riser Board (Riser 1) (3 x8) for 6 PCI slots	148.00	103.60
UCSC-IP-SSD-240M4	PCIe 8639 interposer board + cable for PCIe SSD (8&16 HD)	179.00	125.30
UCSC-CMA-M4	Reversible CMA for C240 M4 ball bearing rail kit	85.00	59.50
UCSC-HS-C240M4	Heat sink for UCS C240 M4 rack servers	99.00	69.30
UCSC-PCI-1B-240M4=	Right PCIe Riser Board (Riser 1) (3 x8) for 6 PCI slots	148.00	103.60
UCSC-HS-C240M4=	Heat sink for UCS C240 M4 rack servers	99.00	69.30
UCSC-PCI-1C-240M4=	Right PCI Riser Bd (Riser 1) 2onbd SATA bootdrvs+ 2PCI slts	148.00	103.60
UCSC-IP-PCH-240M4=	Interposer board + cables for onboard PCH SATA 6G	200.00	140.00
UCSC-BAFF-C240M4=	C240 M4 Air Baffle Replacement Kit	95.00	66.50
UCSC-PCI-2-C240M4=	Left PCIe Riser Board (Riser 2) for C240 M4	148.00	103.60
UCSC-PCI-1A-240M4=	Right PCIe Riser Board (Riser 1) (x8 + GPU) for C240 M4	148.00	103.60
UCSC-FAN-C240M4=	C240 M4 Fan Module (one)	199.00	139.30
UCSC-IP-SSD-240M4=	PCIe 8639 interposer board + cable for PCIe SSD (8&16 HD)	179.00	125.30
UCSC-CMA-M4=	Reversible CMA for C240 M4 ball bearing rail kit	85.00	59.50
UCS-240CBLMR16=	C240 M4 (2) RAID controller cables for 16 HD backplane	129.00	90.30
UCS-240CBLMR24=	C240 M4 (2) RAID controller cables for 24 HD backplane	129.00	90.30
UCS-240CBLMR12=	C240 M4 (2) RAID controller cables for 12 HD backplane	129.00	90.30
UCS-240CBLMR8=	C240 M4 (2) RAID controller cables for 8 HD backplane	129.00	90.30
UCSC-SCCBL240	Supercap cable 250mm	59.00	41.30
UCSC-PSU-BLKP240=	Power Supply Blanking Panel for C240 M4 servers	58.00	40.60
UCSC-IPSSD-240M4B	PCIe 8639 interposer board + cable for PCIe SSD (24 HD)	179.00	125.30
UCSC-PCIF-240M4=	C240 M4 PCIe Riser Blanking Panel	58.00	40.60
UCSC-PCIF-240M4	C240 M4 PCIe Riser Blanking Panel	58.00	40.60
UCSC-GPUCBL-240M4	C240 M4 GPU Power Cable	25.00	17.50
UCSC-GPUCBL-240M4=	C240 M4 GPU Power Cable	25.00	17.50
UCSX-TPM2-001	Trusted Platform Module 1.2 for UCS (SPI-based)	75.00	52.50
UCSX-TPM2-001=	Trusted Platform Module 1.2 for UCS (SPI-based)	75.00	52.50
UCSC-RAILB-M4	Ball Bearing Rail Kit for C220 M4 and C240 M4 rack servers	220.00	154.00
UCSC-RAILB-M4=	Ball Bearing Rail Kit for C220 M4 and C240 M4 rack servers	220.00	154.00
UCSC-IPSSD-240M4B=	PCIe 8639 interposer board + cable for PCIe SSD (24 HD)	179.00	125.30
CUIC-PHY-SERV-U	Cisco UCS Director Resource Lic - One physical Server node	7,500.00	5,250.00
UCS-SD-64G-S	64GB SD Card for UCS Servers	364.00	254.80
UCS-SD-64G-S=	64GB SD Card for UCS Servers	364.00	254.80
UCSC-MLOM-BLK	MLOM Blanking Panel	58.00	40.60
UCSC-MLOM-BLK=	MLOM Blanking Panel	58.00	40.60
UCS-SD-32G-S=	32GB SD Card for UCS servers	162.00	113.40
UCS-SD-32G-S	32GB SD Card for UCS servers	162.00	113.40
UCS-CPU-GREASE3=	Thermal Grease-covers 2 CPUs-M4 servers-White syringe	40.00	28.00
UCS-USBFLSHB-16GB	UCS Servers 16GB Flash USB Drive	200.00	140.00
UCS-USBFLSHB-16GB=	UCS Servers 16GB Flash USB Drive	200.00	140.00

C240 M4 Memory

UCS-MR-1X162RU-A=	16GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	861.00	602.70
UCS-ML-1X324RU-A=	32GB DDR4-2133-MHz LRDIMM/PC4-17000/quad rank/x4/1.2v	2,248.00	1,573.60
UCS-ML-1X324RU-A	32GB DDR4-2133-MHz LRDIMM/PC4-17000/quad rank/x4/1.2v	2,248.00	1,573.60
UCS-MR-1X162RU-A	16GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	861.00	602.70
UCS-MR-1X081RU-A	8GB DDR4-2133-MHz RDIMM/PC4-17000/single rank/x4/1.2v	528.00	369.60
UCS-MR-1X081RU-A=	8GB DDR4-2133-MHz RDIMM/PC4-17000/single rank/x4/1.2v	528.00	369.60
UCS-MR-1X648RU-A	64GB DDR4-2133-MHz TSV-RDIMM/PC4-17000/octal rank/x8/1.2v	12,300.00	8,610.00

C240 M4 LFF Hard Drive or C240 M4 Drive

UCS-HDD1T12F212	1TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	730.00	511.00
UCS-HDD1T12F212=	1TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	730.00	511.00
UCS-HDD2T12F213	2TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	1,199.00	839.30

UCS-HDD2T12F213=	2TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	1,199.00	839.30
UCS-HDD3T12F214	3TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted	1,648.00	1,153.60
UCS-HDD3T12F214=	3TB SAS 7.2K RPM 3.5 inch HDD/hot plug/drive sled mounted[sp	1,648.00	1,153.60

C240 M4 SFF Hard Drive or C240 M4 Drive

UCS-HDD300GI2F105	300GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	1,216.00	851.20
UCS-HDD300GI2F105=	300GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	1,216.00	851.20
UCS-HDD900GI2F106=	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
UCS-HD1T7KS2-E=	1TB SAS 7.2K RPM 2.5 inch HDD/hot plug/drive sled mounted	975.00	682.50
UCS-HD450G15KS2-E	450GB SAS 15K RPM SFF HDD	1,781.00	1,246.70
UCS-HD600G15KS2-E	600GB SAS 15K RPM SFF HDD	2,156.00	1,509.20
UCS-HD600G15KS2-E=	600GB SAS 15K RPM SFF HDD	2,156.00	1,509.20
UCS-HD450G15KS2-E=	450GB SAS 15K RPM SFF HDD	1,781.00	1,246.70
A03-D300GA2	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	589.00	412.30
A03-D300GA2=	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	589.00	412.30
A03-D1TBSATA	1TB 6Gb SATA 7.2K RPM SFF HDD/hot plug/drive sled mounted	974.00	681.80
A03-D600GA2	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,022.00	715.40
A03-D600GA2=	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,022.00	715.40
A03-D1TBSATA=	1TB 6Gb SATA 7.2K RPM SFF HDD/hot plug/drive sled mounted	974.00	681.80
UCS-HDD900GI2F106	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
UCS-HD1T7KS2-E	1TB SAS 7.2K RPM 2.5 inch HDD/hot plug/drive sled mounted	975.00	682.50
UCS-SD16T12S2-EP=	1.6TB2.5 inch Enterprise performance 12G SAS SSD	29,000.00	20,300.00
UCS-SD16T12S2-EP	1.6TB2.5 inch Enterprise performance 12G SAS SSD	29,000.00	20,300.00
UCS-SD400G12S2-EP=	400GB 2.5 inch Enterprise performance 12G SAS SSD	7,700.00	5,390.00
UCS-SD400G12S2-EP	400GB 2.5 inch Enterprise performance 12G SAS SSD	7,700.00	5,390.00
UCS-SD120G0KS2-EV=	120 GB 2.5 inch Enterprise Value 6G SATA SSD	748.00	523.60
UCS-SD480G0KS2-EV	480 GB 2.5 inch Enterprise Value 6G SATA SSD	3,150.00	2,205.00
UCS-SD240G0KS2-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	1,574.00	1,101.80
UCS-SD120G0KS2-EV	120 GB 2.5 inch Enterprise Value 6G SATA SSD	748.00	523.60
UCS-SD240G0KS2-EV=	240GB 2.5 inch Enterprise Value 6G SATA SSD	1,574.00	1,101.80
UCS-SD480G0KS2-EV=	480 GB 2.5 inch Enterprise Value 6G SATA SSD	3,150.00	2,205.00
UCS-SD120G0KSB-EV	120 GB 2.5 inch Enterprise Value 6G SATA SSD (BOOT)	748.00	523.60
UCS-SD480G0KSB-EV	480 GB 2.5 inch Enterprise Value 6G SATA SSD (BOOT)	3,150.00	2,205.00
UCS-SD120G0KSB-EV=	120 GB 2.5 inch Enterprise Value 6G SATA SSD (BOOT)	748.00	523.60
UCS-SD960G0KS2-EV=	960 GB 2.5 inch Enterprise Value 6G SATA SSD	6,168.00	4,317.60
UCS-SD480G0KSB-EV=	480 GB 2.5 inch Enterprise Value 6G SATA SSD (BOOT)	3,150.00	2,205.00
UCS-SD960G0KSB-EV	960 GB 2.5 inch Enterprise Value 6G SATA SSD (BOOT)	6,168.00	4,317.60
UCS-SD960G0KSB-EV=	960 GB 2.5 inch Enterprise Value 6G SATA SSD (BOOT)	6,168.00	4,317.60

C240 M4 PCIe Card

UCSC-F-FIO-1000PS	UCS 1000GB Fusion ioMemory3 PX Performance line for Rack M4	27,400.00	19,180.00
UCSC-F-FIO-1300PS	UCS 1300GB Fusion ioMemory3 PX Performance line for Rack M4	32,140.00	22,498.00
UCSC-F-FIO-3200SS	UCS 3200GB Fusion ioMemory3SX Scale line for C-Series	49,200.00	34,440.00
UCSC-F-FIO-2600PS=	UCS 2600GB Fusion ioMemory3 PX Performance line for Rack M4	58,030.00	40,621.00
UCSC-F-FIO-1000PS=	UCS 1000GB Fusion ioMemory3 PX Performance line for Rack M4	27,400.00	19,180.00
UCSC-F-FIO-5200PS=	UCS 5200GB Fusion ioMemory3 PX Performance line for Rack M4	114,390.00	80,073.00
UCSC-F-FIO-1300PS=	UCS 1300GB Fusion ioMemory3 PX Performance line for Rack M4	32,140.00	22,498.00
UCSC-F-FIO-2600PS	UCS 2600GB Fusion ioMemory3 PX Performance line for Rack M4	58,030.00	40,621.00
UCSC-F-FIO-5200PS	UCS 5200GB Fusion ioMemory3 PX Performance line for Rack M4	114,390.00	80,073.00
UCSC-F-FIO-3200SS=	UCS 3200GB Fusion ioMemory3SX Scale line for C-Series	49,200.00	34,440.00
UCSC-F-FIO-6400SS=	UCS 6400GB Fusion ioMemory3 SX Scale line for C-Series	94,100.00	65,870.00
UCSC-F-FIO-6400SS	UCS 6400GB Fusion ioMemory3 SX Scale line for C-Series	94,100.00	65,870.00
UCSC-MLOM-CSC-02	Cisco UCS VIC1227 VIC MLOM - Dual Port 10Gb SFP+	1,499.00	1,049.30
UCSC-MLOM-CSC-02=	Cisco UCS VIC1227 VIC MLOM - Dual Port 10Gb SFP+	1,499.00	1,049.30
UCSC-MLOM-IRJ45	Intel i350 MLOM NIC	671.00	469.70
N2XX-AIPCI01=	Intel X520 Dual Port 10Gb SFP+ Adapter	1,873.00	1,311.10
N2XX-AIPCI01	Intel X520 Dual Port 10Gb SFP+ Adapter	1,873.00	1,311.10
N2XX-AQPCI05	Qlogic QLE2562 Dual Port 8Gb Fibre Channel HBA	3,467.00	2,426.90
N2XX-AEPCI05	Emulex LPe 12002 Dual Port 8Gb Fibre Channel HBA	3,467.00	2,426.90
N2XX-AEPCI05=	Emulex LPe 12002, 8Gb dual port Fibre Channel HBA	3,467.00	2,426.90

N2XX-AQPCI05=	Qlogic QLE2562 Dual Port 8Gb Fibre Channel HBA	3,467.00	2,426.90
UCSC-PCIE-CSC-02=	Cisco VIC 1225 Dual Port 10Gb SFP+ CNA	1,594.00	1,115.80
UCSC-PCIE-CSC-02	Cisco VIC 1225 Dual Port 10Gb SFP+ CNA	1,594.00	1,115.80
UCSC-PCIE-ITG	Intel X540 Dual Port 10GBase-T Adapter	1,873.00	1,311.10
UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	999.38	699.57
UCSC-PCIE-IRJ45=	Intel i350 Quad Port 1Gb Adapter	999.38	699.57
UCSC-PCIE-ITG=	Intel X540 Dual Port 10GBase-T Adapter	1,873.00	1,311.10
UCSC-PCIE-C10T-02=	Cisco VIC 1225T Dual Port 10GBaseT Adapter	1,873.00	1,311.10
UCSC-PCIE-C10T-02	Cisco VIC 1225T Dual Port 10GBaseT CNA	1,873.00	1,311.10
UCSC-PCIE-E14102=	Emulex OCe14102-UX dual-port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-PCIE-E14102	Emulex OCe14102-UX dual-port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-PCIE-Q2672=	Qlogic QLE2672-CSC, 16Gb Fibre Channel HBA with SR Optics	5,248.00	3,673.60
UCSC-PCIE-Q2672	Qlogic QLE2672-CSC, 16Gb Fibre Channel HBA with SR Optics	5,248.00	3,673.60
UCSC-PCIE-Q8362=	Qlogic QLE8362 dual-port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-PCIE-Q8362	Qlogic QLE8362 dual-port 10 GbE FCoE CNA	2,436.00	1,705.20
UCSC-PCIE-E16002=	Emulex LPe16002-M6, 16Gb Fibre Channel HBA with SR Optics	5,248.00	3,673.60
UCSC-PCIE-E16002	Emulex LPe16002-M6, 16Gb Fibre Channel HBA with SR Optics	5,248.00	3,673.60
UCSC-MLOM-IRJ45=	Intel i350 MLOM NIC	671.00	469.70
UCSC-GPU-VGXX1	NVIDIA GRID K1	7,031.00	4,921.70
UCSC-GPU-VGXX2=	NVIDIA GRID K2	12,469.00	8,728.30
UCSC-GPU-VGXX2	NVIDIA GRID K2	12,469.00	8,728.30
UCSC-GPU-VGXX1=	NVIDIA GRID K1	7,031.00	4,921.70
UCSC-GPU-K40=	NVIDIA K40	19,500.00	13,650.00
UCSC-GPU-K40	NVIDIA K40	19,500.00	13,650.00

C240 M4 Power Supply

UCSC-PSU2V2-1200W	1200W V2 AC Power Supply for 2U C-Series Servers	749.00	524.30
UCSC-PSU2V2-650W=	650W V2 AC Power Supply for 2U C-Series Servers	632.00	442.40
UCSC-PSU2V2-650W	650W V2 AC Power Supply for 2U C-Series Servers	632.00	442.40
UCSC-PSU2V2-1200W=	1200W V2 AC Power Supply for 2U C-Series Servers	749.00	524.30
UCSC-PSU2-1400W	1400W AC Power Supply for 2U & 4U C Series Servers	800.00	560.00
UCSC-PSU2-1400W=	1400W AC Power Supply for 2U & 4U C Series Servers	800.00	560.00

C240 M4 Processor

UCS-CPU-E52623D	3.00 GHz E5-2623 v3/105W 4C/10MB Cache/DDR4 1866MHz	1,435.00	1,004.50
UCS-CPU-E52699D	2.30 GHz E5-2699 v3/145W 18C/45MB Cache/DDR4 2133MHz	13,686.00	9,580.20
UCS-CPU-E52698D	2.30 GHz E5-2698 v3/135W 16C/40MB Cache/DDR4 2133MHz	10,691.00	7,483.70
UCS-CPU-E52699D=	2.30 GHz E5-2699 v3/145W 18C/45MB Cache/DDR4 2133MHz	13,686.00	9,580.20
UCS-CPU-E52623DC=	3.00 GHz E5-2623 v3/105W 4C/10MB Cache/DDR4 1866MHz	1,435.00	1,004.50
UCS-CPU-E52623D=	3.00 GHz E5-2623 v3/105W 4C/10MB Cache/DDR4 1866MHz	1,435.00	1,004.50
UCS-CPU-E52698DC=	2.30 GHz E5-2698 v3/135W 16C/40MB Cache/DDR4 2133MHz	10,691.00	7,483.70
UCS-CPU-E52698D=	2.30 GHz E5-2698 v3/135W 16C/40MB Cache/DDR4 2133MHz	10,691.00	7,483.70
UCS-CPU-E52699DC=	2.30 GHz E5-2699 v3/145W 18C/45MB Cache/DDR4 2133MHz	13,686.00	9,580.20
UCS-CPU-E52697D	2.60 GHz E5-2697 v3/145W 14C/35MB Cache/DDR4 2133MHz	8,489.00	5,942.30
UCS-CPU-E52695D	2.30 GHz E5-2695 v3/120W 14C/35MB Cache/DDR4 2133MHz	7,334.00	5,133.80
UCS-CPU-E52690D	2.60 GHz E5-2690 v3/135W 12C/30MB Cache/DDR4 2133MHz	6,307.00	4,414.90
UCS-CPU-E52670D	2.30 GHz E5-2670 v3/120W 12C/30MB Cache/DDR4 2133MHz	4,767.00	3,336.90
UCS-CPU-E52650D	2.30 GHz E5-2650 v3/105W 10C/25MB Cache/DDR4 2133MHz	3,416.00	2,391.20
UCS-CPU-E52667D	3.20 GHz E5-2667 v3/135W 8C/20MB Cache/DDR4 2133MHz	6,264.00	4,384.80
UCS-CPU-E52660D	2.60 GHz E5-2660 v3/105W 10C/25MB Cache/DDR4 2133MHz	4,145.00	2,901.50
UCS-CPU-E52683D	2.00 GHz E5-2683 v3/120W 14C/35MB Cache/DDR4 2133MHz	5,559.00	3,891.30
UCS-CPU-E52680D	2.50 GHz E5-2680 v3/120W 12C/30MB Cache/DDR4 2133MHz	5,259.00	3,681.30
UCS-CPU-E52609D	1.90 GHz E5-2609 v3/85W 6C/15MB Cache/DDR4 1600MHz	1,097.00	767.90

UCS-CPU-E52630D	2.40 GHz E5-2630 v3/85W 8C/20MB Cache/DDR4 1866MHz	2,116.00	1,481.20
UCS-CPU-E52650LD	1.80 GHz E5-2650L v3/65W 12C/30MB Cache/DDR4 2133MHz	3,997.00	2,797.90
UCS-CPU-E52620D	2.40 GHz E5-2620 v3/85W 6C/15MB Cache/DDR4 1866MHz	1,500.00	1,050.00
UCS-CPU-E52637D	3.50 GHz E5-2637 v3/135W 4C/15MB Cache/DDR4 2133MHz	3,161.00	2,212.70
UCS-CPU-E52643D	3.40 GHz E5-2643 v3/135W 6C/20MB Cache/DDR4 2133MHz	4,897.00	3,427.90
UCS-CPU-E52640D	2.60 GHz E5-2640 v3/90W 8C/20MB Cache/DDR4 1866MHz	2,842.00	1,989.40
UCS-CPU-E52630LD	1.80 GHz E5-2630L v3/55W 8C/20MB Cache/DDR4 1866MHz	1,923.00	1,346.10
UCS-CPU-E52697D=	2.60 GHz E5-2697 v3/145W 14C/35MB Cache/DDR4 2133MHz	8,489.00	5,942.30
UCS-CPU-E52697DC=	2.60 GHz E5-2697 v3/145W 14C/35MB Cache/DDR4 2133MHz	8,489.00	5,942.30
UCS-CPU-E52695DC=	2.30 GHz E5-2695 v3/120W 14C/35MB Cache/DDR4 2133MHz	7,334.00	5,133.80
UCS-CPU-E52695D=	2.30 GHz E5-2695 v3/120W 14C/35MB Cache/DDR4 2133MHz	7,334.00	5,133.80
UCS-CPU-E52680D=	2.50 GHz E5-2680 v3/120W 12C/30MB Cache/DDR4 2133MHz	5,259.00	3,681.30
UCS-CPU-E52683DC=	2.00 GHz E5-2683 v3/120W 14C/35MB Cache/DDR4 2133MHz	5,559.00	3,891.30
UCS-CPU-E52683D=	2.00 GHz E5-2683 v3/120W 14C/35MB Cache/DDR4 2133MHz	5,559.00	3,891.30
UCS-CPU-E52690D=	2.60 GHz E5-2690 v3/135W 12C/30MB Cache/DDR4 2133MHz	6,307.00	4,414.90
UCS-CPU-E52690DC=	2.60 GHz E5-2690 v3/135W 12C/30MB Cache/DDR4 2133MHz	6,307.00	4,414.90
UCS-CPU-E52670D=	2.30 GHz E5-2670 v3/120W 12C/30MB Cache/DDR4 2133MHz	4,767.00	3,336.90
UCS-CPU-E52660D=	2.60 GHz E5-2660 v3/105W 10C/25MB Cache/DDR4 2133MHz	4,145.00	2,901.50
UCS-CPU-E52667DC=	3.20 GHz E5-2667 v3/135W 8C/20MB Cache/DDR4 2133MHz	6,264.00	4,384.80
UCS-CPU-E52660DC=	2.60 GHz E5-2660 v3/105W 10C/25MB Cache/DDR4 2133MHz	4,145.00	2,901.50
UCS-CPU-E52650DC=	2.30 GHz E5-2650 v3/105W 10C/25MB Cache/DDR4 2133MHz	3,416.00	2,391.20
UCS-CPU-E52637D=	3.50 GHz E5-2637 v3/135W 4C/15MB Cache/DDR4 2133MHz	3,161.00	2,212.70
UCS-CPU-E52630LDC=	1.80 GHz E5-2630L v3/55W 8C/20MB Cache/DDR4 1866MHz	1,923.00	1,346.10
UCS-CPU-E52650D=	2.30 GHz E5-2650 v3/105W 10C/25MB Cache/DDR4 2133MHz	3,416.00	2,391.20
UCS-CPU-E52630D=	2.40 GHz E5-2630 v3/85W 8C/20MB Cache/DDR4 1866MHz	2,116.00	1,481.20
UCS-CPU-E52640DC=	2.60 GHz E5-2640 v3/90W 8C/20MB Cache/DDR4 1866MHz	2,842.00	1,989.40
UCS-CPU-E52637DC=	3.50 GHz E5-2637 v3/135W 4C/15MB Cache/DDR4 2133MHz	3,161.00	2,212.70
UCS-CPU-E52630LD=	1.80 GHz E5-2630L v3/55W 8C/20MB Cache/DDR4 1866MHz	1,923.00	1,346.10
UCS-CPU-E52640D=	2.60 GHz E5-2640 v3/90W 8C/20MB Cache/DDR4 1866MHz	2,842.00	1,989.40
UCS-CPU-E52643D=	3.40 GHz E5-2643 v3/135W 6C/20MB Cache/DDR4 2133MHz	4,897.00	3,427.90
UCS-CPU-E52643DC=	3.40 GHz E5-2643 v3/135W 6C/20MB Cache/DDR4 2133MHz	4,897.00	3,427.90
UCS-CPU-E52650LD=	1.80 GHz E5-2650L v3/65W 12C/30MB Cache/DDR4 2133MHz	3,997.00	2,797.90
UCS-CPU-E52620D=	2.40 GHz E5-2620 v3/85W 6C/15MB Cache/DDR4 1866MHz	1,500.00	1,050.00
UCS-CPU-E52620DC=	2.40 GHz E5-2620 v3/85W 6C/15MB Cache/DDR4 1866MHz	1,500.00	1,050.00
UCS-CPU-E52609D=	1.90 GHz E5-2609 v3/85W 6C/15MB Cache/DDR4 1600MHz	1,097.00	767.90
UCS-CPU-E52609DC=	1.90 GHz E5-2609 v3/85W 6C/15MB Cache/DDR4 1600MHz	1,097.00	767.90
UCS-CPU-E52650LDC=	1.80 GHz E5-2650L v3/65W 12C/30MB Cache/DDR4 2133MHz	3,997.00	2,797.90
UCS-CPU-E52670DC=	2.30 GHz E5-2670 v3/120W 12C/30MB Cache/DDR4 2133MHz	4,767.00	3,336.90
UCS-CPU-E52630DC=	2.40 GHz E5-2630 v3/85W 8C/20MB Cache/DDR4 1866MHz	2,116.00	1,481.20
UCS-CPU-E52680DC=	2.50 GHz E5-2680 v3/120W 12C/30MB Cache/DDR4 2133MHz	5,259.00	3,681.30

C240 M4 Raid Controller

UCSC-SWRAID5=	Software Raid 5 upgrade key for embedded Raid	300.00	210.00
UCSC-SWRAID5	Software Raid 5 upgrade key for embedded Raid	300.00	210.00
UCSC-SAS9300-8E	Cisco 12G SAS HBA with 8 external ports	750.00	525.00
UCSC-MRAID12G	Cisco 12G SAS Modular Raid Controller	656.00	459.20
UCSC-SAS9300-8E=	Cisco 12G SAS HBA with 8 external ports	750.00	525.00
UCSC-MRAID12G-1GB=	Cisco 12Gbps SAS 1GB FBWC Cache module (Raid 0/1/5/6)	1,217.00	851.90
UCSC-MRAID12G=	Cisco 12G SAS Modular Raid Controller	656.00	459.20
UCSC-MRAID12G-4GB=	Cisco 12Gbps SAS 4GB FBWC Cache module (Raid 0/1/5/6)	1,967.00	1,376.90
UCSC-MRAID12G-2GB=	Cisco 12Gbps SAS 2GB FBWC Cache module (Raid 0/1/5/6)	1,405.00	983.50
UCSC-MRAID12G-2GB	Cisco 12Gbps SAS 2GB FBWC Cache module (Raid 0/1/5/6)	1,405.00	983.50
UCSC-MRAID12G-1GB	Cisco 12Gbps SAS 1GB FBWC Cache module (Raid 0/1/5/6)	1,217.00	851.90
UCSC-MRAID12G-4GB	Cisco 12Gbps SAS 4GB FBWC Cache module (Raid 0/1/5/6)	1,967.00	1,376.90

C240 M4 Smartnet

CON-SNT-C240M4L	SMARTNET 8X5XNBD UCS C240 M4 LFF 12 HD w/o CPU,mem	404.00	404.00
CON-SNTP-C240M4L	SMARTNET 24X7X4 UCS C240 M4 LFF 12 HD w/o CPU,mem	609.00	609.00
CON-SNT-C240M4S	SMARTNET 8X5XNBD UCS C240 M4 SFF 8 HD w/o expdr,CPU,mem	404.00	404.00
CON-SNTP-C240M4S	SMARTNET 24X7X4 UCS C240 M4 SFF 12 HD w/o CPU,mem	609.00	609.00
CON-SNT-C240M4S2	SMARTNET 8X5XNBD UCS C240 M4 SFF 16 HD w/o CPU,mem,HD	404.00	404.00
CON-SNTP-C240M4S2	SMARTNET 24X7X4 UCS C240 M4 SFF 16 HD w/o CPU,mem,HD	609.00	609.00
CON-SNT-C240M4SX	SMARTNET 8X5XNBD UCS C240 M4 SFF 24 HD w/o CPU,mem	404.00	404.00
CON-SNTP-C240M4SX	SMARTNET 24X7X4 UCS C240 M4 SFF 24 HD w/o CPU,mem	609.00	609.00

C240 M4 Bundles

UCS-SP8-C220M4-E	UCS SP8 C220M4S ENTRY 2x6248,4xC220 w/E52609 v3, 64GB	56,200.00	39,340.00
UCS-VDI-C240M4-K1	UCS VDI C240 M4 SX w/,2xE52667 v3,256GB mem,GPU K1,VIC1227	44,700.00	31,290.00
UCS-VDI-C240M4-K2	UCS VDI C240 M4 SX w/,2xE52667 v3,256GB mem,GPU K2,VIC1227	51,900.00	36,330.00
UCS-SPM-C240M4-A1	UCS SPSelect C240M4SX Adv1 w/2xE52680v3,8x32GB,VIC1227 + C1	27,628.00	19,339.60
UCS-SPM-C240M4-A2	UCS SPSelect C240M4SX Adv2 w/2xE52670v3,8x32GB,VIC1227 + C1	26,814.00	18,769.80

UCS-SPM-C240M4-F1	UCS SPSelect C240M4SX Freq1w/2xE52643v3,8x32GB,VIC1227 + C1	26,124.00	18,286.80
UCS-SPM-C240M4-F2	UCS SPSelect C240M4SX Freq2w/2xE52637v3,8x32GB,VIC1227 + C1	23,342.00	16,339.40
UCS-SPM-C240M4L-F1	UCS SPSelect C240M4L Freq1 w/2xE52643v3,8x32GB,VIC1227 + C1	25,667.00	17,966.90
UCS-SPM-C240M4L-F2	UCS SPSelect C240M4L Freq2 w/2xE52637v3,8x32GB,VIC1227 + C1	22,885.00	16,019.50
UCS-SPM-C240M4L-S1	UCS SPSelect C240M4L Std1 w/2xE52630 v3,8x16GB,VIC1227 + C1	14,741.00	10,318.70
UCS-SPM-C240M4L-S2	UCS SPSelect C240M4L Std2 w/2xE52620 v3,8x16GB,VIC1227 + C1	13,785.00	9,649.50
UCS-SPM-C240M4-S1	UCS SPSelect C240M4SX Std1 w/2xE52630v3,8x16GB,VIC1227 + C1	15,183.00	10,628.10
UCS-SPM-C240M4-S2	UCS SPSelect C240M4SX Std2 w/2xE52620v3,8x16GB,VIC1227 + C1	14,227.00	9,958.90

UCS C240 M4 SMARTnet Maintenance

CON-SNT-C240M4L	SNTC-8X5XNBD UCS C240 M4 LFF 12 HD w/o CPU,mem	424.00	424.00
CON-SNT-C240V4K1	SNTC-8X5XNBUDUCS C240 M4S VDI K1 Server	424.00	424.00
CON-SNT-C240V4K2	SNTC-8X5XNBUDUCS C240 M4S VDI K2 Server	424.00	424.00
CON-SNT-SMC240A1	SNTC-8X5XNBD, UCS SP Select C240M4SX Advanced1 w/2xE5268	424.00	424.00
CON-SNT-SMC240A2	SNTC-8X5XNBD, UCS SP Select C240M4SX Advanced2 w/2xE5267	424.00	424.00
CON-SNT-SMC240F1	SNTC-8X5XNBD, UCS SP Select C240M4SX Frequency1w/2xE5264	424.00	424.00
CON-SNT-SMC240F2	SNTC-8X5XNBD, UCS SP Select C240M4SX Frequency2w/2xE5264	424.00	424.00
CON-SNT-SMC24LF1	SNTC-8X5XNBD, UCS SP Select C240M4L Frequency1 w/2xE5264	424.00	424.00
CON-SNT-SMC24LF2	SNTC-8X5XNBD, UCS SP Select C240M4L Frequency2 w/2xE5264	424.00	424.00
CON-SNT-SMC24LS1	SNTC-8X5XNBD, UCS SP Select C240M4L Standard1 w/2xE52630	424.00	424.00
CON-SNT-SMC24LS2	SNTC-8X5XNBD, UCS SP Select C240M4L Standard2 w/2xE52630	424.00	424.00
CON-SNT-SMC240S1	SNTC-8X5XNBD, UCS SP Select C240M4SX Standard1 w/2xE5263	424.00	424.00
CON-SNT-SMC240S2	SNTC-8X5XNBD, UCS SP Select C240M4SX Standard2 w/2xE5263	424.00	424.00
C1F2PUCSK9-UCS-SPM	UCS SP Cisco ONE Foundation Perpetual UCS 1-9	1,282.00	1,282.00
CON-ECMU-C1F2PUCS	SWSS UPGRADES C1 Foundation Perpetual UCS	336.00	336.00

Cisco UCS C460 M4 Rackmount Servers

The Cisco UCS C460 M4 Rack Server offers exceptionally high performance and reliability to power the most compute- and memory-intensive,

You can learn more about the Cisco UCS C460 M4 Rackmount Server on Cisco's website at the following URL:
<http://www.cisco.com/c/en/us/products/servers-unified-computing/ucs-c460-m4-rack-server/index.html>

You can compare the different models of Cisco UCS servers and create custom builds at the following URL:
<http://buildprice.cisco.com>

For sales and account support, please contact one of Cisco's local account managers:

Mike Kling mikling@cisco.com 225-218-2010

<u>Cisco Product SKU</u>	<u>Description</u>	<u>USD Price</u>	<u>EPL Price</u>
UCS C460 M4 Rack Server			
UCSC-C460-M4=	UCS C460 M4 base chassis w/o CPU/DIMM/HDD	16,500.00	11,550.00
UCSC-C460-M4	UCS C460 M4 base chassis w/o CPU/DIMM/HDD	16,500.00	11,550.00
UCS-SA-C460M4-14	UCS C460 M4 SAP HANA Scale Up w/2xE7v3, 1024G mem, TDI	73,900.00	51,730.00
UCS-SA-C460M4-13	UCS C460 M4 SAP HANA Scale Up w/2xE7v3, 512G mem, TDI	47,000.00	32,900.00
UCS-SA-C460M4-12	UCS C460 M4 SAP HANA Scale Up w/2xE7v3, 3072G mem, 1200G HDD	221,482.56	155,037.79
UCS-SA-C460M4-11	UCS C460 M4 SAP HANA Scale Up w/2xE7v3, 2048G mem, 1200G HDD	163,882.56	114,717.79
UCS-SA-C460M4-10	UCS C460 M4 SAP HANA Scale Up w/2xE7v3, 1536G mem, 1200G HDD	118,282.56	82,797.79
UCS-SA-C460M4-09	UCS C460 M4 SAP HANA Scale Up w/2xE7v3, 1024G mem, 1200G HDD	95,082.00	66,557.40
UCS-SA-C460M4-08	UCS C460 M4 SAP HANA Scale Up w/2xE7v3, 512G mem, 1200G HDD	68,182.56	47,727.79
UCS-SA-C460M4-17	UCS C460 M4 SAP HANA Scale Up w/2xE7v3, 3072G mem, TDI	200,300.00	140,210.00
UCS-SA-C460M4-16	UCS C460 M4 SAP HANA Scale Up w/2xE7v3, 2048G mem, TDI	142,700.00	99,890.00
UCS-SA-C460M4-15	UCS C460 M4 SAP HANA Scale Up w/2xE7v3, 1536G mem, TDI	97,100.00	67,970.00
C460 M4 Other			
UCSC-PCIE-RSR-FLR=	PCIe Module Filler Panel for UCS C460 M4	250.00	175.00
UCSC-BAFF-C460-M4=	Air Baffle for UCS C460 M4	250.00	175.00
UCSC-AUXCBL8-EX=	PCIe auxilliary power cable kit with adapter cable and 8-pin	50.00	35.00
UCSC-RAIL-4U=	Rail Kit for UCS C460 M4	300.00	210.00
UCSC-PCIE-RSR-FLR	PCIe Module Filler Panel for UCS C460 M4	250.00	175.00
UCSC-AUXCBL8-EX	PCIe auxilliary power cable kit with adapter cable and 8-pin	50.00	35.00
UCSC-CMA-4U=	Cable Management Arm for UCS C460 M4	100.00	70.00
UCSC-CMA-4U	Cable Management Arm for UCS C460 M4	100.00	70.00
UCSC-RAIL-4U	Rail Kit for UCS C460 M4	300.00	210.00
UCSC-BAFF-C460-M4	Air Baffle for UCS C460 M4	250.00	175.00
RC460-SLDRAIL=	RAIL KIT FOR THE UCS C460 M1 RACK SERVER	310.00	217.00
UCSC-PCIE-FLR-F=	Full Height PCIe slot filler for C Series	58.00	40.60
UCSC-PCIE-FLR-F	Full Height PCIe slot filler for C Series	58.00	40.60
UCSC-PCIE-RSR-05=	Riser card with 5 PCIe slots	500.00	350.00
UCSC-PCIE-RSR-05	Riser card with 5 PCIe slots	500.00	350.00
UCSC-MRBD-12	Memory riser with 12 DIMM slots	750.00	525.00
UCSC-MRBD-12=	Memory riser with 12 DIMM slots	750.00	525.00
UCSC-HS-01-EX=	CPU Heat Sink for UCS C460 M4 Rack Server	199.00	139.30
UCSC-HS-01-EX	CPU Heat Sink for UCS C460 M4 Rack Server	199.00	139.30
UCS-SD400G12S2-EP=	400GB 2.5 inch Enterprise performance 12G SAS SSD	6,299.00	4,409.30
UCS-SD400G12S2-EP	400GB 2.5 inch Enterprise performance 12G SAS SSD	6,299.00	4,409.30
UCS-RAID9361CV-8I	MegaRAID 9361CV with 8 internal SAS/SATA ports with Supercap	3,500.00	2,450.00
UCS-SD16T12S2-EP=	1.6TB 2.5 inch Enterprise Performance 12G SAS SSD	19,999.00	13,999.30
UCS-SD16T12S2-EP	1.6TB 2.5 inch Enterprise Performance 12G SAS SSD	19,999.00	13,999.30
UCS-SD-32G-S=	32GB SD Card for UCS servers	162.00	113.40
UCS-SD-32G-S	32GB SD Card for UCS servers	162.00	113.40
UCS-HD600G10KS4K	600GB 12G SAS 10K RPM SFF HDD (4K)	1,021.88	715.32
UCS-HD18TB10KS4K	1.8 TB 12G SAS 10K RPM SFF HDD (4K)	2,437.50	1,706.25
UCS-HD600G15KS2-E	600GB SAS 15K RPM SFF HDD	2,156.00	1,509.20
UCS-HD450G15KS2-E=	450GB SAS 15K RPM SFF HDD	1,781.00	1,246.70
UCS-SD960G0KS2-EV=	960 GB 2.5 inch Enterprise Value 6G SATA SSD	6,168.00	4,317.60
A03-D300GA2	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	589.00	412.30

A03-D300GA2=	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	589.00	412.30
UCSC-F-FIO-1000PS	UCS 1000GB Fusion ioMemory3 PX Performance line for Rack M4	21,351.00	14,945.70
UCSC-F-FIO-1300PS	UCS 1300GB Fusion ioMemory3 PX Performance line for Rack M4	25,932.00	18,152.40
UCSC-F-FIO-3200SS	UCS 3200GB Fusion ioMemory3SX Scale line for C-Series	39,743.00	27,820.10
UCSC-F-FIO-2600PS=	UCS 2600GB Fusion ioMemory3 PX Performance line for Rack M4	44,996.00	31,497.20
UCSC-F-FIO-1000PS=	UCS 1000GB Fusion ioMemory3 PX Performance line for Rack M4	21,351.00	14,945.70
UCSC-F-FIO-5200PS=	UCS 5200GB Fusion ioMemory3 PX Performance line for Rack M4	88,432.00	61,902.40
UCSC-F-FIO-1300PS=	UCS 1300GB Fusion ioMemory3 PX Performance line for Rack M4	25,932.00	18,152.40
UCSC-F-FIO-2600PS=	UCS 2600GB Fusion ioMemory3 PX Performance line for Rack M4	44,996.00	31,497.20
UCSC-F-FIO-5200PS	UCS 5200GB Fusion ioMemory3 PX Performance line for Rack M4	88,432.00	61,902.40
UCSC-F-FIO-3200SS=	UCS 3200GB Fusion ioMemory3SX Scale line for C-Series	39,743.00	27,820.10
UCSC-F-FIO-6400SS=	UCS 6400GB Fusion ioMemory3 SX Scale line for C-Series	74,831.00	52,381.70
UCSC-F-FIO-6400SS	UCS 6400GB Fusion ioMemory3 SX Scale line for C-Series	74,831.00	52,381.70
UCSC-PCIE-QNICBT	Qlogic 10Gb NIC 10GbaseT 57840 iSCSI, TOE & SRIOV	1,678.00	1,174.60
UCSC-PCIE-QNICSFP	Qlogic 10Gb NIC SFP+ 57840 iSCSI, TOE & SRIOV	1,163.00	814.10
UCSC-BRCKT1-C460	Bracket and Supercap cable for C460 M4 and 12G RAID	100.00	70.00
UCSC-BRCKT1-C460=	Bracket and Supercap cable for C460 M4 and 12G RAID	100.00	70.00
UCSC-BRCKT2-C460=	Bracket and Supercap cable for C460 M4 and 12 drive RAID	100.00	70.00
UCSC-MRAID12G-2GB	Cisco 12Gbps SAS 2GB FBWC Cache module (Raid 0/1/5/6)	1,405.00	983.50
UCSC-MRAIDC460=	Cisco 12G SAS Modular Raid Controller (12 port)	1,688.00	1,181.60
UCSC-MRAIDC460	Cisco 12G SAS Modular Raid Controller (12 port)	1,688.00	1,181.60
UCSC-MRBD2-12	UCS C460 M4 DDR4 Memory Riser with 12 DIMM slots	800.00	560.00
UCSC-MRBD2-12=	UCS C460 M4 DDR4 Memory Riser with 12 DIMM slots	800.00	560.00
UCS-HDD900GI2F106=	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
UCS-HD1T7KS2-E=	1TB SAS 7.2K RPM 2.5 inch HDD/hot plug/drive sled mounted	975.00	682.50
UCS-HD600G15KS2-E=	600GB SAS 15K RPM SFF HDD	2,156.00	1,509.20
UCS-HD450G15KS2-E	450GB SAS 15K RPM SFF HDD	1,781.00	1,246.70
UCS-HDD900GI2F106	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
UCS-HD1T7KS2-E	1TB SAS 7.2K RPM 2.5 inch HDD/hot plug/drive sled mounted	975.00	682.50
PI-UCS-SD-32G-S	32GB SD Card for UCS servers	162.00	113.40
PI-UCS-H900GI2F106	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
UCS-HD2T7K12G	2 TB 12G SAS 7.2K RPM SFF HDD	2,379.00	1,665.30
UCS-HD2T7K12G=	2 TB 12G SAS 7.2K RPM SFF HDD	2,379.00	1,665.30
UCS-HD12TB10K12G	1.2 TB 12G SAS 10K RPM SFF HDD	1,460.00	1,022.00
UCS-HD900G10K12G	900GB 12G SAS 10K RPM SFF HDD	1,367.00	956.90
UCS-HD600G10K12G	600GB 12G SAS 10K RPM SFF HDD	1,022.00	715.40
UCS-HD600G15K12G	600GB 12G SAS 15K RPM SFF HDD	2,117.00	1,481.90
UCS-HD450G15K12G	450GB 12G SAS 15K RPM SFF HDD	1,629.00	1,140.30
UCS-HD300G15K12G	300GB 12G SAS 15K RPM SFF HDD	1,123.00	786.10
UCSC-GPU-K80=	NVIDIA K80	17,438.00	12,206.60
UCSC-GPU-K80	NVIDIA K80	17,438.00	12,206.60
UCS-300WKIT-240M4=	300 Watt Cable and Kit for UCS C240M4 Rack Server	628.00	439.60
UCSC-300W-460M4=	300 Watt Cable for UCS C460M4 Rack Server	20.00	14.00
UCS-300WKIT-240M4	300 Watt Cable and Kit for UCS C240M4 Rack Server	628.00	439.60
UCSC-300W-460M4	300 Watt Cable for UCS C460M4 Rack Server	20.00	14.00
UCSC-PCIE-E14102B	Emulex OCe14102B-UX dual-port 10G SFP+ with iSCSI, FCoE CNA	2,436.00	1,705.20
UCS-HD300G10K12G	300GB 12G SAS 10K RPM SFF HDD	591.00	413.70
UCS-SD38TBKS4-EV	3.8TB 2.5 inch Enterprise Value 6G SATA SSD	12,000.00	8,400.00
UCS-SD960GBKS4-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	4,167.00	2,916.90
UCS-SD16TBKS4-EV	1.6TB 2.5 inch Enterprise Value 6G SATA SSD	7,000.00	4,900.00
UCS-SD480GBKS4-EV	480 GB 2.5 inch Enterprise Value 6G SATA SSD	2,167.00	1,516.90
UCS-SD120GBKS4-EV	120 GB 2.5 inch Enterprise Value 6G SATA SSD	567.00	396.90
UCS-SD240GBKS4-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	917.00	641.90
UCS-SD800G12S4-EP	800GB 2.5 inch Ent. Performance 12G SAS SSD (10X endurance)	10,011.00	7,007.70
UCSC-BZL-EX-UPG=	C460 M4 Security Bezel and Upgrade Kit	299.00	209.30
UCS-HD1T7K12G=	1 TB 12G SAS 7.2K RPM SFF HDD	1,161.00	812.70
UCS-HD1T7K12G	1 TB 12G SAS 7.2K RPM SFF HDD	1,161.00	812.70

C460 M4 Processor

UCS-CPU-E74860B=	2.6 GHz E7-4860 v2/130W 12C/30M Cache/DDR3 1600MHz	11,600.00	8,120.00
UCS-CPU-E74820B	2.0 GHz E7-4820 v2/105W 8C/16M Cache/DDR3 1600MHz	5,500.00	3,850.00
UCS-CPU-E74860B	2.6 GHz E7-4860 v2/130W 12C/30M Cache/DDR3 1600MHz	11,600.00	8,120.00
UCS-CPU-E74809B=	1.9 GHz E7-4809 v2/105W 6C/12M Cache/DDR3 1333MHz	3,650.00	2,555.00
UCS-CPU-E74809B	1.9 GHz E7-4809 v2/105W 6C/12M Cache/DDR3 1333MHz	3,650.00	2,555.00
UCS-CPU-E74850B=	2.3 GHz E7-4850 v2/105W 12C/24M Cache/DDR3 1600MHz	11,000.00	7,700.00
UCS-CPU-E74820B=	2.0 GHz E7-4820 v2/105W 8C/16M Cache/DDR3 1600MHz	5,500.00	3,850.00
UCS-CPU-E74880B=	2.5 GHz E7-4880 v2/130W 15C/37.5M Cache/DDR3 1600MHz	16,300.00	11,410.00
UCS-CPU-E78891B=	3.2 GHz E7-8891 v2/155W 10C/37.5M Cache/DDR3 1600MHz	20,750.00	14,525.00
UCS-CPU-E78880LB=	2.2 GHz E7-8880L v2/105W 15C/37.5M Cache/DDR3 1600MHz	16,900.00	11,830.00
UCS-CPU-E78880LB	2.2 GHz E7-8880L v2/105W 15C/37.5M Cache/DDR3 1600MHz	16,900.00	11,830.00
UCSC-PSU2-1400W	1400W AC Power Supply (200 - 240V) 2U & 4U C Series Servers	800.00	560.00
UCS-CPU-E72870B=	2.3 GHz E7-2870 v2/130W 15C/30M Cache/DDR3 1600MHz	13,200.00	9,240.00
UCS-CPU-E72870B	2.3 GHz E7-2870 v2/130W 15C/30M Cache/DDR3 1600MHz	13,200.00	9,240.00

UCS-CPU-E72850B	2.3 GHz E7-2850 v2/105W 12C/24M Cache/DDR3 1600MHz	10,500.00	7,350.00
UCS-CPU-E72850B=	2.3GHz E7-2850 v2/105W 12C/24MCache/DDR3 1600MHz	10,500.00	7,350.00
UCS-CPU-E74830B=	2.2 GHz E7-4830 v2/105W 10C/20M Cache/DDR3 1600MHz	8,500.00	5,950.00
UCS-CPU-E74830B	2.2 GHz E7-4830 v2/105W 10C/20M Cache/DDR3 1600MHz	8,500.00	5,950.00
UCS-CPU-E74850B	2.3 GHz E7-4850 v2/105W 12C/24M Cache/DDR3 1600MHz	11,000.00	7,700.00
UCS-CPU-E72890B	2.8 GHz E7-2890 v2/155W 15C/37.5M Cache/DDR3 1600MHz	19,200.00	13,440.00
UCS-CPU-E72880B	2.5 GHz E7-2880 v2/130W 15C/37.5M Cache/DDR3 1600MHz	15,800.00	11,060.00
UCS-CPU-E72890B=	2.8 GHz E7-2890 v2/155W 15C/37.5M Cache/DDR3 1600MHz	19,200.00	13,440.00
UCS-CPU-E72880B=	2.5 GHz E7-2880 v2/130W 15C/37.5M Cache/DDR3 1600MHz	15,800.00	11,060.00
UCS-CPU-E78891B	3.2 GHz E7-8891 v2/155W 10C/37.5M Cache/DDR3 1600MHz	20,750.00	14,525.00
UCS-CPU-E74880B	2.5 GHz E7-4880 v2/130W 15C/37.5M Cache/DDR3 1600MHz	16,300.00	11,410.00
UCS-CPU-E78893B=	3.4 GHz E7-8893 v2/155W 6C/37.5M Cache/DDR3 1600MHz	20,750.00	14,525.00
UCS-CPU-E74870B=	2.3 GHz E7-4870 v2/130W 15C/30M Cache/DDR3 1600MHz	13,700.00	9,590.00
UCS-CPU-E78893B	3.4 GHz E7-8893 v2/155W 6C/37.5M Cache/DDR3 1600MHz	20,750.00	14,525.00
UCS-CPU-E74870B	2.3 GHz E7-4870 v2/130W 15C/30M Cache/DDR3 1600MHz	13,700.00	9,590.00
UCS-CPU-E74890B=	2.8 GHz E7-4890 v2/155W 15C/37.5M Cache/DDR3 1600MHz	19,700.00	13,790.00
UCS-CPU-E74890B	2.8 GHz E7-4890 v2/155W 15C/37.5M Cache/DDR3 1600MHz	19,700.00	13,790.00
UCS-CPU-EP-PNP=	PnP CPU tool: all M4/EX; M3/EP 10/8/6/4/2 Core (Green)	75.00	52.50
UCSC-PSU2-1400W=	1400W AC Power Supply (200 - 240V) 2U & 4U C Series Servers	800.00	560.00
UCS-CPU-E78880LD	2.0GHz E7-8880L v3/115W/18C/45M	19,000.00	13,300.00
UCS-CPU-E78880LD=	2.0GHz E7-8880L v3/115W/18C/45M	19,000.00	13,300.00
UCS-CPU-E78867D=	2.5GHz E7-8867 v3/165W/16C/45M	16,000.00	11,200.00
UCS-CPU-E78867D	2.5GHz E7-8867 v3/165W/16C/45M	16,000.00	11,200.00
UCS-CPU-E78893D=	3.2GHz E7-8893 v3/140W/4C/45M	21,000.00	14,700.00
UCS-CPU-E78891D=	2.8GHz E7-8891 v3/165W/10C/45M	21,000.00	14,700.00
UCS-CPU-E78893D	3.2GHz E7-8893 v3/140W/4C/45M	21,000.00	14,700.00
UCS-CPU-E78891D	2.8GHz E7-8891 v3/165W/10C/45M	21,000.00	14,700.00
UCS-CPU-E74809D=	2.0GHz E7-4809 v3/115W/8 cores/20M	4,000.00	2,800.00
UCS-CPU-E74809D	2.0GHz E7-4809 v3/115W/8 cores/20M	4,000.00	2,800.00
UCS-CPU-E74820D=	1.9GHz E7-4820 v3/ 115W/10 cores/25M	5,500.00	3,850.00
UCS-CPU-E74820D	1.9GHz E7-4820 v3/ 115W/10 cores/25M	5,500.00	3,850.00
UCS-CPU-E74830D=	2.1GHz E7-4830 v3/115W/12C/30M	9,500.00	6,650.00
UCS-CPU-E74830D	2.1GHz E7-4830 v3/115W/12C/30M	9,500.00	6,650.00
UCS-CPU-E74850D=	2.2GHz E7-4850 v3/115W/14C/35M	11,500.00	8,050.00
UCS-CPU-E74850D	2.2GHz E7-4850 v3/115W/14C/35M	11,500.00	8,050.00
UCS-CPU-E78860D	2.2GHz E7-8860 v3/140W/16C/40M	13,000.00	9,100.00
UCS-CPU-E78870D=	2.1GHz E7-8870 v3/140W/18C/45M	16,000.00	11,200.00
UCS-CPU-E78860D=	2.2GHz E7-8860 v3/140W/16C/40M	13,000.00	9,100.00
UCS-CPU-E78890D=	2.5GHz E7-8890 v3/165W/18C/45M Cache	21,000.00	14,700.00
UCS-CPU-E78880D=	2.3GHz E7-8880 v3/150W/18C/45M	18,500.00	12,950.00
UCS-CPU-E78880D	2.3GHz E7-8880 v3/150W/18C/45M	18,500.00	12,950.00
UCS-CPU-E78870D	2.1GHz E7-8870 v3/140W/18C/45M	16,000.00	11,200.00
UCS-CPU-E78890D	2.5GHz E7-8890 v3/165W/18C/45M Cache	21,000.00	14,700.00

C460 M4 Power Supply

UCSC-PSUBLK-C460=	PSU Blanking Panel for C460 M4	10.00	7.00
UCSC-PSUBLK-C460	PSU Blanking Panel for C460 M4	10.00	7.00

C460 M4 Memory

UCS-MR-2X082RY-E=	2 X 8 GB DDR3-1600 MHz RDIMM/PC3-12800 dual rank/x4/1.35v	870.00	609.00
UCS-MR-2X082RY-E	2 X 8 GB DDR3-1600 MHz RDIMM/PC3-12800 dual rank/x4/1.35v	870.00	609.00
UCS-MR-2X162RY-E=	2 X 16 GB DDR3-1600 MHz RDIMM/PC3-12800 dual rank/x4/1.35v	1,400.00	980.00
UCS-MR-2X162RY-E	2 X 16 GB DDR3-1600 MHz RDIMM/PC3-12800 dual rank/x4/1.35v	1,400.00	980.00
UCS-ML-2X324RY-E=	2 X 32 GB DDR3-1600 MHz LRDIMM/PC3-12800 quad rank/x4/1.35v	3,750.00	2,625.00
UCS-ML-2X324RY-E	2 X 32 GB DDR3-1600 MHz LRDIMM/PC3-12800 quad rank/x4/1.35v	3,750.00	2,625.00
UCS-ML-2X648RY-E=	2 X 64 GB DDR3-1600 MHz LRDIMM/PC3-10600 oct rank/x4/1.5v	11,000.00	7,700.00
UCS-ML-2X648RY-E	2 X 64 GB DDR3-1600 MHz LRDIMM/PC3-12800 oct rank/x4/1.5v	11,000.00	7,700.00
UCS-MR-1X081RU-G=	8GB DDR4-2133 MHz RDIMM/PC4-17000/single rank/x4/1.2v	485.00	339.50
UCS-MR-1X162RU-G=	16GB DDR4-2133 MHz RDIMM/PC4-17000/dual rank/x4/1.2v	725.00	507.50
UCS-MR-1X162RU-G	16GB DDR4-2133 MHz RDIMM/PC4-17000/dual rank/x4/1.2v	725.00	507.50
UCS-MR-1X322RU-G=	32GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	1,580.00	1,106.00
UCS-MR-1X081RU-G	8GB DDR4-2133 MHz RDIMM/PC4-17000/single rank/x4/1.2v	485.00	339.50
UCS-MR-1X322RU-G	32GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	1,580.00	1,106.00

UCS C460 M4 SMARTnet Maintenance

CON-SNT-C460M4	SNTC-8X5XNBD,UCS C460 M4 Server	688.00	688.00
CON-SNT-C460M414	SNTC-8X5XNBD Hana C460M414	688.00	688.00
CON-SNT-C460M413	SNTC-8X5XNBD Hana C460M413	688.00	688.00
CON-SNT-C460M412	SNTC-8X5XNBD Hana C460M412	688.00	688.00
CON-SNT-C460M411	SNTC-8X5XNBD Hana C460M411	688.00	688.00
CON-SNT-C460M410	SNTC-8X5XNBD Hana C460M410	688.00	688.00

CON-SNT-C460M409	SNTC-8X5XNBD Hana C460M409	688.00	688.00
CON-SNT-C460M408	SNTC-8X5XNBD Hana C460M408	688.00	688.00
CON-SNT-C460M417	SNTC-8X5XNBD Hana C460M417	688.00	688.00
CON-SNT-C460M416	SNTC-8X5XNBD Hana C460M416	688.00	688.00
CON-SNT-C460M415	SNTC-8X5XNBD Hana C460M415	688.00	688.00

Cisco UCS C3160 Rack Server

Modular High-Density Cisco UCS C-Series Rack Servers

The Cisco UCS™ C3160 Rack Server (Figure 1) is a modular, high-density rack server ideal for service providers, enterprises, and industry-specific. The Cisco UCS C3160 uses a modular server architecture which, taking advantage of our blade technology expertise, allows you to upgrade the

- Up to 24 Compute Cores
- Up to 60 drives mix of Large Form Factor (LFF) with up to 14 Solid State Drives (SSDs) plus two solid-state drive (SSD) SATA boot drives
- Up to 512 GB memory
- Support for 12-Gbps serial-attached SCSI (SAS) drives
- A modular LAN-on-motherboard (mLOM) slot on the system I/O controller for installing Cisco™ virtual interface card (VIC) or third-party
- High reliability, availability, and serviceability features with tool-less server nodes, system I/O controller, easy-to-use latching lid, and hot-

You can learn more about the Cisco UCS C3160 M4 Rackmount Server on Cisco's website at the following URL:

<http://www.cisco.com/c/en/us/products/servers-unified-computing/ucs-c3160-rack-server/index.html>

You can compare the different models of Cisco UCS servers and create custom builds at the following URL:

<http://buildprice.cisco.com>

For sales and account support, please contact one of Cisco's local account managers:

Mike Kling mikling@cisco.com 225-218-2010

Product	Product Description	Price in USD	EPL Price
C3160 Base Server			
UCSC-C3160	Cisco UCS C3160 Base Chassis w/ 4x PSU, RailKit, Bezel	24,999.00	17,499.30
UCSC-C3260	Cisco UCS C3260 Base Chassis w/4x PSU, SSD, Railkit	24,999.00	17,499.30
C3160 Controller			
UCSC-C3160-SIOC	Cisco UCS C3160 System IO Controller with mLOM mez adapter	2,499.00	1,749.30
UCSC-C3160-SIOC=	Cisco UCS C3160 System IO Controller with mLOM mez adpt (SP)	2,499.00	1,749.30
UCSC-C3X60-R1GB=	UCS C3X60 12G SAS RAID Controller with 1GB cache (SPARE)	2,967.00	2,076.90
UCSC-C3X60-R4GB=	UCS C3X60 12G SAS RAID Controller with 4GB cache (SPARE)	4,599.00	3,219.30
UCSC-C3260-SIOC	Cisco UCS C3260 System IO Controller with VIC 1300 incl.	7,999.00	5,599.30
UCSC-C3260-SIOC=	Cisco UCS C3260 System IO Controller w VIC1300 incl (Spare)	7,999.00	5,599.30

C3160 Server Node

UCSC-C3X60-SVRN2	UCS C3X60 Server Node E5-2620 v2 CPU 256GB 4GB RAID cache	23,199.00	16,239.30
UCSC-C3X60-SVRN3	Cisco C3X60 Server Node E5-2660 v2 CPU 256GB 4GB RAID cache	36,749.00	25,724.30
UCSC-C3X60-SVRN1	UCS C3X60 Server Node E5-2620 v2 CPU 128GB 1GB RAID cache	17,199.00	12,039.30
UCSC-C3X60-SVRN4	Cisco C3X60 Server Node E5-2695 v2 CPU 256GB 4GB RAID cache	58,499.00	40,949.30
UCSC-C3X60-SVRN3=	Cisco C3X60 Server Node E5-2660 v2 CPU 256GB 4GB RAID cache	36,749.00	25,724.30
UCSC-C3X60-SVRN4=	Cisco C3X60 Server Node E5-2695 v2 CPU 256GB 4GB RAID cache	58,499.00	40,949.30
UCSC-C3X60-SVRN2=	UCS C3X60 Server Node E5-2620 v2 CPU 256GB 4GB RAID cache	23,199.00	16,239.30
UCSC-C3X60-SVRN1=	UCS C3X60 Server Node E5-2620 v2 CPU 128GB 1GB RAID cache	17,199.00	12,039.30
UCSC-C3X60-SVRN6	UCS C3X60 Server Node E5-2660 v2 CPU 128GB SAS HBA	32,749.00	22,924.30
UCSC-C3X60-SVRN5	UCS C3X60 Server Node E5-2695 v2 CPU 512GB 4GB RAID cache	69,999.00	48,999.30
UCSC-C3X60-SVRN5=	UCS C3X60 Server Node E5-2695 v2 CPU 512GB 4GB RAID cache	69,999.00	48,999.30
UCSC-C3X60-SVRN6=	UCS C3X60 Server Node E5-2660 v2 CPU 128GB SAS HBA	32,749.00	22,924.30
UCSC-C3X60-SVRN7	Cisco C3X60 Server Node E5-2695 v2 CPU 256GB SAS HBA Mode	54,499.00	38,149.30
UCSC-C3X60-SVRN7=	Cisco C3X60 Server Node E5-2695 v2 CPU 256GB SAS HBA Mode	54,499.00	38,149.30
UCSC-C3X60-SVRN8	Cisco C3X60 Server Node E5-2620 v2 CPU (6C), 256G, HBA	19,199.00	13,439.30

C3160 Drive

UCSC-C3X60-14HD4=	Cisco UCS C3X60 One row of drives containing 14x4TB SPARE	19,499.00	13,649.30
UCSC-C3X60-56HD4	Cisco UCS C3X60 Four rows 56x 4TB (Total:224TB) Drives	70,899.00	49,629.30
UCSC-C3X60-14HD4	Cisco UCS C3X60 One row of 14x 4TB (Total:56TB) Drives	19,499.00	13,649.30
UCSC-C3X60-42HD4	Cisco UCS C3X60 Three rows of 42x 4TB (Total:168TB) Drives	54,299.00	38,009.30
UCSC-C3X60-28HD4	Cisco UCS C3X60 two row of 28x 4TB(Total: 112TB) Drives	37,899.00	26,529.30
UCSC-C3X60-HD4TB	UCS C3X60 4TB NL-SAS 7.2K HDD including C3X60 HDD carrier	1,594.00	1,115.80
UCSC-C3X60-12SSD	UCS C3X60 SATA SSD 120GB Enterprise Value	748.00	523.60
UCSC-C3X60-HD4TB=	UCS C3X60 4TB SAS 7.2K HDD ncluding C3X60 HDD carrier (FRU)	1,594.00	1,115.80
UCSC-C3X60-12SSD=	UCS C3X60 SATA SSD 120GB Enterprise Value	748.00	523.60
UCSC-C3160-400SSD=	UCS C3160 400GB Enterprise Performance 6G SAS SSD	5,623.00	3,936.10
UCSC-C3160-400SSD	UCS C3160 400GB Enterprise Performance 6G SAS SSD	5,623.00	3,936.10
UCS-C3X60-12G0400	UCS C3X60 400GB Enterprise Performance 12G SAS SSD	7,700.00	5,390.00
UCSC-C3X60-14HD6	Cisco UCS C3X60 One row of drives containing 14 x 6TB (Total	31,999.00	22,399.30
UCS-C3X60-12G0400=	UCS C3X60 400GB Enterprise Performance 12G SAS SSD	7,700.00	5,390.00
UCSC-C3X60-56HD6	Cisco UCS C3X60 Four row of drives containing 56 x 6TB (Total	115,999.00	81,199.30
UCSC-C3X60-42HD6	Cisco UCS C3X60 Three row of drives containing 42 x 6TB (Tot	89,999.00	62,999.30
UCSC-C3X60-14HD6=	Cisco UCS C3X60 One row of drives containing 14 x 6TB (Total	31,999.00	22,399.30
UCSC-C3X60-28HD6	Cisco UCS C3X60 Two row of drives containing 28 x 6TB (Total	59,999.00	41,999.30
UCSC-C3X60-HD6TB	UCS C3X60 6TB 12Gbps NL-SAS 7200RPM HDD w carrier- Top-load	2,100.00	1,470.00
UCSC-C3X60-6TBRR=	UCS C3X60 6TB 12Gbps NL-SAS 7200RPM HDD w carrier- Rear-load	2,100.00	1,470.00
UCSC-C3X60-HD6TB=	UCS C3X60 6TB 12Gbps NL-SAS 7200RPM HDD w carrier- Top-load	2,100.00	1,470.00
UCSC-C3X60-HBA	UCS CX260 12G SAS Pass through Controller	3,999.00	2,799.30
UCSC-C3X60-6TBRR	UCS C3X60 6TB 12Gbps NL-SAS 7200RPM HDD w carrier- Rear-load	2,100.00	1,470.00
UCSC-C3X60-HBA=	UCS CX260 12G SAS Pass through Controller	3,999.00	2,799.30
UCS-C3X60-G1SD480	Cisco UCS C3X60 480GB SATA Boot SSD	3,150.00	2,205.00
UCS-C3X60-G1SD480=	Cisco UCS C3X60 480GB SATA Boot SSD	3,150.00	2,205.00
UCS-C3X60-12G016=	UCSC Cisco C3X60 1.6TB SSD	19,999.00	13,999.30
UCS-C3X60-12G016	UCSC Cisco C3X60 1.6TB SSD	19,999.00	13,999.30
UCS-SD38TBKS4-EV	3.8TB 2.5 inch Enterprise Value 6G SATA SSD	12,000.00	8,400.00
UCS-SD960GBKS4-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	4,167.00	2,916.90
UCS-SD16TBKS4-EV	1.6TB 2.5 inch Enterprise Value 6G SATA SSD	7,000.00	4,900.00
UCS-SD480GBKS4-EV	480 GB 2.5 inch Enterprise Value 6G SATA SSD	2,167.00	1,516.90
UCS-SD120GBKS4-EV	120 GB 2.5 inch Enterprise Value 6G SATA SSD	567.00	396.90
UCS-SD240GBKS4-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	917.00	641.90
UCS-SD800G12S4-EP	800GB 2.5 inch Ent. Performance 12G SAS SSD (10X endurance)	10,011.00	7,007.70
UCSC-C3X60-42HD8	UCS C3X60 3 rows of 8TB NL-SAS7200 RPM SAS-3 (42Total) 336TB	105,999.00	74,199.30
UCSC-C3X60-28HD8	UCS C3X60 2 rows of 8TB NL-SAS7200 RPM SAS-3 (28Total) 224TB	71,999.00	50,399.30
UCSC-C3X60-56HD8	UCS C3X60 4 rows of 8TB NL-SAS7200 RPM SAS-3 (56Total) 448TB	138,999.00	97,299.30
UCSC-C3X60-EX32T	UCS C3X60 Expander with 4x 8TB 7200RPM NL-SAS Drives	10,999.00	7,699.30
UCSC-C3X60-14HD8	UCS C3X60 1 row of 8TB NL-SAS 7200 RPM SAS-3 (14Total) 112TB	36,999.00	25,899.30
UCSC-C3X60-HD8TB	UCSC 3X60 8TB NL-SAS 7.2KHelium HDD with HDD Carrier	3,729.00	2,610.30

C3160 Others

UCSC-C3X60-EX16T	Cisco UCS C3X60 Disk Exp Tray w/ 4x 4TB Total:16TB Drives	8,399.00	5,879.30
CUIC-PHY-SERV-U	Cisco UCS Director Resource Lic - One physical Server node	7,500.00	5,250.00
UCSC-C3X60-RAIL	UCS C3X60 Rack Rails Kit	799.00	559.30
UCSC-C3X60-BLKP	Cisco UCS C3X60 Server Node blanking plate	199.00	139.30
UCSC-C3160-BEZEL	Cisco UCS C3160 System Bezel	149.00	104.30
UCSC-C3X60-SBLKP	UCS C3x60 SIOC blanking plate	199.00	139.30
UCSC-C3X60-BLKP=	Cisco UCS C3X60 Server Node blanking plate (SPARE)	199.00	139.30
UCSC-C3X60-SBLKP=	Cisco UCS C3X60 SIOC blanking plate(SPARE)	199.00	139.30
UCSC-C3X60-RAIL=	Cisco UCS C3X60 Rack Rails Kit (SPARE)	799.00	559.30
UCSC-C3160-BEZEL=	Cisco UCS C3160 System Bezel (SPARE)	149.00	104.30
UCSC-C3X60-EXPT	Cisco UCS C3X60 Expansion Tray No Drives	1,119.00	783.30
UCSC-HS-C3X60	Cisco UCS C3X60 Server Node CPU Heatsink	99.00	69.30
UCSC-HS-C3X60=	Cisco UCS C3X60 Server Node CPU Heatsink FRU	99.00	69.30
UCSC-C3X60-EXPT=	Cisco UCS C3X60 Expansion Tray No Drives FRU Only	1,119.00	783.30
UCSC-C3X60-FANM=	Cisco UCS C3X60 Fan module containing 2x80mm fans	99.00	69.30
UCSC-PSU1-1050W	UCS C3X60 1050W Power Supply Unit	699.00	489.30
UCSC-PSU1-1050W=	UCS C3X60 1050W Power Supply Unit (SPARE)	699.00	489.30
UCSC-PSUV2-1050DC	1050W V2 DC Power Supply for C3160 and 1U C-Series Servers	1,199.00	839.30
UCSC-C3X60-EX36T	VOID	8,400.00	5,880.00
UCSC-C3X60-EX24T	Cisco UCS C3160 Expander with 4x 6TB 7200RPM NL-SAS Drives	9,200.00	6,440.00
UCS-HD8T7KL4K	8 TB 12G SAS 7.2K RPM LFF HDD (4K)	3,729.00	2,610.30
UCS-HD300G10K12G	300GB 12G SAS 10K RPM SFF HDD	591.00	413.70

C3160 SMARTnet Maintenance

CON-SNT-C3260BSE	SNTC-8X5XNBD UCS C3160 Dense Storage Server	1,553.00	1,553.00
CON-SNT-C3260BSE	SNTC-8X5XNBD Cisco UCS C3260 Base Chassis w/4x PSU, 2x12	1,553.00	1,553.00

Cisco UCS 5100 Series Blade Server Chassis

The Cisco UCS 5100 Series Blade Server Chassis is a crucial building block of the Cisco Unified Computing System, delivering a scalable and flexible architecture for current and future data center needs, while helping reduce total cost of ownership.

Cisco's first blade-server chassis offering, the Cisco UCS 5108 Blade Server Chassis, is six rack units (6RU) high, can mount in an industry-standard 19-inch rack, and uses standard front-to-back cooling. A chassis can accommodate up to eight half-width or four full-width Cisco UCS B-Series Blade Servers form factors within the same chassis. The Cisco UCS 5108 Blade Server Chassis revolutionizes the use and deployment of blade-based systems. By incorporating unified fabric and fabric-extender technology, the Cisco Unified Computing System enables the chassis to have fewer physical components, require no independent management, and be more energy efficient than traditional blade-server chassis. This simplicity eliminates the need for dedicated chassis management and blade switches, reduces cabling, and allowing scalability to 40 chassis without adding complexity. The Cisco UCS 5108 Blade Server Chassis is a critical component in delivering the simplicity and IT responsiveness for the data center as part of the Cisco Unified Computing System.

You can learn more about the Cisco UCS 5100 Series Blade Server Chassis on Cisco's website at the following URL:
<http://tinyurl.com/cisco-UCS-5100>

You can compare the different models of Cisco UCS servers and create custom builds at the following URL:
<http://buildprice.cisco.com>

For sales and account support, please contact one of Cisco's local account managers:

Mike Kling mikling@cisco.com 225-218-2010

Cisco Product SKU	Description	USD List Price	EPL Price
UCS 5108 Series Blade Server Chassis (* Select Options)			
UCSB-5108-AC2	UCS 5108 Blade Server AC2 Chassis, 0 PSU/8 fans/0 FEX	\$ 5,999.00	\$ 4,199.30
UCS-SPL-5108-AC2	UCS SP Select 5108 AC2 Chassis w/2208 IO, 4x SFP cable 3m	\$ 17,004.00	\$ 11,902.80
UCS-SPM-5108-AC2	UCS SP Select 5108 AC2 Chassis w/2208 IO, 4x SFP cable 3m	\$ 14,490.00	\$ 10,143.00
UCS 5108 Series Blade Server Chassis - Spare (* Select Options)			
UCSB-5108-AC2=	UCS 5108 Blade Svr AC Chassis/0 PSU/8 fans/0 fabric extender	\$ 5,999.00	\$ 4,199.30
Fabric Extenders			
UCS-IOM-2208XP	UCS 2208XP I/O Module (8 External, 32 Internal 10Gb Ports)	\$ 10,000.00	\$ 7,000.00
UCS-IOM-2204XP	UCS 2204XP I/O Module	\$ 5,000.00	\$ 3,500.00
Power Supply			
UCSB-PSU-2500ACDV	2500W Platinum AC Hot Plug Power Supply - DV	\$ 936.00	\$ 936.00
Spare Power Cable Option			
CAB-AC-C6K-TWLK=	Power Cord, 250Vac 16A, twist lock NEMA L6-20 plug, US	\$ 45.00	\$ 31.50
CAB-AC-2500W-US1=	Power Cord, 250Vac 16A, straight blade NEMA 6-20 plug, US	\$ 45.00	\$ 31.50
CAB-C19-CBN=	Cabinet Jumper Power Cord, 250 VAC 16A, C20-C19 Connectors	\$ 45.00	\$ 31.50

Additional Chassis Parts

N20-FAN5=	Fan module for UCS 5108	\$	280.00	\$	196.00
N20-BKVM=	KVM local IO cable for UCS servers console port	\$	92.00	\$	64.40
N20-CBLKB1=	Blade slot blanking panel for UCS 5108/single slot	\$	55.00	\$	38.50
N20-CBLKI=	Fabric extender slot blanking panel for UCS 5108	\$	167.00	\$	116.90
N20-CBLKP=	Power supply unit blanking panel for UCS 5108	\$	92.00	\$	64.40
N20-CDIVH=	Horizontal divider for UCS 5108	\$	186.00	\$	130.20
N20-CDIVV=	Vertical divider for UCS 5108	\$	186.00	\$	130.20
N01-UAC1=	Single phase AC power module for UCS 5108	\$	374.00	\$	261.80
CAB-L520P-C19-US=	NEMA L5-20 to IEC-C19 6ft US	\$	45.00	\$	31.50
N20-CRMK2=	Spare Rack mount kit for UCS 5108	\$	467.00	\$	326.90
N20-CRMK2-RHA=	Round hole adapter kit for N20-CRMK2 rack mount kit	\$	130.00	\$	91.00
N20-MBLIBATT=	Replacement Lithium Battery for Server Motherboard (CR2032)	\$	60.00	\$	42.00

UCS Mini Chassis

UCS-SPL-MINI	UCS SP Select 5108 AC2 Chassis w/FI6324, UCS Central license	\$	23,600.00	\$	16,520.00
CON-SNTP-SL6508MN	SNTC-24X7X4, UCS B 5108 SP AC2 Chassis	\$	244.00	\$	244.00
CON-SAU-UCSMGRAS	SW APP SUPP + UPGR UCS Central Per UCS Domain Lic-Physical	\$	2,400.00	\$	2,400.00
CON-SNTP-FIM6324	SNTC-24X7X4 UCS 6324 In-Chs FI w/4 UP 1x40G E-Port	\$	359.00	\$	359.00
UCS-FI-M-6324=	UCS 6324 In-Chassis FI with 4 UP, 1x40G Exp Port, 16 10Gb	\$	22,000.00	\$	15,400.00
UCS-6324-40G=	6324 Fabric Interconnect License for 40G Scalability Port	\$	5,548.00	\$	3,883.60

UCS 5108 SMARTnet Maintenance

CON-SNT-2C6508	SMARTNET 8X5XNBD 5108 Blade Server Chassis	\$	68.00	\$	68.00
CON-SNTP-2C6508	SMARTNET 24X7X4 5108 Blade Server Chassis	\$	193.00	\$	193.00
CON-SNT-SMB51AC2	SNTC-8X5XNBD UCS SP Select 5108 AC2 Chassis w/2208 IO, 4	\$	86.00	\$	86.00
CON-SNTP-SMB51AC2	SNTC-24X7X4 UCS SP Select 5108 AC2 Chassis w/2208 IO, 4x	\$	244.00	\$	244.00

Cisco UCS Fabric Interconnect

The Cisco® UCS 6100 Series Fabric Interconnects are a core part of the Cisco Unified Computing System, providing both network connectivity and management capabilities for the system. The Cisco UCS 6100 Series offers line-rate, low-latency, lossless 10 Gigabit Ethernet and Fibre Channel over Ethernet (FCoE) functions. The Cisco UCS 6100 Series provides the management and communication backbone for the Cisco UCS B-Series Blade Servers and UCS 5100 Series Blade Server Chassis. All chassis, and therefore all blades, attached to the Cisco UCS 6100 Series Fabric Interconnects become part of a single, highly available management domain. In addition, by supporting unified fabric, the Cisco UCS 6100 Series provides both the LAN and SAN connectivity for all blades within its domain. From a networking perspective, the Cisco UCS 6100 Series uses a cut-through architecture, supporting deterministic, low-latency, line-rate 10 Gigabit Ethernet on all ports, independent of packet size and enabled services. The product family supports Cisco low-latency, lossless 10 Gigabit Ethernet1 unified network fabric capabilities, which increase the reliability, efficiency, and scalability of Ethernet networks. The fabric interconnect supports multiple traffic classes over a lossless Ethernet fabric from the blade through the interconnect. Significant TCO savings come from an FCoE-optimized server design in which network interface cards (NICs), host bus adapters (HBAs), cables, and switches can be consolidated.

You can learn more about the Cisco UCS 6100 Series Fabric Interconnect on Cisco's website at the following URL:
<http://tinyurl.com/cisco-UCS-6100>

You can compare the different models of Cisco UCS servers and create custom builds at the following URL:
<http://buildprice.cisco.com>

For sales and account support, please contact one of Cisco's local account managers:

Mike Kling mikling@cisco.com 225-218-2010

<u>Cisco Product SKU</u>	<u>Description</u>	<u>USD List Price</u>	<u>EPL Price</u>
Fabric Interconnects			
UCS-IOM-2208XP	UCS 2208XP I/O Module (8 External, 32 Internal 10Gb Ports)	10,000.00	7,000.00
UCS-IOM-2208XP=	UCS 2208XP I/O Module (8 External, 32 Internal 10Gb Ports)	10,000.00	7,000.00
UCS-FI-6248UP	UCS 6248UP 1RU Fabric Int/No PSU/32 UP/ 12p LIC	32,000.00	22,400.00
UCS-FI-6248UP-UPG	UCS 6248UP 1RU Fabric Int/No PSU/32 UP/ 12p LIC	32,000.00	22,400.00
UCS-SPM-FI48-2X	UCS SP Select 6248 FI w/ 12p LIC 2Pk	39,078.00	27,354.60
UCS-SP-FI48P	(Not sold Standalone)UCS SP Select 6248 FI w/ 12p LIC	18,575.00	13,002.50
UCS-IOM2208-16FET	UCS 2208XP I/O Module with 16 FET Optics	15,600.00	10,920.00
UCS-IOM2208-16FET=	UCS 2208XP I/O Module with 16 FET Optics	15,600.00	10,920.00
UCS-FI-6296UP	UCS 6296UP 2RU Fabric Int/No PSU/48 UP/ 18p LIC	48,000.00	33,600.00
UCS-FI-6296UP-UPG	UCS 6296UP 2RU Fabric Int/No PSU/48 UP/ 18p LIC	48,000.00	33,600.00
UCS-FI-6296UP=	UCS 6296UP 2RU FI/0 PSU/0 Fan/0 DC - SPARE FOR SERVICES ONLY	48,000.00	33,600.00
UCS-IOM-2204XP	UCS 2204XP I/O Module (4 External, 16 Internal 10Gb Ports)	5,000.00	3,500.00
UCS-IOM-2204XP=	UCS 2204XP I/O Module (4 External, 16 Internal 10Gb Ports)	5,000.00	3,500.00
UCS-FI-6248E16-ALL	UCS 6248UP and 16P Expansion Module with 48 Port Licenses	96,000.00	67,200.00
UCS-FI-6248E16-28P	UCS 6248UP and 16P Expansion Module with 28 Port Licenses	60,000.00	42,000.00
UCS-FI-6248E16-32P	UCS 6248UP and 16P Expansion Module with 32 Port Licenses	68,000.00	47,600.00
UCS-FI-6248UP-CH2	Disti: UCS 6248UP 1RU Fabric Int/No PSU/32 UP/ 12p LIC	32,000.00	22,400.00
UCS-FI-6296UP-CH2	Disti: UCS 6296UP 2RU Fabric Int/No PSU/48 UP/ 18p LIC	48,000.00	33,600.00
UCS-IOM2204-8FET	UCS 2204XP I/O Module with 8 FET Optics	7,800.00	5,460.00
UCS-IOM2204-8FET=	UCS 2204XP I/O Module with 8 FET Optics	7,800.00	5,460.00
UCS-FI-E16UP	UCS 6200 16-port Expansion module/16 UP/ 8p LIC	16,000.00	11,200.00
UCS-FI-E16UP=	UCS 6200 16-port Expansion module/16 UP/ 8p LIC	16,000.00	11,200.00
UCS-LIC-10GE	UCS 6200 Series ONLY Fabric Int 1PORT 1/10GE/FC-port license	2,774.00	1,941.80
UCS-LIC-10GE=	UCS 6200 Series Fabric Int 1port 1/10GE/FC-port E-license	2,774.00	1,941.80
UCS-BLKE-6200=	UCS 6200 Series Expansion Module Blank	100.00	70.00
UCS-FAN-6248UP=	UCS 6248UP Fan Module	500.00	350.00
UCS-FAN-6296UP=	UCS 6296UP Fan Module	500.00	350.00
UCS-FI-DL2=	UCS 6248 Layer 2 Daughter Card	1,000.00	700.00
CAB-C13-C14-AC=	Power cord, C13 to C14 (recessed receptacle), 10A	50.00	35.00

Power Supply Options

UCS-PSU-6248UP-DC=	UCS 6248UP Power Supply/-48VDC	2,000.00	1,400.00
UCS-PSU-6248UP-DC	UCS 6248UP Power Supply/-48VDC	2,000.00	1,400.00
UCS-PSU-6248UP-AC	UCS 6248UP Power Supply/100-240VAC	1,400.00	980.00
UCS-PSU-6248UP-AC=	UCS 6248UP Power Supply/100-240VAC	1,400.00	980.00
UCS-PSU-6296UP-AC=	UCS 6296UP Power Supply/100-240VAC	2,000.00	1,400.00
UCS-PSU-6296UP-AC	UCS 6296UP Power Supply/100-240VAC	2,000.00	1,400.00

Accessory Kit Options

UCS-ACC-6248UP=	UCS 6248UP Chassis Accessory Kit	300.00	210.00
UCS-ACC-6296UP=	UCS 6296UP Chassis Accessory Kit	300.00	210.00

Spare Power Cable Option

CAB-C13-C14-JMPR=	Recessed receptical AC Power cord 27	50.00	35.00
CAB-C13-C14-2M=	Power Cord Jumper, C13-C14, 2 Meter Length	50.00	35.00
CAB-N5K6A-NA=	Power Cord, 200/240V 6A North America	50.00	35.00

SMARTnet Maintenance

CON-SNT-FI6248UP	SNTC-8X5XNBD UCS 6248UP 1RU Fabrc Intcrnct/2 PSU/2	719.00	719.00
CON-SNT-FI6296UP	SNTC-8X5XNBD UCS 6296UP 2RU Fabrc Int/2 PSU/4 Fans	1,437.00	1,437.00
CON-SNT-F6248ALL	SNTC-8X5XNBD UCS 6248UP and 16P	719.00	719.00
CON-SNT-F624828P	SNTC-8X5XNBD UCS 6248UP and 16P Expansion Module	719.00	719.00
CON-SNT-F624832P	SNTC-8X5XNBD UCS 6248UP and 16P Expansion Module	719.00	719.00
CON-SNTP-SMBFI48P	SNTC-24X7X4 (Not sold Standalone)UCS SP Select 6248 FI w	964.00	964.00

Cisco UCS B200 M3 Blade Servers

The Cisco® Unified Computing System™ (Cisco UCS™) combines Cisco UCS B-Series Blade Servers and C-Series Rack Servers with networking and storage access in a single converged system that simplifies management and delivers greater cost efficiency and agility with increased visibility and control. The latest server expansion of the Cisco UCS portfolio includes the new Cisco UCS B200 M3 Blade Server along with the new Cisco UCS C220 M3 Rack Server (one rack unit [1RU]) and Cisco UCS C240 M3 Rack Server (2RU). These three new servers increase compute density through more cores and cache balanced with more memory capacity and drives and with faster I/O. Together these server improvements and complementary Cisco UCS system advancements deliver the best combination of features and cost efficiency to support IT's diverse needs. The Cisco UCS B200 M3 Blade Server delivers performance, versatility, and density without compromise. It addresses the broadest set of workloads, from IT and web infrastructure, through distributed database. Building on the success of the Cisco UCS B200 M2 Blade Server, the enterprise-class Cisco UCS B200 M3 Blade Server further extends the capabilities of the Cisco UCS portfolio in a half-width blade form factor. The Cisco UCS B200 M3 harnesses the power of the latest Intel® Xeon® processor E5-2600 product family, with up to 384 GB of RAM (using 16-GB DIMMs), two disk drives, and up to dual 4x 10 Gigabit Ethernet throughput. In addition, Cisco UCS has the architectural advantage of not having to power and cool excess switches in each blade chassis. With a larger power budget per blade server, Cisco can design uncompromised expandability and capabilities in its blade servers, as evidenced by the new Cisco UCS B200 M3, with its leading memory slot and drive capacity.

The Cisco UCS B200 M3 provides: Two, multi-core, Intel® Xeon® processor E5-2600 product family CPUs, for up to 16 processing cores, 24 DIMM slots for industry-standard double-data-rate 3 (DDR3) memory running up to 1600 MHz and up to 384 GB of total memory (using 16-GB DIMMs); Two optional, hot-pluggable SAS or SATA hard disk drives (HDDs) or solid-state drives (SSDs); Remote management through a Cisco Integrated Management Controller (CIMC) that implements policy established in Cisco UCS Manager; Out-of-band access by remote keyboard, video, and mouse (KVM) device, Secure Shell (SSH) Protocol, and virtual media (vMedia) as well as the Intelligent Platform Management Interface (IPMI). In addition, the Cisco UCS B200 M3 is a half-width blade. Up to eight of these high-density, two-socket blade servers can reside in the 6RU Cisco UCS 5108 Blade Server Chassis, offering one of the highest densities of servers per rack unit in the industry. The Cisco UCS B200 M3 is suited for a broad range of IT workloads including virtualized workloads, IT and web infrastructure, virtual desktops, databases, middleware, enterprise resource planning (ERP) and customer relationship management (CRM) applications.

You can learn more about the Cisco UCS B200 M3 Blade Server on Cisco's website at the following URL:
<http://tinyurl.com/cisco-B200-M3>

You can compare the different models of Cisco UCS servers and create custom builds at the following URL:
<http://buildprice.cisco.com>

For sales and account support, please contact one of Cisco's local account managers:

Mike Kling mikling@cisco.com 225-218-2010

Cisco Product SKU	Description	USD List Price	EPL Price
UCS B200 M3 Servers and Bundles			
UCSB-B200-M3=	UCS B200 M3 Blade Server w/o CPU, mem, HDD, mLOM/mezz	3,476.00	2,433.20
UCSB-B200-M3-U	UCS B200 M3 Blade Server w/o CPU, mem, HDD, mLOM/mezz (UPG)	3,154.00	2,207.80
UCUCS-EZ-B200M3	UCS B200 M3, dual-8-core/2.7 GHz, 96GB RAM	17,816.00	12,471.20
UCS-SP-INFRA-CHSS	UCS SP BASE 5108 Blade Svr AC Chassis	14,490.00	10,143.00
UCS-SPL-B200M4-A1	UCS SP8 B200M3 VALUE 2x6296,1xCH,4xB200w/2xE52690 v2,16x16GB	28,227.00	19,758.90
UCS-SPL-B200M4-A2	UCS SP Select B200M4 Advanced1 w/2xE52690 v3,8x32GB,VIC1340	27,235.00	19,064.50
UCS-SPL-B200M4-A4	UCS SP Select B200M4 Advanced4 w/2xE52660 v3,16x16GB,VIC1340	22,468.00	15,727.60
UCS B200 M3 Processor			
UCS-CPU-E5-2680	2.70 GHz E5-2680 130W 8C/20MB Cache/DDR3 1600MHz	4,787.99	3,351.59
UCS-CPU-E5-2643	3.30 GHz E5-2643/130W 4C/10MB Cache/DDR3 1600MHz	2,549.53	1,784.67
UCS-CPU-E5-2620	2.00 GHz E5-2620/95W 6C/15MB Cache/DDR3 1333MHz	1,224.56	857.19
UCS-CPU-E5-2620=	2.00 GHz E5-2620/95W 6C/15MB Cache/DDR3 1333MHz/NoHeatSink	1,224.56	857.19
UCS-CPU-E5-2643=	3.30 GHz E5-2643/130W 4C/10MB Cache/DDR3 1600MHz/NoHeatSink	2,549.53	1,784.67
UCS-CPU-E5-2640	2.50 GHz E5-2640/95W 6C/15MB Cache/DDR3 1333MHz	2,549.53	1,784.67
UCS-CPU-E5-2640=	2.50 GHz E5-2640/95W 6C/15MB Cache/DDR3 1333MHz/NoHeatSink	2,549.53	1,784.67
UCS-CPU-E5-2650	2.00 GHz E5-2650/95W 8C/20MB Cache/DDR3 1600MHz	3,220.87	2,254.61
UCS-CPU-E5-2650=	2.00 GHz E5-2650/95W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	3,220.87	2,254.61
UCS-CPU-E5-2665	2.40 GHz E5-2665/115W 8C/20MB Cache/DDR3 1600MHz	3,933.56	2,753.49
UCS-CPU-E5-2665=	2.40 GHz E5-2665/115W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	3,933.56	2,753.49
UCS-CPU-E5-2680=	2.70 GHz E5-2680 130W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	4,787.99	3,351.59

UCS-CPU-E5-2630L=	2.00 GHz E5-2630L/60W 6C/15MB Cache/DDR3 1333MHz/NoHeatSink	1,868.34	1,307.84
UCS-CPU-GREASE=	CPU thermal grease for heatsink-CPU seal (all but C220/C240)	40.00	28.00
UCS-CPU-EP-PNP=	Pick n place CPU tool set (for Intel E5 EP Socket R)	75.00	52.50
UCSB-HS-01-EP=	CPU Heat Sink for UCS B200 M3 and B420 M3	99.00	69.30
UCS-CPU-E5-2660C=	DISTIonly: 2.20 GHz E5-2660/95W 8C/20MB Cache/DDR3 1600MHz	3,600.00	2,520.00
UCS-CPU-E5-2660=	2.20 GHz E5-2660/95W 8C/20MB Cache/DDR3 1600MHz	3,600.00	2,520.00
UCS-CPU-E5-2660	2.20 GHz E5-2660/95W 8C/20MB Cache/DDR3 1600MHz	3,600.00	2,520.00
UCS-CPU-GREASE2=	CPU thermal grease for heatsink-CPU seal (only C220/C240)	40.00	28.00
UCS-CPU-E5-2670=	2.60 GHz E5-2670 115W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	4,275.00	2,992.50
UCS-CPU-E5-2670	2.60 GHz E5-2670 115W 8C/20MB Cache/DDR3 1600MHz	4,275.00	2,992.50
UCS-CPU-E5-2690	2.90 GHz E5-2690/135W 8C/20MB Cache/DDR3 1600MHz	6,103.12	4,272.18
UCS-CPU-E5-2690=	2.90 GHz E5-2690/135W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	6,103.12	4,272.18
UCS-CPU-E5-2630L	2.00 GHz E5-2630L/60W 6C/15MB Cache/DDR3 1333MHz	1,868.34	1,307.84
UCS-CPU-E5-2650L	1.8GHz E5-2650L/70W 8C/20MB Cache/DDR3 1600MHz	3,220.87	2,254.61
UCS-CPU-E5-2650L=	1.8GHz E5-2650L/70W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	3,220.87	2,254.61
UCS-CPU-E5-2630	2.30 GHz E5-2630/95W 6C/15MB Cache/DDR3 1333MHz	1,724.62	1,207.23
UCS-CPU-E5-2630=	2.30 GHz E5-2630/95W 6C/15MB Cache/DDR3 1333MHz/NoHeatSink	1,724.62	1,207.23
UCS-CPU-E5-2637=	3.00 GHz E5-2637/80W 2C/5MB Cache/DDR3 1600MHz/NoHeatSink	2,550.00	1,785.00
UCS-CPU-E5-2667=	2.90 GHz E5-2667/130W 6C/15MB Cache/DDR3 1600MHz/NoHeatSink	4,275.00	2,992.50
UCS-CPU-E5-2667	2.90 GHz E5-2667/130W 6C/15MB Cache/DDR3 1600MHz	4,275.00	2,992.50
UCS-CPU-E5-2637	3.00 GHz E5-2637/80W 2C/5MB Cache/DDR3 1600MHz	2,550.00	1,785.00
UCS-CPU-E5-2609	2.4 GHz E5-2609/80W 4C/10MB Cache/DDR3 1066MHz	890.00	623.00
UCS-CPU-E5-2609=	2.4 GHz E5-2609/80W 4C/10MB Cache/DDR3 1066MHz/NoHeatSink	890.00	623.00
UCS-CPU-E5-2658=	2.10 GHz E5-2658 95W 8C/20MB Cache/DDR3 1600MHz/NoHeatSink	3,600.00	2,520.00
UCS-CPU-E5-2658	2.10 GHz E5-2658 95W 8C/20MB Cache/DDR3 1600MHz	3,600.00	2,520.00
UCS-CPU-E52660B	2.20 GHz E5-2660 v2/95W 10C/25MB Cache/DDR3 1866MHz	3,949.00	2,764.30
UCS-CPU-E52670B=	2.50 GHz E5-2670 v2/115W 10C/25MB Cache/DDR3 1866MHz (Spare)	4,489.00	3,142.30
UCS-CPU-E52670B	2.50 GHz E5-2670 v2/115W 10C/25MB Cache/DDR3 1866MHz	4,489.00	3,142.30
UCS-CPU-E52690B=	3.00 GHz E5-2690 v2/130W 10C/25MB Cache/DDR3 1866MHz (Spare)	6,103.00	4,272.10
UCS-CPU-E52690B	3.00 GHz E5-2690 v2/130W 10C/25MB Cache/DDR3 1866MHz	6,103.00	4,272.10
UCS-CPU-E52667B=	3.30 GHz E5-2667 v2/130W 8C/25MB Cache/DDR3 1866MHz (Spare)	6,090.00	4,263.00
UCS-CPU-E52667B	3.30 GHz E5-2667 v2/130W 8C/25MB Cache/DDR3 1866MHz	6,090.00	4,263.00
UCS-CPU-E52680B=	2.80 GHz E5-2680 v2/115W 10C/25MB Cache/DDR3 1866MHz (Spare)	4,980.00	3,486.00
UCS-CPU-E52695B=	2.40 GHz E5-2695 v2/115W 12C/30MB Cache/DDR3 1866MHz (Spare)	6,975.00	4,882.50
UCS-CPU-E52680B	2.80 GHz E5-2680 v2/115W 10C/25MB Cache/DDR3 1866MHz	4,980.00	3,486.00
UCS-CPU-E52695B	2.40 GHz E5-2695 v2/115W 12C/30MB Cache/DDR3 1866MHz	6,975.00	4,882.50
UCS-CPU-E52658B=	2.40 GHz E5-2658 v2/95W 10C/25MB Cache/DDR3 1866MHz (Spare)	4,755.00	3,328.50
UCS-CPU-E52658B	2.40 GHz E5-2658 v2/95W 10C/25MB Cache/DDR3 1866MHz	4,755.00	3,328.50
UCS-CPU-E52697B	2.70 GHz E5-2697 v2/130W 12C/30MB Cache/DDR3 1866MHz	7,875.00	5,512.50
UCS-CPU-E52660B=	2.20 GHz E5-2660 v2/95W 10C/25MB Cache/DDR3 1866MHz (Spare)	3,949.00	2,764.30
UCS-CPU-E52697B=	2.70 GHz E5-2697 v2/130W 12C/30MB Cache/DDR3 1866MHz (Spare)	7,875.00	5,512.50
UCS-CPU-E52620B=	2.10 GHz E5-2620 v2/80W 6C/15MB Cache/DDR3 1600MHz (Spare)	1,249.00	874.30
UCS-CPU-E52630LB=	2.40 GHz E5-2630L v2/60W 6C/15MB Cache/DDR3 1600MHz (Spare)	1,962.00	1,373.40

UCS-CPU-E52630LB	2.40 GHz E5-2630L v2/60W 6C/15MB Cache/DDR3 1600MHz	1,962.00	1,373.40
UCS-CPU-E52650B=	2.60 GHz E5-2650 v2/95W 8C/20MB Cache/DDR3 1866MHz (Spare)	3,500.00	2,450.00
UCS-CPU-E52630B=	2.60 GHz E5-2630 v2/80W 6C/15MB Cache/DDR3 1600MHz (Spare)	2,208.00	1,545.60
UCS-CPU-E52650B	2.60 GHz E5-2650 v2/95W 8C/20MB Cache/DDR3 1866MHz	3,500.00	2,450.00
UCS-CPU-E52650LB=	1.70 GHz E5-2650L v2/70W 10C/25MB Cache/DDR3 1600MHz (Spare)	3,382.00	2,367.40
UCS-CPU-E52650LB	1.70 GHz E5-2650L v2/70W 10C/25MB Cache/DDR3 1600MHz	3,382.00	2,367.40
UCS-CPU-EP2-PNP=	Pick n place CPU tools for M3/EP v2 12 Core CPUs (Purple)	75.00	52.50
UCS-CPU-E52637B=	3.50 GHz E5-2637 v2/130W 4C/15MB Cache/DDR3 1866MHz (Spare)	3,030.00	2,121.00
UCS-CPU-E52637B	3.50 GHz E5-2637 v2/130W 4C/15MB Cache/DDR3 1866MHz	3,030.00	2,121.00
UCS-CPU-E52643B=	3.50 GHz E5-2643 v2/130W 6C/25MB Cache/DDR3 1866MHz (Spare)	4,485.00	3,139.50
UCS-CPU-E52643B	3.50 GHz E5-2643 v2/130W 6C/25MB Cache/DDR3 1866MHz	4,485.00	3,139.50
UCS-CPU-E52609B=	2.50 GHz E5-2609 v2/80W 4C/10MB Cache/DDR3 1333MHz (Spare)	899.00	629.30
UCS-CPU-E52640B=	2.00 GHz E5-2640 v2/95W 8C/20MB Cache/DDR3 1600MHz (Spare)	2,626.00	1,838.20
UCS-CPU-E52609B	2.50 GHz E5-2609 v2/80W 4C/10MB Cache/DDR3 1333MHz	899.00	629.30
UCS-CPU-E52640B	2.00 GHz E5-2640 v2/95W 8C/20MB Cache/DDR3 1600MHz	2,626.00	1,838.20
UCS-CPU-E52620B	2.10 GHz E5-2620 v2/80W 6C/15MB Cache/DDR3 1600MHz	1,249.00	874.30
UCS-CPU-E52630B	2.60 GHz E5-2630 v2/80W 6C/15MB Cache/DDR3 1600MHz	2,208.00	1,545.60

UCS B200 M3 Memory

UCS-MR-1X082RY-A	8GB DDR3-1600-MHz RDIMM/PC3-12800/dual rank/1.35v	448.00	313.60
UCS-MR-1X162RY-A	16GB DDR3-1600-MHz RDIMM/PC3-12800/dual rank/1.35v	698.00	488.60
UCS-MR-1X082RY-A	8GB DDR3-1600-MHz RDIMM/PC3-12800/dual rank/1.35v	448.00	313.60
UCS-MR-1X162RY-A=	16GB DDR3-1600-MHz RDIMM/PC3-12800/dual rank/1.35v	698.00	488.60
UCS-MR-1X082RY-A=	8GB DDR3-1600-MHz RDIMM/PC3-12800/dual rank/1.35v	448.00	313.60
UCS-MR-1X082RX-A=	8GB DDR3-1333-MHz RDIMM/PC3-10600/2R/1.35v	448.00	313.60
UCS-MR-1X082RY-A=	8GB DDR3-1600-MHz RDIMM/PC3-12800/dual rank/1.35v	448.00	313.60
UCS-ML-1X324RY-A=	32GB DDR3-1600-MHz LR DIMM/PC3-12800/quad rank/x4/1.35v	2,160.00	1,512.00
UCS-ML-1X324RY-A	32GB DDR3-1600-MHz LR DIMM/PC3-12800/quad rank/x4/1.35v	2,160.00	1,512.00
UCS-MR-1X082RZ-A=	8GB DDR3-1866-MHz RDIMM/PC3-14900/dual rank/x4/1.5v	486.00	340.20
UCS-MR-1X082RZ-A	8GB DDR3-1866-MHz RDIMM/PC3-14900/dual rank/x4/1.5v	486.00	340.20
UCS-MR-1X162RZ-A=	16GB DDR3-1866-MHz RDIMM/PC3-14900/dual rank/x4/1.5v	741.00	518.70
UCS-MR-1X162RZ-A	16GB DDR3-1866-MHz RDIMM/PC3-14900/dual rank/x4/1.5v	741.00	518.70
UCS-ML-1X324RZ-A=	32GB DDR3-1866-MHz LRDIMM/PC3-14900/quad rank/x4/1.5v	2,260.00	1,582.00
UCS-ML-1X324RZ-A	32GB DDR3-1866-MHz LRDIMM/PC3-14900/quad rank/x4/1.5v	2,260.00	1,582.00

UCS B200 M3 Hard Disk and Solid State Drives

UCS-HDD300GI2F105	300GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	1,216.00	851.20
UCS-HDD300GI2F105=	300GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	1,216.00	851.20
N20-BBLKD=	UCS 2.5 inch HDD blanking panel	38.00	26.60
UCS-SD800G12S4-EP	800GB 2.5 inch Ent. Performance 12G SAS SSD (10X endurance)	7,000.00	4,900.00
UCS-SD800G12S4-EP=	800GB 2.5 inch Ent. Performance 12G SAS SSD (10X endurance)	7,000.00	4,900.00
UCS-SD480G0KS2-EV=	480 GB 2.5 inch Enterprise Value 6G SATA SSD	3,150.00	2,205.00
UCS-SD480G0KS2-EV	480 GB 2.5 inch Enterprise Value 6G SATA SSD	3,150.00	2,205.00
UCS-SD120G0KS2-EV=	20 GB 2.5 inch Enterprise Value 6G SATA SSD	748.00	523.60
UCS-SD120G0KS2-EV	20 GB 2.5 inch Enterprise Value 6G SATA SSD	748.00	523.60
UCS-SD480G0KS2-EV=	480 GB 2.5 inch Enterprise Value 6G SATA SSD	3,150.00	2,205.00
UCS-SD480G0KS2-EV=	480 GB 2.5 inch Enterprise Value 6G SATA SSD	3,150.00	2,205.00
UCS-SD800G12S4-EP=	800GB 2.5 inch Ent. Performance 12G SAS SSD (10X endurance)	7,160.00	5,012.00
UCS-SD800G12S4-EP	800GB 2.5 inch Ent. Performance 12G SAS SSD (10X endurance)	7,160.00	5,012.00
A03-D300GA2	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	589.00	412.30
A03-D300GA2=	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	589.00	412.30
A03-D600GA2	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,086.00	760.20
A03-D600GA2=	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,086.00	760.20
A03-D500GC3	500GB 6Gb SATA 7.2K RPM SFF hot plug/drive sled mounted	610.00	427.00
A03-D500GC3=	500GB 6Gb SATA 7.2K RPM SFF hot plug/drive sled mounted	610.00	427.00
A03-D1TBSATA	1TB 6Gb SATA 7.2K RPM SFF HDD/hot plug/drive sled mounted	974.00	681.80
A03-D1TBSATA=	1TB 6Gb SATA 7.2K RPM SFF HDD/hot plug/drive sled mounted	974.00	681.80
UCS-HDD900GI2F106	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
UCS-HDD900GI2F106=	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20

UCS B200 M3 Mezzanine Adapters

UCSB-MEZ-ELX-03	Cisco UCS CNA M73KR-E Emulex Adapter	1,399.00	979.30
UCSB-MEZ-ELX-03=	Cisco UCS CNA M73KR-E Emulex (Gen 3)	1,399.00	979.30
UCSB-MLOM-40G-01=	VIC 1240 modular LOM for M3 blade servers	1,499.00	1,049.30
UCSB-MLOM-40G-01	Cisco UCS VIC 1240 modular LOM for M3 blade servers	1,499.00	1,049.30
UCSB-MLOM-PT-01	Cisco UCS Port Expander Card (mezz) for VIC 1240 modular LOM	600.00	420.00
UCSB-MLOM-PT-01=	Port Expander Card (mezz) for VIC 1240 modular LOM	600.00	420.00
UCS-VIC-M82-8P	Cisco UCS VIC 1280 dual 40Gb capable Virtual Interface Card	1,699.00	1,189.30
UCS-VIC-M82-8P=	VIC 1280 dual 40Gb capable Virtual Interface Card	1,699.00	1,189.30
UCSB-F-FIO-1600MS=	UCS 1600GB Fusion ioMemory3 SX Scale line for B-Series	26,123.00	18,286.10
UCSB-F-FIO-1600MS	UCS 1600GB Fusion ioMemory3 SX Scale line for B-Series	26,123.00	18,286.10

UCSB-F-FIO-365M=	Cisco UCS 365GB MLC Fusion-io ioDrive2	16,229.00	11,360.30
UCSB-F-FIO-365M	Cisco UCS 365GB MLC Fusion-io ioDrive2	16,229.00	11,360.30
UCSB-F-FIO-1300MP	UCS 1300GB Fusion ioMemory3 PX Performance line for B-Series	34,281.00	23,996.70
UCSB-F-FIO-1300MP=	UCS 1300GB Fusion ioMemory3 PX Performance line for B-Series	34,281.00	23,996.70
UCSB-F-FIO-785M=	Cisco UCS 785GB MLC Fusion-io ioDrive2	28,379.00	19,865.30
UCSB-F-FIO-785M	Cisco UCS 785GB MLC Fusion-io ioDrive2	28,379.00	19,865.30

UCS B200 M3 Accessories

UCS-USBFLSH-S-4GB	4GB Flash USB Drive (shorter) for all M3 servers	100.00	70.00
UCS-USBFLSH-S-4GB=	4GB Flash USB Drive (shorter) for all M3 servers	100.00	70.00
UCS-SD-32G-S=	32GB SD Card for UCS servers	162.00	113.40
UCSX-TPM1-001	TPM Module For UCS	75.00	52.50
UCS-SD-32G-S	32GB SD Card for UCS servers	162.00	113.40
UCSX-TPM1-001=	TPM Module For UCS	75.00	52.50

UCS B200 M3 SMARTnet Maintenance

CON-SNT-B200M3	SMARTNET 8X5XNBD UCS B200 M3 Blade Server	231.00	231.00
CON-SNTP-B200M3	SMARTNET 24X7X4 UCS B200 M3 Blade Server	308.00	308.00
CON-SNT-B200M3-U	SNTC-8X5XNBD UCS B200 M3 Blade Se	231.00	231.00
CON-SNT-UCB200M3	SNTC-8X5XNBD UCS B200 M3 Server	231.00	231.00
CON-SNT-SPLB24A1	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	276.00
CON-SNT-SPLB24A4	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	276.00
CON-SNT-SPLB24A2	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	276.00

Cisco UCS B200 M4 Blade Servers

The Cisco UCS B200 M4 Blade Server delivers record performance, expandability, and configurability for workloads ranging from web infrastructure. Optimized for data center or cloud, the Cisco UCS B200 M4 can quickly deploy stateless physical and virtual workloads, with the programmability of

The UCS B200 M4 is built with the Intel™ Xeon™ E5-2600 v3 processor family, up to 768 GB of memory (with 32 GB DIMMs), up to two drives, and

In addition, Cisco UCS has the architectural advantage of not having to power and cool switches in each blade chassis. Having a larger power

The UCS B200 M4 Blade Server delivers:

- Suitability for a wide range of applications and workload requirements
- Highest-performing CPU and memory options without constraints in configuration, power or cooling
- Half-width form factor offering industry-leading benefits
- Latest features of Cisco UCS Virtual Interface Cards (VICs)

You can learn more about the Cisco UCS B200 M4 Blade Server on Cisco's website at the following URL:

<http://www.cisco.com/c/en/us/products/servers-unified-computing/ucs-b200-m4-blade-server/index.html>

You can compare the different models of Cisco UCS servers and create custom builds at the following URL:

<http://buildprice.cisco.com>

For sales and account support, please contact one of Cisco's local account managers:

Mike Kling mikling@cisco.com 225-218-2010

Cisco Product SKU	Description	USD List Price	EPL Price
B200 M4 Base Server			
UCSB-B200-M4	UCS B200 M4 w/o CPU, mem, drive bays, HDD, mezz	2,995.00	2,096.50
UCSB-B200-M4-U	UCS B200 M4 w/o CPU, mem, drive bays, HDD, mezz (UPG)	2,995.00	2,096.50
UCSB-B200-M4=	UCS B200 M4 w/o CPU, mem, drive bays, HDD, mezz (svc spare)	2,995.00	2,096.50
UCS-UC-B200M4	UCS B200 M4, dual-10-core/2.6 GHz, 128GB RAM	19,184.00	13,428.80
UCS-SPL-B200M4-B1	UCS SP Select B200M4 Basic1 w/2xE52609 v3,4x16GB,VIC1340	8,684.00	6,078.80
UCS-SPL-B200M4-S1	UCS SP Select B200M4 Standard1 w/2xE52630 v3,8x16GB,VIC1340	13,284.00	9,298.80
UCS-SPL-B200M4-S2	UCS SP Select B200M4 Standard2 w/2xE52620 v3,8x16GB,VIC1340	12,202.00	8,541.40
UCS-SPL-B200M4-A1	UCS SP Select B200M4 Advanced1 w/2xE52690 v3,8x32GB,VIC1340	28,227.00	19,758.90
UCS-SPL-B200M4-A2	UCS SP Select B200M4 Advanced2 w/2xE52680 v3,8x32GB,VIC1340	27,235.00	19,064.50
UCS-SPL-B200M4-A3	UCS SP Select B200M4 Advanced3 w/2xE52670 v3,8x32GB,VIC1340	26,371.00	18,459.70
UCS-SPL-B200M4-A4	UCS SP Select B200M4 Advanced4 w/2xE52660 v3,16x16GB,VIC1340	22,468.00	15,727.60
UCS-SPL-B200M4-C1	UCS SP Select B200M4 Core1 w/2xE52698 v3,8x32GB,VIC1340	13,284.00	9,298.80
UCS-SPL-B200M4-C2	UCS SP Select B200M4 Core2 w/2xE52697 v3,8x32GB,VIC1340	12,202.00	8,541.40
UCS-SPL-B200M4-F1	UCS SP Select B200M4 Frequency1 w/2xE52643 v3,8x32GB,VIC1340	28,227.00	19,758.90
UCS-SPL-B200M4-F2	UCS SP Select B200M4 Frequency2 w/2xE52637 v3,8x32GB,VIC1340	27,235.00	19,064.50
UCS-SPL-B200M4-F3	UCS SP Select B200M4 Frequency3 w/2xE52667 v3,8x32GB,VIC1340	26,371.00	18,459.70
UCS-SPM-B200M4-B1	UCS SP Select B200M4 Basic1 w/2xE52609 v3,4x16GB,VIC1340	8,496.00	5,947.20
UCS-SPM-B200M4-S1	UCS SP Select B200M4 Standard1 w/2xE52630 v3,8x16GB,VIC1340	12,909.00	9,036.30
UCS-SP-B200M4-S1	UCS SP Select B200M4 Standard1 w/2xE52630 v3,8x16GB,VIC1340	11,627.00	8,138.90
UCS-SPM-B200M4-S2	UCS SP Select B200M4 Standard2 w/2xE52620 v3,8x16GB,VIC1340	11,827.00	8,278.90
UCS-SPM-B200M4-A1	UCS SP Select B200M4 Advanced1 w/2xE52690 v3,8x32GB,VIC1340	26,127.00	18,288.90
UCS-SPM-B200M4-A2	UCS SP Select B200M4 Advanced2 w/2xE52680 v3,8x32GB,VIC1340	25,135.00	17,594.50
UCS-SPM-B200M4-A3	UCS SP Select B200M4 Advanced3 w/2xE52670 v3,8x32GB,VIC1340	24,271.00	16,989.70
UCS-SPM-B200M4-A4	UCS SP Select B200M4 Advanced4 w/2xE52660 v3,16x16GB,VIC1340	21,718.00	15,202.60
UCS-SPM-B200M4-C1	UCS SP Select B200M4 Core1 w/2xE52698 v3,8x32GB,VIC1340	33,602.00	23,521.40
UCS-SPM-B200M4-C2	UCS SP Select B200M4 Core2 w/2xE52697 v3,8x32GB,VIC1340	30,808.00	21,565.60
UCS-SPM-B200M4-F1	UCS SP Select B200M4 Frequency1 w/2xE52643 v3,8x32GB,VIC1340	24,499.00	17,149.30
UCS-SPM-B200M4-F2	UCS SP Select B200M4 Frequency2 w/2xE52637 v3,8x32GB,VIC1340	21,450.00	15,015.00
UCS-SPM-B200M4-F3	UCS SP Select B200M4 Frequency3 w/2xE52667 v3,8x32GB,VIC1340	26,900.00	18,830.00
B200 M4 Processor			
UCS-CPU-E52623D	3.00 GHz E5-2623 v3/105W 4C/10MB Cache/DDR4 1866MHz	1,435.00	1,004.50
UCS-CPU-E52699D	2.30 GHz E5-2699 v3/145W 18C/45MB Cache/DDR4 2133MHz	13,686.00	9,580.20
UCS-CPU-E52698D	2.30 GHz E5-2698 v3/135W 16C/40MB Cache/DDR4 2133MHz	10,691.00	7,483.70

UCS-CPU-E52699D=	2.30 GHz E5-2699 v3/145W 18C/45MB Cache/DDR4 2133MHz	13,686.00	9,580.20
UCS-CPU-E52623DC=	DISTI: 3.00 GHz E5-2623 v3/105W 4C/10MB Cache/DDR4 1866MHz	1,435.00	1,004.50
UCS-CPU-E52623D=	3.00 GHz E5-2623 v3/105W 4C/10MB Cache/DDR4 1866MHz	1,435.00	1,004.50
UCS-CPU-E52698DC=	DISTI: 2.30 GHz E5-2698 v3/135W 16C/40MB Cache/DDR4 2133MHz	10,691.00	7,483.70
UCS-CPU-E52698D=	2.30 GHz E5-2698 v3/135W 16C/40MB Cache/DDR4 2133MHz	10,691.00	7,483.70
UCS-CPU-E52699DC=	DISTI: 2.30 GHz E5-2699 v3/145W 18C/45MB Cache/DDR4 2133MHz	13,686.00	9,580.20
UCS-CPU-E52697D	2.60 GHz E5-2697 v3/145W 14C/35MB Cache/DDR4 2133MHz	8,489.00	5,942.30
UCS-CPU-E52695D	2.30 GHz E5-2695 v3/120W 14C/35MB Cache/DDR4 2133MHz	7,334.00	5,133.80
UCS-CPU-E52690D	2.60 GHz E5-2690 v3/135W 12C/30MB Cache/DDR4 2133MHz	6,307.00	4,414.90
UCS-CPU-E52670D	2.30 GHz E5-2670 v3/120W 12C/30MB Cache/DDR4 2133MHz	4,767.00	3,336.90
UCS-CPU-E52667D	3.20 GHz E5-2667 v3/135W 8C/20MB Cache/DDR4 2133MHz	6,264.00	4,384.80
UCS-CPU-E52660D	2.60 GHz E5-2660 v3/105W 10C/25MB Cache/DDR4 2133MHz	4,145.00	2,901.50
UCS-CPU-E52683D	2.00 GHz E5-2683 v3/120W 14C/35MB Cache/DDR4 2133MHz	5,559.00	3,891.30
UCS-CPU-E52680D	2.50 GHz E5-2680 v3/120W 12C/30MB Cache/DDR4 2133MHz	5,259.00	3,681.30
UCS-CPU-E52609D	1.90 GHz E5-2609 v3/85W 6C/15MB Cache/DDR4 1600MHz	1,097.00	767.90
UCS-CPU-E52630D	2.40 GHz E5-2630 v3/85W 8C/20MB Cache/DDR4 1866MHz	2,116.00	1,481.20
UCS-CPU-E52650LD	1.80 GHz E5-2650L v3/65W 12C/30MB Cache/DDR4 2133MHz	3,997.00	2,797.90
UCS-CPU-E52620D	2.40 GHz E5-2620 v3/85W 6C/15MB Cache/DDR4 1866MHz	1,500.00	1,050.00
UCS-CPU-E52637D	3.50 GHz E5-2637 v3/135W 4C/15MB Cache/DDR4 2133MHz	3,161.00	2,212.70
UCS-CPU-E52643D	3.40 GHz E5-2643 v3/135W 6C/20MB Cache/DDR4 2133MHz	4,897.00	3,427.90
UCS-CPU-E52640D	2.60 GHz E5-2640 v3/90W 8C/20MB Cache/DDR4 1866MHz	2,842.00	1,989.40
UCS-CPU-E52630LD	1.80 GHz E5-2630L v3/55W 8C/20MB Cache/DDR4 1866MHz	1,923.00	1,346.10
UCS-CPU-E52697D=	2.60 GHz E5-2697 v3/145W 14C/35MB Cache/DDR4 2133MHz	8,489.00	5,942.30
UCS-CPU-E52697DC=	DISTI: 2.60 GHz E5-2697 v3/145W 14C/35MB Cache/DDR4 2133MHz	8,489.00	5,942.30
UCS-CPU-E52695DC=	DISTI: 2.30 GHz E5-2695 v3/120W 14C/35MB Cache/DDR4 2133MHz	7,334.00	5,133.80
UCS-CPU-E52695D=	2.30 GHz E5-2695 v3/120W 14C/35MB Cache/DDR4 2133MHz	7,334.00	5,133.80
UCS-CPU-E52680D=	2.50 GHz E5-2680 v3/120W 12C/30MB Cache/DDR4 2133MHz	5,259.00	3,681.30
UCS-CPU-E52683DC=	DISTI: 2.00 GHz E5-2683 v3/120W 14C/35MB Cache/DDR4 2133MHz	5,559.00	3,891.30
UCS-CPU-E52683D=	2.00 GHz E5-2683 v3/120W 14C/35MB Cache/DDR4 2133MHz	5,559.00	3,891.30
UCS-CPU-E52690D=	2.60 GHz E5-2690 v3/135W 12C/30MB Cache/DDR4 2133MHz	6,307.00	4,414.90
UCS-CPU-E52690DC=	DISTI: 2.60 GHz E5-2690 v3/135W 12C/30MB Cache/DDR4 2133MHz	6,307.00	4,414.90
UCS-CPU-E52658D=	2.20 GHz E5-2658 v3/105W 12C/30MB Cache/DDR4 2133MHz	5,345.00	3,741.50
UCS-CPU-E52670D=	2.30 GHz E5-2670 v3/120W 12C/30MB Cache/DDR4 2133MHz	4,767.00	3,336.90
UCS-CPU-E52667DC=	DISTI: 3.20 GHz E5-2667 v3/135W 8C/20MB Cache/DDR4 2133MHz	6,264.00	4,384.80
UCS-CPU-E52658DC=	DISTI: 2.20 GHz E5-2658 v3/105W 12C/30MB Cache/DDR4 2133MHz	5,345.00	3,741.50
UCS-CPU-E52658D	2.20 GHz E5-2658 v3/105W 12C/30MB Cache/DDR4 2133MHz	5,345.00	3,741.50
UCS-CPU-E52667D=	3.20 GHz E5-2667 v3/135W 8C/20MB Cache/DDR4 2133MHz	6,264.00	4,384.80
UCS-CPU-E52650DC=	DISTI: 2.30 GHz E5-2650 v3/105W 10C/25MB Cache/DDR4 2133MHz	3,416.00	2,391.20
UCS-CPU-E52637D=	3.50 GHz E5-2637 v3/135W 4C/15MB Cache/DDR4 2133MHz	3,161.00	2,212.70
UCS-CPU-E52630LDC=	DISTI: 1.80 GHz E5-2630L v3/55W 8C/20MB Cache/DDR4 1866MHz	1,923.00	1,346.10
UCS-CPU-E52650D=	2.30 GHz E5-2650 v3/105W 10C/25MB Cache/DDR4 2133MHz	3,416.00	2,391.20
UCS-CPU-E52630D=	2.40 GHz E5-2630 v3/85W 8C/20MB Cache/DDR4 1866MHz	2,116.00	1,481.20
UCS-CPU-E52637DC=	DISTI: 3.50 GHz E5-2637 v3/135W 4C/15MB Cache/DDR4 2133MHz	3,161.00	2,212.70
UCS-CPU-E52630LD=	1.80 GHz E5-2630L v3/55W 8C/20MB Cache/DDR4 1866MHz	1,923.00	1,346.10
UCS-CPU-E52643D=	3.40 GHz E5-2643 v3/135W 6C/20MB Cache/DDR4 2133MHz	4,897.00	3,427.90
UCS-CPU-E52643DC=	DISTI: 3.40 GHz E5-2643 v3/135W 6C/20MB Cache/DDR4 2133MHz	4,897.00	3,427.90
UCS-CPU-E52650LD=	1.80 GHz E5-2650L v3/65W 12C/30MB Cache/DDR4 2133MHz	3,997.00	2,797.90
UCS-CPU-E52620D=	2.40 GHz E5-2620 v3/85W 6C/15MB Cache/DDR4 1866MHz	1,500.00	1,050.00
UCS-CPU-E52620DC=	DISTI: 2.40 GHz E5-2620 v3/85W 6C/15MB Cache/DDR4 1866MHz	1,500.00	1,050.00
UCS-CPU-E52609D=	1.90 GHz E5-2609 v3/85W 6C/15MB Cache/DDR4 1600MHz	1,097.00	767.90
UCS-CPU-E52609DC=	DISTI: 1.90 GHz E5-2609 v3/85W 6C/15MB Cache/DDR4 1600MHz	1,097.00	767.90
UCS-CPU-E52650LDC=	DISTI: 1.80 GHz E5-2650L v3/65W 12C/30MB Cache/DDR4 2133MHz	3,997.00	2,797.90
UCS-CPU-E52670DC=	DISTI: 2.30 GHz E5-2670 v3/120W 12C/30MB Cache/DDR4 2133MHz	4,767.00	3,336.90
UCS-CPU-E52630DC=	DISTI: 2.40 GHz E5-2630 v3/85W 8C/20MB Cache/DDR4 1866MHz	2,116.00	1,481.20
UCS-CPU-E52680DC=	DISTI: 2.50 GHz E5-2680 v3/120W 12C/30MB Cache/DDR4 2133MHz	5,259.00	3,681.30
PI-UCS-CPU-E52650D	2.30 GHz E5-2650 v3/105W 10C/25MB Cache/DDR4 2133MHz	3,416.00	2,391.20
UCS-CPU-E52640D=	2.60 GHz E5-2640 v3/90W 8C/20MB Cache/DDR4 1866MHz	2,842.00	1,989.40
UCS-CPU-E52660D=	2.60 GHz E5-2660 v3/105W 10C/25MB Cache/DDR4 2133MHz	4,145.00	2,901.50

B200 M4 Hard Drive and Solid State Drive

A03-D300GA2	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	589.00	412.30
A03-D300GA2=	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	589.00	412.30
A03-D600GA2	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,022.00	715.40
A03-D600GA2=	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,022.00	715.40
UCS-HDD300GI2F105	300GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	1,216.00	851.20
UCS-HDD300GI2F105=	300GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	1,216.00	851.20
UCS-HD12T10KS2-E	1.2 TB 6G SAS 10K rpm SFF HDD	1,460.63	1,022.44
UCS-SD800G0KS2-EP=	800GB 2.5 inch Enterprise Performance SAS SSD	12,188.00	8,531.60
UCS-SD800G0KS2-EP	800GB 2.5 inch Enterprise Performance SAS SSD	12,188.00	8,531.60
UCS-SD16T12S2-EP=	1.6TB 2.5 inch Enterprise Performance 12G SAS SSD	19,999.00	13,999.30
UCS-SD16T12S2-EP	1.6TB 2.5 inch Enterprise Performance 12G SAS SSD	19,999.00	13,999.30
UCS-HD450G15KS2-E	450GB SAS 15K RPM SFF HDD	1,781.00	1,246.70
UCS-HD450G15KS2-E=	450GB SAS 15K RPM SFF HDD	1,781.00	1,246.70

UCS-SD400G12S2-EP=	400GB 2.5 inch Enterprise performance 12G SAS SSD	6,299.00	4,409.30
UCS-SD400G12S2-EP	400GB 2.5 inch Enterprise performance 12G SAS SSD	6,299.00	4,409.30
UCS-SD400G0KS2-EP=	400GB 2.5 inch Enterprise Performance SAS SSD	5,623.00	3,936.10
UCS-SD400G0KS2-EP	400GB 2.5 inch Enterprise Performance SAS SSD	5,623.00	3,936.10
UCS-SD200G0KS2-EP=	200GB 2.5 inch Enterprise Performance SAS SSD	3,373.00	2,361.10
UCS-SD200G0KS2-EP	200GB 2.5 inch Enterprise Performance SAS SSD	3,373.00	2,361.10
UCS-SD120G0KS2-EV=	120 GB 2.5 inch Enterprise Value 6G SATA SSD	748.00	523.60
UCS-SD480G0KS2-EV	480 GB 2.5 inch Enterprise Value 6G SATA SSD	3,150.00	2,205.00
UCS-SD240G0KS2-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	1,574.00	1,101.80
UCS-SD120G0KS2-EV	120 GB 2.5 inch Enterprise Value 6G SATA SSD	748.00	523.60
UCS-SD240G0KS2-EV=	240GB 2.5 inch Enterprise Value 6G SATA SSD	1,574.00	1,101.80
UCS-SD480G0KS2-EV=	480 GB 2.5 inch Enterprise Value 6G SATA SSD	3,150.00	2,205.00
UCS-SD960G0KS2-EV=	960 GB 2.5 inch Enterprise Value 6G SATA SSD	6,168.00	4,317.60
UCS-HD2T7K12G	2 TB 12G SAS 7.2K RPM SFF HDD	2,379.00	1,665.30
UCS-HD2T7K12G=	2 TB 12G SAS 7.2K RPM SFF HDD	2,379.00	1,665.30
UCS-HD12TB10K12G	1.2 TB 12G SAS 10K RPM SFF HDD	1,460.00	1,022.00
UCS-HD900G10K12G	900GB 12G SAS 10K RPM SFF HDD	1,367.00	956.90
UCS-HD600G10K12G	600GB 12G SAS 10K RPM SFF HDD	1,022.00	715.40
UCS-HD600G15K12G	600GB 12G SAS 15K RPM SFF HDD	2,117.00	1,481.90
UCS-HD450G15K12G	450GB 12G SAS 15K RPM SFF HDD	1,629.00	1,140.30
UCS-HD300G15K12G	300GB 12G SAS 15K RPM SFF HDD	1,123.00	786.10
UCS-HD300G10K12G	300GB 12G SAS 10K RPM SFF HDD	591.00	413.70
UCS-SD38TBKS4-EV	3.8TB 2.5 inch Enterprise Value 6G SATA SSD	12,000.00	8,400.00
UCS-SD960GBKS4-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	4,167.00	2,916.90
UCS-SD16TBKS4-EV	1.6TB 2.5 inch Enterprise Value 6G SATA SSD	7,000.00	4,900.00
UCS-SD480GBKS4-EV	480 GB 2.5 inch Enterprise Value 6G SATA SSD	2,167.00	1,516.90
UCS-SD120GBKS4-EV	120 GB 2.5 inch Enterprise Value 6G SATA SSD	567.00	396.90
UCS-SD240GBKS4-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	917.00	641.90
UCS-SD800G12S4-EP	800GB 2.5 inch Ent. Performance 12G SAS SSD (10X endurance)	10,011.00	7,007.70
UCS-HD1T7K12G=	1 TB 12G SAS 7.2K RPM SFF HDD	1,161.00	812.70
UCS-HD1T7K12G	1 TB 12G SAS 7.2K RPM SFF HDD	1,161.00	812.70

B200 M4 Mezzanine Adapter

UCSB-F-FIO-1300MP	UCS 1300GB Fusion ioMemory3 PX Performance line for B-Series	32,711.00	22,897.70
UCSB-F-FIO-1600MS	UCS 1600GB Fusion ioMemory3 SX Scale line for B-Series	25,831.00	18,081.70
UCSB-F-FIO-1300MP=	UCS 1300GB Fusion ioMemory3 PX Performance line for B-Series	32,711.00	22,897.70
UCSB-F-FIO-1600MS=	UCS 1600GB Fusion ioMemory3 SX Scale line for B-Series	25,831.00	18,081.70
UCSB-MRAID12G=	Cisco FlexStorage 12G SAS RAID controller with Drive bays	749.00	524.30
UCSB-MRAID12G	Cisco FlexStorage 12G SAS RAID controller with Drive bays	749.00	524.30
UCSB-VIC-M83-8P=	Cisco UCS VIC 1380 mezzanine adapter for blade servers	1,699.00	1,189.30
UCSB-VIC-M83-8P	Cisco UCS VIC 1380 mezzanine adapter for blade servers	1,699.00	1,189.30
UCSB-MLOM-40G-03=	Cisco UCS VIC 1340 modular LOM for blade servers	1,499.00	1,049.30
UCSB-MLOM-40G-03	Cisco UCS VIC 1340 modular LOM for blade servers	1,499.00	1,049.30
UCS-VIC-M82-8P	Cisco UCS VIC 1280 mezzanine adapter for blade servers	1,699.00	1,189.30
UCS-VIC-M82-8P=	Cisco UCS VIC 1280 mezzanine adapter for blade servers	1,699.00	1,189.30
UCSB-MEZ-QLG-03	Cisco UCS CNA M73KR-Q Qlogic Adapter	999.00	699.30
UCSB-MEZ-ELX-03	Cisco UCS CNA M73KR-E Emulex Adapter	1,399.00	979.30
UCSB-MEZ-ELX-03=	Cisco UCS CNA M73KR-E Emulex	1,399.00	979.30
UCSB-MEZ-QLG-03=	Cisco UCS CNA M73KR-Q Qlogic	999.00	699.30
UCSB-MLOM-40G-01=	Cisco UCS VIC 1240 modular LOM for blade servers	1,499.00	1,049.30
UCSB-MLOM-40G-01	Cisco UCS VIC 1240 modular LOM for blade servers	1,499.00	1,049.30
UCSB-MLOM-PT-01	Cisco UCS Port Expander Card (mezz) for VIC	600.00	420.00
UCSB-MLOM-PT-01=	Cisco UCS Port Expander Card (mezz) for VIC	600.00	420.00
UCSB-F-FIO-785M=	Cisco UCS 785GB MLC Fusion-io ioDrive2	28,379.00	19,865.30
UCSB-F-FIO-785M	Cisco UCS 785GB MLC Fusion-io ioDrive2	28,379.00	19,865.30
UCSB-MRAID12G-HE	Cisco FlexStorage 12G SAS RAID contr w/2GB FBWC/drive bays	1,874.00	1,311.80
UCSB-MRAID12G-HE=	Cisco FlexStorage 12G SAS RAID contr w/2GB FBWC/drive bays	1,874.00	1,311.80
UCSB-LSTOR-PT=	Cisco FlexStorage Passthrough module w/drive bays	373.00	261.10
UCSB-MEZ-INT8955	Intel Crypto Mezz Card for B-Series	4,875.00	3,412.50

B200 M4 Memory

UCS-ML-1X324RU-A=	32GB DDR4-2133-MHz LRDIMM/PC4-17000/quad rank/x4/1.2v	1,800.00	1,260.00
UCS-ML-1X324RU-A	32GB DDR4-2133-MHz LRDIMM/PC4-17000/quad rank/x4/1.2v	1,800.00	1,260.00
UCS-MR-1X322RU-A=	32GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	1,580.00	1,106.00
UCS-MR-1X322RU-A	32GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	1,580.00	1,106.00
UCS-MR-1X081RU-A	8GB DDR4-2133-MHz RDIMM/PC4-17000/single rank/x4/1.2v	485.00	339.50
UCS-MR-1X081RU-A=	8GB DDR4-2133-MHz RDIMM/PC4-17000/single rank/x4/1.2v	485.00	339.50
UCS-MR-1X648RU-A=	64GB DDR4-2133-MHz TSV-RDIMM/PC4-17000/octal rank/x4/1.2v	7,000.00	4,900.00
UCS-MR-1X648RU-A	64GB DDR4-2133-MHz TSV-RDIMM/PC4-17000/octal rank/x4/1.2v	7,000.00	4,900.00
UCS-MR-1X162RU-A=	16GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	725.00	507.50
PI-UCS-M-1X162RU-A	16GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	861.00	602.70
UCS-CPU-CVR-EP-M4=	Unpopulated CPU sockets-dust cover for EP M4s	15.00	10.50

UCS-SPM-M16-RUA	16GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	637.00	445.90
-----------------	--	--------	--------

B200 M4 Accessories

UCS-SD-64G-S	64GB SD Card for UCS Servers	364.00	254.80
UCS-SD-64G-S=	64GB SD Card for UCS Servers	364.00	254.80
UCSB-HS-EP-M4-R=	CPU Heat Sink for UCS B200 M4/B420 M4 (Rear)	99.00	69.30
UCSB-HS-EP-M4-F=	CPU Heat Sink for UCS B200 M4/B420 M4 (Front)	99.00	69.30
UCSB-HS-EP-M4-R	CPU Heat Sink for UCS B200 M4/B420 M4 (Rear)	99.00	69.30
UCSB-HS-EP-M4-F	CPU Heat Sink for UCS B200 M4/B420 M4 (Front)	99.00	69.30
UCSX-TPM2-001	Trusted Platform Module 1.2 for UCS (SPI-based)	75.00	52.50
UCSX-TPM2-001=	Trusted Platform Module 1.2 for UCS (SPI-based)	75.00	52.50
UCSB-BAFF-B200-M4=	Air Baffle Replacement Kit for B200 M4 Server.	95.00	66.50
UCSB-LSTOR-BK=	FlexStorage blanking panel w/o controller, w/o drive bays	55.00	38.50
UCS-SD-32G-S=	32GB SD Card for UCS servers	162.00	113.40
UCS-SD-32G-S	32GB SD Card for UCS servers	162.00	113.40
UCS-USBFLSHB-16GB	UCS Servers 16GB Flash USB Drive	200.00	140.00
UCS-USBFLSHB-16GB=	UCS Servers 16GB Flash USB Drive	200.00	140.00
PI-UCS-SD-32G-S	32GB SD Card for UCS servers	162.00	113.40

B200 M4 RAID Controller with Drive Bays

UCSB-LSTOR-BK=	FlexStorage blanking panel w/o controller, w/o drive bays	55.00	38.50
UCSB-MRAID12G	Cisco FlexStorage 12G SAS RAID controller with Drive bays	749.00	524.30

UCS B200 M4 SMARTnet Maintenance

CON-SNT-B200M4	SMARTNET 8X5XNBDUCS B200 M4 w/o CPU,mem,dr b,HDD,mezz	263.00	263.00
CON-SNT-B200M4	SMARTNET 24X7X4UCS B200 M4 w/o CPU,mem,dr b,HDD,mezz	352.00	352.00
CON-SNT-B200M4U	SNTC-8X5XNBDUCS B200 M4 w/o CPU,m,dr b, HDD,m (UPG)	276.00	276.00
CON-SNT-SPLB24B1	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	276.00
CON-SNT-SPLB24S1	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	276.00
CON-SNT-SPLB24S2	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	276.00
CON-SNT-SPLB24A1	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	276.00
CON-SNT-SPLB24A2	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	276.00
CON-SNT-SPLB24A3	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	276.00
CON-SNT-SPLB24A4	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	276.00
CON-SNT-SPLB24C1	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	276.00
CON-SNT-SPLB24C2	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	276.00
CON-SNT-SPLB24F1	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	276.00
CON-SNT-SPLB24F2	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	276.00
CON-SNT-SPLB24F3	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	276.00
CON-SNTP-SMB200B1	SNTC-24X7X4 UCS SP Select B200M4 Basic1 w/2xE52609 v3,4x	370.00	370.00
CON-SNTP-SMB200S1	SNTC-24X7X4 UCS SP Select B200M4 Standard1 w/2xE52609 v3,4x	370.00	370.00
CON-SNTP-SMB200S1	SNTC-24X7X4 UCS SP Select B200M4 Standard2 w/2xE52609 v3,4x	370.00	370.00
CON-SNTP-SMB200A1	SNTC-24X7X4 UCS SP Select B200M4 Advanced1 w/2xE52680 v3	370.00	370.00
CON-SNTP-SMB200A2	SNTC-24X7X4 UCS SP Select B200M4 Advanced2 w/2xE52680 v3	370.00	370.00
CON-SNTP-SMB200A3	SNTC-24X7X4 UCS SP Select B200M4 Advanced3 w/2xE52609 v3,4x	370.00	370.00
CON-SNTP-SMB200A4	SNTC-24X7X4 UCS SP Select B200M4 Advanced4 w/2xE52609 v3,4x	370.00	370.00
CON-SNTP-SMB200C1	SNTC-24X7X4 UCS SP Select B200M4 Core1 w/2xE52609 v3,4x	370.00	370.00
CON-SNTP-SMB200C2	SNTC-24X7X4 UCS SP Select B200M4 Basic1 w/2xE52609 v3,4x	370.00	370.00
CON-SNTP-SMB200F1	SNTC-24X7X4 UCS SP Select B200M4 Core2 w/2xE52609 v3,4x	370.00	370.00
CON-SNTP-SMB200F2	SNTC-24X7X4 UCS SP Select B200M4 Frequency1 w/2xE52609 v3,4x	370.00	370.00
CON-SNTP-SMB200F3	SNTC-24X7X4 UCS SP Select B200M4 Frequency2 w/2xE52609 v3,4x	370.00	370.00
CON-SNT-SMB200A1	SNTC-8X5XNBD UCS SP Select B200M4 Basic1 w/2xE52680 v	276.00	276.00
CON-SNT-SMB200A1	SNTC-8X5XNBD UCS SP Select B200M4 Standard1 w/2xE52680 v	276.00	276.00
CON-SNT-SMB200A2	SNTC-8X5XNBD UCS SP Select B200M4 Standard2 w/2xE52680 v	276.00	276.00
CON-SNT-SMB200A1	SNTC-8X5XNBD UCS SP Select B200M4 Advanced1 w/2xE52680 v	276.00	276.00
CON-SNT-SMB200A2	SNTC-8X5XNBD UCS SP Select B200M4 Advanced2 w/2xE52680 v	276.00	276.00
CON-SNT-SMB200A3	SNTC-8X5XNBD UCS SP Select B200M4 Advanced3 w/2xE52680 v	276.00	276.00
CON-SNT-SMB200A4	SNTC-8X5XNBD UCS SP Select B200M4 Advanced4 w/2xE52680 v	276.00	276.00
CON-SNT-SMB200C1	SNTC-8X5XNBD UCS SP Select B200M4 Core1 w/2xE52680 v	276.00	276.00
CON-SNT-SMB200C2	SNTC-8X5XNBD UCS SP Select B200M4 Core2 w/2xE52680 v	276.00	276.00
CON-SNT-SMB200F1	SNTC-8X5XNBD UCS SP Select B200M4 Frequency1 w/2xE52680 v	276.00	276.00
CON-SNT-SMB200F2	SNTC-8X5XNBD UCS SP Select B200M4 Frequency2 w/2xE52680 v	276.00	276.00
CON-SNT-SMB200F3	SNTC-8X5XNBD UCS SP Select B200M4 Frequency3 w/2xE52680 v	276.00	276.00
CON-ECMU-C1F2PUCS	SWSS UPGRADES C1 Foundation Perpetual UCS	336.00	336.00

Cisco UCS B260 M4 Blade Servers

Turn your mission-critical business workloads into a competitive advantage by harnessing the value of your most important data assets. Building The Cisco UCS B260 M4 combines the power of the latest Intel® Xeon® processor E7 v2 product family and accelerates access to critical data The UCS B260 M4 server can also be upgraded to a four-socket UCS B460 M4 Blade Server. The upgrade is simple and cost-effective in doubling

Up to two Intel® Xeon® processor E7 v2 product family
 48 dual in-line memory module (DIMM) slots
 Up to 1.5 TB memory using 32 GB DIMMs
 Two optional, hot-pluggable drive bays supporting HDD and SSD drives with SAS or SATA interfaces
 Three mezzanine connectors for up to 160 Gbps I/O per blade
 Full-width form factor

You can learn more about the Cisco UCS B260 M4 Blade Server on Cisco's website at the following URL:
<http://www.cisco.com/c/en/us/products/servers-unified-computing/ucs-b260-m4-blade-server/index.html>

You can compare the different models of Cisco UCS servers and create custom builds at the following URL:
<http://buildprice.cisco.com>

For sales and account support, please contact one of Cisco's local account managers:

Mike Kling mikling@cisco.com 225-218-2010

Cisco Product SKU	Description	USD List Price	EPL Price
B260 M4 Base Blade Server			
UCSB-EX-M4-2SC=	UCS Scalability Terminator for B260 M4	1,000.00	700.00
UCSB-EX-M4-1C-U	UCS Scalable M4 Blade Module w/o CPU/DIMM/HDD for B260 M4	9,500.00	6,650.00
UCSB-EX-M4-1C	UCS Scalable M4 Blade Module w/o CPU/DIMM/HDD for B260 M4	9,500.00	6,650.00
UCSB-EX-M4-1=	UCS Scalable M4 Blade Module w/o CPU/DIMM/HDD	8,500.00	5,950.00
B260 M4 Processor			
UCS-CPU-E72870B=	2.3 GHz E7-2870 v2/130W 15C/30M Cache/DDR3 1600MHz	13,200.00	9,240.00
UCS-CPU-E72870B	2.3 GHz E7-2870 v2/130W 15C/30M Cache/DDR3 1600MHz	13,200.00	9,240.00
UCS-CPU-E72850B	2.3 GHz E7-2850 v2/105W 12C/24M Cache/DDR3 1600MHz	10,500.00	7,350.00
UCS-CPU-E72850B=	2.3GHz E7-2850 v2/105W 12C/24MCache/DDR3 1600MHz	10,500.00	7,350.00
UCS-CPU-E74860B=	2.6 GHz E7-4860 v2/130W 12C/30M Cache/DDR3 1600MHz	11,600.00	8,120.00
UCS-CPU-E74820B	2.0 GHz E7-4820 v2/105W 8C/16M Cache/DDR3 1600MHz	5,500.00	3,850.00
UCS-CPU-E74830B=	2.2 GHz E7-4830 v2/105W 10C/20M Cache/DDR3 1600MHz	8,500.00	5,950.00
UCS-CPU-E74860B	2.6 GHz E7-4860 v2/130W 12C/30M Cache/DDR3 1600MHz	11,600.00	8,120.00
UCS-CPU-E74809B=	1.9 GHz E7-4809 v2/105W 6C/12M Cache/DDR3 1333MHz	3,650.00	2,555.00
UCS-CPU-E74830B	2.2 GHz E7-4830 v2/105W 10C/20M Cache/DDR3 1600MHz	8,500.00	5,950.00
UCS-CPU-E74809B	1.9 GHz E7-4809 v2/105W 6C/12M Cache/DDR3 1333MHz	3,650.00	2,555.00
UCS-CPU-E74850B=	2.3 GHz E7-4850 v2/105W 12C/24M Cache/DDR3 1600MHz	11,000.00	7,700.00
UCS-CPU-E74850B	2.3 GHz E7-4850 v2/105W 12C/24M Cache/DDR3 1600MHz	11,000.00	7,700.00
UCS-CPU-E74820B=	2.0 GHz E7-4820 v2/105W 8C/16M Cache/DDR3 1600MHz	5,500.00	3,850.00
UCS-CPU-E72890B	2.8 GHz E7-2890 v2/155W 15C/37.5M Cache/DDR3 1600MHz	19,200.00	13,440.00
UCS-CPU-E72880B	2.5 GHz E7-2880 v2/130W 15C/37.5M Cache/DDR3 1600MHz	15,800.00	11,060.00
UCS-CPU-E72890B=	2.8 GHz E7-2890 v2/155W 15C/37.5M Cache/DDR3 1600MHz	19,200.00	13,440.00
UCS-CPU-E72880B=	2.5 GHz E7-2880 v2/130W 15C/37.5M Cache/DDR3 1600MHz	15,800.00	11,060.00
UCS-CPU-E78891B	3.2 GHz E7-8891 v2/155W 10C/37.5M Cache/DDR3 1600MHz	20,750.00	14,525.00
UCS-CPU-E74880B	2.5 GHz E7-4880 v2/130W 15C/37.5M Cache/DDR3 1600MHz	16,300.00	11,410.00
UCS-CPU-E78893B=	3.4 GHz E7-8893 v2/155W 6C/37.5M Cache/DDR3 1600MHz	20,750.00	14,525.00
UCS-CPU-E74870B=	2.3 GHz E7-4870 v2/130W 15C/30M Cache/DDR3 1600MHz	13,700.00	9,590.00
UCS-CPU-E78893B	3.4 GHz E7-8893 v2/155W 6C/37.5M Cache/DDR3 1600MHz	20,750.00	14,525.00
UCS-CPU-E74870B	2.3 GHz E7-4870 v2/130W 15C/30M Cache/DDR3 1600MHz	13,700.00	9,590.00
UCS-CPU-E74890B=	2.8 GHz E7-4890 v2/155W 15C/37.5M Cache/DDR3 1600MHz	19,700.00	13,790.00

UCS-CPU-E74880B=	2.5 GHz E7-4880 v2/130W 15C/37.5M Cache/DDR3 1600MHz	16,300.00	11,410.00
UCS-CPU-E78891B=	3.2 GHz E7-8891 v2/155W 10C/37.5M Cache/DDR3 1600MHz	20,750.00	14,525.00
UCS-CPU-E74890B	2.8 GHz E7-4890 v2/155W 15C/37.5M Cache/DDR3 1600MHz	19,700.00	13,790.00
UCS-CPU-E78857B	3.0 GHz E7-8857 v2/130W 12C/30M Cache/DDR3 1600MHz	11,600.00	8,120.00
UCS-CPU-E78880LB=	2.2 GHz E7-8880L v2/105W 15C/37.5M Cache/DDR3 1600MHz	16,900.00	11,830.00
UCS-CPU-E78880LB	2.2 GHz E7-8880L v2/105W 15C/37.5M Cache/DDR3 1600MHz	16,900.00	11,830.00
UCS-CPU-E78857B=	3.0 GHz E7-8857 v2/130W 12C/30M Cache/DDR3 1600MHz	11,600.00	8,120.00
UCS-CPU-EP-PNP=	PnP CPU tool: all M4/EX; M3/EP 10/8/6/4/2 Core (Green)	75.00	52.50

B260 M4 Other

UCS-CPU-GREASE3=	Thermal Grease-covers 2 CPUs-M4 servers-White syringe	40.00	28.00
UCSB-HS-01-EX=	CPU Heat Sink for UCS B260/UCS B460 M4 Blade Servers	99.00	69.30
UCS-SD-32G-S=	32GB SD Card for UCS servers	162.00	113.40
UCS-SD-32G-S	32GB SD Card for UCS servers	162.00	113.40

B260 M4 Memory

UCS-MR-2X082RY-E=	2 X 8 GB DDR3-1600 MHz RDIMM/PC3-12800 dual rank/x4/1.35v	870.00	609.00
UCS-MR-2X082RY-E	2 X 8 GB DDR3-1600 MHz RDIMM/PC3-12800 dual rank/x4/1.35v	870.00	609.00
UCS-MR-2X162RY-E=	2 X 16 GB DDR3-1600 MHz RDIMM/PC3-12800 dual rank/x4/1.35v	1,559.00	1,091.30
UCS-MR-2X162RY-E	2 X 16 GB DDR3-1600 MHz RDIMM/PC3-12800 dual rank/x4/1.35v	1,559.00	1,091.30
UCS-ML-2X324RY-E=	2 X 32 GB DDR3-1600 MHz LRDIMM/PC3-12800 quad rank/x4/1.35v	4,629.00	3,240.30
UCS-ML-2X324RY-E	2 X 32 GB DDR3-1600 MHz LRDIMM/PC3-12800 quad rank/x4/1.35v	4,629.00	3,240.30
UCS-ML-2X648RY-E=	2 X 64 GB DDR3-1600 MHz LRDIMM/PC3-10600 oct rank/x4/1.5v	19,500.00	13,650.00
UCS-ML-2X648RY-E	2 X 64 GB DDR3-1600 MHz LRDIMM/PC3-12800 oct rank/x4/1.5v	19,500.00	13,650.00

B260 M4 Drive

UCS-SD400G12S2-EP=	400GB 2.5 inch Enterprise performance 12G SAS SSD	7,700.00	5,390.00
UCS-SD400G12S2-EP	400GB 2.5 inch Enterprise performance 12G SAS SSD	7,700.00	5,390.00
UCS-RAID9361CV-8I=	MegaRAID 9361CV with 8 internal SAS/SATA ports with Supercap	3,500.00	2,450.00
UCS-RAID9361CV-8I	MegaRAID 9361CV with 8 internal SAS/SATA ports with Supercap	3,500.00	2,450.00
UCS-SD16T12S2-EP=	1.6TB 2.5 inch Enterprise performance 12G SAS SSD	29,000.00	20,300.00
UCS-SD16T12S2-EP	1.6TB 2.5 inch Enterprise performance 12G SAS SSD	29,000.00	20,300.00
UCS-HD600G15KS2-E	600GB SAS 15K RPM SFF HDD	2,156.00	1,509.20
UCS-HD450G15KS2-E=	450GB SAS 15K RPM SFF HDD	1,781.00	1,246.70
UCS-SD960G0KS2-EV=	960 GB 2.5 inch Enterprise Value 6G SATA SSD	6,168.00	4,317.60
UCS-HDD900GI2F106=	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
UCS-HD1T7KS2-E=	1TB SAS 7.2K RPM 2.5 inch HDD/hot plug/drive sled mounted	975.00	682.50
UCS-HD12T10KS2-E=	1.2 TB 6G SAS 10K rpm SFF HDD	1,910.00	1,337.00
UCS-HD600G15KS2-E=	600GB SAS 15K RPM SFF HDD	2,156.00	1,509.20
UCS-HD450G15KS2-E	450GB SAS 15K RPM SFF HDD	1,781.00	1,246.70
UCS-HDD900GI2F106	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
UCS-HD1T7KS2-E	1TB SAS 7.2K RPM 2.5 inch HDD/hot plug/drive sled mounted	975.00	682.50
UCS-HD12TB10K12G=	1.2 TB 12G SAS 10K RPM SFF HDD	TBA	TBA

B260 M4 Adapter

UCSB-VIC-M83-8P=	Cisco UCS VIC 1380 mezzanine adapter for blade servers	1,699.00	1,189.30
UCSB-VIC-M83-8P	Cisco UCS VIC 1380 mezzanine adapter for blade servers	1,699.00	1,189.30
UCSB-MLOM-40G-03=	Cisco UCS VIC 1340 modular LOM for blade servers	1,499.00	1,049.30
UCSB-MLOM-40G-03	Cisco UCS VIC 1340 modular LOM for blade servers	1,499.00	1,049.30
UCSB-F-FIO-1300MP	UCS 1300GB Fusion ioMemory3 PX Performance line for B-Series	37,100.00	25,970.00
UCSB-F-FIO-1600MS	UCS 1600GB Fusion ioMemory3 SX Scale line for B-Series	33,831.00	23,681.70
UCSB-F-FIO-1300MP=	UCS 1300GB Fusion ioMemory3 PX Performance line for B-Series	37,100.00	25,970.00
UCSB-F-FIO-1600MS=	UCS 1600GB Fusion ioMemory3 SX Scale line for B-Series	33,831.00	23,681.70

UCS B260 M4 SMARTnet Maintenance

CON-SNT-B260M4	SMARTNET 8X5XNBD Blade Module for B260/B460 M4	347.00	347.00
CON-SNTP-B260M4	SMARTNET 24X7X4 Blade Module for B260/B460 M4	464.00	464.00
CON-SNT-B260M4CU	SMARTNET 8X5XNBD Blade Module for B260/B460 M4	347.00	347.00
CON-SNTP-B260M4CU	SMARTNET 24X7X4 Blade Module for B260/B460 M4	464.00	464.00

Cisco UCS B420 M4 Blade Servers

Dense Four-Socket Performance and Scalability

Designed for demanding virtualization and database workloads, the B420 M4 combines a large memory footprint with 4-socket scalability, using the Intel® Xeon® processor E5-4600 v3 product family. The blade server supports 2133 MHz DDR4 memory and utilizes Cisco UCS virtual interface card technology to achieve up to 160 Gbps aggregate I/O bandwidth, all in a dense, full-width blade form factor

Dense Four-Socket Performance and Scalability

Designed for demanding virtualization and database workloads, the B420 M4 combines a large memory footprint with 4-socket scalability, using the Intel® Xeon® processor E5-4600 v3 product family. The blade server supports 2133 MHz DDR4 memory and utilizes Cisco UCS virtual interface card technology to achieve up to 160 Gbps aggregate I/O bandwidth, all in a dense, full-width blade form factor

You can learn more about the Cisco UCS B420 M4 Blade Server on Cisco's website at the following URL:

<http://www.cisco.com/c/en/us/products/servers-unified-computing/ucs-b420-m4-blade-server/index.html>

You can compare the different models of Cisco UCS servers and create custom builds at the following URL:

<http://buildprice.cisco.com>

For sales and account support, please contact one of Cisco's local account managers:

Mike Kling mikling@cisco.com 225-218-2010

Cisco Product SKU	Description	USD List Price	EPL Price
B420 M4 Server			
UCSB-B420-M4	UCS B420 M4 Blade Server w/o CPU, memory, HDD, mLOM	9,187.00	6,430.90
UCSB-B420-M4-U	UCS B420 M4 Blade Server w/o CPU, memory, HDD, mLOM (UPG)	9,187.00	6,430.90
UCSB-B420-M4=	UCS B420 M4 Blade Server w/o CPU, memory, HDD, mLOM	9,187.00	6,430.90
B420 M4 Processor			
UCS-CPU-E5-4660D=	2.10 GHz E5-4660 v3/120W 14C/35MB Cache/DDR4 2133MHz	16,300.00	11,410.00
UCS-CPU-E5-4660D	2.10 GHz E5-4660 v3/120W 14C/35MB Cache/DDR4 2133MHz	16,300.00	11,410.00
UCS-CPU-E5-4650D	2.10 GHz E5-4650 v3/105W 12C/30MB Cache/DDR4 2133MHz	13,100.00	9,170.00
UCS-CPU-E5-4650D=	2.10 GHz E5-4650 v3/105W 12C/30MB Cache/DDR4 2133MHz	13,100.00	9,170.00
UCS-CPU-E5-4610D	1.70 GHz E5-4610 v3/105W 10C/25MB Cache/DDR4 1600MHz	3,900.00	2,730.00
UCS-CPU-E5-4655D	2.90 GHz E5-4655 v3/135W 6C/30MB Cache/DDR4 2133MHz	16,000.00	11,200.00
UCS-CPU-E5-4667D	2.00 GHz E5-4667 v3/135W 16C/40MB Cache/DDR4 2133MHz	19,000.00	13,300.00
UCS-CPU-E5-4655D=	2.90 GHz E5-4655 v3/135W 6C/30MB Cache/DDR4 2133MHz	16,000.00	11,200.00
UCS-CPU-E5-4669D=	2.10 GHz E5-4669 v3/135W 18C/45MB Cache/DDR4 2133MHz	23,500.00	16,450.00
UCS-CPU-E5-4620D	2.00 GHz E5-4620 v3/105W 10C/25MB Cache/DDR4 1866MHz	5,500.00	3,850.00
UCS-CPU-E5-4669D	2.10 GHz E5-4669 v3/135W 18C/45MB Cache/DDR4 2133MHz	23,500.00	16,450.00
UCS-CPU-E5-4640D=	1.90 GHz E5-4640 v3/105W 12C/30MB Cache/DDR4 1866MHz	9,600.00	6,720.00
UCS-CPU-E5-4640D	1.90 GHz E5-4640 v3/105W 12C/30MB Cache/DDR4 1866MHz	9,600.00	6,720.00
UCS-CPU-E5-4610D=	1.70 GHz E5-4610 v3/105W 10C/25MB Cache/DDR4 1600MHz	3,900.00	2,730.00
UCS-CPU-E5-4667D=	2.00 GHz E5-4667 v3/135W 16C/40MB Cache/DDR4 2133MHz	19,000.00	13,300.00
UCS-CPU-E5-4620D=	2.00 GHz E5-4620 v3/105W 10C/25MB Cache/DDR4 1866MHz	5,500.00	3,850.00
UCS-CPU-E5-4627D=	2.60 GHz E5-4627 v3/135W 10C/25MB Cache/DDR4 2133MHz	7,000.00	4,900.00
UCS-CPU-E5-4627D	2.60 GHz E5-4627 v3/135W 10C/25MB Cache/DDR4 2133MHz	7,000.00	4,900.00
B420 M4 Memory			
UCS-MR-1X162RU-A=	16GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	725.00	507.50
UCS-MR-1X162RU-A	16GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	725.00	507.50
UCS-MR-1X081RU-A	8GB DDR4-2133-MHz RDIMM/PC4-17000/single rank/x4/1.2v	485.00	339.50
UCS-MR-1X081RU-A=	8GB DDR4-2133-MHz RDIMM/PC4-17000/single rank/x4/1.2v	485.00	339.50
UCS-MR-1X322RU-A	32GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	1,580.00	1,106.00
UCS-MR-1X322RU-A=	32GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	1,580.00	1,106.00
UCS-MR-1X648RU-A=	64GB DDR4-2133-MHz TSV-RDIMM/PC4-17000/octal rank/x4/1.2v	7,000.00	4,900.00
UCS-MR-1X648RU-A	64GB DDR4-2133-MHz TSV-RDIMM/PC4-17000/octal rank/x4/1.2v	7,000.00	4,900.00
B420 M4 Mezzanine Adapter			
UCSB-F-FIO-1300MP	UCS 1300GB Fusion ioMemory3 PX Performance line for B-Series	32,711.00	22,897.70

UCSB-F-FIO-1600MS	UCS 1600GB Fusion ioMemory3 SX Scale line for B-Series	25,831.00	18,081.70
UCSB-F-FIO-1300MP=	UCS 1300GB Fusion ioMemory3 PX Performance line for B-Series	32,711.00	22,897.70
UCSB-F-FIO-1600MS=	UCS 1600GB Fusion ioMemory3 SX Scale line for B-Series	25,831.00	18,081.70
UCS-VIC-M82-8P	Cisco UCS VIC 1280 mezzanine adapter for blade servers	1,699.00	1,189.30
UCS-VIC-M82-8P=	Cisco UCS VIC 1280 mezzanine adapter for blade servers	1,699.00	1,189.30
UCSB-MLOM-40G-01=	Cisco UCS VIC 1240 modular LOM for blade servers	1,499.00	1,049.30
UCSB-MLOM-40G-01	Cisco UCS VIC 1240 modular LOM for blade servers	1,499.00	1,049.30
UCSB-MLOM-PT-01	Cisco UCS Port Expander Card (mezz) for VIC	600.00	420.00
UCSB-MLOM-PT-01=	Cisco UCS Port Expander Card (mezz) for VIC	600.00	420.00
UCSB-VIC-M83-8P=	Cisco UCS VIC 1380 mezzanine adapter for blade servers	1,699.00	1,189.30
UCSB-VIC-M83-8P	Cisco UCS VIC 1380 mezzanine adapter for blade servers	1,699.00	1,189.30
UCSB-MLOM-40G-03=	Cisco UCS VIC 1340 modular LOM for blade servers	1,499.00	1,049.30
UCSB-MLOM-40G-03	Cisco UCS VIC 1340 modular LOM for blade servers	1,499.00	1,049.30

B420 M4 SFF Drives

A03-D300GA2	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	589.00	412.30
A03-D300GA2=	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	589.00	412.30
A03-D600GA2	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,022.00	715.40
A03-D600GA2=	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,022.00	715.40
UCS-HDD300GI2F105	300GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	1,216.00	851.20
UCS-HDD300GI2F105=	300GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	1,216.00	851.20
UCS-HD12T10KS2-E=	1.2 TB 6G SAS 10K rpm SFF HDD	1,460.63	1,022.44
UCS-HD12T10KS2-E	1.2 TB 6G SAS 10K rpm SFF HDD	1,460.63	1,022.44
UCS-SD16T12S2-EP=	1.6TB2.5 inch Enterprise Performance 12G SAS SSD	19,999.00	13,999.30
UCS-SD16T12S2-EP	1.6TB2.5 inch Enterprise Performance 12G SAS SSD	19,999.00	13,999.30
UCS-SD400G12S2-EP=	400GB 2.5 inch Enterprise performance 12G SAS SSD	6,299.00	4,409.30
UCS-SD400G12S2-EP	400GB 2.5 inch Enterprise performance 12G SAS SSD	6,299.00	4,409.30
UCS-SD120G0KS2-EV=	120 GB 2.5 inch Enterprise Value 6G SATA SSD	748.00	523.60
UCS-SD480G0KS2-EV	480 GB 2.5 inch Enterprise Value 6G SATA SSD	3,150.00	2,205.00
UCS-SD120G0KS2-EV	120 GB 2.5 inch Enterprise Value 6G SATA SSD	748.00	523.60
UCS-SD480G0KS2-EV=	480 GB 2.5 inch Enterprise Value 6G SATA SSD	3,150.00	2,205.00
UCS-HD450G15KS2-E	450GB SAS 15K RPM SFF HDD	1,781.00	1,246.70
UCS-HD450G15KS2-E=	450GB SAS 15K RPM SFF HDD	1,781.00	1,246.70
UCS-HD300G10K12G	300GB 12G SAS 10K RPM SFF HDD	591.00	413.70
UCS-SD38TBKS4-EV	3.8TB 2.5 inch Enterprise Value 6G SATA SSD	12,000.00	8,400.00
UCS-SD960GBKS4-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	4,167.00	2,916.90
UCS-SD16TBKS4-EV	1.6TB 2.5 inch Enterprise Value 6G SATA SSD	7,000.00	4,900.00
UCS-SD480GBKS4-EV	480 GB 2.5 inch Enterprise Value 6G SATA SSD	2,167.00	1,516.90
UCS-SD120GBKS4-EV	120 GB 2.5 inch Enterprise Value 6G SATA SSD	567.00	396.90
UCS-SD240GBKS4-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	917.00	641.90
UCS-SD800G12S4-EP	800GB 2.5 inch Ent. Performance 12G SAS SSD (10X endurance)	10,011.00	7,007.70

B420 M4 Accessories

UCSB-CBAF-B420-M4=	Air Baffle Replacement Kit for B420 M4 Server	95.00	66.50
UCSX-HSCK=	UCS CPU/Heatsink Cleaning Kit, for up to 4 CPU/heatsink sets	40.00	28.00
UCS-CPU-GREASE3=	Thermal Grease-covers 2 CPUs-M4 servers-White syringe	40.00	28.00
N20-BKVM=	KVM local IO cable for UCS servers console port	92.00	64.40
N20-MBLIBATT=	Replacement Battery for Server Motherboard (CR2032)	60.00	42.00
UCSB-HS-EP-M4-R=	CPU Heat Sink for UCS B200 M4/B420 M4 (Rear)	99.00	69.30
UCSB-HS-EP-M4-F=	CPU Heat Sink for UCS B200 M4/B420 M4 (Front)	99.00	69.30
UCS-SD-32G-S=	32GB SD Card for UCS servers	162.00	113.40
UCS-SD-32G-S	32GB SD Card for UCS servers	162.00	113.40
UCS-SD-64G-S	64GB SD Card for UCS Servers	364.00	254.80
UCS-USBFLSHB-16GB	UCS Servers 16GB Flash USB Drive	200.00	140.00
UCS-SD-64G-S=	64GB SD Card for UCS Servers	364.00	254.80
UCS-USBFLSHB-16GB=	UCS Servers 16GB Flash USB Drive	200.00	140.00
UCSB-MRAID12G	Cisco FlexStorage 12G SAS RAID controller with Drive bays	749.00	524.30
UCSB-LSTOR-BK=	FlexStorage blanking panel w/o controller, w/o drive bays	55.00	38.50
UCSB-LSTOR-BK	FlexStorage blanking panels w/o controller, w/o drive bays	-	-
UCSB-MRAID12G=	Cisco FlexStorage 12G SAS RAID controller with Drive bays	749.00	524.30
UCSB-MRAID12G-HE	Cisco FlexStorage 12G SAS RAID contr w/2GB FBWC/drive bays	1,874.00	1,311.80
UCSB-MRAID12G-HE=	Cisco FlexStorage 12G SAS RAID contr w/2GB FBWC/drive bays	1,874.00	1,311.80
UCSB-HS-EP-M4-F	CPU Heat Sink for UCS B200 M4/B420 M4 (Front)	99.00	69.30
UCSB-LSTOR-PT=	Cisco FlexStorage Passthrough module w/drive bays	373.00	261.10
UCSX-TPM2-001	Trusted Platform Module 1.2 for UCS (SPI-based)	75.00	52.50
UCSX-TPM2-001=	Trusted Platform Module 1.2 for UCS (SPI-based)	75.00	52.50

UCS B420 M4 SMARTnet Maintenance

CON-SNT-B420M401	SMART NET TOTAL CARE	399.00	399.00
------------------	----------------------	--------	--------

Cisco UCS B460 M4 Blade Servers

The Cisco UCS B460 M4 Blade Server provides outstanding performance and enterprise-critical stability for memory-intensive workloads such as The Cisco UCS B460 M4 server harnesses the power of four of the latest Intel® Xeon® processor E7 v2 product family and accelerates access to Easy integration into UCS Managed server environments
 Cisco SingleConnect technology for one simplified link for rack servers, blade servers, and virtual machines
 Six mezzanine connectors providing vast I/O expandability
 Industry leading performance, features, and reliability, availability, and serviceability capabilities
 Up to four Intel® Xeon® processor E7 v2 product family
 96 dual in-line memory module (DIMM) slots
 Up to 3.0 TB memory using 32 GB DIMMs
 Four optional, hot-pluggable drive bays supporting HDD and SSD drives with SAS or SATA interfaces
 Two modular LAN on Motherboard (mLOM)
 Four PCIe mezzanine slots
 Provides up to 320 Gbps overall Ethernet throughput

You can learn more about the Cisco UCS B460 M4 Blade Server on Cisco's website at the following URL:
<http://www.cisco.com/c/en/us/products/servers-unified-computing/ucs-b460-m4-blade-server/index.html>

You can compare the different models of Cisco UCS servers and create custom builds at the following URL:
<http://buildprice.cisco.com>

For sales and account support, please contact one of Cisco's local account managers:

Mike Kling mikling@cisco.com 225-218-2010

Cisco Product SKU	Description	USD List Price	EPL Price
B460 M4 Base Blade Server			
UCSB-EX-M4-1A-U	UCS Scalable M4 Blade Module w/o CPU/DIMM/HDD for B460 M4	27,000.00	18,900.00
UCSB-EX-M4-1E-U	UCS Scalable M4 Blade Module w/o CPU/DIMM/HDD UPG B260toB460	18,500.00	12,950.00
UCSB-EX-M4-4SC=	UCS Scalability Connector for B460 M4	10,000.00	7,000.00
UCSB-EX-M4-1A	UCS Scalable M4 Blade Module w/o CPU/DIMM/HDD for B460 M4	27,000.00	18,900.00
UCSB-EX-M4-1=	UCS Scalable M4 Blade Module w/o CPU/DIMM/HDD	8,500.00	5,950.00
B460 M4 Processor			
UCS-CPU-E74880B	2.5 GHz E7-4880 v2/130W 15C/37.5M Cache/DDR3 1600MHz	16,300.00	11,410.00
UCS-CPU-E74850B	2.3 GHz E7-4850 v2/105W 12C/24M Cache/DDR3 1600MHz	11,000.00	7,700.00
UCS-CPU-E74890B	2.8 GHz E7-4890 v2/155W 15C/37.5M Cache/DDR3 1600MHz	19,700.00	13,790.00
UCS-CPU-E72870B=	2.3 GHz E7-2870 v2/130W 15C/30M Cache/DDR3 1600MHz	13,200.00	9,240.00
UCS-CPU-E72870B	2.3 GHz E7-2870 v2/130W 15C/30M Cache/DDR3 1600MHz	13,200.00	9,240.00
UCS-CPU-E72850B	2.3 GHz E7-2850 v2/105W 12C/24M Cache/DDR3 1600MHz	10,500.00	7,350.00
UCS-CPU-E72850B=	2.3GHz E7-2850 v2/105W 12C/24MCache/DDR3 1600MHz	10,500.00	7,350.00
UCS-CPU-E74860B=	2.6 GHz E7-4860 v2/130W 12C/30M Cache/DDR3 1600MHz	11,600.00	8,120.00
UCS-CPU-E74820B	2.0 GHz E7-4820 v2/105W 8C/16M Cache/DDR3 1600MHz	5,500.00	3,850.00
UCS-CPU-E74830B=	2.2 GHz E7-4830 v2/105W 10C/20M Cache/DDR3 1600MHz	8,500.00	5,950.00
UCS-CPU-E74860B	2.6 GHz E7-4860 v2/130W 12C/30M Cache/DDR3 1600MHz	11,600.00	8,120.00
UCS-CPU-E74809B=	1.9 GHz E7-4809 v2/105W 6C/12M Cache/DDR3 1333MHz	3,650.00	2,555.00
UCS-CPU-E74830B	2.2 GHz E7-4830 v2/105W 10C/20M Cache/DDR3 1600MHz	8,500.00	5,950.00
UCS-CPU-E74809B	1.9 GHz E7-4809 v2/105W 6C/12M Cache/DDR3 1333MHz	3,650.00	2,555.00
UCS-CPU-E74850B=	2.3 GHz E7-4850 v2/105W 12C/24M Cache/DDR3 1600MHz	11,000.00	7,700.00
UCS-CPU-E74820B=	2.0 GHz E7-4820 v2/105W 8C/16M Cache/DDR3 1600MHz	5,500.00	3,850.00
UCS-CPU-E72890B	2.8 GHz E7-2890 v2/155W 15C/37.5M Cache/DDR3 1600MHz	19,200.00	13,440.00
UCS-CPU-E72880B	2.5 GHz E7-2880 v2/130W 15C/37.5M Cache/DDR3 1600MHz	15,800.00	11,060.00
UCS-CPU-E72890B=	2.8 GHz E7-2890 v2/155W 15C/37.5M Cache/DDR3 1600MHz	19,200.00	13,440.00
UCS-CPU-E72880B=	2.5 GHz E7-2880 v2/130W 15C/37.5M Cache/DDR3 1600MHz	15,800.00	11,060.00
UCS-CPU-E78891B	3.2 GHz E7-8891 v2/155W 10C/37.5M Cache/DDR3 1600MHz	20,750.00	14,525.00
UCS-CPU-E78893B=	3.4 GHz E7-8893 v2/155W 6C/37.5M Cache/DDR3 1600MHz	20,750.00	14,525.00

UCS-CPU-E74870B=	2.3 GHz E7-4870 v2/130W 15C/30M Cache/DDR3 1600MHz	13,700.00	9,590.00
UCS-CPU-E78893B	3.4 GHz E7-8893 v2/155W 6C/37.5M Cache/DDR3 1600MHz	20,750.00	14,525.00
UCS-CPU-E74870B	2.3 GHz E7-4870 v2/130W 15C/30M Cache/DDR3 1600MHz	13,700.00	9,590.00
UCS-CPU-E74890B=	2.8 GHz E7-4890 v2/155W 15C/37.5M Cache/DDR3 1600MHz	19,700.00	13,790.00
UCS-CPU-E74880B=	2.5 GHz E7-4880 v2/130W 15C/37.5M Cache/DDR3 1600MHz	16,300.00	11,410.00
UCS-CPU-E78891B=	3.2 GHz E7-8891 v2/155W 10C/37.5M Cache/DDR3 1600MHz	20,750.00	14,525.00
UCS-CPU-E78857B	3.0 GHz E7-8857 v2/130W 12C/30M Cache/DDR3 1600MHz	11,600.00	8,120.00
UCS-CPU-E78880LB=	2.2 GHz E7-8880L v2/105W 15C/37.5M Cache/DDR3 1600MHz	16,900.00	11,830.00
UCS-CPU-E78880LB	2.2 GHz E7-8880L v2/105W 15C/37.5M Cache/DDR3 1600MHz	16,900.00	11,830.00
UCS-CPU-E78857B=	3.0 GHz E7-8857 v2/130W 12C/30M Cache/DDR3 1600MHz	11,600.00	8,120.00
UCS-CPU-EP-PNP=	PnP CPU tool: all M4/EX; M3/EP 10/8/6/4/2 Core (Green)	75.00	52.50

B460 M4 Other

UCS-SD-16G=	16GB SD Card module for UCS Servers	140.00	98.00
UCS-CPU-GREASE3=	Thermal Grease-covers 2 CPUs-M4 servers-White syringe	40.00	28.00
UCSB-HS-01-EX=	CPU Heat Sink for UCS B260/UCS B460 M4 Blade Servers	99.00	69.30
UCS-SD-32G-S=	32GB SD Card for UCS servers	162.00	113.40

B460 M4 Memory

UCS-MR-2X082RY-E=	2 X 8 GB DDR3-1600 MHz RDIMM/PC3-12800 dual rank/x4/1.35v	870.00	609.00
UCS-MR-2X082RY-E	2 X 8 GB DDR3-1600 MHz RDIMM/PC3-12800 dual rank/x4/1.35v	870.00	609.00
UCS-MR-2X162RY-E	2 X 16 GB DDR3-1600 MHz RDIMM/PC3-12800 dual rank/x4/1.35v	1,559.00	1,091.30
UCS-MR-2X162RY-E=	2 X 16 GB DDR3-1600 MHz RDIMM/PC3-12800 dual rank/x4/1.35v	1,559.00	1,091.30
UCS-ML-2X324RY-E=	2 X 32 GB DDR3-1600 MHz LRDIMM/PC3-12800 quad rank/x4/1.35v	4,629.00	3,240.30
UCS-ML-2X324RY-E	2 X 32 GB DDR3-1600 MHz LRDIMM/PC3-12800 quad rank/x4/1.35v	4,629.00	3,240.30
UCS-ML-2X648RY-E=	2 X 64 GB DDR3-1600 MHz LRDIMM/PC3-10600 oct rank/x4/1.5v	19,500.00	13,650.00
UCS-ML-2X648RY-E	2 X 64 GB DDR3-1600 MHz LRDIMM/PC3-12800 oct rank/x4/1.5v	19,500.00	13,650.00

B460 M4 Drive

UCS-SD400G12S2-EP=	400GB 2.5 inch Enterprise performance 12G SAS SSD	7,700.00	5,390.00
UCS-SD400G12S2-EP	400GB 2.5 inch Enterprise performance 12G SAS SSD	7,700.00	5,390.00
UCS-RAID9361CV-8I=	MegaRAID 9361CV with 8 internal SAS/SATA ports with Supercap	3,500.00	2,450.00
UCS-RAID9361CV-8I	MegaRAID 9361CV with 8 internal SAS/SATA ports with Supercap	3,500.00	2,450.00
UCS-SD16T12S2-EP=	1.6TB 2.5 inch Enterprise performance 12G SAS SSD	29,000.00	20,300.00
UCS-SD16T12S2-EP	1.6TB 2.5 inch Enterprise performance 12G SAS SSD	29,000.00	20,300.00
UCS-HD600G15KS2-E	600GB SAS 15K RPM SFF HDD	2,156.00	1,509.20
UCS-HD450G15KS2-E=	450GB SAS 15K RPM SFF HDD	1,781.00	1,246.70
UCS-SD960G0KS2-EV=	960 GB 2.5 inch Enterprise Value 6G SATA SSD	6,168.00	4,317.60
UCS-HD2T7KA3-E	2TB SATA 7.2K RPM 3.5 inch HDD	1,198.00	838.60
UCS-HDD900G12F106=	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
UCS-HD1T7KS2-E=	1TB SAS 7.2K RPM 2.5 inch HDD/hot plug/drive sled mounted	975.00	682.50
UCS-HD12T10KS2-E=	1.2 TB 6G SAS 10K rpm SFF HDD	1,910.00	1,337.00
UCS-HD600G15KS2-E=	600GB SAS 15K RPM SFF HDD	2,156.00	1,509.20
UCS-HD450G15KS2-E	450GB SAS 15K RPM SFF HDD	1,781.00	1,246.70
UCS-HDD900G12F106	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	1,366.00	956.20
UCS-HD1T7KS2-E	1TB SAS 7.2K RPM 2.5 inch HDD/hot plug/drive sled mounted	975.00	682.50
UCS-HD12TB10K12G=	1.2 TB 12G SAS 10K RPM SFF HDD	TBA	TBA

B460 M4 Adapter

UCSB-VIC-M83-8P=	Cisco UCS VIC 1380 mezzanine adapter for blade servers	1,699.00	1,189.30
UCSB-VIC-M83-8P	Cisco UCS VIC 1380 mezzanine adapter for blade servers	1,699.00	1,189.30
UCSB-MLOM-40G-03=	Cisco UCS VIC 1340 modular LOM for blade servers	1,499.00	1,049.30
UCSB-MLOM-40G-03	Cisco UCS VIC 1340 modular LOM for blade servers	1,499.00	1,049.30
UCSB-F-FIO-1300MP	UCS 1300GB Fusion ioMemory3 PX Performance line for B-Series	37,100.00	25,970.00
UCSB-F-FIO-1600MS	UCS 1600GB Fusion ioMemory3 SX Scale line for B-Series	33,831.00	23,681.70
UCSB-F-FIO-1300MP=	UCS 1300GB Fusion ioMemory3 PX Performance line for B-Series	37,100.00	25,970.00
UCSB-F-FIO-1600MS=	UCS 1600GB Fusion ioMemory3 SX Scale line for B-Series	33,831.00	23,681.70

UCS B460 M4 SMARTnet Maintenance

CON-SNT-B260M4	SMARTNET 8X5XNBD Blade Module for B260/B460 M4	347.00	347.00
CON-SNTP-B260M4	SMARTNET 24X7X4 Blade Module for B260/B460 M4	464.00	464.00
CON-SNT-B260M4U1	SMARTNET 8X5XNBD Blade Module for B260/B460 M4	347.00	347.00
CON-SNTP-B260M4U1	SMARTNET 24X7X4 Blade Module for B260/B460 M4	464.00	464.00
CON-SNTP-B260M4B1	SMARTNET 24X7X4 Blade Module for B260/B460 M4	464.00	464.00
CON-SNT-B260M4EU	SMARTNET 8X5XNBD UCS Scalable M4 Blade Mod w/o CPU UPG	347.00	347.00
CON-SNTP-B260M4EU	SMARTNET 24X7X4 UCS Scalable M4 Blade Mod w/o CPU UPG	464.00	464.00

UCS B460 M4 Bundles

UCS-SA-C460M4-02	UCS C460 M4 SAP HANA Scale Up w/2xE74880v2,512G mem,900G HDD	82,000.00	57,400.00
UCS-SA-C460M4-01	UCS C460 M4 SAP HANA Scale Up w/2xE74880v2,256G mem,900G HDD	72,000.00	50,400.00
UCS-SA-C460M4-03	UCS C460 M4 SAP HANA Scale Up w/4xE7-4880 v2,1T mem,900G HDD	136,000.00	95,200.00
UCS-SA-C460M4-04	UCS C460 M4 SAP HANA Scale Up w/4xE74880 v2,2T mem,1.2TB HDD	168,000.00	117,600.00
UCS-SA-C460M4-05	UCS C460 M4 SAP HANA Scale Up w/2xE74880v2,128G mem,900G HDD	67,900.00	47,530.00