

## Cisco UCS 5100 Series Blade Server Chassis

The Cisco UCS 5100 Series Blade Server Chassis is a crucial building block of the Cisco Unified Computing System, delivering a scalable and flexible architecture for current and future data center needs, while helping reduce total cost of ownership.

Cisco's first blade-server chassis offering, the Cisco UCS 5108 Blade Server Chassis, is six rack units (6RU) high, can mount in an industry-standard 19-inch rack, and uses standard front-to-back cooling. A chassis can accommodate up to eight half-width or four full-width Cisco UCS B-Series Blade Servers form factors within the same chassis. The Cisco UCS 5108 Blade Server Chassis revolutionizes the use and deployment of blade-based systems. By incorporating unified fabric and fabric-extender technology, the Cisco Unified Computing System enables the chassis to have fewer physical components, require no independent management, and be more energy efficient than traditional blade-server chassis. This simplicity eliminates the need for dedicated chassis management and blade switches, reduces cabling, and allowing scalability to 40 chassis without adding complexity. The Cisco UCS 5108 Blade Server Chassis is a critical component in delivering the simplicity and IT responsiveness for the data center as part of the Cisco Unified Computing System.

You can learn more about the Cisco UCS 5100 Series Blade Server Chassis on Cisco's website at the following URL:

<http://tinyurl.com/cisco-UCS-5100>

You can compare the different models of Cisco UCS servers and create custom builds at the following URL:

<http://buildprice.cisco.com>

For sales and account support, please contact one of Cisco's local account managers:

Kristen Hinton                      601-940-4882, krhinton@cisco.com  
 Jordan Nohra                        601-573-3012, jnohra@cisco.com

<u>Cisco Product SKU</u>	<u>Description</u>	<u>USD List Price</u>	<u>EPL Price</u>
<b>UCS 5108 Series Blade Server Chassis (* Select Options)</b>			
UCSB-5108-AC2	UCS 5108 Blade Server AC2 Chassis, 0 PSU/8 fans/0 FEX	\$ 5,999.00	\$ 4,199.30
UCS-SPL-5108-AC2	UCS SP Select 5108 AC2 Chassis w/2208 IO, 4x SFP cable 3m	\$ 17,004.00	\$ 11,902.80
UCS-SPM-5108-AC2	UCS SP Select 5108 AC2 Chassis w/2208 IO, 4x SFP cable 3m	\$ 14,490.00	\$ 10,143.00
UCS-SP-5108-AC3	UCS SP Select 5108 AC2 Chassis w/2304 IO, 4x SFP cable 3m	\$ 19,500.00	\$ 13,650.00
UCS-SP-FI6332-16UP	UCS 6332-16UP FI/8 QSFP+,4SFP+ (Not sold standalone)	\$ 24,500.00	\$ 17,150.00
UCS-CPU-E52699AE	2.4 GHz E5-2699A v4/145W 22C/55MB Cache/DDR4 2400MHz	\$ 16,749.00	\$ 11,724.30
NV-GRD-EDP-5S	GRID Perpetual Lic - NVIDIA VDI 1CCU; 5Yr SUMS Req'd	\$ 347.00	\$ 242.90
NV-GRID-EDP-5YR	NVIDIA GRID Production SUMS - 1CCU - 5 Year	\$ 438.00	\$ 306.60
UCS-SP-5108-AC4	UCS SP Select 5108 AC2 Chassis w/2408 IO, 4x SFP cable 3m	\$ 24,544.61	\$ 17,181.23
CON-SSSNP-P5108AC4	3YR SOLN SUPP 24X7X4 UCS SP Select 5108 AC2 Chassis w/2408 IO, 4	\$ 1,254.00	\$ 1,254.00
N20-FW016	UCS 5108 Blade Chassis FW Package 4.0	\$0	-

CAB-C19-CBN	Cabinet Jumper Power Cord, 250 VAC 16A, C20-C19 Connectors	\$0	-
UCSB-PSU-2500ACDV	2500W Platinum AC Hot Plug Power Supply - DV	\$0	-
UCS-IOM-2408	Included with Chassis UCS 2408 I/O Module (8 External 25Gb Ports, 32 Internal 10Gb)	\$0	-
N20-CAK	Accessory kit for UCS 5108 Blade Server Chassis	\$0	-
N20-CBLKB1	Blade slot blanking panel for UCS 5108/single slot	\$0	-
N20-FAN5	Fan module for UCS 5108	\$0	-
UCSB-5108-PKG-HW	UCS 5108 Packaging for chassis with half width blades.	\$0	-
N01-UAC1	Single phase AC power module for UCS 5108	\$0	-
SFP-H25G-CU3M	25GBASE-CU SFP28 Cable 3 Meter ( Included with Chassis)	\$0	-

**UCS 5108 Series Blade Server Chassis - Spare (\* Select Options)**

UCSB-5108-AC2=	UCS 5108 Blade Svr AC Chassis/0 PSU/8 fans/0 fabric extender	\$	5,999.00	\$	4,199.30
----------------	--	----	----------	----	----------

**Fabric Extenders**

UCS-IOM-2408	UCS 2408 I/O Module	\$	13,057.00	\$	9,139.90
UCS-IOM-2208XP	UCS 2208XP I/O Module (8 External, 32 Internal 10Gb Ports)	\$	10,000.00	\$	7,000.00
UCS-IOM-2204XP	UCS 2204XP I/O Module	\$	5,000.00	\$	3,500.00

**Power Supply**

UCSB-PSU-2500ACDV	2500W Platinum AC Hot Plug Power Supply - DV	\$	936.00	\$	936.00
-------------------	--	----	--------	----	--------

**Spare Power Cable Option**

CAB-AC-C6K-TWLK=	Power Cord, 250Vac 16A, twist lock NEMA L6-20 plug, US	\$	45.00	\$	31.50
CAB-AC-2500W-US1=	Power Cord, 250Vac 16A, straight blade NEMA 6-20 plug, US	\$	45.00	\$	31.50
CAB-C19-CBN=	Cabinet Jumper Power Cord, 250 VAC 16A, C20-C19 Connectors	\$	45.00	\$	31.50

### Additional Chassis Parts

N20-FAN5=	Fan module for UCS 5108	\$	280.00	\$	196.00
N20-BKVM=	KVM local IO cable for UCS servers console port	\$	92.00	\$	64.40
N20-CBLKB1=	Blade slot blanking panel for UCS 5108/single slot	\$	55.00	\$	38.50
N20-CBLKI=	Fabric extender slot blanking panel for UCS 5108	\$	167.00	\$	116.90
N20-CBLKP=	Power supply unit blanking panel for UCS 5108	\$	92.00	\$	64.40
N20-CDIVH=	Horizontal divider for UCS 5108	\$	186.00	\$	130.20
N20-CDIVV=	Vertical divider for UCS 5108	\$	186.00	\$	130.20
N01-UAC1=	Single phase AC power module for UCS 5108	\$	374.00	\$	261.80
CAB-L520P-C19-US=	NEMA L5-20 to IEC-C19 6ft US	\$	45.00	\$	31.50
N20-CRMK2=	Spare Rack mount kit for UCS 5108	\$	467.00	\$	326.90
N20-CRMK2-RHA=	Round hole adapter kit for N20-CRMK2 rack mount kit	\$	130.00	\$	91.00
N20-MBLIBATT=	Replacement Lithium Battery for Server Motherboard (CR2032)	\$	60.00	\$	42.00

### UCS Mini Chassis

UCS-SPL-MINI	UCS SP Select 5108 AC2 Chassis w/FI6324, UCS Central license	\$	23,600.00	\$	16,520.00
CON-SNTP-SL6508MN	SNTC-24X7X4, UCS B 5108 SP AC2 Chassis	\$	244.00	\$	244.00
CON-SAU-UCSMGRAS	SW APP SUPP + UPGR UCS Central Per UCS Domain Lic-Physical	\$	2,400.00	\$	2,400.00
CON-SNTP-FIM6324	SNTC-24X7X4 UCS 6324 In-Chs FI w/4 UP 1x40G E-Port	\$	359.00	\$	359.00
UCS-MINI-SEED-5108	UCS 5108 Blade Server AC2 Chassis w/FI 6324 , No Blades	\$	20,000.00	\$	14,000.00
CON-SNTP-UCSPMINI	SMARTNET 24X7X4 UCS SP Select 5108 AC2 Chassis w/FI6324, UCS	\$	261.00	\$	261.00
UCS-FI-M-6324=	UCS 6324 In-Chassis FI with 4 UP, 1x40G Exp Port, 16 10Gb	\$	22,000.00	\$	15,400.00
UCS-6324-40G=	6324 Fabric Interconnect License for 40G Scalability Port	\$	5,548.00	\$	3,883.60

### UCS 5108 SMARTnet Maintenance

CON-SNT-2C6508	SMARTNET 8X5XNBD 5108 Blade Server Chassis	\$	68.00	\$	68.00
CON-SNTP-2C6508	SMARTNET 24X7X4 5108 Blade Server Chassis	\$	193.00	\$	193.00
CON-SNT-SMB51AC2	SNTC-8X5XNBD UCS SP Select 5108 AC2 Chassis w/2208 IO, 4	\$	86.00	\$	86.00
CON-SNTP-SMB51AC2	SNTC-24X7X4 UCS SP Select 5108 AC2 Chassis w/2208 IO, 4x	\$	244.00	\$	244.00
CON-SNTP-5108AC3	SMARTNET 24X7X4, UCS SP Select 5108 AC2 Chassis w/2304 IO, 4/ 5 Year	\$	1,305.00	\$	1,305.00
CON-SNTP-5108AC3	SMARTNET 24X7X4, UCS SP Select 5108 AC2 Chassis w/2304 IO, 4/ 1 Year	\$	261.00	\$	261.00
CON-SNTP-SP16UP	SMARTNET 24X7X4 (Not sold standalone) UCS 6332-16UP FI/No PS / 5 Year	\$	10,640.00	\$	10,640.00
CON-SNTP-SP16UP	SMARTNET 24X7X4 (Not sold standalone) UCS 6332-16UP FI/No PS / 1 Year	\$	2,128.00	\$	2,128.00
CON-SNTP-UCSCM60	SMARTNET 24X7X4 UCS Rack Server NVIDIA M60 GPU Hardware / 5 Year	\$	2,445.00	\$	2,445.00
CON-SNTP-UCSCM60	SMARTNET 24X7X4 UCS Rack Server NVIDIA M60 GPU Hardware / 1 Year	\$	452.00	\$	452.00
CON-SNT-5108AC	SMARTNET 8X5XNBD UCS SP Select 5108 AC2 Chassis w/2208 IO, 4	\$	195.00	\$	195.00

## Cisco UCS Fabric Interconnect

The Cisco® UCS 6100 Series Fabric Interconnects are a core part of the Cisco Unified Computing System, providing both network connectivity and management capabilities for the system. The Cisco UCS 6100 Series offers line-rate, low-latency, lossless 10 Gigabit Ethernet and Fibre Channel over Ethernet (FCoE) functions. The Cisco UCS 6100 Series provides the management and communication backbone for the Cisco UCS B-Series Blade Servers and UCS 5100 Series Blade Server Chassis. All chassis, and therefore all blades, attached to the Cisco UCS 6100 Series Fabric Interconnects become part of a single, highly available management domain. In addition, by supporting unified fabric, the Cisco UCS 6100 Series provides both the LAN and SAN connectivity for all blades within its domain. From a networking perspective, the Cisco UCS 6100 Series uses a cut-through architecture, supporting deterministic, low-latency, line-rate 10 Gigabit Ethernet on all ports, independent of packet size and enabled services. The product family supports Cisco low-latency, lossless 10 Gigabit Ethernet1 unified network fabric capabilities, which increase the reliability, efficiency, and scalability of Ethernet networks. The fabric interconnect supports multiple traffic classes over a lossless Ethernet fabric from the blade through the interconnect. Significant TCO savings come from an FCoE-optimized server design in which network interface cards (NICs), host bus adapters (HBAs), cables, and switches can be consolidated.

You can learn more about the Cisco UCS 6100 Series Fabric Interconnect on Cisco's website at the following URL:

<http://tinyurl.com/cisco-UCS-6100>

You can compare the different models of Cisco UCS servers and create custom builds at the following URL:

<http://buildprice.cisco.com>

For sales and account support, please contact one of Cisco's local account managers:

Kristen Hinton 601-940-4882, krhinton@cisco.com  
 Jordan Nohra 601-573-3012, jnohra@cisco.com

<u>Cisco Product SKU</u>	<u>Description</u>	<u>USD List Price</u>	<u>EPL Price</u>
--------------------------	--------------------	-----------------------	------------------

<b>Fabric Interconnects</b>			
UCS-IOM-2208XP	UCS 2208XP I/O Module (8 External, 32 Internal 10Gb Ports)	10,000.00	7,000.00
UCS-IOM-2208XP=	UCS 2208XP I/O Module (8 External, 32 Internal 10Gb Ports)	10,000.00	7,000.00
UCS-FI-6248UP	UCS 6248UP 1RU Fabric Int/No PSU/32 UP/ 12p LIC	32,000.00	22,400.00
UCS-FI-6248UP-UPG	UCS 6248UP 1RU Fabric Int/No PSU/32 UP/ 12p LIC	32,000.00	22,400.00
UCS-SPM-FI48-2X	UCS SP Select 6248 FI w/ 12p LIC 2Pk	39,078.00	27,354.60
UCS-SP-FI48P	(Not sold Standalone)UCS SP Select 6248 FI w/ 12p LIC	18,575.00	13,002.50
UCS-IOM2208-16FET	UCS 2208XP I/O Module with 16 FET Optics	15,600.00	10,920.00
UCS-IOM2208-16FET=	UCS 2208XP I/O Module with 16 FET Optics	15,600.00	10,920.00
UCS-FI-6296UP	UCS 6296UP 2RU Fabric Int/No PSU/48 UP/ 18p LIC	48,000.00	33,600.00
UCS-FI-6296UP-UPG	UCS 6296UP 2RU Fabric Int/No PSU/48 UP/ 18p LIC	48,000.00	33,600.00
UCS-FI-6296UP=	UCS 6296UP 2RU FI/0 PSU/0 Fan/0 DC - SPARE FOR SERVICES ONLY	48,000.00	33,600.00
UCS-IOM-2204XP	UCS 2204XP I/O Module (4 External, 16 Internal 10Gb Ports)	5,000.00	3,500.00
UCS-IOM-2204XP=	UCS 2204XP I/O Module (4 External, 16 Internal 10Gb Ports)	5,000.00	3,500.00

UCS-FI-6248E16-ALL	UCS 6248UP and 16P Expansion Module with 48 Port Licenses	96,000.00	67,200.00
UCS-FI-6248E16-28P	UCS 6248UP and 16P Expansion Module with 28 Port Licenses	60,000.00	42,000.00
UCS-FI-6248E16-32P	UCS 6248UP and 16P Expansion Module with 32 Port Licenses	68,000.00	47,600.00
UCS-FI-6248UP-CH2	Disti: UCS 6248UP 1RU Fabric Int/No PSU/32 UP/ 12p LIC	32,000.00	22,400.00
UCS-FI-6296UP-CH2	Disti: UCS 6296UP 2RU Fabric Int/No PSU/48 UP/ 18p LIC	48,000.00	33,600.00
UCS-IOM2204-8FET	UCS 2204XP I/O Module with 8 FET Optics	7,800.00	5,460.00
UCS-IOM2204-8FET=	UCS 2204XP I/O Module with 8 FET Optics	7,800.00	5,460.00
UCS-FI-E16UP	UCS 6200 16-port Expansion module/16 UP/ 8p LIC	16,000.00	11,200.00
UCS-FI-E16UP=	UCS 6200 16-port Expansion module/16 UP/ 8p LIC	16,000.00	11,200.00
UCS-LIC-10GE	UCS 6200 Series ONLY Fabric Int 1PORT 1/10GE/FC-port license	2,774.00	1,941.80
UCS-LIC-10GE=	UCS 6200 Series Fabric Int 1port 1/10GE/FC-port E-license	2,774.00	1,941.80
UCS-BLKE-6200=	UCS 6200 Series Expansion Module Blank	100.00	70.00
UCS-FAN-6248UP=	UCS 6248UP Fan Module	500.00	350.00
UCS-FAN-6296UP=	UCS 6296UP Fan Module	500.00	350.00
UCS-FI-DL2=	UCS 6248 Layer 2 Daughter Card	1,000.00	700.00
CAB-C13-C14-AC=	Power cord, C13 to C14 (recessed receptacle), 10A	50.00	35.00
UCS-FI-6332-16UP-U	UCS 6332-16UP 1RU FI/No PSU/24 QSFP+ 16UP/4x40G Lic/8xUP Lic	\$68,000	47,600.00
UCS-FI-6332	UCS 6332 IRU Fabric Interconnect/No PSU/32 QSFP+ports/8p Lic	\$58,000	40,600.00
UCS-FI-6332-16UP	UCS 6332-16UP 1RU FI/No PSU/24 QSFP+ 16UP/4x40G Lic/8xUP Lic	\$68,000	47,600.00
UCS-FI-6332-16UP=	UCS 6332-16UP 1RU FI/No PSU/24 QSFP+ 16UP/4x40G Lic/8xUP Lic	\$68,000	47,600.00
UCS-FI-6332-U	UCS 6332 IRU Fabric Interconnect/No PSU/32 QSFP+ports/8p Lic	\$58,000	40,600.00
UCS-FI-6332=	UCS 6332 IRU Fabric Interconnect/No PSU/32 QSFP+ports/8p Lic	\$58,000	40,600.00
UCS-FAN-6332=	UCS 6332 Fan Module	\$500	350.00
UCS-FAN-6332	UCS 6332 Fan Module	\$500	350.00
UCS-LIC-6300-10GC=	UCS 6300 Series Fabric Int 1P 10GE/FC-port lic-C-direct only	\$925	647.50
UCS-LIC-6300-10G=	UCS 6300 Series ONLY Fabric Int 1PORT 10GE/FC-port license	\$2,774	1,941.80
UCS-LIC-6300-40GC=	3rd Gen FI Per port License to connect C-direct only	\$1,388	971.60
UCS-LIC-6300-40G=	3rd Gen FI Per port License to connect B-series, FEX or C-di	\$4,160	2,912.00
UCS-LIC-6300-10GC	UCS 6300 Series Fabric Int 1P 10GE/FC-port lic-C-direct only	\$925	647.50
UCS-LIC-6300-40G	3rd Gen FI Per port License to connect B-series, FEX or C-di	\$4,160	2,912.00
UCS-LIC-6300-40GC	3rd Gen FI Per port License to connect C-direct only	\$1,388	971.60
UCS-LIC-6300-40G-B	3rd Gen FI Per port License to connect B-series, FEX or C-di	\$4,160	2,912.00
UCS-L-6200-10G-C=	2rd Gen FI License to connect C-direct only	\$925	647.50
UCS-LIC-6300-10G	UCS 6300 Series ONLY Fabric Int 1PORT 10GE/FC-port license	\$2,774	1,941.80
N20-FW010	UCS 5108 Blade Chassis FW package	\$1	0.70
UCS-LIC-10GE=	UCS 6200 Series Fabric Int 1port 1/10GE/FC-port E-license	\$2,774	1,941.80
UCS-LIC-10GE-B	UCS 6200 Series Fabric Int 1port 1/10GE/FC-port E-license	\$2,774	1,941.80
N10-MGT010	UCS Manager v2.0	\$1	0.70
UCS-L-6200-10G-C	2rd Gen FI License to connect C-direct only	\$925	647.50
UCS-LIC-10GE	UCS 6200 Series ONLY Fabric Int 1PORT 1/10GE/FC-port license	\$2,774	1,941.80

### Power Supply Options

UCS-PSU-6248UP-DC=	UCS 6248UP Power Supply/-48VDC	2,000.00	1,400.00
--------------------	--------------------------------	----------	----------

UCS-PSU-6248UP-DC	UCS 6248UP Power Supply/-48VDC	2,000.00	1,400.00
UCS-PSU-6248UP-AC	UCS 6248UP Power Supply/100-240VAC	1,400.00	980.00
UCS-PSU-6248UP-AC=	UCS 6248UP Power Supply/100-240VAC	1,400.00	980.00
UCS-PSU-6296UP-AC=	UCS 6296UP Power Supply/100-240VAC	2,000.00	1,400.00
UCS-PSU-6296UP-AC	UCS 6296UP Power Supply/100-240VAC	2,000.00	1,400.00
UCS-PSU-6332-DC=	UCS 6332 Power Supply/-48VDC	\$2,000	1,400.00
UCS-PSU-6332-AC=	UCS 6332 Power Supply/100-240VAC	\$1,400	980.00
UCS-PSU-6332-DC	UCS 6332 Power Supply/-48VDC	\$2,000	1,400.00
UCS-PSU-6332-AC	UCS 6332 Power Supply/100-240VAC	\$1,400	980.00

### Accessory Kit Options

UCS-ACC-6248UP=	UCS 6248UP Chassis Accessory Kit	300.00	210.00
UCS-ACC-6296UP=	UCS 6296UP Chassis Accessory Kit	300.00	210.00
UCS-ACC-6332=	UCS 6332 Chassis Accessory Kit	\$300	210.00
UCS-ACC-6332	UCS 6332 Chassis Accessory Kit	\$300	210.00
UCS-IOM-2304=	UCS 2304XP I/O Module (4 External, 8 Internal 40Gb Ports)	\$16,000	11,200.00
UCS-FI-E16UP=	UCS 6200 16-port Expansion module/16 UP/ 8p LIC	\$16,000	11,200.00
UCS-IOM-2304	UCS 2304XP I/O Module (4 External, 8 Internal 40Gb Ports)	\$16,000	11,200.00
UCS-FI-E16UP	UCS 6200 16-port Expansion module/16 UP/ 8p LIC	\$16,000	11,200.00

### Spare Power Cable Option

CAB-C13-C14-JMPR=	Recessed receptical AC Power cord 27	50.00	35.00
CAB-C13-C14-2M=	Power Cord Jumper, C13-C14, 2 Meter Length	50.00	35.00
CAB-N5K6A-NA=	Power Cord, 200/240V 6A North America	50.00	35.00

### SMARTnet Maintenance

CON-SNT-FI6248UP	SNTC-8X5XNBD UCS 6248UP 1RU Fabric Intercnct/2 PSU/2	719.00	719.00
CON-SNT-FI6296UP	SNTC-8X5XNBD UCS 6296UP 2RU Fabric Int/2 PSU/4 Fans	1,437.00	1,437.00
CON-SNT-F6248ALL	SNTC-8X5XNBD UCS 6248UP and 16P	719.00	719.00
CON-SNT-F624828P	SNTC-8X5XNBD UCS 6248UP and 16P Expansion Module	719.00	719.00
CON-SNT-F624832P	SNTC-8X5XNBD UCS 6248UP and 16P Expansion Module	719.00	719.00
CON-SNTP-SMBFI48P	SNTC-24X7X4 (Not sold Standalone)UCS SP Select 6248 FI w	964.00	964.00

UCS-SP-FI6454-2X	UCS SP Select 6454 FI, SFP Cables/FC Optics -2Pk	\$0	-
UCS-SP-FI6454	(Not sold standalone) UCS 6454 FI	\$34,119	23,883.30
CON-SSSNP-SPFI6454	3 YRSOLN SUPP 24X7X4 (Not sold standalone) UCS 6454 FI	9,384.00	9,384.00
N10-MGT016	UCS Manager v4.0	\$0	-
UCS-PSU-6332-AC	UCS 6332/ 6454 Power Supply/100-240VAC	\$0	-
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	\$0	-
DS-SFP-FC32G-SW	32 Gbps Fibre Channel SW SFP+, LC	\$0	-
SFP-H10GB-CU3M	10GBASE-CU SFP+ Cable 3 Meter	\$0	-

UCS-ACC-6332	UCS 6332/ 6454 Chassis Accessory Kit	\$0	-
UCS-FAN-6332	UCS 6332/ 6454 Fan Module	\$0	-
UCS-FI-6454-U	UCS Fabric Interconnect 6454	\$46,987.79	32,891.45
CON-SNTP-SFI6454U	1 Year SNTC-24X7X4 UCS Fabric Interconnect 6454	\$2,345.00	2,345.00
N10-MGT017	UCS Manager v4.1	\$0.00	-
UCS-PSU-6332-AC	UCS 6332/ 6454 Power Supply/100-240VAC	\$1,404.90	983.43
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	\$0.00	-
UCS-ACC-6332	UCS 6332/ 6454 Chassis Accessory Kit	\$0.00	-
UCS-FAN-6332	UCS 6332/ 6454 Fan Module	\$0.00	-
UCS-L-6400-25G	FI per port license to connect to BSeries, C-Series or FEX	\$2,783.71	1,948.60
SFP-H25G-CU3M=	25GBASE-CU SFP28 Cable 3 Meter	\$136.44	95.51
QSFP-100G-AOC20M=	100GBASE QSFP Active Optical Cable, 20m	\$2,403.38	1,682.37

UCSX-FI-6454-U	UCS Fabric Interconnect 6454	48,390.75	33,873.53
CON-OSP-UCSXUFI6	SNTC-24X7X4OS UCS Fabric Interconnect 6454	2,751.00	2,751.00
N10-MGT018	UCS Manager v4.2 and Intersight Managed Mode v4.2	0.00	-
UCS-PSU-6332-AC	UCS 6332/ 6454 Power Supply/100-240VAC	1,656.04	1,159.23
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	0.00	-
SFP-25G-AOC3M	25GBASE Active Optical SFP28 Cable, 3M	496.81	347.77
UCS-ACC-6332	UCS 6332/ 6454 Chassis Accessory Kit	0.00	-
UCS-FAN-6332	UCS 6332/ 6454 Fan Module	0.00	-

<b>ND-CLUSTER-L4</b>	Nexus Dashboard Cluster - Performance	30,150.00	21,105.00
CON-L1NBD-NDCLUSTE	CX LEVEL 1 8X5XNBD Nexus Dashboard Cluster - Performance	52,200.00	52,200.00
ND-NODE-L4	Nexus Dashboard Node	0.00	-
ND-UNI-DK9-3.0	Nexus Dashboard Software Release 3.0	0.00	-
CAB-9K12A-NA	Power Cord, 125VAC 13A NEMA 5-15 Plug, North America	0.00	-
APIC-PCIE-C25Q-04	Cisco APIC VIC 1455 Quad Port 10/25G SFP28 CNA PCIE	2,544.84	1,781.39
APIC-CPU-A7443P	AMD 2.8GHz 7443P 200W 24C/128MB Cache DDR4 3200MHz	0.00	-
CIMC-LATEST	IMC SW (Recommended) latest release for C-Series Servers.	0.00	-
APIC-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	0.00	-
APIC-BBLKD	APIC SSD drive blanking panel	0.00	-
APIC-PSU-M5BLK	Power Supply Blanking Panel for C220 M4 servers	0.00	-
APIC-MR-X32G2RW	32GB RDIMM DRx4 3200 (8Gb)	0.00	-
APIC-PSU1-1050W	1050 W power supply for USC C-Series	0.00	-
APIC-TPM2-002B-C	Trusted Platform Module2.0 APIC server(FIPS 140-2 Compliant)	0.00	-
APIC-SD960G63X-EP	960GB 2.5in Enterprise performance 6GSATA SSD(3X endurance)	0.00	-
APIC-OCF3-KIT	APIC C2XX OCP 3.0 Interposer W/Mech Assy	0.00	-
APIC-O-ID10GC	APIC Intel X710T2LOCPV3G1L 2x10GbE RJ45 OCP3.0 NIC	0.00	-

APIC-RAID-220M6	Cisco 12G SAS RAID Controller w/4GB FBWC (16 Drv) w/1U Brkt	0.00	-
APIC-HD24TB10K4KN	2.4 TB 12G SAS 10K RPM SFF HDD (4K)	0.00	-
APIC-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	0.00	-
APIC-M2-240G	240GB SATA M.2	0.00	-
ND-NODE-L4	Nexus Dashboard Node	0.00	-
ND-UNI-DK9-3.0	Nexus Dashboard Software Release 3.0	0.00	-
CAB-9K12A-NA	Power Cord, 125VAC 13A NEMA 5-15 Plug, North America	0.00	-
APIC-PCIE-C25Q-04	Cisco APIC VIC 1455 Quad Port 10/25G SFP28 CNA PCIE	2,544.84	1,781.39
APIC-CPU-A7443P	AMD 2.8GHz 7443P 200W 24C/128MB Cache DDR4 3200MHz	0.00	-
CIMC-LATEST	IMC SW (Recommended) latest release for C-Series Servers.	0.00	-
APIC-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	0.00	-
APIC-BBLKD	APIC SSD drive blanking panel	0.00	-
APIC-PSU-M5BLK	Power Supply Blanking Panel for C220 M4 servers	0.00	-
APIC-MR-X32G2RW	32GB RDIMM DRx4 3200 (8Gb)	0.00	-
APIC-PSU1-1050W	1050 W power supply for USC C-Series	0.00	-
APIC-TPM2-002B-C	Trusted Platform Module2.0 APIC server(FIPS 140-2 Compliant)	0.00	-
APIC-SD960G63X-EP	960GB 2.5in Enterprise performance 6GSATA SSD(3X endurance)	0.00	-
APIC-OC3-KIT	APIC C2XX OCP 3.0 Interposer W/Mech Assy	0.00	-
APIC-O-ID10GC	APIC Intel X710T2LOCPV3G1L 2x10GbE RJ45 OCP3.0 NIC	0.00	-
APIC-RAID-220M6	Cisco 12G SAS RAID Controller w/4GB FBWC (16 Drv) w/1U Brkt	0.00	-
APIC-HD24TB10K4KN	2.4 TB 12G SAS 10K RPM SFF HDD (4K)	0.00	-
APIC-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	0.00	-
APIC-M2-240G	240GB SATA M.2	0.00	-
ND-NODE-L4	Nexus Dashboard Node	0.00	-
ND-UNI-DK9-3.0	Nexus Dashboard Software Release 3.0	0.00	-
CAB-9K12A-NA	Power Cord, 125VAC 13A NEMA 5-15 Plug, North America	0.00	-
APIC-PCIE-C25Q-04	Cisco APIC VIC 1455 Quad Port 10/25G SFP28 CNA PCIE	2,544.84	1,781.39
APIC-CPU-A7443P	AMD 2.8GHz 7443P 200W 24C/128MB Cache DDR4 3200MHz	0.00	-
CIMC-LATEST	IMC SW (Recommended) latest release for C-Series Servers.	0.00	-
APIC-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	0.00	-
APIC-BBLKD	APIC SSD drive blanking panel	0.00	-
APIC-PSU-M5BLK	Power Supply Blanking Panel for C220 M4 servers	0.00	-
APIC-MR-X32G2RW	32GB RDIMM DRx4 3200 (8Gb)	0.00	-
APIC-PSU1-1050W	1050 W power supply for USC C-Series	0.00	-
APIC-TPM2-002B-C	Trusted Platform Module2.0 APIC server(FIPS 140-2 Compliant)	0.00	-
APIC-SD960G63X-EP	960GB 2.5in Enterprise performance 6GSATA SSD(3X endurance)	0.00	-
APIC-OC3-KIT	APIC C2XX OCP 3.0 Interposer W/Mech Assy	0.00	-
APIC-O-ID10GC	APIC Intel X710T2LOCPV3G1L 2x10GbE RJ45 OCP3.0 NIC	0.00	-
APIC-RAID-220M6	Cisco 12G SAS RAID Controller w/4GB FBWC (16 Drv) w/1U Brkt	0.00	-
APIC-HD24TB10K4KN	2.4 TB 12G SAS 10K RPM SFF HDD (4K)	0.00	-
APIC-NVME4-1600	1.6TB 2.5in U.2 P5620 NVMe High Perf High Endurance	0.00	-
APIC-M2-240G	240GB SATA M.2	0.00	-
D2OPS-MOD-5Y	DCN Day2 Ops Assurance and Insights for Modular, 5Y	25,000.20	17,500.14
SVS-L1N9KOPS-MOD5Y	CX L1 Support: DCN Day2 Ops Assurance for Modular, 5Y	0.00	-



<b>DS-C9706-V2K9</b>	MDS 9706 V2 Base Config: Chassis, 2 Sup-4, 3 Fab-3, 2 3KAC	129,923.15	90,946.21
CON-L1NBD-C9706	CX LEVEL 1 8X5XNBDMDS 9706 Base Config Chassis FANs 2 Sup	94,985.00	94,985.00
CAB-C19-CBN	Cabinet Jumper Power Cord, 250 VAC 16A, C20-C19 Connectors	0.00	-
DS-CAC97-3KW	MDS 9700 3000W AC power supply	0.00	-
DS-X9706-FAB3	MDS 9706 Crossbar Switching Fabric-3 Module	0.00	-
DS-9706-KIT-CCO	MDS 9706 Accessory Kit for Cisco	0.00	-
DS-C9700-LC-BL	Blank Filler Card for Line Card slot in MDS9700 Chassis	0.00	-
DS-C9700-PS-BL	Blank Filler Card for Power Supply slot in MDS9700 Chassis	0.00	-
DS-X97-SF4-K9	MDS 9700 Series Supervisor-4	0.00	-
DS-X9648-1536K9	MDS 9700 48-Port 32-Gbps Fibre Channel Switching Module	94,489.56	66,142.69
DS-SFP-FC16G-SW	16 Gbps Fibre Channel SW SFP+, LC	392.13	274.49
DS-X9648-1536K9	MDS 9700 48-Port 32-Gbps Fibre Channel Switching Module	94,489.56	66,142.69
DS-SFP-FC16G-SW	16 Gbps Fibre Channel SW SFP+, LC	392.13	274.49
M97S4K9-N9.4.1A	Restricted Use: MDS 9700 NX-OS NPE version 9.4.1A for Sup-4	0.00	-
M97XK9-P-5Y	MDS Premier Subscription M9700 5Y	119,065.20	83,345.64
SVS-L1M97-P-5Y	CX L1 Support: MDS Premier Subscription M9700 5Y	0.00	-

## Cisco UCS B200 M4 & M5 Blade Servers

The Cisco UCS B200 M4 Blade Server delivers record performance, expandability, and configurability for workloads ranging from web infrastructure. Optimized for data center or cloud, the Cisco UCS B200 M4 can quickly deploy stateless physical and virtual workloads, with the programmability of

The UCS B200 M4 is built with the Intel® Xeon® E5-2600 v3 processor family, up to 768 GB of memory (with 32 GB DIMMs), up to two drives, and

In addition, Cisco UCS has the architectural advantage of not having to power and cool switches in each blade chassis. Having a larger power

The UCS B200 M4 Blade Server delivers:

- Suitability for a wide range of applications and workload requirements
- Highest-performing CPU and memory options without constraints in configuration, power or cooling
- Half-width form factor offering industry-leading benefits
- Latest features of Cisco UCS Virtual Interface Cards (VICs)

You can learn more about the Cisco UCS B200 M4 Blade Server on Cisco's website at the following URL:

<http://www.cisco.com/c/en/us/products/servers-unified-computing/ucs-b200-m4-blade-server/index.html>

You can compare the different models of Cisco UCS servers and create custom builds at the following URL:

<http://buildprice.cisco.com>

For sales and account support, please contact one of Cisco's local account managers:

Kristen Hinton 601-940-4882, [krhinton@cisco.com](mailto:krhinton@cisco.com)  
 Jordan Nohra 601-573-3012, [jnohra@cisco.com](mailto:jnohra@cisco.com)

<b>Cisco Product SKU</b>	<b>Description</b>	<b>USD List Price</b>	<b>EPL Price</b>
<b>B200 M4 Base Server</b>			
UCSB-B200-M4	UCS B200 M4 w/o CPU, mem, drive bays, HDD, mezz	2,995.00	\$ 2,096.50
UCSB-B200-M4-U	UCS B200 M4 w/o CPU, mem, drive bays, HDD, mezz (UPG)	2,995.00	\$ 2,096.50
UCSB-B200-M4=	UCS B200 M4 w/o CPU, mem, drive bays, HDD, mezz (svc spare)	2,995.00	\$ 2,096.50
UCS-UC-B200M4	UCS B200 M4, dual-10-core/2.6 GHz, 128GB RAM	19,184.00	\$ 13,428.80
UCS-SPL-B200M4-B1	UCS SP Select B200M4 Basic1 w/2xE52609 v3,4x16GB,VIC1340	8,684.00	\$ 6,078.80
UCS-SPL-B200M4-S1	UCS SP Select B200M4 Standard1 w/2xE52630 v3,8x16GB,VIC1340	13,284.00	\$ 9,298.80
UCS-SPL-B200M4-S2	UCS SP Select B200M4 Standard2 w/2xE52620 v3,8x16GB,VIC1340	12,202.00	\$ 8,541.40
UCS-SPL-B200M4-A1	UCS SP Select B200M4 Advanced1 w/2xE52690 v3,8x32GB,VIC1340	28,227.00	\$ 19,758.90
UCS-SPL-B200M4-A2	UCS SP Select B200M4 Advanced2 w/2xE52680 v3,8x32GB,VIC1340	27,235.00	\$ 19,064.50
UCS-SPL-B200M4-A3	UCS SP Select B200M4 Advanced3 w/2xE52670 v3,8x32GB,VIC1340	26,371.00	\$ 18,459.70
UCS-SPL-B200M4-A4	UCS SP Select B200M4 Advanced4 w/2xE52660 v3,16x16GB,VIC1340	22,468.00	\$ 15,727.60
UCS-SPL-B200M4-C1	UCS SP Select B200M4 Core1 w/2xE52698 v3,8x32GB,VIC1340	13,284.00	\$ 9,298.80
UCS-SPL-B200M4-C2	UCS SP Select B200M4 Core2 w/2xE52697 v3,8x32GB,VIC1340	12,202.00	\$ 8,541.40
UCS-SPL-B200M4-F1	UCS SP Select B200M4 Frequency1 w/2xE52643 v3,8x32GB,VIC1340	28,227.00	\$ 19,758.90
UCS-SPL-B200M4-F2	UCS SP Select B200M4 Frequency2 w/2xE52637 v3,8x32GB,VIC1340	27,235.00	\$ 19,064.50
UCS-SPL-B200M4-F3	UCS SP Select B200M4 Frequency3 w/2xE52667 v3,8x32GB,VIC1340	26,371.00	\$ 18,459.70
UCS-SP-B200M4-B-C2	Not sold standalone B200M4Hi-Core2w/2xE52697v4,8x32GB, VIC1340	27,268.00	\$ 19,087.60
UCS-SP-B200M4-B-F2	Not sold standaloneB200M4Hi-Freq2w/2xE52637v4,8x32GB,VIC1340	17,405.00	\$ 12,183.50
UCS-SPM-B200M4-B1	UCS SP Select B200M4 Basic1 w/2xE52609 v3,4x16GB,VIC1340	8,496.00	\$ 5,947.20
UCS-SP-B200M4-B-A1	(Not sold standalone)B200M4 Adv1w/2xE52690v4,8x32GB,VIC1340	22,600.00	\$ 15,820.00
UCS-SPM-B200M4-S1	UCS SP Select B200M4 Standard1 w/2xE52630 v3,8x16GB,VIC1340	12,909.00	\$ 9,036.30
UCS-SP-B200M4-S1	UCS SP Select B200M4 Standard1 w/2xE52630 v3,8x16GB,VIC1340	11,627.00	\$ 8,138.90
UCS-SPM-B200M4-S2	UCS SP Select B200M4 Standard2 w/2xE52620 v3,8x16GB,VIC1340	11,827.00	\$ 8,278.90
UCS-SPM-B200M4-A1	UCS SP Select B200M4 Advanced1 w/2xE52690 v3,8x32GB,VIC1340	26,127.00	\$ 18,288.90
UCS-SPM-B200M4-A2	UCS SP Select B200M4 Advanced2 w/2xE52680 v3,8x32GB,VIC1340	25,135.00	\$ 17,594.50
UCS-SPM-B200M4-A3	UCS SP Select B200M4 Advanced3 w/2xE52670 v3,8x32GB,VIC1340	24,271.00	\$ 16,989.70

UCS-SPM-B200M4-A4	UCS SP Select B200M4 Advanced4 w/2xE52660 v3,16x16GB,VIC1340	21,718.00	\$	15,202.60	
UCS-SPM-B200M4-C1	UCS SP Select B200M4 Core1 w/2xE52698 v3,8x32GB,VIC1340	33,602.00	\$	23,521.40	
UCS-SPM-B200M4-C2	UCS SP Select B200M4 Core2 w/2xE52697 v3,8x32GB,VIC1340	30,808.00	\$	21,565.60	
UCS-SPM-B200M4-F1	UCS SP Select B200M4 Frequency1 w/2xE52643 v3,8x32GB,VIC1340	24,499.00	\$	17,149.30	
UCS-SPM-B200M4-F2	UCS SP Select B200M4 Frequency2 w/2xE52637 v3,8x32GB,VIC1340	21,450.00	\$	15,015.00	
UCS-SPM-B200M4-F3	UCS SP Select B200M4 Frequency3 w/2xE52667 v3,8x32GB,VIC1340	26,900.00	\$	18,830.00	
UCS-SM-DISK-EXP1	Disk Expansion Pack for C240M4 & StorMagic Solution. Usable	\$18,090.26	\$	12,663.18	
UCS-SM-B200M4	UCS StorMagic B200M4 w/E52620 v3,64G mem	\$17,125	\$	11,987.50	
UCS-SM-B200M4-X1	UCS StorMagic B200M4 w/E52620 v3,64G mem	\$17,125	\$	11,987.50	
UCS-SM-M-B200M4-X1	Node Expansion Pack for UCS Mini & StorMagic Solution	\$46,011.52	\$	32,208.06	
UCS-B200M4-SM021	UCS StorMagic SvSAN B200 M4 Server	\$2,995	\$	2,096.50	
UCS-SM-DISK-EXP1	Disk Expansion Pack for C240M4 & StorMagic Solution. Usable	\$18,090.26	\$	12,663.18	
UCS-SM-B200M4	UCS StorMagic B200M4 w/E52620 v3,64G mem	\$17,125	\$	11,987.50	
UCS-SM-B200M4-X1	UCS StorMagic B200M4 w/E52620 v3,64G mem	\$17,125	\$	11,987.50	
UCS-SM-M-B200M4-X1	Node Expansion Pack for UCS Mini & StorMagic Solution	\$46,011.52	\$	32,208.06	
UCS-B200M4-SM021	UCS StorMagic SvSAN B200 M4 Server	\$2,995	\$	2,096.50	
CON-SNTP-B200BC2	SNTC 24X7X4, Not sold standaloneB200M4Hi-Core2w/2xE52697v4,8	\$	369.00	\$	369.00
CON-SNTP-B200BF2	SNTC 24X7X4, Not sold standaloneB200M4Hi-Freq2w/2xE52637v4,8	\$	369.00	\$	369.00
CON-SNTP-B200M4U	SNTC 24X7X4 UCS B200 M4	\$	370.00	\$	370.00
CON-SNTP-B200BA1	SNTC 24X7X4, (Not sold standalone)B200M4 Adv1w/2xE52690v4,8x	\$	369	\$	369.00

#### B200 M4 Processor

UCS-CPU-E52640E=	2.40 GHz E5-2640 v4/90W 10C/25MB Cache/DDR4 2133MHz	\$2,842	\$	1,989.40
UCS-CPU-E52697E=	2.30 GHz E5-2697 v4/145W 18C/45MB Cache/DDR4 2400MHz	\$8,489	\$	5,942.30
UCS-CPU-E52650E=	2.20 GHz E5-2650 v4/105W 12C/30MB Cache/DDR4 2400MHz	\$3,416	\$	2,391.20
UCS-CPU-E52623E=	2.60 GHz E5-2623 v4/85W 4C/10MB Cache/DDR4 2133MHz	\$1,435	\$	1,004.50
UCS-CPU-E52630E=	2.20 GHz E5-2630 v4/85W 10C/20MB Cache/DDR4 2133MHz	\$2,116	\$	1,481.20
UCS-CPU-E52637E=	3.50 GHz E5-2637 v4/135W 4C/15MB Cache/DDR4 2400MHz	\$3,161	\$	2,212.70
UCS-CPU-E52609E	1.70 GHz E5-2609 v4/85W 8C/20MB Cache/DDR4 1866MHz	\$1,097	\$	767.90
UCS-CPU-E52698E=	2.20 GHz E5-2698 v4/135W 20C/50MB Cache/DDR4 2400MHz	\$10,691	\$	7,483.70
UCS-CPU-E52699E=	2.20 GHz E5-2699 v4/145W 22C/55MB Cache/DDR4 2400MHz	\$13,686	\$	9,580.20
UCS-CPU-E52695E=	2.10 GHz E5-2695 v4/120W 18C/45MB Cache/DDR4 2400MHz	\$7,334	\$	5,133.80
UCS-CPU-E52643E=	3.40 GHz E5-2643 v4/135W 6C/20MB Cache/DDR4 2400MHz	\$4,897	\$	3,427.90
UCS-CPU-E52658E=	2.30 GHz E5-2658 v4/105W 14C/35MB Cache/DDR4 2400MHz	\$5,345	\$	3,741.50
UCS-CPU-E52683E	2.10 GHz E5-2683 v4/120W 16C/40MB Cache/DDR4 2400MHz	\$5,559	\$	3,891.30
UCS-CPU-E52697AE=	2.60 GHz E5-2697A v4/145W 16C/40MB Cache/DDR4 2400MHz	\$9,475	\$	6,632.50
UCS-CPU-E52620D=	2.40 GHz E5-2620 v3/85W 6C/15MB Cache/DDR4 1866MHz	\$1,500	\$	1,050.00
UCS-CPU-E52630LE	1.80 GHz E5-2630L v4/55W 8C/25MB Cache/DDR4 2133MHz	\$1,923	\$	1,346.10
UCS-CPU-E52630LE=	1.80 GHz E5-2630L v4/55W 8C/25MB Cache/DDR4 2133MHz	\$1,923	\$	1,346.10
UCS-CPU-E52690E	2.60 GHz E5-2690 v4/135W 14C/35MB Cache/DDR4 2400MHz	\$6,307	\$	4,414.90
UCS-CPU-E52650E	2.20 GHz E5-2650 v4/105W 12C/30MB Cache/DDR4 2400MHz	\$3,416	\$	2,391.20
UCS-CPU-E52660E=	2.00 GHz E5-2660 v4/105W 14C/35MB Cache/DDR4 2400MHz	\$4,145	\$	2,901.50
UCS-CPU-E52690E=	2.60 GHz E5-2690 v4/135W 14C/35MB Cache/DDR4 2400MHz	\$6,307	\$	4,414.90
UCS-CPU-E52680E=	2.40 GHz E5-2680 v4/120W 14C/35MB Cache/DDR4 2400MHz	\$5,259	\$	3,681.30
UCS-CPU-E52683E=	2.10 GHz E5-2683 v4/120W 16C/40MB Cache/DDR4 2400MHz	\$5,559	\$	3,891.30
UCS-CPU-E52698DC=	DISTI: 2.30 GHz E5-2698 v3/135W 16C/40MB Cache/DDR4 2133MHz	\$10,691	\$	7,483.70
UCS-CPU-E52680DC=	DISTI: 2.50 GHz E5-2680 v3/120W 12C/30MB Cache/DDR4 2133MHz	\$5,259	\$	3,681.30
UCS-CPU-E52697E	2.30 GHz E5-2697 v4/145W 18C/45MB Cache/DDR4 2400MHz	\$8,489	\$	5,942.30
UCS-CPU-E52698D=	2.30 GHz E5-2698 v3/135W 16C/40MB Cache/DDR4 2133MHz	\$10,691	\$	7,483.70
UCS-CPU-E52690DC=	DISTI: 2.60 GHz E5-2690 v3/135W 12C/30MB Cache/DDR4 2133MHz	\$6,307	\$	4,414.90
UCS-CPU-E52643DC=	DISTI: 3.40 GHz E5-2643 v3/135W 6C/20MB Cache/DDR4 2133MHz	\$4,897	\$	3,427.90
UCS-CPU-E52630E	2.20 GHz E5-2630 v4/85W 10C/20MB Cache/DDR4 2133MHz	\$2,116	\$	1,481.20
UCS-CPU-E52620E=	2.10 GHz E5-2620 v4/85W 8C/20MB Cache/DDR4 2133MHz	\$1,500	\$	1,050.00
UCS-CPU-E52609E=	1.70 GHz E5-2609 v4/85W 8C/20MB Cache/DDR4 1866MHz	\$1,097	\$	767.90

UCS-CPU-E52637DC=	DISTI: 3.50 GHz E5-2637 v3/135W 4C/15MB Cache/DDR4 2133MHz	\$3,161	\$	2,212.70
UCS-CPU-E52640DC=	DISTI: 2.60 GHz E5-2640 v3/90W 8C/20MB Cache/DDR4 1866MHz	\$2,842	\$	1,989.40
UCS-CPU-E52695E	2.10 GHz E5-2695 v4/120W 18C/45MB Cache/DDR4 2400MHz	\$7,334	\$	5,133.80
UCS-CPU-E52650LDC=	DISTI: 1.80 GHz E5-2650L v3/65W 12C/30MB Cache/DDR4 2133MHz	\$3,997	\$	2,797.90
UCS-CPU-E52640D=	2.60 GHz E5-2640 v3/90W 8C/20MB Cache/DDR4 1866MHz	\$2,842	\$	1,989.40
UCS-CPU-E52620DC=	DISTI: 2.40 GHz E5-2620 v3/85W 6C/15MB Cache/DDR4 1866MHz	\$1,500	\$	1,050.00
UCS-CPU-E52643D=	3.40 GHz E5-2643 v3/135W 6C/20MB Cache/DDR4 2133MHz	\$4,897	\$	3,427.90
UCS-CPU-E52650LD=	1.80 GHz E5-2650L v3/65W 12C/30MB Cache/DDR4 2133MHz	\$3,997	\$	2,797.90
UCS-CPU-E52697AE	2.60 GHz E5-2697A v4/145W 16C/40MB Cache/DDR4 2400MHz	\$9,475	\$	6,632.50
UCS-CPU-E52658DC=	DISTI: 2.20 GHz E5-2658 v3/105W 12C/30MB Cache/DDR4 2133MHz	\$5,345	\$	3,741.50
UCS-CPU-E52630DC=	DISTI: 2.40 GHz E5-2630 v3/85W 8C/20MB Cache/DDR4 1866MHz	\$2,116	\$	1,481.20
UCS-CPU-E52667E=	3.20 GHz E5-2667 v4/135W 8C/25MB Cache/DDR4 2400MHz	\$6,264	\$	4,384.80
UCS-CPU-E52690D=	2.60 GHz E5-2690 v3/135W 12C/30MB Cache/DDR4 2133MHz	\$6,307	\$	4,414.90
UCS-CPU-E52660DC=	DISTI: 2.60 GHz E5-2660 v3/105W 10C/25MB Cache/DDR4 2133MHz	\$4,145	\$	2,901.50
UCS-CPU-E52670DC=	DISTI: 2.30 GHz E5-2670 v3/120W 12C/30MB Cache/DDR4 2133MHz	\$4,767	\$	3,336.90
UCS-CPU-E52660D=	2.60 GHz E5-2660 v3/105W 10C/25MB Cache/DDR4 2133MHz	\$4,145	\$	2,901.50
UCS-CPU-E52643E	3.40 GHz E5-2643 v4/135W 6C/20MB Cache/DDR4 2400MHz	\$4,897	\$	3,427.90
UCS-CPU-E52623DC=	DISTI: 3.00 GHz E5-2623 v3/105W 4C/10MB Cache/DDR4 1866MHz	\$1,435	\$	1,004.50
UCS-CPU-E52695DC=	DISTI: 2.30 GHz E5-2695 v3/120W 14C/35MB Cache/DDR4 2133MHz	\$7,334	\$	5,133.80
UCS-CPU-E52697D=	2.60 GHz E5-2697 v3/145W 14C/35MB Cache/DDR4 2133MHz	\$8,489	\$	5,942.30
UCS-CPU-E52650D=	2.30 GHz E5-2650 v3/105W 10C/25MB Cache/DDR4 2133MHz	\$3,416	\$	2,391.20
UCS-CPU-E52667DC=	DISTI: 3.20 GHz E5-2667 v3/135W 8C/20MB Cache/DDR4 2133MHz	\$6,264	\$	4,384.80
UCS-CPU-E52697DC=	DISTI: 2.60 GHz E5-2697 v3/145W 14C/35MB Cache/DDR4 2133MHz	\$8,489	\$	5,942.30
UCS-CPU-E52680D=	2.50 GHz E5-2680 v3/120W 12C/30MB Cache/DDR4 2133MHz	\$5,259	\$	3,681.30
UCS-CPU-E52695D=	2.30 GHz E5-2695 v3/120W 14C/35MB Cache/DDR4 2133MHz	\$7,334	\$	5,133.80
UCS-CPU-E52670D=	2.30 GHz E5-2670 v3/120W 12C/30MB Cache/DDR4 2133MHz	\$4,767	\$	3,336.90
UCS-CPU-E52660E	2.00 GHz E5-2660 v4/105W 14C/35MB Cache/DDR4 2400MHz	\$4,145	\$	2,901.50
UCS-CPU-E52699E	2.20 GHz E5-2699 v4/145W 22C/55MB Cache/DDR4 2400MHz	\$13,686	\$	9,580.20
UCS-CPU-E52620E	2.10 GHz E5-2620 v4/85W 8C/20MB Cache/DDR4 2133MHz	\$1,500	\$	1,050.00
UCS-CPU-E52650DC=	DISTI: 2.30 GHz E5-2650 v3/105W 10C/25MB Cache/DDR4 2133MHz	\$3,416	\$	2,391.20
UCS-CPU-E52683DC=	DISTI: 2.00 GHz E5-2683 v3/120W 14C/35MB Cache/DDR4 2133MHz	\$5,559	\$	3,891.30
UCS-CPU-E52667D=	3.20 GHz E5-2667 v3/135W 8C/20MB Cache/DDR4 2133MHz	\$6,264	\$	4,384.80
UCS-CPU-E52658D=	2.20 GHz E5-2658 v3/105W 12C/30MB Cache/DDR4 2133MHz	\$5,345	\$	3,741.50
UCS-CPU-E52640E	2.40 GHz E5-2640 v4/90W 10C/25MB Cache/DDR4 2133MHz	\$2,842	\$	1,989.40
UCS-CPU-E52658E	2.30 GHz E5-2658 v4/105W 14C/35MB Cache/DDR4 2400MHz	\$5,345	\$	3,741.50
UCS-CPU-E52698E	2.20 GHz E5-2698 v4/135W 20C/50MB Cache/DDR4 2400MHz	\$10,691	\$	7,483.70
UCS-CPU-E52630D=	2.40 GHz E5-2630 v3/85W 8C/20MB Cache/DDR4 1866MHz	\$2,116	\$	1,481.20
UCS-CPU-E52630LDC=	DISTI: 1.80 GHz E5-2630L v3/55W 8C/20MB Cache/DDR4 1866MHz	\$1,923	\$	1,346.10
UCS-CPU-E52623D=	3.00 GHz E5-2623 v3/105W 4C/10MB Cache/DDR4 1866MHz	\$1,435	\$	1,004.50
UCS-CPU-E52630LD=	1.80 GHz E5-2630L v3/55W 8C/20MB Cache/DDR4 1866MHz	\$1,923	\$	1,346.10
UCS-CPU-E52637D=	3.50 GHz E5-2637 v3/135W 4C/15MB Cache/DDR4 2133MHz	\$3,161	\$	2,212.70
UCS-CPU-E52699D=	2.30 GHz E5-2699 v3/145W 18C/45MB Cache/DDR4 2133MHz	\$13,686	\$	9,580.20
UCS-CPU-E52630LD	1.80 GHz E5-2630L v3/55W 8C/20MB Cache/DDR4 1866MHz	\$1,923	\$	1,346.10
UCS-CPU-E52667E	3.20 GHz E5-2667 v4/135W 8C/25MB Cache/DDR4 2400MHz	\$6,264	\$	4,384.80
UCS-CPU-E52650D	2.30 GHz E5-2650 v3/105W 10C/25MB Cache/DDR4 2133MHz	\$3,416	\$	2,391.20
UCS-CPU-E52699DC=	DISTI: 2.30 GHz E5-2699 v3/145W 18C/45MB Cache/DDR4 2133MHz	\$13,686	\$	9,580.20
UCS-CPU-E52609D=	1.90 GHz E5-2609 v3/85W 6C/15MB Cache/DDR4 1600MHz	\$1,097	\$	767.90
UCS-CPU-E52609DC=	DISTI: 1.90 GHz E5-2609 v3/85W 6C/15MB Cache/DDR4 1600MHz	\$1,097	\$	767.90
UCS-CPU-E52650LE	1.70 GHz E5-2650L v4/65W 14C/35MB Cache/DDR4 2400MHz	\$3,997	\$	2,797.90
UCS-CPU-E52623E	2.60 GHz E5-2623 v4/85W 4C/10MB Cache/DDR4 2133MHz	\$1,435	\$	1,004.50
PI-UCS-CPU-E52650D	2.30 GHz E5-2650 v3/105W 10C/25MB Cache/DDR4 2133MHz	\$3,416	\$	2,391.20
UCS-CPU-E52680E	2.40 GHz E5-2680 v4/120W 14C/35MB Cache/DDR4 2400MHz	\$5,259	\$	3,681.30
UCS-CPU-E52683D=	2.00 GHz E5-2683 v3/120W 14C/35MB Cache/DDR4 2133MHz	\$5,559	\$	3,891.30
UCS-CPU-E52640D	2.60 GHz E5-2640 v3/90W 8C/20MB Cache/DDR4 1866MHz	\$2,842	\$	1,989.40
UCS-CPU-E52699D	2.30 GHz E5-2699 v3/145W 18C/45MB Cache/DDR4 2133MHz	\$13,686	\$	9,580.20
UCS-CPU-E52637E	3.50 GHz E5-2637 v4/135W 4C/15MB Cache/DDR4 2400MHz	\$3,161	\$	2,212.70

UCS-CPU-E52660D	2.60 GHz E5-2660 v3/105W 10C/25MB Cache/DDR4 2133MHz	\$4,145	\$	2,901.50
UCS-CPU-E52609D	1.90 GHz E5-2609 v3/85W 6C/15MB Cache/DDR4 1600MHz	\$1,097	\$	767.90
UCS-CPU-E52658D	2.20 GHz E5-2658 v3/105W 12C/30MB Cache/DDR4 2133MHz	\$5,345	\$	3,741.50
UCS-CPU-E52695D	2.30 GHz E5-2695 v3/120W 14C/35MB Cache/DDR4 2133MHz	\$7,334	\$	5,133.80
UCS-CPU-E52650LD	1.80 GHz E5-2650L v3/65W 12C/30MB Cache/DDR4 2133MHz	\$3,997	\$	2,797.90
UCS-CPU-E52637D	3.50 GHz E5-2637 v3/135W 4C/15MB Cache/DDR4 2133MHz	\$3,161	\$	2,212.70
UCS-CPU-E52698D	2.30 GHz E5-2698 v3/135W 16C/40MB Cache/DDR4 2133MHz	\$10,691	\$	7,483.70
UCS-CPU-E52670D	2.30 GHz E5-2670 v3/120W 12C/30MB Cache/DDR4 2133MHz	\$4,767	\$	3,336.90
UCS-CPU-E52680D	2.50 GHz E5-2680 v3/120W 12C/30MB Cache/DDR4 2133MHz	\$5,259	\$	3,681.30
UCS-CPU-E52697D	2.60 GHz E5-2697 v3/145W 14C/35MB Cache/DDR4 2133MHz	\$8,489	\$	5,942.30
UCS-CPU-E52643D	3.40 GHz E5-2643 v3/135W 6C/20MB Cache/DDR4 2133MHz	\$4,897	\$	3,427.90
UCS-CPU-E52620D	2.40 GHz E5-2620 v3/85W 6C/15MB Cache/DDR4 1866MHz	\$1,500	\$	1,050.00
UCS-CPU-E52690D	2.60 GHz E5-2690 v3/135W 12C/30MB Cache/DDR4 2133MHz	\$6,307	\$	4,414.90
UCS-CPU-E52683D	2.00 GHz E5-2683 v3/120W 14C/35MB Cache/DDR4 2133MHz	\$5,559	\$	3,891.30
UCS-CPU-E52623D	3.00 GHz E5-2623 v3/105W 4C/10MB Cache/DDR4 1866MHz	\$1,435	\$	1,004.50
VCS-CPU-E52620D	2.40 GHz E5-2620 v3/85W 6C/15MB Cache/DDR4 1866MHz	\$1,500	\$	1,050.00
UCS-CPU-E52630D	2.40 GHz E5-2630 v3/85W 8C/20MB Cache/DDR4 1866MHz	\$2,116	\$	1,481.20
UCS-CPU-E52667D	3.20 GHz E5-2667 v3/135W 8C/20MB Cache/DDR4 2133MHz	\$6,264	\$	4,384.80

#### B200 M4 Hard Drive and Solid State Drive

UCS-SD480GBKS4-EV=	480 GB 2.5 inch Enterprise Value 6G SATA SSD	\$2,167	\$	1,516.90
UCS-HD900G10K12G=	900GB 12G SAS 10K RPM SFF HDD	\$1,367	\$	956.90
UCS-SD960GBKS4-EV=	960GB 2.5 inch Enterprise Value 6G SATA SSD	\$4,167	\$	2,916.90
UCS-PCI25-40010=	400GB 2.5" SFF PCIe/NVMe Storage Intel P3700 High Endurance	\$4,040	\$	2,828.00
UCS-SD200G12S3-EP	200GB 2.5 inch Enterprise performance 6G SATA SSD(3 FWPD)	\$1,123	\$	786.10
UCS-SDHPCIE800GB=	800GB 2.5 in NVMe based PCIeSSD	\$6,563	\$	4,594.10
UCS-HD450G15K12G=	450GB 12G SAS 15K RPM SFF HDD	\$1,629	\$	1,140.30
UCS-SD240GBKS4-EV=	240GB 2.5 inch Enterprise Value 6G SATA SSD	\$917	\$	641.90
UCS-SD120GBKS4-EV=	120 GB 2.5 inch Enterprise Value 6G SATA SSD	\$567	\$	396.90
UCS-SD38TBKS4-EV=	3.8TB 2.5 inch Enterprise Value 6G SATA SSD	\$12,000	\$	8,400.00
UCS-SD400G12S4-EP=	400GB 2.5 inch Ent Performance 12G SAS SSD (10X endurance)	\$5,267	\$	3,686.90
UCS-SD800G12S3-EP	800GB 2.5 inch Enterprise performance 6G SATA SSD(3 FWPD)	\$3,523	\$	2,466.10
UCS-HD300G10K12G=	300GB 12G SAS 10K RPM SFF HDD	\$591	\$	413.70
UCS-PCI25-16003=	1600GB 2.5" SFF PCIe/NVMe Storage Intel P3600 High Endurance	\$10,870	\$	7,609.00
UCS-SD16TB12S3-EP=	1.6TB 2.5 inch Ent. Performance 6GSATA SSD(3X endurance)	\$7,875	\$	5,512.50
UCS-SD800G12S3-EP=	800GB 2.5 inch Enterprise performance 6G SATA SSD(3 FWPD)	\$3,523	\$	2,466.10
UCS-HD1T7K6GA=	1 TB 6G SATA 7.2K RPM SFF HDD	\$936	\$	655.20
UCS-SD480G12S3-EP=	480GB 2.5 inch Ent. Performance 6GSATA SSD(3X endurance)	\$2,438	\$	1,706.60
UCS-SDHPCIE16TB=	1.6TB 2.5 in NVMe based PCIeSSD	\$11,900	\$	8,330.00
UCS-SD480GBKS4-EV	480 GB 2.5 inch Enterprise Value 6G SATA SSD	\$2,167	\$	1,516.90
UCS-SD16TBKS4-EV	1.6TB 2.5 inch Enterprise Value 6G SATA SSD	\$7,000	\$	4,900.00
UCS-SD16TB12S4-EP=	1.6TB 2.5 inch Ent. Performance 12G SAS SSD(10X endurance)	\$14,063	\$	9,844.10
UCS-SD400G0KS2-EP=	400GB 2.5 inch Enterprise Performance SAS SSD	\$2,213	\$	1,549.10
UCS-SD16TBKS4-EV=	1.6TB 2.5 inch Enterprise Value 6G SATA SSD	\$7,000	\$	4,900.00
UCS-HD600G10K12G=	600GB 12G SAS 10K RPM SFF HDD	\$1,022	\$	715.40
UCS-HD600G10K12G	600GB 12G SAS 10K RPM SFF HDD	\$1,022	\$	715.40
UCS-HD2T7K12G=	2 TB 12G SAS 7.2K RPM SFF HDD	\$2,379	\$	1,665.30
UCS-HD1T7K12G=	1 TB 12G SAS 7.2K RPM SFF HDD	\$1,161	\$	812.70
UCS-HD600G15K12G=	600GB 12G SAS 15K RPM SFF HDD	\$2,117	\$	1,481.90
UCS-SD480G12S3-EP	480GB 2.5 inch Ent. Performance 6GSATA SSD(3X endurance)	\$2,438	\$	1,706.60
UCS-SD16TB12S3-EP	1.6TB 2.5 inch Ent. Performance 6GSATA SSD(3X endurance)	\$7,875	\$	5,512.50
UCS-SD200G12S3-EP=	200GB 2.5 inch Enterprise performance 6G SATA SSD(3 FWPD)	\$1,123	\$	786.10
UCS-SDHPCIE800GB	800GB 2.5 in NVMe based PCIeSSD	\$6,563	\$	4,594.10
UCS-SDHPCIE16TB	1.6TB 2.5 in NVMe based PCIeSSD	\$11,900	\$	8,330.00
A03-D600GA2=	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	\$1,022	\$	715.40

UCS-SD400G12S2-EP=	400GB 2.5 inch Enterprise performance 12G SAS SSD	\$1,894	\$	1,325.80
UCS-HD300G15K12G=	300GB 12G SAS 15K RPM SFF HDD	\$1,123	\$	786.10
UCS-HD600G15K12G	600GB 12G SAS 15K RPM SFF HDD	\$2,117	\$	1,481.90
UCS-SD16TB12S4-EP	1.6TB 2.5 inch Ent. Performance 12G SAS SSD(10X endurance)	\$14,063	\$	9,844.10
UCS-PCI25-8003=	800GB 2.5" SFF PCIe/NVMe Storage Intel P3600 High Endurance	\$5,620	\$	3,934.00
UCS-HD1T7K12G	1 TB 12G SAS 7.2K RPM SFF HDD	\$1,161	\$	812.70
UCS-SD16T12S2-EP=	1.6TB2.5 inch Enterprise Performance 12G SAS SSD	\$6,999	\$	4,899.30
UCS-HD300G15K12G	300GB 12G SAS 15K RPM SFF HDD	\$1,123	\$	786.10
UCS-SD800G12S4-EP=	800GB 2.5 inch Ent. Performance 12G SAS SSD (10X endurance)	\$10,011	\$	7,007.70
UCS-PCI25-80010=	800GB 2.5" SFF PCIe/NVMe Storage Intel P3700 High Endurance	\$7,520	\$	5,264.00
UCS-HD12TB10K12G	1.2 TB 12G SAS 10K RPM SFF HDD	\$1,460	\$	1,022.00
UCS-SD800G12S4-EP	800GB 2.5 inch Ent. Performance 12G SAS SSD (10X endurance)	\$10,011	\$	7,007.70
UCS-HD1T7K6GA	1 TB 6G SATA 7.2K RPM SFF HDD	\$936	\$	655.20
UCS-HD900G10K12G	900GB 12G SAS 10K RPM SFF HDD	\$1,367	\$	956.90
UCS-HD450G15K12G	450GB 12G SAS 15K RPM SFF HDD	\$1,629	\$	1,140.30
UCS-SD120G0KS2-EV=	120 GB 2.5 inch Enterprise Value 6G SATA SSD	\$319	\$	223.30
UCS-SD480G0KS2-EV=	480 GB 2.5 inch Enterprise Value 6G SATA SSD	\$1,106	\$	774.20
UCS-HD450G15K2-E=	450GB SAS 15K RPM SFF HDD	\$581	\$	406.70
UCS-SD240G0KS2-EV=	240GB 2.5 inch Enterprise Value 6G SATA SSD	\$1,574	\$	1,101.80
UCS-HD2T7K12G	2 TB 12G SAS 7.2K RPM SFF HDD	\$2,379	\$	1,665.30
UCS-SD960GBKS4-EV	960GB 2.5 inch Enterprise Value 6G SATA SSD	\$4,167	\$	2,916.90
UCS-HD12TB10K12G=	1.2 TB 12G SAS 10K RPM SFF HDD	\$1,460	\$	1,022.00
UCS-HD12T10KS2-E	1.2 TB 6G SAS 10K rpm SFF HDD	\$506	\$	354.20
UCS-SD120GBKS4-EV	120 GB 2.5 inch Enterprise Value 6G SATA SSD	\$567	\$	396.90
UCS-HD300G10K12G	300GB 12G SAS 10K RPM SFF HDD	\$591	\$	413.70
UCS-SD200G0KS2-EP=	200GB 2.5 inch Enterprise Performance SAS SSD	\$1,313	\$	919.10
UCS-SD400G12S4-EP	400GB 2.5 inch Ent Performance 12G SAS SSD (10X endurance)	\$5,267	\$	3,686.90
A03-D300GA2=	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	\$589	\$	412.30
UCS-SD240GBKS4-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	\$917	\$	641.90
UCS-HDD300GI2F105=	300GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	\$1,216	\$	851.20
UCS-SD38TBKS4-EV	3.8TB 2.5 inch Enterprise Value 6G SATA SSD	\$12,000	\$	8,400.00
UCS-SD200G0KS2-EP	200GB 2.5 inch Enterprise Performance SAS SSD	\$1,313	\$	919.10
UCS-SD400G0KS2-EP	400GB 2.5 inch Enterprise Performance SAS SSD	\$2,213	\$	1,549.10
UCS-SD800G0KS2-EP	800GB 2.5 inch Enterprise Performance SAS SSD	\$3,844	\$	2,690.80
UCS-SD240G0KS2-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	\$1,574	\$	1,101.80
UCS-SD400G12S2-EP	400GB 2.5 inch Enterprise performance 12G SAS SSD	\$1,894	\$	1,325.80
UCS-SD960G0KS2-EV	960 GB 2.5 inch Enterprise Value 6G SATA SSD	\$1,800	\$	1,260.00

#### B200 M4 Mezzanine Adapter

UCSB-F-FIO-1600MS=	UCS 1600GB Fusion ioMemory3 SX Scale line for B-Series	\$25,831	\$	18,081.70
UCSB-MRAID12G-HE=	Cisco FlexStorage 12G SAS RAID contr w/2GB FBWC/drive bays	\$1,874	\$	1,311.80
UCSB-LSTOR-PT=	Cisco FlexStorage Passthrough module w/drive bays	\$373	\$	261.10
UCSB-MEZ-INT8955	Intel Crypto Mezz Card for B-Series	\$4,875	\$	3,412.50
UCSB-GPU-M6=	UCS Blade Server M6 GPU HW - GRID 2.0 SW req'd for VDI	\$11,864	\$	8,304.80
UCSB-MEZ-INT8955=	Intel Crypto Mezz Card for B-Series	\$4,875	\$	3,412.50
UCS-PCI25-38001=	UCS PCIe/NVMe2.5"SFF Storage 3800GB HGST SN100 ReadIntensive	\$18,990	\$	13,293.00
UCSB-F-FIO-1300MP=	UCS 1300GB Fusion ioMemory3 PX Performance line for B-Series	\$32,711	\$	22,897.70
UCSB-VIC-M83-8P=	Cisco UCS VIC 1380 mezzanine adapter for blade servers	\$1,699	\$	1,189.30
UCSB-MEZ-ELX-03=	Cisco UCS CNA M73KR-E Emulex	\$1,399	\$	979.30
UCSB-GPU-M6	UCS Blade Server M6 GPU HW - GRID 2.0 SW req'd for VDI	\$11,864	\$	8,304.80
UCSB-MEZ-QLG-03	Cisco UCS CNA M73KR-Q Qlogic Adapter	\$999	\$	699.30
UCSB-MLOM-40G-01	Cisco UCS VIC 1240 modular LOM for blade servers	\$1,499	\$	1,049.30
UCSB-MLOM-40G-03=	Cisco UCS VIC 1340 modular LOM for blade servers	\$1,499	\$	1,049.30
UCSB-F-FIO-785M	Cisco UCS 785GB MLC Fusion-io ioDrive2	\$28,379	\$	19,865.30
UCSB-LSTOR-PT	Cisco FlexStorage Passthrough module w/drive bays	\$373	\$	261.10

UCSB-MEZ-QLG-03=	Cisco UCS CNA M73KR-Q Qlogic	\$999	\$	699.30
UCSB-MRAID12G=	Cisco FlexStorage 12G SAS RAID controller with Drive bays	\$749	\$	524.30
UCSB-F-FIO-1300MP	UCS 1300GB Fusion ioMemory3 PX Performance line for B-Series	\$32,711	\$	22,897.70
UCSB-VIC-M83-8P	Cisco UCS VIC 1380 mezzanine adapter for blade servers	\$1,699	\$	1,189.30
UCS-VIC-M82-8P=	Cisco UCS VIC 1280 mezzanine adapter for blade servers	\$1,699	\$	1,189.30
UCSB-MEZ-ELX-03	Cisco UCS CNA M73KR-E Emulex Adapter	\$1,399	\$	979.30
UCSB-MLOM-40G-01=	Cisco UCS VIC 1240 modular LOM for blade servers	\$1,499	\$	1,049.30
UCSB-MRAID12G-HE	Cisco FlexStorage 12G SAS RAID contr w/2GB FBWC/drive bays	\$1,874	\$	1,311.80
UCSB-MRAID12G	Cisco FlexStorage 12G SAS RAID controller with Drive bays	\$749	\$	524.30
UCSB-MLOM-PT-01=	Cisco UCS Port Expander Card (mezz) for VIC	\$600	\$	420.00
UCSB-MLOM-PT-01	Cisco UCS Port Expander Card (mezz) for VIC	\$600	\$	420.00
UCSB-F-FIO-1600MS	UCS 1600GB Fusion ioMemory3 SX Scale line for B-Series	\$25,831	\$	18,081.70
UCSB-MLOM-40G-03	Cisco UCS VIC 1340 modular LOM for blade servers	\$1,499	\$	1,049.30
UCS-VIC-M82-8P	Cisco UCS VIC 1280 mezzanine adapter for blade servers	\$1,699	\$	1,189.30

**B200 M4 Memory**

UCS-CPU-CVR-EP-M4=	Unpopulated CPU sockets-dust cover for EP M4s	\$15	\$	10.50
UCS-MR-1X081RU-A=	8GB DDR4-2133-MHz RDIMM/PC4-17000/single rank/x4/1.2v	\$325	\$	227.50
UCS-ML-1X644RV-A=	64GB DDR4-2400-MHz LRDIMM/PC4-19200/quad rank/x4/1.2v	\$4,000	\$	2,800.00
UCS-MR-1X322RU-A=	32GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	\$1,100	\$	770.00
UCS-ML-1X324RV-A	32GB DDR4-2400-MHz LRDIMM/PC4-19200/quad rank/x4/1.2v	\$1,450	\$	1,015.00
UCS-ML-1X324RV-A=	32GB DDR4-2400-MHz LRDIMM/PC4-19200/quad rank/x4/1.2v	\$1,450	\$	1,015.00
UCS-MR-1X161RV-A=	16GB DDR4-2400-MHz RDIMM/PC4-19200/single rank/x4/1.2v	\$600	\$	420.00
UCS-MR-1X322RV-A=	32GB DDR4-2400-MHz RDIMM/PC4-19200/dual rank/x4/1.2v	\$1,100	\$	770.00
UCS-MR-1X162RU-A=	16GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	\$600	\$	420.00
UCS-MR-1X648RU-A=	64GB DDR4-2133-MHz TSV-RDIMM/PC4-17000/octal rank/x4/1.2v	\$4,000	\$	2,800.00
UCS-ML-1X324RU-A=	32GB DDR4-2133-MHz LRDIMM/PC4-17000/quad rank/x4/1.2v	\$1,450	\$	1,015.00
UCS-MR-1X161RV-A	16GB DDR4-2400-MHz RDIMM/PC4-19200/single rank/x4/1.2v	\$600	\$	420.00
VCS-MR-1X081RU-A	8GB DDR4-2133-MHz RDIMM/PC4-17000/single rank/x4/1.2v	\$528	\$	369.60
UCS-MR-1X322RV-A	32GB DDR4-2400-MHz RDIMM/PC4-19200/dual rank/x4/1.2v	\$1,100	\$	770.00
UCS-ML-1X644RV-A	64GB DDR4-2400-MHz LRDIMM/PC4-19200/quad rank/x4/1.2v	\$4,000	\$	2,800.00



AIR-MR-1X162RU-A	16GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	\$861	\$	602.70
PI-UCS-M-1X162RU-A	16GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	\$861	\$	602.70
UCS-MR-1X322RU-A	32GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	\$1,100	\$	770.00
UCS-ML-1X324RU-A	32GB DDR4-2133-MHz LRDIMM/PC4-17000/quad rank/x4/1.2v	\$1,450	\$	1,015.00
AIR-MR-1X081RU-A	8GB DDR4-2133-MHz RDIMM/PC4-17000/single rank/x4/1.2v	\$528	\$	369.60
UCS-MR-1X648RU-A	64GB DDR4-2133-MHz TSV-RDIMM/PC4-17000/octal rank/x4/1.2v	\$4,000	\$	2,800.00
VDS-MR-1X162RU-A	16GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	\$1	\$	0.70
UCS-MR-1X081RU-A	8GB DDR4-2133-MHz RDIMM/PC4-17000/single rank/x4/1.2v	\$325	\$	227.50
UCS-MR-1X162RU-A	16GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v	\$600	\$	420.00

**B200 M4 Accessories**

UCSX-TPM2-002=	Trusted Platform Module 2.0 for UCS servers	\$75	\$	52.50
UCSB-MRAID-SC=	Supercap for FlexStorage 12G SAS RAID controller w/1GB FBWC	\$499	\$	349.30
UCS-M4-V4-LBL-100=	Qty100 E5v4 LBL for servers including E5-2600v4/E5-4600v4CPU	\$20	\$	14.00
UCSB-HS-EP-M4-F=	CPU Heat Sink for UCS B200 M4/B420 M4 (Front)	\$99	\$	69.30
UCSB-LSTOR-BK=	FlexStorage blanking panel w/o controller, w/o drive bays	\$55	\$	38.50
UCS-USBFLSHB-16GB=	UCS Servers 16GB Flash USB Drive	\$200	\$	140.00
UCSB-BAFF-B200-M4=	Air Baffle Replacement Kit for B200 M4 Server.	\$95	\$	66.50
UCSB-HS-EP-M4-R=	CPU Heat Sink for UCS B200 M4/B420 M4 (Rear)	\$99	\$	69.30
UCS-SD-32G-S=	32GB SD Card for UCS servers	\$162	\$	113.40
UCSX-TPM2-001=	Trusted Platform Module 1.2 for UCS (SPI-based)	\$75	\$	52.50
UCS-SD-64G-S	64GB SD Card for UCS Servers	\$364	\$	254.80
UCSX-TPM2-002	Trusted Platform Module 2.0 for UCS servers	\$75	\$	52.50
UCS-SD-64G-S=	64GB SD Card for UCS Servers	\$364	\$	254.80
UCS-SW-CUST-002	Test ONLY for designated use; selecting will delay order	\$1	\$	0.70
AIR-TPM2-001	Trusted Platform Module 1.2 for UCS (SPI-based)	\$75	\$	52.50
UCS-M4-V4-LBL	Cisco M4 - v4 CPU asset tab ID label (Auto-Expand)	\$1	\$	0.70
UCS-USBFLSHB-16GB	UCS Servers 16GB Flash USB Drive	\$200	\$	140.00
AIR-SD-32G-S	32GB SD Card for UCS servers	\$162	\$	113.40
UCSX-TPM2-001	Trusted Platform Module 1.2 for UCS (SPI-based)	\$75	\$	52.50
PI-UCS-SD-32G-S	32GB SD Card for UCS servers	\$162	\$	113.40
UCSB-LSTOR-BK	FlexStorage blanking panels w/o controller, w/o drive bays	\$1	\$	0.70
UCS-SD-32G-S	32GB SD Card for UCS servers	\$162	\$	113.40
UCSB-HS-EP-M4-R	CPU Heat Sink for UCS B200 M4/B420 M4 (Rear)	\$99	\$	69.30
UCSB-HS-EP-M4-F	CPU Heat Sink for UCS B200 M4/B420 M4 (Front)	\$99	\$	69.30

**B200 M4 RAID Controller with Drive Bays**

UCSB-LSTOR-BK=	FlexStorage blanking panel w/o controller, w/o drive bays	55.00	\$	38.50
UCSB-MRAID12G	Cisco FlexStorage 12G SAS RAID controller with Drive bays	749.00	\$	524.30



UCS B200 M4 SMARTnet Maintenance				
CON-SNT-B200M4	SMARTNET 8X5XNBDUCS B200 M4 w/o CPU,mem,dr b,HDD,mezz	263.00	\$	263.00
CON-SNTP-B200M4	SMARTNET 24X7X4UCS B200 M4 w/o CPU,mem,dr b,HDD,mezz	352.00	\$	352.00
CON-SNT-B200M4U	SNTC-8X5XNBDUCS B200 M4 w/o CPU,m,dr b, HDD,m (UPG)	276.00	\$	276.00
CON-SNT-SPLB24B1	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	\$	276.00
CON-SNT-SPLB24S1	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	\$	276.00
CON-SNT-SPLB24S2	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	\$	276.00
CON-SNT-SPLB24A1	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	\$	276.00
CON-SNT-SPLB24A2	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	\$	276.00
CON-SNT-SPLB24A3	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	\$	276.00
CON-SNT-SPLB24A4	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	\$	276.00
CON-SNT-SPLB24C1	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	\$	276.00
CON-SNT-SPLB24C2	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	\$	276.00
CON-SNT-SPLB24F1	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	\$	276.00
CON-SNT-SPLB24F2	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	\$	276.00
CON-SNT-SPLB24F3	SNTC-8X5XNBD,UCS B200 M4 Smart Play SPL Server	276.00	\$	276.00
CON-SNTP-SMB200B1	SNTC-24X7X4 UCS SP Select B200M4 Basic1 w/2xE52609 v3,4x	370.00	\$	370.00
CON-SNTP-SMB200S1	SNTC-24X7X4 UCS SP Select B200M4 Standard1 w/2xE52609 v3,4x	370.00	\$	370.00
CON-SNTP-SMB200S1	SNTC-24X7X4 UCS SP Select B200M4 Standard2 w/2xE52609 v3,4x	370.00	\$	370.00
CON-SNTP-SMB200A1	SNTC-24X7X4 UCS SP Select B200M4 Advanced1 w/2xE52680 v3	370.00	\$	370.00
CON-SNTP-SMB200A2	SNTC-24X7X4 UCS SP Select B200M4 Advanced2 w/2xE52680 v3	370.00	\$	370.00
CON-SNTP-SMB200A3	SNTC-24X7X4 UCS SP Select B200M4 Advanced3 w/2xE52609 v3,4x	370.00	\$	370.00
CON-SNTP-SMB200A4	SNTC-24X7X4 UCS SP Select B200M4 Advanced4 w/2xE52609 v3,4x	370.00	\$	370.00
CON-SNTP-SMB200C1	SNTC-24X7X4 UCS SP Select B200M4 Core1 w/2xE52609 v3,4x	370.00	\$	370.00
CON-SNTP-SMB200C2	SNTC-24X7X4 UCS SP Select B200M4 Basic1 w/2xE52609 v3,4x	370.00	\$	370.00
CON-SNTP-SMB200F1	SNTC-24X7X4 UCS SP Select B200M4 Core2 w/2xE52609 v3,4x	370.00	\$	370.00
CON-SNTP-SMB200F2	SNTC-24X7X4 UCS SP Select B200M4 Frequency1 w/2xE52609 v3,4x	370.00	\$	370.00
CON-SNTP-SMB200F3	SNTC-24X7X4 UCS SP Select B200M4 Frequency2 w/2xE52609 v3,4x	370.00	\$	370.00
CON-SNT-SMB200A1	SNTC-8X5XNBD UCS SP Select B200M4 Basic1 w/2xE52680 v	276.00	\$	276.00
CON-SNT-SMB200A2	SNTC-8X5XNBD UCS SP Select B200M4 Standard1 w/2xE52680 v	276.00	\$	276.00
CON-SNT-SMB200A1	SNTC-8X5XNBD UCS SP Select B200M4 Standard2 w/2xE52680 v	276.00	\$	276.00
CON-SNT-SMB200A2	SNTC-8X5XNBD UCS SP Select B200M4 Advanced1 w/2xE52680 v	276.00	\$	276.00
CON-SNT-SMB200A3	SNTC-8X5XNBD UCS SP Select B200M4 Advanced2 w/2xE52680 v	276.00	\$	276.00
CON-SNT-SMB200A4	SNTC-8X5XNBD UCS SP Select B200M4 Advanced3 w/2xE52680 v	276.00	\$	276.00
CON-SNT-SMB200C1	SNTC-8X5XNBD UCS SP Select B200M4 Advanced4 w/2xE52680 v	276.00	\$	276.00
CON-SNT-SMB200C2	SNTC-8X5XNBD UCS SP Select B200M4 Core1 w/2xE52680 v	276.00	\$	276.00
CON-SNT-SMB200F1	SNTC-8X5XNBD UCS SP Select B200M4 Core2 w/2xE52680 v	276.00	\$	276.00
CON-SNT-SMB200F2	SNTC-8X5XNBD UCS SP Select B200M4 Frequency1 w/2xE52680 v	276.00	\$	276.00
CON-SNT-SMB200F3	SNTC-8X5XNBD UCS SP Select B200M4 Frequency2 w/2xE52680 v	276.00	\$	276.00
CON-ECMU-C1F2PUCS	SWSS UPGRADES C1 Foundation Perpetual UCS	336.00	\$	336.00
CON-SNTP-B200BC2	SNTC 24X7X4, Not sold standaloneB200M4Hi-Core2w/2xE52697v4,8	369.00	\$	369.00
CON-SNTP-B200M4U	SNTC 24X7X4 UCS B200 M4	370.00	\$	370.00

<b>UCSB-B200-M5-U</b>	UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	3,450.00	\$	2,415.00
UCS-CPU-6136	3.0 GHz 6136/150W 12C/24.75MB Cache/DDR4 2666MHz	8,500.00	\$	5,950.00
UCS-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	4,568.00	\$	3,197.60
UCSB-MLOM-40G-03	Cisco UCS VIC 1340 modular LOM for blade servers	1,499.00	\$	1,049.30
UCS-SD-64G-S	64GB SD Card for UCS Servers	364.00	\$	281.40
N20-FW015	UCS 5108 Blade Chassis FW Package 3.2	0.00	\$	-
UCSB-LSTOR-BK	FlexStorage blanking panels w/o controller, w/o drive bays	0.00	\$	-
UCSB-HS-M5-F	CPU Heat Sink for UCS B-Series M5 CPU socket (Front)	0.00	\$	-
UCS-MSTOR-SD	Mini Storage Carrier for SD (holds up to 2)	0.00	\$	-
UCS-DIMM-BLK	UCS DIMM Blanks	0.00	\$	-
UCSB-HS-M5-R	CPU Heat Sink for UCS B-Series M5 CPU socket (Rear)	0.00	\$	-
C1UCS-OPT-OUT	Cisco ONE Data Center Compute Opt Out Option	0.00	\$	-
CON-SNTP-BB200M5U	SNTC 24X7X4 UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	406.00	\$	406.00
UCSX-TPM2-002	Trusted Platform Module 2.0 for UCS servers	75.00	\$	52.50
<b>UCSB-B200-M5-U</b>	UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	3,450.00	\$	2,415.00
UCS-CPU-6136	3.0 GHz 6136/150W 12C/24.75MB Cache/DDR4 2666MHz	8,500.00	\$	5,950.00
UCS-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	4,568.00	\$	3,197.60
UCSB-MLOM-40G-03	Cisco UCS VIC 1340 modular LOM for blade servers	1,499.00	\$	1,049.30
UCS-SD-64G-S	64GB SD Card for UCS Servers	364.00	\$	254.80
N20-FW015	UCS 5108 Blade Chassis FW Package 3.2	0.00	\$	-
UCSB-LSTOR-BK	FlexStorage blanking panels w/o controller, w/o drive bays	0.00	\$	-
UCSB-HS-M5-F	CPU Heat Sink for UCS B-Series M5 CPU socket (Front)	0.00	\$	-
UCS-MSTOR-SD	Mini Storage Carrier for SD (holds up to 2)	0.00	\$	-
UCS-DIMM-BLK	UCS DIMM Blanks	0.00	\$	-
UCSB-HS-M5-R	CPU Heat Sink for UCS B-Series M5 CPU socket (Rear)	0.00	\$	-
C1UCS-OPT-OUT	Cisco ONE Data Center Compute Opt Out Option	0.00	\$	-
CON-SNTP-BB200M5U	SNTC 24X7X4 UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	406.00	\$	406.00
UCSX-TPM2-002	Trusted Platform Module 2.0 for UCS servers	75.00	\$	52.50
<b>UCS-SP-FI633216-2X</b>	UCS SP Select 2 x 6332-16UP FI	\$	-	
UCS-SP-FI6332-16UP	(Not sold standalone) UCS 6332-16UP FI/4 QSFP+,8SFP+	\$ 25,590.01	\$	17,913.01
<b>UCS-SP-5108-AC3</b>	UCS SP Select 5108 AC2 Chassis w/2304 IO, 4x SFP cable 3m	\$ 20,330.00	\$	14,231.00
CON-SNTP-5108AC3	SMARTNET 24X7X4, UCS SP Select 5108 AC2 Chassis w/2304 IO, 4	\$ 261.00	\$	261.00
<b>UCSB-B200-M5-U</b>	UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	\$ 3,595.00	\$	2,516.50
CON-SNTP-BB200M5U	SNTC 24X7X4 UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	\$ 406.00	\$	406.00
UCS-CPU-6140	2.3 GHz 6140/140W 18C/24.75MB Cache/DDR4 2666MHz	\$ 8,000.00	\$	5,600.00
UCSB-MLOM-40G-04	Cisco UCS VIC 1440 modular LOM for Blade Servers	\$ 1,599.00	\$	1,119.30
UCS-SD-64G-S	64GB SD Card for UCS Servers	\$ 364.00	\$	254.80
UCSX-TPM2-002	Trusted Platform Module 2.0 for UCS servers	\$ 75.00	\$	52.50
UCS-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	\$ 4,720.00	\$	3,304.00
UCS-SP-FI6332-16UP	(Not sold standalone) UCS 6332-16UP FI/4 QSFP+,8SFP+	\$ 25,590.01	\$	17,913.01
CON-SNTP-SP16UP	SMARTNET 24X7X4 (Not sold standalone) UCS 6332-16UP FI/No PS	\$ 2,128.00	\$	2,128.00
<b>UCS-SP-5108-AC3</b>	UCS SP Select 5108 AC2 Chassis w/2304 IO, 4x SFP cable 3m	\$ 20,330.00	\$	14,231.00
CON-SNTP-5108AC3	SMARTNET 24X7X4, UCS SP Select 5108 AC2 Chassis w/2304 IO, 4	\$ 261.00	\$	261.00
<b>UCSB-B200-M5-U</b>	UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	\$ 3,595.00	\$	2,516.50
CON-SNTP-BB200M5U	SNTC 24X7X4 UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	\$ 406.00	\$	406.00
UCS-CPU-6140	2.3 GHz 6140/140W 18C/24.75MB Cache/DDR4 2666MHz	\$ 8,000.00	\$	5,600.00
UCSB-MLOM-40G-04	Cisco UCS VIC 1440 modular LOM for Blade Servers	\$ 1,599.00	\$	1,119.30
UCS-SD-64G-S	64GB SD Card for UCS Servers	\$ 364.00	\$	254.80
UCSX-TPM2-002	Trusted Platform Module 2.0 for UCS servers	\$ 75.00	\$	52.50
UCS-ML-X64G4RS-H	64GB DDR4-2666-MHz LRDIMM/PC4-21300/quad rank/x4/1.2v	\$ 4,720.00	\$	3,304.00
<b>SFP-H10GB-CU3M=</b>	10GBASE-CU SFP+ Cable 3 Meter	\$ 105.00	\$	73.50
QSFP-100G-AOC5M=	100GBASE QSFP Active Optical Cable, 5m	\$ 2,355.00	\$	1,648.50

<b>UCS-CPU-4116=</b>	2.1 GHz 4116/85W 12C/16.50MB Cache/DDR4 2400MHz	3,600.00	
<b>UCS-CPU-6132=</b>	2.6 GHz 6132/140W 14C/19.25MB Cache/DDR4 2666MHz	7,000.00	\$ 4,900.00
CON-SNT-B5108AC2	SNTC-8X5XNBD UCS B 5108 OS AC2 Chassis	94.06	\$ 94.06
CON-SNT-FIM6324	SNTC-8X5XNBD UCS 6324 In-Chs FI w/4 UP 1x40G E-Port	282.45	\$ 282.45
UCS-SP-B200M5-C1	SP B200 M5 w/2x6130,6x32GB mem,VIC1340	25813.01	\$ 18,069.11
CON-SNT-B200M5C1	SNTC-8X5XNBD SP B200 M5 w/2x6130,6x32GB mem,VIC1340	319.20	\$ 319.20
<b>BE6M-M5-K9</b>	Cisco Business Edition 6000M (M5) Appliance, Export Restr SW	13,000.00	\$ 9,100.00
CON-SNT-BE6MM5K9	SNTC-8X5XNBD Cisco Business Edition 6000M (M5) Applia	376.13	\$ 376.13
<b>UCSC-PSU1-770W=</b>	Cisco UCS 770W AC Power Supply for Rack Server	801.00	\$ 560.70
<b>CAB-9K12A-NA=</b>	Power Cord, 125VAC 13A NEMA 5-15 Plug, North America	31.00	\$ 21.70
BE6K-START-UCL35	BE6000 Starter Bundle with 35 UCL Enh and 35 vmail Licenses	500.00	\$ 350.00
BE6K-UCL-ENH	Cisco Business Edition 6000 - Enhanced User Connect License	210.00	\$ 147.00
BE6K-UCL-VM	Cisco Business Edition 6000- Voicemail/Unified Messaging UCL	75.00	\$ 52.50
CON-ECMU-BE12LURT	SWSS UPGRADES BE6000 v12 UCL Starter licenses (35-pack	250.00	\$ 250.00
CON-ECMU-UCM2XENH	SWSS UPGRADES BE6000 UCM 12X Enh User Connect Lic (new	24.00	\$ 24.00
CON-ECMU-UCN2XVL1	SWSS UPGRADES BE6000 Unity Connection 12x Basic Voicem	9.00	\$ 9.00
UCSB-B200-M5-U	UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	3595.00	\$ 2,516.50
CON-OSP-BB200M5U	SNTC 24X7X40S UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	557.55	
UCS-MR-X16G1RS-H	16GB DDR4-2666-MHz RDIMM/PC4-21300/single rank/x4/1.2v	1009.00	\$ 706.30
UCS-HD300G10K12G	300GB 12G SAS 10K RPM SFF HDD	650.00	\$ 455.00
UCSB-MRAID12G	Cisco FlexStorage 12G SAS RAID controller with Drive bays	749.00	\$ 524.30
UCSB-MLOM-40G-03	Cisco UCS VIC 1340 modular LOM for blade servers	1499.00	\$ 1,049.30
N20-FW016	UCS 5108 Blade Chassis FW Package 4.0	0.00	\$ -
UCS-SID-INFR-UNK	Unknown	0.00	\$ -
UCS-SID-WKL-UNK	Unknown	0.00	\$ -
UCSB-HS-M5-F	CPU Heat Sink for UCS B-Series M5 CPU socket (Front)	0.00	\$ -
UCS-DIMM-BLK	UCS DIMM Blanks	0.00	\$ -
UCSB-HS-M5-R	CPU Heat Sink for UCS B-Series M5 CPU socket (Rear)	0.00	\$ -
UCS-CPU-6132	2.6 GHz 6132/140W 14C/19.25MB Cache/DDR4 2666MHz	7000.00	\$ 4,900.00
UCSB-B200-M5-U	UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	3595.00	\$ 2,516.50
CON-OSP-BB200M5U	SNTC 24X7X40S UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	557.55	
UCS-HD300G10K12G	300GB 12G SAS 10K RPM SFF HDD	650.00	\$ 455.00
UCSB-MRAID12G	Cisco FlexStorage 12G SAS RAID controller with Drive bays	749.00	\$ 524.30
UCSB-MLOM-40G-03	Cisco UCS VIC 1340 modular LOM for blade servers	1499.00	\$ 1,049.30
N20-FW016	UCS 5108 Blade Chassis FW Package 4.0	0.00	\$ -
UCS-SID-INFR-UNK	Unknown	0.00	\$ -
UCS-SID-WKL-UNK	Unknown	0.00	\$ -
UCSB-HS-M5-F	CPU Heat Sink for UCS B-Series M5 CPU socket (Front)	0.00	\$ -
UCS-DIMM-BLK	UCS DIMM Blanks	0.00	\$ -
UCSB-HS-M5-R	CPU Heat Sink for UCS B-Series M5 CPU socket (Rear)	0.00	\$ -
UCS-CPU-6132	2.6 GHz 6132/140W 14C/19.25MB Cache/DDR4 2666MHz	7000.00	\$ 4,900.00
UCS-MR-X32G2RS-H	32GB DDR4-2666-MHz RDIMM/PC4-21300/dual rank/x4/1.2v	2150.00	\$ 1,505.00
UCSB-B200-M5-U	UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	3595.00	\$ 2,516.50
CON-OSP-BB200M5U	SNTC 24X7X40S UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	557.55	
UCS-MR-X16G1RS-H	16GB DDR4-2666-MHz RDIMM/PC4-21300/single rank/x4/1.2v	1009.00	\$ 706.30
UCSB-MRAID12G	Cisco FlexStorage 12G SAS RAID controller with Drive bays	749.00	\$ 524.30
UCSB-MLOM-40G-03	Cisco UCS VIC 1340 modular LOM for blade servers	1499.00	\$ 1,049.30
N20-FW016	UCS 5108 Blade Chassis FW Package 4.0	0.00	\$ -
UCS-SID-INFR-UNK	Unknown	0.00	\$ -
UCS-SID-WKL-UNK	Unknown	0.00	\$ -
UCSB-HS-M5-F	CPU Heat Sink for UCS B-Series M5 CPU socket (Front)	0.00	\$ -

UCS-DIMM-BLK	UCS DIMM Blanks	0.00	\$	-
UCSB-HS-M5-R	CPU Heat Sink for UCS B-Series M5 CPU socket (Rear)	0.00	\$	-
UCS-CPU-4116	2.1 GHz 4116/85W 12C/16.50MB Cache/DDR4 2400MHz	3600.00	\$	2,520.00
UCS-HD300G10K12G	300GB 12G SAS 10K RPM SFF HDD	650.00	\$	455.00
UCSB-B200-M5-U	UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	3595.00	\$	2,516.50
CON-OSP-BB200M5U	SNTC 24X7X4OS UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	557.55		
UCS-MR-X16G1RS-H	16GB DDR4-2666-MHz RDIMM/PC4-21300/single rank/x4/1.2v	1009.00	\$	706.30
UCSB-MRAID12G	Cisco FlexStorage 12G SAS RAID controller with Drive bays	749.00	\$	524.30
UCSB-MLOM-40G-03	Cisco UCS VIC 1340 modular LOM for blade servers	1499.00	\$	1,049.30
N20-FW016	UCS 5108 Blade Chassis FW Package 4.0	0.00	\$	-
UCS-SID-INFR-UNK	Unknown	0.00	\$	-
UCS-SID-WKL-UNK	Unknown	0.00	\$	-
UCSB-HS-M5-F	CPU Heat Sink for UCS B-Series M5 CPU socket (Front)	0.00	\$	-
UCS-DIMM-BLK	UCS DIMM Blanks	0.00	\$	-
UCSB-HS-M5-R	CPU Heat Sink for UCS B-Series M5 CPU socket (Rear)	0.00	\$	-
UCS-CPU-4116	2.1 GHz 4116/85W 12C/16.50MB Cache/DDR4 2400MHz	3600.00	\$	2,520.00
UCS-HD300G10K12G	300GB 12G SAS 10K RPM SFF HDD	650.00	\$	455.00
UCSB-B200-M5-U	UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	3595.00	\$	2,516.50
CON-OSP-BB200M5U	SNTC 24X7X4OS UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	557.55		
UCS-MR-X16G1RS-H	16GB DDR4-2666-MHz RDIMM/PC4-21300/single rank/x4/1.2v	1009.00	\$	706.30
UCSB-MRAID12G	Cisco FlexStorage 12G SAS RAID controller with Drive bays	749.00	\$	524.30
UCSB-MLOM-40G-03	Cisco UCS VIC 1340 modular LOM for blade servers	1499.00	\$	1,049.30
N20-FW016	UCS 5108 Blade Chassis FW Package 4.0	0.00	\$	-
UCS-SID-INFR-UNK	Unknown	0.00	\$	-
UCS-SID-WKL-UNK	Unknown	0.00	\$	-
UCSB-HS-M5-F	CPU Heat Sink for UCS B-Series M5 CPU socket (Front)	0.00	\$	-
UCS-DIMM-BLK	UCS DIMM Blanks	0.00	\$	-
UCSB-HS-M5-R	CPU Heat Sink for UCS B-Series M5 CPU socket (Rear)	0.00	\$	-
UCS-CPU-4116	2.1 GHz 4116/85W 12C/16.50MB Cache/DDR4 2400MHz	3600.00	\$	2,520.00
UCS-HD300G10K12G	300GB 12G SAS 10K RPM SFF HDD	650.00	\$	455.00
UCS-SP-B200M5-F3	SP B200 M5 w/2x6134,6x32GB mem,VIC1340	29197.99	\$	20,438.59
CON-SSC4P-B200M5F3	SOLN SUPP 24X7X4OS SP B200 M5 w/2x6134,6x32GB mem,VIC1340	714.00	\$	714.00
UCS-SD-64G-S	64GB SD Card for UCS Servers	364.00	\$	254.80
UCS-SP-M32G2-RSH	SP 32GB DDR4-2666-MHz RDIMM/PC4-21300/dual rank/x4/1.2v	1861.00	\$	1,302.70
<b>UCSB-B200-M5-U</b>	UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	3,595.00	\$	2,516.50
UCS-ML-X64G4RT-H	64GB DDR4-2933-MHz LRDIMM/4Rx4/1.2v	4,495.00	\$	3,146.50
UCSB-MLOM-40G-04	Cisco UCS VIC 1440 modular LOM for Blade Servers	1,399.00	\$	979.30
UCS-SD-64G-S	64GB SD Card for UCS Servers	364.00	\$	254.80
UCSX-TPM2-002	Trusted Platform Module 2.0 for UCS servers	75.00	\$	52.50
N20-FW016	UCS 5108 Blade Chassis FW Package 4.0	0.00	\$	-
UCS-SID-INFR-OI	Other Infrastructure	0.00	\$	-
UCS-SID-WKL-OW	Other Workload	0.00	\$	-
UCSB-LSTOR-BK	FlexStorage blanking panels w/o controller, w/o drive bays	0.00	\$	-
UCS-MSTOR-SD	Mini Storage Carrier for SD (holds up to 2)	0.00	\$	-
UCSB-HS-M5-F	CPU Heat Sink for UCS B-Series M5 CPU socket (Front)	0.00	\$	-
UCS-DIMM-BLK	UCS DIMM Blanks	0.00	\$	-
UCSB-HS-M5-R	CPU Heat Sink for UCS B-Series M5 CPU socket (Rear)	0.00	\$	-
UCS-CPU-I6240	Intel 6240 2.6GHz/150W 18C/24.75MB DCP DDR4 2933 MHz	8,400.00	\$	5,880.00
CON-SNTP-BB200M5U	SNTC 24X7X4 UCS B200 M5 Blade w/o CPU, mem, HDD, mezz (UPG)	1,600.20	\$	1,600.20

B200 M6			
UCS-M6-MLB	UCS-M6-MLB - UCS M6 RACK, BLADE, CHASSIS MLB	\$0	-
UCSB-B200-M6-U	UCS B200 M6 Blade w/o CPU, mem, HDD, mezz (UPG)	6,030.45	\$ 4,221.32
CON-3SSNP-UCSB2M6U	3Y SOLN SUPP 24X7X4 UCS B200 M6 Blade w/	2,520.00	\$ 2,520.00
CON-OSP-UCSB2M6U	SNTC-24X7X4OS UCS B200 M6 Blade w/	710.00	\$ 710.00
UCS-M2-240GB	240GB SATA M.2	536.87	\$ 375.81
UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	352.50	\$ 246.75
UCSB-MLOM-40G-04	Cisco UCS VIC 1440 modular LOM for Blade Servers	1,654.85	\$ 1,158.40
UCSB-MLOM-PT-01	Cisco UCS Port Expander Card (mezz) for VIC	602.10	\$ 421.47
UCSX-TPM-002C	TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for M6 servers	88.72	\$ 62.10
UCS-CPU-I6330	Intel 6330 2.0GHz/205W 28C/42MB DDR4 2933MHz	7,967.79	\$ 5,577.45
UCS-MR-X32G2RW	32GB RDIMM DRx4 3200 (8Gb)	2,357.67	\$ 1,650.37
N20-FW018	UCS 5108 Blade Chassis FW Package 4.2	\$0	-
UCSB-FBLK-M6	Cisco B200 M6 Front Drive Blank Sleds	\$0	-
UCS-DIMM-BLK	UCS DIMM Blanks	\$0	-
UCSB-HS-M6-F	CPU Heat Sink for UCS B-Series M6 CPU socket (Front)	\$0	-
UCSB-HS-M6-R	CPU Heat Sink for UCS B-Series M6 CPU socket (Rear)	\$0	-
UCSB-MSTOR-M6	Cisco FlexStorage Mini Storage (for M.2)	\$0	-
UCS-SID-INFRR-OI	Other Infrastructure	\$0	-
UCS-SID-WKL-OW	Other Workload	\$0	-

UCS-X Series Chassis Solutions			
UCSX-9508-U	UCS 9508 Chassis Configured	14,218.28	\$ 9,952.80
CON-SSSNT-UCSX95U8	SOLN SUPP 8X5XNBD UCS 9508 Chassis Configured	285.00	\$ 285.00
CON-SSSNT-UCSX95U8	SOLN SUPP 8X5XNBD UCS 9508 Chassis Configured 3 Years	855.00	\$ 855.00
UCSX-210C-M6	UCS 210c M6 Compute Node w/o CPU, Memory, Storage, Mezz	7,274.74	\$ 5,092.32
CON-SSSNT-UCSX210C	SOLN SUPP 8X5XNBD UCS 210c M6 Compute Node w/o CPU, Memory	667.00	\$ 667.00
CON-SSSNT-UCSX210C	SOLN SUPP 8X5XNBD UCS 210c M6 Compute Node w/o CPU, Memory 3 Years	2,001.00	\$ 2,001.00
UCSX-V4-Q25GML	UCS VIC 14425 4x25G mLOM for X Compute Node	1,665.51	\$ 1,165.86
UCSX-TPM-002C	TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for M6 servers	88.72	\$ 62.10
UCSX-CPU-I6326	Intel 6326 2.9GHz/185W 16C/24MB DDR4 3200MHz	5,456.15	\$ 3,819.31
UCSX-MR-X32G2RW	32GB RDIMM DRx4 3200 (8Gb)	2,833.10	\$ 1,983.17
UCSX-I-9108-25G	UCS 9108-25G IFM for 9508 Chassis	14,645.19	\$ 10,251.63
UCSX-PSU-2800AC	UCS 9508 Chassis 2800V AC Dual Voltage PSU	1,877.24	\$ 1,314.07
UCSX-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	299.49	\$ 209.64
UCSX-M2-240GB	Micron 5300 240G SATA M.2	728.63	\$ 510.04
UCS-FI-6454-U	UCS Fabric Interconnect 6454	47,055.29	\$ 32,938.70
CON-SSSNT-SFI6454U	SOLN SUPP 8X5XNBD UCS Fabric Interconnect 6454	2,455.95	\$ 2,455.95
CON-SSSNT-SFI6454U	SOLN SUPP 8X5XNBD UCS Fabric Interconnect 6454 3 Years	7,367.85	\$ 7,367.85
UCS-PSU-6332-AC	UCS 6332/ 6454 Power Supply/100-240VAC	1,407.00	\$ 984.90
DS-SFP-FC32G-SW	32 Gbps Fibre Channel SW SFP+, LC	1,003.50	\$ 702.45
SFP-H25G-CU1M	25GBASE-CU SFP28 Cable 1 Meter	125.63	\$ 87.94
SFP-H25G-CU2M	25GBASE-CU SFP28 Cable 2 Meter	125.63	\$ 87.94
SFP-H25G-CU3M	25GBASE-CU SFP28 Cable 3 Meter	125.63	\$ 87.94
QSFP-40/100-SRBD	100G and 40GBASE SR-BiDi QSFP Transceiver, LC, 100m OM4 MMF	2,004.98	\$ 1,403.49
DS-SFP-FC32G-SW=	32 Gbps Fibre Channel SW SFP+, LC	1,097.50	\$ 768.25
SFP-H25G-CU1M=	25GBASE-CU SFP28 Cable 1 Meter	133.63	\$ 93.54
SFP-H25G-CU2M=	25GBASE-CU SFP28 Cable 2 Meter	135.63	\$ 94.94
SFP-H25G-CU3M=	25GBASE-CU SFP28 Cable 3 Meter	160.81	\$ 112.57
QSFP-40/100-SRBD=	100G and 40GBASE SR-BiDi QSFP Transceiver, LC, 100m OM4 MMF	2,303.98	\$ 1,612.79
UCS-M2-I240GB	240GB M.2 Boot SATA Intel SSD	1,005.00	\$ 703.50
UCS-CPU-I6354	Intel 6354 3.0GHz/205W 18C/39MB DDR4 3200MHz	12,125.76	\$ 8,488.03
UCS-MR-X32G1RW	32GB RDIMM SRx4 3200 (16Gb)	3,080.64	\$ 2,156.45

UCSX-M7-MLB	UCSX M7 Modular Server and Chassis MLB	0.00	\$	-
UCSX-210C-M7-U	UCS X210c M7 Compute Node 2S w/o CPU, Mem, Drv, Mezz	6,376.38	\$	4,463.47
CON-SSC4P-UCSX023C	SOLN SUPP 24X7X4OS UCS X210c M7 Compute Node 2S w o CPU, Me 1 Year	1,526.00	\$	1,526.00
UCSX-ML-V5Q50G-D	UCS VIC 15420 4x25G secure boot mLOM for X Compute Node	1,808.40	\$	1,265.88
UCSX-M2-240GB-D	240GB 2.5in M.2 SATA Micron G1 SSD	785.48	\$	549.84
UCSX-TPM-002C-D	TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for servers	53.23	\$	37.26
UCSX-C-SW-LATEST-D	Platform SW (Recommended) latest release XSeries ComputeNode	0.00	\$	-
UCSX-C-M7-HS-F	UCS X210c M7 Compute Node Front CPU Heat Sink	0.00	\$	-
UCSX-C-M7-HS-R	UCS X210c M7 Compute Node Rear CPU Heat Sink	0.00	\$	-
UCSX-X10C-FMBK-D	UCS X10c Compute Node Front Mezz Blank	0.00	\$	-
UCSX-M2-HWRD-FPS	UCSX Front panel with M.2 RAID controller for SATA drives	0.00	\$	-
UCSX-CPU-I6444Y	Intel I6444Y 3.6GHz/270W 16C/45MB DDR5 4800MT/s	10,203.77	\$	7,142.64
UCSX-MRX16G1RE1	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	1,083.39	\$	758.37
UCS-SID-INFRR-OI-D	Other Infrastructure	0.00	\$	-
UCS-SID-WKL-OW-D	Other Workload	0.00	\$	-
UCSX-210C-M7-U	UCS X210c M7 Compute Node 2S w/o CPU, Mem, Drv, Mezz	6,376.38	\$	4,463.47
CON-SSC4P-UCSX023C	SOLN SUPP 24X7X4OS UCS X210c M7 Compute Node 2S w o CPU, Me 1 Year	1,526.00	\$	1,526.00
UCSX-ML-V5Q50G-D	UCS VIC 15420 4x25G secure boot mLOM for X Compute Node	1,808.40	\$	1,265.88
UCSX-M2-240G-D	240GB 2.5in M.2 SATA Micron G1 SSD	785.48	\$	549.84
UCSX-TPM-002C-D	TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for servers	53.23	\$	37.26
UCSX-C-SW-LATEST-D	Platform SW (Recommended) latest release XSeries ComputeNode	0.00	\$	-
UCSX-C-M7-HS-F	UCS X210c M7 Compute Node Front CPU Heat Sink	0.00	\$	-
UCSX-C-M7-HS-R	UCS X210c M7 Compute Node Rear CPU Heat Sink	0.00	\$	-
UCSX-X10C-FMBK-D	UCS X10c Compute Node Front Mezz Blank	0.00	\$	-
UCSX-M2-HWRD-FPS	UCSX Front panel with M.2 RAID controller for SATA drives	0.00	\$	-
UCS-DDR5-BLK	UCS DDR5 DIMM Blanks	0.00	\$	-
UCSX-CPU-I5418Y	Intel I5418Y 2GHz/185W 24C/45MB DDR5 4400MT/s	4,285.32	\$	2,999.72
UCSX-MRX16G1RE1	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	1,083.39	\$	758.37
UCS-SID-INFRR-OI-D	Other Infrastructure	0.00	\$	-
UCS-SID-WKL-OW-D	Other Workload	0.00	\$	-
CNDL-DESELECT-D	Conditional Deselect	0.00	\$	-
OPTOUT-EA-ONLY	License not needed: Customer already owns Licenses in an EA	0.00	\$	-
<b>UCSX-9508=</b>	UCS 9508 Chassis	14,218.28	\$	9,952.80
CON-SSC4P-UCXSX958	SOLN SUPP 24X7X4OS UCS 9508 Chassis 1 Year	543.00	\$	543.00
UCSX-CHASSIS-SW	Platform SW (Recommended) latest release for X9500 Chassis	0.00	\$	-
UCSX-9508-FSBK	UCS 9508 Chassis Front Node Slot Blank	0.00	\$	-
UCSX-9508-CAK	UCS 9508 Chassis Accessory Kit	0.00	\$	-
UCSX-9508-RBLK	UCS 9508 Chassis Active Cooling Module (FEM slot)	0.00	\$	-
UCSX-9508-ACPEM	UCS 9508 Chassis Rear AC Power Expansion Module	0.00	\$	-
UCSX-9508-KEY-AC	UCS 9508 AC PSU Keying Bracket	0.00	\$	-
UCSX-I-9108-25G	UCS 9108-25G IFM for 9508 Chassis	14,645.19	\$	10,251.63
UCSX-PSU-2800AC	UCS 9508 Chassis 2800V AC Dual Voltage PSU Titanium	1,877.24	\$	1,314.07
CAB-US620P-C19-US	NEMA 6-20 to IEC-C19 13ft US	0.00	\$	-
<b>SFP-H25G-CU3M=</b>	25GBASE-CU SFP28 Cable 3 Meter	160.81	\$	112.57
UCSX-CPU-I6346	Intel 6346 3.1GHz/205W 16C/36MB DDR4 3200MHz	11,407.74	\$	7,985.42
UCSX-MR-X64G2RW	64GB RDIMM DRx4 3200 (16Gb)	6,031.97	\$	4,222.38
<b>UCSX-M6-MLB</b>	UCSX M6 Modular Server and Chassis MLB	0.00	\$	-
UCSX-9508-U	UCS 9508 Chassis Configured	14,218.28	\$	9,952.80
UCSX-CHASSIS-SW	Platform SW (Recommended) latest release for X9500 Chassis	0.00	\$	-
UCSX-9508-CAK	UCS 9508 Chassis Accessory Kit	0.00	\$	-
UCSX-9508-RBLK	UCS 9508 Chassis Active Cooling Module (FEM slot)	0.00	\$	-
UCSX-9508-ACPEM	UCS 9508 Chassis Rear AC Power Expansion Module	0.00	\$	-
UCSX-9508-KEY-AC	UCS 9508 AC PSU Keying Bracket	0.00	\$	-

UCSX-210C-M6	UCS 210c M6 Compute Node w/o CPU, Memory, Storage, Mezz	7,274.74	\$	5,092.32
UCSX-V4-Q25GML	UCS VIC 14425 4x25G mLOM for X Compute Node	1,665.51	\$	1,165.86
UCSX-TPM-002C	TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for M6 servers	88.72	\$	62.10
UCSX-C-SW-LATEST	Platform SW (Recommended) latest release XSeries ComputeNode	0.00	\$	-
UCSX-C-M6-HS-F	UCS 210c M6 Compute Node Front CPU Heat Sink	0.00	\$	-
UCSX-C-M6-HS-R	UCS 210c M6 Compute Node Rear CPU Heat Sink	0.00	\$	-
UCS-DIMM-BLK	UCS DIMM Blanks	0.00	\$	-
UCSX-X10C-FMBK	UCS X10c Compute Node Front Mezz Blank	0.00	\$	-
UCSX-CPU-I6346	Intel 6346 3.1GHz/205W 16C/36MB DDR4 3200MHz	11,407.74	\$	7,985.42
UCSX-MR-X64G2RW	64GB RDIMM DRx4 3200 (16Gb)	6,031.97	\$	4,222.38
UCS-SID-INFR-OI	Other Infrastructure	0.00	\$	-
UCS-SID-WKL-OW	Other Workload	0.00	\$	-
UCSX-I-9108-25G	UCS 9108-25G IFM for 9508 Chassis	14,645.19	\$	10,251.63
UCSX-PSU-2800AC	UCS 9508 Chassis 2800V AC Dual Voltage PSU Titanium	1,877.24	\$	1,314.07
CAB-C19-CBN	Cabinet Jumper Power Cord, 250 VAC 16A, C20-C19 Connectors	0.00	\$	-
UCSX-FI-6454-U	UCS Fabric Interconnect 6454	48,390.75	\$	33,873.53
N10-MGT018	UCS Manager v4.2 and Intersight Managed Mode v4.2	0.00	\$	-
UCS-PSU-6332-AC	UCS 6332/ 6454 Power Supply/100-240VAC	1,656.04	\$	1,159.23
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	0.00	\$	-
SFP-25G-AOC3M	25GBASE Active Optical SFP28 Cable, 3M	496.81	\$	347.77
UCS-ACC-6332	UCS 6332/ 6454 Chassis Accessory Kit	0.00	\$	-
UCS-FAN-6332	UCS 6332/ 6454 Fan Module	0.00	\$	-

UCSB-B200-M6-U	UCS B200 M6 Blade w/o CPU, mem, HDD, mezz (UPG)	6,030.45	\$	4,221.32
CON-SNTP-UCSB2M6U	SNTPC-24X7X4 UCS B200 M6 Blade w/ 1 Year	679.00	\$	679.00
UCS-M2-I240GB	240GB M.2 Boot SATA Intel SSD	1,005.00	\$	703.50
UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	352.50	\$	246.75
UCSB-MLOM-40G-04	Cisco UCS VIC 1440 modular LOM for Blade Servers	1,654.85	\$	1,158.40
UCSX-TPM-002C	TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for M6 servers	88.72	\$	62.10
N20-FW018	UCS 5108 Blade Chassis FW Package 4.2	0.00	\$	-
UCSB-FBLK-M6	Cisco B200 M6 Front Drive Blank Sleds	0.00	\$	-
UCS-DIMM-BLK	UCS DIMM Blanks	0.00	\$	-
UCSB-HS-M6-R	CPU Heat Sink for UCS B-Series M6 CPU socket (Rear)	0.00	\$	-
UCSB-MSTOR-M6	Cisco FlexStorage Mini Storage (for M.2)	0.00	\$	-
UCS-CPU-I6326	Intel 6326 2.9GHz/185W 16C/24MB DDR4 3200MHz	6,421.88	\$	4,495.32
UCS-MR-X64G2RW	64GB RDIMM DRx4 3200 (16Gb)	6,031.97	\$	4,222.38
UCS-SID-INFR-OI	Other Infrastructure	0.00	\$	-
UCS-SID-WKL-UNK	Unknown	0.00	\$	-

<b>UCSX-M7-MLB</b>	UCSX M7 Modular Server and Chassis MLB	0.00	\$	-
UCSX-210C-M7-U	UCS X210c M7 Compute Node 2S w/o CPU, Mem, Drv, Mezz	6,376.38	\$	4,463.47
CON-SSC4P-UCSX023C	SOLN SUPP 24X7X4OS UCS X210c M7 Compute Node 2S w o CPU, Me	1,526.00	\$	1,526.00
UCSX-ML-V5Q50G-D	Cisco VIC 15420 4x 25G mLOM X-Series w/Secure Boot	1,808.40	\$	1,265.88
UCSX-M2-240G-D	240GB 2.5in M.2 SATA Micron G2 SSD	785.48	\$	549.84
UCSX-TPM-002C-D	TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for servers	53.23	\$	37.26
UCSX-C-SW-LATEST-D	Platform SW (Recommended) latest release XSeries ComputeNode	0.00	\$	-
UCSX-C-M7-HS-F	UCS X210c M7 Compute Node Front CPU Heat Sink	0.00	\$	-
UCSX-C-M7-HS-R	UCS X210c M7 Compute Node Rear CPU Heat Sink	0.00	\$	-
UCSX-X10C-FMBK-D	UCS X10c Compute Node Front Mezz Blank	0.00	\$	-
UCSX-M2-HWRD-FPS	UCSX Front panel with M.2 RAID controller for SATA drives	0.00	\$	-
UCS-DDR5-BLK	UCS DDR5 DIMM Blanks	0.00	\$	-
UCSX-CPU-I6444Y	Intel I6444Y 3.6GHz/270W 16C/45MB DDR5 4800MT/s	10,203.77	\$	7,142.64
UCSX-MRX16G1RE1	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	1,083.39	\$	758.37

UCS-SID-INFR-OI-D	Other Infrastructure	0.00	\$	-
UCS-SID-WKL-OW-D	Other Workload	0.00	\$	-
UCSX-210C-M7-U	UCS X210c M7 Compute Node 2S w/o CPU, Mem, Drv, Mezz	6,376.38	\$	4,463.47
CON-SSC4P-UCSX023C	SOLN SUPP 24X7X4OS UCS X210c M7 Compute Node 2S w o CPU, Me	1,526.00	\$	1,526.00
UCSX-ML-V5Q50G-D	Cisco VIC 15420 4x 25G mLOM X-Series w/Secure Boot	1,808.40	\$	1,265.88
UCSX-M2-240G-D	240GB 2.5in M.2 SATA Micron G2 SSD	785.48	\$	549.84
UCSX-TPM-002C-D	TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for servers	53.23	\$	37.26
UCSX-C-SW-LATEST-D	Platform SW (Recommended) latest release XSeries ComputeNode	0.00	\$	-
UCSX-C-M7-HS-F	UCS X210c M7 Compute Node Front CPU Heat Sink	0.00	\$	-
UCSX-C-M7-HS-R	UCS X210c M7 Compute Node Rear CPU Heat Sink	0.00	\$	-
UCSX-X10C-FMBK-D	UCS X10c Compute Node Front Mezz Blank	0.00	\$	-
UCSX-M2-HWRD-FPS	UCSX Front panel with M.2 RAID controller for SATA drives	0.00	\$	-
UCS-DDR5-BLK	UCS DDR5 DIMM Blanks	0.00	\$	-
UCSX-CPU-I6444Y	Intel I6444Y 3.6GHz/270W 16C/45MB DDR5 4800MT/s	10,203.77	\$	7,142.64
UCSX-MRX16G1RE1	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	1,083.39	\$	758.37
UCS-SID-INFR-OI-D	Other Infrastructure	0.00	\$	-
UCS-SID-WKL-OW-D	Other Workload	0.00	\$	-
UCSX-210C-M7-U	UCS X210c M7 Compute Node 2S w/o CPU, Mem, Drv, Mezz	6,376.38	\$	4,463.47
CON-SSC4P-UCSX023C	SOLN SUPP 24X7X4OS UCS X210c M7 Compute Node 2S w o CPU, Me	1,526.00	\$	1,526.00
UCSX-ML-V5Q50G-D	Cisco VIC 15420 4x 25G mLOM X-Series w/Secure Boot	1,808.40	\$	1,265.88
UCSX-M2-240G-D	240GB 2.5in M.2 SATA Micron G2 SSD	785.48	\$	549.84
UCSX-TPM-002C-D	TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for servers	53.23	\$	37.26
UCSX-C-SW-LATEST-D	Platform SW (Recommended) latest release XSeries ComputeNode	0.00	\$	-
UCSX-C-M7-HS-F	UCS X210c M7 Compute Node Front CPU Heat Sink	0.00	\$	-
UCSX-C-M7-HS-R	UCS X210c M7 Compute Node Rear CPU Heat Sink	0.00	\$	-
UCSX-X10C-FMBK-D	UCS X10c Compute Node Front Mezz Blank	0.00	\$	-
UCSX-M2-HWRD-FPS	UCSX Front panel with M.2 RAID controller for SATA drives	0.00	\$	-
UCS-DDR5-BLK	UCS DDR5 DIMM Blanks	0.00	\$	-
UCSX-CPU-I6444Y	Intel I6444Y 3.6GHz/270W 16C/45MB DDR5 4800MT/s	10,203.77	\$	7,142.64
UCSX-MRX32G1RE1	32GB DDR5-4800 RDIMM 1Rx4 (16Gb)	2,294.42	\$	1,606.09
UCS-SID-INFR-OI-D	Other Infrastructure	0.00	\$	-
UCS-SID-WKL-OW-D	Other Workload	0.00	\$	-
UCSX-210C-M7-U	UCS X210c M7 Compute Node 2S w/o CPU, Mem, Drv, Mezz	6,376.38	\$	4,463.47
CON-SSC4P-UCSX023C	SOLN SUPP 24X7X4OS UCS X210c M7 Compute Node 2S w o CPU, Me	1,526.00	\$	1,068.20
UCSX-ML-V5Q50G-D	Cisco VIC 15420 4x 25G mLOM X-Series w/Secure Boot	1,808.40	\$	1,265.88
UCSX-M2-240G-D	240GB 2.5in M.2 SATA Micron G2 SSD	785.48	\$	549.84
UCSX-TPM-002C-D	TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for servers	53.23	\$	37.26
UCSX-C-SW-LATEST-D	Platform SW (Recommended) latest release XSeries ComputeNode	0.00	\$	-
UCSX-C-M7-HS-F	UCS X210c M7 Compute Node Front CPU Heat Sink	0.00	\$	-
UCSX-C-M7-HS-R	UCS X210c M7 Compute Node Rear CPU Heat Sink	0.00	\$	-
UCSX-X10C-FMBK-D	UCS X10c Compute Node Front Mezz Blank	0.00	\$	-
UCSX-M2-HWRD-FPS	UCSX Front panel with M.2 RAID controller for SATA drives	0.00	\$	-
UCS-DDR5-BLK	UCS DDR5 DIMM Blanks	0.00	\$	-
UCSX-CPU-I6426Y	Intel I6426Y 2.5GHz/185W 16C/37.5MB DDR5 4800MT/s	4,261.20	\$	2,982.84
UCSX-MRX16G1RE1	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	1,083.39	\$	758.37
UCS-SID-INFR-OI-D	Other Infrastructure	0.00	\$	-
UCS-SID-WKL-OW-D	Other Workload	0.00	\$	-



MS IT Hardware EPL 3760 - Server Category

Document Version: 20240413

Replaced Document Version: 20240401

Updated By: Kristen Hinton

Date: April 13, 2024

UCS Bundles

Cisco Product SKU	Product Description	USD List Price	EPL Price
<b>UCSX-M7-XCCELERATE</b>	UCS-X M7 XCcelerate Offer - Subject to approval	0.00	\$ -
UCSX-9508-NEW-D	Not sold standalone UCS 9508 Chassis w/o nodes	0.00	\$ -
CON-SSC4P-UCSX5958	SOLN SUPP 24X7X4OS Not sold standalone UCS 9508 Chassis w/o	543.00	\$ 543.00
UCSX-I-9108-25G-D	UCS 9108-25G IFM for 9508 Chassis	0.00	\$ -
UCSX-C-DEBUGCBL-D	UCSX Compute Node Debug Cable	0.00	\$ -
UCSX-CHASSIS-SW-D	Platform SW (Recommended) latest release for X9500 Chassis	0.00	\$ -
UCSX-9508-CAK-D	UCS 9508 Chassis Accessory Kit	0.00	\$ -
UCSX-9508-RBLK-D	UCS 9508 Chassis Active Cooling Module (FEM slot)	0.00	\$ -
UCSX-9508-ACPEM-D	UCS 9508 Chassis Rear AC Power Expansion Module	0.00	\$ -
UCSX-9508-KEYAC-D	UCS 9508 AC PSU Keying Bracket	0.00	\$ -
UCSX-9508-FSBK-D	UCS 9508 Chassis Front Node Slot Blank	0.00	\$ -
UCSX-PSU-2800AC-D	UCS 9508 Chassis 2800V AC Dual Voltage PSU Titanium	0.00	\$ -
CAB-C19-CBN	Cabinet Jumper Power Cord, 250 VAC 16A, C20-C19 Connectors	0.00	\$ -
UCSX-210C-M7-U	UCS X210c M7 Compute Node 2S w/o CPU, Mem, Drv, Mezz	6,376.38	\$ 4,463.47
CON-SSC4P-UCSX023C	SOLN SUPP 24X7X4OS UCS X210c M7 Compute Node 2S w o CPU, Me	1,526.00	\$ 1,526.00
UCSX-ML-V5Q50G-D	Cisco VIC 15420 4x 25G mLOM X-Series w/Secure Boot	1,808.40	\$ 1,265.88
UCSX-M2-240G-D	240GB 2.5in M.2 SATA Micron G2 SSD	785.48	\$ 549.84
UCSX-TPM-002C-D	TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for servers	53.23	\$ 37.26
UCSX-C-SW-LATEST-D	Platform SW (Recommended) latest release XSeries ComputeNode	0.00	\$ -
UCSX-C-M7-HS-F	UCS X210c M7 Compute Node Front CPU Heat Sink	0.00	\$ -
UCSX-C-M7-HS-R	UCS X210c M7 Compute Node Rear CPU Heat Sink	0.00	\$ -
UCSX-X10C-FMBK-D	UCS X10c Compute Node Front Mezz Blank	0.00	\$ -
UCSX-M2-HWRD-FPS	UCSX Front panel with M.2 RAID controller for SATA drives	0.00	\$ -
UCS-DDR5-BLK	UCS DDR5 DIMM Blanks	0.00	
UCSX-CPU-I6444Y	Intel I6444Y 3.6GHz/270W 16C/45MB DDR5 4800MT/s	10,203.77	\$ 7,142.64
UCSX-MRX16G1RE1	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	1,083.39	\$ 758.37
UCS-SID-INFR-OI-D	Other Infrastructure	0.00	\$ -

MS IT Hardware EPL 3760 - Server Category

Document Version: 20240413

Replaced Document Version: 20240401

Updated By: Kristen Hinton

Date: April 13, 2024

UCS-SID-WKL-OW-D	Other Workload	0.00	\$ -
UCSX-210C-M7-U	UCS X210c M7 Compute Node 2S w/o CPU, Mem, Drv, Mezz	6,376.38	\$ 4,463.47
CON-SSC4P-UCSX023C	SOLN SUPP 24X7X4OS UCS X210c M7 Compute Node 2S w o CPU, Me	1,526.00	\$ 1,526.00
UCSX-ML-V5Q50G-D	Cisco VIC 15420 4x 25G mLOM X-Series w/Secure Boot	1,808.40	\$ 1,265.88
UCSX-M2-240G-D	240GB 2.5in M.2 SATA Micron G2 SSD	785.48	\$ 549.84
UCSX-TPM-002C-D	TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for servers	53.23	\$ 37.26
UCSX-C-SW-LATEST-D	Platform SW (Recommended) latest release XSeries ComputeNode	0.00	\$ -
UCSX-C-M7-HS-F	UCS X210c M7 Compute Node Front CPU Heat Sink	0.00	\$ -
UCSX-C-M7-HS-R	UCS X210c M7 Compute Node Rear CPU Heat Sink	0.00	\$ -
UCSX-X10C-FMBK-D	UCS X10c Compute Node Front Mezz Blank	0.00	\$ -
UCSX-M2-HWRD-FPS	UCSX Front panel with M.2 RAID controller for SATA drives	0.00	\$ -
UCS-DDR5-BLK	UCS DDR5 DIMM Blanks	0.00	\$ -
UCSX-CPU-I6444Y	Intel I6444Y 3.6GHz/270W 16C/45MB DDR5 4800MT/s	10,203.77	\$ 7,142.64
UCSX-MRX32G1RE1	32GB DDR5-4800 RDIMM 1Rx4 (16Gb)	2,294.42	\$ 1,606.09
UCS-SID-INFR-OI-D	Other Infrastructure	0.00	\$ -
UCS-SID-WKL-OW-D	Other Workload	0.00	\$ -
UCSX-210C-M7-U	UCS X210c M7 Compute Node 2S w/o CPU, Mem, Drv, Mezz	6,376.38	\$ 4,463.47
CON-SSC4P-UCSX023C	SOLN SUPP 24X7X4OS UCS X210c M7 Compute Node 2S w o CPU, Me	1,526.00	\$ 1,526.00
UCSX-ML-V5Q50G-D	Cisco VIC 15420 4x 25G mLOM X-Series w/Secure Boot	1,808.40	\$ 1,265.88
UCSX-M2-240G-D	240GB 2.5in M.2 SATA Micron G2 SSD	785.48	\$ 549.84
UCSX-TPM-002C-D	TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for servers	53.23	\$ 37.26
UCSX-C-SW-LATEST-D	Platform SW (Recommended) latest release XSeries ComputeNode	0.00	\$ -
UCSX-C-M7-HS-F	UCS X210c M7 Compute Node Front CPU Heat Sink	0.00	\$ -
UCSX-C-M7-HS-R	UCS X210c M7 Compute Node Rear CPU Heat Sink	0.00	\$ -
UCSX-X10C-FMBK-D	UCS X10c Compute Node Front Mezz Blank	0.00	\$ -
UCSX-M2-HWRD-FPS	UCSX Front panel with M.2 RAID controller for SATA drives	0.00	\$ -
UCS-DDR5-BLK	UCS DDR5 DIMM Blanks	0.00	\$ -
UCSX-CPU-I6426Y	Intel I6426Y 2.5GHz/185W 16C/37.5MB DDR5 4800MT/s	4,261.20	\$ 2,982.84
UCSX-MRX16G1RE1	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	1,083.39	\$ 758.37
UCS-SID-INFR-OI-D	Other Infrastructure	0.00	\$ -
UCS-SID-WKL-OW-D	Other Workload	0.00	\$ -

MS IT Hardware EPL 3760 - Server Category

Document Version: 20240413

Replaced Document Version: 20240401

Updated By: Kristen Hinton

Date: April 13, 2024

UCSX-FI-6454-NEW-D	XCellerate offer for Fabric Interconnect 6454	0.03	\$	0.02
CON-SSC4P-UCSXFXD	SOLN SUPP 24X7X4OS XCellerate offer for Fabric Interconnect	3,576.00	\$	3,576.00
N10-MGT018-D	UCS Manager v4.2 and Intersight Managed Mode v4.2	0.00	\$	-
UCS-L-6400-25G-D	FI per port license to connect to B-Series, C-Series or FEX	0.00	\$	-
UCS-L-6400-100G-D	FI per port license to connect to B-Series, C-Series or FEX	0.00	\$	-
UCS-PSU-6332-AC-D	UCS 6332/ 6454 Power Supply/100-240VAC	0.00	\$	-
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	0.00	\$	-
UCS-ACC-6332-D	UCS 6332/ 6454 Chassis Accessory Kit	0.00	\$	-
UCS-FAN-6332-D	UCS 6332/ 6454 Fan Module	0.00	\$	-

Bundle must be approved and orderd complete to receive pricing/MRSP as shown.

UCSX-M7-XCCELERATE	UCS-X M7 XCcelerate Offer - Subject to approval	0.00	\$	-
UCSX-9508-NEW-D	Not sold standalone UCS 9508 Chassis w/o nodes	0.00	\$	-
CON-SNTP-UCSX5958	SNTC-24X7X4 Not sold standalone UCS 9508 Chassis w/o 1 Years	495.00	\$	495.00
CON-SNTP-UCSX5958	SNTC-24X7X4 Not sold standalone UCS 9508 Chassis w/o 3 Years	2,970.00	\$	2,970.00
UCSX-I-9108-25G-D	UCS 9108-25G IFM for 9508 Chassis	0.00	\$	-
UCSX-C-DEBUGCBL-D	UCSX Compute Node Debug Cable	0.00	\$	-
UCSX-CHASSIS-SW-D	Platform SW (Recommended) latest release for X9500 Chassis	0.00	\$	-
UCSX-9508-CAK-D	UCS 9508 Chassis Accessory Kit	0.00	\$	-
UCSX-9508-RBLK-D	UCS 9508 Chassis Active Cooling Module (FEM slot)	0.00	\$	-
UCSX-9508-ACPEM-D	UCS 9508 Chassis Rear AC Power Expansion Module	0.00	\$	-
UCSX-9508-KEYAC-D	UCS 9508 AC PSU Keying Bracket	0.00	\$	-
UCSX-9508-FSBK-D	UCS 9508 Chassis Front Node Slot Blank	0.00	\$	-
UCSX-PSU-2800AC-D	UCS 9508 Chassis 2800V AC Dual Voltage PSU Titanium	0.00	\$	-
CAB-C19-CBN	Cabinet Jumper Power Cord, 250 VAC 16A, C20-C19 Connectors	0.00	\$	-
UCSX-210C-M7-U	UCS X210c M7 Compute Node 2S w/o CPU, Mem, Drv, Mezz	6,376.38	\$	4,463.47
CON-SNTP-UCSX023C	SNTC-24X7X4 UCS X210c M7 Compute Node 2S w o CPU, Me 1 Years	1,049.00	\$	1,049.00
CON-SNTP-UCSX023C	SNTC-24X7X4 UCS X210c M7 Compute Node 2S w o CPU, Me 3 Years	3,147.00	\$	3,147.00
UCSX-ML-V5D200G-D	Cisco VIC 15231 2x 100G mLOM X-Series	1,748.70	\$	1,224.09
UCSX-M2-240G-D	240GB 2.5in M.2 SATA Micron G2 SSD	785.48	\$	549.84
UCSX-TPM-002C-D	TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for servers	53.23	\$	37.26

MS IT Hardware EPL 3760 - Server Category

Document Version: 20240413

Replaced Document Version: 20240401

Updated By: Kristen Hinton

Date: April 13, 2024

UCSX-C-SW-LATEST-D	Platform SW (Recommended) latest release XSeries ComputeNode	0.00	\$	-
UCSX-C-M7-HS-F	UCS X210c M7 Compute Node Front CPU Heat Sink	0.00	\$	-
UCSX-C-M7-HS-R	UCS X210c M7 Compute Node Rear CPU Heat Sink	0.00	\$	-
UCSX-X10C-FMBK-D	UCS X10c Compute Node Front Mezz Blank	0.00	\$	-
UCSX-M2-HWRD-FPS	UCSX Front panel with M.2 RAID controller for SATA drives	0.00	\$	-
UCS-DDR5-BLK	UCS DDR5 DIMM Blanks	0.00	\$	-
UCSX-CPU-I6444Y	Intel I6444Y 3.6GHz/270W 16C/45MB DDR5 4800MT/s	10,203.77	\$	7,142.64
UCSX-MRX64G2RE1	64GB DDR5-4800 RDIMM 2Rx4 (16Gb)	4,357.68	\$	3,050.38
UCS-SID-INFR-CFS-D	Converged-FlashStack	0.00	\$	-
UCS-SID-WKL-OW-D	Other Workload	0.00	\$	-
UCSX-FI-6454-NEW-D	XCellerate offer for Fabric Interconnect 6454	0.00	\$	-
CON-SNTP-UCSXEFXD	SNTC-24X7X4 XCellerate offer for Fabric Interconnect 1 Years	2,630.00	\$	2,630.00
CON-SNTP-UCSXEFXD	SNTC-24X7X4 XCellerate offer for Fabric Interconnect 3 Years	7,890.00	\$	7,890.00
N10-MGT018-D	UCS Manager v4.2 and Intersight Managed Mode v4.2	0.00	\$	-
UCS-L-6400-25G-D	FI per port license to connect to B-Series, C-Series or FEX	0.00	\$	-
UCS-L-6400-100G-D	FI per port license to connect to B-Series, C-Series or FEX	0.00	\$	-
UCS-PSU-6332-AC-D	UCS 6332/ 6454 Power Supply/100-240VAC	0.00	\$	-
CAB-C13-C14-AC	Power cord, C13 to C14 (recessed receptacle), 10A	0.00	\$	-
UCS-ACC-6332-D	UCS 6332/ 6454 Chassis Accessory Kit	0.00	\$	-
UCS-FAN-6332-D	UCS 6332/ 6454 Fan Module	0.00	\$	-
DS-SFP-FC32G-SW=	32 Gbps Fibre Channel SW SFP+, LC	1,291.76	\$	904.23
QSFP-40/100-SRBD=	100G and 40GBASE SR-BiDi QSFP Transceiver, LC, 100m OM4 MMF	2,711.79	\$	1,898.25
SFP-H25G-CU3M=	25GBASE-CU SFP28 Cable 3 Meter	160.81	\$	112.57

MS IT Hardware EPL 3760 - Server Category

Document Version: 20240413

Replaced Document Version: 20240401

Updated By: Kristen Hinton

Date: April 13, 2024

## C220 & C240 M5

**Cisco Product SKU    Product Description    USD List Price    EPL Price**

Cisco Product SKU	Product Description	USD List Price	EPL Price
<b>UCSC-C240-M5S</b>	UCS C240 M5 8 SFF + 2 rear drive	3,999.00	\$ 2,799.30
UCS-CPU-6128	3.4 GHz 6128/115W 6C/19.25MB	5,850.00	\$ 4,095.00
UCS-MR-X32G2RS-H	32GB DDR4-2666-MHz RDIMM/PC	2,087.00	\$ 1,460.90
UCSC-PCI-1B-240M5	Riser 1B incl 3 PCIe slots (x8, x8,	199.00	\$ 139.30
UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC	4,573.00	\$ 3,201.10
UCSC-PCIE-ID25GF	Intel XXV710-DA2 10-dual-port 25	1,975.00	\$ 1,382.50
UCSC-MLOM-IRJ45	Intel i350 quad-port MLOM NIC	671.00	\$ 469.70
UCSC-DVD-C240M5	Media Drive (DVD) for C240 M5 Se	799.00	\$ 559.30
UCSC-PSU1-1050W	Cisco UCS 1050W AC Power Supp	729.00	\$ 510.30
CAB-9K12A-NA	Power Cord, 125VAC 13A NEMA 5	0.00	\$ -
UCSC-RAILB-M4	Ball Bearing Rail Kit for C220 & C2	220.00	\$ 154.00
CIMC-LATEST	IMC SW (Recommended) latest rel	0.00	\$ -
UCSC-HS-C240M5	Heat sink for UCS C240 M5 rack s	0.00	\$ -
UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanki	0.00	\$ -
UCSC-PCIF-240M5	C240 M5 PCIe Riser Blanking Pan	0.00	\$ -
CBL-SC-MR12GM52	Super Cap cable for UCSC-RAID-	0.00	\$ -
UCSC-SCAP-M5	Super Cap for UCSC-RAID-M5, UC	0.00	\$ -
UCSC-RAID-M5	Cisco 12G Modular RAID controlle	2,156.00	\$ 1,509.20
UCS-HD300G15K12N	300GB 12G SAS 15K RPM SFF HD	1,235.00	\$ 864.50
C1UCS-OPT-OUT	Cisco ONE Data Center Compute	0.00	\$ -
CON-OSP-CC240M5S	SNTC 24X7X4OS UCS C240 M5 8	3,940.00	\$ 3,940.00

<b>UCSC-C220-M5SX</b>	UCS C220 M5 SFF 10 HD w/o CPU	3,699.00	\$ 2,589.30
UCS-MR-X16G1RS-H	16GB DDR4-2666-MHz RDIMM/PC	980.00	\$ 686.00
UCS-HD300G15K12N	300GB 12G SAS 15K RPM SFF HD	1,235.00	\$ 864.50
UCSC-MLOM-IRJ45	Intel i350 quad-port MLOM NIC	671.00	\$ 469.70
CIMC-LATEST	IMC SW (Recommended) latest rel	0.00	\$ -
UCSC-PSU1-1050W	Cisco UCS 1050W AC Power Supp	729.00	\$ 510.30
CAB-9K12A-NA	Power Cord, 125VAC 13A NEMA 5	0.00	\$ -

MS IT Hardware EPL 3760 - Server Category

Document Version: 20240413

Replaced Document Version: 20240401

Updated By: Kristen Hinton

Date: April 13, 2024

UCSC-RAILB-M4	Ball Bearing Rail Kit for C220 & C220M5	220.00	\$	154.00
UCSC-HS-C220M5	Heat sink for UCS C220 M5 rack server	0.00	\$	-
UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanking cap	0.00	\$	-
UCSC-SCAP-M5	Super Cap for UCSC-RAID-M5, UCSC-RAID-M52	0.00	\$	-
CBL-SC-MR12GM52	Super Cap cable for UCSC-RAID-M5, UCSC-RAID-M52	0.00	\$	-
UCSC-RAID-M5	Cisco 12G Modular RAID controller	2,156.00	\$	1,509.20
UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	999.38	\$	699.57
C1UCS-OPT-OUT	Cisco ONE Data Center Compute	0.00	\$	-
UCS-CPU-6134M	3.2 GHz 6134M/130W 8C/24.75MB	14,950.00	\$	10,465.00
CON-OSP-C220M5SX	SNTC 24X7X4OS UCS C220 M5 S	3,075.00	\$	3,075.00

<b>UCSC-C220-M5SX</b>	UCS C220 M5 SFF 10 HD w/o CPU	3,699.00	\$	2,589.30
UCS-MR-X16G1RS-H	16GB DDR4-2666-MHz RDIMM/PC	980.00	\$	686.00
UCS-HD300G15K12N	300GB 12G SAS 15K RPM SFF H	1,235.00	\$	864.50
UCSC-MLOM-IRJ45	Intel i350 quad-port MLOM NIC	671.00	\$	469.70
CIMC-LATEST	IMC SW (Recommended) latest rel	0.00	\$	-
UCSC-PSU1-1050W	Cisco UCS 1050W AC Power Supp	729.00	\$	510.30
CAB-9K12A-NA	Power Cord, 125VAC 13A NEMA 5	0.00	\$	-
UCSC-RAILB-M4	Ball Bearing Rail Kit for C220 & C220M5	220.00	\$	154.00
UCSC-HS-C220M5	Heat sink for UCS C220 M5 rack s	0.00	\$	-
UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanki	0.00	\$	-
UCSC-SCAP-M5	Super Cap for UCSC-RAID-M5, UC	0.00	\$	-
CBL-SC-MR12GM52	Super Cap cable for UCSC-RAID-	0.00	\$	-
UCSC-RAID-M5	Cisco 12G Modular RAID controlle	2,156.00	\$	1,509.20
UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	999.38	\$	699.57
C1UCS-OPT-OUT	Cisco ONE Data Center Compute	0.00	\$	-
UCS-CPU-6134M	3.2 GHz 6134M/130W 8C/24.75ME	14,950.00	\$	10,465.00
CON-OSP-C220M5SX	SNTC 24X7X4OS UCS C220 M5 S	3,075.00	\$	3,075.00

<b>UCSC-C220-M5SX</b>	UCS C220 M5 SFF 10 HD w/o CPU	3,699.00	\$	2,589.30
UCS-MR-X16G1RS-H	16GB DDR4-2666-MHz RDIMM/PC	980.00	\$	686.00
UCS-HD300G15K12N	300GB 12G SAS 15K RPM SFF H	1,235.00	\$	864.50
UCSC-MLOM-IRJ45	Intel i350 quad-port MLOM NIC	671.00	\$	469.70
CIMC-LATEST	IMC SW (Recommended) latest rel	0.00	\$	-
UCSC-PSU1-1050W	Cisco UCS 1050W AC Power Supp	729.00	\$	510.30

MS IT Hardware EPL 3760 - Server Category

Document Version: 20240413

Replaced Document Version: 20240401

Updated By: Kristen Hinton

Date: April 13, 2024

CAB-9K12A-NA	Power Cord, 125VAC 13A NEMA 5	0.00	\$	-
UCSC-RAILB-M4	Ball Bearing Rail Kit for C220 & C2	220.00	\$	154.00
UCSC-HS-C220M5	Heat sink for UCS C220 M5 rack s	0.00	\$	-
UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanki	0.00	\$	-
UCSC-SCAP-M5	Super Cap for UCSC-RAID-M5, UC	0.00	\$	-
CBL-SC-MR12GM52	Super Cap cable for UCSC-RAID-	0.00	\$	-
UCSC-RAID-M5	Cisco 12G Modular RAID controlle	2,156.00	\$	1,509.20
UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	999.38	\$	699.57
C1UCS-OPT-OUT	Cisco ONE Data Center Compute	0.00	\$	-
UCS-CPU-6134M	3.2 GHz 6134M/130W 8C/24.75ME	14,950.00	\$	10,465.00
UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC	4,573.00	\$	3,201.10
CON-OSP-C220M5SX	SNTC 24X7X4OS UCS C220 M5 S	3,075.00		

<b>UCSC-C220-M5SX</b>	UCS C220 M5 SFF 10 HD w/o CPU	3,699.00	\$	2,589.30
UCS-MR-X16G1RS-H	16GB DDR4-2666-MHz RDIMM/PC	980.00	\$	686.00
UCS-HD300G15K12N	300GB 12G SAS 15K RPM SFF HI	1,235.00	\$	864.50
UCSC-MLOM-IRJ45	Intel i350 quad-port MLOM NIC	671.00	\$	469.70
CIMC-LATEST	IMC SW (Recommended) latest rel	0.00	\$	-
UCSC-PSU1-1050W	Cisco UCS 1050W AC Power Supp	729.00	\$	510.30
CAB-9K12A-NA	Power Cord, 125VAC 13A NEMA 5	0.00	\$	-
UCSC-RAILB-M4	Ball Bearing Rail Kit for C220 & C2	220.00	\$	154.00
UCSC-HS-C220M5	Heat sink for UCS C220 M5 rack s	0.00	\$	-
UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanki	0.00	\$	-
UCSC-SCAP-M5	Super Cap for UCSC-RAID-M5, UC	0.00	\$	-
CBL-SC-MR12GM52	Super Cap cable for UCSC-RAID-	0.00	\$	-
UCSC-RAID-M5	Cisco 12G Modular RAID controlle	2,156.00	\$	1,509.20
UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	999.38	\$	699.57
C1UCS-OPT-OUT	Cisco ONE Data Center Compute	0.00	\$	-
UCS-CPU-6134M	3.2 GHz 6134M/130W 8C/24.75ME	14,950.00	\$	10,465.00
CON-OSP-C220M5SX	SNTC 24X7X4OS UCS C220 M5 S	3,075.00	\$	3,075.00

<b>UCSC-C220-M5SX</b>	UCS C220 M5 SFF 10 HD w/o CPU	3,699.00	\$	2,589.30
UCS-MR-X16G1RS-H	16GB DDR4-2666-MHz RDIMM/PC	980.00	\$	686.00
UCS-HD300G15K12N	300GB 12G SAS 15K RPM SFF HI	1,235.00	\$	864.50
UCSC-MLOM-IRJ45	Intel i350 quad-port MLOM NIC	671.00	\$	469.70

MS IT Hardware EPL 3760 - Server Category

Document Version: 20240413

Replaced Document Version: 20240401

Updated By: Kristen Hinton

Date: April 13, 2024

CIMC-LATEST	IMC SW (Recommended) latest rel	0.00	\$	-
UCSC-PSU1-1050W	Cisco UCS 1050W AC Power Supp	729.00	\$	510.30
CAB-9K12A-NA	Power Cord, 125VAC 13A NEMA 5	0.00	\$	-
UCSC-RAILB-M4	Ball Bearing Rail Kit for C220 & C2	220.00	\$	154.00
UCSC-HS-C220M5	Heat sink for UCS C220 M5 rack s	0.00	\$	-
UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanki	0.00	\$	-
UCSC-SCAP-M5	Super Cap for UCSC-RAID-M5, UC	0.00	\$	-
CBL-SC-MR12GM52	Super Cap cable for UCSC-RAID-	0.00	\$	-
UCSC-RAID-M5	Cisco 12G Modular RAID controlle	2,156.00	\$	1,509.20
UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	999.38	\$	699.57
C1UCS-OPT-OUT	Cisco ONE Data Center Compute	0.00	\$	-
UCS-CPU-6134M	3.2 GHz 6134M/130W 8C/24.75ME	14,950.00	\$	10,465.00
CON-OSP-C220M5SX	SNTC 24X7X4OS UCS C220 M5 S	3,075.00	\$	3,075.00

<b>UCSC-C240-M5S</b>	UCS C240 M5 8 SFF + 2 rear drive	3,999.00	\$	2,799.30
UCS-MR-X32G2RS-H	32GB DDR4-2666-MHz RDIMM/PC	2,087.00	\$	1,460.90
UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC	4,573.00	\$	3,201.10
UCSC-PCIE-ID25GF	Intel XXV710-DA2 10-dual-port 25	1,975.00	\$	1,382.50
UCSC-MLOM-IRJ45	Intel i350 quad-port MLOM NIC	671.00	\$	469.70
UCSC-DVD-C240M5	Media Drive (DVD) for C240 M5 Se	799.00	\$	559.30
UCSC-PSU1-1050W	Cisco UCS 1050W AC Power Supp	729.00	\$	510.30
CAB-9K12A-NA	Power Cord, 125VAC 13A NEMA 5	0.00	\$	-
UCSC-RAILB-M4	Ball Bearing Rail Kit for C220 & C2	220.00	\$	154.00
CIMC-LATEST	IMC SW (Recommended) latest rel	0.00	\$	-
UCSC-HS-C240M5	Heat sink for UCS C240 M5 rack s	0.00	\$	-
UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanki	0.00	\$	-
CBL-SC-MR12GM52	Super Cap cable for UCSC-RAID-	0.00	\$	-
UCSC-SCAP-M5	Super Cap for UCSC-RAID-M5, UC	0.00	\$	-
UCSC-RAID-M5	Cisco 12G Modular RAID controlle	2,156.00	\$	1,509.20
UCS-HD300G15K12N	300GB 12G SAS 15K RPM SFF HI	1,235.00	\$	864.50
C1UCS-OPT-OUT	Cisco ONE Data Center Compute	0.00	\$	-
UCS-CPU-8156	3.6 GHz 8156/105W 4C/16.50MB	23,500.00	\$	16,450.00
UCSC-PCI-1-C240M5	Riser 1 incl 3 PCIe slots (x8, x16,	199.00	\$	139.30
UCSC-PCI-2A-240M5	Riser 2A incl 3 PCIe slots (x8, x16	199.00	\$	139.30
UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	999.38	\$	699.57



MS IT Hardware EPL 3760 - Server Category

Document Version: 20240413

Replaced Document Version: 20240401

Updated By: Kristen Hinton

Date: April 13, 2024

CON-OSP-CC240M5S	SNTC 24X7X4OS UCS C240 M5 8	3,940.00	\$	3,940.00
<b>UCSC-C220-M5SX</b>				
UCS-C220-M5SX	UCS C220 M5 SFF 10 HD w/o CPU	3,699.00	\$	2,589.30
UCS-MR-X16G1RS-H	16GB DDR4-2666-MHz RDIMM/PC	980.00	\$	686.00
UCS-HD300G15K12N	300GB 12G SAS 15K RPM SFF HI	1,235.00	\$	864.50
UCSC-MLOM-IRJ45	Intel i350 quad-port MLOM NIC	671.00	\$	469.70
CIMC-LATEST	IMC SW (Recommended) latest rel	0.00	\$	-
UCSC-PSU1-1050W	Cisco UCS 1050W AC Power Supp	729.00	\$	510.30
CAB-9K12A-NA	Power Cord, 125VAC 13A NEMA 5	0.00	\$	-
UCSC-RAILB-M4	Ball Bearing Rail Kit for C220 & C2	220.00	\$	154.00
UCSC-HS-C220M5	Heat sink for UCS C220 M5 rack s	0.00	\$	-
UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanki	0.00	\$	-
UCSC-SCAP-M5	Super Cap for UCSC-RAID-M5, UC	0.00	\$	-
CBL-SC-MR12GM52	Super Cap cable for UCSC-RAID-M	0.00	\$	-
UCSC-RAID-M5	Cisco 12G Modular RAID controlle	2,156.00	\$	1,509.20
UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	999.38	\$	699.57
C1UCS-OPT-OUT	Cisco ONE Data Center Compute	0.00	\$	-
UCS-CPU-6134M	3.2 GHz 6134M/130W 8C/24.75ME	14,950.00	\$	10,465.00
CON-OSP-C220M5SX	SNTC 24X7X4OS UCS C220 M5 S	3,075.00	\$	3,075.00

<b>UCSC-C220-M5SX</b>				
UCS-C220-M5SX	UCS C220 M5 SFF 10 HD w/o CPU	3,699.00	\$	2,589.30
UCS-MR-X16G1RS-H	16GB DDR4-2666-MHz RDIMM/PC	980.00	\$	686.00
UCS-HD300G15K12N	300GB 12G SAS 15K RPM SFF HI	1,235.00	\$	864.50
UCSC-MLOM-IRJ45	Intel i350 quad-port MLOM NIC	671.00	\$	469.70
CIMC-LATEST	IMC SW (Recommended) latest rel	0.00	\$	-
UCSC-PSU1-1050W	Cisco UCS 1050W AC Power Supp	729.00	\$	510.30
CAB-9K12A-NA	Power Cord, 125VAC 13A NEMA 5	0.00	\$	-
UCSC-RAILB-M4	Ball Bearing Rail Kit for C220 & C2	220.00	\$	154.00
UCSC-HS-C220M5	Heat sink for UCS C220 M5 rack s	0.00	\$	-
UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanki	0.00	\$	-
UCSC-SCAP-M5	Super Cap for UCSC-RAID-M5, UC	0.00	\$	-
CBL-SC-MR12GM52	Super Cap cable for UCSC-RAID-M	0.00	\$	-
UCSC-RAID-M5	Cisco 12G Modular RAID controlle	2,156.00	\$	1,509.20
UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	999.38	\$	699.57
C1UCS-OPT-OUT	Cisco ONE Data Center Compute	0.00	\$	-

MS IT Hardware EPL 3760 - Server Category

Document Version: 20240413

Replaced Document Version: 20240401

Updated By: Kristen Hinton

Date: April 13, 2024

UCS-CPU-6134M	3.2 GHz 6134M/130W 8C/24.75ME	14,950.00	\$	10,465.00
CON-OSP-C220M5SX	SNTC 24X7X4OS UCS C220 M5 S	3,075.00	\$	3,075.00

<b>UCSC-C220-M5SX</b>	UCS C220 M5 SFF 10 HD w/o CPU	3,699.00	\$	2,589.30
UCS-MR-X16G1RS-H	16GB DDR4-2666-MHz RDIMM/PC	980.00	\$	686.00
UCS-HD300G15K12N	300GB 12G SAS 15K RPM SFF HI	1,235.00	\$	864.50
UCSC-MLOM-IRJ45	Intel i350 quad-port MLOM NIC	671.00	\$	469.70
CIMC-LATEST	IMC SW (Recommended) latest rel	0.00	\$	-
UCSC-PSU1-1050W	Cisco UCS 1050W AC Power Supp	729.00	\$	510.30
CAB-9K12A-NA	Power Cord, 125VAC 13A NEMA 5	0.00	\$	-
UCSC-RAILB-M4	Ball Bearing Rail Kit for C220 & C2	220.00	\$	154.00
UCSC-HS-C220M5	Heat sink for UCS C220 M5 rack s	0.00	\$	-
UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanki	0.00	\$	-
UCSC-SCAP-M5	Super Cap for UCSC-RAID-M5, UC	0.00	\$	-
CBL-SC-MR12GM52	Super Cap cable for UCSC-RAID-	0.00	\$	-
UCSC-RAID-M5	Cisco 12G Modular RAID controlle	2,156.00	\$	1,509.20
UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	999.38	\$	699.57
C1UCS-OPT-OUT	Cisco ONE Data Center Compute	0.00	\$	-
UCS-CPU-6134M	3.2 GHz 6134M/130W 8C/24.75ME	14,950.00	\$	10,465.00
UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC	4,573.00	\$	3,201.10
CON-OSP-C220M5SX	SNTC 24X7X4OS UCS C220 M5 S	3,075.00	\$	3,075.00

<b>UCSC-C220-M5SX</b>	UCS C220 M5 SFF 10 HD w/o CPU	3,699.00	\$	2,589.30
CON-SNT-C220M5SX	SNTC 8X5XNBD UCS C220 M5 SF	364.00	\$	364.00
UCS-MR-X16G1RS-H	16GB DDR4-2666-MHz RDIMM/PC	980.00	\$	686.00
UCS-HD300G15K12N	300GB 12G SAS 15K RPM SFF HI	1,235.00	\$	864.50
UCSC-MLOM-IRJ45	Intel i350 quad-port MLOM NIC	671.00	\$	469.70
CIMC-LATEST	IMC SW (Recommended) latest rel	0.00	\$	-
UCSC-PSU1-1050W	Cisco UCS 1050W AC Power Supp	729.00	\$	510.30
CAB-9K12A-NA	Power Cord, 125VAC 13A NEMA 5	0.00	\$	-
UCSC-RAILB-M4	Ball Bearing Rail Kit for C220 & C2	220.00	\$	154.00
UCSC-HS-C220M5	Heat sink for UCS C220 M5 rack s	0.00	\$	-
UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanki	0.00	\$	-
UCSC-SCAP-M5	Super Cap for UCSC-RAID-M5, UC	0.00	\$	-
CBL-SC-MR12GM52	Super Cap cable for UCSC-RAID-	0.00	\$	-

MS IT Hardware EPL 3760 - Server Category

Document Version: 20240413

Replaced Document Version: 20240401

Updated By: Kristen Hinton

Date: April 13, 2024

UCSC-RAID-M5	Cisco 12G Modular RAID controlle	2,156.00	\$	1,509.20
UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	999.38	\$	699.57
C1UCS-OPT-OUT	Cisco ONE Data Center Compute	0.00	\$	-
UCS-CPU-6134M	3.2 GHz 6134M/130W 8C/24.75ME	14,950.00	\$	10,465.00

<b>UCSC-C220-M5SX</b>	UCS C220 M5 SFF 10 HD w/o CPU	3,699.00	\$	2,589.30
UCS-MR-X16G1RS-H	16GB DDR4-2666-MHz RDIMM/PC	980.00	\$	686.00
UCS-HD300G15K12N	300GB 12G SAS 15K RPM SFF HI	1,235.00	\$	864.50
UCSC-MLOM-IRJ45	Intel i350 quad-port MLOM NIC	671.00	\$	469.70
CIMC-LATEST	IMC SW (Recommended) latest rel	0.00	\$	-
UCSC-PSU1-1050W	Cisco UCS 1050W AC Power Supp	729.00	\$	510.30
CAB-9K12A-NA	Power Cord, 125VAC 13A NEMA 5	0.00	\$	-
UCSC-RAILB-M4	Ball Bearing Rail Kit for C220 & C2	220.00	\$	154.00
UCSC-HS-C220M5	Heat sink for UCS C220 M5 rack s	0.00	\$	-
UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanki	0.00	\$	-
UCSC-SCAP-M5	Super Cap for UCSC-RAID-M5, UC	0.00	\$	-
CBL-SC-MR12GM52	Super Cap cable for UCSC-RAID-	0.00	\$	-
UCSC-RAID-M5	Cisco 12G Modular RAID controlle	2,156.00	\$	1,509.20
UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter	999.38	\$	699.57
C1UCS-OPT-OUT	Cisco ONE Data Center Compute	0.00	\$	-
UCS-CPU-6134M	3.2 GHz 6134M/130W 8C/24.75ME	14,950.00	\$	10,465.00
CON-OSP-C220M5SX	SNTC 24X7X4OS UCS C220 M5 S	3,075.00	\$	3,075.00

<b>DS-C9148S-12PK9</b>	MDS 9148S 16G FC switch, w/ 12	5,700.00	\$	3,990.00
DS-9148S-KIT-CSCO	MDS 9148S Accessory Kit for Cis	0.00	\$	-
DS-SFP-FC16G-SW	16 Gbps Fibre Channel SW SFP+,	332.00	\$	232.40
CAB-9K12A-NA	Power Cord, 125VAC 13A NEMA 5	0.00	\$	-
M9100ENT1K9	Enterprise package license for 1 M	7,500.00	\$	5,250.00
CON-ECMU-91ENT	SWSS UPGRADES Enterprise pac	2,800.00		
M9148S-PL12	MDS 9148S 16G FC 12-port upgra	5,600.00	\$	3,920.00
C1F1PMDS9100K9	Cisco ONE Foundation Perpetual I	9,200.00	\$	6,440.00
CON-ECMU-C1F1PMDS9	SWSS UPGRADES Cisco ONE Fo	6,900.00	\$	6,900.00
C1-DCS-M9100K9	Cisco ONE DCNM for SAN Advanc	0.00	\$	-
C1-ENT-M9100K9	Cisco ONE Enterprise pkg lic for 1	0.00	\$	-

MS IT Hardware EPL 3760 - Server Category

Document Version: 20240413

Replaced Document Version: 20240401

Updated By: Kristen Hinton

Date: April 13, 2024

C1-PI-LFAS-MDS-K9	Cisco ONE PI Device License for	0.00	\$	-
C1F1VMDS9100-03	Tracker PID v03 Fnd Perpetual ML	0.00	\$	-
M9148S5K9-NPE8.2.1	MDS 9100 Supervisor/Fabric-5, N	0.00	\$	-
CON-OSP-C48S	SNTC-24X7X4OS MDS 9148S 16G	3,015.00	\$	3,015.00

<b>DC-MGT-SAAS</b>	Cisco Intersight SaaS	0.00		
DC-MGT-SAAS-EST-C	Cisco Intersight SaaS - Essentials	15.99	\$	11.19
SVS-DCM-SUPT-BAS	Basic Support for DCM	0.00		

<b>DS-C9148S-12PK9</b>	MDS 9148S 16G FC switch, w/ 12	5,700.00	\$	3,990.00
DS-9148S-KIT-CSCO	MDS 9148S Accessory Kit for Cis	0.00	\$	-
DS-SFP-FC16G-SW	16 Gbps Fibre Channel SW SFP+,	332.00	\$	232.40
CAB-9K12A-NA	Power Cord, 125VAC 13A NEMA 5	0.00	\$	-
M9100ENT1K9	Enterprise package license for 1 M	7,500.00	\$	5,250.00
CON-ECMU-91ENT	SWSS UPGRADES Enterprise pac	2,800.00	\$	1,960.00
M9148S-PL12	MDS 9148S 16G FC 12-port upgra	5,600.00	\$	3,920.00
C1F1PMDS9100K9	Cisco ONE Foundation Perpetual I	9,200.00	\$	6,440.00
CON-ECMU-C1F1PMDS9	SWSS UPGRADES Cisco ONE Fo	6,900.00	\$	6,900.00
C1-DCS-M9100K9	Cisco ONE DCNM for SAN Advanc	0.00	\$	-
C1-ENT-M9100K9	Cisco ONE Enterprise pkg lic for 1	0.00	\$	-
C1-PI-LFAS-MDS-K9	Cisco ONE PI Device License for	0.00	\$	-
C1F1VMDS9100-03	Tracker PID v03 Fnd Perpetual ML	0.00	\$	-
M9148S5K9-NPE8.2.1	MDS 9100 Supervisor/Fabric-5, N	0.00	\$	-
CON-OSP-C48S	SNTC-24X7X4OS MDS 9148S 16G	3,015.00	\$	3,015.00

<b>UCSC-C220-M5SX</b>	UCS C220 M5 SFF 10 HD w/o CPU, mem, HD, PCIe, PSU	4,139.00		2,897.30
CON-SNTP-C220M5SX	SNTC 24X7X4 UCS C220 M5 SFF 10 HD w/o CPU, mem, HD, PCIe, PS	662.55		662.55
UCS-MR-X16G1RS-H	16GB DDR4-2666-MHz RDIMM/PC4-21300/single rank/x4/1.2v	1,009.00		706.30

MS IT Hardware EPL 3760 - Server Category

Document Version: 20240413

Replaced Document Version: 20240401

Updated By: Kristen Hinton

Date: April 13, 2024

UCS-SD240GM1X-EV	240GB 2.5 inch Enterprise Value 6G SATA SSD	734.00	513.80
UCSC-PSU1-770W	Cisco UCS 770W AC Power Supply for Rack Server	699.00	489.30
UCSC-RAILB-M4	Ball Bearing Rail Kit for C220 & C240 M4 & M5 rack servers	220.00	154.00
UCS-CPU-4110	2.1 GHz 4110/85W 8C/11MB Cache/DDR4 2400MHz	1,750.00	1,225.00
UCSC-RAID-M5	Cisco 12G Modular RAID controller with 2GB cache	2,156.00	1,509.20

<b>UCSC-C220-M5L</b>	UCS C220 M5 LFF w/o CPU, mem, HD, PCIe, PSU	4,805.09	3,363.56
CON-OSP-CC220M5L	SNTC 24X7X4OS UCS C220 M5 LFF w/o CPU, mem, HD, PCIe, PSU 1 Year	776.76	776.76
UCS-MR-X32G2RT-H	32GB DDR4-2933-MHz RDIMM/2Rx4/1.2v	3,343.03	2,340.12
UCS-HD12T7KL4KN	12TB 12G SAS 7.2K RPM LFF HDD (4K)	4,640.68	3,248.48
UCS-NVMEHY-W1600	1.6TB 3.5in U.2 WD SN840 NVMe Extreme Perf. High Endurance	8,321.60	5,825.12
UCSC-MLOM-C25Q-04	Cisco UCS VIC 1457 Quad Port 10/25G SFP28 CNA MLOM	2,659.13	1,861.39
UCS-M2-240GB	240GB SATA M.2	801.49	561.04
UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	352.50	246.75
UCSC-PSU1-1050W	Cisco UCS 1050W AC Power Supply for Rack Server	808.73	566.11
CAB-C13-CBN	Cabinet Jumper Power Cord, 250 VAC 10A, C14-C13 Connectors	0.00	-

MS IT Hardware EPL 3760 - Server Category

Document Version: 20240413

Replaced Document Version: 20240401

Updated By: Kristen Hinton

Date: April 13, 2024

UCSC-RAILB-M4	Ball Bearing Rail Kit for C220 & C240 M4 & M5 rack servers	260.23	182.16
CIMC-LATEST	IMC SW (Recommended) latest release for C-Series Servers.	0.00	-
UCS-SID-INFR-UNK	Unknown	0.00	-
UCS-SID-WKL-UNK	Unknown	0.00	-
CBL-NVME-C220FF	C220 M5L/M5S PCIe SSD cable (1) for SFF & LFF chassis	0.00	-
UCSC-HS-C220M5	Heat sink for UCS C220 M5 rack servers 150W CPUs & below	0.00	-
UCS-CPU-I4210	Intel 4210 2.2GHz/85W 10C/13.75MB DDR4 2400MHz	2,070.05	1,449.04
UCSC-MRAID1GB-KIT	SAS RAID KIT for C220M5L	2,657.94	1,860.56
<b>SFP-10G-SR=</b>	10GBASE-SR SFP Module	1,220.52	854.36
<b>UCS-M6-MLB</b>	UCS M6 RACK, BLADE MLB	0.00	-
UCSC-C220-M6S	UCS C220 M6 Rack w/o CPU, mem, drives, 1U wSFF HDD backplane	6,622.97	4,636.08
CON-OSP-UCSCSC22	SNTC-24X7X4OS UCS C220 M6 Rack 3 Years	2,382.00	2,382.00
CIMC-LATEST	IMC SW (Recommended) latest release for C-Series Servers.	0.00	-
UCS-M2-240GB	240GB SATA M.2	801.49	561.04
UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid controller	352.50	246.75
UCSX-TPM-002C	TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for M6 servers	88.72	62.10
UCSC-BZL-C220M5	C220 M5/M6 Security Bezel	176.25	123.38
UCSC-RAIL-M6	Ball Bearing Rail Kit for C220 & C240 M6 rack servers	360.62	252.43
UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanking panel	0.00	-
UCS-DIMM-BLK	UCS DIMM Blanks	0.00	-

MS IT Hardware EPL 3760 - Server Category

Document Version: 20240413

Replaced Document Version: 20240401

Updated By: Kristen Hinton

Date: April 13, 2024

UCSC-HSLP-M6	Heatsink for 1U/2U LFF/SFF GPU SKU	0.00	-
UCSC-R2R3-C220M6	C220 / C225 M6 UCSC -HH Riser2 and Riser 3 KIT	0.00	-
UCS-CPU-I4309Y	Intel 4309Y 2.8GHz/105W 8C/12MB DDR4 2667MHz	2,531.37	1,771.96
UCS-MR-X32G2RW	32GB RDIMM DRx4 3200 (8Gb)	3,175.88	2,223.12
UCSC-PCIE-ID10GF	Intel X710-DA2 dual-port 10G SFP+ NIC	2,215.54	1,550.88
UCSC-PCIE-ID10GF	Intel X710-DA2 dual-port 10G SFP+ NIC	2,215.54	1,550.88
UCSC-PSU1-2300W	Cisco UCS 2300W AC Power Supply for Rack Servers	1,405.73	984.01
CAB-US515P-C19-US	NEMA 5-15 to IEC-C19 13ft US	0.00	-
UCS-SID-INFR-OI	Other Infrastructure	0.00	-
UCS-SID-WKL-OW	Other Workload	0.00	-
DC-MGT-OPTOUT	Intersight Opt Out	0.00	-
OPTOUT-USE-UCSM	Customer using alternate systems mgt. tool: UCSM	0.00	-
<b>SFP-H10GB-CU3M=</b>	10GBASE-CU SFP+ Cable 3 Meter	130.06	91.04

UCS-M6-MLB	UCS M6 RACK, BLADE MLB	7,096.12	4,967.28
UCSC-C240-M6L	UCS C240 M6 Rack w/o CPU, mer	1,789.00	1,252.30
CON-SSSNP-UCSCC2L4	3 Years SOLN SUPP 24X7X4 UCS	2,847.05	2,847.05
UCSC-M-V25-04	Cisco UCS VIC 1467 quad port 10	0.00	-
CIMC-LATEST	IMC SW (Recommended) latest rel	801.49	561.04
UCS-M2-240GB	240GB M.2 SATA Micron G1 SSD	352.50	246.75
UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid coi	88.72	62.10
UCSX-TPM-002C	TPM 2.0, TCG, FIPS140-2, CC EA	360.62	252.43
UCSC-RAIL-M6	Ball Bearing Rail Kit for C220 & C2	0.00	-
UCSC-BBLKD-S2	UCS C-Series M5 SFF drive blanki	0.00	-
UCS-DIMM-BLK	UCS DIMM Blanks	0.00	-

## MS IT Hardware EPL 3760 - Server Category

Document Version: 20240413

Replaced Document Version: 20240401

Updated By: Kristen Hinton

Date: April 13, 2024

UCSC-RIS1B-240M6	C240 M6 Riser1B; 2xHDD/SSD; St	0.00	-
UCSC-RIS2A-240M6	C240 / C245 M6 Riser2A; (x8;x16;	0.00	-
UCSC-RIS3B-240M6	C240 M6 Riser 3B; 2xHDD; StBkt;	0.00	-
UCSC-HSLP-M6	Heatsink for 1U/2U LFF/SFF GPU	0.00	-
UCSC-M2EXT-240M6	C240M6 / C245M6 2U M.2 Extensi	0.00	-
UCSC-MPSTOM6L-KIT	C240M6L MID PLANE KIT 4x3.5" I	6,421.88	4,495.32
UCS-CPU-16326	Intel 6326 2.9GHz/185W 16C/24M	1,499.72	1,049.80
UCS-MR-X16G1RW	16GB RDIMM SRx4 3200 (8Gb)	2,974.37	2,082.06
UCSC-SAS-M6HD	Cisco M6 12G SAS HBA (32 Drive	1,890.14	1,323.10
UCS-HD4T7KL12N	4 TB 12G SAS 7.2K RPM LFF HDI	5,966.38	4,176.47
UCS-NVMEM6-W1600	1.6TB 2.5in U.2 WD SN840 NVMe	808.73	566.11
UCSC-PSU1-1050W	Cisco UCS 1050W AC Power Supp	0.00	-
CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Con	0.00	-
UCS-SID-INFR-DTP	Data Protection Platform	0.00	-
UCS-SID-WKL-OW	Other Workload	0.00	-
UCSC-C220-M5L	UCS C220 M5 LFF w/o CPU, mem,	4,805.09	3,363.56
CON-SSSNP-CC220M5L	3 Years SOLN SUPP 24X7X4 UCS	1,167.89	1,167.89
UCS-MR-X32G2RW	32GB RDIMM DRx4 3200 (8Gb)	3,175.88	2,223.12
UCS-HD8T7K4KAN	8 TB 12G SAS 7.2K RPM LFF HDI	3,144.59	2,201.21
UCS-NVMEHY-W1600	1.6TB 3.5in U.2 WD SN840 NVMe	8,321.60	5,825.12
UCSC-MLOM-C25Q-04	Cisco UCS VIC 1457 Quad Port 10	2,659.13	1,861.39
UCS-M2-240GB	240GB M.2 SATA Micron G1 SSD	801.49	561.04
UCS-M2-HWRAID	Cisco Boot optimized M.2 Raid co	352.50	246.75
UCSC-PSU1-1050W	Cisco UCS 1050W AC Power Supp	808.73	566.11
CAB-C13-C14-2M	Power Cord Jumper, C13-C14 Con	0.00	-
UCSC-RAILB-M4	Ball Bearing Rail Kit for C220 & C2	260.23	182.16
CIMC-LATEST	IMC SW (Recommended) latest rel	0.00	-
UCS-SID-INFR-UNK	Unknown	0.00	-
UCS-SID-WKL-UNK	Unknown	0.00	-
CBL-NVME-C220FF	C220 M5L/M5S PCIe SSD cable (1	0.00	-
UCSC-HS-C220M5	Heat sink for UCS C220 M5 rack s	0.00	-
UCS-CPU-14210	Intel 4210 2.2GHz/85W 10C/13.75	2,070.05	1,449.04
UCSC-MRAID1GB-KIT	SAS RAID KIT for C220M5L	2,657.94	1,860.56



MS IT Hardware EPL 3760 - Server Category

Document Version: 20240413

Replaced Document Version: 20240401

Updated By: Kristen Hinton

Date: April 13, 2024

SFP-H25G-CU3M=

25GBASE-CU SFP28 Cable 3

160.81

112.57