




# Cisco UCS C-Series Rack-Mount Server Bundles



The Cisco UCS C200 M2 server is a high-density, 2-socket, 1 rack unit (RU) rack-mount server built for production-level network infrastructure, web services, and mainstream data center, branch, and remote-office applications.

Cisco Server	Cisco C200 M2 Rack-Mount Server	Cisco C200 M2 Rack-Mount Server	Cisco C200 M2 Rack-Mount Server
<b>Recommended Retail Price</b>	USD 1,471.00*	USD 1,599.00*	USD 1,965.00*
			
<b>Part Number</b>	R200-BUN-4	R200-BUN-3	R200-BUN-2
<b>Server Specifications</b>	<ul style="list-style-type: none"> <li>• 1 x E5506 Quad-Core</li> <li>• 4M Cache, 80W CPU, 2.13 GHz, 4.80 GT/s Intel® QPI</li> <li>• 1 x 4GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• 1 x 650W Power Supply</li> </ul>	<ul style="list-style-type: none"> <li>• 1 x E5620 Quad-Core</li> <li>• 12M Cache, 80W CPU, 2.4 GHz, 5.86 GT/s Intel® QPI</li> <li>• 1 x 4GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• 1 x 650W Power Supply</li> </ul>	<ul style="list-style-type: none"> <li>• 1 x E5640 Quad-Core</li> <li>• 12M Cache, 80W CPU, 2.66 GHz, 5.86 GT/s Intel® QPI</li> <li>• 1 x 4GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• 1 x 650W Power Supply</li> </ul>
<b>Memory up to</b>	192GB (12 DIMM)	192GB (12 DIMM)	192GB (12 DIMM)
<b>Hard Disk up to</b>	4 x 3.5" SAS/SATA	4 x 3.5" SAS/SATA	4 x 3.5" SAS/SATA
<b>I/O</b>	2 x PCIe	2 x PCIe	2 x PCIe

Cisco Server	Cisco C200 M2 Rack-Mount Server	Cisco C200 M2 Rack-Mount Server	Cisco C200 M2 Rack-Mount Server
<b>Recommended Retail Price</b>	USD 3,447.00*	USD 3,686.00*	USD 4,428.00*
			
<b>Part Number</b>	R200-BUN-1	R200-STAND-CNFGW	UCSC-DBUN-C200-115
<b>Server Specifications</b>	<ul style="list-style-type: none"> <li>• 2 x X5650 Six-Core</li> <li>• 4M Cache, 95W CPU, 2.66 GHz, 6.40 GT/s Intel® QPI</li> <li>• 2 x 4GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• 1 x 650W Power Supply</li> </ul>	<ul style="list-style-type: none"> <li>• 2 x E5620 Quad-Core</li> <li>• 12M Cache, 80W CPU, 2.4 GHz, 5.86 GT/s Intel® QPI</li> <li>• 6 x 4GB DDR3-1333MHz RDIMM</li> <li>• Quad Nic</li> <li>• 2 X 500GB HDD</li> <li>• DVD-RW Drive</li> <li>• 2 x 650W Power Supply</li> </ul>	<ul style="list-style-type: none"> <li>• 2 x X5675 Six-Core</li> <li>• 12M Cache, 95W CPU, 2.66 GHz, 5.86 GT/s Intel® QPI</li> <li>• 2 x 8GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• 1 x 650W Power Supply</li> </ul>
<b>Memory up to</b>	192GB (12 DIMM)	192GB (12 DIMM)	192GB (12 DIMM)
<b>Hard Disk up to</b>	4 x 3.5" SAS/SATA	4 x 3.5" SAS/SATA	4 x 3.5" SAS/SATA
<b>I/O</b>	2 X PCIe	2 X PCIe	2 X PCIe

\* The Recommended Retail Prices for C-series bundles are valid till 27th April 2012.

Cisco Server	Cisco C200 M2 Rack-Mount Server	Cisco C200 M2 Rack-Mount Server	Cisco C200 M2 Rack-Mount Server
<b>Recommended Retail Price</b>	USD 1,471.00*	USD 1,965.00*	USD 2,031.00*
			
<b>Part Number</b>	UCSC-DBUN-C200-102	UCSC-DBUN-C200-101	UCSC-DBUN-C200-116
<b>Server Specifications</b>	<ul style="list-style-type: none"> <li>• 1 x E5606 Quad-Core</li> <li>• 8M Cache, 80W CPU, 2.13 GHz, 4.80 GT/s Intel® QPI</li> <li>• 1 x 4GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• 1 x 650W Power Supply</li> </ul>	<ul style="list-style-type: none"> <li>• 1 x E5649 Six-Core</li> <li>• 12M Cache, 80W CPU, 2.53 GHz, 5.86 GT/s Intel® QPI</li> <li>• 1 x 4GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• 1 x 650W Power Supply</li> </ul>	<ul style="list-style-type: none"> <li>• 1x E5649 Six-Core</li> <li>• 12M Cache, 80W CPU, 2.53 GHz, 5.86 GT/s Intel® QPI</li> <li>• 1 x 8GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• 1 x 650W Power Supply</li> </ul>
<b>Memory up to</b>	192GB (12 DIMM)	192GB (12 DIMM)	192GB (12 DIMM)
<b>Hard Disk up to</b>	4 x 3.5" SAS/SATA	4 x 3.5" SAS/SATA	4 x 3.5" SAS/SATA
<b>I/O</b>	2 X PCIe	2 X PCIe	2 X PCIe

The Cisco UCS C210 M2 server is a general purpose, 2-socket, 2 rack unit (RU) rack-mount server that balances performance, density, and efficiency for storage-intensive workloads. The system is built for applications such as network file servers and appliances, storage servers, database servers, and content-delivery servers.

Cisco Server	Cisco C210 M2 Rack-Mount Server	Cisco C210 M2 Rack-Mount Server	Cisco C210 M2 Rack-Mount Server
<b>Recommended Retail Price</b>	USD 1,897.00*	USD 2,025.00*	USD 3,482.00*
			
<b>Part Number</b>	R210-BUN-5	R210-BUN-4	R210-STAND-CNFGW
<b>Server Specifications</b>	<ul style="list-style-type: none"> <li>• 1 x E5506 Quad-Core</li> <li>• 4M Cache, 80W CPU, 2.13 GHz, 4.80 GT/s Intel® QPI</li> <li>• 1 x 4GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• 1 x 650W Power Supply</li> </ul>	<ul style="list-style-type: none"> <li>• 1 x E5620 Quad-Core</li> <li>• 12M Cache, 80W CPU, 2.40 GHz, 5.86 GT/s Intel® QPI</li> <li>• 1 x 4GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• 1 x 650W Power Supply</li> </ul>	<ul style="list-style-type: none"> <li>• 2 x E5620 Quad-Core</li> <li>• 12M Cache, 80W CPU, 2.40 GHz, 5.86 GT/s Intel® QPI</li> <li>• 6 x 4GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• LSI 1064 Raid Card</li> <li>• 2 x 650W Power Supply</li> </ul>
<b>Memory up to</b>	192GB (12 DIMM)	192GB (12 DIMM)	192GB (12 DIMM)
<b>Hard Disk up to</b>	16 x 2.5" SAS/SATA	16 x 2.5" SAS/SATA	16 x 2.5" SAS/SATA
<b>I/O</b>	5 X PCIe	5 X PCIe	5 X PCIe

Cisco Server	Cisco C210 M2 Rack-Mount Server	Cisco C210 M2 Rack-Mount Server	Cisco C210 M2 Rack-Mount Server
<b>Recommended Retail Price</b>	USD 2,390.00*	USD 4,219.00*	USD 4,759.00*
			
<b>Part Number</b>	R210-BUN-2	R210-BUN-3	R210-BUN-1
<b>Server Specifications</b>	<ul style="list-style-type: none"> <li>• 1 x E5640 Quad-Core</li> <li>• 12M Cache, 80W CPU, 2.66 GHz, 5.86 GT/s Intel® QPI</li> <li>• 1 x 4GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• 1 x 650W Power Supply</li> </ul>	<ul style="list-style-type: none"> <li>• 2 x E5640 Quad-Core</li> <li>• 12M Cache, 80W CPU, 2.66 GHz, 5.86 GT/s Intel® QPI</li> <li>• 2 x 4GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• 1 x 650W Power Supply</li> </ul>	<ul style="list-style-type: none"> <li>• 1 x X5650 Six-Core</li> <li>• 12M Cache, 95W CPU, 2.66 GHz, 6.40 GT/s Intel® QPI</li> <li>• 2 x 4GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• SAS Expander</li> <li>• 1 x 650W Power Supply</li> </ul>
<b>Memory up to</b>	192GB (12 DIMM)	192GB (12 DIMM)	192GB (12 DIMM)
<b>Hard Disk up to</b>	16 x 2.5" SAS/SATA	16 x 2.5" SAS/SATA	16 x 2.5" SAS/SATA
<b>I/O</b>	5 X PCIe	5 X PCIe	5 X PCIe

\* The Recommended Retail Prices for C-series bundles are valid till 27th April 2012.

Cisco Server	Cisco C210 M2 Rack-Mount Server	Cisco C210 M2 Rack-Mount Server	Cisco C210 M2 Rack-Mount Server
<b>Recommended Retail Price</b>	USD 1,897.00*	USD 2,390.00*	USD 4,219.00*
			
<b>Part Number</b>	UCSC-DBUN-C210-105	UCSC-DBUN-C210-103	UCSC-DBUN-C210-104
<b>Server Specifications</b>	<ul style="list-style-type: none"> <li>• 1 x E5606 Quad-Core</li> <li>• 8M Cache, 80W CPU, 2.13 GHz, 4.80 GT/s Intel® QPI</li> <li>• 1 x 4GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• 1 x 650W Power Supply</li> </ul>	<ul style="list-style-type: none"> <li>• 1 x E5649 Six-Core</li> <li>• 12M Cache, 80W CPU, 2.53 GHz, 5.86 GT/s Intel® QPI</li> <li>• 1 x 4GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• 1 x 650W Power Supply</li> </ul>	<ul style="list-style-type: none"> <li>• 2 x E5649 Six-Core</li> <li>• 12M Cache, 80W CPU, 2.53 GHz, 5.86 GT/s Intel® QPI</li> <li>• 2 x 4GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• SAS Expander</li> <li>• 1 x 650W Power Supply</li> </ul>
<b>Memory up to</b>	192GB (12 DIMM)	192GB (12 DIMM)	192GB (12 DIMM)
<b>Hard Disk up to</b>	16 x 2.5" SAS/SATA	16 x 2.5" SAS/SATA	16 x 2.5" SAS/SATA
<b>I/O</b>	5 X PCIe	5 X PCIe	5 X PCIe

Cisco Server	Cisco C210 M2 Rack-Mount Server	Cisco C210 M2 Rack-Mount Server	Cisco C210 M2 Rack-Mount Server
<b>Recommended Retail Price</b>	USD 2,456.00*	USD 4,351.00*	USD 5,740.00*
			
<b>Part Number</b>	UCSC-DBUN-C210-117	UCSC-DBUN-C210-118	UCSC-DBUN-C210-119
<b>Server Specifications</b>	<ul style="list-style-type: none"> <li>• 1 x E5649 Six-Core</li> <li>• 12M Cache, 80W CPU, 2.53 GHz, 5.86 GT/s Intel® QPI</li> <li>• 1 x 8GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• 1 x 650W Power Supply</li> </ul>	<ul style="list-style-type: none"> <li>• 2 x E5649 Six-Core</li> <li>• 12M Cache, 80W CPU, 2.53 GHz, 5.86 GT/s Intel® QPI</li> <li>• 2 x 8GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• SAS Expander</li> <li>• 1 x 650W Power Supply</li> </ul>	<ul style="list-style-type: none"> <li>• 2 x X5675 Six-Core</li> <li>• 12M Cache, 95W CPU, 3.06 GHz, 6.40 GT/s Intel® QPI</li> <li>• 2 x 8GB DDR3-1333MHz RDIMM</li> <li>• DVD-RW Drive</li> <li>• SAS Expander</li> <li>• 1 x 650W Power Supply</li> </ul>
<b>Memory up to</b>	192GB (12 DIMM)	192GB (12 DIMM)	192GB (12 DIMM)
<b>Hard Disk up to</b>	16 x 2.5" SAS/SATA	16 x 2.5" SAS/SATA	16 x 2.5" SAS/SATA
<b>I/O</b>	5 X PCIe	5 X PCIe	5 X PCIe