



日本市場向け

**Cisco Prime Infrastructure 3.4**

**システム リリース テスト結果サマリ**

テスト結果サマリ

シスコシステムズ合同会社

2018年5月

# コンポーネント一覧 (1)

カテゴリ	コンポーネント	バージョン
Controller	Wireless LAN controller 3504	8.7.102.0
	Wireless LAN Controller 5520	8.7.102.0
	Wireless LAN controller 8540	8.7.102.0
	Virtual Controller	8.7.102.0
	APIC-EM Controller Appliance	1.6
	ME 1852/1832/1815I	8.7.102.0
	ME 2800/3800	8.7.102.0
Applications	Prime Infrastructure(Virtual Appliance, UCS based)	3.4.0.0.348
	ISE(Virtual Appliance)	2.4
	Secure ACS(Virtual Appliance)	5.8.1
	MSE	8.0.140.0
	CMX, CMX Cloud	10.4

## コンポーネント一覧 (2)

カテゴリ	コンポーネント	バージョン
Access Points	Cisco AP 3700	15.3
	Cisco AP 2700	15.3
	Cisco AP 1600	15.3
	Cisco AP 1700	15.3
	Cisco AP 1540/1530	15.3
	Cisco AP 702I	15.3
	Cisco AP 1570/1562	15.3
	Cisco AP 1850	15.3
	Cisco AP 1830	15.3
	Cisco AP 1815W	15.3
	Cisco AP 3800	15.3
	Cisco AP 1815I	15.3
	Cisco AP 1810	15.3
Cisco AP 2800/3800	15.3	

# コンポーネント一覧 (3)

カテゴリ	コンポーネント	バージョン
Switch	Cisco Cat 6509-E	15.1(1)SY1
	Cisco 3750V2 switch	15.0(2)SE2
	Cisco Cat 9300	16.7.1
Chipset	5300, 6300 AGN	15.13.0.2
	7265 AC	19.10.0.9
	Airport Extreme	7.7
Clients	Operating System(JOS)	Windows 7 Enterprise Windows 8 & 8.1 Enterprise Windows XP Professional Windows 10
	Apple Mac Book Pro (JP Locale)	Mac OS 10.13.2
	iPad Pro	iOS 11.3(15E216)
	iPhone 6, 6S & 7 (JP Locale)	iOS 11.3(15E216)
	Samsung Galaxy S4 & S7, Nexus 6P, Sony Xperia XZ	Android 8.0
	Wireless IP Phone 8821	11-0-3-221

# コンポーネント一覧 (4)

カテゴリ	コンポーネント	バージョン
Active Directory	AD	Windows 2008R2Enterprise
Browsers	IE	11.0
	Mozilla Firefox	57.0
	Safari	11.0
	Chrome	63.0
Clients	Cisco AnyConnect VPN Client	4.5.03040
	End points	Windows 7 Enterprise Apple Mac OS 10.11.6 Windows 8, 8.1 & 10 iPhone 6,6S & 7 Samsung Galaxy S4, S7 & Nexus 6P
Antenna	Hyperlocation	NA

# 新規機能

- Support Mobility Express on Maps
- Audit Logging for Maps/Wireless
- Support for Zero Touch Deployment for ME-AP
- Support for better HA Monitoring and Management
- SWIM Support of Mobility Express Controllers
- CMX 10.4 Support Update
- Support on EAP-TLS and EAP-PEAP authentication
- Manage ME controllers in Prime Logging

# 既存機能(1)

- Custom Reports
- Config Group Phase 2
- Network Health - Wireless Client and Rogue
- Next Generation Maps
- DHCP server to ME
- TrustSec SGT/SG ACL for Wireless (WLC)
- MAC filtering capability for lobby ambassadors
- Scheduled AP upgrade
- Domain based URL ACL enhancement for 8.6
- Autonomous AP to LWAPP Migration
- High Availability
- Flex AVC
- APIC-EM Integration
- SWIM Enhancements
- HA Enhancements

## 既存機能(2)

- End to end CMX Integration testing
- Rolling AP Upgrade
- Monitor Mode support in APs(1810/1815)
- AP Health Extension
- WLC Health Scoring
- EoGRE
- Support Flex + Bridge mode configuration for Access points
- WLC 3504 Support
- OPEN DNS Support
- Support hyperlocation config enhancement in Lightweight AP template.
- Outdoor AP GPS Support



# 検証結果

対象コンポーネント	テスト項目	合格	不合格(*)	不具合(*)
新規機能	95	91	4	4
既存機能	390	364	22	22
合計	<b>485</b>	<b>455</b>	<b>26</b>	<b>26</b>

- ・ \* 1つの不具合が複数のテスト項目に影響しているため、不合格の試験項目の数と不具合の数は一致しません。

# Open Caveats

DDTS ID	タイトル	Severity	製品	機能/ コンポーネント	ステータス
CSCvh80866	Help Page is not redirecting under AVC profile	3	ncs	i18n	未改修
CSCvi62439	Software image not importing using ftp protocol in Japanese browser	3	ncs	i18n	未改修
CSCvi69977	Not able to enable the the scheduled saved report after disabling it in PI	3	ncs	reporting-fwk	未改修
CSCvi72392	404 error shown for "Forgot your user ID/password" link under Historic page in PI	3	ncs	smart-services	未改修
CSCvi88345	Network health page not loading after continuous refresh	3	ncs	wireless-ui	未改修

# Open Caveats

DDTS ID	タイトル	Severity	製品	機能/ コンポーネント	ステータス
CSCvi23573	Partial collection failure for Mobility Express - DHCP Scope	2	ncs	config-wireless	未改修
CSCvj03970	AP dot1x credential cannot be configured even after disabling password policy in PI	3	ncs	wireless-ap	未改修
CSCvj08799	AP Onboarding Profile not able to add in PI	3	ncs	config-wireless	未改修

# Resolved Caveats

DDTS ID	タイトル	Severity	製品	機能/ コンポーネント	ステータス
CSCvh74957	Unable to add interfaces for Routers/Switches in PI while logged in via Japanese/Korean GUI	2	ncs	config-srtg	改修済
CSCvh80827	APIC EM Module is inactive and not redirecting	3	ncs	pnp	改修済
CSCvh80853	AVC capable devices (image) is not applying quick filter in Japanese GUI	3	ncs	i18n	改修済
CSCvh80870	Wireless health page in Health rule is not loading properly	3	ncs	i18n	改修済
CSCvh80872	WAN and SP Health Trend tab not loading under PfR monitoring page in PI	3	ncs	i18n	改修済

# Resolved Caveats

DDTS ID	タイトル	Severity	製品	機能/ コンポーネント	ステータス
CSCvh80881	By default "other category" cannot be created under crate Application	3	ncs	i18n	改修済
CSCvh80888	Advanced Filter Option is not working in PI Japanese UI	3	ncs	inventory	改修済
CSCvh86340	On the web, with Japanese login, one cannot see Software Image Management's job result	3	ncs	i18n	改修済
CSCvh92709	Unable to Add Members in Mobility Services>Mobility Domains in Japanese PI UI	3	ncs	i18n	改修済

# Limitations

DDTS ID	タイトル	Severity	製品	機能/ コンポーネント	備考
CSCvi21323	Unable to search Features & Technologies templates with Japanese name in PI	3	ncs	search	日本語テキストの検索オプションは未サポート

