



日本市場向け

Cisco Prime Infrastructure 3.5

システム リリース テスト結果サマリ

テスト結果サマリ

シスコシステムズ合同会社

2019年01月

コンポーネント一覧 (1)

カテゴリ	コンポーネント	バージョン
Controller	Wireless LAN Controller 8540	8.8.100.0
	Wireless LAN Controller 5520	8.8.100.0
	Wireless LAN Controller 3504	8.8.100.0
	Virtual Controller	8.8.100.0
	CME 4800/3800/2800/1800/1562	8.8.100.0
Applications	Prime Infrastructure(Virtual Appliance, UCS based)	3.5.0.0.550
	ISE(Virtual Appliance)	2.5
	APIC-EM Controller Appliance	1.6
	MSE(Physical (3365),VM)	8.0.150.0
	DNAC	1.2
	Cisco Jabber for Windows, iPhone	11.9.1
	Cisco Air Provisioning App	1.4
	Cisco Wireless App	1.0.228
	CMX, CMX Cloud	10.5

コンポーネント一覧 (2)

カテゴリ	コンポーネント	バージョン
Access Points	Cisco AP 3700	15.3
	Cisco AP 2700	15.3
	Cisco AP 1700	15.3
	Cisco AP 1570	15.3
	Cisco AP 1562	15.3
	Cisco AP 1540/1530	15.3
	Cisco AP 702I	15.3
	Cisco AP 1850	15.3
	Cisco AP 1830	15.3
	Cisco AP 1815W/1815I	15.3
	Cisco AP 1810	15.3
	Cisco AP 4800	15.3
	Cisco AP 3800	15.3
	Cisco AP 2800	15.3

コンポーネント一覧 (3)

カテゴリ	コンポーネント	バージョン
Switch	Cisco Catalyst 6509-E	15.1(1)SY1
	Cisco 3750V2 Switch	15.0(2)SE2
	Cisco Catalyst 9300 Switch	16.10.1
Chipset	5300, 6300 AGN	15.13.0.2
	7265 AC	19.51.10.1
	Airport Extreme	7.7
Clients	Operating System(JOS)	Windows 7 Enterprise Windows 8 & 8.1 Enterprise Windows XP Professional Windows 10
	Apple Mac Book Pro (JP Locale)	Mac OS 10.14.2
	iPad Pro	iOS 12.1.3
	iPhone 6, 6S & 7 (JP Locale)	iOS 12.1.3
	Samsung Galaxy S4 & S7, Nexus 6P, Sony Xperia XZ	Android 8.0
	Wireless IP Phone 8821	11-0-4-14

コンポーネント一覧 (4)

カテゴリ	コンポーネント	バージョン
Active Directory	AD	Windows 2008R2Enterprise
Browsers	IE	11.0
	Mozilla Firefox	64.0
	Safari	11.0.2
	Chrome	71.0
Clients	Cisco AnyConnect VPN Client	4.6
	End points	Windows 7 Enterprise Apple Mac OS 10.14.2 Windows 8, 8.1 & 10 iPhone 6,6S & 7 Samsung Galaxy S4, S7 & Nexus 6P
Antenna	Hyperlocation	NA
Controller	9800 Controller (VM)	16.10.1
Access Point	Autonomous AP	15.3.3-JI3

新規機能

- eWLC Support in Prime.
- Support for AP 4800 in PI
- Manage 4800 ME controller in Prime
- eWLC Support RLAN Policy & Profiles
- eWLC Support for Airtime Entitlement
- TACACS+ & RADIUS servers added without any authentication

既存機能(1)

- Custom Reports
- Config Group Phase 2
- Network Health - Wireless Client and Rogue
- Next Generation Maps
- DHCP server to ME
- TrustSec SGT/SG ACL for Wireless (WLC)
- Domain based URL ACL enhancement
- High Availability
- Flex AVC
- APIC-EM Integration
- SWIM Enhancements
- Support hyperlocation config enhancement in Lightweight AP template
- End to end CMX Integration testing
- Rolling AP Upgrade
- AP Health Extension
- WLC Health Scoring

既存機能(2)

- WLC 3504 Support
- Support Flex + Bridge mode configuration for AP
- OPEN DNS Support
- HA Enhancement.
- Outdoor AP GPS Support
- Scheduled AP upgrade
- Support Mobility Express on Maps
- Audit Logging for Maps/Wireless
- Support for Zero Touch Deployment for ME-AP
- Support for better HA Monitoring and Management
- TACACS+ & RADIUS servers added without any authentication or connectivity test
- eWLC Support for Airtime Entitlement
- EoGRE Profile
- SWIM Support of Mobility Express Controllers
- MAC filtering capability for lobby ambassadors
- Autonomous to LWAPP Migration

検証結果

対象コンポーネント	テスト項目	合格	不合格(*)	不具合(*)
新規機能	232	224	8	15
既存機能	844	808	36	43
合計	1076	1032	44	58

- ・ * 1つの不具合が複数のテスト項目に影響しているため、不合格の試験項目の数と不具合の数は一致しません。

Open Caveats

DDTS ID	タイトル	Severity	製品	機能/ コンポーネント	ステータス
CSCvm99728	SNMP is allowing to reset controller while upgrading	2	wlc	wlc-os	未改修
CSCvo05849	Unable to add mobility express in PI	2	ncs	config-wireless	未改修
CSCvn79607	Mismatch the peeripaddress mode in WLC and PI UI	3	ncs	config-wireless	未改修
CSCvn94749	Alarm Trigger Threshold is showing for none and MFP after clicking save button continuously	3	ncs	wireless-ui	未改修
CSCvn82495	Need Validation for WLC image upgrading under Download Software tasks	3	ncs	config-wireless	未改修

Open Caveats

DDTS ID	タイトル	Severity	製品	機能/ コンポーネント	ステータス
CSCvn85465	In RLAN while enabling FlexConnect LocalSwitching ,template gets saved with invalid range for VLAN Id	3	ncs	config-wireless	未改修
CSCvn88288	Unable to disable central DHCP and Override DNS in FlexConnect AP group in Japanese UI.	3	ncs	wireless-ui	未改修
CSCvn88600	Local EAP profiles page is redirecting to Wrong page after clicking the save option.	3	ncs	wireless-ui	未改修
CSCvn91709	DSCP value goes to 256 while saving FlexConnect ACL rule continuously	3	ncs	wireless-ui	未改修
CSCvm85562	eWLC taking more time to load after syncing in PI	3	ncs	config-wireless	未改修

Open Caveats

DDTS ID	タイトル	Severity	製品	機能/ コンポーネント	ステータス
CSCvn74003	User defined fields page in system setting is not loading in Japanese UI	3	ncs	i18n	未改修
CSCvm52968	ME: Can't able to edit DHCP Scope from PI	3	ncs	wireless-ui	未改修
CSCvn75610	Error message not displaying when session timeout is empty in RLAN policy	3	ncs	wireless-ui	未改修

Resolved Caveats

DDTS ID	タイトル	Severity	製品	機能/ コンポーネント	ステータス
CSCvk75867	Download Software Tasks throwing as javax.servlet.jsp.JspException while adding a task in PI UI	2	ncs	config-wireless	改修済
CSCvm11835	Unable to configure the FlexConnect ACL rule after Re-Sequencing the rules .	3	ncs	wireless-ui	改修済
CSCvm14974	Successfully contacted TACACS+/RADIUS server popup alert message Icon not proper in PI	3	ncs	i18n	改修済
CSCvm19224	While clicking on disassociated AP's, blank popup showing	3	ncs	wireless-ap	改修済
CSCvm27065	Invalid limit accepts while configuring VLAN in RLAN policy profile	3	ncs	wireless-ui	改修済

Resolved Caveats

DDTS ID	タイトル	Severity	製品	機能/ コンポーネント	ステータス
CSCvm27066	Mac Filtering field not Validating Mac Address while creating RLAN Profile	3	ncs	wireless-ui	改修済
CSCvm32097	Both PSK and 802.1x are shown as enabled while configuring WLAN profile in PI UI.	3	ncs	config-wireless	改修済
CSCvm32556	Fields in umbrella policy are showing undefined in Japanese UI	3	ncs	wireless-ui	改修済
CSCvm33755	Export device password help Icon info not available & file name differ both English & Japanese UI	3	ncs	i18n	改修済
CSCvm34015	Irrelevant error message while enabling MAC filtering with FlexConnect local auth on WLAN	3	ncs	config-wireless	改修済

Resolved Caveats

DDTS ID	タイトル	Severity	製品	機能/ コンポーネント	ステータス
CSCvm36522	Clients details cannot be viewed in Clients and user page	3	ncs	mse	改修済
CSCvm39397	Fast transition gets disabled while enabling the Fast lane in QoS tab in WLAN template.	3	ncs	config-wireless	改修済
CSCvm41393	Deploy option not working for AP deployment site maps in eWLC in PI	3	ncs	wireless-ui	改修済
CSCvm44136	In PI Critical alarm message is not proper for the Controller	3	ncs	alarms_ui	改修済
CSCvm52886	Client IP assignment type is not showing in clients and user page in PI	3	ncs	wireless-ui	改修済

Resolved Caveats

DDTS ID	タイトル	Severity	製品	機能/ コンポーネント	ステータス
CSCvm56399	Able to create duplicate OUI list in PI	3	ncs	wireless-wlan	改修済
CSCvm57640	Syslog Policies page show error 404	3	ncs	alarms_ui	改修済
CSCvm59767	Unable to clear the details of security for mesh profile in eWLC PI	3	ncs	wireless-ui	改修済
CSCvm65330	Scheduled Run Results not unable to search after select date from date-picker in Japanese UI	3	ncs	reporting-fwk	改修済
CSCvm68977	Mismatch in configuring URL ACL rules for WLC in PI UI.	3	ncs	config-wireless	改修済

Resolved Caveats

DDTS ID	タイトル	Severity	製品	機能/ コンポーネント	ステータス
CSCvm69449	Scheduled Task "Last Updated Time not gets displayed" under View Scheduled Run Results in PI	3	ncs	config-wireless	改修済
CSCvm76407	Mismatch in configuring the CCX location measurement values in PI	3	ncs	config-wireless	改修済
CSCvm81512	User unable to modify the AVC rules under templates in PI Japanese UI	3	ncs	config-wireless	改修済
CSCvm86116	Mismatch in configuring RRM > Coverage level client ranges in PI for WLC	3	ncs	config-wireless	改修済
CSCvm89870	Text gets displayed with browser language instead of login option in PI UI	3	ncs	i18n	改修済

