



# 日本市場向け Cisco DNA Center 2.1.2 システム リリース テスト結果サマリ

シスコシステムズ合同会社

2020年7月

# コンポーネント一覧 (1)

| カテゴリ         | コンポーネント  | バージョン       |
|--------------|--|-------------|
| Controller   | Cisco Catalyst 9800 Series Wireless Controller                     | 17.3        |
|              | Cisco Catalyst 9800-CL   | 17.3        |
|              | Cisco Catalyst 9800-L Wireless Controller                          | 17.3        |
|              | Cisco Embedded Wireless Controller on Catalyst Access Points (EWC) | 17.3        |
|              | Wireless LAN Controller 8540                                       | 8.10.105.0  |
|              | Wireless LAN Controller 5520                                       | 8.10.105.0  |
|              | Wireless LAN Controller 3504                                       | 8.10.105.0  |
|              | CME 4800/3800/2800/1562/1850/1830                                  | 8.10.105.0  |
|              | Cisco Virtual Wireless Controller                                  | 8.10.105.0  |
| Applications | Prime Infrastructure (Virtual Appliance, UCS based)                | 3.8.0.0.284 |
|              | ISE (Virtual Appliance)  | 2.7         |
|              | CMX (Physical (3375),VM)   | 10.6        |
|              | Cisco DNA Center   | 2.1.2       |
|              | MSE (Physical (3365),VM)   | 8.0.150.0   |
|              | APIC-EM Controller appliance                                       | 1.6         |
|              | Cisco Jabber for Windows, iPhone                                   | 12.6.0      |
|              | Cisco Air Provisioning App   | 1.4         |

# コンポーネント一覧 (2)

| カテゴリ               | コンポーネント                 | バージョン |
|--------------------|-------------------------|-------|
| Access Point       | Cisco AP 9115           | 17.3  |
|                    | Cisco AP 9120           | 17.3  |
|                    | Cisco AP 9130           | 17.3  |
|                    | Cisco 1100 ISR          | 17.2  |
|                    | Cisco AP 4800/3800/2800 | 15.3  |
|                    | Cisco AP 3700           | 15.3  |
|                    | Cisco AP 2700           | 15.3  |
|                    | Cisco AP 1700           | 15.3  |
|                    | Cisco AP 1570           | 15.3  |
|                    | Cisco AP 1562           | 15.3  |
|                    | Cisco AP 1540/1530      | 15.3  |
|                    | Cisco AP 702I           | 15.3  |
|                    | Cisco AP 1850           | 15.3  |
|                    | Cisco AP 1815W/1815I    | 15.3  |
| Cisco AP 1810/1830 | 15.3                    |       |

# コンポーネント一覧 (3)

| カテゴリ    | コンポーネント  | バージョン   |
|---------|--|---|
| Switch  | Cisco Catalyst 9300 Switch                           | 17.3  |
|         | Cisco Cat 9200-L                                     | 17.3  |
|         | Cisco Cat 9600                                       | 17.3  |
|         | Cisco 3750-V2-switch                                 | 15.0(2)SE2  |
|         | Cisco Cat 6509-E                                     | 15.1(1)SY1  |
| Chipset | 5300, 6300 AGN                                       | 15.40.41.5058   |
|         | 7265 AC  | 21.40.2   |
|         | Airport Extreme                                      | 7.9.1   |
| Clients | Operating System(JOS)                                | Windows 7 Enterprise<br>Windows 8 & 8.1 Enterprise<br>Windows XP Professional<br>Windows 10 |
|         | Apple Mac Book Pro (JP Locale)                       | Mac OS 10.15  |
|         | iPad Pro   | iOS 13.5.1  |
|         | iPhone 6, 6S & 7 ,10(JP Locale)                      | iOS 13.5.1  |
|         | Samsung Galaxy S4 & S7, S10,Nexus 6P, Sony Xperia XZ | Android 11.0  |
|         | Wireless IP Phone 8821                               | 11.0.4-14   |

# コンポーネント一覧 (4)

| カテゴリ                    | コンポーネント                     | バージョン  |
|-------------------------|-----------------------------|--|
| <b>Active Directory</b> | AD                          | Windows 2008R2Enterprise   |
| <b>Browsers</b>         | IE                          | 11.0.195   |
|                         | Mozilla Firefox             | 78   |
|                         | Safari                      | 13.1   |
|                         | Chrome                      | 83.0   |
| <b>Clients</b>          | Cisco AnyConnect VPN Client | 4.8.175  |
|                         | End points                  | Windows 7 Enterprise<br>Apple Mac OS 10.15<br>Windows 8, 8.1 & 10<br>iPhone 6,6S & 7,10<br>Samsung Galaxy S4, S7,S10 &<br>Nexus 6P, Sony Xperia XZ . |
| <b>Antenna</b>          | Hyperlocation               | NA   |
| <b>Access Point</b>     | Autonomous AP               | 15.3.3-JI3   |

# 新規機能 – Cisco DNA Center

- Support for Cisco Embedded Wireless Controller
- Inventory enhancements
- Samsung Device Support
- Intelligent Capture
- AP Refresh workflow
- RMA support for pushing latest configuration from faulty device to replaced device
- Basic Reporting for Rogue
- Assurance workflow changes to support Device RMA
- Assurance workflow changes to support AP Refresh
- Client Sessions Report
- Executive Summary Report - Phase 2
- Client Trend Report
- Client Detail Report
- AP detail Report

# 既存機能- Cisco DNA Center

- Overall & Network Health Dashboard
- Client & Application Health Dashboard
- Predefined Reports
- Wireless Sensor Dashboard
- Client 360° & Device 360°
- SWIM
- PnP
- New AP Support
- Cisco Catalyst 9800-L Wireless Controller Support
- Rolling AP upgrade
- Mobility configuration
- Guest web passthrough
- CMX Support
- DNA Spaces support
- DNAC Support for EWLC
- RSSI and SNR in ASSOC request
- DNAC Support for eWC

# 検証結果 – Cisco DNA Center

| 対象コンポーネント | テスト項目 | 合格  | 不合格(*) | 不具合(*) |
|-----------|-------|-----|--------|--------|
| 新規機能      | 233   | 182 | 19     | 22     |
| 既存機能      | 227   | 220 | 7      | 26     |
| 合計        | 460   | 402 | 26     | 48     |

\* 1つの不具合が複数のテスト項目に影響しているため、不合格の試験項目の数と不具合の数は一  
致しません。



# Resolved Caveats – Cisco DNA Center(1)

| DDTSID     | タイトル   | Severity | 製品             | 機能/<br>コンポーネント    | ステータス |
|------------|--|----------|----------------|-------------------|-------|
| CSCvu77104 | Wireless network page: Text not aligned properly in Japanese GUI                             | 3        | enterprise_sdn | design-wireless   | 改修済   |
| CSCvu93531 | Unable to change Number of hosts & implicit action in Low impact                             | 3        | enterprise_sdn | sda-baseprovision | 改修済   |
| CSCvu88539 | IP based Access control policy tab is Different in English & Japanese GUI                    | 3        | enterprise_sdn | design-wireless   | 改修済   |
| CSCvu78046 | JIRA Bug: NCP-8866 -- Activity-\u003e Tasks page not showing any details for Ap provisioning | 4        | enterprise_sdn | prov-wireless-nf  | 改修済   |
| CSCvv03548 | Chrome browser issue in Health score dashboard   | 5        | dna_assurance  | assurance_common  | 改修済   |
| CSCvu85108 | EWC 9130AP moves to Local mode on DNAC provisioning  | 2        | enterprise_sdn | wireless-ewc-nf   | 改修済   |

# Resolved Caveats – Cisco DNA Center(2)

| DDTSID     | タイトル  | Severity | 製品                  | 機能/<br>コンポーネント   | ステータス |
|------------|---|----------|---------------------|------------------|-------|
| CSCvu88670 | Hovering on Wifi symbol shows two tooltips - both null and details  | 4        | dna_assurance       | client-health    | 改修済   |
| CSCvu97984 | Traffic copy policies - "Description" text needs to be corrected.   | 3        | enterprise_sdn      | sda-ui           | 改修済   |
| CSCvu98094 | Not able start the AP refresh workflow                              | 2        | enterprise_dna<br>c | network-refresh  | 改修済   |
| CSCvu73332 | Mark Golden option not working in DNAC                              | 3        | enterprise_dna<br>c | dna_inventory_ui | 改修済   |
| CSCvu93053 | DNAC - Global credentials are not pushed during Discovery – Netconf | 3        | enterprise_dna<br>c | apicem_inv_disc  | 改修済   |
| CSCvu89036 | Take a Tour option is not working in Japanese Environment           | 3        | enterprise_sdn      | dna_topology     | 改修済   |

# Resolved Caveats – Cisco DNA Center(3)

| DDTSID     | タイトル   | Severity | 製品                  | 機能/<br>コンポーネント  | ステータス |
|------------|--|----------|---------------------|-----------------|-------|
| CSCvu84842 | Not showing any details for device provisioning after the successful provision | 3        | enterprise_sdn      | dna_scheduler   | 改修済   |
| CSCvu96070 | WPA2 most secure is shown Under Type of enterprise network in Japanese UI      | 3        | enterprise_sdn      | design-wireless | 改修済   |
| CSCvu93085 | System360 - Popup X symbol is not hidden and blocking other popups             | 3        | enterprise_sdn      | dna_system_ui   | 改修済   |
| CSCvv04529 | Scrollbars visible within system settings options                              | 4        | enterprise_dna<br>c | dnacaap-ui      | 改修済   |

# Open Caveats – Cisco DNA Center(1)

| DDTSID     | タイトル  | Severity | 製品                 | 機能/<br>コンポーネント  | ステータス |
|------------|---|----------|--------------------|-----------------|-------|
| CSCvu85135 | In Inventory Page additional scroll bar added if device is more than 10-Japanese        | 4        | enterprise_sd<br>n | dna_components  | 未改修   |
| CSCvu87627 | Client 360 graph not showing events below 0 in Japanese UI                              | 3        | dna_assuranc<br>e  | client-360      | 未改修   |
| CSCvu94732 | Issue Priority Graph is not showing the occurrence level in Japanese UI                 | 5        | dna_assuranc<br>e  | issue-dashboard | 未改修   |
| CSCvu87640 | JIRA Bug: THUN-1413 -- Client protocol is empty in Client 360 page in Japanese UI       | 6        | dna_assuranc<br>e  | client-360      | 未改修   |
| CSCvu92218 | Not able to configure AP refersh workflow with helping guide                            | 4        | enterprise_sd<br>n | dna_doc         | 未改修   |
| CSCvv04472 | Rogue Dashboard - Multiple issues seen in filter popup across english & japanese locale | 3        | enterprise_sd<br>n | security-rouge  | 未改修   |

# Open Caveats – Cisco DNA Center(2)

| DDTSID     | タイトル   | Severity | 製品            | 機能/<br>コンポーネント     | ステータス |
|------------|--|----------|---------------|--------------------|-------|
| CSCvu88657 | Client Device dashboard tool-tip is not shown in Japanese UI                                   | 4        | dna_assurance | client-health      | 未改修   |
| CSCvv04422 | Rogue dashboard - Actions dropdown alignment issue in Firefox                                  | 4        | enterprise_sd | dna_components     | 未改修   |
| CSCvu92242 | Wireless Inventory is not showing multiple variants of 4800 AP                                 | 3        | enterprise_sd | wireless-inventory | 未改修   |
| CSCvu89100 | While clicking Device 360 page symbol is showing blank page in Assurance -> Issue page         | 5        | dna_assurance | assurance_common   | 未改修   |
| CSCvv04789 | JIRA Bug: DNACP-5884 -- DNA - Location search bar doesn't work while Creating report page      | 3        | enterprise_dn | dnacaap-reports    | 未改修   |
| CSCvv04610 | Rogue dashboard - Threat details are scrollable but not the headers leading to missing details | 3        | enterprise_sd | dna_components     | 未改修   |

# Open Caveats – Cisco DNA Center(3)

| DDTSID     | タイトル  | Severity | 製品                 | 機能/<br>コンポーネント   | ステータス |
|------------|---|----------|--------------------|------------------|-------|
| CSCvu93053 | DNAC - Global credentials are not pushed during Discovery – Netconf                                 | 3        | enterprise_sd<br>n | apicem_inv_disc  | 未改修   |
| CSCvu88930 | In Dna spaces location hirerachy-navigation path goes missing and highlighted tab remains unchanged | 4        | dnaspaces          | dashboard_client | 未改修   |
| CSCvu42584 | Tooltip data is overlapping in threat popup - Rogue Dashboard                                       | 4        | enterprise_sd<br>n | security-rouge   | 未改修   |
| CSCvu89321 | Overlapping of the Exit Navigtion Prompt in japanese UI   | 4        | enterprise_sd<br>n | dna_components   | 未改修   |
| CSCvv02595 | Edit and Cancel buttons are overlapped in AP Refresh Workflow window in Japanese UI                 | 4        | enterprise_sd<br>n | dna_components   | 未改修   |

