



日本市場向け Cisco DNA Center 2.3.5 システム リリース テスト結果サマリ

シスコシステムズ合同会社

2023年01月

コンポーネント一覧 (1)

| カテゴリ | コンポーネント | バージョン |
|--------------|--|-----------------|
| Controller | Cisco Catalyst 9800 Series Wireless Controller | 17.11 |
| | Cisco Catalyst 9800-CL | 17.11 |
| | Cisco Catalyst 9800-L Wireless Controller | 17.11 |
| | Cisco Embedded Wireless Controller on Catalyst Access Points - 9120(EWC) | 17.11 |
| Applications | Cisco DNA Center | 2.3.5 |
| | Cisco Spaces | Cloud(Dec 2022) |
| | Cisco Space Connector | 2.3.4 and 3.0 |
| | Prime Infrastructure (Virtual Appliance, UCS based) | 3.9.0.0 |
| | ISE (Virtual Appliance) | 3.1 |
| | Cisco Jabber for Windows, iPhone | 14.1 |
| | Cisco Air Provisioning App | 1.7.4 |
| | Cisco Wireless App | 1.1.113 |

コンポーネント一覧 (2)

| カテゴリ | コンポーネント | バージョン |
|--------------|----------------------|------------|
| Access Point | Cisco AP 9115 | 17.11 |
| | Cisco AP 9120 | 17.11 |
| | Cisco AP 9130 | 17.11 |
| | Cisco AP 9105 | 17.11 |
| | Cisco AP 4800 | 15.3 |
| | Cisco AP 1100 ISR | 17.11 |
| | Cisco AP 1810 | 15.3 |
| | Autonomous AP | 15.3.3-JI3 |
| Switch | Cisco Cat 9300 | 17.9 |
| | Cisco Cat 9200-L | 17.9 |
| | Cisco Cat 9800 | 17.9 |
| | Cisco 3750-V2-switch | 15.0(2)SE2 |
| | Cisco Cat 6509-E | 15.1(1)SY1 |

コンポーネント一覧 (3)

| カテゴリ | コンポーネント | バージョン |
|------------------|--|---------------------|
| Chipset | 5300, 6300 AGN | 15.40.41.5058 |
| | 7265 AC | 21.40.2 |
| | Airport Extreme | 7.9.1 |
| Clients | Operating System(JOS) | Windows 10 |
| | Apple Mac Book Pro (JP Locale) | Mac OS 13 |
| | MS surface GO | Windows 10 & 11 |
| | iPad Pro | iOS 16 |
| | iPhone 6, 6S & 7 ,10(JP Locale) | iOS 16 |
| | Samsung Galaxy S4 & S7, S10,Nexus 6P, Sony Xperia XZ | Android 13.0 |
| | Wireless IP Phone 8821 | 11.0.4-14 |
| Active Directory | AD | Windows server 2022 |

コンポーネント一覧 (4)

| カテゴリ | コンポーネント | バージョン |
|----------|-----------------------------|---|
| Browsers | IE | 11.0 |
| | Mozilla Firefox | 109.0 |
| | Safari | 16.3 |
| | Chrome | 109.0.5414.75 |
| Clients | Cisco AnyConnect VPN Client | 4.10.05111 |
| | End points | Apple Mac OS 12.6.3 Windows 10 Windows 11 iPhone 6,6S & 7,10,11 Samsung Galaxy S4, S7,S10 & Nexus 6P, Sony Xperia XZ . |
| Antenna | Hyperlocation | NA |

新規機能 – Cisco DNA Center

- Pan Assurance event viewer (Phase - 3)
- DHCP Dashboard Enhancement
- Multi WLC Support for MRE based client troubleshooting
- Application experience for flex and fabric
- Support for AP Authorization Configuration
- Rogue report parity with Prime
- Advanced WLAN Parameters Configuration Support for Enterprise and Guest Wireless Networks
- Support Custom AP Join Profile configurations including SSH, username credentials update from DNAC
- Client Rate Limit Configuration Support for Enterprise and Guest Wireless Networks
- Wireless Flexible Reports - Phase 1
- Accessibility: Menu Navigation and Search Navigation
- Support for AP Power Profiles
- Client-360 Dashboard Enhancements
- Support scheduling of SSID broadcasting
- Open RRM Phase 2 - RF Simulator

既存機能 – Cisco DNA Center (1)

- Overall & Network Health Dashboard
- Health Analytics
- Network Device
- Endpoints 360
- Support for next set of AP configurations from DNAC
- Support recurrent configuration of AP and radio parameters
- AP Usage & Client Breakdown Report
- Assurance workflow changes to support AP Refresh
- Smart Licencing
- All Data Report - Inventory and SWIM
- 3D Maps Enhancements Phase 2
- Worst Interferer
- Called Station ID
- Swim Enhancement
- Site 360/Dashboard Landing Page
- Managing WLC HA SSO via DNAC - Enhancements
- Network Insights 2.0 - Radio Insights based on Client Experience
- Inventory: Support for Maintenance mode
- AP Reboot for Troubleshooting
- Support for recurring discovery
- Support configuration of advanced WLAN parameters
- DNA Dashboard for RRM
- Unique clients and users summary
- Rolling AP Upgrade

既存機能 – Cisco DNA Center (2)

- Busiest AP
- Show Rogue client location in the threat 360
- RRM - Support for General Parameters
- Busiest Client Report
- Troubleshoot Certification 2.0 - WLC Unmonitored
- Support for Custom Policy Tag for C9800
- Ability to manage multiple AP groups /Policy tags
- Support AP refresh across different WLCs
- Enhancements on AP config flow
- Channel Change Report
- Enhancements for mobility peer configuration
- Support phase-2 Mesh configurations on wireless LAN controllers
- Enable Multiple Anchor WLCs configuration for SSID
- Support for manually disabling clients on wireless controller
- Top N Site - SLA Dashboard - Client KPIs
- Support tri radio configuration on Access Points
- Support for CCKM configuration on SSID
- Client Global Events viewer
- Troubleshooting tab on AP-360
- Channel Utilization Breakout
- Issues correlation[AP-down issue]
- Support custom WLAN profile configuration from DNAC
- Client Detail Report Enhancements - Device Analytics Insights

検証結果 – Cisco DNA Center

| 対象コンポーネント | テスト項目 | 合格 | 不合格(*) | 不具合(*) |
|-----------|-------|------|--------|--------|
| 新規機能 | 300 | 293 | 8 | 18 |
| 既存機能 | 857 | 851 | 9 | 14 |
| 合計 | 1157 | 1144 | 17 | 32 |

* 1つの不具合が複数のテスト項目に影響しているため、不合格の試験項目の数と不具合の数は一致しません。

Resolved Caveats – Cisco DNA Center(1)

| DDTS ID | タイトル | Severity | 製品 | 機能/ コンポーネント | ステータス |
|------------|--|----------|-----------------|------------------|-------|
| CSCwd67955 | Name with special characters are allowing in AP Join Profile | 3 | enterprise_sdn | design-wireless | 改修済 |
| CSCwd69576 | JA Locale: Unable to apply Time Range in Application-Assurance | 3 | dna_assurance | assurance-appx | 改修済 |
| CSCwd53458 | Toggle Topology View zoom out causes webpage loading issues | 3 | enterprise_sdn | apicem_topology | 改修済 |
| CSCwd95403 | DNAC:Assurance>>Issues and Events>>multiple clicks on calendar leads reducing the time | 3 | dna_assurance | assurance_common | 改修済 |
| CSCwd68820 | Observed multiple issues while configuring Access Point Refresh | 3 | enterprise_dnac | network-refresh | 改修済 |
| CSCwd49991 | Able to configure empty double quotes for SSID | 3 | enterprise_sdn | design-wireless | 改修済 |

Resolved Caveats – Cisco DNA Center(2)

| DDTS ID | タイトル | Severity | 製品 | 機能/ コンポーネント | ステータス |
|------------|--|----------|----------------|-------------------|-------|
| CSCwd50570 | After adding Switch Collapse All and Expand All is not working | 3 | enterprise_sdn | apicem_topology | 改修済 |
| CSCwd53098 | JA Locale: Client/Network Health Template select filters are not working | 3 | dna_assurance | assurance_common | 改修済 |
| CSCwd49960 | Dashboard Library: Blank data is showing while adding dashlets | 3 | dna_assurance | assurance_common | 改修済 |
| CSCwd94140 | Workflow is stopped for provision template | 3 | enterprise_sdn | apicem_temp_prog | 改修済 |
| CSCwe16764 | Unable to continue Configure Access Points workflow | 3 | enterprise_sdn | apconfig-workflow | 改修済 |
| CSCwd68761 | Policy Rule While Creating Showing Error | 3 | enterprise_sdn | policy-wireless | 改修済 |

Resolved Caveats – Cisco DNA Center(3)

| DDTS ID | タイトル | Severity | 製品 | 機能/ コンポーネント | ステータス |
|------------|---|----------|----------------|-------------------|-------|
| CSCwd50594 | Duplicate dashboard library error validation is cropped | 4 | enterprise_sdn | dna_components | 改修済 |
| CSCwd50612 | Workflows: Unable to scroll and see all the information in Discover Devices Advanced Settings | 4 | enterprise_sdn | dnac-quicktime-ui | 改修済 |
| CSCwd50617 | JA Locale: 802.11w name missed and some headlines names are showing vertically | 4 | enterprise_sdn | design-wireless | 改修済 |
| CSCwd51141 | Templates Hub: New Project/Template close button shows at templates home page | 4 | enterprise_sdn | apicem_temp_prog | 改修済 |
| CSCwd81715 | JA Locale:Time Range is missing for Assurance-Issues and Events | 4 | dna_assurance | assurance_common | 改修済 |
| CSCwd54057 | Additional scroll bars are seen in Client Onboarding tab | 5 | dna_assurance | wlc-360 | 改修済 |

Resolved Caveats – Cisco DNA Center(4)

| DDTS ID | タイトル | Severity | 製品 | 機能/ コンポーネント | ステータス |
|------------|--|----------|---------------|------------------|-------|
| CSCwd87000 | Unable to select Specific Date Track Client | 5 | dna_assurance | client-360 | 改修済 |
| CSCwd81728 | JA Locale:Assurance-Issues and Events export issue | 6 | dna_assurance | assurance_common | 改修済 |

Open Caveats – Cisco DNA Center(1)

| DDTS ID | タイトル | Severity | 製品 | 機能/ コンポーネント | ステータス |
|------------|--|----------|-----------------|------------------|-------|
| CSCwd50009 | Getting an undefined error message for any Device name, IP address and WLC Info in Topology View | 2 | enterprise_sdn | apicem_topology | 未改修 |
| CSCwd65023 | Rogue reports are not generating, getting error while generating in Rogue and awips | 2 | enterprise_dnac | dnacaap-ui | 未改修 |
| CSCwd53944 | Group Pair Communication causes report templates issues for generating any reports | 3 | enterprise_dnac | dnacaap-reports | 未改修 |
| CSCwd59823 | Dashboard Library: Unable to export and delete dashboards for profiles like test/test | 3 | enterprise_sdn | dna_components | 未改修 |
| CSCwd80463 | Page is loading when modifying the Managed AP location while provisioning the controller | 3 | enterprise_sdn | prov-wireless-nf | 未改修 |
| CSCwe03872 | TIME RANGE for report is in help guide but not shown in UI | 3 | enterprise_sdn | dna_doc | 未改修 |

Open Caveats – Cisco DNA Center(2)

| DDTS ID | タイトル | Severity | 製品 | 機能/ コンポーネント | ステータス |
|------------|--|----------|-----------------|------------------|-------|
| CSCwd69895 | Policy page-showing Access control policy created successfully without flow | 4 | enterprise_sdn | design-wireless | 未改修 |
| CSCwd80251 | JA Locale: IP & URL Access Control Policies Export issue | 4 | enterprise_sdn | design-wireless | 未改修 |
| CSCwd67628 | AP Authorization List X button is closing all instances | 4 | enterprise_sdn | prov-wireless-nf | 未改修 |
| CSCwd63543 | Refresh option is unable seen clearly in Activities/task page and an extra scroll bar seen | 4 | enterprise_sdn | dna-activity-ui | 未改修 |
| CSCwd56492 | Schedule Report - Overalp issue is seen | 4 | enterprise_dnac | dnacaap-ui | 未改修 |
| CSCwd59348 | Network Hierarchy Area names are showing similar for multiple space profile creations | 5 | enterprise_sdn | apicem_grouping | 未改修 |

