



Cisco Secure Access Help

Built-in Data Identifiers

name	description	type
Driver's License Number (Poland)	Poland Driver's license matches a valid license number combined with any of the following keywords within a proximity of 10 terms: prawo jazdy, osoba uczfÖca siŃô prowadzenia auta, posiadacz prawa jazdy, posiadacze prawa jazdy, numer prawa jazdy (or) prawa jazdy. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number - PIC (Finland)	Finland National ID Number - PIC (Personal Identity Code) matches a valid PIC number with any of the following keywords within a proximity of 10 terms: henkilÖtunnus, Suomen kansallinen henkilÖtunnus, henkilÖtunnusnumero, kansallisen tunnistenumero, SOTU, Suomi, HETU, personbeteckning, Tunnusluku, kansallisen henkilÖkortin, sosiaaliturvatunnus, tunnistenumero, henkilÖtunnus, yksilÖllinen henkilÖkohtainen tunnistenumero, Ainutlaatuinen henkilÖkohtainen tunnus, identiteetti numero, Suomen kansallinen henkilÖtunnus, henkilÖtunnusnumero, kansallisen tunnistenumero, tunnusnumero, kansallinen tunnus numero, verotunniste (or) skatteidentifikationsnummer. (All terms case insensitive; diacritics are optional.)	Built-In
Social Security Number (Colombia)	Colombia Social Security Number matches a valid SSN combined with any of the following keywords within a proximity of 10 terms: nÖmero de la seguridad social, nÖmero de seguridad social, n.Ö seguridad social, SSN (or) SSID. (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (Qatar)	Qatar Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: $\bar{y}B\bar{Y}\bar{N}\bar{Y}\acute{a}\bar{Y}\grave{a}\bar{y}\bar{\circ}$ $\bar{Y}\bar{N}\bar{Y}\bar{N}\bar{y}\geq\bar{Y}\acute{A}\bar{y}\pm$, $\bar{y}B\bar{Y}\bar{N}\bar{y}\bar{\emptyset}\bar{Y}\grave{a}\bar{Y}\bar{N}\bar{Y}\grave{a}$, $\bar{y}^{\text{TM}}\bar{Y}\acute{A}\bar{y}\bar{B}\bar{y}\bar{\mu}\bar{Y}\grave{a}\bar{Y}\bar{N}\bar{y}$ $\bar{y}^{\text{TM}}\bar{Y}\grave{a}\bar{y}\bar{B}\bar{y}\leq$ $\bar{y}B\bar{Y}\bar{N}\bar{y}\geq\bar{Y}\acute{A}\bar{y}\pm$, $\bar{y}B\bar{Y}\bar{N}\bar{y}^{\text{TM}}\bar{y}\bar{\epsilon}\bar{y}\neq\bar{Y}\acute{a}\bar{y}\pm\bar{y}\bar{\circ}$, $\bar{y}^{\circ}\bar{y}\bar{\Sigma}\bar{y}B\bar{Y}\bar{\zeta}\bar{y}\bar{\circ}$ $\bar{y}B\bar{Y}\bar{N}\bar{Y}\acute{a}\bar{Y}\grave{a}\bar{Y}\acute{a}\bar{y}\bar{\circ}$ $\bar{y}B\bar{Y}\bar{N}\bar{Y}\grave{a}\bar{y}\bar{\Sigma}\bar{Y}\bar{U}\bar{Y}\acute{a}\bar{y}\bar{\circ}$, $\bar{y}\pm\bar{Y}\bar{\zeta}\bar{Y}\bar{O}\bar{y}$ $\bar{y}^{\text{TM}}\bar{Y}\grave{a}\bar{y}\bar{B}\bar{y}\leq$ $\bar{y}B\bar{Y}\bar{N}\bar{y}\geq\bar{Y}\acute{A}\bar{y}\pm$, $\bar{Y}\grave{a}\bar{y}$ $\bar{Y}\grave{a}\bar{Y}\bar{\zeta}\bar{y}\bar{\circ}$ $\bar{y}B\bar{Y}\bar{N}\bar{y}\geq\bar{Y}\acute{A}\bar{y}\pm$, $\bar{y}\geq\bar{Y}\bar{N}\bar{y}\bar{y}\bar{\Sigma}\bar{y}\bar{\circ}$ $\bar{y}B\bar{Y}\bar{N}\bar{y}\bullet\bar{y}\bar{\mu}\bar{y}\bar{\emptyset}\bar{y}\bar{B}\bar{y}\pm$, $\bar{y}B\bar{Y}\bar{N}\bar{Y}\acute{a}\bar{Y}\grave{a}\bar{Y}\acute{a}\bar{y}\bar{\circ}$, $\bar{y}\bullet\bar{y}$ $\bar{y}^{\circ}\bar{y}\bar{\circ}\bar{y}\bar{B}\bar{y}^{\text{TM}}$ $\bar{y}B\bar{Y}\bar{N}\bar{Y}\acute{a}\bar{Y}\grave{a}\bar{Y}\acute{a}\bar{y}\bar{\circ}$, $\bar{Y}\bar{O}\bar{y}\bar{\pi}\bar{y}\pm\bar{Y}\bar{e}\bar{Y}\acute{A}\bar{y}$ $\bar{y}^{\text{TM}}\bar{Y}\grave{a}\bar{y}\bar{B}\bar{y}\leq$ $\bar{y}B\bar{Y}\bar{N}\bar{y}\geq\bar{Y}\acute{A}\bar{y}\pm$ (or) $\bar{y}^{\text{TM}}\bar{Y}\grave{a}\bar{y}\bar{B}\bar{y}\leq$ $\bar{y}B\bar{Y}\bar{N}\bar{y}\geq\bar{Y}\acute{A}\bar{y}\pm$.	Built-In
International Bank Account Number ,Äi IBAN (Ireland)	Ireland International Bank Account Number ,Äi IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: uimhir chuntas bainc idir $\sqrt{\circ}$ isi $\sqrt{}$ nta, cuntas bainc idir $\sqrt{\circ}$ isi $\sqrt{}$ nta, cuntas bainc, uimhir chuntas bainc, airgeadais, $\sqrt{\neq}$ oca $\sqrt{\neq}$ ocht, cuntas, bainc, airgead idir $\sqrt{\circ}$ isi $\sqrt{}$ nta, aistrithe airgid, c $\sqrt{\geq}$ d T $\sqrt{\neq}$ re (or) $\sqrt{}$ áireann. (All terms case insensitive; diacritics are optional.)	Built-In
Company Number (Slovakia)	Slovakia Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: fç. identifika $\sqrt{}$ fçn $\sqrt{\circ}$ fç $\sqrt{\neq}$ slo spolofçnosti, identifika $\sqrt{}$ fçn $\sqrt{\circ}$ fç $\sqrt{\neq}$ slo organiz $\sqrt{\circ}$ cie, lfåO spolofçnosti (or) fç $\sqrt{\neq}$ slo spolofçnosti. (All terms case insensitive; diacritics are optional.)	Built-In

Driver's License Number (China)	China Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: $\hat{A}\hat{\Gamma}\hat{\Gamma}\hat{A}\hat{O}\hat{B}\hat{A}\hat{A}\hat{A}\hat{A}\hat{O}\hat{N}\hat{E}\hat{A}\hat{B}\hat{A}\hat{O}\hat{B}$, $\hat{A}\hat{E}\hat{U}\hat{\%}\hat{\pi}\hat{\dagger}\hat{E}\hat{\odot}\hat{A}\hat{O}\hat{B}$, $\hat{E}\hat{\odot}\hat{A}\hat{O}\hat{B}\hat{E}\hat{A}\hat{A}\hat{E}\hat{U}\hat{A}\hat{\%}\hat{J}\hat{J}$, $\hat{E}\hat{A}\hat{B}\hat{A}\hat{O}\hat{B}\hat{E}\hat{A}\hat{A}\hat{E}\hat{U}\hat{A}\hat{\%}\hat{J}\hat{J}$, $\hat{E}\hat{\odot}\hat{A}\hat{O}\hat{B}\hat{A}\hat{e}\hat{\Sigma}$, $\hat{E}\hat{A}\hat{B}\hat{A}\hat{O}\hat{B}\hat{A}\hat{e}\hat{\Sigma}$, $\hat{E}\hat{\neq}\hat{\Sigma}\hat{A}\hat{o}\hat{e}\hat{E}\hat{\odot}\hat{A}\hat{O}\hat{B}$, $\hat{E}\hat{\pm}\hat{\Omega}\hat{E}\hat{\Omega}\hat{\Gamma}\hat{E}\hat{\odot}\hat{A}\hat{O}\hat{B}$, $\hat{E}\hat{\odot}\hat{A}\hat{O}\hat{B}$, $\hat{E}\hat{\pm}\hat{\Omega}\hat{E}\hat{\Omega}\hat{\Gamma}\hat{E}\hat{\odot}\hat{A}\hat{e}\hat{\odot}\hat{\partial}\hat{E}\hat{A}\hat{B}\hat{A}\hat{O}\hat{B}$ (or) $\hat{E}\hat{\odot}\hat{A}\hat{e}\hat{\odot}\hat{\partial}\hat{E}\hat{A}\hat{B}\hat{A}\hat{O}\hat{B}$. (All terms case insensitive.)	Built-In
Eye Color (Romania)	Romania Eye Color matches with any of the following keywords Culoare ochi, Culoarea ochilor, Culoare iris (or) Culoare pupilă combined with any of the following keywords within a proximity of 10 terms: Negru, Negri, Maro, Căprui, Albastru, Alba»otri, Verde, Verzi, Alun, Chihlimbar, Gri, Heterocromie (or) Altfă culoare. (All terms case insensitive; diacritics are optional.)	Built-In
US Social Security Number and Health Condition Name (Moderate)	Identifies assets that contain both US social security numbers and health condition names, such as diseases or other medical conditions.	Built-In
Criminal Record (Finland)	Finland Criminal records matches with any of the following keywords rikosrekisteri, rikosrekiseriote (or) rikosrekisterimerkinnsästä combined with any of the following crime keywords within a proximity of 10 terms: murha, varkaus, korruptio, petos, terrorismi, huumausainerikos, murtovarkaus, raiskaus, ryöstä, autovarkaus, itsemurha, kidnappaus, ihmiskauppa, ihmissalakuljetus (or) asekauppa. (All terms case insensitive; diacritics are optional.)	Built-In

Ethnicity (Estonia)	Estonia Ethnicity matches with any of the keywords: Rahvus, Etniline (or) Etniline r√ ^o hm combined with any of the following keywords within a proximity of 10 terms: eestlane, venelased Eestis, soomlased, mustlased, leedulased, soome rahvad, setod, v√ ^u prod, eestirootslased, baltisakslased, ukrainlased Eestis, liivlased (or) ingerisoomlased. (All terms case insensitive; diacritics are optional.)	Built-In
Passport Number (New Zealand)	New Zealand Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: identification for international travel, passport details, visa, national identity card, passport number, travel document, issuing authority, proof of identification, passportid, passportno., identification (or) passport. (All terms case insensitive.)	Built-In
Criminal Record (Italy)	Italy Criminal records matches with any of the following keywords precedente penale, casellario penale (or) fedina penale combined with any of the following crime keywords within a proximity of 10 terms: omicidio, furto, corruzione, frode, terrorismo, droga, furto con scasso, stupro, rapina, furto d'auto, suicidio, sequestro di persona, traffico di esseri umani, contrabbando di esseri umani (or) traffico d'armi. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Netherlands)	Netherlands License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: nummerplaat nummer, kentekenplaat, Kenten, registratienummer, registratie. n., nummerbord (or) licentienummer. (All terms case insensitive.)	Built-In

Social Insurance Number - SIN (Venezuela)	Venezuela Social Insurance Number - SIN matches a valid social insurance number combined with any of the following keywords within a proximity of 10 terms: sin. ㄣ, n√fmero de seguro social, n. ㄣ de seguro social (or) seguro social. (All terms case insensitive; diacritics are optional.)	Built-In
Passport Number (China)	China Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: ÅõΩÊôÖÊóÅËøÅ%að, Êä\$ÁÖßÊø¶ÁªÜ%ø°ÊÅø, Á≠æËøÅ, ÅõΩÊ∞ëË´%aΩËøÅ, ÊóÖÊ°åËøÅ%að, ÅèëËøÅÊúJÅÖ≥, Ë´%aΩËøÅ%að, Ë´%aΩËøÅÊðé, Êä\$ÁÖß ID, Êä\$ÁÖßÅèΣÁ†Å (or) Êä\$ÁÖß.	Built-In
Race (Lithuania)	Lithuania Race matches any of the following keywords: Lenktynfós combined with any of the following keywords within a proximity of 10 terms: lietuviai, Lenkai, rusai, baltarusiai, Kiti. (All terms case insensitive.)	Built-In
Passport Number (Italy)	Italy Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: passaporto, documento di identit√† per viaggi internazionali, dati del passaporto, visto, carta d'identit√† nazionale, numero del passaporto, documento di viaggio, autorit√† emittente, passaporto, documento d'identit√†, documento di identit√†, numero di passaporto, passaporto n. (or) num. di passaporto. (All terms case insensitive; diacritics are optional.)	Built-In

National ID Number - RRN (Korea)	Korea National ID Number - RRN (Resident Registration Number) matches a valid RRN combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, Resident Registration Number, RRN, íµ≠íØ° ĩăûĳĩ ĩπ¥ĭú ĩ≤àĭòĭ, íµ≠íØ° ĩπ¥ĭú ĩ≤àĭòĭ, íµ≠íØ° ĩπ¥ĭú ĩ≤àĭòĭ, íµ≠íØ° ĩăûĳĩ ĩ≤àĭòĭ (or) íµ≠íØ° ID. (All terms case insensitive.)	Built-In
License Plate Number (Poland)	Poland License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: numer tablicy rejestracyjnej, nr rejestracyjny, nr tablicy, tablica rejestracyjna (or) numer rejestracyjny.	Built-In
Bank Account Number (Qatar)	Qatar Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: ŷ±ŸÇŸÖ ŷBŸÑŷ≠ŷ≥ŷBŷ® ŷBŸÑŷ®ŸÜŸÉŸă, ŷ™ŸĂŷBŷµŸăŸÑ ŷBŸÑŷ®ŸÜŸÉ, ŷ±ŸÇŸÖ ŷBŸÑŷ®ŸÜŸÉ, ŸÉŸăŷØ ŷBŸÑŷ≠ŷ≥ŷBŷ®, ŸÖŷπŷ±ŸēŸĂ ŷBŸÑŷ≠ŷ≥ŷBŷ®, ŷ±ŸÇŸÖ ŷBŸÑŷ≠ŷ≥ŷBŷ® (or) ŷBŸÑŷ≠ŷ≥ŷBŷ® ŷBŸÑŸÖŸēŷ±ŸÇŸēŸÉŸÖ.	Built-In
Height (US)	US person,Ųs height described in Imperial (or) metric units, appearing within 10 terms of the keywords Height (or) Ht. Imperial measurements may use feet and inches or only by inches. Metric measurements may use meters or centimeters. Examples: Height 5,Ų10" or 178.94cm or 5ft10in. (All text is case-insensitive.)	Built-In

Bank Account Number (Croatia)	Croatia Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: broj bankovnog računa, podaci o banci, broj banke, kod računa, id računa, broj računa (or) numerirani račun. (All terms case insensitive; diacritics are optional.)	Built-In
Business Number (Italy)	Italy Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: Numero REA, Codice REA, cod. Aziendax, codice azienda, ID azienda (or) cod. azienda. (All terms case insensitive.)	Built-In

Health Insurance Number (Czech)	Czech Republic Health Insurance Number matches a valid health insurance number combined with any of the following keywords within a proximity of 10 terms: zkon ozdravotnch informacch, krytch, zdravotnch pofce, fcslo zdravotncho pojistfonch, osobnch zdravotnch fcslo, zdravotnch registrace, zdravotnch pojistfonch (or) zdravotnch dvy. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Kuwait)	Kuwait VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: VAT number, vat no., vat no#, VAT, yYÇYÖ ydyYäy© yBYÑYÇYäYÖy© yBYÑYÖydyBYÄy©, ydyYäy© yBYÑYÇYäYÖy© yBYÑYÖydyBYÄy© (or) yYÇYÖ vat. (All terms case insensitive.)	Built-In
Business Number - NIB (Indonesia)	Indonesia Business Number - NIB (Nomor Induk Berusaha) matches a valid NIB combined with any of the following keywords within a proximity of 10 terms: NIB, nomor bisnis, nb#, nb, ID bisnis, idbisnis#, idbisnis, nobisnis#, nobisnis, Nomor Induk Perusahaan, Nomor perusahaan, Nomor Induk Berusaha (or) no bisniss. (All terms case insensitive.)	Built-In
Postcode (Costa Rica)	Costa Rica Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: direccin, distrito de cdigo postal, rea de cdigo postal, unidad de cdigo postal (or) sector de cdigo postal. (All terms case insensitive; diacritics are optional.)	Built-In

Routing Number (Mexico)	Mexico Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: n√fmero de ruta, n.∞ de, n.∞ de ruta de, n√fmero de ruta de, n.∞ de ruta bancario, n.∞ de ruta (or) RTN. (All terms case insensitive; diacritics are optional.)	Built-In
Race (Austria)	Austria Race matches any of the following keywords: Wettrennen combined with any of the following keywords within a proximity of 10 terms: √ðsterreichisch, Deutsch, Bosnisch, Herzegowinisch, T√°rkisch, Serbisch, Rum√šnisch, Andere. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (Czech)	Czech Postcode matches with Czech postcode combined with any of the following keywords within a proximity of 10 terms: adresa, m√#sto pobytu, mfôsto, st√°tn√# pozôta, otevíôen√Ω k√≥d, fçtvr≈• PSfç, oblast PSfç, jednotka PSfç, sektor PSfç (or) PSfç. (All terms case insensitive; diacritics are optional.)	Built-In
Criminal Record (Denmark)	Denmark Criminal records matches with any of the following keyword straffeattest combined with any of the following crime keywords within a proximity of 10 terms: mord, tyveri, korruption, svindel, terrorisme, narkotika, indbrud, voldt√lgt, r√[]veri, biltyveri, selvmord, kidnapping, menneskehandel, menneskesmugling (or) v√•benhandel. (All terms case insensitive; diacritics are optional.)	Built-In
Region (Ireland)	Ireland Region matches with the following keyword: R√©igi√fn combined with any of the following keywords within a proximity of 10 terms: Laighean, Mumhan, Chonnacht (or) Uladh. (All terms case insensitive.)	Built-In

Driver's License Number (Australia)	Australia Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: driver license, driver's license, drivers license, driver licence, driver's licence (or) drivers licence. (All terms case insensitive.)	Built-In
Routing Number (China)	China Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: 中国支付清算系统, 中国支付系统, 中国支付清算系统, 中国支付系统, 中国支付清算系统, 中国支付系统, 中国支付清算系统, 中国支付系统, 中国支付清算系统, 中国支付系统. (or) RTN.	Built-In
National ID Number (Ecuador)	Ecuador National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN, número de identificación nacional, número de tarjeta de identidad nacional, número de identificación nacional, número de tarjeta de identidad nacional, número de identificación nacional, número de tarjeta de identidad nacional, número de identificación nacional, número de tarjeta de identidad nacional, número de identificación nacional. (All terms case insensitive; diacritics are optional.)	Built-In
Driver's License Number (Portugal)	Portugal Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: LC, licença com fotografia, condutores aprendizes, titulares de licença, titular de licença, número da licença, titulares de carta de condução, titular de carta de condução, número de licença, licença de condução, cartas de condução, licença para condução, licença de condução, carta de condução, licença de condutor (or) carta de condutor. (All terms case insensitive; diacritics are optional.)	Built-In

Weight (Slovenia)	Slovenia Person,Âs weight appearing within 10 terms of the keywords Teæa (or) Masa. Weight can match in Kilogrami (or) funt, using the keywords Lb, kg, Kilogrami, funti, stone, st (or) unfçe, followed by space or no space. Values can be separated by space or no space. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Denmark)	Denmark Phone number matches a Danish phone number combined with any of the following keywords within a proximity of 10 terms: telefonnummer, tlf.nr., tlf.nummer, telefon, mobilnr. (or) mobilnummer . (All terms case insensitive.)	Built-In
Postcode (Oman)	Oman Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: ÿßŸÑŸπŸÜŸàŸßŸÜ, Ÿ≠Ÿä ŸßŸÑŸ±ŸÖŸ≤ ŸßŸÑŸ®Ÿ±ŸäŸØŸä, ŸÖŸÜŸΣŸÇŸ© ŸßŸÑŸ±ŸÖŸ≤ ŸßŸÑŸ®Ÿ±ŸäŸØŸä, ŸäŸ≠ŸØŸ© ŸßŸÑŸ±ŸÖŸ≤ ŸßŸÑŸ®Ÿ±ŸäŸØŸä, ŸÇŸΣŸßŸπ ŸßŸÑŸ±ŸÖŸ≤ ŸßŸÑŸ®Ÿ±ŸäŸØŸä (or) ŸßŸÑŸ±ŸÖŸ≤ ŸßŸÑŸ®Ÿ±ŸäŸØŸä.	Built-In
Passport Number (Finland)	Finland Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: Passport, Passi, Passport Number, Passport No, PassportID, Passportno (or) passportnumber. (All terms case insensitive.)	Built-In

Multiple Personal Identifiers ,Ä PII (Australia) ,Ä Lenient	Multiple Personal Identifiers ,Ä PII (Australia) - Lenient - Built-In Combines a person name with two or more of the following Australian identifiers: bank account number, credit card number, date of birth, driver's license number, passport number or tax file number with a matcher count of 1. Each matched identifier value must also combine with a corresponding keyword within a proximity of 10 terms. Below is a list of example keywords: account number, credit card, amex, ccn, debit card, dob, birth date, individual tax return, tax file number, driver license, driver's license, bank account, bank details, passport or pasaporte. (All terms case-insensitive.)
VAT ID Number (Belgium)	Belgium VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: btw-nummer, btwnummer, btw-nr, btw-ID, nummer belasting toegevoegde waarde, belasting toegevoegde waarde, btw# (or) btw. (All terms case insensitive.)

Religion (Netherlands)	Netherlands Religion matches with any of the following keywords: godsdienst, religie, geloofsovertuiging, geloof (or) levensbeschouwing combined with any of the following keywords within a proximity of 10 terms: christelijk, christen, hindoe√Østisch, hindoe, islamitisch, moslim, boeddhistisch, boeddhist, joods, protestants, katholiek, oosters, orthodox, oosters orthodox, christelijk anders, religieus anders, athe√Østisch, agnostisch (or) geen geloofsovertuiging (All terms case insensitive; diacritics are optional.)	Built-In
Eye Color (France)	France Eye Color matches with any of the following keywords Couleur des yeux, Couleurdeseux, Couleur de l'iris (or) Couleur du globe oculaire combined with any of the following keywords within a proximity of 10 terms: Marron, Bleu, Vert, Noisette, Ambre, Gris, H√@t√@rochrome (or) autre couleur. (All terms case insensitive; diacritics are optional.)	Built-In
Ethnicity (France)	France Ethnicity matches with any of the keywords: Ethnicit√@, Ethnique (or) Ethnique groupe combined with the following keyword within a proximity of 10 terms: fran√Bais. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Argentina)	Argentina License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: n.∞ de registro, n.∞ de matr√#cula, n√Jmero de licencia, n√Jmero de matr√#cula, matr√#cula (or) n√Jmero de registro. (All terms case insensitive; diacritics are optional.)	Built-In

Gender (Netherlands)	Netherlands Gender matches with the keyword: Geslacht combined with any of the following keywords within a proximity of 10 terms: M, man, mannelijk, V, vrouw, vrouwelijk, anders, X, O, non-binair (or) onzijdig (All terms case insensitive.)	Built-In
Phone Number (Oman)	Oman Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: ÿ±ÿÇÿÖ ÿBÿÑÿáÿBÿ™ÿÅ, ÿ±ÿÇÿÖ ÿBÿÑÿ™ÿÑÿäÿÅÿäÿÜ, ÿ±ÿÇÿÖ ÿBÿÑÿäÿBÿ™ÿÅ ÿBÿÑÿÖÿ≠ÿÖÿàÿÑ (or) ÿ±ÿÇÿÖ ÿBÿÑÿáÿBÿ™ÿÅ ÿBÿÑÿÆÿÑÿäÿä.	Built-In
Bank Account Number (Turkey)	Turkey Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: banka hesap numarasf±, banka bilgileri, banka numarasf±, hesap kodu, hesap no, hes. numarasf± (or) numaralf± hesap. (All terms case insensitive; diacritics are optional.)	Built-In
Credit Card Number and Drug Name (Moderate)	Identifies assets that contain both credit card numbers and common drug names.	Built-In

Driver's License Number
(Greece)

Greece Driver's license matches a valid license number Built-In combined with any of the following keywords within a proximity of 10 terms: $\text{CE}^{\circ}\text{CE}\mu\text{CE}\pi\text{CE}\pm\text{CE}^{\circ}\text{CE}\mu\text{CE}\dot{\cup}\text{CE}\hat{\alpha}\text{CE}\tilde{\text{N}}\text{CE}\emptyset\text{CE}\geq\text{CE}\hat{\text{A}}\text{CE}\pm\text{CE}\dot{\cup}\text{CE}\emptyset\text{CE}\pm,$
 $\text{CE}\ddot{\text{O}}\text{CE}\hat{\text{A}}\text{CE}\emptyset\text{CE}\hat{\alpha}\text{CE}\text{AE}\text{CE}\dot{\cup}\text{CE}\pi\text{CE}\emptyset\text{CE}\pi\text{CE}\emptyset\text{CE}\neq\text{CE}\Sigma\text{CE}\geq\text{CE}\emptyset\text{CE}\emptyset,$ $\text{CE}\text{JCE}^{\circ}\text{CE}\tilde{\text{N}}\text{CE}\emptyset\text{CE}\acute{\alpha}\text{CE}\emptyset\text{CE}\zeta$
 $\text{CE}^{\circ}\text{CE}\neq\text{CE}\mu\text{CE}\pi\text{CE}\pm\text{CE}\zeta,$ $\text{CE}\text{JCE}^{\circ}\text{CE}\tilde{\text{N}}\text{CE}\emptyset\text{CE}\acute{\alpha}\text{CE}\emptyset\text{CE}\pi\text{CE}^{\circ}\text{CE}\neq\text{CE}\mu\text{CE}\pi\text{CE}\acute{\epsilon}\text{CE}\Omega,$ $\text{CE}\pm\text{CE}\hat{\text{A}}\text{CE}\pi\text{CE}\text{I}\text{CE}^{\circ}\text{CE}\hat{\alpha}\text{CE}\zeta$
 $\text{CE}^{\circ}\text{CE}\neq\text{CE}\mu\text{CE}\pi\text{CE}\pm\text{CE}\zeta,$ $\text{CE}^{\circ}\text{CE}\neq\text{CE}\mu\text{CE}\pi\text{CE}\mu\text{CE}\zeta$
 $\text{CE}\emptyset\text{CE}\neq\text{CE}\text{AE}\text{CE}\geq\text{CE}\Sigma\text{CE}\acute{\epsilon}\text{CE}\Sigma\text{CE}\zeta,$
 $\text{CE}\neq\text{CE}\pi\text{CE}\hat{\text{A}}\text{CE}^{\alpha}\text{CE}\acute{\epsilon}\text{CE}^{\circ}\text{CE}\pm\text{CE}\tilde{\text{N}}\text{CE}\pm$
 $\text{CE}\emptyset\text{CE}\neq\text{CE}\text{AE}\text{CE}\geq\text{CE}\Sigma\text{CE}\acute{\epsilon}\text{CE}\Sigma\text{CE}\zeta,$
 $\text{CE}\neq\text{CE}\emptyset\text{CE}\hat{\text{A}}\text{CE}^{\alpha}\text{CE}\hat{\alpha}\text{CE}^{\circ}\text{CE}\pm$
 $\text{CE}\emptyset\text{CE}\neq\text{CE}\text{AE}\text{CE}\geq\text{CE}\Sigma\text{CE}\acute{\epsilon}\text{CE}\Sigma\text{CE}\zeta,$ $\text{CE}^{\circ}\text{CE}\neq\text{CE}\mu\text{CE}\pi\text{CE}\pm\text{CE}\emptyset\text{CE}\neq\text{CE}\text{AE}\text{CE}\geq\text{CE}\Sigma\text{CE}\acute{\epsilon}\text{CE}\Sigma\text{CE}\zeta,$ $\text{CE}^{\circ}\text{CE}\neq\text{CE}\mu\text{CE}\pi\text{CE}\pm\text{CE}\emptyset\text{CE}\neq\text{CE}\Sigma\text{CE}\geq\text{CE}\emptyset\text{CE}\zeta,$ $\text{CE}\neq\text{CE}\emptyset\text{CE}\hat{\text{A}}\text{CE}^{\alpha}\text{CE}\hat{\alpha}\text{CE}^{\circ}\text{CE}\pm\text{CE}\emptyset\text{CE}\neq\text{CE}\Sigma\text{CE}\geq\text{CE}\emptyset\text{CE}\zeta,$ $\text{CE}^{\circ}\text{CE}\neq\text{CE}\mu\text{CE}\pi\text{CE}\mu\text{CE}\zeta$
 $\text{CE}\emptyset\text{CE}\neq\text{CE}\Sigma\text{CE}\geq\text{CE}\acute{\epsilon}\text{CE}\Omega$ (or) $\text{CE}\neq\text{CE}\emptyset\text{CE}\hat{\text{A}}\text{CE}^{\alpha}\text{CE}\hat{\alpha}\text{CE}^{\circ}\text{CE}\pm\text{CE}\emptyset\text{CE}\neq\text{CE}\Sigma\text{CE}\geq\text{CE}\acute{\epsilon}\text{CE}\Omega.$ (All terms case insensitive.)

Criminal Record (Czech)

Czech Criminal records matches with any of the following keywords: *restrejk, zoznam o trestu* (or) *policej zoznam* combined with any of the following crime keywords within a proximity of 10 terms: *vraždy, krádeže, korupce, podvod, terorismus, drogy, loupeže, znásilnění, krádeže auta, sebevraždy, jinós, obchodování s lidmi, pašování lidí* (or) *pašování zbraní*. (All terms case insensitive; diacritics are optional.)

Built-In

AWS - Secret Key	AWS Secret Key identifier matches a valid AWS secret key combined with any of the following keywords within a proximity of 10 terms: Secret Access Key and AWS Secret Key (All terms case insensitive and with or without spaces.)	Built-In
Bank Account Number (Luxembourg)	Luxembourg Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: num√@ro de compte bancaire, coordonn√@es bancaires, num√@ro bancaire, code de compte, identifiant de compte, num√@ro de compte (or) compte num√@rot√@. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Saudi Arabia)	Saudi Arabia Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: ÿ±ŸÇŸÖ ŸßŸÑŸăŸßŸ™ŸÅ, Ÿ±ŸÇŸÖ ŸßŸÑŸăŸßŸ™ŸÅ ŸßŸÑŸÖŸ≠ŸÖŸàŸÑ (or) Ÿ±ŸÇŸÖ ŸßŸÑŸăŸßŸ™ŸÅ ŸßŸÑŸÆŸÑŸăŸàŸă.	Built-In
Race (France)	France Race matches any of the following keywords: Course combined with any of the following keywords within a proximity of 10 terms: Fran√Bais, Celtique, Latin avec Teutonique, Slave, Nord-Africain, Indochinois, Basque, Autres. (All terms case insensitive; diacritics are optional.)	Built-In

BankAccount Number (Greece)	Greece BankAccount Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: CE±œÅCEπCE∏CE°œåœÇ œÑœÅCE±œÄCEμCEðCEπCE∫CEøœç CEªCEøCE≥CE±œÅCEπCE±œÉCE°CEøœç, œÉœÑCEøCEπœáCEμCEØCE± œÑœÅCE¨œÄCEμCEðCE±œÇ, CE±œÅCEπCE∏CE°œåœÇ œÑœÅCE¨œÄCEμCEðCE±œÇ, CE∫œâCE¥CEπCE∫œåœÇ CEªCEøCE≥CE±œÅCEπCE±œÉCE°CEøœç, CE±CEΩCE±CE≥CEΩœâœÅCEπœÉœÑCEπCE∫œå CEªCEøCE≥CE±œÅCEπCE±œÉCE°CEøœç, CE±œÅCEπCE∏CE°œåœÇ CEªCEøCE≥CE±œÅCEπCE±œÉCE°CEøœç (or) CEªCEøCE≥CE±œÅCEπCE±œÉCE°œåœÇ CE°CEμ CE±œÅCEπCE∏CE°œå.	Built-In
-----------------------------	---	----------

Driver's License Number (Taiwan)	Taiwan Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: ÈôÑÁÖßÁâá%πãÂç°Â°èÈßíÁÖß, Â≠ΠÁøÈßíÈßÖ, ÈßíÁÖßÊâÂÊûâ%ïï, ÈßíÁÖßÊôüÁç°, ÈßíÁÖßÁΣ°Êôü, ÈßíÁÖß (or) ÈßíÈßÖöÂüΣÁÖß.
----------------------------------	---

Individualized Education Plan ,À IEP	Individualized Education Plan ,À IEP matches a valid IEP combined with any of the following keywords within a proximity of 10 terms: Individualized Education Plan, Individualized Education Program, IEP, 504 plan and Name, First Name (or) Last Name. (All terms case insensitive.)	Built-In
--------------------------------------	--	----------

Passport Number (Panama)	Panama Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: identificaci√≥n para viajes internacionales, detalles del pasaporte, visa, documento nacional de identidad, n√fmero de pasaporte, documento de viaje, autoridad emisora, prueba de identificaci√≥n, ID de pasaporte, n.∞ de pasaporte (or) pasaporte. (All terms case insensitive; diacritics are optional.)	Built-In
Routing Number (Peru)	Peru Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: n.∞ de routing bancario, n√fmero de routing, routing bancario, n.∞ de routing (or) RTN. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Korea)	Korea Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: ìùÄìñâ í≥Ñíçå Î≤àòò□, ìùÄìñâ ìÑ□ÎðÄï†î≥¥, ìùÄìñâ Î≤àòò□, í≥Ñíçå ìΩîù, í≥Ñíçå ID, í≥Ñíçå Î≤àòò□ (or) Î≤àòò□í∞Ä ìßÄï†îêú í≥Ñíçå.	Built-In
Social Insurance Number - SIN (Vietnam)	Vietnam Social Insurance Number ,Äì SIN matches a valid social insurance number combined with any of the following keywords within a proximity of 10 terms: sin#, m√£ s·ªë b·f£o hi·ªÉm x√£ h·ªôi, s·ªë b·f£o hi·ªÉm x√£ h·ªôi, b·f£o hi·ªÉm x√£ h·ªôi, bh x√£ h·ªôi (or) bhh. (All terms case insensitive; diacritics are optional.)	Built-In

National ID Number (Libya)	Libya National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, ÿ±ŸÇŸÖ Ÿ*ŸΣŸBŸÇŸ© ŸBŸÑŸáŸàŸäŸ© ŸBŸÑŸàŸΣŸÜŸäŸ©, ÿ±ŸÇŸÖ ŸBŸÑŸ*ŸΣŸBŸÇŸ© ŸBŸÑŸ±ŸÇŸÖ ŸBŸÑŸàŸΣŸÜŸä, ŸBŸÑŸàŸΣŸÜŸäŸ©, ÿ±ŸÇŸÖ ŸBŸÑŸáŸàŸäŸ© ŸBŸÑŸàŸΣŸÜŸäŸ© (or) ŸBŸÑŸáŸàŸäŸ© ŸBŸÑŸàŸΣŸÜŸäŸ©. (All terms case insensitive.)	Built-In
Social Insurance Number - SIN (Croatia)	Croatia Social Insurance Number - SIN matches a valid social insurance number combined with any of the following keywords within a proximity of 10 terms: sin#, sin, broj socijalnog osiguranja, br. socijalnog osiguranja, socijalno osiguranje, socijalno osig. (or) soc. osig. (All terms case insensitive.)	Built-In
Bank Account Number (Italy)	Italy Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: BBAN, Italian Basic Bank Account Number, nome completo, nome e cognome, nome di battesimo, nome (or) cognome. (All terms case insensitive.)	Built-In
Religion (Malta)	Malta Religion matches with any of the following keywords: Reliġjon (or) Reliġju combined with any of the following keywords within a proximity of 10 terms: Kristjane mu, Kristjan, Indui mu, fflindu, l lam, Musulman, Buddhi mu, Buddhist, Lhudi, Protestanti, Kattoliku, Lvant, Ortodoss, Lvant Ortodoss, Kristjan ief Bor, Of Brajn Reliġjon, Ateu, Agnostiku (or) L-ebda reliġjon. (All terms case insensitive; diacritics are optional.)	Built-In

VAT ID Number (France)	France VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: n- f TVA, num- ©ro de TVA, #TVA, taxe sur la valeur ajout- ©e, taxe sur la valeur ajout- ©e num- ©ro (or) TVA. (All terms case insensitive; diacritics are optional.)	Built-In
Health Service Number (Peru)	Peru Health Service Number matches a valid health service number combined with any of the following keywords within a proximity of 10 terms: n- f mero personal m- ©dico, n. -∞ de servicio de salud, n- f mero de servicio de salud, informaci- ≥n del paciente (or) servicios especializados. (All terms case insensitive; diacritics are optional.)	Built-In

Gender (Germany)

Germany Gender matches with the keyword:

Geschlecht combined with any of the following keywords within a proximity of 10 terms: M, Männlich, W, Weiblich, Divers (or) D (All terms case insensitive; diacritics are optional.)

Built-In

Company Number (Netherlands)	Netherlands Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: bedrijfsnr#, bedrijfsnummer, bedrijfs-ID, bedrijfsid# (or) bedrijfsnr. (All terms case insensitive.)	Built-In
Driver's License Number (Vietnam)	Vietnam Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: nh.ªØng ngΔ∞.ªùi fëang h.ªçc l√°i xe, nh.ªØng ngΔ∞.ªùi c√≥ gi.ªy ph√©p, ngΔ∞.ªùi c√≥ gi.ªy ph√©p, s.ªë gi.ªy ph√©p l√°i xe, c√°c gi.ªy ph√©p l√°i xe, c√°c b.ªng l√°i xe, gi.ªy ph√©p l√°i xe, b.ªng l√°i xe, gi.ªy ph√©p c.ªBa ngΔ∞.ªùi l√°i xe, b.ªng c.ªBa ngΔ∞.ªùi l√°i xe, s.ªë gi.ªy ph√©p (or) b.ªng l√°i. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (Kenya)	Kenya Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: address, postcode district, postcode area, postcode unit, postcode sector (or) postcode. (All terms case insensitive.)	Built-In
Weight (Austria)	Austria Person, ªs weight appearing within 10 terms of the keywords Gewicht (or) Masse. Weight can match in Pfund (or) Kilograms, using the keywords Lb, kg, Pfund (or) Kilogramm, followed by space or no space. Values can be separated by space or no space. (All text is case-insensitive.)	Built-In

Driver's License Number (Colombia)	Colombia Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: licencia de tarjeta con foto, licencia estudiante, titulares de licencia, titular de licencia, n√ Jmero de licencia, licencias de conducir, licencia de conducci√ ≥n, licencia del conductor, licencia de conducir (or) carnet de conducir. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (Japan)	Japan Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: Á°é Ê÷òÂà•ÊÉÖÂ†± Áĩ™ÂèΣ, Á°é id Áĩ™ÂèΣ, Á°éÊ÷òÂà•„Ç≥„É°„Éâ, Á°é„Éĩ„Ç°„Ç§„É´, Á°éÁôªÊâ≤Áĩ™ÂèΣ, Á°éid#, Á°éidÁĩ™ÂèΣ#, Á°éÁĩ™ÂèΣ#, Á°éÁĩ™ÂèΣ, Á×çÁ°éÊÄÖid, Á×çÁ°éÊÄÖÁĩ™ÂèΣ, Á×çÁ°éÊÄÖ#, TIN (or) Á°éid. (All terms case insensitive.)	Built-In
Passport Number (Estonia)	Estonia Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: pass, isikutunnistus rahvusvaheliseks reisimiseks, passiandmed, viisa, riiklik isikutunnistus, passinumber, reisdokument, v√šljastav asutus, pass, tuvastamine, isikut t√µpendav dokument, pass, passid, passinr (or) passinumber. (All terms case insensitive; diacritics are optional.)	Built-In

Phone Number (Libya)	Libya Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: ٧±٧ÇŸÖ ٧BŸÑŸá٧BŸ™ŸÅ, ٧±٧ÇŸÖ ٧BŸÑŸ™ŸÑŸáŸÅŸäŸÜ, ٧±٧ÇŸÖ ٧BŸÑŸá٧BŸ™ŸÅ ٧BŸÑŸÖŸ≠ŸÖŸàŸÑ (or) ٧±٧ÇŸÖ ٧BŸÑŸá٧BŸ™ŸÅ ٧BŸÑŸÆŸÑŸäŸä.	Built-In
Company Number (Poland)	Poland Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: indywidualny numer identyfikacji podatkowejnumer, identyfikacji podatkowej, identyfikator firmy, numer REGON, numer NIP, numer KRS, numer rejestracji firmy, nr firmy, numer firmy, REGON, NIP (or) KRS. (All terms case insensitive.)	Built-In
Driver's License Number (Malaysia)	Malaysia Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: lesen kad foto, pemandu pelajar, pemegang lesen, nombor lesen, license holder, learner driver, driver's license, lesen memandu (or) lesen pemandu. (All terms case insensitive.)	Built-In
Driver's License Number (Malta)	Malta Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: numru tal-lifāenzja tas-sewwieq, numru tal-lifāenzja tas-sewqan, lifāenzja tas-sewwieq, karta ta' identifikazzjoni, karta tal-identit√† (or) numru ta' identifikazzjoni. (All terms case insensitive; diacritics are optional.)	Built-In

National ID Number (South Africa)	South Africa National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, national identity card number, national card number, national card no, national identification number (or) national id. (All terms case insensitive.)	Built-In
Religion (Hungary)	Hungary Religion matches with any of the following keywords: Vallás (or) Vallások combined with any of the following keywords within a proximity of 10 terms: Kereszténység, Keresztény, Hinduizmus, Hindu, Iszlám, Muszlim, Buddhizmus, Buddhista, Zsidó, Protestáns, Katolikus, Keleti, Ortodox, Keleti Ortodox, Más keresztény, Más vallás, Ateista, Agnosztikus (or) Nem vallás. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Iceland)	Iceland VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: value added tax number, value added tax, vat no., vat number, vat no, vat# (or) VAT. (All terms case insensitive.)	Built-In
Company Number (Lithuania)	Lithuania Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: įmonės identifikavimo numeris, įmonės registracijos numeris, įmonės kodas, įmonės ID (or) įmonės numeris. (All terms case insensitive; diacritics are optional.)	Built-In

BankAccount Number (United Arab Emirates)	United Arab Emirates BankAccount Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: ŷ±ŸÇŸÖ ŷBŸÑŷ≠ŷ≥ŷBŸ® ŷBŸÑŷ®ŸÜŸÉŸä, ŷ™ŸÄŷBŸµŸäŸÑ ŷBŸÑŷ®ŸÜŸÉ, ŷ±ŸÇŸÖ ŷBŸÑŷ®ŸÜŸÉ, ŸÉŸäŷø ŷBŸÑŷ≠ŷ≥ŷBŸ®, ŸÖŷπŷ±ŸëŸÄ ŷBŸÑŷ≠ŷ≥ŷBŸ®, ŷ±ŸÇŸÖ ŷBŸÑŷ≠ŷ≥ŷBŸ® (or) ŷBŸÑŷ≠ŷ≥ŷBŸ® ŷBŸÑŸÖŸëŷ±ŸÇŸëŸëŸÖ.	Built-In
BankAccount Number (Bahrain)	Bahrain BankAccount Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: ŷ±ŸÇŸÖ ŷBŸÑŷ≠ŷ≥ŷBŸ® ŷBŸÑŷ®ŸÜŸÉŸä, ŷ™ŸÄŷBŸµŸäŸÑ ŷBŸÑŷ®ŸÜŸÉ, ŷ±ŸÇŸÖ ŷBŸÑŷ®ŸÜŸÉ, ŸÉŸäŷø ŷBŸÑŷ≠ŷ≥ŷBŸ®, ŸÖŷπŷ±ŸëŸÄ ŷBŸÑŷ≠ŷ≥ŷBŸ®, ŷ±ŸÇŸÖ ŷBŸÑŷ≠ŷ≥ŷBŸ® (or) ŷBŸÑŷ≠ŷ≥ŷBŸ® ŷBŸÑŸÖŸëŷ±ŸÇŸëŸëŸÖ.	Built-In
Criminal Record (Estonia)	Estonia Criminal records matches with any of the following keywords karistusregister, kuritegude register (or) politseiandmed combined with any of the following crime keywords within a proximity of 10 terms: m√µrv, vargus, korruptsioon, pettus, terrorism, narkootikumid, sissemurdmine, v√sgistamine, r√∂√∂v, autovargus, enesetapp, lapserr√∂√∂v, inimkaubandus, inimsmugeldamine (or) relvakaubandus. (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (Poland)	Poland Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: paszport, dokument to~ºsamo~öci umo~ºliwiajÖcy podr√≥~º mifôdzynarodowfÖ, dane paszportowe, wiza, krajowy dow√≥d osobisty, numer paszportu, dokument podr√≥~ºny, organ wystawiajÖcy, paszport, identyfikacja, dow√≥d to~ºsamo~öci, paszport, identyfikator paszportu, nr paszportu (or) numer paszportu. (All terms case insensitive; diacritics are optional.)	Built-In
Passport Number (Oman)	Oman Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: ÿBŸÑŸáŸäŸäŸ© ŸÑŸÑŸ≥ŸÄŸ± ŸBŸÑŸØŸäŸÑŸä, Ÿ™ŸÄŸBŸµŸäŸÑ Ÿ¨ŸäŸBŸ≤ ŸBŸÑŸ≥ŸÄŸ±, ŸBŸÑŸ™Ÿ£Ÿ¥ŸäŸ±Ÿ©, Ÿ®ŸΣŸBŸÇŸ© ŸBŸÑŸáŸäŸäŸ© ŸBŸÑŸäŸΣŸÜŸäŸ©, Ÿ±ŸÇŸÖ Ÿ¨ŸäŸBŸ≤ ŸBŸÑŸ≥ŸÄŸ±, ŸäŸ´ŸäŸÇŸ© ŸBŸÑŸ≥ŸÄŸ±, Ÿ≥ŸÑŸΣŸ© ŸBŸÑŸ•ŸµŸØŸBŸ±, Ÿ•Ÿ´Ÿ®ŸBŸ™ ŸBŸÑŸáŸäŸäŸ©, ŸÖŸπŸ±ŸëŸÄŸ¨ŸäŸBŸ≤ ŸBŸÑŸ≥ŸÄŸ± (or) Ÿ¨ŸäŸBŸ≤ ŸBŸÑŸ≥ŸÄŸ±.	Built-In
Social Insurance Number - SIN (Bulgaria)	Bulgaria Social Insurance Number - SIN matches a valid social insurance number combined with any of the following keywords within a proximity of 10 terms: -º-û-ù ,Ññ, -º-û-ù, —Å-æ—Ü-Π-∞-ª-µ-Ω -æ—Å-Π-≥—É—Ä-Π-Ç-µ-ª-µ-Ω -Ω-æ-º-µ—Ä, —Å-æ—Ü-Π-∞-ª-µ-Ω -æ—Å-Π-≥—É—Ä-Π-Ç-µ-ª-µ-Ω ,Ññ, —Å-æ—Ü-Π-∞-ª-Ω -æ—Å-Π-≥—É—Ä-æ-≤-f-∞, —Å-æ—Ü. -æ—Å-Π-≥., sin# (or) sin. (All terms case insensitive.)	Built-In

International Bank Account Number ,Äì IBAN (Egypt)	Egypt International Bank Account Number ,Äì IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: ÿ±ŸÇŸÖ ŸßŸÑŸ#Ÿ≥ŸßŸ* ŸßŸÑŸ*ŸÜŸÉŸä ŸßŸÑŸØŸäŸÑŸä, IBAN# (or) IBAN. (All terms case insensitive.)	Built-In
Social Security Number (Sweden)	Sweden Social Security Number matches a valid SSN combined with any of the following keywords within a proximity of 10 terms: personnr.#, person#, pers.nr.#, socialf√ðrs√\$kringsnummer, personligt id-nummer (or) personnummer. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Norway)	Norway Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: bankkontonummer, bankinformasjon, banknummer, kontokode, konto-id, kontonummer (or) nummer p√• konto. (All terms case insensitive; diacritics are optional.)	Built-In
Expiry Date (Norway)	Norway Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Utl√[]psdato. (All terms case insensitive; diacritics are optional.)	Built-In

Religion (Sweden)	Sweden Religion matches with any of the following keywords: Religion (or) Religi√ðs combined with any of the following keywords within a proximity of 10 terms: Kristendom, Kristen, Hinduism, Hindu, Islam, Muslim, Buddhism, Buddhist, Judisk, Protestant, Katolik, √ðsterl√ðndsk, Ortodox, √ðsterl√ðndsk Ortodox, Annan kristen, Annan religion, Ateist, Agnostisk (or) Ingen religion. (All terms case insensitive; diacritics are optional.)	Built-In
Routing Number (Puerto Rico)	Puerto Rico Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: n.∞ de routing bancario, n√jmero de routing, routing bancario, n.∞ de routing (or) RTN. (All terms case insensitive; diacritics are optional.)	Built-In
Passport Number (Turkey)	Turkey Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: uluslararası seyahat kimliği, pasaport bilgileri, vize, n√fus c√zdanf±, seyahat belgesi, veren kurulu≈ü, kimlik kanf±tf±, pasaportkimlik, pasaportno., pasaport numarasf± (or) pasaport. (All terms case insensitive; diacritics are optional.)	Built-In
Business Number (Panama)	Panama Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: n√jmero de la negocios, n√jmero de negocios, n.∞ de ID de la negocios, n.∞ de la negocios (or) ID de la negocios. (All terms case insensitive; diacritics are optional.)	Built-In

Company Number (Egypt)	Egypt Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: $\ddot{y}\pm\ddot{Y}\check{C}\ddot{Y}\ddot{O}$ $\ddot{y}\check{B}\ddot{Y}\check{N}\ddot{y}\ddot{y}\pm\ddot{Y}\acute{E}\ddot{y}\textcircled{\#}$, $\ddot{y}\pm\ddot{Y}\check{C}\ddot{Y}\ddot{O}$ $\ddot{y}^{\text{m}}\ddot{y}\geq\ddot{y}^{\text{r}}$ $\ddot{Y}\grave{a}\ddot{Y}\check{N}$ $\ddot{y}\check{B}\ddot{Y}\check{N}\ddot{y}\ddot{y}\pm\ddot{Y}\acute{E}\ddot{y}\textcircled{\#}$ (or) $\ddot{y}\pm\ddot{Y}\check{C}\ddot{Y}\ddot{O}$ $\ddot{y}\check{B}\ddot{Y}\check{N}\ddot{Y}\ddot{O}\ddot{y}\check{s}\ddot{y}\geq\ddot{y}\geq\ddot{y}\textcircled{\#}$.	Built-In
VAT ID Number (Slovakia)	Slovakia VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: $\text{Dif}\check{c}$ (or) $\text{da}\approx\grave{a}\text{o}\text{v}\sqrt{\textcircled{\#}}$ $\text{identifika}\check{c}\text{n}\sqrt{\textcircled{\#}}$ $\text{f}\check{c}\sqrt{\textcircled{\#}}\neq\text{slo}$. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number (Iceland)	Iceland National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, Kennitala, national identity card number, national card number, national card no, national identification number (or) national id. (All terms case insensitive.)	Built-In
Ethnicity (Italy)	Italy Ethnicity matches with any of the keywords: Etnia, etnico (or) etnico gruppo combined with any of the following keywords within a proximity of 10 terms: Italiani, Diaspora italiana, Italoamericani, Popoli arb $\sqrt{\textcircled{\#}}$ $\acute{r}$ esh $\sqrt{\textcircled{\#}}$ $\acute{r}$, Albanesi, Friulani, Greci, Longobardi (or) Popoli italici. (All terms case insensitive; diacritics are optional.)	Built-In
Eye Color (Austria)	Austria Eye Color matches with any of the following keywords Augenfarbe, Irisfarbe (or) Augapfelfarbe combined with any of the following keywords within a proximity of 10 terms: Braun, Blau, Gr $\sqrt{\textcircled{\#}}$ on, Hellbraun, Bernsteinfarben, Grau, Heterochromie (or) andere Farbe. (All terms case insensitive; diacritics are optional.)	Built-In

Political Opinions (Russia)

Russia Political Opinions matches with any of the following keywords -ø-æ-^a-Π-Ç-Π-á-μ-Å-ƒ-æ-μ-^o-Ω-μ-Ω-Π-μ (or) -ø-æ-^a-Π-Ç-Π-á-μ-Å-ƒ-Π-μ-≤-Σ-≥-^a-è-¥-ā combined with any of the following keywords within a proximity of 10 terms: -ï-¥-Π-Ω-∞-è-†-æ-Å-Å-Π-è, -ö-æ-^o-^o-É-Ω-Π-Å-Ç-Π-á-μ-Å-ƒ-∞-è -ø-∞-Ä-Ç-Π-è, -ö-Π-±-μ-Ä-∞-^a-å-Ω-æ-¥-μ-^o-æ-ƒ-Ä-∞-Ç-Π-á-μ-Å-ƒ-∞-è -ø-∞-Ä-Ç-Π-è, -^o-ø-Ä-∞-≤-μ-¥-^a-Π-≤-∞-è -†-æ-Å-Å-Π-è, -ü-∞-Ä-Ç-Π-è-ù-æ-≤-ā-μ-^a-é-¥-Π, -Ø-±-^a-æ-ƒ-æ, -ƒ-æ-^o-^o-É-Ω-Π-Å-Ç, -Å-æ-Ü-Π-∞-^a-Π-Å-Ç, -ƒ-æ-Ω-Å-μ-Ä-≤-∞-Ç-æ-Ä, -^a-Π-±-μ-Ä-∞-^a, -Ω-∞-Ü-Π-æ-Ω-∞-^a-Π-Å-Ç, -^o-æ-Ω-∞-Ä-Ö-Π-Å-Ç, -ø-Ä-æ-≤-^a-∞-Å-Ç-Ω-ā-π, -æ-ø-ø-æ-Σ-Π-Ü-Π-æ-Ω-Ω-ā-π, -ø-Ä-æ-ƒ-Ä-μ-^o-^a-ë-≤-Å-ƒ-Π-π, -∞-Ω-Ç-Π-ƒ-Ä-μ-^o-^a-ë-≤-Å-ƒ-Π-π, -ø-Ä-æ-ø-É-Ç-Π-Ω-Å-ƒ-Π-π, -∞-Ω-Ç-Π-ø-É-Ç-Π-Ω-Å-ƒ-Π-π, -^a-μ-≤-ā-π, -ø-Ä-∞-≤-ā-π (or) -Ü-μ-Ω-Ç-Ä-Π-Å-Ç.

Built-In

Criminal Record (Poland)	Poland Criminal records matches with any of the following keywords rejestr kryminalny (or) kartoteka policyjna combined with any of the following crime keywords within a proximity of 10 terms: morderstwo, kradzieŝ, korupcja, oszustwo, terroryzm, narkotyki, wŝçamanie, gwaŝçt, napad, kradzieŝ samochodŝw, samobŝjstwo, porwanie, handel ludŝmi, przemyt ludzi (or) handel bronifö. (All terms case insensitive; diacritics are optional.)	Built-In
Gender (Spain)	Spain Gender matches with any of the following keywords: Gŝnero (or) Sexo combined with any of the following keywords within a proximity of 10 terms: M, Masculino, F, Femenino, Otros, Otro (or) O (All terms case insensitive; diacritics are optional.)	Built-In
Height (Belgium)	Belgium person,ŝs height described in Imperial or metric units, appearing within 10 terms of the keywords Hoogte. Imperial measurements may use feet and inches or only by inches. Metric measurements may use meters or centimeters. Examples: Hoogte 5'11" or 179.09cm or 5ft11in. (All text is case-insensitive.)	Built-In

Ethnicity (Cyprus)	Cyprus Ethnicity matches with any of the keywords: Built-In Εἰς τὸν Εὐρωπαϊκὸν Ἰσχυρὸν Ἐθνικὸν, Etnik k/ñken, Εἰς τὸν Εὐρωπαϊκὸν Ἰσχυρὸν Εὐρωπαϊκὸν Ἐθνικὸν, Etnik (or) Etnik grubu combined with any of the following keywords within a proximity of 10 terms: Εἰς τὸν Εὐρωπαϊκὸν Ἰσχυρὸν Ἐθνικὸν, Ἐθνικὸν, Kf±brf±slf± Rumlar, Εἰς τὸν Εὐρωπαϊκὸν Ἰσχυρὸν Ἐθνικὸν, Ἐθνικὸν, Kf±brf±slf± T/°rkler, Εἰς τὸν Εὐρωπαϊκὸν Ἰσχυρὸν, Yunanlf±lar, Εἰς τὸν Εὐρωπαϊκὸν Ἰσχυρὸν, T/°rkler, Εἰς τὸν Εὐρωπαϊκὸν Ἰσχυρὸν Ἐθνικὸν, Maronitler, Εἰς τὸν Εὐρωπαϊκὸν Ἰσχυρὸν Ἐθνικὸν Ἐθνικὸν Ἐθνικὸν, Kf±brf±s'ta Kf±zf±lderililer, Εἰς τὸν Εὐρωπαϊκὸν Ἰσχυρὸν Εἰς τὸν Εὐρωπαϊκὸν Ἰσχυρὸν Ἐθνικὸν Εἰς τὸν Εὐρωπαϊκὸν Ἰσχυρὸν Ἐθνικὸν (or) Kuzey Kf±brf±s'taki T/°rkyerle≈üimciler. (All terms case insensitive; diacritics are optional.)	Built-In
Licence Plate Number (UK)	UK Licence Plate Number matches a valid licence plate Built-In number combined with any of the following keywords within a proximity of 10 terms: licence plate, registration. no., plate. no., licence number, DVLA, DVLA#, licence plate number (or) registration number. (All terms case insensitive.)	Built-In
Routing Number (Slovenia)	Slovenia Routing Number matches a valid routing Built-In number combined with any of the following keywords within a proximity of 10 terms: ≈°tevilka za usmerjanje, banfçna ≈°t. za usmerjanje, banfçno usmerjanje, ≈°t. za usmerjanje, ≈°t.usmerjanja, usmerjevalna ≈°tevilka (or) RTN. (All terms case insensitive; diacritics are optional.)	Built-In

Eye Color (Slovakia)	Slovakia Eye Color matches with any of the following keywords farba očí ≠, farba dúhovky (or) farba oka combined with any of the following keywords within a proximity of 10 terms: hnedý, modrý, zelený, orieškový, jantárový, sivý, heterochrómia (or) iný farba. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (Chile)	Chile Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: dirección, distrito de código postal, área de código postal, unidad de código postal (or) sector de código postal. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number (Serbia)	Serbia National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, broj nacionalne kartice, br nacionalne kartice, matični identifikacioni broj, broj lične karte, lična karta, br LK (or) LK. (All terms case insensitive; diacritics are optional.)	Built-In
Ethnicity (Lithuania)	Lithuania Ethnicity matches with any of the keywords: Etninė kuma, Etninė (or) Etninė grupė combined with any of the following keywords within a proximity of 10 terms: lietuviai, lenkai, rusai, baltarusiai, amerikiečiai lietuviai, prūsų lietuviai, jotvingiai, žemaičiai, brazilai lietuviai (or) kanadiečiai. (All terms case insensitive; diacritics are optional.)	Built-In

Issuing Authority (Russia)

Russia Issuing Authority matches a valid issuing authority combined with any of the following keywords within a proximity of 10 terms:

Built-In

-ú-Π-Ω-Π-Ä-Ç-μ-Ä-Ä-Ç-≤-æ
 -≤-Ω-É-Ç-Ä-μ-Ω-Ω-Π-Ö-¥-μ-^a
 -†-æ-Ä-Ä-Π-π-Ä-ƒ-æ-π-š-μ-¥-μ-Ä-∞-Ü-Π-Π,
 -ú-Π-Ω-Π-Ä-Ç-μ-Ä-Ä-Ç-≤-æ
 -≤-Ω-É-Ç-Ä-μ-Ω-Ω-Π-Ö-¥-μ-^a,
 -š-μ-¥-μ-Ä-∞-^a-å-Ω-∞-è
 -^o-Π-≥-Ä-∞-Ü-Π-æ-Ω-Ω-∞-è-Ä-^a-É-ð-±-∞,
 -ì-^a-∞-≤-Ω-æ-μ-É-ø-Ä-∞-≤-^a-μ-Ω-Π-μ-ø-æ
 -≤-æ-ø-Ä-æ-Ä-∞-^o-^o-Π-≥-Ä-∞-Ü-Π-Π,
 -£-ø-Ä-∞-≤-^a-μ-Ω-Π-μ-ø-æ-≤-æ-ø-Ä-æ-Ä-∞-^o
 -^o-Π-≥-Ä-∞-Ü-Π-Π,
 -ϕ-μ-Ä-Ä-Π-Ç-æ-Ä-Π-∞-^a-å-Ω-æ-μ
 -ø-æ-¥-Ä-∞-Σ-¥-μ-^a-μ-Ω-Π-μ-ú-í-î,
 -ϕ-μ-Ä-Ä-Π-Ç-æ-Ä-Π-∞-^a-å-Ω-æ-μ
 -ø-æ-¥-Ä-∞-Σ-¥-μ-^a-μ-Ω-Π-μ
 -ú-Π-Ω-Π-Ä-Ç-μ-Ä-Ä-Ç-≤-∞
 -≤-Ω-É-Ç-Ä-μ-Ω-Ω-Π-Ö-¥-μ-^a,
 -ϕ-μ-Ä-Ä-Π-Ç-æ-Ä-Π-∞-^a-å-Ω-ã-π
 -æ-Ä-≥-∞-Ω-ú-í-î,
 -ϕ-μ-Ä-Ä-Π-Ç-æ-Ä-Π-∞-^a-å-Ω-ã-π
 -æ-Ç-¥-μ-^a-ú-í-î,
 -ì-æ-Ä-É-¥-∞-Ä-Ä-Ç-≤-μ-Ω-Ω-∞-è
 -Ä-μ-≥-Π-Ä-Ç-Ä-∞-Ü-Π-è-∞-ƒ-Ç-æ-≤-

Health Service Number (Egypt)

Egypt Health Service Number matches a valid health service number combined with any of the following keywords within a proximity of 10 terms: $\ddot{y}\ddot{B}\ddot{Y}\ddot{N}\ddot{y}\pm\ddot{Y}\ddot{C}\ddot{Y}\ddot{O}$ $\ddot{y}\ddot{B}\ddot{Y}\ddot{N}\ddot{y}\mu\ddot{y}\ddot{Y}\ddot{a}$ $\ddot{y}\ddot{B}\ddot{Y}\ddot{N}\ddot{y}\ddot{Y}\ddot{A}\ddot{E}\ddot{y}\mu\ddot{Y}\ddot{a}$, $\ddot{y}\pm\ddot{Y}\ddot{C}\ddot{Y}\ddot{O}$ $\ddot{y}\ddot{B}\ddot{Y}\ddot{N}\ddot{y}\ddot{A}\ddot{E}\ddot{y}\ddot{O}\ddot{Y}\ddot{O}\ddot{y}\odot$ $\ddot{y}\ddot{B}\ddot{Y}\ddot{N}\ddot{y}\mu\ddot{y}\ddot{Y}\ddot{a}\ddot{y}\odot$, $\ddot{Y}\ddot{O}\ddot{y}\pi\ddot{Y}\ddot{N}\ddot{Y}\ddot{a}\ddot{Y}\ddot{O}\ddot{y}\ddot{B}\ddot{Y}\ddot{N}\ddot{Y}\ddot{O}\ddot{y}\pm\ddot{Y}\ddot{a}\ddot{y}\ddot{a}$ (or) $\ddot{y}\ddot{B}\ddot{Y}\ddot{N}\ddot{y}\ddot{A}\ddot{E}\ddot{y}\ddot{O}\ddot{Y}\ddot{O}\ddot{y}\ddot{B}\ddot{Y}\ddot{N}\ddot{Y}\ddot{O}\ddot{y}\ddot{Y}\ddot{A}\ddot{E}\ddot{y}\mu\ddot{y}\mu\ddot{Y}\ddot{a}\ddot{y}\odot$.

Built-In

Postcode (United Arab Emirates)	United Arab Emirates Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: $\bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}\pi\bar{Y}\bar{U}\bar{y}\bar{a}\bar{y}\bar{B}\bar{Y}\bar{U}$, $\bar{y}\neq\bar{Y}\bar{a}$ $\bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}\pm\bar{Y}\bar{O}\bar{y}\leq\bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}^*\bar{y}\pm\bar{Y}\bar{a}\bar{y}\bar{O}\bar{Y}\bar{a}$, $\bar{Y}\bar{O}\bar{Y}\bar{U}\bar{y}\Sigma\bar{Y}\bar{C}\bar{y}\odot$ $\bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}\pm\bar{Y}\bar{O}\bar{y}\leq\bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}^*\bar{y}\pm\bar{Y}\bar{a}\bar{y}\bar{O}\bar{Y}\bar{a}$, $\bar{Y}\bar{a}\bar{y}\neq\bar{y}\bar{O}\bar{y}\odot\bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}\pm\bar{Y}\bar{O}\bar{y}\leq$ $\bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}^*\bar{y}\pm\bar{Y}\bar{a}\bar{y}\bar{O}\bar{Y}\bar{a}$, $\bar{Y}\bar{C}\bar{y}\Sigma\bar{y}\bar{B}\bar{y}\pi\bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}\pm\bar{Y}\bar{O}\bar{y}\leq$ $\bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}^*\bar{y}\pm\bar{Y}\bar{a}\bar{y}\bar{O}\bar{Y}\bar{a}$ (or) $\bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}\pm\bar{Y}\bar{O}\bar{y}\leq\bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}^*\bar{y}\pm\bar{Y}\bar{a}\bar{y}\bar{O}\bar{Y}\bar{a}$.	Built-In
Tax ID Number (Hungary)	Hungary Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: $ad\sqrt{\geq}$ $azonos\sqrt{\neq t\sqrt{\geq}}sz\sqrt{^om}$, $ad\sqrt{\geq}id\sqrt{sz\sqrt{^om}}$, $ad\sqrt{\geq}sz\sqrt{^om}$, $ad\sqrt{\geq}azonos\sqrt{\neq t\sqrt{\geq}}k\sqrt{\geq d}$, $ad\sqrt{\geq}nyilv\sqrt{^ontart\sqrt{^os}}$, $ad\sqrt{\geq}azonos\sqrt{\neq t\sqrt{\geq}}sz\sqrt{^om}$, $ad\sqrt{\geq}sz\sqrt{^om\#}$, $ad\sqrt{\geq}azonos\sqrt{\neq t\sqrt{\geq}}\#$, $ad\sqrt{\geq}regisztr\sqrt{^oci\sqrt{\geq ssz\sqrt{^om\#}}}$, $ad\sqrt{\geq}azonos\sqrt{\neq t\sqrt{\geq}}sz\sqrt{^om\#}$ (or) $ad\sqrt{\geq}azonos\sqrt{\neq t\sqrt{\geq}}$. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number - OIB (Croatia)	Croatia National ID Number - OIB (osobni identifikacijski broj) matches a valid OIB combined with any of the following keywords within a proximity of 10 terms: Croatian identity card (or) Osobna iskaznica. (All terms case insensitive.)	Built-In
Gender (Luxembourg)	Luxembourg Gender matches with the keyword: Geschlecht combined with any of the following keywords within a proximity of 10 terms: M, F, $m\sqrt{^snnlech}$, $weiblech$ (or) $aner$ (All terms case insensitive; diacritics are optional.)	Built-In
Gender (Finland)	Finland Gender matches with the keyword: sukupuoli combined with any of the following keywords within a proximity of 10 terms: m, mies, n, nainen (or) muu (All terms case insensitive.)	Built-In

International Bank Account Number ,Äì IBAN (Estonia)	Estonia International Bank Account Number ,Äì IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: Pangakonto, IBAN, finants, makse, rahvusvaheline √°lekanne, raha√°lekanded (or) riigi kood. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Portugal)	Portugal License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: n√°mero de matr√°cula, n√°mero da matr√°cula, chapas de matr√°cula, chapa de matricula, n√°mero da placa, n√°mero do registo, n.√°o registo, n.√°o matricula (or) matr√°cula. (All terms case insensitive; diacritics are optional.)	Built-In
Company Number (Turkey)	Turkey Company Number - CRS (Central Registration System Number) matches a valid CRS number combined with any of the following keywords within a proximity of 10 terms: Central registration system number, CRS number, √°üirket numarasf±, √°üirket no#, √°üirket no, kurumsal kimlik numarasf±, kurumsal tescil numarasf± (or) kurumsal numara. (All terms case insensitive; diacritics are optional.)	Built-In
Height (Sweden)	Sweden person,Äôs height described in Imperial or metric units, appearing within 10 terms of the keywords L√°ngd (or) Lngd. Imperial measurements may use fot and tum or only by tum. Metric measurements may use meter or Centimeter. Examples: L√°ngd 5'11" or 180.46cm or 5ft 11in. (All terms case insensitive; diacritics are optional.)	Built-In

Hair Color (Lithuania)	Lithuania Hair color matches with any of the following keywords Plauk≈≥ spalva (or) Plauk≈≥ atspalvis combined with any of the following keywords within a proximity of 10 terms: Raudona, Auksinfó, Gelsva, Pilka, Ruda, Juoda, ≈†viesi (or) cita krġÅsa. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (India)	India Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: tax identification number, tax id number, tax identity number, tax number, Tax Identification Code, tax file, tax identification no, tax no#, tax no, tax registration number, taxid#, taxidno#, taxidnumber#, taxno#, taxnumber#, taxnumber, tin id, tin no, tin#, TIN, tax id (or) tax file number. (All terms case insensitive.)	Built-In
Company Number (Jordan)	Jordan Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: ŷ±ŸÇŸÖ ŷBŸÑŸÜŷ¥ŷBŷΣ ŷBŸÑŷ™ŷ¨ŷBŷ±Ÿä (or) ŸÖŷπŷ±ŸÅ ŷBŸÑŸÜŷ¥ŷBŷΣ ŷBŸÑŷ™ŷ¨ŷBŷ±Ÿä.	Built-In

Credit Card Number ,Äi Strict	Numbers identified as potentially valid payment cards matching a 15 or 16 digit length with or without - or space. The matched identifier value must also combine with a following keyword within a proximity of 10 terms. Below is a list of example keywords. account number, credit card, account ps, american express, americanexpress, amex, bank card, bankcard, card num, card number, cc #, ccn, check card, checkcard, creditcard, credit card #, credit card number, debit card, debitcard, diners club, dinersclub, discover, enroute, japanese card bureau, jcb, mastercard, master card, mc, visa.	Built-In
Company Number (Malta)	Malta Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: numru tar-ref^oistrazzjoni tal-kumpanija, numru tal-kumpanija#, numru tal-kumpanija, numru ta identifikazzjoni korporattiva (or) numru korporattiv. (All terms case insensitive; diacritics are optional.)	Built-In

Phone Number (UK)	UK Phone number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: mobile phone number, mobilephone number, mobile phone no., mobilephone no., mobile number, mobilenumber, mobile no., mobileno., mobile, contact number, contact no., contact, fax number, fax no., cell phone number, cellphone number, cell phone no., cellphone no., cell phone, cellphone, cell number, cellnumber, cell no., cellno., whatsapp number, whatsapp no., whatsapp, phone number, phone no., phone num, telephonic number, telephone number, telephone no., telephone, landline number, landline no. (or) landline num. (All terms case insensitive.)	Built-In
License Plate Number (Hong Kong)	Hong Kong License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: ĖªăĀăăĖōüĀ¢°, ĖªăĀăă, ĖªăĖ°ōĀôªĖ°ðĖōüĀ¢° (or) ĀôªĖ°ðĖōüĀ¢°.	Built-In
Tax ID Number (Egypt)	Egypt Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: ŷ±ŸÇŸŦ ŸŦŷπŷ±ŸĀ ŷβŸŸŷðŷ±Ÿăŷ°ŷ©, ŷ±ŸÇŸŦ ŷβŸŸŷðŷ±Ÿăŷ°ŷ©, ŷ±ŸÇŸŦ ŷβŸŸŷŷ°πŷ±ŸăŸĀ ŷβŸŸŷðŷ±Ÿăŷ°Ÿă, ŷ±ŸŦŷ≤ ŸŦŷπŷ±ŸĀ ŷβŸŸŷðŷ±Ÿăŷ°ŷ©, ŸŦŸŸŸĀ ŷðŷ±Ÿăŷ°Ÿă, ŷ±ŸÇŸŦ ŷβŸŸŷŷ°πŷ±ŸăŸĀ ŷβŸŸŷðŷ±Ÿăŷ°Ÿă, taxidnumber#, taxidnumber, taxidno#, taxidno, tax no#, tax no, taxid#, taxid, taxno#, taxno, taxnumber#, taxnumber, tax id, tin id, tin no, tin#, TIN (or) ŷβŸŸŸŦŸŦŷπŷ±ŸĀ ŷβŸŸŷðŷ±Ÿăŷ°Ÿă. (All terms case insensitive.)	Built-In

Ethnicity (Spain)	Spain Ethnicity matches with any of the keywords: Etnicidad, √@tnico (or) √@tnico Grupo combined with any of the following keywords within a proximity of 10 terms: espa√±oles, vascos, catalanes, gallegos, hispanos, peninsulares, castellanos, valencianos, asturianos, argelinos en Espa√±a, albaneses en Espa√±a, occitanos, c√°ntabros, caboverdianos espa√±oles, espa√±oles de filipinos, ascendencia, marroqu√≠es en Espa√±a, leoneses, turcos en Espa√±a, extreme√±os, uruguayos en Espa√±a, gitanas, paquistan√≠es en Espa√±a, coreanos en Espa√±a, japoneses en Espa√±a, georgianos en Espa√±a, latinoamericanos, espa√±oles canadienses, espa√±oles en M√©xico, espa√±oles brasile√±os, inmigraci√≥n espa√±ola a Cuba, Colombiano hispano, Hispanoamericanos, Visigodos, Australianos espa√±oles, Andaluces, Ecuatorianos, Bolivianos, Rumanos, Colombianos, Marroqu√≠es, Brit√°nicos blancos, Lusitanos, Argentinos descendientes de europeos, Jud√≠os sefard√≠es, Jud√≠os espa√±oles y portugueses, Hispanos asi√°ticos y (or) atinoamericanos. (All terms case insensitive; diacritics are optional.)	Built-In
Business Number (Slovakia)	Slovakia Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: registračn√© fč√≠slo obchodn√©, obchodn√© fč√≠slo, obchodn√© fč. (or) obchodn√© ID. (All terms case insensitive; diacritics are optional.)	Built-In

National ID Number - PCN (Lithuania)	Lithuania National ID Number - PCN (Personal Code Number) matches a valid PCN with any of the following keywords within a proximity of 10 terms: lietuviu, asmens kodas (or) mokesčių identifikavimo numeris. (All terms case insensitive; diacritics are optional.)	Built-In
Health Service Number (Puerto Rico)	Puerto Rico Health Service Number matches a valid health service number combined with any of the following keywords within a proximity of 10 terms: número personal médico, número de servicio de salud, número de servicio de salud, información del paciente (or) servicios especializados. (All terms case insensitive; diacritics are optional.)	Built-In
Criminal Record (Malta)	Malta Criminal records matches with any of the following keywords rekord kriminali (or) rekord tal-pulizija combined with any of the following crime keywords within a proximity of 10 terms: qtil, serq, korruzzjoni, frodi, terrorizmu, droga, stupru, serq ta' karozi, suwifajdu, fbit, traffikar ta' persuni, kuntrabandu ta' bnedmin (or) traffikar ta' armi. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number - RUT (Chile)	Chile National ID Number - RUT (Rol Único Tributario Number) matches a valid RUT number combined with any of the following keywords within a proximity of 10 terms: NIN número, número de tarjeta de identidad nacional, número de tarjeta nacional, número de identificación nacional, Rol Único Tributario, RUT (or) identificación nacional. (All terms case insensitive; diacritics are optional.)	Built-In

VAT ID Number (Netherlands)	Netherlands VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: nummer belasting toegevoegde waarde, belasting toegevoegde waarde, btwnummer, btw-nummer, btw-identificatie, btw-id, btw-nr, btw# (or) btw. (All terms case insensitive.)	Built-In
Passport Number (Puerto Rico)	Puerto Rico Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: identificaci√≥n para viajes internacionales, detalles del pasaporte, visa, documento nacional de identidad, n√fmero de pasaporte, documento de viaje, autoridad emisora, prueba de identificaci√≥n, ID de pasaporte, n.∞ de pasaporte (or) pasaporte. (All terms case insensitive; diacritics are optional.)	Built-In
Driver's License Number (Spain)	Spain Driver's license matches a valid license number combined with any of the following keywords within a proximity of 10 terms: carn√© con fotograf√a, conductores en pr√cticas, titular de la licencia, titulares de la licencia, n√fmero de licencia, n√fmero de permiso, permisos de conducci√≥n, permiso de conducir, carn√© de conducir, licencia de conductor, licencia de conducci√≥n (or) carnet de conducir. (All terms case insensitive; diacritics are optional.)	Built-In
Ethnicity (Portugal)	Portugal Ethnicity matches with any of the keywords: Etnia, Grupo √©tnico (or) √©tnico combined with the following keyword within a proximity of 10 terms: Portugu√™s. (All terms case insensitive; diacritics are optional.)	Built-In

License Plate Number (Cyprus)	Cyprus License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: $\text{C}\epsilon\pm\text{C}\epsilon\text{\AA}$. $\text{C}\epsilon\text{J}\text{C}\epsilon\pm\text{C}\epsilon\tilde{\text{N}}\text{C}\epsilon\pm\text{C}\epsilon\acute{\alpha}\text{C}\epsilon\acute{\epsilon}\text{C}\epsilon\text{\AA}\text{C}\epsilon\sum\text{C}\epsilon\acute{\text{E}}\text{C}\epsilon\sum\text{C}\epsilon\text{C}$, $\text{C}\epsilon\pm\text{C}\epsilon\text{\AA}$. $\text{C}\epsilon\text{\AA}\text{C}\epsilon\pi\text{C}\epsilon\Omega\text{C}\epsilon\pm\text{C}\epsilon\text{J}\text{C}\epsilon\emptyset\text{C}\epsilon\neq\text{C}\epsilon\pm\text{C}\epsilon\text{C}$, $\text{C}\epsilon\pm\text{C}\epsilon\text{\AA}\text{C}\epsilon\pi\text{C}\epsilon\text{J}\text{C}\epsilon^{\circ}\text{C}\epsilon\text{\AA}\text{C}\epsilon\text{C}$ $\text{C}\epsilon^{\circ}\text{C}\epsilon\neq\text{C}\epsilon\mu\text{C}\epsilon\pi\text{C}\epsilon\pm\text{C}\epsilon\text{C}$, $\text{C}\epsilon\pm\text{C}\epsilon\text{\AA}\text{C}\epsilon\pi\text{C}\epsilon\text{J}\text{C}\epsilon^{\circ}\text{C}\epsilon\text{\AA}\text{C}\epsilon\text{C}$ $\text{C}\epsilon\text{J}\text{C}\epsilon\ddot{\text{O}}\text{C}\epsilon\text{J}\text{C}\epsilon^{\text{a}}\text{C}\epsilon\emptyset\text{C}\epsilon\ddot{\text{U}}\text{C}\epsilon\emptyset\text{C}\epsilon\text{\AA}\text{C}\epsilon\emptyset\text{C}\epsilon\pm\text{C}\epsilon\text{C}$, $\text{C}\epsilon\text{\AA}\text{C}\epsilon\pi\text{C}\epsilon\Omega\text{C}\epsilon\pm\text{C}\epsilon\text{J}\text{C}\epsilon\emptyset\text{C}\epsilon\neq\text{C}\epsilon\pm$ $\text{C}\epsilon\text{J}\text{C}\epsilon\ddot{\text{O}}\text{C}\epsilon\text{J}\text{C}\epsilon^{\text{a}}\text{C}\epsilon\emptyset\text{C}\epsilon\ddot{\text{U}}\text{C}\epsilon\emptyset\text{C}\epsilon\text{\AA}\text{C}\epsilon\emptyset\text{C}\epsilon\pm\text{C}\epsilon\text{C}$, $\text{C}\epsilon\pm\text{C}\epsilon\text{\AA}\text{C}\epsilon\pi\text{C}\epsilon\text{J}\text{C}\epsilon^{\circ}\text{C}\epsilon\text{\AA}\text{C}\epsilon\text{C}$ $\text{C}\epsilon\text{J}\text{C}\epsilon\pm\text{C}\epsilon\tilde{\text{N}}\text{C}\epsilon\pm\text{C}\epsilon\acute{\alpha}\text{C}\epsilon\acute{\epsilon}\text{C}\epsilon\text{\AA}\text{C}\epsilon\sum\text{C}\epsilon\acute{\text{E}}\text{C}\epsilon\sum\text{C}\epsilon\text{C}$, ta~üf±t plakasf±, tescil no., plaka no., plaka numarasf±, plaka (or) tescil numarasf±. (All terms case insensitive; diacritics are optional.)	Built-In
International Bank Account Number ,Äì IBAN (Luxembourg)	Luxembourg International Bank Account Number ,Äì IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: luxembourg, num√@ro de compte bancaire international, compte bancaire international, compte bancaire, num√@ro de compte bancaire, ils sont all√@s, financier, Paiement, Compte, banque, monnaie internationale, transferts dargent, code postal, Internationale Kontonummer, internationales Bankkonto, Bankkonto, Kontonummer, finanziell, Konto, internationales Geld, Geld√°berweisungen, Landesvorwahl, international Bankkonto, internationale Bankkonto, Bankkonto, finanziell, Bezuelung, Kont, internationale Suen, Geldtransferen, Land Code (or) L√´tzebuerg. (All terms case insensitive; diacritics are optional.)	Built-In

Driver's License Number (Puerto Rico)	Puerto Rico Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: licencia de tarjeta con foto, licencia estudiante, titulares de licencia, titular de licencia, número de licencia, licencias de conducir, licencia del conductor, licencia de conducir (or) carnet de conducir. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Hungary)	Hungary Phone number matches a Hungarian phone number combined with any of the following keywords within a proximity of 10 terms: telefonszám, telefonszám., telefon szám, telefon, mobil szám (or) mobiltelefonszám. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Sweden)	Sweden VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: momsnr., momsnummer, moms#, moms nummer (or) moms. (All terms case insensitive.)	Built-In
VAT ID Number (Taiwan)	Taiwan VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: vat 稅號, vat 稅號, 稅號, vat 稅號, vat 稅號, vat 稅號, vat 稅號, vat 稅號, vat 稅號, vat 稅號 (or) VAT. (All terms case insensitive.)	Built-In
Postcode (UK)	UK Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: address, residency, location, postal, royal mail, postcode, code-point open, postcode district, postcode area, postcode unit, postcode sector (or) zip code. (All terms case insensitive.)	Built-In

Bank Account Number (Philippines)	Philippines Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: bank account number, bank details, bank number, account code, account id, account number (or) numbered account. (All terms case insensitive.)	Built-In
Expiry Date (Italy)	Italy Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Data di scadenza (or) scadenza. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Kuwait)	Kuwait Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: ÿ±ŸÇŸÖ ŸBŸÑŸ≠Ÿ≥ŸBŸ® ŸBŸÑŸ®ŸÜŸÉŸä, Ÿ™ŸÄŸBŸµŸäŸÑ ŸBŸÑŸ®ŸÜŸÉ, Ÿ±ŸÇŸÖ ŸBŸÑŸ®ŸÜŸÉ, ŸÉŸàŸØ ŸBŸÑŸ≠Ÿ≥ŸBŸ®, ŸÖŸπŸ±ŸëŸÅ ŸBŸÑŸ≠Ÿ≥ŸBŸ®, Ÿ±ŸÇŸÖ ŸBŸÑŸ≠Ÿ≥ŸBŸ® (or) ŸBŸÑŸ≠Ÿ≥ŸBŸ® ŸBŸÑŸÖŸèŸ±ŸÇŸëŸéŸÖ.	Built-In
Passport Number (Dominican Republic)	Dominican Republic Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: identificaci√≥n para viajes internacionales, detalles del pasaporte, visa, documento nacional de identidad, n√mero de pasaporte, documento de viaje, autoridad emisora, prueba de identificaci√≥n, ID de pasaporte, n.∞ de pasaporte (or) pasaporte. (All terms case insensitive; diacritics are optional.)	Built-In

Social Insurance Number - SIN (Sweden)	Sweden Social Insurance Number - SIN matches a valid social insurance number combined with any of the following keywords within a proximity of 10 terms: socialf√ðrs√\$kring, sin#, socialf√ðrs√\$kr., socialf√ðrs√\$kringsnr., soc.f√ðrs√\$kr. (or) socialf√ðrs√\$kringsnummer. (All terms case insensitive; diacritics are optional.)	Built-In
Height (Luxembourg)	Luxembourg person,Âs height described in Imperial or metric units, appearing within 10 terms of the keywords H√©icht. Imperial measurements may use F√©iss and Zoll or only by Zoll. Metric measurements may use meter or Zentimeter. Examples: H√©icht 5'10" or 165.07cm or 5ft10in. (All terms case insensitive; diacritics are optional.)	Built-In

Date of Issue (Russia)	Russia Date of Issue matches a valid date of issue combined with any of the following keywords within a proximity of 10 terms: -∞—Ç-∞ -≤—ã-¥-∞—á-Π -¥-æ-∫—É-°-μ-Ω—Ç-∞, -¥-∞—Ç-∞ -≤—ã-¥-∞—á-Π -ø-∞—Å-ø-æ—Ä-Ç-∞, -¥-∞—Ç-∞ -≤—ã-¥-∞—á-Π —É-¥-æ—Å-Ç-æ-≤-μ—Ä-μ-Ω-Π—è -ª-Π—á-Ω-æ—Å-Ç-Π, -¥-∞—Ç-∞ -≤—ã-¥-∞—á-Π -≤-æ-¥-Π—Ç-μ-ª-å-Å-∫-æ-≥-æ —É-¥-æ—Å-Ç-æ-≤-μ—Ä-μ-Ω-Π—è, -¥-∞—Ç-∞ -≤—ã-¥-∞—á-Π —Å-≤-Π-¥-μ-Ç-μ-ª-å-Å-Ç-≤-∞, -¥-∞—Ç-∞ -≤—ã-¥-∞—á-Π —É-¥-æ—Å-Ç-æ-≤-μ—Ä-μ-Ω-Π—è, -¥-∞—Ç-∞ -≤—ã-¥-∞—á-Π —Å-μ—Ä-Ç-Π—Ñ-Π-∫-∞—Ç-∞, -¥-∞—Ç-∞ -≤—ã-¥-∞—á-Π -≤-Π-Σ-ã, -¥-∞—Ç-∞ -≤—ã-¥-∞—á-Π ID--∫-∞—Ä-Ç-ã, -≤—ã-¥-∞-Ω-æ-≤, -≤—ã-¥-∞-Ω-≤, -°-μ—Å-Ç-æ-≤—ã-¥-∞—á-Π, -∫-μ-° -≤—ã-¥-∞-Ω, -¥-∞—Ç-∞ -≤—ã-¥-∞—á-Π, -≤—ã-¥-∞-Ω-æ, -≤—ã-¥-∞-Ω, -æ-Ñ-æ—Ä-°-ª-μ-Ω, -¥-∞—Ç-∞ -≤—ã-ø—É—Å-∫-∞, -¥-∞—Ç-∞ -Π-Σ-¥-∞-Ω-Π—è (or) -¥-∞—Ç-∞ -æ-Ñ-æ—Ä-°-ª-μ-Ω-Π—è.	Built-In
------------------------	---	----------

Ethnicity (Czech)	Czech Ethnicity matches with any of the keywords: Etnick√° skupina, etnick√° (or) etnick√° skupina combined with any of the following keywords within a proximity of 10 terms: Z√°padoslovan≈t√≠, Slovansk√° etnolingvistick√° skupina, fçe≈i, Slov√°ci, fçe≈i,ÄìSlov√°ci, Slovan√°©, Moravan√°©, Nfõmci, Romov√°©, Pol√°ci (or) fçe≈i. (All terms case insensitive; diacritics are optional.)	Built-In
-------------------	---	----------

Family Educational Rights and Privacy Act ,À FERPA	Family Educational Rights and Privacy Act ,À FERPA matches a valid FERPA combined with any of the following keywords within a proximity of 10 terms: student transcripts and grades, degree information, class schedule, advising records, disciplinary records, athletics recruiting information, department recruiting information, wire transfer information, loan information, student tuition bills, advising records, other non-directory information, student health, educational records, student address, student id, parent financial, grade point average, final average, class roster, Name, Student ID, Address, DOB, Date of Birth, Parent (or) Guardian. (All terms case insensitive.)	Built-In
Postcode (Ukraine)	Ukraine Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: -∞-¥-Ä-μ-Å-∞, -ø-æ-à-Ç-æ-≤-Π-π -f-æ-¥-Ä-∞-π-æ-Ω-É, -ø-æ-à-Ç-æ-≤-Π-π-f-æ-¥ -æ-±-ª-∞-Å-Ç-ñ, -ø-æ-à-Ç-æ-≤-Π-π-f-æ-¥ -Ä-æ-Σ-¥-ñ-ª-É, -ø-æ-à-Ç-æ-≤-Π-π-f-æ-¥ -Å-μ-f-Ç-æ-Ä-∞ (or) -ø-æ-à-Ç-æ-≤-Π-π-f-æ-¥.	Built-In
License Plate Number (Morocco)	Morocco License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: ÿ±ŸÇŸÖ ŸÑŸàŸ≠Ÿ© ŸßŸÑŸ™Ÿ±ŸÆŸäŸμ, Ÿ±ŸÇŸÖ ŸßŸÑŸÑŸäŸ≠Ÿ©, Ÿ±ŸÇŸÖ ŸßŸÑŸ™Ÿ±ŸÆŸäŸμ, ŸÑŸàŸ≠Ÿ© ŸßŸÑŸ™Ÿ±ŸÆŸäŸμ (or) Ÿ±ŸÇŸÖ ŸßŸÑŸ™Ÿ±ŸÆŸäŸμ.	Built-In

Passport Number (Argentina)	Argentina Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: identificaci√≥n para viajes internacionales, detalles del pasaporte, visa, documento nacional de identidad, n√úmero de pasaporte, documento de viaje, autoridad emisora, prueba de identificaci√≥n, ID de pasaporte, n.º de pasaporte, identificaci√≥n (or) pasaporte. (All terms case insensitive.)(All terms case insensitive; diacritics are optional.)	Built-In
Driver's License Number (Botswana)	Botswana Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: photocard licence, learner drivers, licence holders, licence holder, licence number, license number, driving licences, driving licenses, driving licence, driving license, driver's licence, drivers licence, driver's license (or) drivers license. (All terms case insensitive.)	Built-In
Gender (UK/US)	UK/US Gender matches with any of the following keywords: Gender (or) Sex combined with any of the following keywords within a proximity of 10 terms: Male, Female, M, F, Others, Other (or) O. (All terms case insensitive.)	Built-In

Religion (Czech)	Czech Religion matches with any of the following keywords: N ^o bo ^æ enstv [≠] (or) V ^f o ^o c [≠] combined with any of the following keywords within a proximity of 10 terms: K ^o es [•] anstv [≠] , K ^o es [•] an, Hinduismus, Hinduista, Isl ^o m, Muslim, Budhismus, Budhista, ^æ eid, Protestant, Katol [≠] k, V ^o chodn [≠] , Pravoslavn ^o , V ^o chodn [≠] Pravoslavn ^o , Jin ^o k ^o es [•] an, Jin ^o © n ^o bo ^æ enstv [≠] , Ateista, Agnostik (or) Bez n ^o bo ^æ enstv [≠] . (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Ireland)	Ireland License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: uimhir pl ^o ta cead ^o fnais, uimhir chead ^o fnais, uimhir chl ^o raithe (or) pl ^o ta cead ^o fnais. (All terms case insensitive; diacritics are optional.)	Built-In
Expiry Date (Romania)	Romania Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Data expir ^É erii, Dat ^É -expirare, Dat ^É expirare, Data de expirare (or) Dat ^É expirare. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Austria)	Austria Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: Bankkontonummer, Bankverbindung, Banknummer, Konto-Code, Konto-ID, Kontonummer (or) Nummernkonto. (All terms case insensitive.)	Built-In

Height (Norway)	Norway person, height described in Imperial or metric units, appearing within 10 terms of the keywords Høyde (or) Ht. Imperial measurements may use fot and tommer or only by tommer. Metric measurements may use meter or centimeter. Examples: Høyde 5'7" tommer 183, 78 cm, 5ft7in. (All terms case insensitive; diacritics are optional.)	Built-In
BankAccount Number (Bolivia)	Bolivia BankAccount Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: número de cuenta bancaria, detalles bancarios, número de banco, código de cuenta, ID de cuenta, número de cuenta (or) cuenta numerada. (All terms case insensitive; diacritics are optional.)	Built-In
Clearing Code (Indonesia)	Indonesia Clearing Code matches a valid clearing code combined with any of the following keywords within a proximity of 10 terms: nomor perutean, perutean bank#, perutean bank, no perutean, perutean #, perutean#, perutean, kode ngresiki, Nomor kode bank, Clearing Code (or) RTN. (All terms case insensitive.)	Built-In

Phone Number (Kenya)	Kenya Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: mobile phone number, mobilephone number, mobile phone no., mobilephone no., mobile number, mobilenumber, mobile no., mobileno., mobile, contact number, contact no., contact, fax number, fax no., cell phone number, cellphone number, cell phone no., cellphone no., cell phone, cellphone, cell number, cellnumber, cell no., cellno., whatsapp number, whatsapp no., whatsapp, phone number, phone no., phone num, telephonic number, telephone number, telephone no., telephone, landline number, landline no. (or) landline num. (All terms case insensitive.)	Built-In
Eye Color (Malta)	Malta Eye Color matches with any of the following keywords Kulur tal-gfβajnejn, kulur tal-iris (or) kulur tal-bofãfãa tal-gfβajnejn combined with any of the following keywords within a proximity of 10 terms: Kannella, Blu, Afβdar, ftlew≈°, Ambra, Gri≈°, Eterokromija (or) kulur iefβor. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Philippines)	Philippines License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: registration. no., plate. no., license number, license plate number, licence plate (or) registration number. (All terms case insensitive.)	Built-In

VAT ID Number (Hungary)	Hungary VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: $\sqrt{\circ}$ fasz $\sqrt{\circ}$ m, $\sqrt{\circ}$ faazonos $\sqrt{\neq}$ t $\sqrt{\geq}$, $\sqrt{\circ}$ fa#, $\sqrt{\circ}$ rt $\sqrt{\circ}$ kn $\sqrt{\partial}$ velt ad $\sqrt{\geq}$, $\sqrt{\circ}$ rt $\sqrt{\circ}$ kn $\sqrt{\partial}$ velt ad $\sqrt{\geq}$ sz $\sqrt{\circ}$ m, $\sqrt{\circ}$ fa azonos $\sqrt{\neq}$ t $\sqrt{\geq}$ (or) $\sqrt{\circ}$ fa. (All terms case insensitive; diacritics are optional.)	Built-In
Religion (Luxembourg)	Luxembourg Religion matches with any of the following keywords: Relioun (or) Relioun combined with any of the following keywords within a proximity of 10 terms: Chr $\sqrt{\text{'}}$ schtentum, Chr $\sqrt{\text{'}}$ scht, Hinduismus, Hindu, Islam, Muslim, Buddhismus, Buddhist, Jiddesch, Protestant, Kathoulesch, Ostlech, Orthodox, Ostlech Orthodox, Aner Chr $\sqrt{\text{'}}$ scht, Aner Relioun, Atheist, Agnostiker, Keng Relioun. (All terms case insensitive; diacritics are optional.)	Built-In
Criminal Record (Germany)	Germany Criminal records matches with any of the following keywords Vorstrafen, Strafregistereintrag (or) polizeiliches F $\sqrt{\circ}$ hrungszeugnis combined with any of the following crime keywords within a proximity of 10 terms: Mord, Diebstahl, Korruption, Betrug, Terrorismus, Drogen, Einbruch, Vergewaltigung, Raub, Autodiebstahl, Suizid, Entf $\sqrt{\circ}$ hrung, Menschenhandel, Menschenschmuggel (or) Waffenhandel. (All terms case insensitive; diacritics are optional.)	Built-In

VAT ID Number (Philippines)	Philippines VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: vat no., vat number, value added tax number, value added tax, vat no, vat# (or) VAT. (All terms case insensitive.)	Built-In
Postcode (Nigeria)	Nigeria Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: address, postcode district, postcode area, postcode unit, postcode sector (or) postcode. (All terms case insensitive.)	Built-In
Bank Account Number (Spain)	Spain Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: número de cuenta bancaria, datos bancarios, número de banco, código de cuenta, identificación de cuenta, número de cuenta, cuenta numerada, número de compte bancari, dades bancaries, número de banc, codi de compte, identificació del compte, número compte (or) compte numerat. (All terms case insensitive; diacritics are optional.)	Built-In
Region (Malta)	Malta Region matches with the following keyword: Refjun combined with any of the following keywords within a proximity of 10 terms: ċentrali, Għawdex, tat-Tramuntana, tax-Xlokk (or) tan-Nofsinhar. (All terms case insensitive; diacritics are optional.)	Built-In

ABA Routing Number (US)	US ABA Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: aba, aba#, aba routing#, aba routing number, abarouting#, aba number, abaroutingnumber, american bank association routing#, american bank association routing number, americanbankassociationrouting#, americanbankassociationroutingnumber, bank routing number, bankrouting#, bankroutingnumber, routing transit number (or) RTN. (All terms case insensitive.)	Built-In
SWIFT Code (Peru)	Peru SWIFT Code matches a valid SWIFT code combined with any of the following keywords within a proximity of 10 terms: número de cuenta bancaria internacional, número de IBAN, SWIFT Code, IBAN (or) número de cuenta bancaria internacional. (All terms case insensitive; diacritics are optional.)	Built-In
Health Insurance Number (Denmark)	Denmark Health Insurance Number matches a valid health insurance number combined with any of the following keywords within a proximity of 10 terms: sundhedsnummer, sundhedsfordele, sundhedsplejeordning, personligt sundhedsnummer, sundhedsregistrering, sundhedsforsikringsnummer, CPR-number, CPR number (or) sundhedslov. (All terms case insensitive; diacritics are optional.)	Built-In
Hair Color (Germany)	Germany Hair color matches with any of the following keywords Haarfarbe combined with any of the following keywords within a proximity of 10 terms: Rot, Goldblond, Flachsblond, Grau, Braun, Schwarz, Blond (or) andere Farbe. (All terms case insensitive.)	Built-In

Eye Color (Norway)	Norway Eye Color matches with any of the following keywords øyefarge, Irisfarge (or) øyenfarge combined with any of the following keywords within a proximity of 10 terms: Brun, Blø, Grønn, Grønnbrun, Ravgul, Grø, Heterokromatisk, other color (or) other colour. (All terms case insensitive; diacritics are optional.)	Built-In
Company Number (Puerto Rico)	Puerto Rico Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: n.º de la empresa, nºmero de la empresa, nºmero de identificaci³n corporativo, nºmero de registro de la empresa (or) nºmero corporativo. (All terms case insensitive; diacritics are optional.)	Built-In
Routing Number (Argentina)	Argentina Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: nºmero de routing, n.º de routing bancario, routing bancario, n.º de routing (or) RTN. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Australia)	Australia Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: swift bank code, bank account, bank details, direct deposit (or) bsb. (All terms case insensitive.)	Built-In

Tax ID Number - NIT (Colombia)	Colombia Tax ID Number - NIT (Numero De Identificacion Tributaria) matches a valid NIT number combined with any of the following keywords within a proximity of 10 terms: NIT, numero de identificacion tributaria, n√fmero de identificaci√≥n fiscal, n√fmero de identidad fiscal, c√≥digo de identificaci√≥n fiscal, archivo fiscal, n.√∞ de identificaci√≥n fiscal, n√fmero de registro fiscal, n.√∞ de ID fiscal, n.√∞ fiscal, n√fmero fiscal, ID fiscal, ID del NIF, n.√∞ del NIF (or) NIF. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Indonesia)	Indonesia VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: no. ppn, nomor ppn, nomor pajak pertambahan nilai, pajak pertambahan nilai, no ppn, ppn# (or) PPN. (All terms case insensitive.)	Built-In
Passport Number (Latvia)	Latvia Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: pase, identifikācija dokuments starptautiskam ceļojumam, pases informācija, vīza, valsts izdota identifikācija karte, pases numurs, ceļošanas dokuments, izdevījstāde, pase, identifikācija, identifikācijas pierādījums, pase, pasesid, pasesnr. (or) pases numurs. (All terms case insensitive; diacritics are optional.)	Built-In
Routing Number (Nigeria)	Nigeria Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: routing number, bank routing#, bank routing, routing #, routing no (or) RTN. (All terms case insensitive.)	Built-In

License Plate Number (Czech)	Czech Republic License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: státní, poznávací značka, registrační číslo, registrační číslo, fč. značka (or) SPZ. (All terms case insensitive; diacritics are optional.)	Built-In
Religion (Latvia)	Latvia Religion matches with any of the following keywords: Reliģija (or) Reliģisks combined with any of the following keywords within a proximity of 10 terms: Kristietība, Kristietis, Hinduisms, Hinduists, Islāms, Musulmanis, Budisms, Budists, Ebrejs, Protestants, Katolis, Austrumu, pareizticīgais, Austrumu pareizticīgais, Cits kristietis, Cita reliģija, Ateists, Agnostici (or) Nav reliģijas. (All terms case insensitive; diacritics are optional.)	Built-In
Eye Color (Italy)	Italy Eye Color matches with any of the following keywords Colore degli occhi, Occhi, Colore dell'iride (or) Irice combined with any of the following keywords within a proximity of 10 terms: Castani, Azzurri, Verdi, Nocciola, Ambra, Grigi, Eterocromia (or) altro colore. (All terms case insensitive.)	Built-In
License Plate Number (Sweden)	Sweden License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: nummerplåt, registreringsnr., registreringsskyltnr., registreringsskylt, registreringsnummer (or) registreringsskyltnummer. (All terms case insensitive; diacritics are optional.)	Built-In

Eye Color (Czech)	Czech Eye Color matches with any of the following keywords Barva ofc√≠, Barvaofc√≠, Barva duhovky (or) Barva bulvy combined with any of the following keywords within a proximity of 10 terms: Hnföd√°, Modr√°, Zelen√°, O≈ô√≠≈°kov√°, Oriskova, Jantarov√°, ≈†ed√°, R≈Øzn√© barvy (or) jin√° barva.(All terms case insensitive; diacritics are optional.)	Built-In
Business Number (UK)	UK Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: united kingdom business no, UK business no, united kingdom business number, ukbn#, businessno#, businessid#, business no., business # (or) business ID. (All terms case insensitive.)	Built-In
National ID Number (Venezuela)	Venezuela National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, n√Jmero de tarjeta de identidad nacional, n√Jmero de tarjeta nacional, n√Jmero de identificaci√≥n nacional, identificaci√≥n nacional (or) Documento nacional de identidad. (All terms case insensitive; diacritics are optional.)	Built-In
US Social Security Number and ICD Code (Lenient)	Identifies assets that contain patterns resembling ICD codes, as specified by the World Health Organization, as well as US social security numbers.	Built-In

Social Security Number (Greece)	Greece Social Security Number matches a valid SSN with any of the following keywords within a proximity of 10 terms: $\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\pi\rho\sigma\tau\upsilon\phi\chi\psi\omega$, $\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\pi\rho\sigma\tau\upsilon\phi\chi\psi\omega$, $\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\pi\rho\sigma\tau\upsilon\phi\chi\psi\omega$, $\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\pi\rho\sigma\tau\upsilon\phi\chi\psi\omega$, $\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\pi\rho\sigma\tau\upsilon\phi\chi\psi\omega$ (or) $\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\pi\rho\sigma\tau\upsilon\phi\chi\psi\omega$. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Germany)	Germany Phone number matches a German phone number combined with any of the following keywords within a proximity of 10 terms: Telefonnummer, Telefon-Nr., Telefonnr., Telefon, Mobilfunknummer (or) Handynummer. (All terms case insensitive.)	Built-In
Business Number - SIREN (France)	France Business Number - SIREN (Système d'Identification du Répertoire des Entreprises Number) matches a valid SIREN combined with any of the following keywords within a proximity of 10 terms: n° d'entreprise, numéro d'entreprise, ID d'entreprise, identreprise#, n°entreprise# (or) SIREN number. (All terms case insensitive; diacritics are optional.)	Built-In
US Person Name and Date of Birth (Lenient)	This policy finds date-of-birth patterns with other nearby relevant terms including US person names.	Built-In

Multiple Personal Identifiers ,Ä PII (US) ,Ä Strict	Multiple Personal Identifiers ,Ä PII (US) ,Ä Strict - Combines a person name with two or more of the following identifiers: bank account number, credit card number, date of birth, driver's license number, passport number and social security number with a matcher count of 5. Each matched identifier value must also combine with a corresponding keyword within a proximity of 10 terms. Below is a list of example keywords: ssn, social security number, account number, amex, bankcard, ccn, credit card number, debit card, dob, date of birth, birthdate, DL, identification card, driver license, drivers license, driver's license, identification number, id number, passport, national identity card, passport number, checking account number, bank account number, bank account, savings account number, savings account, debit account number or debit account.	Built-In
---	---	----------

Mandatory Medical Insurance -
OMS number (Russia)

Russia Mandatory Medical Insurance - OMS number
matches a valid mandatory medical insurance - OMS
number combined with any of the following keywords

Built-In

within a proximity of 10 terms: -Ω-æ-^o-μ-Ä
-ø-æ-^a-Π-Å-∞-û-ú-^o, -Ω-æ-^o-μ-Ä-ø-æ-^a-Π-Å-∞
-æ-±-è-Σ-∞-Ç-μ-^a-å-Ω-æ-≥-æ
-^o-μ-¥-Π-Ü-Π-Ω-Å-∫-æ-≥-æ
-Å-Ç-Ä-∞-Ö-æ-≤-∞-Ω-Π-è, -Ω-æ-^o-μ-Ä
-^o-μ-¥-Π-Ü-Π-Ω-Å-∫-æ-≥-æ
-Å-Ç-Ä-∞-Ö-æ-≤-æ-≥-æ-ø-æ-^a-Π-Å-∞,
-û-±-è-Σ-∞-Ç-μ-^a-å-Ω-æ-μ
-^o-μ-¥-Π-Ü-Π-Ω-Å-∫-æ-μ
-Å-Ç-Ä-∞-Ö-æ-≤-∞-Ω-Πχ-μ,
-Ä-æ-Å-Å-Π-π-Å-∫-æ-μ
-æ-±-è-Σ-∞-Ç-μ-^a-å-Ω-æ-μ
-^o-μ-¥-Π-Ü-Π-Ω-Å-∫-æ-μ
-Å-Ç-Ä-∞-Ö-æ-≤-∞-Ω-Π-μ,
-æ-±-è-Σ-∞-Ç-μ-^a-å-Ω-æ-μ
-^o-μ-¥-Π-Ü-Π-Ω-Å-∫-æ-μ
-Å-Ç-Ä-∞-Ö-æ-≤-∞-Ω-Π-μ, -Ω-æ-^o-μ-Ä
-ø-æ-^a-Π-Å-∞-^o-μ-¥-Π-Ü-Π-Ω-Å-∫-æ-≥-æ
-Å-Ç-Ä-∞-Ö-æ-≤-∞-Ω-Π-è, ,Ññ -ø-æ-^a-Π-Å-∞
-û-ú-^o, -Ω-æ-^o-μ-Ä-Å-Ç-Ä-∞-Ö-æ-≤-æ-≥-æ
-ø-æ-^a-Π-Å-∞, -Ω-æ-^o-μ-Ä-ø-æ-^a-Π-Å-∞
-Å-Ç-Ä-∞-Ö-æ-≤-∞-Ω-Π-è, ,Ññ
-Å-Ç-Ä-∞-Ö-æ-≤-æ-≥-æ-ø-æ-^a-Π-Å-∞

Driver's License Number (United Arab Emirates)	United Arab Emirates Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: ٧±٧/Æ٧μ٧© ٧°٧°٧Σ٧ΒΥÇ٧© ٧™٧≠ΥÖΥŊ ٧μΥà٧±٧©, ٧±ΥÇΥÖ ٧ΒΥŊ٧±٧/Æ٧μ٧©, ٧ΒΥŊ٧β٧≥ΥÖ ٧¨ΥÜ٧≥Υä٧©, ٧™٧β٧±€â٧/Æ٧ΒΥŊ٧£ΥÖ٧β٧±٧β٧™ ٧ΒΥŊ٧π٧±٧°Υä٧© ٧ΒΥŊΥÖ٧™٧≠٧Ø٧© ,٧±٧/Æ٧μ٧© ΥÇΥä٧β٧Ø٧©, ٧ΒΥÖ€âŊ٧β٧Ø, ٧™٧β٧±Υä٧/Æ ٧ΒΥŊ٧β٧μ٧Ø٧β٧±٧™٧β٧±Υä٧/Æ ٧ΒΥŊ٧βΥÜ٧™Υä٧β٧°, ٧¨Υä٧© ٧ΒΥŊ٧β٧μ٧Ø٧β٧±, ΥÇΥä٧β٧Ø٧© ΥÖ٧™٧πΥŊΥeΥÖ, ٧≠٧ΒΥÖŊ ٧ΒΥŊ٧±٧/Æ٧μ٧©, ٧≠٧ΒΥÖŊΥà ٧ΒΥŊ٧±٧/Æ٧μ, ٧±ΥÇΥÖ ٧ΒΥŊ٧±٧/Æ٧μ٧©, ٧±٧/Æ٧μ ٧ΒΥŊΥÇΥä٧β٧Ø٧© (or) ٧±٧/Æ٧μ٧© ٧ΒΥŊΥÇΥä٧β٧Ø٧©.	Built-In
License Plate Number (Singapore)	Singapore License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: registration. no., plate. no., license number, license plate number, registration number (or) license plate. (All terms case insensitive.)	Built-In
Bank Account Number (Guatemala)	Guatemala Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: número de cuenta bancaria, detalles bancarios, número de banco, código de cuenta, ID de cuenta, número de cuenta (or) cuenta numerada. (All terms case insensitive; diacritics are optional.)	Built-In

VAT ID Number (Bulgaria)	Bulgaria VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: -î-î-°,Ññ,-î-î-°-Ω-æ-°-μ-Ä, ,Ññ-ø-æ-î-î-°, -¥-∞-Ω-ä-f -¥-æ-±-∞-≤-μ-Ω-∞-Å-Ç-æ-π-Ω-æ-Å-Ç, -¥-∞-Ω-ä-f -¥-æ-±-∞-≤-μ-Ω-∞ -Å-Ç-æ-π-Ω-æ-Å-Ç-Ω-æ-°-μ-Ä (or) -î-î-°. (All terms case insensitive.)	Built-In
Tax ID Number (Slovenia)	Slovenia Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: davčna identifikacija ~°tevilka, davčna id ~°tevilka, davčna identiteta ~°tevilka, davčna ~°tevilka, davčna identifikacijska koda, davčna kartoteka, davčna identifikacijska ~°t., davčna ~°t., dav. ~°t., davčna registracijska ~°tevilka, davčna ID-~°t., dav. ID-~°t., dav. ID-~°tevilka, dav. ~°tevilka, davčna~°tevilka, ~°tevilka za davek, tin id, tin-~°t., ~°t. tin, TIN (or) davčni id. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Singapore)	Singapore Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: bank account number, bank details, bank number, account code, account id, account number (or) numbered account. (All terms case insensitive.)	Built-In

Business Number (US)	US Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: united states business no, USA business no, united states business number, usbn#, businessno#, businessid# (or) business ID. (All terms case insensitive.)	Built-In
Multiple Personal Identifiers ,Äi PII (Australia) ,Äi Moderate	Multiple Personal Identifiers ,Äi PII (Australia) - Moderate - Combines a person name with two or more of the following Australian identifiers: bank account number, credit card number, date of birth, driver's license number, passport number and tax file number with a matcher count of 3. Each matched identifier value must also combine with a corresponding keyword within a proximity of 10 terms. Below is a list of example keywords: account number, credit card, amex, ccn, debit card, dob, birth date, individual tax return, tax file number, driver license, driver's license, bank account, bank details, passport and pasaporte. (All terms case-insensitive.)	Built-In
Gender (Italy)	Italy Gender matches with any of the following keywords: Genere (or) Sesso combined with any of the following keywords within a proximity of 10 terms: M, Maschio, F, Femmina, Altro (or) A (All terms case insensitive.)	Built-In

Race (Russia)

Russia Race matches with any of the following keyword Built-In

—Ä-∞—Å-∞ combined with any of the following keywords within a proximity of 10 terms:

—Ä-É-Å-Å-ƒ-Π-π, —Ç-∞—Ç-∞—Ä-Π-Ω,
—Ç-∞—Ç-∞—Ä-Å-ƒ-Π-π, ±-∞—à-ƒ-Π-Ä,
±-∞—à-ƒ-Π-Ä-Å-ƒ-Π-π, —á-μ—á-μ-Ω-μ-Ü,
—á-μ—á-μ-Ω-Å-ƒ-Π-π, ∞—Ä-°—è-Ω-Π-Ω,
∞—Ä-°—è-Ω-Å-ƒ-Π-π, —É-ƒ-Ä-∞-Π-Ω-μ-Ü,
—É-ƒ-Ä-∞-Π-Ω-Å-ƒ-Π-π, -μ-≤-Ä-μ-π-Å-ƒ-Π-π,
-μ-≤-Ä-μ-π, —á-É-≤-∞—à-Å-ƒ-Π-π, —á-É-≤-∞—à,
∞-≤-∞-Ä-μ-Ü, ∞-≤-∞-Ä-Å-ƒ-Π-π,
-æ-Å-μ-Ç-Π-Ω-Å-ƒ-Π-π, -æ-Å-μ-Ç-Π-Ω,
±-É-Ä-è-Ç-Å-ƒ-Π-π, ±-É-Ä-è-Ç,
—è-ƒ-É-Ç-Å-ƒ-Π-π, —è-ƒ-É-Ç, -ƒ-æ-°-Π,
-Π-Ω-≥-É-à-Å-ƒ-Π-π, -Π-Ω-≥-É-à,
-¥-∞-≥-μ-Å-Ç-∞-Ω-Å-ƒ-Π-π,
-¥-∞-≥-μ-Å-Ç-∞-Ω-μ-Ü,
—á-μ-Ä-ƒ-μ-Å-Å-ƒ-Π-π, —á-μ-Ä-ƒ-μ-Å,
-ƒ-∞-±-∞-Ä-¥-Π-Ω-Å-ƒ-Π-π,
-ƒ-∞-±-∞-Ä-¥-Π-Ω-μ-Ü, -ƒ-∞-^a-°—ã-Ü-ƒ-Π-π,
-ƒ-∞-^a-°—ã-ƒ, -°-æ-Ä-¥-≤-Π-Ω (or) -°-∞-Ä-Π.

Race (Croatia)

Croatia Race matches with the following keyword: Rasa Built-In

combined with any of the following keywords within a

proximity of 10 terms: Bela, evropedina, ≈æuta,
mongoloidna, i crna, negroidna, me≈°ovite rase, Hrvat,
Srbin, Bo≈°njak, mafëarski, Slovenac, fçe≈°ki, Roma,
albanski, crnogorski (or) Drugi. (All terms case
insensitive; diacritics are optional.)

Business Number (Singapore)	Singapore Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: corporate identification number, company registration number, corporate number, businessno#, businessid# (or) business ID. (All terms case insensitive.)	Built-In
Zip Code (Argentina)	Argentina Zip Code matches a valid zip code combined with any of the following keywords within a proximity of 10 terms: direcci√≥n, distrito de c√≥digo postal, √°rea de c√≥digo postal, unidad de c√≥digo postal (or) sector de c√≥digo postal. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (Philippines)	Philippines Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: address, postcode district, postcode area, postcode unit, postcode sector (or) postcode. (All terms case insensitive.)	Built-In
Tax ID Number (Vietnam)	Vietnam Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: s·aë nh·f#n d·j°ng ngΔ∞·aùi fë√≥ng thu·f∅, s·aë x√°c fë·aãnh ngΔ∞·aùi n·aôp thu·f∅, s·aë thu·f∅#, m√£ s·aë thu·f∅, h·aì sΔ° thu·f∅, m√£ s·aë nh·f#n d·j°ng ngΔ∞·aùi n·aôp thu·f∅, s·aë fëfÉng k√Ω thu·f∅, m√£ s·aë thu·f∅#, m√£ s·aë thu·f∅, s·aë nh·f#n d·j°ng thu·f∅#, s·aë thu·f∅, s·aë nh·f#n d·j°ng thu·f∅, m√£ thu·f∅, #thu·f∅, m√£ tin, s·aë tin, tin# (or) TIN. (All terms case insensitive; diacritics are optional.)	Built-In

Bank Account Number (Argentina)	Argentina Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: número de cuenta bancaria, detalles bancarios, número de banco, código de cuenta, ID de cuenta, número de cuenta (or) cuenta numerada. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Peru)	Peru Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: número de teléfono móvil, número de teléfono (or) número de móvil. (All terms case insensitive; diacritics are optional.)	Built-In
Height (Latvia)	Latvia person's height described in Imperial or metric units, appearing within 10 terms of the keywords Augums or A. Imperial measurements may use pēdas and collas or only by collas. Metric measurements may use metri or Centimetri. Examples: Augums 5'11" or 181.17cm or 5ft11in. (All text is case-insensitive.)	Built-In
Region (Cyprus)	Cyprus Region matches any of the following keywords: Επὶ Εμὲ Ἀπεπείθετο (or) Βίλγε combined with any of the following keywords within a proximity of 10 terms: Εὐεμεὶ Ὀφθαλμοί, Lefkoῦa, Εὐεμεὶ Ἀποπέθετο, Larnaka, Εὐεμεὶ Ὀφθαλμοί, Limasol, Επὶ Ὀφθαλμοί, Baf, Εἰπεπεί Ἐξοπέ, ὦνλῶ, Εὐεμεὶ Ἀπεπεπεί, Girne, Εὐεμεὶ Ὀφθαλμοί, Αἶνα, Αἶνα Νάπα, Επὶ Ἀναπέθετο (or) Protaras. (All terms case insensitive; diacritics are optional.)	Built-In

Business Number (Finland)	Finland Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: liiketoimintaa rekisteri, intinnumero, liiketoimintanumero, liiketoimintaa ja yksikön tunnus, tunnus-liiketoimintaa, yritystunniste (or) yritystunnus.	Built-In
License Plate Number (France)	France License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: numéro de plaque d'immatriculation, n° d'immatriculation, n° plaque, numéro d'immatriculation (or) plaque d'immatriculation. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Malaysia)	Malaysia License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: nombor plat lesen, nombor lesen, plat lesen, plate number, registration number, vehicle registration number, vehicle plate number, pendaftaran kenderaan, no. pendaftaran., no. plat. (or) nombor pendaftaran. (All terms case insensitive.)	Built-In
Date of Birth	Date of Birth matches a valid date of birth format combined with any of the following keywords within a proximity of 10 terms: dob, date of birth, birth date (or) birthdate. (All terms case insensitive.)	Built-In

Region (France)	France Region matches with the following keyword: R√©gion combined with any of the following keywords within a proximity of 10 terms: Alsace, Aquitaine, Auvergne, Brittany, Burgundy, Centre-Val de Loire, Champagne-Ardenne, Corsica, Franche-Comt√©, √©le-de-France, Languedoc-Roussillon, Limousin, Lorraine, Lower Normandy, Midi-Pyr√©n√©es, Nord-Pas-de-Calais, Pays de la Loire, Picardy, Poitou-Charentes, Provence-Alpes-C√©te d'Azur, Rh√©ne-Alpes (or) Upper Normandy. (All terms case insensitive; diacritics are optional.)	Built-In
Race (Luxembourg)	Luxembourg Race matches any of the following keywords: Rass combined with any of the following keywords within a proximity of 10 terms: L√'tzeburger, Portugisesch, Frans√©isch, Italienesch, Belsch, D√sitsch, Spuenesch, bitesch, Anerer. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Ukraine)	Ukraine Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: - ^o -æ-±-ñ- ^a -å-Ω-Π-π-Ω-æ- ^o -μ-Ä-Ç-μ- ^a -μ-Ñ-æ-Ω-É, -Ω-æ- ^o -μ-Ä-Ç-μ- ^a -μ-Ñ-æ-Ω-É, -Ç-μ- ^a -μ-Ñ-æ-Ω-É, -Ç-μ- ^a -μ-Ñ-æ-Ω, Ññ, -Ç-μ- ^a , Ññ, -Ω-æ- ^o -μ-Ä-Ç-μ- ^a . (or) - ^o -æ-±.-Ω-æ- ^o .	Built-In
Region (Lithuania)	Lithuania Region matches with the following keyword: Regionas combined with any of the following keywords within a proximity of 10 terms: Dz≈'kija, ≈Ωemaitija, Auk≈ ^o taitija, Sudovia (or) Ma≈æoji Lietuva. (All terms case insensitive; diacritics are optional.)	Built-In

Hair Color (Slovakia)	Slovakia Hair color matches with any of the following keywords Farba vlasov combined with any of the following keywords within a proximity of 10 terms: rỵaṿ°, zlaṭ°, medeṇ°, siṿ°, hneḍ°, f̣cierna, blond (or) iṇ° farba. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (Korea)	Korea Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: ìÑííà ìãùî≥ñ î≤àòí, ìÑííà ìãùî≥ñ ìΩîîú, ìÑííà ìãùî°, ìÑííà î±î°ù î≤àòí, ìÑííà ID î≤àòí, ìÑííà î≤àòí, TIN ID, TIN î≤àòí, ìÑííà ID (or) TIN.	Built-In
International Bank Account Number ,Äì IBAN (Slovenia)	Slovenia International Bank Account Number ,Äì IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: Banf̣ni raf̣un, IBAN, finanf̣no plạf̣ilo, mednarodni denar, denarna nakazila (or) koda dṛæave. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (Guatemala)	Guatemala Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: ṇf̣mero de identificacị≥n fiscal, ṇf̣mero de identidad fiscal, c̣≥digo de identificacị≥n fiscal, archivo fiscal, n.∞ de identificacị≥n fiscal, ṇf̣mero de registro fiscal, n.∞ de ID fiscal, n.∞ fiscal, ṇf̣mero fiscal, ID fiscal, ID del NIF, n.∞ del NIF (or) NIF. (All terms case insensitive; diacritics are optional.)	Built-In

Driver's License Number (Estonia)	Estonia Driver's license matches a valid license number combined with any of the following keywords within a proximity of 10 terms: fotoga juhiluba, juhipesijuhiluba, juhiloa omanik, juhiloa omanikud, juhiloa number, autojuhi luba, juhiloa (or) juhiluba. (All terms case insensitive; diacritics are optional.)	Built-In
Eye Color (Ireland)	Ireland Eye Color matches with any of the following keywords Dath sfile, dath Iris (or) dath eyeball combined with any of the following keywords within a proximity of 10 terms: Donn, Gorm, Glas, Coll, imra, Liath, Heterochromia (or) dath eile. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number - FCN (Italy)	Italy National ID Number - FCN (Fiscal Code Number) matches a valid FCN with number any of the following keywords within a proximity of 10 terms: dati anagrafici, tessera sanitaria, ehic, numero di identificazione nazionale (or) numero identificazione nazionale. (All terms case insensitive.)	Built-In

Bank Account Number (US)	US Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: Checking Account Number, Checking Account, Checking Account#, Checking Acct Number, Checking Acct #, Checking Acct No., Checking Account No., Bank Account Number, Bank Account, Bank Account#, Bank Acct Number, Bank Acct#, Bank Acct No., Bank Account No., Savings Account Number, Savings Account, Savings Account#, Savings Acct Number, Savings Acct#, Savings Acct No., Savings Account No., Debit Account Number, Debit Account, Debit Account#, Debit Acct Number, Debit Acct#, Debit Acct No. (or) Debit Account No. (All terms case insensitive.)	Built-In
Social Security Number (Puerto Rico)	Puerto Rico Social Security Number matches a valid SSN combined with any of the following keywords within a proximity of 10 terms: número de la seguridad social, número de seguridad social, n.º seguridad social, SSN (or) SSID. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Switzerland)	Switzerland Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: Bankkontonummer, Bankverbindung, Banknummer, Konto-Code, Konto-ID, Kontonummer, Nummernkonto, numéro de compte bancaire, coordonnées bancaires, numéro bancaire, code de compte, identifiant de compte, numéro de compte (or) compte numéro. (All terms case insensitive; diacritics are optional.)	Built-In

VAT ID Number (Romania)	Romania VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: cod taxfÉ valoare adjÉugatfÉ, taxfÉ valoare adjÉugatfÉ, numfÉr tva, nr. tva, nr tva, nrtva, TVA, contabilitate, banca, plata, afacere, bon fiscal, bon, chitante (or) chitanta. (All terms case insensitive; diacritics are optional.)	Built-In
Religion (Portugal)	Portugal Religion matches with any of the following keywords: Religi√£o (or) Religioso combined with any of the following keywords within a proximity of 10 terms: Cristianismo, Crist√£o, Hindu√£smo, Hindu, Islamismo, Mu√£ulmano, Budismo, Budista, Judeu, Protestante, Cat√£olico, Igreja Grega, Ortodoxa, Igreja Grega Ortodoxa, Outro crist√£o, Outra religi√£o, Ateu, Agn√£stico (or) Nenhuma religi√£o. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Portugal)	Portugal VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: n.√£ de IVA, n√£mero de IVA, IVA#, do imposto sobre o valor acrescentado, n√£mero do imposto sobre o valor acrescentado (or) IVA. (All terms case insensitive; diacritics are optional.)	Built-In
Business Number - CIN (India)	India Business Number - CIN (Corporate Identification Number) matches a valid CIN combined with any of the following keywords within a proximity of 10 terms: India business no, indian business number, ibn#, corporate identification number, company registration number, corporate number, businessno#, businessid# (or) business ID. (All terms case insensitive.)	Built-In

Driver's License Number
(Japan)

Japan Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: dl #, DLÔÉ, dls #, DLSÔÉ, international driving permits, australian automobile association, sydney nsw, international driving permit, DriverLicence, DriverLicences, Driver Lic, Driver Licence, Driver Licences, DriversLic, driving, lisenze, licence, lisenze, license, permet, DriversLicence, DriversLicences, Drivers Lic, Drivers Lics, Drivers Licence, Drivers Licences, Driver'Lic, Driver'Lics, Driver'Licence, Driver'Licences, Driver' Lic, Driver' Lics, Driver' Licence, Driver' Licences, Driver'sLic, Driver'sLics, Driver'sLicence, Driver'sLicences, Driver's Lic, Driver's Lics, Driver's Licence, Driver's Licences, DriverLic #, DriverLics #, DriverLicence #, DriverLicences #, Driver Lic #, Driver Lics #, Driver Licence #, Driver Licences #, DriversLic #, DriversLics #, DriversLicence #, DriversLicences #, Drivers Lic #, Drivers Lics #, Drivers Licence #, Drivers Licences #, Driver'Lic #, Driver'Lics #, Driver'Licence #, Driver'Licences #, Driver' Lic #, Driver' Lics #, Driver' Licence #, Driver' Licences #, Driver'sLic #, Driver'sLics #, Driver'sLicence #, Driver'sLicences #, Driver's Lic #, Driver's Lics #, Driver's Licence #, Driver's Licences #, driver license, driver licenses, drivers license, driver's license, drivers licenses, driver's licenses, driving

Built-In

Passport Number (Austria)	Austria Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: Reisepass, internationaler Reisepass, Reisepassangaben, Visum, Personalausweis, Reisepassnummer, Reisedokument, ausstellende Behörde, Pass, Lichtbildausweis, Identitätsnachweis (or) Reisepassnr. (All terms case insensitive; diacritics are optional.)	Built-In
Social Insurance Number - RSIN (Japan)	Japan Social Insurance Number - RSIN (Resident Social Insurance Number) matches a valid RSIN combined with any of the following keywords within a proximity of 10 terms: Social Insurance No., Social Insurance Num, Social Insurance Number, ÅÖÊ%øÛÊÁ™ÂèΣ (or) ÅÖÊ%øÛÊÔÊ. (All terms case insensitive.)	Built-In
Gender (Norway)	Norway Gender matches with the following keyword: Kj√Πnn (or) Kj√Πnnsidentitet combined with any of the following keywords within a proximity of 10 terms: M, Mann, K, Kvinne, Annet (or) A. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (Morocco)	Morocco Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: taxidnumber#, taxidnumber, taxidno#, taxidno, taxid#, taxid, taxnumber#, taxnumber, taxno#, taxno, tin, ŷ±ŸÇŸÖ ŸÖŷπŷ±ŸÅ ŷßŸÑŷðŷ±Ÿäŷ*ŷ©, ŷ±ŸÇŸÖ ŷßŸÑŷ™ŷπŷ±ŸäŸÅ ŷßŸÑŷðŷ±Ÿäŷ*Ÿä, ŷ±ŸÖŷ≤ ŸÖŷπŷ±ŸÅ ŷßŸÑŷðŷ±Ÿäŷ*ŷ©, ŸÖŸÑŸÅ ŷðŷ±Ÿäŷ*Ÿä, ŷ±ŸÇŸÖ ŷßŸÑŷ™ŷ≥ŷ™ŸäŸÑ ŷßŸÑŷðŷ±Ÿäŷ*Ÿä (or) ŷ±ŸÇŸÖ ŷßŸÑŷðŷ±Ÿäŷ*ŷ©, ŷßŸÑŸÖŷπŷ±ŸÅ ŷßŸÑŷðŷ±Ÿäŷ*Ÿä. (All terms case insensitive.)	Built-In

Company Number (Serbia)	Serbia Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: društva identifikacioni broj, identifikacioni broj društva, broj registracije društva, br društva#, br društva (or) broj društva. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Bahrain)	Bahrain VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: VAT number, vat no., vat no#, VAT, y±YÇYÖ yäy±Yäy*y© yBYÑYÇYäYÖy© (or) y±YÇYÖ vat. (All terms case insensitive.)	Built-In
International Bank Account Number - IBAN (Serbia)	Serbia International Bank Account Number - IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: Broj meĳunarodnog bankovnog računa, IBAN#, IBAN (or) Br meĳunarodnog bankovnog računa. (All terms case insensitive; diacritics are optional.)	Built-In
Driver's License Number (Qatar)	Qatar Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: y±yÆymy© y*ySYBYÇy© y™yYÖYN ymYäy±y©, yØYäYÑy© YÇySy± Yäy≤yBy±y© yBYÑyØyByÆYÑYäy© y•yØyBy±y© yBYÑYÖy±Yäy±, y±yÆymy© y≥YäYÇ, yBYÑy±YÇYÖ yBYÑy¥yÆymYä, yBYÑyBy≥YÖ yBYÑy`YÜy≥Yäy© y*y±YäySYBYUYäyB y™yBy±YäyÆ yBYÑYÖYäYÑyByØ, YÄymYäYÑy© yBYÑyØYÖ, YÇYäyByØy© YÖy™yTYÑYëYÖ, y±yBYÖYÑYä yBYÑy±yÆym, y±YÇYÖ yBYÑy±yÆymy©, y±yBYÖYÑ yBYÑy±yÆymy©, y±yÆym yBYÑYÇYäyByØy© (or) y±yÆymy© yBYÑYÇYäyByØy©. (All terms case insensitive.)	Built-In

Health Conditions (Russia)

Russia Health Conditions matches with any of the

Built-In

following keywords —Å-æ—Å-Ç-æ—è-Ω-Π-μ
—Σ-¥-æ—Ä-æ≤—å—è (or) -°-μ-¥-Π—Ü-Π-Ω—Å-f-æ-μ
—Å-æ—Å-Ç-æ—è-Ω-Π-μ combined with any of the
following keywords within a proximity of 10 terms:
—±-æ-^a—å-Ω-Π—Ü-∞, -f-^a-Π-Ω-Π-f-∞,
-ø-æ-^a-Π-f-^a-Π-Ω-Π-f-∞, -≤—Ä-∞—á,
-¥-æ-f-Ç-æ—Ä, -°-μ-¥-Π—Ü-Π-Ω—Å-f-∞—è
—Å-ø—Ä-∞≤-f-∞, -μ-¥-Π—Ü-Π-Ω—Å-f-æ-μ
—Σ-∞-f-^a—é—á-μ-Ω-Π-μ, -°-μ-¥-Π—Ü-Π-Ω—Å-f-Π-π
—æ-Ç—á—ë—Ç, —Ä-μ—Ü-μ-ø—Ç, -^a-μ—á-μ-Ω-Π-μ,
—Ç-μ—Ä-∞-ø-Π—è,
—Ö-Π—Ä—É—Ä≥-Π—á-μ—Å-f-∞—è
—æ-ø-μ—Ä-∞—Ü-Π—è, —Ä-μ-Σ—É-^a—å—Ç-∞—Ç—ã
-^a-∞±-æ—Ä-∞—Ç-æ—Ä-Ω—ã—Ö
-∞-Ω-∞-^a-Π-Σ-æ≤, -∞-Ω-∞-^a-Π-Σ-f—Ä-æ≤-Π,
-°-∞≥-Ω-Π—Ç-Ω-æ, Äë—Ä-μ-Σ-æ-Ω-∞-Ω—Å-Ω-∞—è
—Ç-æ-°-æ≥—Ä-∞—Ñ-Π—è, -ú-†-¢,
-f-æ-°-ø—å—é—Ç-μ—Ä-Ω-∞—è
—Ç-æ-°-æ≥—Ä-∞—Ñ-Π—è, -ö-¢,
-≤-∞-f—Ü-Π-Ω-∞—Ü-Π—è,
—Ñ-Π-Σ-Π—á-μ—Å-f-Π-μ
—Σ-∞±-æ-^a-μ≤-∞-Ω-Π—è,
—Ñ-Π-Σ-Π—á-μ—Å-f-Π-μ
—Å-æ—Å-Ç-æ—è-Ω-Π—è, -¥-Π-∞±-μ—Ç,
—>Π-α-μ—Ä-Ç-æ-Ω-Π—è-∞-Å-Ç-ø-∞—Ä-∞-†

Weight (Norway)

Norway Person, Åôs weight appearing within 10 terms of
the keywords Vekt (or) masse. Weight can match in Pund
(or) Kilogram, using the keywords Lb, kg, kilo (or) pund,
followed by space or no space. Values can be separated
by space or no space. (All text is case-insensitive.

Built-In

Social Security Number (Poland)	Poland Social Security Number matches a valid SSN with any of the following keywords within a proximity of 10 terms: public electronic census system, polska, Powszechny Elektroniczny System EWID Encji Ludnoœci (or) Narodowy numer identyfikacyjny. (All terms case insensitive.)	Built-In
International Bank Account Number ,Äi IBAN (Saudi Arabia)	Saudi Arabia International Bank Account Number ,Äi IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: IBAN#, IBAN, Ÿ±ŸÇŸÖ ŸBŸÑŸ#Ÿ≥ŸBŸ® ŸBŸÑŸ®ŸÜŸÉŸä ŸBŸÑŸØŸäŸÑŸä# (or) Ÿ±ŸÇŸÖ ŸBŸÑŸ#Ÿ≥ŸBŸ® ŸBŸÑŸÖŸµŸ±ŸÄŸä ŸBŸÑŸØŸäŸÑŸä. (All terms case insensitive.)	Built-In
Hair Color (Denmark)	Denmark Hair color matches with any of the following keywords H√•rfarve combined with any of the following keywords within a proximity of 10 terms: R√[]d, Blond, Gr√•, Brun, Sort (or) anden farve. (All terms case insensitive; diacritics are optional.)	Built-In
Expiry Date (Greece)	Greece Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: ŒóŒ°ŒµœÅŒøŒ°ŒΣŒΩŒØŒ± ŒªŒÆŒæŒΣœÇ (or) ŒóŒ°ŒµœÅŒøŒ°ŒΣŒΩŒØŒ± Œ≥ŒπŒ± ŒªŒÆŒæŒΣ. (All terms case insensitive; diacritics are optional.)	Built-In

Height (Estonia)	Estonia person,Äôs height described in Imperial or metric units, appearing within 10 terms of the keywords Pikkus or P. Imperial measurements may use jalga and tolli or only by tolli. Metric measurements may use meetrit or sentimeetrit. Examples: Pikkus 5'11" or 180.34cm or 5ft11in. (All text is case-insensitive.)	Built-In
National ID Number - CC (Portugal)	Portugal National ID Number - CC (Citizen Card Number) matches a valid CC number with any of the following keywords within a proximity of 10 terms: N√ Jmero de Seguran√ Ba Social Portugu√™s, seguran√ Ba social portuguesa, N√ Jmero SSN portugu√™s, num. seguran√ Ba social (or) SSN portugu√™s. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (Switzerland)	Switzerland Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: Adresse, Postleitzahlenbezirk, Postleitzahlengebiet, PLZ, Postleitzahl, code postal, cedex, unit√© de code postal, secteur de code postal (or) code postal. (All terms case insensitive.)	Built-In
Health Insurance Number (Bolivia)	Bolivia Health Insurance Number matches a valid health insurance number combined with any of the following keywords within a proximity of 10 terms: cobertura m√©dica, beneficios para la salud, cobertura de atenci√³n m√©dica, n√ Jmero de salud personal, registro sanitario, n√ Jmero de seguro m√©dico (or) ley de informaci√³n de salud. (All terms case insensitive; diacritics are optional.)	Built-In

National ID Number (Israel)	Israel National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: id, id number, identification number, םידן, םיחזור, םיקדמון, םיסדרה, םישטר, םיעסקאות, םירעיון, םירפואות, םירשומות, םירשום, םירשומים, םירשומיות, םירשומית, םירשומיות, םירשומית, םירשומיות, םירשומית, םירשומיות, םירשומית, םירשומיות, םירשומית. (All terms case insensitive.)	Built-In
Business Number (Switzerland)	Switzerland Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: Gesch�ftsnummer, Unternehmensnr., Gesch�fts-Nr., Gesch�ftsnr., Gesch�ftskennzeichen, n�f d'entreprise, n�f d'entreprise, num�ro d'entreprise, ID d'entreprise, identreprise# (or) n�fentreprise#. (All terms case insensitive; diacritics are optional.)	Built-In
Race (Hungary)	Hungary Race matches any of the following keywords: Verseny combined with any of the following keywords within a proximity of 10 terms: magyar, romani, n�met, szlov�k, Egy�b. (All terms case insensitive; diacritics are optional.)	Built-In
Criminal Record (Luxembourg)	Luxembourg Criminal records matches with any of the following keywords kriminellen record, Kriminalit�t record (or) Police record combined with any of the following crime keywords within a proximity of 10 terms: Mord, D�ifstall, Korruptioun, Bedruch, Terrorismus, Drogen, Abbruch, Vergewaltigung, Iwwerfall, Autosklau, Selbstmord, Entf�rierung, M�nschenhandel, M�nscheschmuggel (or) Waffenhandel. (All terms case insensitive; diacritics are optional.)	Built-In

International Bank Account Number - IBAN (Turkey)	Turkey International Bank Account Number - IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: Uluslararası Banka Hesap Numarası, Uluslararası Banka numarası, IBAN# (or) IBAN. (All terms case insensitive; diacritics are optional.)	Built-In
BankAccount Number (Thailand)	Thailand BankAccount Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: terms: บัญชีออมทรัพย์ บัญชีเงินฝากประจำ บัญชีเงินฝากออมทรัพย์ บัญชีเงินฝากดอกเบี้ยสูง บัญชีเงินฝากปลอดภาษี บัญชีเงินฝากพิเศษ บัญชีเงินฝากสำหรับ บัญชีเงินฝากสำหรับเด็ก บัญชีเงินฝากสำหรับผู้สูงอายุ บัญชีเงินฝากสำหรับธุรกิจ บัญชีเงินฝากสำหรับการศึกษา บัญชีเงินฝากสำหรับการลงทุน บัญชีเงินฝากเพื่อการเกษียณอายุ บัญชีเงินฝากเพื่อวัตถุประสงค์อื่น ๆ (or) บัญชีเงินฝากประเภทออมทรัพย์ บัญชีเงินฝากประเภทเงินฝาก บัญชีเงินฝากประเภทเงินฝากดอกเบี้ยสูง บัญชีเงินฝากประเภทเงินฝากปลอดภาษี บัญชีเงินฝากประเภทเงินฝากพิเศษ บัญชีเงินฝากประเภทเงินฝากสำหรับ บัญชีเงินฝากประเภทเงินฝากสำหรับเด็ก บัญชีเงินฝากประเภทเงินฝากสำหรับผู้สูงอายุ บัญชีเงินฝากประเภทเงินฝากสำหรับธุรกิจ บัญชีเงินฝากประเภทเงินฝากสำหรับการศึกษา บัญชีเงินฝากประเภทเงินฝากเพื่อการลงทุน บัญชีเงินฝากประเภทเงินฝากเพื่อการเกษียณอายุ บัญชีเงินฝากประเภทเงินฝากเพื่อวัตถุประสงค์อื่น ๆ	Built-In
National ID Number (Cyprus)	Cyprus National ID Number matches a valid National Identity Card Number with any of the following keywords within a proximity of 10 terms: kimlik karti (or) æŃœ±œÖœŃœøœŃœΣœŃœ±œÉ. (All terms case insensitive; diacritics are optional.)	Built-In
Passport Number (Belgium)	Belgium Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: internationaal reisdocument, paspoortgegevens, visum, id-kaart, identiteitskaart, documentnummer, documentnr., reisdocument, reispas, uitgevende instantie, identificatienummer, identificatiebewijs, identificatie, paspoortnummer (or) paspoort. (All terms case insensitive; diacritics are optional.)	Built-In

Postcode (Croatia)	Croatia Postcode matches with Croatian postcode combined with any of the following keywords within a proximity of 10 terms: adresa, prebivalište, grad, poštanski broj, otvoreni kod, poštanski broj, podružje poštanskog broja, jedinica poštanskog broja, sektor poštanskog broja (or) poštanski broj. (All terms case insensitive; diacritics are optional.)	Built-In
Weight (Romania)	Romania Person, A weight appearing within 10 terms of the keywords Greutate (or) masfÉ. Weight can match in Kilograme (or) livre, using the keywords Lb, kg, Kilograme, livre, pietre, st (or) uncii, followed by space or no space. Values can be separated by space or no space. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Netherlands)	Netherlands Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: bankrekeningnummer, bankrekening, bankgegevens, banknummer, rekeningnummer, IBAN nummer, IBAN (or) genummerde rekening. (All terms case insensitive.)	Built-In
National ID Number (Bahrain)	Bahrain National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, y±YÇYÖ y*yZYBYÇy© yBYÑYáYàYäy© yBYÑYäyZYÜYäy©, y±YÇYÖ yBYÑy*yZYBYÇy© yBYÑYäyZYÜYäy©, y±YÇYÖ yBYÑYáYàYäy© yBYÑYäyZYÜYäy© (or) yBYÑYáYàYäy© yBYÑYäyZYÜYäy©. (All terms case insensitive.)	Built-In

Taxpayer Identification Number (Russia)	Russia Taxpayer Identification Number matches a valid taxpayer identification number combined with any of the following keywords within a proximity of 10 terms:	Built-In
---	--	----------

-ò-¥-µ-Ω-Ç-Π-Ñ-Π-ƒ-∞-Ü-Π-æ-Ω-Ω-ã-π
 -Ω-æ-°-µ-Ä
 -Ω-∞-ª-æ-≥-æ-ø-ª-∞-Ç-µ-ª-å-â-Π-ƒ-∞,
 -Π-¥-µ-Ω-Ç-Π-Ñ-Π-ƒ-∞-Ü-Π-æ-Ω-Ω-ã-π
 -Ω-æ-°-µ-Ä
 -Ω-∞-ª-æ-≥-æ-ø-ª-∞-Ç-µ-ª-å-â-Π-ƒ-∞, -ò-ù-ù,
 -ù-∞-ª-æ-≥-æ-≤-ã-π-Ω-æ-°-µ-Ä,
 -Ω-∞-ª-æ-≥-æ-≤-ã-π-Ω-æ-°-µ-Ä,
 -Π-¥-µ-Ω-Ç-Π-Ñ-Π-ƒ-∞-Ü-Π-æ-Ω-Ω-ã-π-ƒ-æ-¥
 -Ω-∞-ª-æ-≥-æ-ø-ª-∞-Ç-µ-ª-å-â-Π-ƒ-∞,
 -Ω-∞-ª-æ-≥-æ-≤-æ-µ-¥-µ-ª-æ,
 -Ω-∞-ª-æ-≥-æ-≤-ã-π-Ñ-∞-π-ª,
 -Ω-∞-ª-æ-≥-æ-≤-æ-µ-¥-æ-Å-å-µ,
 -Ω-∞-ª-æ-≥-æ-≤-∞-è-ƒ-∞-Ä-Ç-æ-á-ƒ-∞,
 -Ä-µ-≥-Π-Å-Ç-Ä-∞-Ü-Π-æ-Ω-Ω-ã-π (or)
 -†-µ-≥-Π-Å-Ç-Ä-∞-Ü-Π-æ-Ω-Ω-ã-π
 -Ω-æ-°-µ-Ä
 -Ω-∞-ª-æ-≥-æ-ø-ª-∞-Ç-µ-ª-å-â-Π-ƒ-∞.

Weight (Ireland)	Ireland Person,Âö's weight appearing within 10 terms of the keywords Me√°chan (or) Aifreann. Weight can match in Kg (or) punt, using the keywords Lb, kg, punt (or) cileagraim, followed by space or no space. Values can be separated by space or no space. (All terms case insensitive; diacritics are optional.)	Built-In
------------------	---	----------

License Plate Number (Dominican Republic)	Dominican Republic License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: n.º de registro, n.º de matrícula, número de licencia, número de matrícula, matrícula (or) número de registro. (All terms case insensitive; diacritics are optional.)	Built-In
International Bank Account Number ,À IBAN (Czech)	Czech International Bank Account Number ,À IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: účet v bance, IBAN, finance, platba, mezinárodní platba, převod peněz (or) kdepřez. (All terms case insensitive; diacritics are optional.)	Built-In

Criminal Record (Greece)	Greece Criminal records matches with any of the following keywords αΑΕΘΕΠΕΝΕΠΕΙΕ Ε°ΕΣεΝεΑεέΕΘ, Ε±εΑεάΕμΕΘΕΘ αΑΕΘΕΠΕΝΕΠΕΙΕέΕΝ Ε±Ε¥ΕΠΕΙΕΣΕ°Ε `` εΝεâΕΝ (or)  αΑΕΘΕΠΕΝΕΠΕΙΕΕΑ ΕΠεέΕΝΕΘεΑΕΠΕΙΕΕΑ  combined with any of the following crime keywords  within a proximity of 10 terms: εÙεâΕΝΕΘεÇ,  ΕΙΕ°ΕΘεΑΕΑΕ, Ε¥ΕΠΕ±εÜΕΠΕΘεΑΕ `` , Ε±εΑΕ `` εΝΕΣ,  εΝεΑΕΘΕ°ΕΘΕΙΕΑΕ±εΝΕΘΕ±,  ΕΝΕ±εΑΕΙΕεâεΝΕΠΕΙΕ `` , Ε≤ΕΠΕ±εέΕ°εâεÇ, Ε°ΕΣεέΕΝΕμΕΘΕ±, ΕΙΕ°ΕΘεΑΕΑΕ Ε±εεÖεΝΕΘΕΙΕΠΕΝΕΑΕεΝΕΘεÖ, Ε±εεÖεΝΕΘΕΙΕΝΕΘΕΝΕΘΕ±, Ε±εεΑΕ±Ε≥εâΕ≥ΕΑΕ, ΕμΕ°εΑΕΘεΑΕΘΕ± Ε±ΕΝΕΠεΑεέεΑεâΕΝ, Ε¥ΕΠΕ±ΕΙΕΘΕΝΕΣεέΕΣ Ε±ΕΝΕΠεΑεέεΑεâΕΝ (or) ΕμΕ°εΑΕΘεΑΕΘΕ± εâεΑΕ°εâΕΝ. (All terms case insensitive; diacritics are optional.)	Built-In
Credit Card Number and Drug Name	Combines a credit card number and a common drug name.	Built-In

Input	Output
Tax ID Number - RUC (Panama)	Panama Tax ID Number - RUC (Registro Único del Contribuyente) matches a valid RUC number combined with any of the following keywords within a proximity of 10 terms: Registro Único del contribuyente, RUC, número de identificación fiscal, número de identidad fiscal, código de identificación fiscal, archivo fiscal, número de identificación fiscal, número de registro fiscal, número de ID fiscal, número fiscal, número fiscal, ID fiscal, ID del NIF, número del NIF (or) NIF. (All terms case insensitive; diacritics are optional.)

Phone Number (Russia)

Russia Phone Number matches a valid phone number combined with any of the following keywords within a

proximity of 10 terms: —Ä-æ—Å—Å-Π-π—Å-ƒ-Π-π

—Ω-æ-°-μ—Ä—Ç-μ-^a-μ—Ñ-æ-Ω-∞,

—ƒ-æ-Ω—Ç-∞-ƒ—Ç-Ω—ã-π-Ω-æ-°-μ—Ä

—Ç-μ-^a-μ—Ñ-æ-Ω-∞-†-§, —Ω-æ-°-μ—Ä

—Ç-μ-^a-μ—Ñ-æ-Ω-∞-†-§, —Ω-æ-°-μ—Ä

—Ç-μ-^a-μ—Ñ-æ-Ω-∞-†-æ—Å—Å-Π-è,

—Ä-æ—Å—Å-Π-π—Å-ƒ-Π-π-Ω-æ-°-μ—Ä,

—Ä-æ—Å—Å-Π-π—Å-ƒ-Π-π-°-æ-±-Π-^a-å-Ω-ã-π

—Ω-æ-°-μ—Ä, —Ω-æ-°-μ—Ä-°-æ-±-Π-^a-å-Ω-æ-≥-æ

—Ç-μ-^a-μ—Ñ-æ-Ω-∞-†-§, -°-æ-±-Π-^a-å-Ω-ã-π

—Ω-æ-°-μ—Ä-†-æ—Å—Å-Π-è,

—Ä-æ—Å—Å-Π-π—Å-ƒ-Π-π

—ƒ-æ-Ω—Ç-∞-ƒ—Ç-Ω—ã-π-Ω-æ-°-μ—Ä,

—Ω-æ-°-μ—Ä—Å-æ—Ç-æ-≤-æ-≥-æ

—Ç-μ-^a-μ—Ñ-æ-Ω-∞, —ƒ-æ-Ω—Ç-∞-ƒ—Ç-Ω—ã-π

—Ω-æ-°-μ—Ä, —ƒ-æ-Ω—Ç-∞-ƒ—Ç-Ω—ã-π

—Ç-μ-^a-μ—Ñ-æ-Ω, —Ç-μ-^a-μ—Ñ-æ-Ω

—†-æ—Å—Å-Π-π—Å-ƒ-æ-π-§-μ-¥-μ—Ä-∞—Ü-Π-Π,

—Ä-æ—Å—Å-Π-π—Å-ƒ-Π-π—Ç-μ-^a-μ—Ñ-æ-Ω,

—Ç-μ-^a-μ—Ñ-æ-Ω-†-æ—Å—Å-Π-Π,

—Ç-μ-^a-μ—Ñ-æ-Ω-†-§, —Ω-æ-°-μ—Ä

—Ç-μ-^a-μ—Ñ-æ-Ω-∞, -°-æ-±-Π-^a-å-Ω-ã-π

—Ω-æ-°-μ—Ä, —Ω-æ-°-μ—Ä-°-æ-±-Π-^a-å-Ω-æ-≥-æ

—Ç-μ-^a-μ—Ñ-æ-Ω-∞ —Ç-μ-^a-μ—Ñ-æ-Ω-∞-ã-π

Built-In

License Plate Number (Puerto Rico)

Puerto Rico License Plate Number matches a valid

license plate number combined with any of the following

keywords within a proximity of 10 terms: n.º de

registro, n.º de matr√#cula, n√#mero de l√#mina

licencia, n√#mero de matr√#cula, matr√#cula (or)

n√#mero de registro. (All terms case insensitive;

diacritics are optional.)

Built-In

Postcode (Canada)

Canada Postcode matches a valid postcode number combined with any of the following keywords within a proximity of 10 terms: adresse, district postal, zone postale, unit√© postale, secteur postal, address, postalcode district, postalcode area, postalcode unit, postalcode sector, postalcode, Bo√Æte postal, Postal box, postcode district, postcode area, postcode unit, postcode sector, postcode (or) code postal. (All terms case insensitive; diacritics are optional.)

Built-In

Postcode (Cyprus)

Cyprus Postcode matches with Cyriot postcode
combined with any of the following keywords within a
proximity of 10 terms:
CE¥CEπCEμœÇCEΠœÖCEΩœÉCEΣ, œÑœåœÄCEøœÇ
CE¥CEπCE±CE°CEøCEΩCEÆœÇ, œÄœåœÆªCEΣ,
œÑCE±œáœÖCE¥œÅCEøCE°CEμCEøCEø,
CE±CEΩCEøCEπœáœÑœåœÇ CE∫œéCE¥CEπCE∫CE±œÇ,
œÉœÖCEΩCEøCEπCE∫CEøCE±
œÑCE±œáœÖCE¥œÅCEøCE°CEπCE∫CEøœÇ
CE∫œéCE¥CEπCE∫CE±, œÄCEμœÅCEπCEøœáCEÆ
œÑCE±œáœÖCE¥œÅCEøCE°CEπCE∫CEøœÇ
CE∫œéCE¥CEπCE∫CE±,
CE¥CEπCE±CE°CE≠œÅCEπœÉCE°CE±
œÑCE±œáœÖCE¥œÅCEøCE°CEπCE∫CEøœÇ
CE∫œéCE¥CEπCE∫CE±, œÑCEøCE°CE≠CE±œÇ
œÑCE±œáœÖCE¥œÅCEøCE°CEπCE∫CEøœÇ
CE∫œéCE¥CEπCE∫CE±,
œÑCE±œáœÖCE¥œÅCEøCE°CEπCE∫œåœÇ
CE∫œéCE¥CEπCE∫CE±œÇ, adres, ikamet, konum, kraliyet
postasf±, kod noktasf± a√βf±k, posta kodu b√ðlgesi,
posta kodu alanf±, posta kodu birimi, posta kodu
sekt√ðr√°, posta kodu (or) posta. (All terms case
insensitive; diacritics are optional.)

Built-In

Region (Luxembourg)

Luxembourg Region matches with the following keyword: Built-In
Regioun combined with any of the following keywords
within a proximity of 10 terms: Oesling, Gutland,
Diekirch (or) Grevenmacher. (All terms case
insensitive.)

Driver's License Number (Iceland)	Iceland Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: photocard licence, learner drivers, licence holders, licence holder, licence number, license number, driving licences, driving licenses, driving licence, driving license, driver's licence (or) driver's license. (All terms case insensitive.)	Built-In
Postcode (Slovakia)	Slovakia Postcode matches with Slovakian postcode combined with any of the following keywords within a proximity of 10 terms: adresa, miesto bydliska, mesto, poštová smerovacia číslo (or) PSČ. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number - PN (Slovakia)	Slovakia National ID Number - PN (Personal Number) matches a valid PN with any of the following keywords within a proximity of 10 terms: Slovensko, Rodné číslo, Nrodné identifikačné číslo (or) identifikačné číslo. (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (Greece)	Greece Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: €π±≤±æŃÆœΆπø, ≠≥≥æΆ±œÛø œŃ±œÖœŃøœΆøøøΣœΈΣ ≥π± €πμπΩÆ œŃ±œøøøπ±, œΈœŃøøπœάμøø± €π±≤±æŃΣœΆøøøœÖ, visa, €μ^aœŃøø œŃ±œÖœŃœåœŃΣœŃ±œÇ, ±œΆππ^oœåœÇ €π±≤±æŃΣœΆøøøœÖ, œŃ±œøπøøπœâœŃπøøåå ≠≥≥æΆ±œÛø, ±œΆœάÆ ≠øøøœΈΣœÇ, €π±≤±æŃÆœΆπø, œŃ±œÖœŃœåœŃΣœŃ±, ≠≥≥æΆ±œÛø œŃ±œÖœŃœåœŃΣœŃ±œÇ, €π±≤±æŃÆœΆπø, ±øøø±œåœΆπœΈœŃπøøåå €π±≤±æŃΣœΆøøøœÖ, ±œΆ. €π±≤±æŃΣœΆøøøœÖ (or) ±œΆππ^oœåœÇ €π±≤±æŃΣœΆøøøœÖ (All terms	Built-In
Race (Romania)	Romania Race matches any of the following keywords: RasfÉ combined with any of the following keywords within a proximity of 10 terms: europoidfÉ, albfÉ, caucazianfÉ, mongoloidfÉ, negroidfÉ, mulatru, mulatrii, asiaticfÉ, meti≈ui. (All terms case insensitive; diacritics are optional.)	Built-In

License Plate Number (Ecuador)	Ecuador License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: n.º de registro, n.º de matrícula, número de licencia, número de matrícula, matrícula (or) número de registro. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Taiwan)	Taiwan Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: 02-XXXX-XXXX, 02-XXXX-XXXX, 02-XXXX-XXXX, 02-XXXX-XXXX (or) 02-XXXX-XXXX.	Built-In

Place of Birth (Russia)

Russia Place of Birth matches a valid place of birth combined with any of the following keywords within a proximity of 10 terms: -ú-æ-Å-f-≤-∞, -°-∞-Ω-f-Ç-
-ü-μ-Ç-μ-Ä-±-É-Ä-≥,
-°-μ-≤-∞-Å-Ç-æ-ø-æ-ª-å,
-ù-æ-≤-æ-Å-Π-±-Π-Ä-Å-f,
-ï-f-∞-Ç-μ-Ä-Π-Ω-±-É-Ä-≥,
-ö-∞-Σ-∞-Ω-å-ù-Π-ð-Ω-Π-π-ù-æ-≤-≥-æ-Ä-æ-¥,
-β-μ-ª-è-±-Π-Ω-Å-f, -°-∞-°-∞-Ä-∞,
-ö-∞-Σ-∞-Ω-å, -ù-Π-ð-Ω-Π-π-ù-æ-≤-≥-æ-Ä-æ-¥,
-û-°-Å-f, -†-æ-Å-Ç-æ-≤-Ω-∞-î-æ-Ω-É,
-£-Ñ-∞, -ö-Ä-∞-Å-Ω-æ-è-Ä-Å-f, -ü-μ-Ä-°-å,
-í-æ-Ä-æ-Ω-μ-ð, -í-æ-ª-≥-æ-≥-Ä-∞-¥,
-ö-Ä-∞-Å-Ω-æ-¥-∞-Ä, -°-∞-Ä-∞-Ç-æ-≤,
-ϕ-é-°-μ-Ω-å, -ϕ-æ-ª-å-è-Ç-Ç-Π,
-ò-ð-μ-≤-Å-f, -ë-∞-Ä-Ω-∞-É-ª,
-£-ª-å-è-Ω-æ-≤-Å-f, -ϕ-∞-Ç-∞-Ä-Å-Ç-∞-Ω,
-†-μ-Å-ø-É-±-ª-Π-f-∞-ϕ-∞-Ç-∞-Ä-Å-Ç-∞-Ω,
-ë-∞-à-f-æ-Ä-Ç-æ-Å-Ç-∞-Ω,
-†-μ-Å-ø-É-±-ª-Π-f-∞
-ë-∞-à-f-æ-Ä-Ç-æ-Å-Ç-∞-Ω,
-î-∞-≥-μ-Å-Ç-∞-Ω, -†-μ-Å-ø-É-±-ª-Π-f-∞
-î-∞-≥-μ-Å-Ç-∞-Ω, -β-μ-á-Ω-è,
-†-μ-Å-ø-É-±-ª-Π-f-∞-β-μ-á-Ω-è, -°-∞-Ö-∞
(-Ø-f-É-Ç-Π-è)?, -†-μ-Å-ø-É-±-ª-Π-f-∞
-°-∞-Ö-∞ (Λ-Ç-É-Ç-Π-à)? -ä-∞-Ä-ü-ª-Π-à

Built-In

Height (Lithuania)

Lithuania person, Åôs height described in Imperial or metric units, appearing within 10 terms of the keywords ≈´g. Or ≈´gis. Imperial measurements may use pfódos and coliai or only by coliai. Metric measurements may use metrai or Centimetrai. Examples: ≈´gis 5'11" or 180.72cm. (All terms case insensitive; diacritics are optional.)

Built-In

Weight (Finland)	Finland Person,Â&os weight appearing within 10 terms of the keywords Paino (or) massa. Weight can match in paunat (or) kilogrammat, using the keywords lb, kg, kilogrammat, paunat, naulat, st (or) unssit, followed by space or no space. Values can be separated by space or no space. (All text is case-insensitive.)	Built-In
------------------	--	----------

Residence Registration Number (Russia)	Russia Residence Registration Number matches a valid residence registration number combined with any of the following keywords within a proximity of 10 terms: -†-µ-≥-Π-Å-Ç-Ä-∞-Ü-Π-æ-Ω-Ω-æ-µ -Å-≤-Π-¥-µ-Ç-µ-ª-å-Å-Ç-≤-æ, -°-≤-Π-¥-µ-Ç-µ-ª-å-Å-Ç-≤-æ-æ -≥-æ-Å-É-¥-∞-Ä-Å-Ç-≤-µ-Ω-Ω-æ-π -Ä-µ-≥-Π-Å-Ç-Ä-∞-Ü-Π-Π, -°-≤-Π-¥-µ-Ç-µ-ª-å-Å-Ç-≤-æ-æ -Ä-µ-≥-Π-Å-Ç-Ä-∞-Ü-Π-Π -Ç-Ä-∞-Ω-Å-ø-æ-Ä-Ç-Ω-æ-≥-æ -Å-Ä-µ-¥-Å-Ç-≤-∞, -°-≤-Π-¥-µ-Ç-µ-ª-å-Å-Ç-≤-æ-æ -Ä-µ-≥-Π-Å-Ç-Ä-∞-Ü-Π-Π, -°-≤-Π-¥-µ-Ç-µ-ª-å-Å-Ç-≤-æ-æ -Ä-æ-ð-¥-µ-Ω-Π-Π, -†-µ-≥-Π-Å-Ç-Ä-∞-Ü-Π-è -ø-∞-Å-ø-æ-Ä-Ç-∞, -†-µ-≥-Π-Å-Ç-Ä-∞-Ü-Π-è-ø-æ -ø-∞-Å-ø-æ-Ä-Ç-É, -ü-Ä-æ-ø-Π-Å-∫-∞, -û-Ñ-æ-Ä-°-ª-µ-Ω-Π-µ-ø-∞-Å-ø-æ-Ä-Ç-∞, -ù-æ-°-µ-Ä-Ä-µ-≥-Π-Å-Ç-Ä-∞-Ü-Π-Π-ø-æ -°-µ-Å-Ç-É-ð-Π-Ç-µ-ª-å-Å-Ç-≤-∞, -ù-æ-°-µ-Ä-Ä-µ-≥-Π-Å-Ç-Ä-∞-Ü-Π-Π-ø-æ -°-µ-Å-Ç-É-ø-Ä-µ-±-ã-≤-∞-Ω-Π-è, -ù-æ-°-µ-Ä-Å-≤-Π-¥-µ-Ç-µ-ª-å-Å-Ç-≤-∞-æ -Ä-µ-≥-Π-Å-Ç-Ä-∞-Ü-Π-Π	Built-In
--	--	----------

Height (Romania)	Romania person,Âs height described in Imperial or metric units, appearing within 10 terms of the keywords √Æn. Or √ÆnfÉl»ōime. Imperial measurements may use picioare and inchi or only by inchi. Metric measurements may use metri or Centimetru. Examples: √ÆnfÉl»ōime 5'10" or 177.82cm or 5ft10in. (All terms case insensitive; diacritics are optional.)	Built-In
Discriminatory Content	Language that is deemed as racist or homophobic to be monitored for Children's Internet Protection Act (CIPA) compliance.	Built-In
US Person Name and ICD Code (Moderate)	Identifies assets that contain patterns resembling ICD codes, as specified by the World Health Organization, as well as a US person's name.	Built-In
Tax ID Number (Kuwait)	Kuwait Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: taxidnumber#, taxidnumber, taxidno#, taxidno, taxid#, taxid, taxnumber#, taxnumber, taxno#, taxno, tin, ŷ±ŸÇŸÖ ŸÖŷπŷ±ŸÅ ŷBŸÑŷðŷ±Ÿäŷ°ŷ©, ŷ±ŸÇŸÖ ŷBŸÑŷ™ŷπŷ±ŸäŸÅ ŷBŸÑŷðŷ±Ÿäŷ°Ÿä, ŷ±ŸÖŷ≤ ŸÖŷπŷ±ŸÅ ŷBŸÑŷðŷ±Ÿäŷ°ŷ©, ŸÖŸÑŸÅ ŷðŷ±Ÿäŷ°Ÿä, ŷ±ŸÇŸÖ ŷBŸÑŷ™ŷ≥ŷŸäŸÑ ŷBŸÑŷðŷ±Ÿäŷ°Ÿä, ŷ±ŸÇŸÖ ŷBŸÑŷðŷ±Ÿäŷ°ŷ© (or) ŷBŸÑŸÖŷπŷ±ŸÅ ŷBŸÑŷðŷ±Ÿäŷ°Ÿä. (All terms case insensitive.)	Built-In
Gender (Slovenia)	Slovenia Gender matches with the keyword: spol combined with any of the following keywords within a proximity of 10 terms: M, Mo≈°ki, ≈æ, ≈æenski, Drugi, Drugo (or) D (All terms case insensitive; diacritics are optional.)	Built-In

Gender (Latvia)	Latvia Gender matches with any of the following keywords: Dzimte (or) Dzimums combined with any of the following keywords within a proximity of 10 terms: V, Vģīrietis, S, Sieviete, Citi, Cits (or) C (All terms case insensitive; diacritics are optional.)	Built-In
Religion (UK)	UK Religion matches with any of the following keywords: Religion (or) Religious combined with any of the following keywords within a proximity of 10 terms: Christianity, Christian, Hinduism, Hindu, Islam, Muslim, Buddhism, Buddhist, Jewish, Protestant, Catholic, Eastern, Orthodox, Eastern Orthodox, Other christian, Other Religion, Atheist, Agnostic (or) No religion. (All terms case insensitive.)	Built-In
Tax ID Number (Sweden)	Sweden Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: skatt identifikation nummer, skatt id nummer, skatt identitet nummer, skattenummer, Skatteidentifieringskod, skattefil, nr. skatteidentifiering, skattenr.#, skattenr., skatteregistreringsnummer, skatte-id#, skatte-id-nr.#, skatte-id-nummer#, skattenummer#, tin id, tin nr., tin#, TIN (or) skatte-id. (All terms case insensitive.)	Built-In
License Plate Number (Australia)	Australia License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: rego number, rego plate, Rego, licence plate number, registration. no., plate. no., licence number, registration number, number plate (or) license plate. (All terms case insensitive.)	Built-In

Weight (Lithuania)	Lithuania Person,Âs weight appearing within 10 terms of the keywords Svoris (or) Masfó. Weight can match in Kilogramai (or) svarai, using the keywords svar., kg, Kilogramai, svarai, stonai, st (or) uncijos, followed by space or no space. Values can be separated by space or no space. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (Czech)	Czech Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: da≈à identifikace fç√≠slo, da≈à ID fç√≠slo, da≈à identita fç√≠slo, da≈àov√Ω identifikafç√≠k√≥d, da≈àov√Ω z√°znam, da≈àov√© identifikafç√≠fç√≠slo, da≈àov√© fç√≠slo, da≈àov√© registrafç√≠fç√≠slo, Dlfç, da≈àov√©fç√≠slo (or) Difç. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (Serbia)	Serbia Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: poreski identifikacioni broj, broj poreskog identiteta, ≈°ifra poreske identifikacije, poreski dosije, poreski identifikacioni br, broj poreske registracije, poreski broj, poreski br#, poreski br, poreskaid#, poreskaid, brporeskeid#, brporeskeid, brojporeskeid#, brojporeskeid, poreskibr#, poreskibr, poreskibroj#, poreskibroj, broj poreske id, pin id, pin br, pin#, PIN (or) poreska id. (All terms case insensitive; diacritics are optional.)	Built-In

National ID Number (Luxembourg)	Luxembourg National ID Number matches a valid National Identity Card Number with any of the following keywords within a proximity of 10 terms: eindeutige id, eindeutige id-nummer, id personnelle, num√©ro d'identification personnel, idpersonnelle, pers√©nliche identifikationsnummer (or) eindeutigeid. (All terms case insensitive; diacritics are optional.)	Built-In
Height (Ireland)	Ireland person,Äôs height described in Imperial or metric units, appearing within 10 terms of the keywords Airde. Imperial measurements may use troigh and orlach or only by orlach. Metric measurements may use m√©adar or Ceintim√©adar. Examples: Airde 5'10" or 179.04 cm or 5ft10in. (All terms case insensitive; diacritics are optional.)	Built-In
International Bank Account Number ,Äì IBAN (Norway)	Norway International Bank Account Number ,Äì IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: Bankkonto, iban, SWIFT, internasjonaloverf√©ring (or) pengeoverf√©ringer. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (Ecuador)	Ecuador Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: n√©mero de identificaci√©n fiscal, n√©mero de identidad fiscal, c√©digo de identificaci√©n fiscal, archivo fiscal, n.√© de identificaci√©n fiscal, n.√© fiscal, n√©mero de registro fiscal, n.√© de ID fiscal, n√©mero fiscal, n√©mero de ID fiscal, ID del NIF, n.√© del NIF, NIF (or) ID fiscal. (All terms case insensitive; diacritics are optional.)	Built-In

Expiry Date (Estonia)	Estonia Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Aegumise kuupäev (or) Aegumiskuupäev. (All terms case insensitive; diacritics are optional.)	Built-In
International Bank Account Number ,À IBAN (UK)	UK International Bank Account Number ,À IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: Bank account, iban, financial, payment, international money, money transfers, country code, uk, united kingdom, britain (or) british. (All terms case insensitive.)	Built-In
International Bank Account Number ,À IBAN (Netherlands)	Netherlands International Bank Account Number ,À IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: bankrekening, IBAN, financieel, internationale overschrijving, internationale betaling, landnummer, BIC code, betaling (or) landcode. (All terms case insensitive.)	Built-In
Religion (Belgium)	Belgium Religion matches with any of the following keywords: godsdienst, religie, geloofsovertuiging, geloof (or) levensbeschouwing combined with any of the following keywords within a proximity of 10 terms: christelijk, christen, hindoeïstisch, hindoe, islamitisch, moslim, boeddhistisch, boeddhist, joods, protestants, katholiek, oosters, orthodox, oosters orthodox, christelijk anders, religieus anders, atheïstisch, agnostisch (or) geen geloofsovertuiging. (All terms case insensitive; diacritics are optional.)	Built-In

License Plate Number (Lithuania)	Lithuania License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: valstybinio numerio numeris, valstybinio numerio æenklas, registracijos nr., valstybinis numeris (or) registracijos numeris. (All terms case insensitive; diacritics are optional.)	Built-In
Religion (Poland)	Poland Religion matches with any of the following keywords: Religia (or) Religijny combined with any of the following keywords within a proximity of 10 terms: ChrzeœcijaœŃstwo, Chrzeœcijanin, Hinduizm, Hinduista, Islam, MuzuœÇmanin, Buddyzm, Buddysta, œ°yd, Protestant, Katolik, Wschodni, PrawosœÇawny, Wschodni PrawosœÇawny, Inni chrzeœcjanie, Inne religie, Ateiœœci, Agnostycy (or) Brak religii. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (Germany)	Germany Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: Steuer identifikationsnummer, Steuer-ID, Steuernummer, Steuerakte, Steueridentifikations-Nr., Steueridentifikationsnr., Steuer-Nr., Steuernr., Steuerregistrierungs-Nr., Steuerregistrierungsnr. (or) TIN. (All terms case insensitive.)	Built-In
Postcode (Venezuela)	Venezuela Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: direcciœ≥n, distrito de cœ≥digo postal, œ°rea de cœ≥digo postal, unidad de cœ≥digo postal (or) sector de cœ≥digo postal. (All terms case insensitive; diacritics are optional.)	Built-In

Phone Number (Luxembourg)	Luxembourg Phone number matches a Luxembourgish phone number combined with any of the following keywords within a proximity of 10 terms: Telefonnummer, Telefon, Handynummer, num√©ro de portable, t√©l√©phone, telefon√©ieren, Telefonsnummer (or) Handysnummer. (All terms case insensitive; diacritics are optional.)	Built-In
Expiry Date (France)	France Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Dated'√©ch√©ance, Date d'√©ch√©ance, Date d'expiration, Dated'expiration (or) √©âch√©ance. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Malaysia)	Malaysia Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: nombor telefon mudah alih, nombor telefon bimbit, nombor telefon (or) no telefon.	Built-In
Region (Spain)	Spain Region matches with the following keyword: Regi√©n combined with any of the following keywords within a proximity of 10 terms: Andalusia, Aragon, Asturias, Balearic Islands, Pais Vasco, Canary Islands, Cantabria, Castilla-La Mancha, Castilla y Leon, Catalonia, Extremadura, Galicia, Madrid, Murcia, Navarre, La Rioja (or) Valencia. (All terms case insensitive.)	Built-In
Phone Number (Serbia)	Serbia Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: broj mobilnog telefona, broj telefona, br. telefona, br telefona (or) broj mobilnog.	Built-In

Driver's License Number (UK)	UK Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: DVLA, photocard licence, learner drivers, licence holder, licence holders, licence number, license number, driving licences, licence (or) drivers license. (All terms case insensitive.)	Built-In
Postcode (Dominican Republic)	Dominican Republic Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: direcci√≥n, distrito de c√≥digo postal, √°rea de c√≥digo postal, unidad de c√≥digo postal (or) sector de c√≥digo postal. (All terms case insensitive; diacritics are optional.)	Built-In
Health Insurance Number (Costa Rica)	Costa Rica Health Insurance Number matches a valid health insurance number combined with any of the following keywords within a proximity of 10 terms: cobertura m√©dica, beneficios para la salud, cobertura de atenci√≥n m√©dica, n√°mero de salud personal, registro sanitario, n√°mero de seguro m√©dico (or) ley de informaci√≥n de salud. (All terms case insensitive; diacritics are optional.)	Built-In

Business Number (Israel)	Israel Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: מזה"מ,מס' מסחרי,מס' מס' מסחרי,מס' מס' מסחרי,מס' מס' מסחרי,מס' מס' מסחרי (or) מזה"מ מס' מסחרי.	Built-In
Postcode (Panama)	Panama Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: direcci√≥n, distrito de c√≥digo postal, √°rea de c√≥digo postal, unidad de c√≥digo postal (or) sector de c√≥digo postal. (All terms case insensitive; diacritics are optional.)	Built-In
Business Number (Kenya)	Kenya Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: business no, business number, business ID, businessid#, businessid, businessno# (or) businessno. (All terms case insensitive.)	Built-In
Postcode (Germany)	Germany Postcode matches with German postcode combined with any of the following keywords within a proximity of 10 terms: Adresse, Wohnsitz, Ort, Postleitzahl (or) PLZ. (All terms case insensitive.)	Built-In
Hair Color (Luxembourg)	Luxembourg Hair color matches with any of the following keywords Hoer Faarf combined with any of the following keywords within a proximity of 10 terms: Rout, Golden, Flaxen, Gro, Braun, Schwaarz, Blond (or) aner Faarf. (All terms case insensitive.)	Built-In

Region (Croatia)	Croatia Region matches with the following keyword: Regija combined with any of the following keywords within a proximity of 10 terms: Zadar, Dubrovačko-neretvanska, Istarska, Primorsko-goranska, Splitsko-dalmatinska, Zagrebačka, Sisavačko-moslavenska, Ličko-senjska, Osječko-baranjska, Šibeniko-kninska, Karlovačka, Međimurska, Bjelovarsko-bilogorska, Brodsko-posavska, Varaždinska, Požeško-slavonska, Koprivničko-križevačka, Vukovarsko-srijemska, Virovitičko-podravska (or) Krapinsko-zagorska. (All terms case insensitive; diacritics are optional.)	Built-In
Ethnicity (Romania)	Romania Ethnicity matches with any of the keywords: Etnie, Grup Etnic (or) Etnic combined with any of the following keywords within a proximity of 10 terms: Români, Români, Greci, Greci, Germani, Germani, Neam, Cehi, Cehi, Sârbi, Sârbi, Evreii, Slovaci, Slovaci, Turci, Turci, Bulgari, Bulgari, Maghiari, Maghiari, Unguri, Unguri, Ceangăi, Ceangăi, Rusi, Ruși, Ruslipean, Ruși-lipoveni, Polonezi, Polonezi, Macedonienii, Macedonienii, Armeanii, Armenii, Tatarii, Tatarii, Croați, Croați, Ucrainenii, Ucrainenii, Romii, Romii, Italianii, Italianii, Chinezii, Chinezii, Altă etnie (or) Nedecarată. (All terms case insensitive; diacritics are optional.)	Built-In

Tax ID Number (China)	China Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: ÁéÄ°ËÜÀ´ÀèΣ, ÁéÄ°Áô°ËÆ∞ÀèΣ, ÁéÄ°ËÜÀ´Á†Á, ÁéÄ°Ëñá‰ð, ÁéÄ°ÀèΣ#, ÁéÄ°ÀèΣ, ÁéÄ°ËÜÀ´ÀèΣ#, ÁéÄ°ËÜÀ´ÀèΣ, ÁéÄ°ID#, ÁéÄ°ËÜÀ´Á†Á, ÁéÄ°ËÜÀ´ID, ÁéÄ°Ë´‰ΩËÀÈðé#, TIN (or) ÁéÀèΣ. (All terms case insensitive.)	Built-In
Objectionable Content	Language in words or phrases considered offensive.	Built-In
Business Number (Norway)	Norway Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: norway bedriftsnummer, bedriftsnummer, bedrifts-ID, id-nummer for bedrift (or) nummer for bedrift. (All terms case insensitive.)	Built-In
Height (Germany)	Germany person,Äs height described in Imperial or metric units, appearing within 10 terms of the keywords H√ðhe. Imperial measurements may use feet and Zoll or only by Zoll. Metric measurements may use meter or Zentimeter. Examples: H√ðhe 5'11" or 180.28cm or 5ft11in. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (Denmark)	Denmark Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: skat identifikation nummer, skatteidentifikationsnummer, skat id nummer, skat identitet nummer (or) skatteregistreringsnummer. (All terms case insensitive.)	Built-In

Phone Number (Lithuania)	Lithuania Phone number matches a Lithuanian phone number combined with any of the following keywords within a proximity of 10 terms: telefono numeris, telefono Nr., telefono num., telefonas, mobiliojo telefono numeris (or) mobilusis telefonas. (All terms case insensitive.)	Built-In
National ID Number - CPRN (Denmark)	Denmark National ID Number - CPRN (Central Person Register Number) matches a valid CPRN with any of the following keywords within a proximity of 10 terms: CPR-nummer, personnummer, skat identifikationsnummer, civilt registreringssystem, Nationalt identifikationsnummer, unikt identifikationsnummer, identifikationsnummer (or) centrale personregister. (All terms case insensitive.)	Built-In
Driver's License Number (Dominican Republic)	Dominican Republic Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: licencia de tarjeta con foto, licencia estudiante, titulares de licencia, titular de licencia, número de licencia, licencias de conducir, licencia del conductor, licencia de conducir (or) carnet de conducir. (All terms case insensitive; diacritics are optional.)	Built-In

National ID Number - DPI (Guatemala)	Guatemala National ID Number - DPI (Documento Personal de Identificación) matches a valid DPI number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, DPI, número de tarjeta de identidad nacional, número de tarjeta nacional, número de identificación nacional, identificación nacional, Documento personal de identificación (or) Documento nacional de identidad. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Spain)	Spain License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: matrícula, número de registro, número de placa, placa de matrícula, número de licencia, número de matrícula, número de registro, número de registre, número de placa, número de licencia (or) número de registre. (All terms case insensitive; diacritics are optional.)	Built-In

Criminal Records (Russia)

Russia Criminal Records matches with any of the following keywords —Ä—É—¥—П—°—æ—Ä—Ç—å, —Ј—Ä—П—°—П—Ω—∞—ª—å—Ω—∞—è—Σ—∞—ø—П—Ä—å (or) —ø—æ—ª—П—Ü—µ—π—Ä—Ј—æ—µ—¥—æ—Ä—å—µ combined with any of the following keywords within a proximity of 10 terms: —Ä—∞—°—æ—É—±—П—π—Ä—Ç—≤—æ, —É—±—П—π—Ä—Ç—≤—æ, —Ј—Ä—∞—ð—∞—Ä—æ —≤—Σ—ª—æ—°—æ—°, —Ј—Ä—∞—ð—∞, —Ј—æ—Ä—Ä—É—ø—Ü—П—è, —°—æ—à—µ—Ω—Ω—П—á—µ—Ä—Ç—≤—æ, —Ç—µ—Ä—Ä—æ—Ä—П—Σ—°, —Ω—∞—Ä—Ј—æ—Ç—П—Ј—П, —Ω—µ—Σ—∞—Ј—æ—Ω—Ω—ã—π—æ—±—æ—Ä—æ—Ç —Ω—∞—Ä—Ј—æ—Ç—П—Ј—æ—≤, —П—Σ—Ω—∞—Ä—П—ª—æ—≤—∞—Ω—П—µ, —Ä—∞—Σ—±—æ—π, —æ—≥—Ä—∞—±—ª—µ—Ω—П—µ, —É—≥—æ—Ω —∞—≤—Ç—æ—°—æ—±—П—ª—è, —ø—æ—Ö—П—â—µ—Ω—П—µ, —Ç—æ—Ä—≥—æ—≤—ª—è—ª—é—¥—å—°—П, —Ω—µ—Σ—∞—Ј—æ—Ω—Ω—∞—è—ø—µ—Ä—µ—≤—æ—Σ—Ј—∞ —ª—é—¥—µ—π (or) —Ω—µ—Σ—∞—Ј—æ—Ω—Ω—ã—π —æ—±—æ—Ä—æ—Ç—æ—Ä—É—ð—П—è.

Built-In

Region (Romania)

Romania Region matches with the following keyword: Regiune combined with any of the following keywords within a proximity of 10 terms: Nord, Nord-est, Est, Sud, Sud-est, Banat, Oltenia, Muntenia, Dobrogea, Moldova, Bucovina, Maramure»ô, Cri»ôana (or) Transilvania. (All terms case insensitive.)

Built-In

Tax ID Number (Bulgaria)	Bulgaria Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: -№-∞-Ω-ä-á-Ω-∞ -Π-¥-μ-Ω-Ç-Π-Ñ-Π-∫-∞-Ü-Π-è-Ω-æ-°-μ-Ä, -№-∞-Ω-ä-á-Ω-∞-id-Ω-æ-°-μ-Ä, -№-∞-Ω-ä-á-Ω-∞-Å-∞-°-æ-ª-Π-á-Ω-æ-Å-Ç -Ω-æ-°-μ-Ä, -№-∞-Ω-ä-á-μ-Ω-Ω-æ-°-μ-Ä, -î-∞-Ω-ä-á-μ-Ω -Π-¥-μ-Ω-Ç-Π-Ñ-Π-∫-∞-Ü-Π-æ-Ω-μ-Ω-∫-æ-¥, -№-∞-Ω-ä-á-Ω-æ-¥-æ-Å-Π-μ, -№-∞-Ω-ä-á-μ-Ω -Π-¥-μ-Ω-Ç-Π-Ñ-Π-∫-∞-Ü-Π-æ-Ω-μ-Ω, Ññ, -№-∞-Ω-ä-á-μ-Ω, Ññ, -Ω-æ-°-μ-Ä-Ω-∞ -№-∞-Ω-ä-á-Ω-∞-Ä-μ-≥-Π-Å-Ç-Ä-∞-Ü-Π-è, -№-∞-Ω-ä-á-μ-Ω-ò-î, Ññ, -№-∞-Ω. -ò-î, Ññ, -№-∞-Ω. -Π-¥-μ-Ω-Ç-Π-Ñ-Π-∫-∞-Ü-Π-æ-Ω-μ-Ω, Ññ, -№-∞-Ω. , Ññ, -№-∞-Ω-ä-á-μ-Ω-Ω-æ-°, -î-ò-ù, -î-ò-ù, Ññ (or) -№-∞-Ω. -Π-¥. (All terms case insensitive.)	Built-In
Company Number (Germany)	Germany Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: Gewerbe-Nr., Gewerbenr., Gewerbenummer, Firmennummer, Nummer des eingetragenen Unternehmens, Unternehmensnummer, Unternehmens-Identifikationsnummer (or) UID. (All terms case insensitive.)	Built-In

Central Provident Fund Number - CPF (Belgium)	Belgium Central Provident Fund Number - CPF matches a valid CPF number combined with any of the following keywords within a proximity of 10 terms: Centraal pensioenfondsnummer, Beroepspensioennummer, Berufliche Vorsorgenummer, Berufliche Vorsorgenr., Vorsorgenummer, Vorsorge-Nummer, Identificatienummer, CPF-nummer (or) CPF. (All terms case insensitive.)	Built-In
Social Security Number (US) ,Äi Moderate	Social Security Number (US) - Moderate matches the social security number in the following format 3 digit number, 2 digit number and 4 digit number where the values are seperated by a - or space.	Built-In
VAT ID Number (Saudi Arabia)	Saudi Arabia VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: vat no., ŷ±ŸÇŸÖ vat, vat#, ŷðŷ±Ÿäŷ*ŷ© ŷßŸÑŸÇŸäŸÖŷ© ŷßŸÑŸÖŷðŷßŸÄŷ©, ŷ±ŸÇŸÖ ŷðŷ±Ÿäŷ*ŷ© ŷßŸÑŸÇŸäŸÖŷ© ŷßŸÑŸÖŷðŷßŸÄŷ©, vat no (or) VAT. (All terms case insensitive.)	Built-In
License Plate Number (Botswana)	Botswana License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: registration. no., plate. no., license plate number, license number, licence plate (or) registration number. (All terms case insensitive.)	Built-In

Driver's License Number (Guatemala)	Guatemala Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: licencia de tarjeta con foto, licencia estudiante, titulares de licencia, titular de licencia, número de licencia, licencias de conducir, licencia del conductor, licencia de conducir (or) carnet de conducir. (All terms case insensitive; diacritics are optional.)	Built-In
Driver's License Number (India)	India Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: photocard licence, learner drivers, licence holder, licence holders, licence number, license number, driving licences, driving licenses, driving licence, driving license, driver's licence, driver's license, drivers licence (or) drivers license.(All terms case insensitive.)	Built-In
Weight (Germany)	Germany Person, weight appearing within 10 terms of the keywords Gewicht (or) Masse. Weight can match in Kilogramm, using the keywords kg (or) Kilogramm, followed by space or no space. Values can be separated by space or no space. (All text is case-insensitive.)	Built-In
Bank Account Number (Portugal)	Portugal Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: número de conta bancária, detalhes bancários, número bancário, código de conta, ID de conta, número de conta (or) conta numerada. (All terms case insensitive; diacritics are optional.)	Built-In

Tax ID Number (Ukraine)

Ukraine Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms:

Built-In

—ñ-¥-μ-Ω-Ç-Π-Ñ-ñ-∫-∞-Ü-ñ-π-Ω-Π-π
-Ω-æ-°-μ-Ä-ø-ª-∞-Ç-Ω-Π-∫-∞
-ø-æ-¥-∞-Ç-∫-ñ-≤,
—ñ-¥-μ-Ω-Ç-Π-Ñ-ñ-∫-∞-Ü-ñ-π-Ω-Π-π
-ø-æ-¥-∞-Ç-∫-æ-≤-Π-π-Ω-æ-°-μ-Ä,
—ñ-¥-μ-Ω-Ç-Π-Ñ-ñ-∫-∞-Ü-ñ-π-Ω-Π-π
-ø-æ-¥-∞-Ç-∫-æ-≤-Π-π-∫-æ-¥,
—Ä-μ-î-Å-Ç-Ä-∞-Ü-ñ-π-Ω-Π-π-Ω-æ-°-μ-Ä
-ø-ª-∞-Ç-Ω-Π-∫-∞-ø-æ-¥-∞-Ç-∫-ñ-≤,
—Ä-μ-î-Å-Ç-Ä-∞-Ü-ñ-π-Ω-Π-π
-ø-æ-¥-∞-Ç-∫-æ-≤-Π-π-Ω-æ-°-μ-Ä#,
—Ä-μ-î-Å-Ç-Ä-∞-Ü-ñ-π-Ω-Π-π
-ø-æ-¥-∞-Ç-∫-æ-≤-Π-π-Ω-æ-°-μ-Ä,
—Ä-μ-î-Å-Ç-Ä-∞-Ü-ñ-π-Ω-Π-π
-ø-æ-¥-∞-Ç-∫-æ-≤-Π-π,Ññ#,
—Ä-μ-î-Å-Ç-Ä-∞-Ü-ñ-π-Ω-Π-π
-ø-æ-¥-∞-Ç-∫-æ-≤-Π-π,Ññ,-ø-æ-¥-∞-Ç-∫-æ-≤-∞
—Å-ø-Ä-∞-≤-∞,-ø-æ-¥-∞-Ç-∫-æ-≤-Π-π
-Ω-æ-°-μ-Ä#, -ø-æ-¥-∞-Ç-∫-æ-≤-Π-π
-Ω-æ-°-μ-Ä,-ø-æ-¥-∞-Ç-∫-æ-≤-Π-π,Ññ#,
-ø-æ-¥-∞-Ç-∫-æ-≤-Π-π,Ññ,-Ü-ü-ù,Ññ,-Ü-ü-ù# (or)
-Ü-ü-ù.

License Plate Number (Romania)	Romania License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: numfÉr plfÉcu»öfÉ √Ænmatriculare, numar de inmatriculare, numfÉr √Ænmatriculare, nr √Ænmatriculare, numfÉr auto, numfÉr vehicul, plfÉcu»öfÉ √Ænmatriculare, placuta, matricula, masina (or) inregistrat. (All terms case insensitive; diacritics are optional.)	Built-In
Expiry Date (Portugal)	Portugal Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Data dea expira√B√£o, Data de validade, Data-expira√B√£o (or) Dataexpira√B√£o. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (South Africa)	South Africa VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: vat no., vat number, value added tax number, value added tax, vat no, vat# (or) VAT. (All terms case insensitive.)	Built-In
Phone Number (Latvia)	Latvia Phone number matches a Latvian phone number combined with any of the following keywords within a proximity of 10 terms: tfÅlru≈Üa numurs, tfÅlru≈Üa nr., tfÅlru≈Üa num., telefons, mobilais numurs (or) mobilfÅ tfÅlru≈Üa numurs. (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (Bulgaria)	Bulgaria Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: -ø-∞-Å-ø-æ-Ä-Ç, -Π-¥-μ-Ω-Ç-Π-Ñ-Π-∫-∞-Ü-Π-è-Σ-∞ -^o-μ-ð-¥-É-Ω-∞-Ä-æ-¥-Ω-æ-ø-ä-Ç-É-≤-∞-Ω-μ, -ø-∞-Å-ø-æ-Ä-Ç-Ω-Π-¥-∞-Ω-Ω-Π, -≤-Π-Σ-∞, -Ω-∞-Ü-Π-æ-Ω-∞-^a-μ-Ω -Π-¥-μ-Ω-Ç-Π-Ñ-Π-∫-∞-Ü-Π-æ-Ω-μ-Ω -¥-æ-∫-É-^o-μ-Ω-Ç, -Ω-æ-^o-μ-Ä-Ω-∞ -ø-∞-Å-ø-æ-Ä-Ç, -ø-ä-Ç-μ-Ω -¥-æ-∫-É-^o-μ-Ω-Ç, -Π-Σ-¥-∞-≤-∞-â-æ-Ä-≥-∞-Ω, -ø-∞-Å-ø-æ-Ä-Ç, -Å-∞-^o-æ-^a-Π-á-Ω-æ-Å-Ç, -¥-æ-∫-∞-Σ-∞-Ç-μ-^a-Å-Ç-≤-æ-Σ-∞ -Å-∞-^o-æ-^a-Π-á-Ω-æ-Å-Ç, -ø-∞-Å-ø-æ-Ä-Ç, -ø-∞-Å-ø-æ-Ä-Ç, Ññ, Ññ-Ω-∞ -ø-∞-Å-ø-æ-Ä-Ç. (or) -Ω-æ-^o-μ-Ä-Ω-∞ -ø-∞-Å-ø-æ-Ä-Ç. (All terms case insensitive.)	Built-In
Phone Number (Dominican Republic)	Dominican Republic Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: n√fmero de tel√@fono m√≥vil, n√fmero de tel√@fono (or) n√fmero de m√≥vil. (All terms case insensitive; diacritics are optional.)	Built-In

Tax ID Number - RUC (Peru)	Peru Tax ID Number - RUC (Registro Único del Contribuyente) matches a valid RUC number combined with any of the following keywords within a proximity of 10 terms: Registro Único del Contribuyente, RUC, número de identificación fiscal, código de identificación fiscal, archivo fiscal, número de identificación fiscal, número de registro fiscal, número de ID fiscal, número fiscal, número fiscal, ID fiscal, ID del NIF, número del NIF (or) NIF. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Australia)	Australia Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: mobile phone number, mobilephone number, mobile phone no., mobilephone no., mobile number, mobilenumber, mobile no., mobilen., mobile, contact number, contact no., contact, fax number, fax no., cell phone number, cellphone number, cell phone no., cellphone no., cell phone, cellphone, cell number, cellnumber, cell no., cellno., whatsapp number, whatsapp no., whatsapp, phone number, phone no., phone num, telephonic number, telephone number, telephone no., telephone, landline number, landline no. (or) landline num. (All terms case insensitive.)	Built-In

Religion (US)	US Religion matches with any of the following keywords: Religion (or) Religious combined with any of the following keywords within a proximity of 10 terms: Christianity, Christian, Hinduism, Hindu, Islam, Muslim, Buddhism, Buddhist, Jewish, Protestant, Catholic, Eastern Orthodox, Other christian, Other Religion, Atheist, Agnostic (or) No religion. (All terms case insensitive.)	Built-In
Health Insurance Number (US)	US Health Insurance Number matches a valid health insurance number combined with any of the following keywords within a proximity of 10 terms: health coverage, health benefits, health care coverage, personal health number, health registration, health insurance number (or) health information act. (All terms case insensitive.)	Built-In
Passport Number (Bolivia)	Bolivia Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: identificaci√n para viajes internacionales, detalles del pasaporte, visa, documento nacional de identidad, n√mero de pasaporte, documento de viaje, autoridad emisora, prueba de identificaci√n, ID de pasaporte, n.√mero de pasaporte (or) pasaporte. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Austria)	Austria VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: MwSt.-Nummer, Mehrwertsteuer-Identifikationsnummer, Mehrwertsteuernummer, Mehrwertsteuer, MwSt. (or) Umsatzsteuer-Identifikationsnummer. (All terms case insensitive.)	Built-In

Criminal Record (Belgium)	Belgium Criminal records matches with any of the following keywords strafblad (or) strafregister combined with any of the following crime keywords within a proximity of 10 terms: moord, doodslag, diefstal, corruptie, fraude, terrorisme, drugs, huisvredebreuk, verkrachting, beroving, autodiefstal, zelfmoord, kidnapping, mensenhandel, mensensmokkel (or) wapenhandel. (All terms case insensitive.)	Built-In
Routing Number (Costa Rica)	Costa Rica Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: n.º de routing bancario, n.º de routing, routing bancario, n.º de routing (or) RTN. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number (Hong Kong)	Hong Kong National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: HKID, 香港身份證號碼, 香港身分證號碼, 香港身份證號碼, 香港身分證號碼, 香港身份證號碼, 香港身分證號碼 (or) HKID. (All terms case insensitive.)	Built-In
Tax ID Number (Slovakia)	Slovakia Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: dane identifikácia fč√#slo, dane id fč√#slo, dane identita fč√#slo, lfç, lfçO (or) identifikafç√© fç√#slo osoby. (All terms case insensitive; diacritics are optional.)	Built-In

Social Insurance Number - SIN (Austria)	Austria Social Insurance Number - SIN matches a valid social insurance number combined with any of the following keywords within a proximity of 10 terms: Sozialversicherungsnummer, Sozialversicherungs-Nr., Sozialversicherungen, Sozialversicherung, sin# (or) sin. (All terms case insensitive.)	Built-In
Tax ID Number (Kenya)	Kenya Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: tax identification number, tax identity number, tax identification code, tax file, tax identification no, tax registration number, taxidnumber#, taxidnumber, taxidno#, taxidno, tax no#, tax no, taxid#, taxid, taxno#, taxno, taxnumber#, taxnumber, tax id, tin id, tin no, tin# (or) TIN. (All terms case insensitive.)	Built-In
Postcode (Egypt)	Egypt Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: ÿßŸÑŸπŸÜŸàŸßŸÜ, Ÿ≠Ÿä ŸßŸÑŸ±ŸÖŸ≤ ŸßŸÑŸ*Ÿ±ŸäŸØŸä, ŸÖŸÜŸΣŸÇŸ© ŸßŸÑŸ±ŸÖŸ≤ ŸßŸÑŸ*Ÿ±ŸäŸØŸä, ŸäŸ≠ŸØŸ© ŸßŸÑŸ±ŸÖŸ≤ ŸßŸÑŸ*Ÿ±ŸäŸØŸä, ŸÇŸΣŸßŸπ ŸßŸÑŸ±ŸÖŸ≤ ŸßŸÑŸ*Ÿ±ŸäŸØŸä (or) ŸßŸÑŸ±ŸÖŸ≤ ŸßŸÑŸ*Ÿ±ŸäŸØŸä.	Built-In
Tax ID Number (Turkey)	Turkey Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: vergi sicil numarasf±, vergi kimlik numarasf±#, vergi kimlik numarasf±, vergi kimlik no, vergi kodu, vergi sicili, vergi kaydf±, vergi numarasf±, vergi no#, vergi no, tin numarasf±, tin no, tin#, TIN (or) vergi kimlifüi. (All terms case insensitive; diacritics are optional.)	Built-In

Postcode (Sweden)	Sweden Postcode matches with Swedish postcode combined with any of the following keywords within a proximity of 10 terms: adress, bostadsort, ort, postadress, postnummerdistrikt, postnummerområde, postnummerenhet, postnummersektor (or) postnummer. (All terms case insensitive; diacritics are optional.)	Built-In
Ethnicity (Slovakia)	Slovakia Ethnicity matches with any of the keywords: etnicko (or) etnicko Skupina combined with any of the following keywords within a proximity of 10 terms: Slováci, Maďari, česi, Maďari na Slovensku, Rusíni, Rumunovia na Slovensku, Karpatskí Nemci, Chorvati na Slovensku, Zipseroví Nemci, Ukrajinci na Slovensku, Lemkovia, Srbi zo Slovenska, Moravia (or) Chorvati. (All terms case insensitive; diacritics are optional.)	Built-In
Religion (Lithuania)	Lithuania Religion matches with any of the following keywords: Religija (or) Tikėjimas combined with any of the following keywords within a proximity of 10 terms: Krikščionybė, Krikščionis, Induizmas, Hinduistas, Islamas, musulmonas, Budizmas, Budistas, žydai, Protestantas, Katalikas, Rytė, Stačiatikis, Rytė, Stačiatikis, Kitas krikščionis, Kita religija, Ateistas, Agnostikas (or) Jokios religijos. (All terms case insensitive; diacritics are optional.)	Built-In

VAT ID Number (Vietnam)	Vietnam VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: m√£ s·ªë vat, s·ªë vat, m√£ s·ªë thu·¸ø gi√° tr·ªã gia tñÉng, thu·¸ø gi√° tr·ªã gia tñÉng, s·ªë thu·¸ø GTGT, # vat (or) VAT. (All terms case insensitive; diacritics are optional.)	Built-In
International Bank Account Number ,Äi IBAN (Qatar)	Qatar International Bank Account Number ,Äi IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: IBAN, IBAN# (or) Ÿ±ŸÇŸÖ ŸBŸÑŸ≠Ÿ≥ŸBŸ® ŸBŸÑŸÖŸµŸ±ŸÄŸä ŸBŸÑŸØŸäŸÑŸä. (All terms case insensitive.)	Built-In
Tax ID Number (Poland)	Poland Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: podatek identyfikacja numer, podatek id numer, podatek to≈°samo≈°õfá numer, numer podatkowy, numer identyfikacji podatkowej, pilk podatkowy, nr identyfikacji podatkowej, nr podatkowy, nr podat., numer rejestracji podatkowej, nridpod, nridentpod, nr ident. podat., nr id. pod., nr identyfikacj podatkowej, ident. nip, nr NIP, nrnip, NIP (or) ident. podat.. (All terms case insensitive; diacritics are optional.)	Built-In
International Bank Account Number ,Äi IBAN (Kenya)	Kenya International Bank Account Number ,Äi IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: Interntional Bank Account Number, IBAN#, IBAN (or) Interntional bank account no. (All terms case insensitive.)	Built-In

License Plate Number (Hungary)	Hungary License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: forgalmi rendsz√°m, rendsz√°m, enged√°lysz√°m, enged√°lysz., rendsz√°mt√°bla, rndsz (or) regisztr√°ci√°s sz√°m. (All terms case insensitive; diacritics are optional.)	Built-In
Routing Number (Saudi Arabia)	Saudi Arabia Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: ŷ±ŸÇŸÖ ŷBŸŸŸ™ŸäŸŸŸäŸá, ŷ±ŸÇŸÖ ŷ™ŸäŸŸŸäŸá ŷ±ŷBŸ®ŷΣŷ© ŷBŸŸŸ®ŸÜŸàŸÉ, bankrouting#, bank routing, routing #, routing (or) RTN. (All terms case insensitive.)	Built-In
Hair Colour (UK/US)	UK/US Hair colour matches with any of the following keywords Hair color, Hair colour, Haircolour (or) Haircolor combined with any of the following keywords within a proximity of 10 terms: Red, Golden, Flaxen, Grey, Brown, Black, Blonde, other color (or) other colour. (All terms case insensitive.)	Built-In
Bank Account Number (Oman)	Oman Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: ŷ±ŸÇŸÖ ŷBŸŸŸŸ≥ŷBŸ® ŷBŸŸŸ®ŸÜŸÉŸä, ŷ™ŸÄŸBŸµŸäŸŸŸ ŷBŸŸŸ®ŸÜŸÉ, ŷ±ŸÇŸÖ ŷBŸŸŸ®ŸÜŸÉ, ŸÉŸàŸØ ŷBŸŸŸŸ≥ŷBŸ®, ŸÖŸπŸ±ŸēŸÄ ŷBŸŸŸŸ≥ŷBŸ®, ŷ±ŸÇŸÖ ŷBŸŸŸŸ≥ŷBŸ® (or) ŷBŸŸŸŸ≥ŷBŸ® ŷBŸŸŸÖŸèŷ±ŸÇŸēŸéŸÖ.	Built-In

License Plate Number (Saudi Arabia)	Saudi Arabia License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: $\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}$ $\tilde{Y}\tilde{N}\tilde{Y}\tilde{a}\tilde{y}\neq\tilde{y}\odot\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}^{\text{TM}}\tilde{y}\pm\tilde{y}\tilde{A}\tilde{E}\tilde{Y}\tilde{a}\tilde{y}\mu$, $\tilde{Y}\tilde{N}\tilde{Y}\tilde{a}\tilde{y}\neq\tilde{y}\odot$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}^{\text{TM}}\tilde{y}\pm\tilde{y}\tilde{A}\tilde{E}\tilde{Y}\tilde{a}\tilde{y}\mu$, $\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}^{\text{TM}}\tilde{y}\geq\tilde{y}^{\text{TM}}\tilde{Y}\tilde{a}\tilde{Y}\tilde{N}$, $\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{Y}\tilde{N}\tilde{Y}\tilde{a}\tilde{y}\neq\tilde{y}\odot$ (or) $\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}^{\text{TM}}\tilde{y}\pm\tilde{y}\tilde{A}\tilde{E}\tilde{Y}\tilde{a}\tilde{y}\mu$.	Built-In
Hair Color (Finland)	Finland Hair color matches with any of the following keywords $\sqrt{\text{Husten}}$ combined with any of the following keywords within a proximity of 10 terms: punainen, kullankeltainen, pellavanvaalea, harmaa, ruskea, musta, vaalea (or) $\sqrt{\text{muu}}$ $\sqrt{\text{Husten}}$. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (Slovenia)	Slovenia Postcode matches with Slovenian postcode combined with any of the following keywords within a proximity of 10 terms: naslov, prebivali $\approx^{\circ}$ f $\check{c}$ e, kraj, kraljeva po $\approx^{\circ}$ ta, odprta koda, obmo $\check{c}$ je po $\approx^{\circ}$ tne $\approx^{\circ}$ tevilke, regija po $\approx^{\circ}$ tne $\approx^{\circ}$ tevilke, enota po $\approx^{\circ}$ tne $\approx^{\circ}$ tevilke, sektor po $\approx^{\circ}$ tne $\approx^{\circ}$ tevilke (or) po $\approx^{\circ}$ tna $\approx^{\circ}$ tevilka. (All terms case insensitive; diacritics are optional.)	Built-In
Eye Color (Sweden)	Sweden Eye Color matches with any of the following keywords $\sqrt{\text{Husten}}$ $\sqrt{\text{Husten}}$, $\sqrt{\text{Husten}}$ $\sqrt{\text{Husten}}$, Iris $\sqrt{\text{Husten}}$ (or) $\sqrt{\text{Husten}}$ $\sqrt{\text{Husten}}$ combined with any of the following keywords within a proximity of 10 terms: Brun, Bl $\sqrt{\bullet}$, Gr $\sqrt{\partial}$ n, N $\sqrt{\partial}$ tbrun, B $\sqrt{\text{Husten}}$ sten, Gr $\sqrt{\bullet}$, Heterokromi (or) annan f $\sqrt{\text{Husten}}$. (All terms case insensitive; diacritics are optional.)	Built-In

National ID Number - CNIS (France)	France National ID Number - CNIS (Carte nationale d'identité) matches a valid CNIS combined with any of the following keywords within a proximity of 10 terms: CNI, numéro de carte Vitale, compte bancaire, numéro d'assurance maladie, Signature de l'autorité (or) carte nationale d'identité no. (All terms case insensitive.)	Built-In
Company Number (Norway)	Norway Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: selskapsnummer, bedriftsnummer, organisasjonsnummer, registreringsnummer for selskap (or) virksomhetsnummer. (All terms case insensitive.)	Built-In
Race (Finland)	Finland Race matches any of the following keywords: Rotu combined with any of the following keywords within a proximity of 10 terms: suomalainen, ruotsalainen, Sami, Roma, tatari, muut. (All terms case insensitive.)	Built-In
License Plate Number (Brazil)	Brazil License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: PIV, Placa de identificação veicular, nº de registro, nº da placa, nº de licença, nº de placa de licença, nº de registro (or) placa de licença. (All terms case insensitive; diacritics are optional.)	Built-In
Hair Color (Norway)	Norway Hair color matches with any of the following keyword Hårfarge combined with any of the following keywords within a proximity of 10 terms: Rødt, Gyllen, Løst, Brun, Sort, Blond, other color (or) other colour. (All terms case insensitive; diacritics are optional.)	Built-In

Company Number (US)	US Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: america company no#, america company number, corporate identification number, company registration number, america company no., america company # (or) corporate number. (All terms case insensitive.)	Built-In
Company Number (Oman)	Oman Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: ÿ±ÿÇÿÖ ÿBÿÑÿÜÿ±ÿBÿΣ ÿBÿÑÿ™ÿÿ ÿBÿ±ÿÿä (or) ÿÖÿπÿ±ÿÿÅ ÿBÿÑÿÜÿ±ÿBÿΣ ÿBÿÑÿ™ÿÿ ÿBÿ±ÿÿä.	Built-In
Hair Color (US)	US Hair Color matches with any of the following keywords Hair color (or) Haircolor combined with any of the following keywords within a proximity of 10 terms: Red, Golden, Flaxen, Grey, Brown, Black, Blonde (or) other color. (All terms case insensitive.)	Built-In
License Plate Number (Indonesia)	Indonesia License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: no. registrasi, no. plat, nomor surat izin, nomor plat surat izin, plat surat izin, Nomor plat, Plat nomor (or) nomor registrasi. (All terms case insensitive.)	Built-In
VAT ID Number (Estonia)	Estonia VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: k√šibemaksu nr, k√šibemaksu number, VAT nr, k√šibemaks, k√šibemaks number (or) VAT. (All terms case insensitive; diacritics are optional.)	Built-In

Social Security Number (Hungary)	Hungary Social Security Number matches a valid SSN with any of the following keywords within a proximity of 10 terms: AÁFA, KoÀzoÀsseÁgi adoÁszaÁm, AÁItalaÁnos forgalmi adoÁszaÁm (or) hozzaÁadotteÁrteÁk adoÁ. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (Japan)	Japan Postcode matches a valid postcode number combined with any of the following keywords within a proximity of 10 terms: %ΩèÊâ, Â±Ö%ΩèÁú, Áîf, „Ç™ „É° „Éó „É≥ „Ç≥ „É° „Éâ, ÈÉμ%æøÁí™ÂèΣ„,ÁÆÁú∞Áâf, ÈÉμ%æøÁí™ÂèΣ„,ÁÆÁú∞Âüü, ÈÉμ%æøÁí™ÂèΣ„,ÁÆÂçò%Ωç (or) ÈÉμ%æøÁí™ÂèΣ.	Built-In
Tax ID Number (Canada)	Canada Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: num√©ro d'identification aux fins de l'imp√¥t, no d'identification aux fins de l'imp√¥t, num√©ro d'identification √† la taxe, no de taxe, code d'identification fiscale, fichier d'imp√¥t, no de taxe, no taxe, no d'enregistrement aux fins de l'imp√¥t sur le revenu, ID taxe, no d'identification aux fins de l'imp√¥t, tax identification number, tax id number, tax identity number, tax number, Tax Identification Code, tax file, tax identification no, tax no#, tax no, tax registration number, taxid#, taxidno#, taxidnumber#, taxno#, taxnumber#, taxnumber, tin id, tin no, tin#, TIN, tax id, taxid no, taxid #, tax # (or) ID num√©ro d'identification aux fins de l'imp√¥t. (All terms case insensitive; diacritics are optional.)	Built-In

Bank Account Number (Serbia)	Serbia Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: broj bankovnog računa, podaci o banci, broj banke, broj računa, id računa, broj računa (or) numerisani račun. (All terms case insensitive; diacritics are optional.)	Built-In
Ethnicity (Malta)	Malta Ethnicity matches with any of the keywords: Etnika, Etnika (or) Etnika grupp combined with the following keyword within a proximity of 10 terms: Malti etniku. (All terms case insensitive; diacritics are optional.)	Built-In
Hair Color (Croatia)	Croatia Hair color matches with any of the following keywords Boja kose combined with any of the following keywords within a proximity of 10 terms: Crvena, Zlatno-plava, Blijedo plava, Sivo-plava, Smeđa, Crna, Plava (or) druga boja. (All terms case insensitive; diacritics are optional.)	Built-In
Medical Prescriptions (US)	Information relevant to an Rx prescription, such as drug name, person name, and dosage information.	Built-In
Hair Color (France)	France Hair color matches with any of the following keywords Couleur de cheveux combined with any of the following keywords within a proximity of 10 terms: Rouge, Doré, Blond, Gris, Brun, Noir, Blonde (or) autre couleur. (All terms case insensitive; diacritics are optional.)	Built-In

Routing Number (Colombia)	Colombia Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: n.º de routing bancario, número de routing, routing bancario, n.º de routing (or) RTN. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Japan)	Japan License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: É™ÄÏËªÄª≤Á™ÀèΣ, „Éä„É≥„Éê„Éº„Éó„É¨„Éº„Éà, ÁªÈª≤Á™ÀèΣ, „Éó„É¨„Éº„ÉàÁ™ÀèΣ (or) „É©„Ç§„Çª„É≥„ÇπÁ™ÀèΣ.	Built-In
Passport Number (Portugal)	Portugal Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: identifica√ó para viagens internacionais, cartão de identifica√ó nacional, cartão de cidad√ó, bilhete de identidade, cartão de identidade, detalhes do passaporte, visto, número do visto, número do passaporte, documento de viagem, prova de identifica√ó, identifica√ó, ID do passaporte, número do passaporte, passaporte n.º (or) passaporte. (All terms case insensitive; diacritics are optional.)	Built-In

National ID Number (Austria)	Austria National ID Number matches a valid National Identity Card Number with any of the following keywords within a proximity of 10 terms: personalausweis republik österreich, Sozialversicherungsnummer, Identifizierungsnummer, Ausweis, Identifikation, soziale sicherheit kein, Versicherungsnummer, Österreich (or) Steuernummer. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Germany)	Germany VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: MwSt.-Nummer, Mehrwertsteuer-Identifikationsnummer, Mehrwertsteuernummer, Mehrwertsteuer, MwSt. (or) Umsatzsteuer-Identifikationsnummer. (All terms case insensitive.)	Built-In
Eye Color (Germany)	Germany Eye Color matches with any of the following keywords Augenfarbe, Irisfarbe (or) Augapfelfarbe combined with any of the following keywords within a proximity of 10 terms: Braun, Blau, Grün, Hasel, Bernstein, Grau, Heterochromie (or) andere Farbe. (All terms case insensitive; diacritics are optional.)	Built-In
National Drug Code Number ,Ä NDC	National Drug Code Number ,Ä NDC matches a valid NDC number combined with any of the following keywords within a proximity of 10 terms: ndc (or) national drug code. (All terms case insensitive.)	Built-In

Passport Number (United Arab Emirates)	United Arab Emirates Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: $\dot{Y}\acute{a}\ddot{Y}\grave{a}\ddot{Y}\grave{a}\ddot{Y}\circ$ $\ddot{Y}\grave{B}\ddot{Y}\ddot{N}\ddot{Y}\geq\ddot{Y}\grave{A}\ddot{Y}\pm$, $\ddot{Y}\grave{B}\ddot{Y}\ddot{N}\ddot{Y}\circ\ddot{Y}\grave{a}\ddot{Y}\ddot{N}\ddot{Y}\grave{a}$, $\ddot{Y}\circ\ddot{Y}\acute{a}\ddot{Y}\grave{B}\ddot{Y}\mu\ddot{Y}\grave{a}\ddot{Y}\ddot{N}\ddot{Y}\circ$ $\ddot{Y}\grave{B}\ddot{Y}\ddot{N}\ddot{Y}\geq\ddot{Y}\grave{A}\ddot{Y}\pm$, $\ddot{Y}\grave{B}\ddot{Y}\ddot{N}\ddot{Y}\circ\ddot{Y}\grave{E}\ddot{Y}\neq\ddot{Y}\grave{a}\ddot{Y}\pm\ddot{Y}\circ$, $\ddot{Y}\circ\ddot{Y}\Sigma\ddot{Y}\grave{B}\ddot{Y}\grave{C}\ddot{Y}\circ$ $\ddot{Y}\grave{B}\ddot{Y}\ddot{N}\ddot{Y}\acute{a}\ddot{Y}\grave{a}\ddot{Y}\grave{a}\ddot{Y}\circ$, $\ddot{Y}\grave{B}\ddot{Y}\ddot{N}\ddot{Y}\grave{a}\ddot{Y}\Sigma\ddot{Y}\ddot{U}\ddot{Y}\grave{a}\ddot{Y}\circ$, $\ddot{Y}\grave{a}\ddot{Y}\circ\ddot{Y}\grave{a}\ddot{Y}\grave{C}\ddot{Y}\circ$ $\ddot{Y}\grave{B}\ddot{Y}\ddot{N}\ddot{Y}\geq\ddot{Y}\grave{A}\ddot{Y}\pm$, $\ddot{Y}\circ\ddot{Y}\acute{a}\ddot{Y}\circ$, $\ddot{Y}\grave{B}\ddot{Y}\ddot{N}\ddot{Y}\circ\ddot{Y}\mu\ddot{Y}\circ\ddot{Y}\grave{B}\ddot{Y}\pm$, $\ddot{Y}\circ\ddot{Y}\circ\ddot{Y}\grave{B}\ddot{Y}\circ$ $\ddot{Y}\grave{B}\ddot{Y}\ddot{N}\ddot{Y}\acute{a}\ddot{Y}\grave{a}\ddot{Y}\grave{a}\ddot{Y}\circ$, $\ddot{Y}\grave{B}\ddot{Y}\ddot{N}\ddot{Y}\acute{a}\ddot{Y}\grave{a}\ddot{Y}\grave{a}\ddot{Y}\circ$, $\ddot{Y}\ddot{O}\ddot{Y}\pi\ddot{Y}\pm\ddot{Y}\grave{A}\ddot{Y}\circ$ $\ddot{Y}\grave{B}\ddot{Y}\ddot{N}\ddot{Y}\geq\ddot{Y}\grave{A}\ddot{Y}\pm$, $\ddot{Y}\pm\ddot{Y}\grave{C}\ddot{Y}\ddot{O}\ddot{Y}\circ$ $\ddot{Y}\circ\ddot{Y}\grave{a}\ddot{Y}\grave{B}\ddot{Y}\leq\ddot{Y}\grave{B}\ddot{Y}\ddot{N}\ddot{Y}\geq\ddot{Y}\grave{A}\ddot{Y}\pm$ (or) $\ddot{Y}\circ\ddot{Y}\grave{a}\ddot{Y}\grave{B}\ddot{Y}\leq\ddot{Y}\grave{B}\ddot{Y}\ddot{N}\ddot{Y}\geq\ddot{Y}\grave{A}\ddot{Y}\pm$.	Built-In
Bank Account Number (Botswana)	Botswana Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: bank account number, bank details, bank number, account code, account id, account number (or) numbered account. (All terms case insensitive.)	Built-In
Passport Number (Hungary)	Hungary Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: $\sqrt{\text{ftlev}}\sqrt{\circ}\text{l}$, $\text{szem}\sqrt{\circ}\text{lyazonos}\sqrt{\neq}\sqrt{\circ}\text{s}$ nemzetk $\sqrt{\partial}$ zi utaz $\sqrt{\circ}$ shoz, $\sqrt{\text{ftlev}}\sqrt{\circ}\text{ladatok}$, $\text{v}\sqrt{\neq}\text{zum}$, nemzeti $\text{szem}\sqrt{\circ}\text{lyazonos}\sqrt{\neq}\sqrt{\circ}\geq\text{igazolv}\sqrt{\circ}\text{ny}$, $\sqrt{\text{ftlev}}\sqrt{\circ}\text{lsz}\sqrt{\circ}\text{m}$, $\sqrt{\text{fti}}\text{okm}\sqrt{\circ}\text{ny}$, $\text{ki}\sqrt{\circ}\text{ll}\sqrt{\neq}\sqrt{\circ}\geq\text{hat}\sqrt{\geq}\text{s}\sqrt{\circ}\text{g}$, $\sqrt{\text{ftlev}}\sqrt{\circ}\text{l}$, $\text{szem}\sqrt{\circ}\text{lyazonos}\sqrt{\neq}\sqrt{\circ}\text{s}$, $\text{szem}\sqrt{\circ}\text{lyazonoss}\sqrt{\circ}\text{g}$ $\text{igazol}\sqrt{\circ}\text{sa}$, $\sqrt{\text{ftlev}}\sqrt{\circ}\text{l}$, $\sqrt{\text{ftlev}}\sqrt{\circ}\text{lazonos}\sqrt{\neq}\sqrt{\circ}\geq$, $\sqrt{\text{ftlev}}\sqrt{\circ}\text{}$ (or) $\text{sz}\sqrt{\circ}\text{ma}$, $\sqrt{\text{ftlev}}\sqrt{\circ}\text{lsz}\sqrt{\circ}\text{m}$. (All terms case insensitive; diacritics are optional.)	Built-In

Weight (UK/US)	UK/US Person,Â's weight appearing within 10 terms of the keywords Weight (or) Mass. Weight can match in Pound (or) Kilograms, using the keywords Lb, kg, Kilograms (or) pounds, followed by space or no space. Values can be separated by space or no space. (All text is case-insensitive.)	Built-In
Multiple Personal Identifiers ,Â PII (Australia) ,Â Strict	Multiple Personal Identifiers ,Â PII (Australia) - Strict - Combines a person name with two or more of the following Australian identifiers: bank account number, credit card number, date of birth, driver's license number, passport number and tax file number with a matcher count of 5. Each matched identifier value must also combine with a corresponding keyword within a proximity of 10 terms. Below is a list of example keywords: account number, credit card, amex, ccn, debit card, dob, birth date, individual tax return, tax file number, driver license, driver's license, bank account, bank details, passport and pasaporte. (All terms case-insensitive.)	Built-In
Hair Color (Greece)	Greece Hair color matches with any of the following keywords ÆßœÅœéœ°œ± œ°œ±œªœªœπœéœΩ combined with any of the following keywords within a proximity of 10 terms: œöœåœŒœŒœπœΩœ±, œßœÅœÖœÉœ±œÜœ±œΩœπœ±, œëœΩœøœπœáœŒœ" œæœ±œΩœŒœ", œìœŒœÅœøœðœ±, œöœ±œÉœŒœ±œΩœ", œúœ±œçœÅœ±, œûœ±œΩœŒœ" (or) œÜœªœªœøœáœÅœéœ°œ±. (All terms case insensitive.)	Built-In

National ID Number - BSN (Netherlands)	Netherlands National ID Number - BSN (Burger service Number) matches a valid BSN with any of the following keywords within a proximity of 10 terms: Citizen Service Number, Burgerservicenummer, persoonlijk nummer, Persoonsnummer, social-fiscaal nummer, social-fiscal number, bsn-nummer (or) BSN. (All terms case insensitive.)	Built-In
Hair Color (Cyprus)	Cyprus Hair color matches with any of the following keywords $\text{C}\text{E}\beta\text{C}\text{E}\text{A}\text{C}\text{E}^{\circ}\text{C}\text{E}\pm\text{C}\text{E}^{\circ}\text{C}\text{E}\pm\text{C}\text{E}^{\text{a}}\text{C}\text{E}^{\text{a}}\text{C}\text{E}\pi\text{C}\text{E}\acute{\text{e}}\text{C}\text{E}\Omega$ (or) Sa√B rengi combined with any of the following keywords within a proximity of 10 terms: $\text{C}\text{E}\ddot{\text{o}}\text{C}\text{E}\text{A}\text{C}\text{E}\text{J}\text{C}\text{E}\text{J}\text{C}\text{E}\pi\text{C}\text{E}\Omega\text{C}\text{E}\pm,$ $\text{C}\text{E}\beta\text{C}\text{E}\text{A}\text{C}\text{E}\ddot{\text{o}}\text{C}\text{E}\acute{\text{e}}\text{C}\text{E}\pm\text{C}\text{E}\ddot{\text{U}}\text{C}\text{E}\neq\text{C}\text{E}\Omega\text{C}\text{E}\pi\text{C}\text{E}\pm,$ $\text{C}\text{E}\ddot{\text{e}}\text{C}\text{E}\Omega\text{C}\text{E}\emptyset\text{C}\text{E}\pi\text{C}\text{E}\acute{\text{a}}\text{C}\text{E}\tilde{\text{N}}\text{C}\text{E}^{\prime\prime}\text{C}\text{E}\text{æ}\text{C}\text{E}\pm\text{C}\text{E}\Omega\text{C}\text{E}\text{J}\text{C}\text{E}^{\prime\prime},$ $\text{C}\text{E}\grave{\text{i}}\text{C}\text{E}\text{J}\text{C}\text{E}\text{A}\text{C}\text{E}\emptyset\text{C}\text{E}\partial\text{C}\text{E}\pm, \text{C}\text{E}\ddot{\text{o}}\text{C}\text{E}\pm\text{C}\text{E}\acute{\text{e}}\text{C}\text{E}\tilde{\text{N}}\text{C}\text{E}\pm\text{C}\text{E}\Omega\text{C}\text{E}^{\prime\prime},$ $\text{C}\text{E}\acute{\text{u}}\text{C}\text{E}\pm\text{C}\text{E}\text{ç}\text{C}\text{E}\text{A}\text{C}\text{E}\pm, \text{C}\text{E}\hat{\text{u}}\text{C}\text{E}\pm\text{C}\text{E}\Omega\text{C}\text{E}\text{J}\text{C}\text{E}^{\prime\prime}, \text{C}\text{E}^{\prime\prime}\text{C}\text{E}^{\text{a}}\text{C}\text{E}^{\text{a}}\text{C}\text{E}\emptyset$ $\text{C}\text{E}\acute{\text{a}}\text{C}\text{E}\text{A}\text{C}\text{E}\acute{\text{e}}\text{C}\text{E}^{\circ}\text{C}\text{E}\pm, \text{Kf}\pm\text{rmf}\pm\text{zf}\pm, \text{Alt}\pm\text{n}, \text{Keten}, \text{Gri},$ Kahverengi, Siyah, Sarf±~üf±n (or) difüer renk. (All terms case insensitive; diacritics are optional.)	Built-In
Criminal Record (Romania)	Romania Criminal records matches with any of the following keywords cazier, dosar penal (or) antecedente penale combined with any of the following crime keywords within a proximity of 10 terms: crimfÉ, furt, corup»öie, fraudfÉ, terorism, droguri, t√çlhfÉrie, viol, ho»öie, furt de ma»öini, sinucidere, rfÉpire, trafic de persoane, trafic de emigran»öi (or) trafic de arme. (All terms case insensitive; diacritics are optional.)	Built-In

[illegible]

Weight (Malta)	Malta Person,Âs weight appearing within 10 terms of the keywords Pi≈° (or) Quddiesa. Weight can match in liri (or) Kilogrammi, using the keywords Lb, Kg, liri (or) Kilogrammi, followed by space or no space. Values can be separated by space or no space. (All terms case insensitive; diacritics are optional.)	Built-In
National Insurance Number ,Äi NINO (UK)	UK National Insurance Number ,Äi NINO matches a valid NINO combined with any of the following keywords within a proximity of 10 terms: national insurance number, national insurance contributions, protection actinsurance, social security number, insurance application, medical application, social insurance, medical attention, social security, insurance, insurance no., insurance number, insurance, insurancenumbr (or) national insurance. (All terms case insensitive.)	Built-In
Passport Number (Venezuela)	Venezuela Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: identificaci√≥n para viajes internacionales, detalles del pasaporte, visa, documento nacional de identidad, n√fmero de pasaporte, documento de viaje, autoridad emisora, prueba de identificaci√≥n, ID de pasaporte, n.∞ de pasaporte (or) pasaporte. (All terms case insensitive; diacritics are optional.)	Built-In

Phone Number (Romania)	Romania Phone number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: numfÉr telefon celular, numfÉr telefon, nr. telefon., num. telefon, telefon, numfÉr de mobil, numarul, numar, mobilul, mobil, sun, vorbim, auzim, apeleaza, apel, bip, beep (or) raspunde. (All terms case insensitive; diacritics are optional.)	Built-In
Eye Color (Finland)	Finland Eye Color matches with any of the following keywords silmien v√šri (or) iiristen v√šri combined with any of the following keywords within a proximity of 10 terms: ruskea, sininen, vihre√š, p√šhkin√šruskea, kullanruskea, harmaa, eri v√šriset (or) muu v√šri. (All terms case insensitive; diacritics are optional.)	Built-In
Gender (Romania)	Romania Gender matches with any of the following keywords: gen (or) Sex combined with any of the following keywords within a proximity of 10 terms: M, Masculin, F, Feminin, Femeie, Barbat, Altele, Altul (or) A (All terms case insensitive.)	Built-In
National ID Number (Jordan)	Jordan National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, ŷ±ŸÇŸÖ ŷ*ŷΣŷBŸÇŷ© ŷBŸÑŸáŸàŸäŷ© ŷBŸÑŸäŷΣŸÜŸäŷ©, ŷ±ŸÇŸÖ ŷBŸÑŷ*ŷΣŷBŸÇŷ© ŷBŸÑŸäŷΣŸÜŸäŷ©, ŷ±ŸÇŸÖ ŷBŸÑŸáŸàŸäŷ© ŷBŸÑŸäŷΣŸÜŸäŷ© (or) ŷBŸÑŸáŸàŸäŷ© ŷBŸÑŸäŷΣŸÜŸäŷ©. (All terms case insensitive.)	Built-In

Religion (France)	France Religion matches with any of the following keywords: Religion (or) Religieux combined with any of the following keywords within a proximity of 10 terms: Christianisme, Chr√©tien, Hindouisme, Hindou, Islam, Musulman, Bouddhisme, Bouddhiste, Juif, Protestant, Catholique, Orthodoxe, Autre chr√©tien, Autre religion, Ath√©e, Agnostique (or) Aucune religion. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Luxembourg)	Luxembourg License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: n┐f d'immatriculation, num√©ro de plaque d'immatriculation, n┐f de plaque, num√©ro d'immatriculation (or) plaque d'immatriculation. (All terms case insensitive; diacritics are optional.)	Built-In
BankAccount Number (Denmark)	Denmark BankAccount Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: bankkontonummer, bankoplysninger, banknummer, kontoregistrering, konto-id, kontonummer, registreringsnummer, reg. nummer (or) nummereret konto. (All terms case insensitive.)	Built-In
Health Insurance Number (Kenya)	Kenya Health Insurance Number matches a valid health insurance number combined with any of the following keywords within a proximity of 10 terms: health coverage, health benefits, health care coverage, personal health number, health registration, health insurance number (or) health information act. (All terms case insensitive.)	Built-In

VAT ID Number (Turkey)	Turkey VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: katma defüer vergisi numarasf±, katma defüer vergisi, kdv no., kdv numarasf±, kdv no, kdv# (or) KDV. (All terms case insensitive; diacritics are optional.)	Built-In
AWS - Access Key	AWS Access Key identifier matches a valid AWS access key where the key contains the proximity term : AKIA and ASIA (All terms case insensitive.)	Built-In
Bank Account Number (Slovakia)	Slovakia Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: fç√≠slo bankov√©ho √Jfçtu, bankov√©√Jdaje, bankov√©fç√≠slo, k√≥d √Jfçtu, id √Jfçtu, fç√≠slo √Jfçtu (or) ofç√≠slovan√Ω √Jfçet. (All terms case insensitive; diacritics are optional.)	Built-In
Health Service Number (Lithuania)	Lithuania Health Service Number matches a valid health service number combined with any of the following keywords within a proximity of 10 terms: asmens sveikatos draudimo kortelfós numeris, sveikatos draudimo kortelfós Nr., sveikatos draudimo kortelfós numeris, informacija apie pacientfÖ (or) specialiosios paslaugos. (All terms case insensitive; diacritics are optional.)	Built-In
AWS - API Key	AWS API Key identifier matches a valid AWS API key combined with any of the following keywords within a proximity of 10 terms: AWS API Keys (case insensitive and with or without spaces.)	Built-In

Company Number (Panama)	Panama Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: número de identificación corporativa, número de registro de la empresa, número de la empresa, número de la empresa (or) número corporativo. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number (Kenya)	Kenya National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, national identity card number, national card number, national card no, national identification number (or) national id. (All terms case insensitive.)	Built-In
US Social Security Number and Drug Name (Moderate)	Identifies assets that contain both US social security numbers and common drug names.	Built-In
Eye Color (Poland)	Poland Eye Color matches with any of the following keywords Kolor oczu, Kolor oczu, Kolor tęczówki (or) Kolor gałki ocznej combined with any of the following keywords within a proximity of 10 terms: Brązowy, Niebieski, Zielony, Brązowo-zielony, Bursztynowy, Szary, Różnokolorowe (or) inny kolor. (All terms case insensitive; diacritics are optional.)	Built-In
Eye Color (Denmark)	Denmark Eye Color matches with any of the following keywords øjenfarve combined with any of the following keywords within a proximity of 10 terms: Brun, Blå, Grøn, Heterokromi (or) anden farve. (All terms case insensitive; diacritics are optional.)	Built-In

National ID Number - NIP (Costa Rica)	Costa Rica National ID Number - NIP (Número de Identificación Patronal) matches a valid NIP combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, Número de Identificación Patronal, NIP, Número de tarjeta nacional, Número de identificación nacional, Número de tarjeta de identidad nacional, identificación nacional (or) Documento nacional de identidad. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number - RFC (Mexico)	Mexico Tax ID Number - RFC (Registro Federal de Contribuyentes Number) matches a valid RFC number combined with any of the following keywords within a proximity of 10 terms: Número de identificación fiscal, Número de impuesto, Código de identificación fiscal, archivo fiscal, Número de registro fiscal, Número de identificación fiscal #, Número de impuesto #, identificación de estado, Número de estado, TIN (or) identificación de impuestos. (All terms case insensitive; diacritics are optional.)	Built-In
Company Number (Denmark)	Denmark Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: dansk virksomhedsnr., dansk virksomhedsnummer, selskabs-id-nummer, dansk virksomhedsregistreringsnummer, Det Centrale Virksomhedsregister nummer, virksomhedsnummer, forretningsnummer, CVR-nummer, CVR nummer (or) selskabsnummer. (All terms case insensitive.)	Built-In

SWIFT Code (Malaysia)	Malaysia SWIFT Code matches a valid SWIFT code combined with any of the following keywords within a proximity of 10 terms: Nombor Akaun Bank Antarabangsa, No akaun bank antarabangsa, SWIFT Code, BIC code, IBAN# (or) IBAN. (All terms case insensitive.)	Built-In
Eye Color (Hungary)	Hungary Eye Color matches with any of the following keywords Szemsz√≠n, Szem sz√≠ne, Irisz sz√≠ne (or) Szemgoly√≥ sz√≠ne combined with any of the following keywords within a proximity of 10 terms: Barna, K√©k, Z√©ld, Gesztenyebarna, Borosty√°nz√©ld, Sz√°rke, Heterokr√≥mia (or) egy√©b sz√≠n. (All terms case insensitive; diacritics are optional.)	Built-In
Driver's License Number (Belgium)	Belgium Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: rijbewijs, rijvaardigheidsbewijs, rijbevoegdheid, rijbewijsnummer, rijbewijsnr, rijbewijshouder (or) rij-bewijs. (All terms case insensitive.)	Built-In
Bank Account Number (China)	China Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: ÈìðË°åÂ¶êÂèΣ, ÈìðË°åËØ¶Á°Û°%ø°ÊÅØ, Ë¥¶ÊàΣ%°å£Á†Å, Ë¥¶ÊàΣID (or) Ë¥¶ÊàΣÂèΣÁ†Å.	Built-In

Passport Number (Malaysia)	Malaysia Passport Number matches a valid passport number with combined any of the following keywords within a proximity of 10 terms: Nombor Pengenalan Perjalanan Antarabangsa, butiran pasport, visa, kad pengenalan, nombor pasport, dokumen perjalanan, pihak berkuasa yang mengeluarkan, bukti pengenalan diri, pengenalan, idpasport, no.pasport (or) pasport. (All terms case insensitive.)	Built-In
Driver's License Number (Italy)	Italy Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: numero di patente di guida (or) patente di guida. (All terms case insensitive.)	Built-In

Cargo Customs Declaration
Number (Russia)

Russia Cargo Customs Declaration Number matches a
valid cargo customs declaration number combined with
any of the following keywords within a proximity of 10

terms: -Ω-æ-°-μ-Ä-Ç-∞-°-æ-ð-μ-Ω-Ω-æ-π
-¥-μ-f-a-∞-Ä-∞-Ü-Π-Π, -Ω-æ-°-μ-Ä
-¥-μ-f-a-∞-Ä-∞-Ü-Π-Π -Ω-∞-Ç-æ-≤-∞-Ä-ã,
-Ä-μ-≥-Π-Å-Ç-Ä-∞-Ü-Π-æ-Ω-Ω-ã-π
-Ω-æ-°-μ-Ä-Ç-∞-°-æ-ð-μ-Ω-Ω-æ-π
-¥-μ-f-a-∞-Ä-∞-Ü-Π-Π, -≥-Ä-É-Σ-æ-≤-∞-è
-Ç-∞-°-æ-ð-μ-Ω-Ω-∞-è -¥-μ-f-a-∞-Ä-∞-Ü-Π-è,
-ì-ϕ-î, -Π-°-ø-æ-Ä-Ç-Ω-∞-è
-¥-μ-f-a-∞-Ä-∞-Ü-Π-è, -¥-μ-f-a-∞-Ä-∞-Ü-Π-è
-Ω-∞-Ç-æ-≤-∞-Ä-ã-ø-Ä-Π-≤-≤-æ-Σ-μ,
-Ç-∞-°-æ-ð-μ-Ω-Ω-∞-è -¥-μ-f-a-∞-Ä-∞-Ü-Π-è
-Ω-∞-Π-°-ø-æ-Ä-Ç, -¥-μ-f-a-∞-Ä-∞-Ü-Π-è
-Ω-∞-Ç-æ-≤-∞-Ä-ã-ø-Ä-Π-≤-ã-≤-æ-Σ-μ,
-Ç-∞-°-æ-ð-μ-Ω-Ω-∞-è -¥-μ-f-a-∞-Ä-∞-Ü-Π-è
-Ω-∞-ç-f-Å-ø-æ-Ä-Ç, -Ç-∞-°-æ-ð-μ-Ω-Ω-∞-è
-¥-μ-f-a-∞-Ä-∞-Ü-Π-è -Ω-∞-Ç-æ-≤-∞-Ä-ã,
-ç-f-Å-ø-æ-Ä-Ç-Ω-∞-è
-¥-μ-f-a-∞-Ä-∞-Ü-Π-è, -¥-μ-f-a-∞-Ä-∞-Ü-Π-è
-Ω-∞-Ç-æ-≤-∞-Ä-ã, -Ç-∞-°-æ-ð-μ-Ω-Ω-∞-è
-¥-μ-f-a-∞-Ä-∞-Ü-Π-è, -Ç-∞-°-æ-ð-μ-Ω-Ω-æ-μ
-æ-Ñ-æ-Ä-°-a-μ-Ω-Π-μ,
-ø-Ä-æ-Ö-æ-ð-¥-μ-Ω-Π-μ-Ç-∞-°-æ-ð-Ω-Π,
-Ç-∞-°-æ-ð-μ-Ω-Ω-∞-è -æ-á-Π-Å-Ç-Γ-∞

Expiry Date (UK/US)	UK/US Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Expirydate, Expiry date, Expiration date, Expirationdate (or) Expiry-date. (All terms case insensitive.)	Built-In
Tax ID Number (United Arab Emirates)	United Arab Emirates Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: ỹ±ỖỖ≤ ỹBỖỖỖỖỖỖ±ỖēỖỖ ỹBỖỖỖ±ỖäỖ°Ỗä, ỹBỖỖỖỖỖỖỖ ỹBỖỖỖ±ỖäỖ°Ỗä, ỹ±ỖỖỖỖ ỹBỖỖỖ°ỹ≥ỹ°ỖäỖỖ ỹBỖỖỖ±ỖäỖ°Ỗä, ỹBỖỖỖ±ỖỖỖỖ ỹBỖỖỖ±ỖäỖ°Ỗä, taxidno#, taxidno, taxidnumber#, taxidnumber, taxid#, taxid, taxno#, taxno, taxnumber#, taxnumber, tin#, ỹ±ỖỖỖỖ ỹBỖỖỖ°ỹ±ỖäỖ°Ỗä ỹBỖỖỖ±ỖäỖ°Ỗä (or) ỹBỖỖỖỖỖỖ±ỖäỖỖ±ỖäỖ°Ỗä. (All terms case insensitive.)	Built-In
Self-Harm Content	Language suggestive of inflicting self-harm.	Built-In
National ID Number (Germany)	Germany National ID Number matches a valid National Identity Card Number with any of the following keywords within a proximity of 10 terms: Nationale Identifikationsnummer, Identifizierungsnummer, personalausweis, Persönliche Identifikationsnummer, Persönliche ID-Nummer (or) Persönliche ID. (All terms case insensitive.)	Built-In
Social Security Number (Spain)	Spain Social Security Number matches a valid SSN with any of the following keywords within a proximity of 10 terms: Número de Afiliación de la Seguridad Social, número de la seguridad social (or) seguridad social. (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (Iceland)	Iceland Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: identification for international travel, passport details, visa, passport number, travel document, issuing authority, proof of identification, passportid, passportno. (or) passport. (All terms case insensitive.)	Built-In
Region (Netherlands)	Netherlands Region matches with the following keyword: Regio combined with any of the following keywords within a proximity of 10 terms: Groningen Friesland Drenthe, Overijssel Gelderland, Flevoland, Utrecht Noord Holland, Zuid Holland, Zeeland (or) Noord-Brabant Limburgs. (All terms case insensitive.)	Built-In
Weight (Slovakia)	Slovakia Person,Â's weight appearing within 10 terms of the keywords Hmotnos~•. Weight can match in kilogramy (or) libry, using the keywords lb, kg, kilogramy, libry, kamene, st (or) unce, followed by space or no space. Values can be separated by space or no space. (All terms case insensitive; diacritics are optional.)	Built-In
International Bank Account Number ,Âi IBAN (Spain)	Spain International Bank Account Number ,Âi IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: international bank account number, international bank account, Bank account, bank account number, iban, financial, payment, account, bank, international money, money transfers, country code, spain, spanish, espa√±a, espana, espa√±ol (or) espanol. (All terms case insensitive.)	Built-In

Phone Number (Spain)	Spain Phone number matches a Spanish phone number combined with any of the following keywords within a proximity of 10 terms: n√fmero de tel√@fono, n.¬f de tel√@fono., n√fm. de tel√@fono, tel√@fono, n√fmero de m√≥vil (or) n√fmero de tel√@fono m√≥vil. (All terms case insensitive; diacritics are optional.)	Built-In
Gender (Estonia)	Estonia Gender matches with the keyword: sugu combined with any of the following keywords within a proximity of 10 terms: M, Mees, N, Naine, Muud (or) Muu (All terms case insensitive.)	Built-In
Postcode (Ireland)	Ireland Postcode matches with Irish postcode combined with any of the following keywords within a proximity of 10 terms: seoladh, c√≥naitheacht, su√≠omh, post r√≠oga, c√≥d-painte oscailte, ceantar c√≥d poist, limist√@ar postch√≥id, aonad postch√≥id, earn√°il postch√≥id, c√≥d poist (or) post. (All terms case insensitive; diacritics are optional.)	Built-In
Religion (Romania)	Romania Religion matches with any of the following keywords: Religie (or) Religios combined with any of the following keywords within a proximity of 10 terms: Cre»ôtinism, Cre»ôtin, Hinduism, Hindus, Islamism, Musulman, Budism, Budist, Evreu, Protestant, Catolic, De rit oriental, Ortodox, De rit oriental Ortodox, Alte religii cre»ôtine, Alte religii, Ateu, Agnostic (or) Nicio religie. (All terms case insensitive; diacritics are optional.)	Built-In

Postcode (Australia)	Australia Postcode matches a valid postcode number combined with any of the following keywords within a proximity of 10 terms: address, place of residence, postcode district, postcode area, postcode unit, postcode sector (or) postcode. (All terms case insensitive.)	Built-In
Business Number (Belgium)	Belgium Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: zakelijk id-nummer, zakelijk nr#, bedrijfsregistratienummer (or) zakelijk nummer. (All terms case insensitive.)	Built-In
Health Insurance Number (France)	France Health Insurance Number matches a valid health insurance number combined with any of the following keywords within a proximity of 10 terms: assurance maladie, prestations maladie, attestation d'assurance maladie, num√@ro d'assurance maladie (or) Health Information Act. (All terms case insensitive; diacritics are optional.)	Built-In
Criminal Record (Spain)	Spain Criminal records matches with any of the following keywords antecedentes penales, historial delictivo (or) antecedentes policiales combined with any of the following crime keywords within a proximity of 10 terms: homicidio, robo, corrupci√≥n, fraude, terrorismo, drogas, asalto, violaci√≥n, atraco, robo de autom√≥viles, suicidio, secuestro, trata de personas, contrabando de personas (or) tr√°fico de armas. (All terms case insensitive; diacritics are optional.)	Built-In

Phone Number (United Arab Emirates)	United Arab Emirates Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: ÿ±ŸÇŸÖ ŸßŸÑŸáŸßŸ™ŸÅ, Ÿ±ŸÇŸÖ ŸßŸÑŸáŸßŸ™ŸÅ ŸßŸÑŸÖŸ≠ŸÖŸàŸÑ (or) Ÿ±ŸÇŸÖ ŸßŸÑŸáŸßŸ™ŸÅ ŸßŸÑŸÆŸÑŸäŸäŸä.	Built-In
Race (Portugal)	Portugal Race matches any of the following keywords: Corrida combined with any of the following keywords within a proximity of 10 terms: portug√™s, Brasileiros, brit√¢nico, russos, B√lgaros, Romenos, Mold√vios, alem√£o, Franc√™s, holand√™s, Outras. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number - PPS (Ireland)	Ireland National ID Number -PPS (Personal Public Service Number) matches a valid PPS number with any of the following keywords within a proximity of 10 terms: √âireann, Uimhir Phearsanta Seirbh√se Poibl√se, Uimh. PSP, seirbh√se aitheantais cliant, ioncam agus √°rachas s√geisialta, uimhir phearsanta seirbh√se poibl√se, pps uimh, uimhir aitheantais phearsanta (or) uimhir aitheantais ch√°nach. (All terms case insensitive; diacritics are optional.)	Built-In
Driver's License Number (Hong Kong)	Hong Kong Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: ÈßÌÈßÕÂÛΣÁÖÊÖüÁ¢°, Êñ∞ÊâãÂèΠÊ©ü, ÈßÌÈßÕÂÛΣÁÖÊÊâÊúâËÄÖ, ÂÆû%∞π†È©æÁÖß (or) ÈßÌÈßÕÂÛΣÁÖß. (All terms case insensitive.)	Built-In

Religion (Slovenia)	Slovenia Religion matches with any of the following keywords: Vera (or) Veren combined with any of the following keywords within a proximity of 10 terms: Krščanstvo, Kristjan, Hinduizem, Hindujec, Islam, Musliman, Budizem, Budist, Jud, Protestant, Katolik, vzhodni, Pravoslaven, vzhodni Pravoslaven, Drugi kristjani, Druga vera, Ateist, Agnostik (or) Brez vere. (All terms case insensitive; diacritics are optional.)	Built-In
Gender (Hungary)	Hungary Gender matches with any of the following keywords: Gender (or) Nem combined with any of the following keywords within a proximity of 10 terms: F, Fűrfi, N, Nő, Egyéb (or) E (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Kenya)	Kenya VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: value added tax number, value added tax, vat no., vat number, vat no, vat# (or) VAT. (All terms case insensitive.)	Built-In
License Plate Number (Canada)	Canada License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: numéro de plaque d'immatriculation, no de plaque, numéro de permis de conduire, numéro d'immatriculation, plaque d'immatriculation license plate, registration. no., plate. no., licence plate, license number, license plate number, registration number (or) no d'immatriculation. (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (Slovakia)	Slovakia Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: pas, identifikácia pre medzinárodné cestovanie, vízum, doklad totožnosti, fč. pasu, cestovný doklad, vydávaný, orgán, občiansky preukaz, identifikácia, doklad totožnosti, pas, fč. pasu, pas fč. (or) fč. slo pasu. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Argentina)	Argentina Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: número de teléfono, número de móvil (or) número de teléfono móvil. (All terms case insensitive; diacritics are optional.)	Built-In
Height (Croatia)	Croatia person's height described in Imperial or metric units, appearing within 10 terms of the keywords Visina. Imperial measurements may use stope and inč or only by inč. Metric measurements may use metri or Centimetar. Examples: Visina 5'11" or 180.76cm or 5ft11in. (All terms case insensitive; diacritics are optional.)	Built-In
Race (Czech)	Czech Race matches any of the following keywords: zvod combined with any of the following keywords within a proximity of 10 terms: český, moravský, slovenský, Romov, Poláci, Němci, Ostatní. (All terms case insensitive; diacritics are optional.)	Built-In
Drug Name and Social Security Number (US)	Combines a drug name with a social security number (US).	Built-In

Social Insurance Number - SIN (Bahrain)	Bahrain Social Insurance Number - SIN matches a valid social insurance number combined with any of the following keywords within a proximity of 10 terms: sin#, sin, ÿ±ÿÇÿÖ ÿßÿÑÿ™ÿÿ£ÿÖÿäÿÜ ÿßÿÑÿÿÿ™ÿÖÿßÿπÿä (or) ÿßÿÑÿ™ÿÿ£ÿÖÿäÿÜ ÿßÿÑÿÿÿ™ÿÖÿßÿπÿä. (All terms case insensitive.)	Built-In
Salary Information (Russia)	Russia Salary Information matches a valid salary information combined with any of the following keywords within a proximity of 10 terms: -µ-ð-µ-°-µ-Å-è-á-Ω-∞-è -Σ-∞-Ä-∞-±-æ-Ç-Ω-∞-è-ø-ª-∞-Ç-∞, -≥-æ-¥-æ-≤-∞-è-Σ-∞-Ä-∞-±-æ-Ç-Ω-∞-è -ø-ª-∞-Ç-∞,-á-Π-Å-Ç-∞-è -Σ-∞-Ä-∞-±-æ-Ç-Ω-∞-è-ø-ª-∞-Ç-∞, -Ω-µ-Ç-Ç-æ,-Σ-∞-Ä-∞-±-æ-Ç-Ω-∞-è -ø-ª-∞-Ç-∞-¥-æ-≤-ã-á-µ-Ç-∞ -Ω-∞-ª-æ-≥-æ-≤,-±-Ä-É-Ç-Ç-æ, -Ä-∞-Å-á-ë-Ç-Ω-ã-π-ª-Π-Å-Ç-æ-ƒ, -Ä-∞-Å-á-ë-Ç-Ω-ã-π-ª-Π-Å-Ç,-æ-ƒ-ª-∞-¥, -±-∞-Σ-æ-≤-∞-è-Σ-∞-Ä-∞-±-æ-Ç-Ω-∞-è -ø-ª-∞-Ç-∞,-Σ-∞-Ä-∞-±-æ-Ç-Ω-∞-è -ø-ª-∞-Ç-∞,-æ-ø-ª-∞-Ç-∞-Ç-Ä-É-¥-∞, -≤-æ-Σ-Ω-∞-≥-Ä-∞-ð-¥-µ-Ω-Π-µ, -ƒ-æ-°-ø-µ-Ω-Å-∞-Ü-Π-è,-¥-æ-Ö-æ-¥, -Σ-∞-Ä-∞-±-æ-Ç-æ-ƒ,-Å-ø-Ä-∞-≤-ƒ-∞-æ -Σ-∞-Ä-∞-±-æ-Ç-Ω-æ-π-ø-ª-∞-Ç-µ, -ø-ª-∞-Ç-ë-ð-Ω-∞-è-≤-µ-¥-æ-°-æ-Å-Ç-å (or) -Ω-∞-á-Π-Å-ª-µ-Ω-Π-µ-Σ-∞-Ä-∞-±-æ-Ç-Ω-æ-π -ø-ª-∞-Ç-ã.	Built-In

Eye Color (Bulgaria)	Bulgaria Eye Color matches with any of the following keywords -ѡ-≤-è-Ç -Ω-∞-æ-á-Π-Ç-μ, -Ü-≤-è-Ç -Ω-∞-æ-á-Π-Ç-μ, -ѡ-≤-è-Ç -Ω-∞-Π-Ä-Π-Å-∞ (or) -ѡ-≤-è-Ç -Ω-∞-æ-á-Ω-∞-Ç-∞ -è-±-ä-ª-f-∞ combined with any of the following keywords within a proximity of 10 terms: -ö-∞-Ñ-è-≤, -°-Π-Ω, -ó-μ-ª-μ-Ω, -õ-μ-à-Ω-Π-f-æ-≤, -ö-μ-Ö-ª-Π-±-∞-Ä-μ-Ω, -°-Π-≤, -•-μ-Ç-μ-Ä-æ-Ö-Ä-æ-°-Π-è (or) -¥-Ä-É-≥ -Ü-≤-è-Ç. (All terms case insensitive.)	Built-In
Passport Number (Nigeria)	Nigeria Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: identification for international travel, passport details, visa, national identity card, passport number, travel document, issuing authority, proof of identification, passportid, passportno., identification (or) passport. (All terms case insensitive.)	Built-In
Region (UK)	UK Region matches with the following keyword: Region combined with any of the following keywords within a proximity of 10 terms: Yorkshire and The Humber, South West, Scotland, North East, South East, North West, East Midlands, Northern Ireland, East of England, Wales, London (or) West Midlands. (All terms case insensitive.)	Built-In
National ID Number (Philippines)	Philippines National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: Unified Multi-Purpose ID, UMID, Identity Card (or) Pinag-isang Multi-Layunin ID. (All terms case insensitive.)	Built-In

Criminal Record (Norway)	Norway Criminal records matches with any of the following keywords kriminelt rulleblad, strafferegister (or) politiattest combined with any of the following keywords within a proximity of 10 terms: drap, tyveri, korrupsjon, svindel, terrorisme, narkotika, innbrudd, voldtekt, ran, biltyveri, selvmord, kidnapping, menneskehandel, menneskesmugling (or) v√•penhandel. (All terms case insensitive; diacritics are optional.)	Built-In
Central Provident Fund Number - CPF (Brazil)	Brazil Central Provident Fund Number - CPF matches a valid CPF number combined with any of the following keywords within a proximity of 10 terms: c√≥digo de CPF, n√fmero de CPF, CPF, n√fmero do fundo de previd√™ncia central, n√fmero de identifica√β√£o de CPF, ID de CPF#, Carteira de Trabalho e Previd√™ncia Social, CNTP, Carteira de Trabalho, NIS, N√fmero de Identifica√β√£o Social (or) n√f de identifica√β√£o de CPF. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (Finland)	Finland Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: vero tunniste numero, vero tunnus numero, veronro, verorekisteritunnus, verorekisterinnumero, TIN, verokoodi (or) verotunniste. (All terms case insensitive.)	Built-In

Race (Malta)	Malta Race matches any of the following keywords: Razza combined with any of the following keywords within a proximity of 10 terms: Malti, Brittanifāi, Ofßrajn. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (Brazil)	Brazil Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: imposto identifica√ß√£o n√ßmero, imposto id n√ßmero, imposto identidade n√ßmero, C√≥digo de Identifica√ß√£o Fiscal, contribuinte, n√ßmero de identifica√ß√£o fiscal, n√ßmero fiscal#, n√ßmero fiscal, n√ßmero do registro fiscal, id do imposto#, n√ßmero de id do imposto#, id de tin, n√ßmero de tin, tin#, TIN (or) id de imposto. (All terms case insensitive; diacritics are optional.)	Built-In
Region (Slovakia)	Slovakia Region matches with the following keyword: regi√≥n combined with any of the following keywords within a proximity of 10 terms: Bratislava, Trnava, Trenfç√≠n, Nitra, ≈Qilina, Bansk√° Bystrica, Pre≈°ov (or) Ko≈°ice. (All terms case insensitive; diacritics are optional.)	Built-In

VAT ID Number (Cyprus)

Cyprus VAT ID Number matches a valid value added tax Built-In
identification number with any of the following keywords
within a proximity of 10 terms: arithm√≥s Engraph·Πός
phi, CE±œÅ. œÜœÄCE±, CE±œÅCEπCEΠCE°œåœÇ
œÜœÄCE±, œÜœÄCE±#, œÜœåœÅCEøœÇ
œÄœÅCEøœÉœÑCEπCEΠCE#CE°CEμCEΩCEΣœÇ
CE±CEæCEØCE±œÇ, œÜœåœÅCEøœÇ
œÄœÅCEøœÉœÑCEπCEΠCE#CE°CEμCEΩCEΣœÇ
CE±CEæCEØCE±œÇ CE±œÅCEπCEΠCE°œåœÇ,
CE±œÅCEπCEΠ. CE¶œÄCE± (or) CE¶CE†CEë. (All terms
case insensitive; diacritics are optional.)

Bank Account Number (Japan)	Japan Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: Checking Account Number, Checking Account, Checking Account#, Checking Acct Number, Checking Acct#, Checking Acct No., Checking Account No., Bank Account Number, Bank Account, Bank Account#, Bank Acct Number, Bank Acct#, Bank Acct No., Bank Account No., Savings Account Number, Savings Account, Savings Account#, Savings Acct Number, Savings Acct #, Savings Acct No., Savings Account No., Debit Account Number, Debit Account, Debit Account#, Debit Acct Number, Debit Acct#, Debit Acct No., Debit Account No., Àè£ÁĴΒΆί™ÀèΣ,,ÇíÂΩìÂĴΒÈ†êÈéäëÀè£ÁĴΒ,,ΆÆÁϕĴĚ™Ç,, Ô°É,,Çϕ,,Ç´,,Ç¶,,É≥,,Éà,,ΆÆÁϕĴĚ™Ç,,ΆΆÃðòÂÆöÁί™ÀèΣ,,Ά ÆÁϕĴĚ™Ç,,Ô°ÉÃðòÂÆö,,ΆÆÁϕĴĚ™Ç,, ÃðòÂÆöÁί™ÀèΣ,,ΆÆÁϕĴĚ™Ç,,Àè£ÁĴΒΆί™ÀèΣ,,ΆÆÁϕĴĚ™Ç,, ÈäÄË°ðÂè£ÁĴΒΆί™ÀèΣ,,ÈäÄË°ðÂè£ÁĴΒ,,ÈäÄË°ðÂè£ÁĴΒÔ°É, ÈäÄË°ð,,ΆÆÃðòÂÆöÁί™ÀèΣ,,ÈäÄË°ð,,ΆÆacctÔ°É, ÈäÄË°ð,,ΆÆÃðòÂÆö,,ΆÑ,,ΆÑ,,Άà,,ÈäÄË°ðÂè£ÁĴΒΆί™ÀèΣ, ÊôÆÈÄöÈ†êÈéäëÀè£ÁĴΒΆί™ÀèΣ,,È†êÈéäëÀè£ÁĴΒ, Ë≤ØËìÑÂè£ÁĴΒÔ°É,,Ë≤ØËìÑÃðòÂÆö,,ΆÆÊí∞, Ë≤ØËìÑÃðòÂÆöÔ°É,,Ë≤ØËìÑÃðòÂÆöÁί™ÀèΣ, ÊôÆÈÄöÈ†êÈéäëÀè£ÁĴΒΆί™ÀèΣ, Â°ì,,ΆÇËêΩ,,Ά®,,,ΆóÂè£ÁĴΒΆί™ÀèΣ,,Àè£ÁĴΒΆί™ÀèΣ, λὰςλῖρλῖ™λὰςρὶοέ ές εί έέ έà λῖρρρρτλῖ™λὰς	Built-In
-----------------------------	--	----------

Driver's License Number (New Zealand)	New Zealand Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: photocard licence, learner drivers, licence holders, licence holder, licence number, license number, driving licences, driving licenses, driving licence, driving license, driver's licence (or) driver's license. (All terms case insensitive.)	Built-In
Ethnicity (Finland)	Finland Ethnicity matches with any of the keywords: Etnisyys, Etninen (or) Etninen ryhmä combined with any of the following keywords within a proximity of 10 terms: Suomalaiset, saamelaiset, karjalaiset, Suomen ruotsinkielinen väestö, suomenkaali, suomalaiset kansat, venäjäläiset, romanit, suomalaiset tataarit, turkkilaiset Suomessa, virolaiset Suomessa, hollantilaiset Suomessa, romanialaiset Suomessa, Latvian suomalaiset, assyrialaiset Suomessa, vietnamilaiset Suomessa, inkerinsuomalaiset, chilelisset Suomessa, saksalaiset Suomessa, unkarilaiset Suomessa, ruotsalaiset, inarinsaamelaiset, venäjäläiset Suomessa, kolttalaiset, viro, ruotsalaiset suomalaiset, intialaiset Suomessa, skandinaavit (or) karjalaiset. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Malta)	Malta VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: taxxa fuq il-valur miżjud, Vat reg. no. (or) VAT. (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (France)	France Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: Passport Number, Passport No, Passport #, PassportID, Passportno, passportnumber, Passeport n∞, Passeport Non, Passeport#, PasseportNon, Passeportn∞, Passport (or) Passeport. (All terms case insensitive.)	Built-In
Ethnicity (Croatia)	Croatia Ethnicity matches with any of the keywords: Etnifčka pripadnost, Etnifčka (or) Etnifčka Skupina combined with any of the following keywords within a proximity of 10 terms: Hrvati, Srbi, Srbi u Hrvatskoj, Bošnjaci, Jugoslaveni, Mafjari u Hrvatskoj, Arbanasi, Muslimani, Hrvati u Bosni i Hercegovini, Crnogorci, Bunjevci, Nijemci u Hrvatskoj, Turci u Hrvatskoj, Panonski Rusini, Talijani Hrvatske, Vlasi u povijesti Hrvatske, Poljaci Hrvatske, Rusi Hrvatske, Albanci Hrvatske, Mafjari, Bošnjaci Hrvatske, Srbi Bosne i Hercegovine, Hrvati Srbije, Bijeli Hrvati, Istro-Rumunji, Albanci, fçesi, Slovenci, Hrvatski Australci, Hrvatski Argentinci, Iliri (or) Hrvati u Njemafçkoj. (All terms case insensitive; diacritics are optional.)	Built-In
Company Number (Japan)	Japan Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: Ê≥ï%∞∫∫Ái™ÂèΣ, %∞°öÁ\$æÊ≥ï%∞∫∫Á≠âÁi™ÂèΣ, %∞°öÁ\$æÊ≠òÂà•Ái™ÂèΣ, %∞°öÁ\$æÁôªÊâ≤Ái™ÂèΣ, %∞°öÁ\$æÁi™ÂèΣ# (or) %∞°öÁ\$æÁi™ÂèΣ.	Built-In

Criminal Record (Croatia)	Croatia Criminal records matches with any of the following keywords kaznena evidencija, kazneni dosje (or) policijski dosje combined with any of the following crime keywords within a proximity of 10 terms: ubojstvo, krafëa, korupcija, prijevarena, terorizam, droga, provala, silovanje, pljačka, krafëa automobila, suicid, otmica, trgovina ljudima, krijumčarenje ljudi (or) trgovina oružjem. (All terms case insensitive; diacritics are optional.)	Built-In
Passport Number (Libya)	Libya Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: ÿBŸÑŸáŸäŸäŸ© ŸÑŸÑŸ≥ŸÅŸ± ŸBŸÑŸØŸàŸÑŸä, Ÿ™ŸÅŸBŸµŸäŸÑ Ÿ¨ŸàŸBŸ≤ ŸBŸÑŸ≥ŸÅŸ±, ŸBŸÑŸ™Ÿ£Ÿ¥ŸäŸ±Ÿ©, Ÿ*ŸΣŸBŸÇŸ© ŸBŸÑŸáŸäŸäŸ© ŸBŸÑŸäŸΣŸÜŸäŸ©, Ÿ±ŸÇŸÖ Ÿ¨ŸäŸBŸ≤ ŸBŸÑŸ≥ŸÅŸ±, ŸàŸ´ŸäŸÇŸ© ŸBŸÑŸ≥ŸÅŸ±, ŸÖŸπŸ±ŸeŸÅ Ÿ¨ŸàŸBŸ≤ ŸBŸÑŸ≥ŸÅŸ± (or) Ÿ¨ŸàŸBŸ≤ ŸBŸÑŸ≥ŸÅŸ±.	Built-In
Company Number (Brazil)	Brazil Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: CPNJ, Cadastro Nacional de Pessoas Jurídicas, CNH, IE, inscrição B√£o estadual, IM, inscrição B√£o municipal, número de registro nacional da empresa, número de registro da empresa, número de identificação B√£o fiscal da empresa#, número de identificação B√£o fiscal da empresa, número da empresa#, número da empresa (or) número de identificação B√£o corporativa. (All terms case insensitive; diacritics are optional.)	Built-In

Multiple Personal Identifiers ,Äi PII (UK) ,Äi Lenient	Multiple Personal Identifiers ,Äi PII (UK) ,Äi Lenient - Combines a person name or the UK National Insurance Number (NIN) with two or more of the following identifiers: bank account number, credit card number, date of birth, driver's license, IBAN, passport number or postcode with a matcher count of 1. Each matched identifier value must also combine with a corresponding keyword within a proximity of 10 terms. Below is a list of example keywords: national insurance number, social security number, medical attention, insurance, nin, dob, date of birth, birth date, birthdate, DVLA, photocard licence, learner drivers, licence number, license number, driving licence, driving license, passport, passport details, visa, national identity card, passport number, gb, great britain, account number, amex, bankcard, card number, address, residency, postcode, postcode area, zip code, bank account, iban, international money, uk or united kingdom.	Built-In
Height (Cyprus)	Cyprus person,Äs height described in Imperial or metric units, appearing within 10 terms of the keywords $\text{C}\acute{\text{e}}\text{æ}\grave{\text{a}}\text{C}\text{E}\text{ø}\text{æ}\text{C}$ or Ht. Imperial measurements may use $\text{æ}\text{Ä}\text{æ}\text{å}\text{C}\text{E}\text{¥}\text{C}\text{E}\pi\text{C}\text{E}\pm$ and $\text{C}\text{E}\text{Ø}\text{C}\text{E}\text{Ω}\text{æ}\text{Ñ}\text{æ}\acute{\text{E}}\text{C}\text{E}\mu\text{æ}\text{C}$ or only by $\text{C}\text{E}\text{Ø}\text{C}\text{E}\text{Ω}\text{æ}\text{Ñ}\text{æ}\acute{\text{E}}\text{C}\text{E}\mu\text{æ}\text{C}$. Metric measurements may use $\text{C}\text{E}^{\circ}\text{C}\text{E}\neq\text{æ}\text{Ñ}\text{æ}\text{Å}\text{C}\text{E}\pm$ or $\text{C}\text{E}\mu\text{C}\text{E}\text{J}\text{C}\text{E}\pm\text{æ}\text{Ñ}\text{C}\text{E}\text{ø}\text{æ}\acute{\text{E}}\text{æ}\text{Ñ}\text{æ}\text{å}$. Examples: $\text{C}\acute{\text{e}}\text{æ}\grave{\text{a}}\text{C}\text{E}\text{ø}\text{æ}\text{C}$ 5'8" or 172.75cm or 5ft8in. (All terms case insensitive; diacritics are optional.)	Built-In

National ID Number (Egypt)	Egypt National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, ÿ±ŸÇŸÖ Ÿ*ŸΣŸBŸÇŸ© ŸBŸÑŸáŸàŸäŸ© ŸBŸÑŸäŸΣŸÜŸäŸ©, Ÿ*ŸΣŸBŸÇŸ© Ÿ™Ÿ≠ŸÇŸäŸÇ ŸBŸÑŸ≠ŸÆŸµŸäŸ©, Ÿ±ŸÇŸÖ ŸBŸÑŸ*ŸΣŸBŸÇŸ© ŸBŸÑŸäŸΣŸÜŸäŸ©, Ÿ±ŸÇŸÖ ŸBŸÑŸáŸàŸäŸ© ŸBŸÑŸäŸΣŸÜŸäŸ©, ŸBŸÑŸ±ŸÇŸÖ ŸBŸÑŸÇŸàŸÖŸä (or) ŸBŸÑŸáŸàŸäŸ© ŸBŸÑŸäŸΣŸÜŸäŸ©. (All terms case insensitive.)	Built-In
Height (Netherlands)	Netherlands person, Æôs height described in Imperial or metric units, appearing within 10 terms of the keywords Hoogte. Imperial measurements may use feet and inch or only by inch. Metric measurements may use meter or centimeter. Examples: Hoogte 5'7" or 183.78cm or 5ft7in. (All text is case-insensitive.)	Built-In
International Bank Account Number - IBAN (Libya)	Libya International Bank Account Number - IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: ÿ±ŸÇŸÖ ŸBŸÑŸ≠Ÿ≥ŸBŸ° ŸBŸÑŸ°ŸÜŸÉŸä ŸBŸÑŸØŸàŸÑŸä, IBAN# (or) IBAN. (All terms case insensitive.)	Built-In

Ethnicity (Russia)

Russia Ethnicity matches with any of the following

Built-In

keywords —ç—Ç—Ω—Π—ά—μ—Å—ƒ—∞—è
—ø—Ä—Π—Ω—∞—¥^a—μ—ð—Ω—æ—Å—Ç—å (or)
—ç—Ç—Ω—Π—ά—μ—Å—ƒ—∞—è —≥—Ä—É—ø—ø—∞
combined with any of the following keywords within a
proximity of 10 terms: —Ç—∞—Ç—∞—Ä—Π—Ω,
—Ç—∞—Ç—∞—Ä—Å—ƒ—Π—π, —Ä—É—Å—Å—ƒ—Π—π,
—±—∞—à—ƒ—Π—Ä—Å—ƒ—Π—π, —±—∞—à—ƒ—Π—Ä,
—ά—μ—ά—μ—Ω—Å—ƒ—Π—π, —ά—μ—ά—μ—Ω—μ—Ü,
—É—ƒ—Ä—∞—Π—Ω—Å—ƒ—Π—π, —É—ƒ—Ä—∞—Π—Ω—μ—Ü,
—∞—Ä^o—è—Ω—Å—ƒ—Π—π, —∞—Ä^o—è—Ω—Π—Ω,
—ά—É—≤—∞—à—Å—ƒ—Π—π, —ά—É—≤—∞—à,
—∞—≤—∞—Ä—Å—ƒ—Π—π, —∞—≤—∞—Ä—μ—Ü,
—^o—æ—Ä—¥—≤—Π—Ω—Å—ƒ—Π—π, —^o—æ—Ä—¥—≤—Π—Ω,
—æ—Å—μ—Ç—Π—Ω—Å—ƒ—Π—π, —æ—Å—μ—Ç—Π—Ω,
—ƒ—∞—Σ—∞—Ö—Å—ƒ—Π—π, —ƒ—∞—Σ—∞—Ö,
—±—É—Ä—è—Ç—Å—ƒ—Π—π, —±—É—Ä—è—Ç,
—è—ƒ—É—Ç—Å—ƒ—Π—π, —è—ƒ—É—Ç, —ƒ—æ—^o—Π,
—Π—Ω—≥—É—à—Å—ƒ—Π—π, —Π—Ω—≥—É—à,
—^a—μ—Σ—≥—Π—Ω—Å—ƒ—Π—π, —^a—μ—Σ—≥—Π—Ω,
—ƒ—∞—±—∞—Ä—¥—Π—Ω—Å—ƒ—Π—π,
—ƒ—∞—±—∞—Ä—¥—Π—Ω—μ—Ü, —ά—μ—Ä—ƒ—μ—Å—Å—ƒ—Π—π,
—ά—μ—Ä—ƒ—μ—Å, —ƒ—∞—^a—^o—ã—Ü—ƒ—Π—π, —ƒ—∞—^a—^o—ã—ƒ,
—^o—∞—Ä—Π—π—Å—ƒ—Π—π, —^o—∞—Ä—Π,
—É—¥^o—É—Ä—Ç—Å—ƒ—Π—π, —É—¥^o—É—Ä—Ç,
—¥—∞—>—ü—Å—Ç—∞—Ω—Å—ƒ—Π—π

Driver's License Number (Philippines)	Philippines Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: photocard licence, learner drivers, licence holders, licence holder, licence number, license number, driving licences, driving licenses, driving licence, driving license, driver's licence, drivers licence, driver's license (or) drivers license. (All terms case insensitive.)	Built-In
Height (Greece)	Greece person, person's height described in Imperial or metric units, appearing within 10 terms of the keywords "height" or "Ht". Imperial measurements may use "feet" and "inches" or only by inches. Metric measurements may use "meters" or "centimeters". Examples: "5'11" or 179.26cm or 5ft11in. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (Latvia)	Latvia Postcode matches with Latvian postcode combined with any of the following keywords within a proximity of 10 terms: adrese, dzīvesvieta, pilsēta, karaliskais pats, atvērtais indekss, pasta rajons, pasta indeksa teritorija, pasta indeksa vienība, pasta indeksa sektors (or) pasta indekss. (All terms case insensitive; diacritics are optional.)	Built-In

Driver's License Number (Brazil)	Brazil Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: carteira de habilita√B√£o, condutores aprendizes, titulares da carteira, titular da carteira, n√Jmero da carteira, carteiras de habilita√B√£o, carteira de motorista (or) carteira de motoristas. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Botswana)	Botswana Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: mobile phone number, mobilephone number, mobile phone no., mobilephone no., mobile number, mobilenumber, mobile no., mobileno., mobile, contact number, contact no., contact, fax number, fax no., cell phone number, cellphone number, cell phone no., cellphone no., cell phone, cellphone, cell number, cellnumber, cell no., cellno., whatsapp number, whatsapp no., whatsapp, phone number, phone no., phone num, telephonic number, telephone number, telephone no., telephone, landline number, landline no. (or) landline num. (All terms case insensitive.)	Built-In
Postcode (Spain)	Spain Postcode matches with Spanish postcode combined with any of the following keywords within a proximity of 10 terms: direcci√≥n, lugar de residencia, ciudad, correo real, c√≥digo abierto, distrito de c√≥digo postal, √°rea de c√≥digo postal, unidad de c√≥digo postal, sector de c√≥digo postal (or) c√≥digo postal. (All terms case insensitive.)	Built-In

National ID Number (Taiwan)	Taiwan National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, ĚĴ´ÂàÜĚ#âĚôüÁ¢°, ĚĴ´ÂàÜĚ#âĚôü, ÂúãÊ∞ëĚĴ´ÂàÜĚôüÁ¢°, ÂúãÊ∞ëĚĴ´ÂàÜĚ#âĚôüÁ¢° (or) ÂúãÊ∞ëĚĴ´ÂàÜĚ#â. (All terms case insensitive.)	Built-In
Gender (Slovakia)	Slovakia Gender matches with the keyword: pohlavie combined with any of the following keywords within a proximity of 10 terms: M, mu≈æsk√©, ≈æ, ≈æensk√©, in√©, in√Ω (or) fèal≈°ie (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (India)	India Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: bank account number, bank details, bank number, account code, account id (or) account number.(All terms case insensitive.)	Built-In
Criminal Record (Portugal)	Portugal Criminal records matches with any of the following keywords registo criminal, registo de crimes (or) registo policial combined with any of the following crime keywords within a proximity of 10 terms: homic√#dio, furto, corrup√β√£o, fraude, terrorismo, droga, assalto, viola√β√£o, roubo, furto de carros, suic√#dio, rapto, tr√°fico humano, imigra√β√£o clandestina (or) tr√°fico de armas. (All terms case insensitive; diacritics are optional.)	Built-In

Bank Account Number (Latvia)	Latvia Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: bankas konta numurs, bankas rekvizīti, bankas numurs, konta kods, konta id, konta numurs (or) numurfits konts. (All terms case insensitive; diacritics are optional.)	Built-In
Passport Number (Saudi Arabia)	Saudi Arabia Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: YáYàYäY© yBYÑY≥YÄY± yBYÑYØYäYÑYä, y™YÄYBYµYäYÑ y¨YäYBY≤ yBYÑY≥YÄY±, yBYÑY™Y£Y¥YäY±Y©, y®YΣYBYÇY© yBYÑYáYäYäY© yBYÑYäYΣYÜYäY©, YäY´YäYÇY© yBYÑY≥YÄY±, y¨YáY© yBYÑY•YµYØYBY±, y•Y´y®YBY™ yBYÑYáYäYäY©, yBYÑYäYäYäY©, YÖYπY±YÄY¨YäYBY≤ yBYÑY≥YÄY±, Y±YÇYÖY¨YäYBY≤ yBYÑY≥YÄY± (or) y¨YäYBY≤ yBYÑY≥YÄY±.	Built-In
VAT ID Number (Malaysia)	Malaysia VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: nombor cukai nilai tambah, cukai nilai tambah, sales and service Tax, SST, GST, Cukai jualan dan Perkhidmatan, nombor vat, no. vat, no vat, vat# (or) VAT. (All terms case insensitive.)	Built-In

Tax ID Number (Malaysia)	Malaysia Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: nombor pengenalan cukai, nombor identiti cukai, kod pengenalan cukai, nombor pendaftaran cukai, no pengenalan cukai, fail cukai, nombor id cukai, nomborcukai#, nomborcukai, noidcukai#, noidcukai, nocukai#, nocukai, idcukai#, idcukai, id tin, no tin, tin# (or) TIN. (All terms case insensitive.)	Built-In
Company Number (Thailand)	Thailand Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: $\pi\ddot{A}\pi\bullet\pi\zeta\pi\ddot{o}\pi\pounds\pi\pounds\pi\otimes\pi\pm\pi\acute{o}$, $\pi\acute{\pi}^{\circ}\pi\leq\pi\phi\pi\ddot{A}\pi\bullet\pi\zeta\pi\ddot{o}\pi\pounds\pi\pounds\pi\otimes\pi\pm\pi\acute{o}$, $\pi\acute{\pi}^{\circ}\pi\leq\pi\phi\pi\ddot{A}\pi\bullet\pi\zeta\pi\ddot{o}\pi\pounds\pi\infty\pi\grave{a}\pi\geq\pi\grave{i}\pi\pm\pi\beta\pi\neq\pi\acute{a}\pi\tilde{N}\pi\grave{a}\pi\grave{A}\pi\pounds$, $\pi\acute{\pi}^{\circ}\pi\leq\pi\phi\pi\ddot{A}\pi\bullet\pi\zeta\pi\acute{o}\pi\infty\pi\ddot{A}\pi\ddot{o}\pi\mu\pi\phi\pi\hat{o}\pi\ddot{o}\pi\pounds\pi\pounds\pi\otimes\pi\pm\pi\acute{o}$ (or) $\pi\acute{\pi}^{\circ}\pi\leq\pi\phi\pi\ddot{A}\pi\bullet\pi\zeta\pi\neq\pi\acute{a}\pi\tilde{N}\pi\grave{a}\pi\grave{A}\pi\pounds$.	Built-In
Routing Number (Qatar)	Qatar Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: $\grave{y}\pm\grave{Y}\grave{C}\grave{Y}\grave{O}\grave{y}\grave{B}\grave{Y}\grave{N}\grave{y}^{\text{m}}\grave{Y}\grave{a}\grave{y}^{\text{r}}\grave{Y}\grave{a}\grave{Y}\acute{a}$, bankassociationrouting#, bankassociationrouting, bankrouting#, bankrouting, routing#, routing# (or) RTN. (All terms case insensitive.)	Built-In

Criminal Record (Latvia)	Latvia Criminal records matches with any of the following keywords ziņas par sodfāmību, sodfāmība (or) policijas reģistrs combined with any of the following crime keywords within a proximity of 10 terms: slepkavība, zādzība, korupcija, krāpšana, terorisms, narkotikas, ielausēšana, izvarošana, laupīšana, auto zādzība, paņēfāvēība, nolaupīšana, cilvēku tirdzniecība, cilvēku kontrabanda (or) ierofču tirdzniecība. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Bulgaria)	Bulgaria Phone number matches a Bulgarian phone number combined with any of the following keywords within a proximity of 10 terms: —Ç—μ ^a —μ—Ñ—æ—Ω—μ—Ω—Ω—æ— ^o —μ—Ä, —Ç—μ ^a . ,Ññ., —Ç—μ ^a . —Ω—æ— ^o ., —Ç—μ ^a —μ—Ñ—æ—Ω, — ^o —æ—±—Π ^a —μ—Ω—Ω—æ— ^o —μ—Ä (or) —Ω—æ— ^o —μ—Ä—Ω—∞— ^o —æ—±—Π ^a —μ—Ω —Ç—μ ^a —μ—Ñ—æ—Ω. (All terms case insensitive.)	Built-In
Passport Number (Taiwan)	Taiwan Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: ROC passport number, Passport number, Passport no, Passport Num, Passport #, passport, Êä\$ÁÖß, %0Π≠ËèØÊ∞ëÂúãË≠ΣÁÖß (or) Zhāngnghu√°M√≠ngu√≥h√πzh√†o. (All terms case insensitive.)	Built-In

Criminal Record (Bulgaria)	Bulgaria Criminal records matches with any of the following keywords —ſ—Ä—ſ—°—ſ—Œ—∞—ª—Œ—æ—¥—æ—Å—ſ—µ, —¥—∞—Œ—Œ—ſ—Σ—∞—ø—Ä—µ—Å—Ç—ä—ø—Œ—æ—Å—Ç (or) —ø—æ—ª—ſ—Ü—µ—π—Å—ſ—æ—¥—æ—Å—ſ—µ combined with any of the following crime keywords within a proximity of 10 terms: —É—±—ſ—π—Å—Ç—≤—æ, —ſ—Ä—∞—ð—±—∞, —ſ—æ—Ä—É—ø—Ü—ſ—è, —ſ—Σ—°—∞—°—∞, —Ç—µ—Ä—æ—Ä—ſ—Σ—ä—°, —Œ—∞—Ä—ſ—æ—Ç—ſ—Ü—ſ, —≤—Σ—ª—æ—°, —ſ—Σ—Œ—∞—Å—ſ—ª—≤—∞—Œ—µ, —ſ—Ä—É—ø—Œ—∞—ſ—Ä—∞—ð—±—∞, —ſ—Ä—∞—ð—±—∞—Œ—∞—∞—≤—Ç—æ—°—æ—±—ſ—ª, —Å—∞—°—æ—É—±—ſ—π—Å—Ç—≤—æ, —æ—Ç—≤—ª—ſ—á—∞—Œ—µ, —Ç—Ä—∞—Ñ—ſ—ſ—Œ—∞—Ö—æ—Ä—∞, —ſ—æ—Œ—Ç—Ä—∞—±—∞—Œ—¥—∞—Œ—∞—Ö—æ—Ä—∞ (or) —Ç—Ä—∞—Ñ—ſ—ſ—Œ—∞—æ—Ä—ä—ð—ſ—è. (All terms case insensitive; diacritics are optional.)	Built-In
Driver's License Number (Peru)	Peru Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: licencia de tarjeta con foto, licencia estudiante, titulares de licencia, titular de licencia, n°/úmero de licencia, licencias de conducir, licencia de conducir, licencia del conductor (or) carnet de conducir. (All terms case insensitive; diacritics are optional.)	Built-In

Company Number (South Africa)	South Africa Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: company no#, company no, company registration number, company number, corporate identification number (or) corporate number. (All terms case insensitive.)	Built-In
Driver's License Number (Ireland)	Ireland Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: uimhir chead√fnais tiom√°na, cead√fnas tiom√°na, c√°rta aitheantais (or) uimhir aitheantais. (All terms case insensitive; diacritics are optional.)	Built-In
International Bank Account Number ,Äi IBAN (Latvia)	Latvia International Bank Account Number ,Äi IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: Bankas konts, IBAN, finanses, maksfÅjums, starptautiska nauda, naudas pfÅrskaitf´jumi (or) valsts kods. (All terms case insensitive; diacritics are optional.)	Built-In
Post Code (Russia)	Russia Post Code matches a valid post code combined with any of the following keywords within a proximity of 10 terms: -∞-¥-Ä-µ-Å, -°-µ-Å-Ç-æ -ð-Π-Ç-µ-ª-å-Å-Ç-≤-∞, -≥-æ-Ä-æ-¥, -Ω-∞-Å-µ-ª-ë-Ω-Ω-ã-π-ø-É-Ω-f-Ç, -ø-æ-á-Ç-æ-≤-ã-π-Ä-∞-π-æ-Ω, -ø-æ-á-Ç-æ-≤-∞-è-Σ-æ-Ω-∞, -µ-¥-Π-Ω-Π-Ü-∞ -ø-æ-á-Ç-æ-≤-æ-≥-æ-Π-Ω-¥-µ-f-Å-∞, -Å-µ-f-Ç-æ-Ä-ø-æ-á-Ç-æ-≤-æ-≥-æ -Π-Ω-¥-µ-f-Å-∞ (or) -ø-æ-á-Ç-æ-≤-ã-π -Π-Ω-¥-µ-f-Å.	Built-In

Vehicle Identification Number (Russia)	Russia Vehicle Identification Number matches a valid vehicle identification number combined with any of the following keywords within a proximity of 10 terms: -ù-æ-°-μ-Ä-Ω-æ-π-Σ-Ω-∞-∫, , -Ω-æ-°-μ-Ä-Ω-æ-π -Σ-Ω-∞-∫-Ç-Ä-∞-Ω-Å-ø-æ-Ä-Ç-Ω-æ-≥-æ -Å-Ä-μ-¥-Å-Ç-≤-∞, -Ω-æ-°-μ-Ä-Ω-æ-π -Σ-Ω-∞-∫, -≥-æ-Å-É-¥-∞-Ä-Å-Ç-≤-μ-Ω-Ω-ã-π -Ä-μ-≥-Π-Å-Ç-Ä-∞-Ü-Π-æ-Ω-Ω-ã-π -Ω-æ-°-μ-Ä-Ç-Ä-∞-Ω-Å-ø-æ-Ä-Ç-Ω-æ-≥-æ -Å-Ä-μ-¥-Å-Ç-≤-∞, -≥-æ-Å-É-¥-∞-Ä-Å-Ç-≤-μ-Ω-Ω-ã-π -Ä-μ-≥-Π-Å-Ç-Ä-∞-Ü-Π-æ-Ω-Ω-ã-π -Ω-æ-°-μ-Ä, -≥-æ-Å-Ω-æ-°-μ-Ä, -Å-μ-Ä-Π-π-Ω-ã-π-Ω-æ-°-μ-Ä -∞-≤-Ç-æ-°-æ-±-Π-ª-è, -Ω-æ-°-μ-Ä -∞-≤-Ç-æ-°-æ-±-Π-ª-è, -≥-æ-Å-É-¥-∞-Ä-Å-Ç-≤-μ-Ω-Ω-ã-π -Ä-μ-≥-Π-Å-Ç-Ä-∞-Ü-Π-æ-Ω-Ω-ã-π -Ω-æ-°-μ-Ä-Ç-Ä-∞-Ω-Å-ø-æ-Ä-Ç-Ω-æ-≥-æ -Å-Ä-μ-¥-Å-Ç-≤-∞, -≥-æ-Å-É-¥-∞-Ä-Å-Ç-≤-μ-Ω-Ω-ã-π -Ω-æ-°-μ-Ä-Ω-æ-π-Σ-Ω-∞-∫, -Ä-μ-≥-Π-Å-Ç-Ä-∞-Ü-Π-æ-Ω-Ω-ã-π -Ω-æ-°-μ-Ä, -Ä-μ-≥-Π-Å-Ç-Ä-∞-Ü-Π-æ-Ω-Ω-ã-π, Ññ, -Ω-æ-°-μ-Ä-Å-μ-≥-Π-Å-Ç-Ä-∞-Ü-Π-æ-Ω-Ω-ã-π	Built-In
International Bank Account Number ,Äi IBAN (Sweden)	Sweden International Bank Account Number ,Äi IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: Bankkonto, IBAN, finansiell, internationella pengar, penga√ðverf√ðringar (or) landskod. (All terms case insensitive; diacritics are optional.)	Built-In

Tax ID Number (Croatia)	Croatia Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: porez identifikacija broj, porez identifikacijska oznaka broj, porez identitet broj, porezni broj, Porezni identifikacijski broj, porezni dosje, broj poreznog obveznika, porezni identifikacijski broj, porezni br., porezni br., identifikacijski broj, identifikaciji br., porezni identifikacijski br., Porezni identifikacijski broj (or) porezni broj. (All terms case insensitive.)	Built-In
VAT ID Number (Australia)	Australia VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: value added tax number, value added tax, vat no., vat number, vat#, vat no, GST (or) VAT. (All terms case insensitive.)	Built-In
Phone Number (Singapore)	Singapore Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: mobilephone number, mobile phone no., mobilephone no., mobile number, mobilenumber, mobile no., mobileno., mobile#, contact number, contact no., contact, fax number, fax no., cell phone number, cellphone number, cell phone no., cellphone no., cell phone, cellphone, cell number, cellnumber, cell no., cellno., whatsapp number, whatsapp no., whatsapp, phone number, phone no., phone num, telephonic number, telephone number, telephone no., telephone, landline number, landline no. (or) landline num. (All terms case insensitive.)	Built-In

Religion (Norway)	Norway Religion matches with any of the following keywords: Religion (or) Religi√[]s combined with any of the following keywords within a proximity of 10 terms: Kristendom, Kristen, Hinduisme, Hindu, Islam, Muslim, Buddhisme, Buddhist, J√[]disk, Protestant, Katolikk, √òstlig Ortodoks, Annen kristen, Annen religion, Ateist, Agnostiker (or) Ingen religion. (All terms case insensitive; diacritics are optional.)	Built-In
Criminal Record (Austria)	Austria Criminal records matches with any of the following keywords Vorstrafen, Strafregistereintrag (or) polizeiliches F√°hrungszeugnis combined with any of the following crime keywords within a proximity of 10 terms: Mord, Diebstahl, Korruption, Betrug, Terrorismus, Drogen, Einbruch, Vergewaltigung, Raub, Autodiebstahl, Suizid, Entf√°hrung, Menschenhandel, Menschenschmuggel (or) Waffenhandel. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (Portugal)	Portugal Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: n√°mero identifica√°o fiscal, n√°mero ID fiscal, n√°mero identidade fiscal, n√°mero fiscal, C√°digo de identifica√°o fiscal, identifica√°o fiscal, n.√° de identifica√°o fiscal, n.√° fiscal #, n.√° fiscal, n√°mero de identifica√°o fiscal, IDfiscal#, n.√°idfiscal#n√°merofiscal#, n.√°fiscal#, n√°merofiscal#, n√°merofiscal, NIF, n.√° fiscal, NIF# (or) identifica√°o fiscal. (All terms case insensitive; diacritics are optional.)	Built-In

Postcode (Netherlands)	Netherlands Postcode matches with Netherlands postcode combined with any of the following keywords within a proximity of 10 terms: adres, verblijfplaats, woonplaats, postcode, postcodegebied, postnummers (or) postgebied. (All terms case insensitive.)	Built-In
International Bank Account Number - IBAN (Puerto Rico)	Puerto Rico International Bank Account Number - IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: número de cuenta bancaria internacional, número de IBAN, IBAN (or) número de cuenta bancaria internacional. (All terms case insensitive; diacritics are optional.)	Built-In
Student Loan Application Information (US)	US Student Loan Application Information matches a valid loan application information combined with any of the following keywords within a proximity of 10 terms: student loan information, student financial aid, grant information, payment history (or) loan application. (All terms case insensitive.)	Built-In
International Bank Account Number ,Åi IBAN (Finland)	Finland International Bank Account Number ,Åi IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: pankkitili, IBAN, talous, maksu, kansainvälinen rahaliikenne, rahansiirrot (or) maakoodi. (All terms case insensitive; diacritics are optional.)	Built-In

Religion (Croatia)	Croatia Religion matches with any of the following keywords: Vjera (or) Vjeroispovijest combined with any of the following keywords within a proximity of 10 terms: Kršćanstvo, Kršćani, Hinduizam, Hinduisti, Islam, Muslimani, Budizam, Budisti, æidovska vjera, Protestanti, Katolici, istofçno, Pravoslavna vjera, istofçno Pravoslavna vjera, Ostale kršćanske vjeroispovijesti, Druga vjera, Ateisti, Agnostici (or) Bez odabrane vjeroispovijesti. (All terms case insensitive; diacritics are optional.)	Built-In
Routing Number (Denmark)	Denmark Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: overf√[]rselsnr., bankoverf√[]rselsnr., overf√[]rselsnummer, CPR-number, CPR number (or) RTN. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Venezuela)	Venezuela Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: n√[]mero de cuenta bancaria, detalles bancarios, n√[]mero de banco, c√[]digo de cuenta, ID de cuenta, n√[]mero de cuenta (or) cuenta numerada. (All terms case insensitive; diacritics are optional.)	Built-In
Business Number (Puerto Rico)	Puerto Rico Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: n√[]mero de la negocios, n√[]mero de negocios, n.∞ de ID de la negocios, n.∞ de la negocios (or) ID de la negocios. (All terms case insensitive; diacritics are optional.)	Built-In

Eye Color (Netherlands)	Netherlands Eye Color matches with any of the following keywords oogkleur, kleur oog, kleur ogen (or) iriskleur combined with any of the following keywords within a proximity of 10 terms: bruin, blauw, groen, lichtbruin, amber, grijs, heterochroom (or) andere kleur. (All terms case insensitive.)	Built-In
Phone Number (Vietnam)	Vietnam Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: s· ^a ë fět, s· ^a ë m√ ^o y, s· ^a ë fëi· ^a án tho· ^o i b√ ^o tn, s· ^a ë di fë· ^a ông, s· ^a ë fëi· ^a án tho· ^o i (or) s· ^a ë fëi· ^a án tho· ^o i di fë· ^a ông. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Jordan)	Jordan License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: ÿ±ÿÇÿÖ ÿÑÿäÿ≠ÿ© ÿßÿÑÿ™ÿ±ÿÆÿäÿµ, ÿ±ÿÇÿÖ ÿßÿÑÿÑÿäÿ≠ÿ©, ÿ±ÿÇÿÖ ÿßÿÑÿ™ÿ±ÿÆÿäÿµ, ÿÑÿäÿ≠ÿ© ÿßÿÑÿ™ÿ±ÿÆÿäÿµ (or) ÿ±ÿÇÿÖ ÿßÿÑÿ™ÿ±ÿÆÿäÿµ ÿ≥ÿ¨ÿäÿÑ.	Built-In
Tax ID Number - BURS (Botswana)	Botswana Tax ID Number - BURS (Botswana Unified Revenue Service) matches a valid BURS number combined with any of the following keywords within a proximity of 10 terms: Botswana Unified Revenue Service, BURS number, BURS, tax identification number, tax identity number, tax identification code, tax file, tax identification no, tax registration number, taxidnumber#, taxidnumber, taxidno#, taxidno, tax no#, tax no, taxid#, taxid, taxno#, taxno, taxnumber#, taxnumber, tax id, tin id, tin no, tin# (or) TIN. (All terms case insensitive.)	Built-In

Phone Number (Qatar)	Qatar Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: ٧±٧ÇŸÖ ٧BŸÑŸ™ŸÑŸäŸÄŸàŸÜ, ٧±٧ÇŸÖ ٧BŸÑŸäŸBŸ™ŸÄ ٧BŸÑŸÖŸ≠ŸÖŸàŸÑ (or) ٧±٧ÇŸÖ ٧BŸÑŸäŸBŸ™ŸÄ ٧BŸÑŸÆŸÑŸàŸä.	Built-In
VAT ID Number (China)	China VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: ÂçûÄ°Á°éÂèΣ, ÂçûÄ°Á°é#, ÂçûÄ°Á°é (or) VAT. (All terms case insensitive.)	Built-In
Expiry Date (Ireland)	Ireland Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: D√°ta √©aga. (All terms case insensitive; diacritics are optional.)	Built-In
International Bank Account Number ,Äi IBAN (Belgium)	Belgium International Bank Account Number ,Äi IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: bankrekening, iban, financieel, betaling, internationale overschrijving, internationale betaling, landnummer (or) landcode. (All terms case insensitive.)	Built-In
Weight (US)	US person,Äs weight appearing within 10 terms of the keywords "Weight" or "Mass." The weight can be expressed in pounds or kilograms, using the abbreviations "lb" or "kg" or the full words "pounds" or "kilograms," optionally followed by a space. The numeric weight value may or may not be separated by a space from the unit. (All text is case-insensitive.)	Built-In

Postcode (Estonia)	Estonia Postcode matches with Estonian postcode combined with any of the following keywords within a proximity of 10 terms: aadress, elukoht, linn, postiasutus, avatud kood, piirkonna sihtnumber, sihtnumbri piirkond, sihtnumbri $\sqrt{\circ}$ ksus, sihtnumbri sektor (or) sihtnumber. (All terms case insensitive; diacritics are optional.)	Built-In
SWIFT Code (Botswana)	Botswana SWIFT Code matches a valid SWIFT code combined with any of the following keywords within a proximity of 10 terms: Interntional Bank Account Number, SWIFT Code, IBAN#, IBAN (or) Interntional bank account no. (All terms case insensitive.)	Built-In
Tax ID Number (Lithuania)	Lithuania Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: mokesfçi $\approx$ $\geq$ mokfótojo identifikacinis kodas, mokesfçi $\approx$ $\geq$ mokfótojo id kodas, mokesfçi $\approx$ $\geq$ mokfótojo identifikavimo kodas, mokesfçi $\approx$ $\geq$ deklaracija, mokesfçi $\approx$ $\geq$ mokfótojo numeris, mokesfçi $\approx$ $\geq$ mokfótojo Nr., mokesfçio mokfótojo Nr., mokesfçi $\approx$ $\geq$ mokfótojo registracijos numeris, mokesfçio mokfótojo id. Nr., mokesfçi $\approx$ $\geq$ mokfótojo id. kodas, mokesfçi $\approx$ $\geq$ mokfótojo id. numeris, mokesfçi $\approx$ $\geq$ mokfótojo kodas, TIN ID, TIN nr., TIN Nr., TIN (or) mokesfçi $\approx$ $\geq$ mokfótojo ID. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Guatemala)	Guatemala Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: n $\sqrt{}$ mero de tel $\sqrt{}$ @fono m $\sqrt{\geq}$ vil, n $\sqrt{}$ mero de tel $\sqrt{}$ @fono (or) n $\sqrt{}$ mero de m $\sqrt{\geq}$ vil. (All terms case insensitive; diacritics are optional.)	Built-In

Bank Account Number (Iceland)	Iceland Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: bank account number, bank details, bank number, account code, account id, account number (or) numbered account. (All terms case insensitive.)	Built-In
Postcode (Austria)	Austria Postcode matches with Austrian postcode combined with any of the following keywords within a proximity of 10 terms: Adresse, Wohnsitz, Ort, Postleitzahl (or) PLZ. (All terms case insensitive.)	Built-In
SWIFT Code (Australia)	Australia SWIFT Code matches a valid SWIFT code combined with any of the following keywords within a proximity of 10 terms: australiabankassociationrouting#, australianbankassociationroutingnumber, bankrouting#, routing#, routing no, RTN (or) Swift code. (All terms case insensitive.)	Built-In
Bank Account Number (Ukraine)	Ukraine Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: -Ω-æ-°-μ-Ä -±-∞-Ω-f-ñ-≤-Å-å-f-æ-≥-æ-Ä-∞-Ö-É-Ω-f-É, -±-∞-Ω-f-ñ-≤-Å-å-f-ñ-Ä-μ-f-≤-ñ-Σ-Π-Ç-Π, -ñ-¥. -Ω-æ-°-μ-Ä-Ä-∞-Ö-É-Ω-f-É, -Ω-æ-°-μ-Ä -±-∞-Ω-f-É, -Ω-æ-°-μ-Ä-Ä-∞-Ö-É-Ω-f-É, -Ω-æ-°-μ-Ä-Ä-∞-Ö. (or) -Ä-∞-Ö-É-Ω-æ-f, Ññ.	Built-In
VAT ID Number (Denmark)	Denmark VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: momsnr. (or) momsnummer. (All terms case insensitive.)	Built-In

Social Security Number (Germany)	Germany Social Security Number matches a valid SSN with any of the following keywords within a proximity of 10 terms: Sozialversicherungsnummer, Personalausweis, Identifizierungsnummer, Ausweis (or) Identifikation. (All terms case insensitive.)	Built-In
Sortcode (UK)	UK Sortcode matches a valid sortcode combined with any of the following keywords within a proximity of 10 terms: Routing number#, bankrouting#, routing#, routing no, sortnumber#, sort number#, sortcode, sort code (or) RTN. (All terms case insensitive.)	Built-In
Height (Bulgaria)	Bulgaria person,Â's height described in Imperial or metric units, appearing within 10 terms of the keywords -í-[-]-Å. Or -í-[-]-Å-æ-á-[-]-Ω-∞. Imperial measurements may use -Ñ-É-Ç-∞ and -[-]-Ω-á-∞ or only by -[-]-Ω-á-∞. Metric measurements may use -°-μ-Ç-Ä-∞ or -°-∞-Ω-Ç-[-]-°-μ-Ç-ä-Ä. Examples: -í-[-]-Å-æ-á-[-]-Ω-∞ 5'9" or 174.17cm or 5ft9in. (All terms case insensitive)	Built-In
VAT ID Number (Morocco)	Morocco VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: VAT number, vat no., vat no#, VAT, ÿ±ŸÇŸÖ ŸðŸ±ŸäŸ®Ÿ© ŸßŸÑŸÇŸäŸÖŸ© ŸßŸÑŸÖŸðŸßŸÅŸ©, ŸðŸ±ŸäŸ®Ÿ© ŸßŸÑŸÇŸäŸÖŸ© ŸßŸÑŸÖŸðŸßŸÅŸ© (or) Ÿ±ŸÇŸÖ vat. (All terms case insensitive.)	Built-In

Source Code	Source Code identifies text that matches keywords and syntactical constructs found in code for the following programming and scripting languages: C, C#, C++, Cobol, CSS, Dart, Go Lang, Java, JavaScript, Kotlin, NoSQL(MongoDB, DynamoDB, Redis), Perl, PHP, PL/SQL, Python, R, Ruby, Rust, Scala, Swift, SQL, TypeScript.	Built-In
Email Address	Email addresses with varying formats of letters followed by @, a variety of characters, and the TLD (e.g. .com, .net, .org, etc).	Built-In
Gender (Cyprus)	Cyprus Gender matches with any of the following keywords: $\text{C}\text{Y}\text{P}\text{R}\text{U}\text{S}$, $\text{C}\text{Y}\text{P}\text{R}\text{U}\text{S}$ (or) Cinsiyet combined with any of the following keywords within a proximity of 10 terms: M, F, Erkek, Dişli, $\text{C}\text{Y}\text{P}\text{R}\text{U}\text{S}$, $\text{C}\text{Y}\text{P}\text{R}\text{U}\text{S}$, $\text{C}\text{Y}\text{P}\text{R}\text{U}\text{S}$, $\text{C}\text{Y}\text{P}\text{R}\text{U}\text{S}$, $\text{C}\text{Y}\text{P}\text{R}\text{U}\text{S}$, $\text{C}\text{Y}\text{P}\text{R}\text{U}\text{S}$, $\text{C}\text{Y}\text{P}\text{R}\text{U}\text{S}$ (or) $\text{C}\text{Y}\text{P}\text{R}\text{U}\text{S}$. (All terms case insensitive.)	Built-In
Business Number (Libya)	Libya Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: $\text{L}\text{I}\text{B}\text{Y}\text{A}$, $\text{L}\text{I}\text{B}\text{Y}\text{A}$ (or) $\text{L}\text{I}\text{B}\text{Y}\text{A}$, $\text{L}\text{I}\text{B}\text{Y}\text{A}$, $\text{L}\text{I}\text{B}\text{Y}\text{A}$, $\text{L}\text{I}\text{B}\text{Y}\text{A}$, $\text{L}\text{I}\text{B}\text{Y}\text{A}$, $\text{L}\text{I}\text{B}\text{Y}\text{A}$, $\text{L}\text{I}\text{B}\text{Y}\text{A}$, $\text{L}\text{I}\text{B}\text{Y}\text{A}$, $\text{L}\text{I}\text{B}\text{Y}\text{A}$.	Built-In
Company Number (UK)	UK Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: united kingdom company no, United kingdom company number, corporate identification number, company registration number (or) corporate number. (All terms case insensitive.)	Built-In

Eye Color (Luxembourg)	Luxembourg Eye Color matches with any of the following keywords Aen Faarf, Iris Faarf (or) Eyeball Faarf combined with any of the following keywords within a proximity of 10 terms: Braun, Blo, Gr√©ng, Hazel, Amber, Grey, Heterochromia (or) aner Faarf. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Colombia)	Colombia Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: n√ºmero de cuenta bancaria, detalles bancarios, n√ºmero de banco, c√ºdigo de cuenta, ID de cuenta, cuenta de ahorros, cuenta corriente, n√ºmero de cuenta (or) cuenta numerada. (All terms case insensitive; diacritics are optional.)	Built-In
SWIFT Code (Oman)	Oman SWIFT Code matches a valid SWIFT code combined with any of the following keywords within a proximity of 10 terms: ÿ±ÿÇÿÖ ÿßÿÑÿ≠ÿ≥ÿßÿ® ÿßÿÑÿ®ÿÜÿÉÿä ÿßÿÑÿØÿàÿÑÿä, SWIFT code, IBAN# (or) IBAN. (All terms case insensitive.)	Built-In
International Bank Account Number ,Äì IBAN (Germany)	Germany International Bank Account Number ,Äì IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: Bankkonto, IBAN, Finanzen, Zahlung, internationale √ºberweisung, Geldtransfer (or) L√ºsendercode. (All terms case insensitive; diacritics are optional.)	Built-In
GCP - Access Token	GCP Access Token (Google OAuth 2.0 Access Token) identifier matches a valid Google OAuth 2.0 access token.	Built-In

License Plate Number (Venezuela)	Venezuela License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: n.º de registro, n.º de matrícula, número de licencia, número de matrícula, matrícula (or) número de registro. (All terms case insensitive; diacritics are optional.)	Built-In
Company Number - CIPA (Botswana)	Botswana Company Number - CIPA (Companies and Intellectual Property Authority) matches a valid CIPA number combined with any of the following keywords within a proximity of 10 terms: company no#, Companies and Intellectual Property Authority, CIPA number, CIPA, company no, company registration number, company number, corporate identification number (or) corporate number. (All terms case insensitive.)	Built-In
License Plate Number (Iceland)	Iceland License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: license plate number, registration. no., plate. no., licence plate (or) registration number. (All terms case insensitive.)	Built-In
License Plate Number (Latvia)	Latvia License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: licences numura zīme, reģistrācijas nr., numura zīme, licences numurs, numura plāksne (or) reģistrācijas numurs. (All terms case insensitive; diacritics are optional.)	Built-In

Company Number (Vietnam)	Vietnam Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: m√£ s·aë c√¥ng ty, s·aë nh·f#n d·f°ng c√¥ng ty, s·aë fëfÉng k√Ω c√¥ng ty, # c√¥ng ty (or) s·aë c√¥ng ty. (All terms case insensitive; diacritics are optional.)	Built-In
Passport Number (Norway)	Norway Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: pass, identifikasjon for internasjonal reise, passopplysninger, visum, ID-kort, passnummer, reisedokument, utstedende autoritet, identifikasjon, identifikasjonsbevis, pass-ID, passnr. (or) pass nummer. (All terms case insensitive.)	Built-In
Bank Account Number (Germany)	Germany Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: Bankkontonummer, Bankverbindung, Banknummer, Konto-Code, Konto-ID, Kontonummer (or) Nummernkonto. (All terms case insensitive.)	Built-In
Driver's License Number (Costa Rica)	Costa Rica Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: licencia de tarjeta con foto, licencia estudiante, titulares de licencia, titular de licencia, n√fmero de licencia, licencias de conducir, licencia de conducir, licencia del conductor (or) carnet de conducir. (All terms case insensitive; diacritics are optional.)	Built-In

Tax ID Number (Australia)	Australia Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: individual tax return, tax file number (or) tfn. (All terms case insensitive.)	Built-In
License Plate Number (Bulgaria)	Bulgaria License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: —Ä-μ-≥-Π—Å-Ç—Ä-∞—Ü-Π-æ-Ω-μ-Ω, Ññ, —Π-¥-μ-Ω-Ç-Π—Ñ-Π-∫-∞—Ü-Π-æ-Ω-Ω-∞ —Ç-∞-±-μ-ª-∫-∞, Ññ, -Ω-æ-º-μ—Ä-Ω-∞ —Ä-μ-≥-Π—Å-Ç—Ä-∞—Ü-Π-æ-Ω-Ω-∞ —Ç-∞-±-μ-ª-∞, -Ω-æ-º-μ—Ä-Ω-∞ —Π-¥-μ-Ω-Ç-Π—Ñ-Π-∫-∞—Ü-Π-æ-Ω-Ω-∞ —Ç-∞-±-μ-ª-∞, —Ä-μ-≥-Π—Å-Ç—Ä-∞—Ü-Π-æ-Ω-Ω-∞ —Ç-∞-±-μ-ª-∞ (or) —Ä-μ-≥-Π—Å-Ç—Ä-∞—Ü-Π-æ-Ω-μ-Ω-Ω-æ-º-μ—Ä.	Built-In
Aggressive Behavior	Language that indicates a context of aggressive intent.	Built-In
VAT ID Number (Nigeria)	Nigeria VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: vat no., vat number, value added tax number, value added tax, vat no, vat# (or) VAT. (All terms case insensitive.)	Built-In
Social Security Number (Luxembourg)	Luxembourg Social Security Number matches a valid SSN combined with any of the following keywords within a proximity of 10 terms: num√©ro de s√©curit√© sociale, n√° de s√©curit√© sociale#, # de s√©curit√© sociale, SSN#, SSN (or) SSID. (All terms case insensitive; diacritics are optional.)	Built-In

Gender (Austria)	Austria Gender matches with the keyword: Geschlecht combined with any of the following keywords within a proximity of 10 terms: M, Männlich, W, Weiblich, Divers (or) D. (All terms case insensitive; diacritics are optional.)	Built-In
Height (UK/US)	UK/US person, height described in Imperial or metric units, appearing within 10 terms of the keywords Height or Ht. Imperial measurements may use feet and inches or only by inches. Metric measurements may use meters or centimeters. Examples: Height 5'10" or 178.94cm or 5ft10in. (All text is case-insensitive.)	Built-In
International Bank Account Number ,Àì IBAN (United Arab Emirates)	United Arab Emirates International Bank Account Number ,Àì IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: IBAN#, IBAN (or) ÿ±ŸÇŸÖ ŸBŸÑŸ≠Ÿ≥ŸBŸ® ŸBŸÑŸ®ŸÜŸÉŸä ŸBŸÑŸØŸäŸÑŸä. (All terms case insensitive.)	Built-In
Passport Number (Croatia)	Croatia Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: putovnica, identifikacija za meġunarodna putovanja, podaci o putovnici, viza, meġunarodna osobna iskaznica, broj putovnice, putni dokument, nadleæeno tijelo za izdavanje, putovnica, osobna iskaznica, dokument za identifikaciju, putovnica, identifikacijska oznaka putovnice (or) br. putovnice, broj putovnice. (All terms case insensitive; diacritics are optional.)	Built-In

Religion (Spain)	Spain Religion matches with any of the following keywords: Religión (or) Religioso combined with any of the following keywords within a proximity of 10 terms: Cristianismo, Cristiano, Hinduismo, Hinduí, Islam, Musulmán, Budismo, Budista, Judío, Protestante, Católica, Oriental, Ortodoxo, Oriental Ortodoxo, Otro cristiano, Otra religión, Ateo, Agnóstico (or) Sin religión. (All terms case insensitive; diacritics are optional.)	Built-In
Race (Belgium)	Belgium Race matches any of the following keywords: Race combined with any of the following keywords within a proximity of 10 terms: Vlaming, Waals, Spaans, Anderen. (All terms case insensitive.)	Built-In
Postcode (India)	India Postcode matches with Indian postcode combined with any of the following keywords within a proximity of 10 terms: address, place of residence, town, postcode district, postcode area, postcode unit, postcode sector (or) postcode. (All terms case insensitive.)	Built-In
VAT ID Number (Luxembourg)	Luxembourg VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: IVA (or) numéro d'identification. (All terms case insensitive; diacritics are optional.)	Built-In
Routing Number (Panama)	Panama Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: número de routing bancario, número de routing, routing bancario, número de routing (or) RTN. (All terms case insensitive; diacritics are optional.)	Built-In

Routing Number (Hong Kong)	Hong Kong Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: ÈäÄË°åÅåØÊ° æËΣØÅæë#, ÈäÄË°åÅåØÊ° æËΣØÅæë, ÅåØÊ° æËΣØÅæëËöüÁç°, ÅåØÊ° æËΣØÅæë#, ÅåØÊ° æËΣØÅæë (or) RTN. (All terms case insensitive.)	Built-In
Expiry Date (Netherlands)	Netherlands Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: vervaldatum, datum verval, verloopdatum, datum verloop, geldig tot, geldig t (or) geldig m. (All terms case insensitive; diacritics are optional.)	Built-In
Social Insurance Number - SIN (Nigeria)	Nigeria Social Insurance Number - SIN matches a valid SIN combined with any of the following keywords within a proximity of 10 terms: sin#, sin, social insurance number, social insurance no, social insurance, social ins (or) soc ins. (All terms case insensitive.)	Built-In
Expiry Date (Austria)	Austria Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Ablaufdatum (or) G√°ltig bis. (All terms case insensitive; diacritics are optional.)	Built-In
Criminal Record (France)	France Criminal records matches with any of the following keywords casier judiciaire (or) registre de la police combined with any of the following crime keywords within a proximity of 10 terms: meurtre, vol, corruption, fraude, terrorisme, drogue, cambriolage, viol, braquage, vol de v√©hicule, suicide, enl√©vement, traite d'√™tres humains, trafic d'√™tres humains (or) trafic d'armes. (All terms case insensitive; diacritics are optional.)	Built-In

Postcode (Thailand)	Thailand Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: $\pi\tilde{A}\pi\zeta\pi\tilde{i}\pi\tilde{N}\pi\tilde{o}\pi\epsilon\pi\circ\pi\tilde{i}\pi\mu\pi\phi\pi\alpha$, $\pi\tilde{U}\pi\sum\pi\alpha\pi\tilde{o}\pi\acute{o}\pi\mu\pi\alpha\pi\tilde{i}\pi\leq\pi^{\circ}\pi\epsilon\pi\prime\pi\pm\pi^{\text{m}}\pi\tilde{N}\pi\tilde{o}\pi\epsilon\pi\circ\pi\tilde{i}\pi\mu\pi\phi\pi\alpha$, $\pi\prime\pi\tilde{o}\pi\alpha\pi\beta\pi\phi\pi\tilde{i}\pi\leq\pi^{\circ}\pi\epsilon\pi\prime\pi\pm\pi^{\text{m}}\pi\tilde{N}\pi\tilde{o}\pi\epsilon\pi\circ\pi\tilde{i}\pi\mu\pi\phi\pi\alpha$, $\pi\zeta\pi\neq\pi\tilde{o}\pi\tilde{A}\pi\zeta\pi\tilde{i}\pi\tilde{i}\pi\leq\pi^{\circ}\pi\epsilon\pi\prime\pi\pm\pi^{\text{m}}\pi\tilde{N}\pi\tilde{o}\pi\epsilon\pi\circ\pi\tilde{i}\pi\mu\pi\phi\pi\alpha$ (or) $\pi\epsilon\pi\prime\pi\pm\pi^{\text{m}}\pi\tilde{N}\pi\tilde{o}\pi\epsilon\pi\circ\pi\tilde{i}\pi\mu\pi\phi\pi\alpha$.	Built-In
Phone Number (China)	China Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: $\hat{E}\hat{a}\hat{a}\hat{E}\hat{u}\hat{f}\hat{A}\hat{e}\hat{\Sigma}\hat{A}\hat{A}$ (or) $\acute{A}\hat{i}\mu\hat{E}\hat{O}\hat{u}\hat{A}\hat{e}\hat{\Sigma}$.	Built-In
Date of Birth and Person Name (US)	Combines date of birth with a person name (US).	Built-In
VAT ID Number (Egypt)	Egypt VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: $\ddot{y}\pm\ddot{Y}\zeta\ddot{Y}\ddot{O}\ddot{y}\partial\ddot{y}\pm\ddot{Y}\ddot{a}\ddot{y}^{\circ}\ddot{y}\circ\ddot{y}\beta\ddot{Y}\ddot{N}\ddot{Y}\zeta\ddot{Y}\ddot{a}\ddot{Y}\ddot{O}\ddot{y}\circ\ddot{y}\beta\ddot{Y}\ddot{N}\ddot{Y}\ddot{O}\ddot{y}\partial\ddot{y}\beta\ddot{Y}\ddot{A}\ddot{y}\circ$, $\ddot{y}\partial\ddot{y}\pm\ddot{Y}\ddot{a}\ddot{y}^{\circ}\ddot{y}\circ\ddot{y}\beta\ddot{Y}\ddot{N}\ddot{Y}\zeta\ddot{Y}\ddot{a}\ddot{Y}\ddot{O}\ddot{y}\circ\ddot{y}\beta\ddot{Y}\ddot{N}\ddot{Y}\ddot{O}\ddot{y}\partial\ddot{y}\beta\ddot{Y}\ddot{A}\ddot{y}\circ$, $\ddot{y}\pm\ddot{Y}\zeta\ddot{Y}\ddot{O}\text{ vat, vat no. (or) vat no, vat\#, VAT. (All terms case insensitive.)}$	Built-In
Region (Denmark)	Denmark Region matches with the following keyword: $\text{Omr}\sqrt{\bullet}\text{de}$ combined with any of the following keywords within a proximity of 10 terms: Hovedstaden, Midtjylland, Nordjylland, $\text{Sj}\sqrt{\P}\text{lland}$ (or) Syddanmark. (All terms case insensitive; diacritics are optional.)	Built-In

International Bank Account Number ,Àì IBAN (Portugal)	Portugal International Bank Account Number ,Àì IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: Conta banc√°ria, IBAN, finan√bas, pagamento, dinheiro internacional, transfer√ncias de dinheiro (or) c√digo do pa√s. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (Singapore)	Singapore Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: id tin, no. tin, tin, tax identification number, Tax Reference Number, tax id number, tax identity number, tax number, Tax Identification Code, tax file, tax identification no, tax no#, tax no, tax registration number, taxid#, taxidno#, taxidnumber#, taxno#, taxnumber#, taxnumber, tin id, tin no (or) tax id. (All terms case insensitive.)	Built-In
Credit Card Number and Drug Name (Lenient)	Identifies assets that contain both credit card numbers and common drug names.	Built-In
Expiry Date (Latvia)	Latvia Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Derf´guma termi≈Üs≈° (or) Derf´gumtermi≈Üs≈°. (All terms case insensitive; diacritics are optional.)	Built-In
Multiple Personal Identifiers ,Àì PII (European Union)	Combines a person name with various individual personal identifiers from the twenty-seven nations of the European Union.	Built-In

Phone Number (Belgium)	Belgium Phone number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: mobiele telefoon-nummer, mobiele telefoonnummer, mobiele telefoonnummer, mobiele nummer, telefoon nummer, telefoonnummer, gsmnummer, telefoonnr (or) telefoon. (All terms case insensitive.)	Built-In
International Bank Account Number - IBAN (Bahrain)	Bahrain International Bank Account Number - IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: ÿ±ÿÇÿÖ ÿBYÑÿ≠ÿ≥ÿBÿ® ÿBYÑÿ®ÿYÜYÉÿä ÿBYÑÿØÿäÿÑÿä, IBAN# (or) IBAN. (All terms case insensitive.)	Built-In
Tax ID Number (Indonesia)	Indonesia Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: Nomor pendaftaran wajib pajak, Nomor wajib pajak, nomor identifikasi pajak, nomor identitas pajak, nomor pajak, kode identifikasi pajak, file pajak, no identifikasi pajak, no pajak, nomor registrasi pajak, nomor id pajak, nomoridpajak, id pajak, idpajak, noidpajak, nomorpajak, nopajak, id npwp, no npwp, npwp, NPWP, NIN, SIM, Nomor KTP, No KTP, Nomor Induk Kependudukan, NIK, no kartu tanda penduduk, nomor identifikasi nasional, nomor kartu tanda penduduk (or) id nasional. (All terms case insensitive.)	Built-In
Confidential	This detects the confidential keyword.	Built-In

International Bank Account Number - IBAN (Iceland)	Iceland International Bank Account Number - IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: Interntional BankAccount Number, IBAN#, IBAN (or) Interntional bank account no. (All terms case insensitive.)	Built-In
ICD Code	Patterns resembling the International Statistical Classification of Disease and Related Health Problems (ICD) classification coded list comprised by the World Health Organization (WHO).	Built-In
Weight (Sweden)	Sweden Person,Äôs weight appearing within 10 terms of the keywords Vikt (or) massa. Weight can match in Kilogram (or) pounds, using the keywords Lb, kg, Kilogram, pounds, stones, st (or) ounces, followed by space or no space. Values can be separated by space or no space. (All text is case-insensitive.)	Built-In
Health Service Number (New Zealand)	New Zealand Health Service Number matches a valid health service number combined with any of the following keywords within a proximity of 10 terms: personal health number, health service no, health service number, patient information (or) speciality services. (All terms case insensitive.)	Built-In
Eye Color (Portugal)	Portugal Eye Color matches with any of the following keywords Cor dos olhos, Cor de olhos, Cor da √ris (or) Cor ocular combined with any of the following keywords within a proximity of 10 terms: Castanho, Azul, Verde, Avel√, √Çmbar, Cinzento, Heterocromia (or) outra cor. (All terms case insensitive; diacritics are optional.)	Built-In

Postcode (Romania)	Romania Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: adresfÉ, loc de reziden»õfÉ, Po»ôta RegalfÉ, cod deschis, district cod po»ôtal, zonfÉ cod po»ôtal, unitate cod po»ôtal, sector cod po»ôtal, cod po»ôtal, sat, livrare, domiciliu, strada, cartier, ora»ô, comuna (or) pachet. (All terms case insensitive.)	Built-In
National ID Number (Turkey)	Turkey National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: TC kimlik numarasf±, TC kimlik no, TC no, TC numarasf±, TC# (or) TC. (All terms case insensitive; diacritics are optional.)	Built-In
Company Number (Israel)	Israel Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: ¤û¤°¤\$¤® ¤óðë¤®¤î (or) ¤ó¤\$, ¤ó.¤\$, ¤û¤°¤\$¤® ¤óðë¤®¤î, ¤û¤°¤\$¤® ¤ñ¤ô¤í¤î¤ô ¤™¤ê¤í¤ô¤ì ¤û¤°¤\$¤® ¤®¤ô¤©¤î¤ù ¤óðë¤®¤î, ¤û¤°¤\$¤® ¤™¤ê¤í¤ô¤ì.	Built-In
License Plate Number (Chile)	Chile License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: n.¬ de registro, n.¬ de matr√ #cula, n√ jmero de licencia, n√ jmero de matr√ #cula n√ jmero de registro (or) matr√ #cula. (All terms case insensitive; diacritics are optional.)	Built-In

BankAccount Number (Israel)	Israel BankAccount Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: Bank Account Number, Bank Account, Account Number (or) סח"ט, סח"ט, סח"ט, סח"ט, סח"ט, סח"ט, סח"ט, סח"ט, סח"ט, סח"ט. (All terms case insensitive.)	Built-In
Ethnicity (Hungary)	Hungary Ethnicity matches with any of the keywords: Ethnicity, Ethnikai (or) Ethnikai csoport combined with any of the following keywords within a proximity of 10 terms: magyarok, románok, románok, szlovákok, horvátok, szlovének, székelyek, magyarországi németek, szerbek, nérmények, székelymagyarok, ruszinok, ukrainai magyarok, dunai svábok, svábok, romániai magyarok, jászok, Román Magyarországon, Matyás, Albánok Magyarországon, Franciák Magyarországon, Törökország Magyarországon, Bojászok, Bónóti svábok, Magyarországi horvátok, Ukránok Magyarországon, Hunok, Szlovákiai magyarok, Csángók (or) Oroszországi magyarok. (All terms case insensitive; diacritics are optional.)	Built-In

Phone Number (Japan)	Japan Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: ÈõªÈ©±Áĩ™ÂèΣ,ÈõªÈ©±Áĩ™ÂèΣ (or) ÊêĴÂĴØÁĩ™ÂèΣ.	Built-In
Tax ID Number (Netherlands)	Netherlands Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: belasting identifiatie nummer, belasting identiteits nummer, belastingidentificatienummer, belasting id-nummer, omzetbelastingnummer, belastingnummer, ob-nummer, belastingsnr (or) BSN. (All terms case insensitive.)	Built-In
License Plate Number (Costa Rica)	Costa Rica License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: n.∞ de registro, n.∞ de matr√≠cula, n√Ĵmero de licencia, n√Ĵmero de matr√≠cula, matr√≠cula (or) n√Ĵmero de registro. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (China)	China License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: ÈΩŋÁââÂèΣ, ÈΩŋËæÛÁôªÈÆ∞ÂèΣÁ†Â, ÈΩŋÂèΣ (or) ÁââÁÔß.	Built-In
Hair Color (Bulgaria)	Bulgaria Hair color matches with any of the following keywords -ŋ-≤-è-Ç -Ω-∞ -Ĵ-æ-Å-∞-Ç-∞, combined with any of the following keywords within a proximity of 10 terms: -ß-μ-Ä-≤-μ-Ω, -ó-ª-∞-Ç-Ĵ-Å-Ç, -º-≤-μ-Ç-ª-æ-ð-ä-ª-Ç, -º-Ĵ-≤, -ö-∞-Ñ-è-≤, -ß-μ-Ä-μ-Ω, -†-É-Å (or) -¥-Ä-É-≥ -Û-≤-è-Ç. (All terms case insensitive.)	Built-In

Driver's License Number (Austria)	Austria Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: Kraftfahrzeugzulassungsstelle, Führerschein, vorläufiger Führerschein, FührerscheininhaberIn, FührerscheininhaberInnen, Führerscheinnummer, Fahrerlaubnisnummer (or) Führerscheine. (All terms case insensitive; diacritics are optional.)	Built-In
Driver's License Number (Indonesia)	Indonesia Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: SIM, surat izin mengemudi kendaraan bermotor, surat izin mengemudi kendaraan, izin mengemudi, surat mengemudi, surat izin mengemudi (or) surat izin berkendara. (All terms case insensitive.)	Built-In
Tax ID Number (Iceland)	Iceland Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: tax identification number, tax identity number, tax identification code, tax identification no, tax registration number, tax id number, taxidnumber#, taxidnumber, tax number#, tax number, taxidno#, taxidno, tax id#, tax id, tax no#, tax no, tin id, tin no, tin# (or) TIN. (All terms case insensitive.)	Built-In

Driver's License Number (Cyprus)	Cyprus Driver's license matches with any of the following keywords within a proximity of 10 terms: CE " CE¥CEμCEπCE± CE°CEμ œÜœâœÑCEøCE≥œÅCE±œÜCEøCE±, œÖœÄCEøœàCEÆœÜCEπCEøCEπ CEøCE¥CEΣCE≥CEøCEø, CE∫CE " œÑCEøœáCEøœÇ CE " CE¥CEμCEπCE±œÇ, CE∫CE " œÑCEøœáCEøCEπ CE " CE¥CEμCEπœéCEΩ, CE±œÅCEπCE∏CE°œâœÇ CE " CE¥CEμCEπCE±œÇ, CE " CE¥CEμCEπCEμœÇ CEøCE¥CEÆCE≥CEΣœÉCEΣœÇ, CE¥CEπœÄCEªœéCE°CE±œÑCE± CEøCE¥CEÆCE≥CEΣœÉCEΣœÇ, CE¥CEøœÄCEªœâCE°CE± CEøCE¥CEÆCE≥CEΣœÉCEΣœÇ, CE " CE¥CEμCEπCE± CEøCE¥CEÆCE≥CEΣœÉCEΣœÇ, CE " CE¥CEμCEπCE± CEøCE¥CEΣCE≥CEøœÇ, CE¥CEøœÄCEªœâCE°CE± CEøCE¥CEΣCE≥CEøœÇ, CE " CE¥CEμCEπCEμœÇ CEøCE¥CEΣCE≥œéCEΩ (or) CE¥CEøœÄCEªœâCE°CE± CEøCE¥CEΣCE≥œéCEΩ. (All terms case insensitive.)	Built-In
Drug Name and Person Name (US)	Combines a common drug name with a person name (US).	Built-In
VAT ID Number (Brazil)	Brazil VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: imposto sobre valor acrescentado n√fmero, n√fmero de iva, iva#, n√fmero do imposto sobre valor agregado, imposto sobre valor acrescentado, imposto sobre valor agregado, n¬f de iva (or) IVA. (All terms case insensitive; diacritics are optional.)	Built-In

Social Insurance Number - SIN (Costa Rica)	Costa Rica Social Insurance Number - SIN matches a valid social insurance number combined with any of the following keywords within a proximity of 10 terms: ssn.☐, n√fmero de seguro social, n.☐ de seguro social (or) seguro social. (All terms case insensitive; diacritics are optional.)	Built-In
US Social Security Number	This is a Social Security Number identifier	Built-In
Tax ID Number (Norway)	Norway Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: skatt identifikasjon nummer, skatt id nummer, skatt identitet nummer, skattenummer, Skattekode, skatteregistrering, skatteidentifikasjonsnr., skattenr., skatteregistreringsnummer, skatte-ID#, skatte-ID-nr.#, skatte-ID-nummer#, skattenr.#, skattenummer#, tin-id, tin-nr., tin#, TIN (or) skatte-ID. (All terms case insensitive.)	Built-In
Religion (Slovakia)	Slovakia Religion matches with any of the following keywords: n√°bo≈ænstvo (or) vyznanie combined with any of the following keywords within a proximity of 10 terms: kres≈•anstvo, kres≈•an, hinduizmus, hinduista, islam, moslim, budhizmus, budhista, ≈æid, evanjelik, katol√#k, gr√©ko, pravosl√°vny, gr√©ko-pravosl√°vny, in√Ω kres≈•an, in√© vyznanie, ateista, agnostik (or) bez vyznania. (All terms case insensitive; diacritics are optional.)	Built-In

License Plate Number (Denmark)	Denmark License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: bilregistrering, indregistreringsnummer, nummerpladeregistrering, nummerplade. (All terms case insensitive.)	Built-In
Gender (Poland)	Poland Gender matches with the keyword: Płeć combined with any of the following keywords within a proximity of 10 terms: M, mężczyzna, K, kobieta, Inni (or) O (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (United Arab Emirates)	United Arab Emirates License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: $\tilde{y} \pm \tilde{Y} \tilde{C} \tilde{Y} \tilde{O} \tilde{Y} \tilde{N} \tilde{Y} \tilde{a} \tilde{y} \neq \tilde{y} \odot \tilde{y} \tilde{B} \tilde{Y} \tilde{N} \tilde{y} \tilde{m} \tilde{y} \pm \tilde{y} \tilde{A} \tilde{E} \tilde{Y} \tilde{a} \tilde{y} \mu$, $\tilde{Y} \tilde{N} \tilde{Y} \tilde{a} \tilde{y} \neq \tilde{y} \odot \tilde{y} \tilde{B} \tilde{Y} \tilde{N} \tilde{y} \tilde{m} \tilde{y} \pm \tilde{y} \tilde{A} \tilde{E} \tilde{Y} \tilde{a} \tilde{y} \mu$, $\tilde{y} \pm \tilde{Y} \tilde{C} \tilde{Y} \tilde{O} \tilde{y} \tilde{B} \tilde{Y} \tilde{N} \tilde{y} \tilde{m} \tilde{y} \geq \tilde{y} \tilde{Y} \tilde{a} \tilde{Y} \tilde{N}$, $\tilde{y} \pm \tilde{Y} \tilde{C} \tilde{Y} \tilde{O} \tilde{y} \tilde{B} \tilde{Y} \tilde{N} \tilde{Y} \tilde{N} \tilde{Y} \tilde{a} \tilde{y} \neq \tilde{y} \odot$ (or) $\tilde{y} \pm \tilde{Y} \tilde{C} \tilde{Y} \tilde{O} \tilde{y} \tilde{B} \tilde{Y} \tilde{N} \tilde{y} \tilde{m} \tilde{y} \pm \tilde{y} \tilde{A} \tilde{E} \tilde{Y} \tilde{a} \tilde{y} \mu$.	Built-In
National ID Number (Poland)	Poland National ID Number matches a valid National Identity Card Number with any of the following keywords within a proximity of 10 terms: Dowód osobisty, Tożsamości narodowej, osobisty numer identyfikacyjny, niepowtarzalny numer, numer identyfikacyjny, Dowód osobisty (or) niepowtarzalny numer. (All terms case insensitive; diacritics are optional.)	Built-In

Driver's License Number (Bolivia)	Bolivia Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: licencia de tarjeta con foto, licencia estudiante, titulares de licencia, titular de licencia, n√ Jmero de licencia, licencias de conducir, licencia del conductor, licencia de conducir (or) carnet de conducir. (All terms case insensitive; diacritics are optional.)	Built-In
Health Insurance Number (Egypt)	Egypt Health Insurance Number matches a valid health insurance number combined with any of the following keywords within a proximity of 10 terms: ÿ™ÿJÿΣÿÄÿ© ÿBÿÑÿ±ÿπÿBÿäÿ© ÿBÿÑÿÿμÿ≠ÿäÿ©, ÿBÿÑÿ™ÿÿJÿΣÿÄÿ© ÿBÿÑÿÿμÿ≠ÿäÿ©, ÿBÿÑÿÖÿ≤ÿBÿäÿB ÿBÿÑÿÿμÿ≠ÿäÿ©, ÿBÿÑÿ±ÿÇÿÖ ÿBÿÑÿÿμÿ≠ÿä ÿBÿÑÿ≠ÿÆÿμÿä, ÿBÿÑÿ™ÿ≥ÿ¨ ÿäÿÑ ÿBÿÑÿÿμÿ≠ÿä, ÿ±ÿÇÿÖ ÿBÿÑÿ™ÿÿÿÖÿäÿÜ ÿBÿÑÿÿμÿ≠ÿä (or) ÿÇÿBÿÜÿàÿÜ ÿBÿÑÿÖÿπÿÑÿàÿÖÿBÿ™ ÿBÿÑÿÿμÿ≠ÿäÿ©.	Built-In
Driver's License Number (Sweden)	Sweden Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: k√ ðrkort, √ ðvningsk√ ðrare, k√ ðrkortsinnehavare, k√ ðrkortsnummer (or) k√ ðrkort nummer. (All terms case insensitive; diacritics are optional.)	Built-In
Height (France)	France person,Âôs height described in Imperial or metric units, appearing within 10 terms of the keywords Taille or Ht. Imperial measurements may use pieds and pouces or only by pouces. Metric measurements may use m√ °tres or centim√ °tres. Examples: Taille 5'10" or 164.49cm or 5pi10po. (All terms case insensitive; diacritics are optional.)	Built-In

Social Security Number - DSS (Malta)	Malta Social Security Number - DSS (Department of Social Security) matches a valid DSS number combined with any of the following keywords within a proximity of 10 terms: numru tas-sigurt√† soġġali, nru tas-sigurt√† soġġali#, nru tas-sigurt√† soġġali, sigurt√† soġġali#, sigurt√† soġġali, department of social security, DSS, SSN#, SSN (or) SSID. (All terms case insensitive.)	Built-In
National ID Number (Ukraine)	Ukraine National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: -ø-μ-Ä-Å. -Ω-æ-°-μ-Ä#, -ø-μ-Ä-Å. -ù-æ-°-μ-Ä, -Ω-æ-°-μ-Ä-æ-±-ª-ñ-j-æ-≤-æ-ó-j-∞-Ä-Ç-j-Π, -Ω-∞-Ü-ñ-æ-Ω-∞-ª-å-Ω-Π-π -ñ-¥-μ-Ω-Ç-Π-Ñ-ñ-j-∞-Ü-ñ-π-Ω-Π-π -Ω-æ-°-μ-Ä, -Ω-æ-°-μ-Ä -Ω-∞-Ü-ñ-æ-Ω-∞-ª-å-Ω-æ-≥-æ -ø-æ-Å-≤-ñ-¥-á-μ-Ω-Ω-è-æ-Å-æ-±-Π (or) -Ω-∞-Ü. -ø-æ-Å-≤. -æ-Å-æ-±-Π.	Built-In
US Person Name And Health Condition (Lenient)	Identifies assets that contain both a US person's name and health condition names, such as diseases or other medical conditions.	Built-In
International Bank Account Number ,Äì IBAN (Denmark)	Denmark International Bank Account Number ,Äì IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: Bankkonto, IBAN, √Πkonomi, betaling, internationale penge, pengeover√Πrsler, penge fra udlandet (or) landekode. (All terms case insensitive; diacritics are optional.)	Built-In

Race (Cyprus)	Cyprus Race matches any of the following keywords: $\text{C}\epsilon\pm\text{C}\epsilon\geq\alpha\epsilon\acute{\epsilon}\text{C}\epsilon\Omega\text{C}\epsilon\pm\alpha\epsilon\text{Ç}$, $\text{y}\alpha\text{r}\text{f}\pm\approx\ddot{\text{u}}$ combined with any of the following keywords within a proximity of 10 terms: $\text{C}\epsilon\text{I}\text{C}\epsilon^{\alpha}\text{C}\epsilon^{\alpha}\text{C}\epsilon\sum\text{C}\epsilon\Omega\text{C}\epsilon\pi\text{C}\epsilon\text{J}\text{C}\epsilon^{\prime\prime}$, Yunanca, $\text{C}\epsilon\text{I}\text{C}\epsilon^{\alpha}\text{C}\epsilon^{\alpha}\text{C}\epsilon\sum\text{C}\epsilon\Omega\text{C}\epsilon\emptyset\text{C}\epsilon\text{J}\alpha\epsilon\zeta\alpha\epsilon\text{Ä}\alpha\text{Ä}\text{C}\epsilon\pi\text{C}\epsilon\emptyset\text{C}\epsilon\pi$, $\text{K}\text{f}\pm\text{b}\text{r}\text{f}\pm\text{s}\text{l}\text{f}\pm$ Rumlar, $\text{C}\epsilon\acute{\text{u}}\text{C}\epsilon\pm\alpha\epsilon\text{Ä}\alpha\hat{\text{a}}\text{C}\epsilon\Omega\text{C}\epsilon\emptyset\alpha\text{N}\text{C}\epsilon\sum\alpha\epsilon\text{Ç}$, Maronit, $\text{C}\epsilon\ddot{\epsilon}\alpha\text{Ä}\text{C}\epsilon^{\circ}\text{C}\epsilon\mu\text{C}\epsilon\Omega\text{C}\epsilon\pi\text{C}\epsilon\text{J}\text{C}\epsilon^{\prime\prime}$, Ermeni, $\text{C}\epsilon\text{§}\text{C}\epsilon\emptyset\alpha\text{Ö}\alpha\text{Ä}\text{C}\epsilon\text{J}\text{C}\epsilon\emptyset\text{C}\epsilon\text{J}\alpha\epsilon\text{Ö}\alpha\text{Ä}\alpha\text{Ä}\text{C}\epsilon\pi\text{C}\epsilon\pm\text{C}\epsilon\text{J}\alpha\hat{\text{a}}$, $\text{K}\text{f}\pm\text{b}\text{r}\text{f}\pm\text{s}\text{l}\text{f}\pm\text{T}\sqrt{\text{°rk}}$, $\text{C}\epsilon\text{§}\text{C}\epsilon\emptyset\alpha\text{Ö}\alpha\text{Ä}\text{C}\epsilon\text{J}\text{C}\epsilon\pi\text{C}\epsilon\text{J}\text{C}\epsilon^{\prime\prime}$, $\text{T}\sqrt{\text{°rk}}\sqrt{\text{Be}}$, $\text{C}\epsilon\ddot{\text{u}}\text{C}\epsilon\pi\alpha\epsilon\text{Ö}\alpha\text{Ä}\text{C}\epsilon\emptyset\text{C}\epsilon^{\alpha}\text{C}\epsilon\emptyset\text{C}\epsilon\pi\alpha\epsilon\text{Ä}\text{C}\epsilon\emptyset\text{C}\epsilon\pi$, Difüerleri. (All terms case insensitive; diacritics are optional.)	Built-In
Hair Color (Hungary)	Hungary Hair color matches with any of the following keywords $\text{H}\alpha\text{J}\sqrt{\text{sz}}\neq\text{ne}$ (or) $\text{H}\alpha\text{J}\sqrt{\text{sz}}\neq\text{n}$ combined with any of the following keywords within a proximity of 10 terms: $\text{v}\sqrt{\partial\text{r}}\sqrt{\partial\text{s}}$, aranybarna, $\text{v}\sqrt{\text{il}}\sqrt{\text{°gossz}}\approx\text{ëke}$, $\text{f}\alpha\text{k}\sqrt{\geq}$, $\text{sz}\sqrt{\text{°rke}}$, barna, fekete, $\text{sz}\approx\text{ëke}$ (or) $\text{egy}\sqrt{\text{©b}}\sqrt{\text{sz}}\neq\text{n}$. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Lithuania)	Lithuania VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: PVM mokėjótojo Nr., PVM mokėjótojo kodas, PVM mok. Nr., pridfótinfós vertfós mokesfçio, pridfótinfós vertfós mokesfçio mokėjótojo kodas (or) PVM. (All terms case insensitive; diacritics are optional.)	Built-In
International Bank Account Number ,Äi IBAN (Austria)	Austria International Bank Account Number ,Äi IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: Bankkonto, IBAN, Finanzen, Zahlung, internationale $\sqrt{\text{°berweisung}}$, Geldtransfer (or) $\text{L}\sqrt{\text{§ndercode}}$. (All terms case insensitive; diacritics are optional.)	Built-In

Driver's License Number (Denmark)	Denmark Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: k√[]rekortindehavere, k√[]rekortindehaver, k√[]rekortnr., k√[]rekortnummer, k√[]rekort. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Russia)	Russia Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: -Ω-æ-°-μ-Ä -±-∞-Ω-f-æ≤-Å-f-æ≥-æ-Å-á-ë-Ç-∞, -Ä-æ-Å-Å-[]-π-Å-f-[]-π-±-∞-Ω-f-æ≤-Å-f-[]-π -Å-á-ë-Ç, -Ä-æ-Å-Å-[]-π-Å-f-[]-π -Ä-∞-Å-á-ë-Ç-Ω-ã-π-Å-á-ë-Ç, -Ω-æ-°-μ-Ä-Ä-∞-Å-á-ë-Ç-Ω-æ≥-æ -Å-á-ë-Ç-∞, -Ä-μ-f≤-[]-Σ-[]-Ç-ã-±-∞-Ω-f-∞, -±-∞-Ω-f-æ≤-Å-f-[]-μ-Ä-μ-f≤-[]-Σ-[]-Ç-ã, -∅ ^a -∞-Ç-ë-∂-Ω-ã-μ-Ä-μ-f≤-[]-Σ-[]-Ç-ã, -±-∞-Ω-f--f-æ-Ä-Ä-μ-Å-∅-æ-Ω-¥-μ-Ω-Ç, -ë-ò-ö, -±-∞-Ω-f-æ≤-Å-f-[]-π -[]-¥-μ-Ω-Ç-[]-Ñ-[]-f-∞-Ü-[]-æ-Ω-Ω-ã-π-f-æ-¥, -f-æ-Ä-Ä-μ-Å-∅-æ-Ω-¥-μ-Ω-Ç-Å-f-[]-π -Å-á-ë-Ç, -¶-μ-Ω-Ç-Ä-∞ ^a -å-Ω-ã-π-±-∞-Ω-f -†-æ-Å-Å-[]-[], -f-æ-Ä-Ä-Å-á-μ-Ç, -Ω-æ-°-μ-Ä-Å-á-ë-Ç-∞-f ^a -[]-μ-Ω-Ç-∞, -Ω-æ-°-μ-Ä-Å-á-ë-Ç-∞, -Ä-∞-Å-á-μ-Ç-Ω-ã-π-Å-á-μ-Ç, - ^a -[]-Ü-μ≤-æ-π-Å-á-μ-Ç, -Ä-∞-Å-á-ë-Ç-Ω-ã-π-Å-á-ë-Ç, -Ç-μ-f-É-â-[]-π-Å-á-ë-Ç, -Ç-μ-f-É-â-[]-π -Å-á-μ-Ç, -Å-á-μ-Ç-¥-æ -≤-æ-Å-Ç-Ä-μ±-æ≤-∞-Ω-[]-è, -¥-μ-æ-æ-Σ-[]-Ç-Ω-ã-π-Å-á-ë-Ç	Built-In

License Plate Number (Turkey)	Turkey License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: tescil no., plaka no., plaka numarası, taahhüt plakası, tescil numarası (or) plaka. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Thailand)	Thailand VAT ID Number matches a valid Value Added Tax Identification number combined with any of the following keywords within a proximity of 10 terms: + Thai VATAID + Thai VAT No. + Thai VAT Reg. No. + Thai VAT Exempt No. + Thai VAT Ref. No. + Thai VAT Ref. No. + Thai VAT Ref. No. + Thai VAT Ref. No. + Thai VAT Ref. No. + Thai VAT Ref. No. (or) + Thai VATAID + Thai VAT No. + Thai VAT Reg. No. + Thai VAT Exempt No. + Thai VAT Ref. No. + Thai VAT Ref. No. + Thai VAT Ref. No. + Thai VAT Ref. No. + Thai VAT Ref. No. + Thai VAT Ref. No.	Built-In
Bank Account Number (Libya)	Libya Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: y-yçyö ybyñy-yzyby® ybyñy-yüyeÿä, y-yçyö ybyñy-yüyeÿé, y-yçyö ybyñy-yzyby® (or) ybyñy-yzyby® ybyñy-yëy-yçyëÿö.	Built-In
Driver's License Number (Netherlands)	Netherlands Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: rijbewijs, rijvaardigheidsbewijs, rijbevoegdheid, rijbewijsnummer, rijbewijnsnr, rijbewijshouder (or) rij-bewijs. (All terms case insensitive.)	Built-In

National ID Number (Bolivia)	Bolivia National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, número de tarjeta de identidad nacional, número de tarjeta nacional, número de identificación nacional, identificación nacional (or) Documento nacional de identidad. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (South Africa)	South Africa Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: tax identification number, tax identity number, tax number, tax identification code, tax file, tax identification no, tax no#, tax no, tax registration number, tax id number, taxidnumber#, taxidnumber, taxidno#, taxidno, taxid#, taxid, taxno#, taxno, taxnumber#, taxnumber, tax id, tin id, tin no, tin# (or) TIN. (All terms case insensitive.)	Built-In
Phone Number (Hong Kong)	Hong Kong Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: 電話號碼 (or) 電話號碼.	Built-In
Postcode (Singapore)	Singapore Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: place of residence, postcode district, postcode area, postcode unit, postcode sector, Zip code, Postal code (or) postcode. (All terms case insensitive.)	Built-In

Driver's License Number (Venezuela)	Venezuela Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: licencia de tarjeta con foto, licencia estudiante, titulares de licencia, titular de licencia, n°/Número de licencia, licencias de conducir, licencia del conductor, licencia de conducir (or) carnet de conducir. (All terms case insensitive; diacritics are optional.)	Built-In
Hair Color (Belgium)	BelgiumHair color matches with any of the following keywords haarkleur (or) kleur haar combined with any of the following keywords within a proximity of 10 terms: rood, grijs, wit, bruin, zwart, blond, anders (or) andere kleur. (All terms case insensitive.)	Built-In
US Person Name and ICD Code (Lenient)	Identifies assets that contain patterns resembling ICD codes, as specified by the World Health Organization, as well as a US person's name.	Built-In
Postcode (New Zealand)	New Zealand Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: address, postcode district, postcode area, postcode unit, postcode sector (or) postcode. (All terms case insensitive.)	Built-In

Health Insurance Number (Canada)	Canada Health Insurance Number matches a valid health insurance number combined with any of the following keywords within a proximity of 10 terms: couverture d'assurance-maladie, prestations de maladie, couverture des soins de sant√©, inscription au service de sant√©, num√©ro d'assurance-maladie, health coverage, health benefits, health care coverage, personal health number, health registration, health insurance number, health information act (or) loi sur les renseignements m√©dicaux personnels. (All terms case insensitive; diacritics are optional.)	Built-In
Company Number (Kenya)	Kenya Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: company no#, company no, company registration number, company number, corporate identification number (or) corporate number. (All terms case insensitive.)	Built-In
Bank Account Number (Ecuador)	Ecuador Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: n√ºmero de cuenta bancaria, detalles bancarios, n√ºmero de banco, c√ºdigo de cuenta, ID de cuenta, n√ºmero de cuenta (or) cuenta numerada. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number - KTP (Indonesia)	Indonesia National ID Number matches a valid National Identity Card number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, SIM, Nomor KTP, No KTP, Nomor Induk Kependudukan, NIK, no kartu tanda penduduk, nomor identifikasi nasional, nomor kartu tanda penduduk (or) id nasional. (All terms case insensitive.)	Built-In

Gender (Bulgaria)	Bulgaria Gender matches the keyword: -ü-æ- ^a combined with any of the following keywords within a proximity of 10 terms: -ú, -ú—ä-ð, -ñ, -ñ-μ-Ω-∞, -î—Ä—É-≥-Π, -î—Ä—É-≥-æ (or) -î. (All terms case insensitive.)	Built-In
Postcode (Turkey)	Turkey Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: adres, posta kodu b√ðlgesi, posta kodu alanf±, posta kodu birimi, posta kodu yeri (or) posta kodu. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Thailand)	Thailand License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms:†πÄ†Π•†ΠÇ†Πó†Π∞†πÄ†Πö†Πμ†Πç†Πô, †πÄ†Π•†ΠÇ†Πö†πâ†Π≤†Πç†Πó†Π∞†πÄ†Πö†Πμ†Πç†Πô, †Π´†Π°†Π≤†Πç†πÄ†Π•†ΠÇ†Πó†Π∞†πÄ†Πö†Πμ†Πç†Πô, †Π´†Π°†Π≤†Πç†πÄ†Π•†ΠÇ†Πö†πâ†Π≤†Πç†Πó†Π∞†πÄ†Πö†Πμ†Πç†Πô (or) †Πö†πâ†Π≤†Πç†Πó†Π∞†πÄ†Πö†Πμ†Πç†Πô.	Built-In
Expiry Date (Czech)	Czech Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Datumvypr≈°en√≠platnosti (or) Datum vypr≈°en√≠ platnosti. (All terms case insensitive; diacritics are optional.)	Built-In

Tax ID Number (New Zealand)	New Zealand Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: tax identification number, tax identity number, tax number, tax identification code, tax file, tax identification no, tax no#, tax no, tax registration number, tax id number, tax id, taxid#, taxid, taxidno#, taxidno, taxidnumber#, taxidnumber, taxno#, taxno, taxnumber#, taxnumber, tin id, tin no, tin# (or) TIN. (All terms case insensitive.)	Built-In
Height (Austria)	Austria person,Â's height described in Imperial or metric units, appearing within 10 terms of the keywords H√ðhe. Imperial measurements may use feet and Zoll or only by Zoll. Metric measurements may use meters or Zentimeter. Examples: H√ðhe 5'10" or 178.93cm or 5ft10in. (All terms case insensitive; diacritics are optional.)	Built-In
Hair Color (Austria)	Austria Hair color matches with any of the following keywords Haarfarbe combined with any of the following keywords within a proximity of 10 terms: Rot, Goldblond, Flachsblond, Grau, Braun, Schwarz, Blond (or) andere Farbe. (All terms case insensitive.)	Built-In
Passport Number (Peru)	Peru Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: identificaci√≥n para viajes internacionales, detalles del pasaporte, visa, documento nacional de identidad, n√ºmero de pasaporte, documento de viaje, autoridad emisora, prueba de identificaci√≥n, ID de pasaporte (or) n.º de pasaporte, pasaporte. (All terms case insensitive; diacritics are optional.)	Built-In

Business Number (Nigeria)	Nigeria Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: business no, business number, bn#, business ID, businessid# (or) businessno#. (All terms case insensitive.)	Built-In
Passport Number (Vietnam)	Vietnam Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: gi·j·y t·aù t√py th√çn cho fëi l·j·i qu·aëc t·j·ø, chi ti·j·øt h·aô chi·j·øu, th·aã th·a±c, th·j·a cfÉn cΔ∞·aõc c√¥ng d√çn, s·aë h·aô chi·j·øu, gi·j·y t·aù fëi l·j·i, cΔ° quan c·j·p, gi·j·y t·aù t√py th√çn, m√£ h·aô chi·j·øu, s·aë h·aô chi·j·øu, s·aë th·j·a h·aô chi·j·øu, nh·j·n d·j·ng (or) h·aô chi·j·øu. (All terms case insensitive; diacritics are optional.)	Built-In
Business Number (Czech)	Czech Republic Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: registraçn√≠ fç√≠slo obchodn√≠, identifikaçn√≠ fç√≠slo obchodn√≠, id.obchodn√≠ (or) fç√≠slo obchodn√≠. (All terms case insensitive; diacritics are optional.)	Built-In
Health Insurance Number (Australia)	Australia Health Insurance Number matches a valid health insurance number combined with any of the following keywords within a proximity of 10 terms: Medicare, medicare number, health benefits, health care coverage, health coverage, personal health number, health registration, health insurance number, health number (or) health information act. (All terms case insensitive.)	Built-In

Weight (Poland)	Poland Person,Â's weight appearing within 10 terms of the keywords Waga (or) masa. Weight can match in kilogramy (or) funty, using the keywords Lb, kg, kilogramy, funty, kamienie, st (or) uncje, followed by space or no space. Values can be separated by space or no space. (All text is case-insensitive.)	Built-In
International Bank Account Number - IBAN (Guatemala)	Guatemala International Bank Account Number - IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: n�mero de cuenta bancaria internacional, n�mero de IBAN, IBAN (or) n�mero de cuenta bancaria internacional. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Romania)	Romania Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: num�r de cont bancar, detalii banc�r, num�r cont, cod cont, id cont, nr cont (or) cont bancar. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Norway)	Norway License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: skiltnummer, bilskilt, f�r�rerkortnummer, nummer p� bilskilt, bilskilt, registreringsnr. (or) registreringsnummer. (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (Mexico)	Mexico Passport Number matches a valid passport number with combined any of the following keywords within a proximity of 10 terms: pasaporte, identificaci√≥n para viajes internacionales, detalles del pasaporte, visa, documento nacional de identidad, documento de viaje, autoridad emisora, identificaci√≥n, prueba de identificaci√≥n, pasaporte id, pasaporte no (or) n√mero de pasaporte. (All terms case insensitive; diacritics are optional.)	Built-In
Health Service Number (Netherlands)	Netherlands Health Service Number matches a valid health service number combined with any of the following keywords within a proximity of 10 terms: persoonlijk gezondheidsnummer, nummer gezondheidszorg, gezondheidszorgnummer, pati√ntinformatie, Polisnummer (or) speciale services. (All terms case insensitive; diacritics are optional.)	Built-In
Eye Color (Croatia)	Croatia Eye Color matches with any of the following keywords Boja oči (or) Boja ≈arenice oka combined with any of the following keywords within a proximity of 10 terms: Smeđa, Plava, Zelena, Boja lje≈njaka, Jantarna, Siva, Heterokromija promjenjiva boja ≈arenice (or) Heterokromija druga boja. (All terms case insensitive; diacritics are optional.)	Built-In
Company Number - ON (Sweden)	Sweden Company Number - ON (Organization Number) matches a valid ON combined with any of the following keywords within a proximity of 10 terms: skt f√ðretagsnr.#, skt f√ðretagsnummer, organisationsnummer, organisationsnr. (or) f√ðretagsregistreringsnummer. (All terms case insensitive; diacritics are optional.)	Built-In

Height (Poland)	Poland person, height described in Imperial or metric units, appearing within 10 terms of the keywords Wys. Or Wysokość. Imperial measurements may use stopy and cale or only by cale. Metric measurements may use metry or Centymetry. Examples: Wysokość 5'11" or 180.69cm or 5ft11in. (All terms case insensitive; diacritics are optional.)	Built-In
ICD Code and Person Name (US)	Combines an ICD code with a person name (US).	Built-In
US Person Name And Drug Name (Moderate)	Identifies assets that contain both a US person's name and a common drug name	Built-In
Postcode (Puerto Rico)	Puerto Rico Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: direccion, distrito de código postal, área de código postal, unidad de código postal (or) sector de código postal. (All terms case insensitive; diacritics are optional.)	Built-In
Passport Number (Ecuador)	Ecuador Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: identificación para viajes internacionales, detalles del pasaporte, visa, documento nacional de identidad, número de pasaporte, documento de viaje, autoridad emisora, prueba de identificación, ID de pasaporte, número de pasaporte (or) identificación, pasaporte. (All terms case insensitive; diacritics are optional.)	Built-In

Postcode (Saudi Arabia)	Saudi Arabia Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: $\ddot{y}\beta\ddot{Y}\ddot{N}\ddot{y}\pi\ddot{Y}\ddot{U}\ddot{Y}\ddot{a}\ddot{y}\beta\ddot{Y}\ddot{U}$, $\ddot{y}\neq\ddot{Y}\ddot{a}$ $\ddot{y}\beta\ddot{Y}\ddot{N}\ddot{y}\pm\ddot{Y}\ddot{O}\ddot{y}\leq\ddot{y}\beta\ddot{Y}\ddot{N}\ddot{y}^*\ddot{y}\pm\ddot{Y}\ddot{a}\ddot{y}\emptyset\ddot{Y}\ddot{a}$, $\ddot{Y}\ddot{O}\ddot{Y}\ddot{U}\ddot{y}\Sigma\ddot{Y}\ddot{C}\ddot{y}\odot$ $\ddot{y}\beta\ddot{Y}\ddot{N}\ddot{y}\pm\ddot{Y}\ddot{O}\ddot{y}\leq\ddot{y}\beta\ddot{Y}\ddot{N}\ddot{y}^*\ddot{y}\pm\ddot{Y}\ddot{a}\ddot{y}\emptyset\ddot{Y}\ddot{a}$, $\ddot{Y}\ddot{a}\ddot{y}\neq\ddot{y}\emptyset\ddot{y}\odot\ddot{y}\beta\ddot{Y}\ddot{N}\ddot{y}\pm\ddot{Y}\ddot{O}\ddot{y}\leq$ $\ddot{y}\beta\ddot{Y}\ddot{N}\ddot{y}^*\ddot{y}\pm\ddot{Y}\ddot{a}\ddot{y}\emptyset\ddot{Y}\ddot{a}$, $\ddot{Y}\ddot{C}\ddot{y}\Sigma\ddot{y}\beta\ddot{Y}\pi\ddot{y}\beta\ddot{Y}\ddot{N}\ddot{y}\pm\ddot{Y}\ddot{O}\ddot{y}\leq$ $\ddot{y}\beta\ddot{Y}\ddot{N}\ddot{y}^*\ddot{y}\pm\ddot{Y}\ddot{a}\ddot{y}\emptyset\ddot{Y}\ddot{a}$ (or) $\ddot{y}\beta\ddot{Y}\ddot{N}\ddot{y}\pm\ddot{Y}\ddot{O}\ddot{y}\leq\ddot{y}\beta\ddot{Y}\ddot{N}\ddot{y}^*\ddot{y}\pm\ddot{Y}\ddot{a}\ddot{y}\emptyset\ddot{Y}\ddot{a}$.	Built-In
Disability Status (Russia)	Russia Disability Status matches with any of the following keywords $-\Pi-\Omega-\leq-\infty^a-\Pi-\forall-\Omega-\ae-\text{Å}-\text{Ç}-\text{å}$ (or) $-\text{Å}-\text{Ç}-\infty-\text{Ç}-\acute{E}-\text{Å}$ $-\Pi-\Omega-\leq-\infty^a-\Pi-\forall-\Omega-\ae-\text{Å}-\text{Ç}-\Pi$ combined with any of the following keywords within a proximity of 10 terms: $-\geq-\text{Ä}-\acute{E}-\emptyset-\emptyset-\infty-\Pi-\Omega-\leq-\infty^a-\Pi-\forall-\Omega-\ae-\text{Å}-\text{Ç}-\Pi$, $-\Pi-\Omega-\leq-\infty^a-\Pi-\forall-\Omega-\ae-\text{Å}-\text{Ç}-\text{å}$ I $-\geq-\text{Ä}-\acute{E}-\emptyset-\emptyset-\text{ä}$, $-\Pi-\Omega-\leq-\infty^a-\Pi-\forall-\Omega-\ae-\text{Å}-\text{Ç}-\text{å}$ II $-\geq-\text{Ä}-\acute{E}-\emptyset-\emptyset-\text{ä}$, $-\Pi-\Omega-\leq-\infty^a-\Pi-\forall-\Omega-\ae-\text{Å}-\text{Ç}-\text{å}$ III $-\geq-\text{Ä}-\acute{E}-\emptyset-\emptyset-\text{ä}$, $-\text{o}-\mu-\forall-\Pi-\ddot{U}-\Pi-\Omega-\text{Å}-\text{f}-\Pi-\emptyset-\text{Ä}-\Pi-\Sigma-\Omega-\infty-\Omega-\Omega-\infty-\text{è}$ $-\Pi-\Omega-\leq-\infty^a-\Pi-\forall-\Omega-\ae-\text{Å}-\text{Ç}-\text{å}$, $-\text{Å}-\emptyset-\text{Ä}-\infty-\leq-\text{f}-\infty$ $-\ae-\pm-\Pi-\Omega-\leq-\infty^a-\Pi-\forall-\Omega-\ae-\text{Å}-\text{Ç}-\Pi$, $-\emptyset-\mu-\Omega-\text{Å}-\Pi-\text{è}-\emptyset-\ae-\Pi-\Omega-\leq-\infty^a-\Pi-\forall-\Omega-\ae-\text{Å}-\text{Ç}-\Pi$ (or) $-\text{Å}-\ae-\ddot{U}-\Pi-\infty^a-\text{å}-\Omega-\text{ä}-\mu-\leq-\text{ä}-\emptyset^a-\infty-\text{Ç}-\text{ä}$ $-\emptyset-\ae-\Pi-\Omega-\leq-\infty^a-\Pi-\forall-\Omega-\ae-\text{Å}-\text{Ç}-\Pi$.	Built-In
Health Service Number (Venezuela)	Venezuela Health Service Number matches a valid health service number combined with any of the following keywords within a proximity of 10 terms: $n\sqrt{\text{fmero personal m}\sqrt{\odot\text{dico, n.}^\infty\text{ de servicio de salud,}}$ $n\sqrt{\text{fmero de servicio de salud, informaci}\sqrt{\geq n\text{ del}}}$ paciente (or) servicios especializados. (All terms case insensitive; diacritics are optional.)	Built-In

Tax ID Number (Qatar)	Qatar Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: $\tilde{y}\pm\check{Y}\check{C}\check{Y}\check{O}\check{Y}\check{O}\check{y}\pi\check{y}\pm\check{Y}\check{A}$ $\check{y}\check{B}\check{Y}\check{N}\check{y}\partial\check{y}\pm\check{Y}\check{a}\check{y}^*\check{y}\odot$, $\check{y}\pm\check{Y}\check{C}\check{Y}\check{O}\check{y}\check{B}\check{Y}\check{N}\check{y}\partial\check{y}\pm\check{Y}\check{a}\check{y}^*\check{y}\odot$, $\check{y}\pm\check{Y}\check{C}\check{Y}\check{O}$ $\check{y}\check{B}\check{Y}\check{N}\check{y}^*\check{y}\pi\check{y}\pm\check{Y}\check{a}\check{Y}\check{A}\check{y}\check{B}\check{Y}\check{N}\check{y}\partial\check{y}\pm\check{Y}\check{a}\check{y}^*\check{Y}\check{a}$ $\check{y}\pm\check{Y}\check{O}\check{y}\leq\check{Y}\check{O}\check{y}\pi\check{y}\pm\check{Y}\check{A}$ $\check{y}\check{B}\check{Y}\check{N}\check{y}\partial\check{y}\pm\check{Y}\check{a}\check{y}^*\check{y}\odot$, $\check{Y}\check{O}\check{Y}\check{N}\check{Y}\check{A}\check{y}\partial\check{y}\pm\check{Y}\check{a}\check{y}^*\check{Y}\check{a}$, $\check{y}\pm\check{Y}\check{C}\check{Y}\check{O}$ $\check{y}\check{B}\check{Y}\check{N}\check{y}^*\check{y}\geq\check{y}^{\sim}\check{Y}\check{a}\check{Y}\check{N}\check{y}\check{B}\check{Y}\check{N}\check{y}\partial\check{y}\pm\check{Y}\check{a}\check{y}^*\check{Y}\check{a}$, taxidno#, taxidno, taxidnumber#, taxidnumber, taxid#, taxid, taxno# , taxnumber#, taxnumber, tin# (or) $\check{y}\check{B}\check{Y}\check{N}\check{Y}\check{O}\check{y}\pi\check{y}\pm\check{Y}\check{A}$ $\check{y}\check{B}\check{Y}\check{N}\check{y}\partial\check{y}\pm\check{Y}\check{a}\check{y}^*\check{Y}\check{a}$. (All terms case insensitive.)	Built-In
Expiry Date (Germany)	Germany Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Ablaufdatum (or) G$\sqrt{\text{°}}$ltig bis. (All terms case insensitive; diacritics are optional.)	Built-In

Religion (Bulgaria)	Bulgaria Religion matches with any of the following keywords: -†-µ-ª-Π-≥-Π-è (or) -†-µ-ª-Π-≥-Π-æ-Σ-µ-Ω/-Ω-∞ combined with any of the following keywords within a proximity of 10 terms: -•-Ä-Π-Å-Ç-Π-è-Ω-Å-Ç-≤-æ, -•-Ä-Π-Å-Ç-Π-è-Ω-Π-Ω, -ò-Ω-¥-É-Π-Σ-ä-º, -ò-Ω-¥-É-Π-Å-Ç, -ò-Å-ª-è-º, -ú-é-Å-é-ª-º-∞-Ω-Π-Ω, -ë-É-¥-Π-Σ-ä-º, -ë-É-¥-Π-Å-Ç, -ï-≤-Ä-µ-Π-Ω, -ü-Ä-æ-Ç-µ-Å-Ç-∞-Ω-Ç, -ö-∞-Ç-æ-ª-Π-f, -ò-Σ-Ç-æ-á-µ-Ω, -ü-Ä-∞-≤-æ-Å-ª-∞-≤-µ-Ω, -ò-Σ-Ç-æ-á-µ-Ω -ü-Ä-∞-≤-æ-Å-ª-∞-≤-µ-Ω, -î-Ä-É-≥-æ-≤-Π-¥-Ö-Ä-Π-Å-Ç-è-Ω-Π-Ω, -î-Ä-É-≥-∞-Ä-µ-ª-Π-≥-Π-è, -ê-Ç-µ-Π-Å-Ç (or) -ê-≥-Ω-æ-Å-Ç-Π-f, -ë-µ-Σ-Ä-µ-ª-Π-≥-Π-è. (All terms case insensitive.)	Built-In
Credit Card Number and Health Condition Name (Lenient)	Identifies assets that contain both credit card numbers and health condition names, such as diseases or other medical conditions.	Built-In
International Bank Account Number ,Äì IBAN (Costa Rica)	Costa Rica International Bank Account Number ,Äì IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: n√fmero de cuenta bancaria internacional, n.∞ de IBAN, IBAN (or) n.∞ de cuenta bancaria internacional. (All terms case insensitive; diacritics are optional.)	Built-In

VAT ID Number (Switzerland)	Switzerland VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: MwSt.-Nummer, Mehrwertsteuer-Identifikationsnummer, Mehrwertsteuernummer, Mehrwertsteuer-Nr., Umsatzsteuer-Identifikationsnummer, MwSt., n° TVA, numéro de TVA, TVA#, taxe sur la valeur ajoutée, numéro de taxe sur la valeur ajoutée, n° TVA (or) TVA. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (France)	France Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: numéro de compte bancaire, coordonnées bancaires, numéro bancaire, code de compte, identifiant de compte, numéro de compte (or) compte numéro. (All terms case insensitive; diacritics are optional.)	Built-In
SWIFT Code (Colombia)	Colombia SWIFT Code matches a valid SWIFT code combined with any of the following keywords within a proximity of 10 terms: número de cuenta bancaria internacional, número de IBAN, IBAN, código swift, SWIFT Code (or) número de cuenta bancaria internacional. (All terms case insensitive; diacritics are optional.)	Built-In

Ethnicity (Bulgaria)	Bulgaria Ethnicity matches with any of the keywords: Built-In -i-Ç-Ω-Π-á-μ-Å-f-∞ -ø-Ä-Π-Ω-∞-¥-ª-μ-ð-Ω-æ-Å-Ç, -i-Ç-Ω-Π-á-μ-Å-f-∞ (or) -i-Ç-Ω-Π-á-μ-Å-f-∞ -≥-Ä-É-ø-∞ combined with any of the following keywords within a proximity of 10 terms: -ë-ä-ª-≥-∞-Ä-Π, -ë-ä-ª-≥-∞-Ä-Å-f-Π -Ç-É-Ä-Ü-Π, -ë-ä-ª-≥-∞-Ä-Π, -ü-æ-º-∞-Ü-Π, -ú-∞-f-μ-¥-æ-Ω-Ü-Π, -º-∞-Ä-∞-f-∞-Ü-∞-Ω-Π, -†-æ-º-Π-≤ -ë-ä-ª-≥-∞-Ä-Π-è, -ì-∞-≥-∞-É-Σ-Π, -i-Ç-Ω-Π-á-μ-Å-f-Π -º-∞-f-μ-¥-æ-Ω-Ü-Π-≤ -ë-ä-ª-≥-∞-Ä-Π-è, -ê-Ä-É-º-ä-Ω-Ü-Π, -ú-∞-f-μ-¥-æ-Ω-Å-f-Π-±-ä-ª-≥-∞-Ä-Π, -í-Π-μ-Ç-Ω-∞-º-Ü-Π-≤ -ë-ä-ª-≥-∞-Ä-Π-è, -ö-Ä-Π-º-Å-f-Π-Ç-∞-Ç-∞-Ä-Π-≤ -ë-ä-ª-≥-∞-Ä-Π-è, -ë-∞-Ω-∞-Ç-Å-f-Π -±-ä-ª-≥-∞-Ä-Π, -ì-∞-¥-ð-∞-ª, -ë-ä-ª-≥-∞-Ä-Π -≤-£-f-Ä-∞-π-Ω-∞, -ë-μ-Å-∞-Ä-∞-±-Å-f-Π -±-ä-ª-≥-∞-Ä-Π, -†-É-Å-Ω-∞-Ü-Π-≤ -ë-ä-ª-≥-∞-Ä-Π-è, -ü-æ-º-∞-Ü-Π-≤ -ë-ä-ª-≥-∞-Ä-Π-è, -†-É-Å-Ω-∞-Ü-Π, -ê-ª-±-∞-Ω-Ü-Π-≤ -ë-ä-ª-≥-∞-Ä-Π-è, -ë-ä-ª-≥-∞-Ä-Å-f-Π-Ç-É-Ä-Ü-Π-≤ -ϕ-É-Ä-Ü-Π-è (or) -ö-Ä-Π-º-Å-f-Π -Ç-∞-Ç-∞-Ä-Π. (All terms case insensitive.)
Bank Account Number (Slovenia)	Slovenia Bank Account Number matches a valid bank Built-In account number combined with any of the following keywords within a proximity of 10 terms: ≈°tevilka banfçnega rafçuna, banfçne podrobnosti, banfçna ≈°tevilka, koda rafçuna, id rafçuna, ≈°tevilka rafçuna (or) o≈°tevilfçen rafçun. (All terms case insensitive; diacritics are optional.)

GCP - Service Key	GCP Service Key (Service Account Key) identifier matches a valid GCP service account key where the key contains the proximity terms : private_key_id, private_key and client_email (All terms case insensitive.)	Built-In
Email (Russia)	Russia Email matches a valid email combined with any of the following keywords within a proximity of 10 terms: -f-æ-Ω-Ç-∞-f-Ç-Ω-ã-π-∞-¥-Ä-μ-Å -ç-^a-μ-f-Ç-Ä-æ-Ω-Ω-æ-π-ø-æ-á-Ç-ã, -æ-Ñ-Π-Ü-Π-∞-^a-å-Ω-ã-π-∞-¥-Ä-μ-Å -ç-^a-μ-f-Ç-Ä-æ-Ω-Ω-æ-π-ø-æ-á-Ç-ã, -^a-Π-á-Ω-ã-π-∞-¥-Ä-μ-Å -ç-^a-μ-f-Ç-Ä-æ-Ω-Ω-æ-π-ø-æ-á-Ç-ã, -f-æ-Ä-ø-æ-Ä-∞-Ç-Π-≤-Ω-ã-π-∞-¥-Ä-μ-Å -ç-^a-μ-f-Ç-Ä-æ-Ω-Ω-æ-π-ø-æ-á-Ç-ã, -Ä-∞-±-æ-á-Π-π-∞-¥-Ä-μ-Å -ç-^a-μ-f-Ç-Ä-æ-Ω-Ω-æ-π-ø-æ-á-Ç-ã, -¥-μ-^a-æ-≤-æ-π-∞-¥-Ä-μ-Å -ç-^a-μ-f-Ç-Ä-æ-Ω-Ω-æ-π-ø-æ-á-Ç-ã, -∞-¥-Ä-μ-Å-ç-^a-μ-f-Ç-Ä-æ-Ω-Ω-æ-π-ø-æ-á-Ç-ã, -ç-^a-μ-f-Ç-Ä-æ-Ω-Ω-∞-è -ø-æ-á-Ç-∞, -ç-^a-μ-f-Ç-Ä-æ-Ω-Ω-∞-è -Π-^o-μ-π-^a (or) -ø-æ-á-Ç-∞.	Built-In

Routing Number (Cyprus)	Cyprus Routing Number matches a valid routing number Built-In combined with any of the following keywords within a proximity of 10 terms: $\text{CE} \pm \text{ce} \text{Å} \text{CE} \pi \text{CE} \Gamma \text{CE}^\circ \text{ce} \text{å} \text{ce} \text{Ç}$, $\text{CE} \forall \text{ce} \text{Å} \text{CE} \emptyset \text{CE}^\circ \text{CE} \emptyset \text{CE}^a \text{ce} \text{å} \text{CE} \geq \text{CE} \Sigma \text{ce} \acute{\text{E}} \text{CE} \Sigma \text{ce} \text{Ç}$, $\# \text{ce} \tilde{\text{N}} \text{ce} \text{Å} \text{CE} \pm \text{ce} \ddot{\text{A}} \text{CE} \mu \text{CE} \partial \text{CE} \pi \text{CE} \text{J} \text{CE} \text{Æ} \text{ce} \text{Ç}$, $\text{CE} \forall \text{ce} \text{Å} \text{CE} \emptyset \text{CE}^\circ \text{CE} \emptyset \text{CE}^a \text{ce} \text{å} \text{CE} \geq \text{CE} \Sigma \text{ce} \acute{\text{E}} \text{CE} \Sigma \text{ce} \text{Ç}$, $\text{ce} \tilde{\text{N}} \text{ce} \text{Å} \text{CE} \pm \text{ce} \ddot{\text{A}} \text{CE} \mu \text{CE} \partial \text{CE} \pi \text{CE} \text{J} \text{CE} \text{Æ} \text{ce} \text{Ç}$, $\text{CE} \forall \text{ce} \text{Å} \text{CE} \emptyset \text{CE}^\circ \text{CE} \emptyset \text{CE}^a \text{ce} \text{å} \text{CE} \geq \text{CE} \Sigma \text{ce} \acute{\text{E}} \text{CE} \Sigma \text{ce} \text{Ç}$, $\text{ce} \tilde{\text{N}} \text{ce} \text{Å} \text{CE} \pm \text{ce} \ddot{\text{A}} \text{CE} \mu \text{CE} \partial \text{CE} \pi \text{CE} \text{J} \text{CE} \text{Æ}$, $\text{CE} \forall \text{ce} \text{Å} \text{CE} \emptyset \text{CE}^\circ \text{CE} \emptyset \text{CE}^a \text{ce} \text{å} \text{CE} \geq \text{CE} \Sigma \text{ce} \acute{\text{E}} \text{CE} \Sigma$, $\#$, $\text{CE} \forall \text{ce} \text{Å} \text{CE} \emptyset \text{CE}^\circ \text{CE} \emptyset \text{CE}^a \text{ce} \text{å} \text{CE} \geq \text{CE} \Sigma \text{ce} \acute{\text{E}} \text{CE} \Sigma \text{ce} \text{Ç}$, $\# \text{CE} \forall \text{ce} \text{Å} \text{CE} \emptyset \text{CE}^\circ \text{CE} \emptyset \text{CE}^a \text{ce} \text{å} \text{CE} \geq \text{CE} \Sigma \text{ce} \acute{\text{E}} \text{CE} \Sigma \text{ce} \text{Ç}$, $\text{CE} \pm \text{ce} \text{Å}$, $\text{CE} \forall \text{ce} \text{Å} \text{CE} \emptyset \text{CE}^\circ \text{CE} \emptyset \text{CE}^a \text{ce} \text{å} \text{CE} \geq \text{CE} \Sigma \text{ce} \acute{\text{E}} \text{CE} \Sigma \text{ce} \text{Ç}$, $y\sqrt{\partial} \text{n} \text{lendirm} \text{e} \text{numarasf} \pm$, $\text{banka } y\sqrt{\partial} \text{n} \text{lendirm} \text{e} \text{no}$, $\text{banka } y\sqrt{\partial} \text{n} \text{lendirm} \text{e}$, $y\sqrt{\partial} \text{n} \text{lendirm} \text{e} \text{no}$., $y\sqrt{\partial} \text{n} \text{lendirm} \text{e} \#$, $y\sqrt{\partial} \text{n} \text{lendirm} \text{e} \#$, $y\sqrt{\partial} \text{n} \text{. no}$. (or) RTN. (All terms case insensitive; diacritics are optional.)	
VAT ID Number (Singapore)	Singapore VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: value added tax number, value added tax, vat no., vat number, vat#, vat no, GST (or) VAT. (All terms case insensitive.)	Built-In
Business Number (Bolivia)	Bolivia Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: $n\sqrt{\text{J}}$mero de la negocios, $n\sqrt{\text{J}}$mero de negocios, $n \cdot \neg \infty$ de ID de la negocios, $n \cdot \neg \infty$ de la negocios (or) ID de la negocios. (All terms case insensitive; diacritics are optional.)	Built-In

Driver's License Number (Germany)	Germany Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: vorl��ufiger F��hrerschein, F��hrerscheininhaberInnen, F��hrerscheininhaberIn, F��hrerscheinnummer, Fahrerlaubnisnummer, F��hrerscheine (or) F��hrerschein. (All terms case insensitive; diacritics are optional.)	Built-In
Ethnicity (Austria)	Austria Ethnicity matches with any of the keywords: Ethnizit��t, Ethnie (or) Ethnie Gruppe combined with any of the following keywords within a proximity of 10 terms: ��sterreich, Deutsche, Roma, Ungarn, K��rntner Slowenen, Slowenen, T��rken in ��sterreich, Bosnische ��sterreich, Serben in ��sterreich, Tschechen in ��sterreich, Burgenl��ndische Kroaten, Jenische, Nepalesen in ��sterreich, Tschetschenen in ��sterreich, Walser, Serben, Kroaten, Slowaken, Tschechen (or) Donauschwaben. (All terms case insensitive; diacritics are optional.)	Built-In
International Bank Account Number ,�� IBAN (Romania)	Romania International Bank Account Number ,�� IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: Cont bancar, financiar, bani ��n str��in��tate, transferuri de bani, numar de cont, numarul de cont, transfer, cont, imprumut, imprumut, IBAN-ul, IBANul, IBAN, plat��, tranzactie (or) codul »���rii. (All terms case insensitive.)	Built-In

Social Security Number (US) ,Äì Strict	Social Security Number (US) - Strict matches the social security number in the following 9 digit number where the values are seperated by a - or space with any of the following keywords within a proximity of 10 terms: SSN, SS#, social security number.	Built-In
Tax ID Number (Saudi Arabia)	Saudi Arabia Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: ÿ±ÿÇÿÖ ÿBÿÑÿÖÿπÿ±ÿÿeÿÅ ÿBÿÑÿðÿ±ÿÿäÿ®ÿÿä, ÿ±ÿÇÿÿÖ ÿBÿÑÿðÿ±ÿÿäÿ®ÿÿ©, ÿ±ÿÖÿ≤ ÿBÿÑÿÖÿπÿ±ÿÿeÿÅ ÿBÿÑÿðÿ±ÿÿäÿ®ÿÿä, ÿBÿÑÿÖÿÑÿÿ ÿBÿÑÿðÿ±ÿÿäÿ®ÿÿä, ÿ±ÿÇÿÿÖ ÿBÿÑÿÿ™ÿÿ≥ÿÿ ÿäÿÑ ÿBÿÑÿðÿ±ÿÿäÿ®ÿÿä, taxidno#, taxidno, taxidnumber#, taxidnumber, taxid#, taxid, taxno#, taxno, taxnumber#, taxnumber, ÿÖÿπÿ±ÿÿ ÿBÿÑÿÇÿÿμÿØÿäÿ±, ÿ±ÿÇÿÿÖ ÿBÿÑÿÇÿÿμÿØÿäÿ±, tin# , ÿ±ÿÇÿÿÖ ÿBÿÑÿÿ™ÿÿπÿ±ÿÿäÿÿ ÿBÿÑÿðÿ±ÿÿäÿ®ÿÿä (or) ÿBÿÑÿÖÿπÿ±ÿÿ ÿBÿÑÿðÿ±ÿÿäÿ®ÿÿä.	Built-In

Driver's License Number (France)	France Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: license numbers, international driving permits, australian automobile association, sydney nsw, international driving permit, DriverLicence, DriverLicences, Driver Lic, Driver Licence, Driver Licences, DriversLic, driving, lisense, licence, lisence, license, permet, DriversLicence, DriversLicences, Drivers Lic, Drivers Lics, Drivers Licence, Drivers Licences, Driver'Lic, Driver'Lics, Driver'Licence, Driver'Licences, Driver' Lic, Driver' Lics, Driver' Licence, Driver' Licences, Driver'sLic, Driver'sLics, Driver'sLicence, Driver'sLicences, Driver's Lic, Driver's Lics, Driver's Licence, Driver's Licences, DriverLic #, DriverLics #, DriverLicence #, DriverLicences #, Driver Lic #, Driver Lics #, Driver Licence #, Driver Licences #, DriversLic #, DriversLics #, DriversLicence #, DriversLicences #, Drivers Lic #, Drivers Lics #, Drivers Licence #, Drivers Licences #, Driver'Lic #, Driver'Lics #, Driver'Licence #, Driver'Licences #, Driver' Lic #, Driver' Lics #, Driver' Licence #, Driver' Licences #, Driver'sLic #, Driver'sLics #, Driver'sLicence #, Driver'sLicences #, Driver's Lic #, Driver's Lics #, Driver's Licence # (or) Driver's Licences #. (All terms case insensitive.)	Built-In
Azure - API Key	Azure API Key (Subscription Key) identifier matches a valid Azure API key combined with any of the following keywords or similar terms within a proximity of 10 terms: Primary API Management Key, Secondary API Management Key, API Key, APIM Key, Subscription Key, APIM Subscription Key, Primary Subscription Key (All terms case insensitive.)	Built-In

Driver's License Number (Finland)	Finland Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: Traficom, ajokortti, opetuslupa, ajokortin haltija, ajokortin numero, ajolupa, ajokortit (or) ajoluvat. (All terms case insensitive.)	Built-In
Weight (Luxembourg)	Luxembourg Person,Â's weight appearing within 10 terms of the keywords Gewiicht (or) Mass. Weight can match in Pond (or) Kilogramm, using the keywords Lb, Kg, Pond (or) Kilogramm, followed by space or no space. Values can be separated by space or no space. (All text is case-insensitive.)	Built-In
International Bank Account Number ,Âi IBAN (Switzerland)	Switzerland International Bank Account Number - IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: Internationale Bankkontonummer, IBAN, Internationale Bankkonto-Nr., num√@ro de compte bancaire international, IBAN# (or) n¬f de compte bancaire international. (All terms case insensitive; diacritics are optional.)	Built-In
Gender (Denmark)	Denmark Gender matches with the keyword: K√¶n combined with any of the following keywords within a proximity of 10 terms: M, Mand, K, Kvinde (or) Andet (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (Romania)	Romania Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: document de identitate pentru cetățitorii internaționale, document de identitate național, document de cetățitorie, autoritate emitentă, dovada identității, identificare, id pașaport, nr. pașaport., număr pașaport, pașaport, buletin, zbor, calatoresc, granita, viză, vama, tara (or) strainatate. (All terms case insensitive; diacritics are optional.)	Built-In
Race (Germany)	Germany Race matches any of the following keywords: Wettrennen combined with any of the following keywords within a proximity of 10 terms: Deutsch, Türkisch, Polnisch, Syrisch, Rumänisch, Andere. (All terms case insensitive; diacritics are optional.)	Built-In
Expiry Date (Slovakia)	Slovakia Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: dátum expirácie (or) dátum ukončenia platnosti. (All terms case insensitive; diacritics are optional.)	Built-In
Criminal Record (Hungary)	Hungary Criminal records matches with any of the following keywords bűnügyi nyilvántartás (or) rendőrségi nyilvántartás combined with any of the following crime keywords within a proximity of 10 terms: gyilkosság, lopás, korrupció, csalás, terrorizmus, drog, betörés, nemi erőszak, rablás, autózás, ángyilkosság, gyermekrablás, emberkereskedelem, embercsempészet (or) fegyverkereskedelem. (All terms case insensitive; diacritics are optional.)	Built-In

Ethnicity (Luxembourg)	Luxembourg Ethnicity matches with any of the keywords: Built-In Ethnie, Ethnesch (or) Ethnesch Grupp combined with any of the following keywords within a proximity of 10 terms: Lëtzebuurger, Indianer zu Lëtzebuerg, Portugisesch Lëtzebuurger, Yenish (or) Lëtzebuurger Amerikaner. (All terms case insensitive; diacritics are optional.)
Region (Bulgaria)	Bulgaria Region matches with the following keyword: Built-In -т-μ-≥-Π-æ-Ω combined with any of the following keywords within a proximity of 10 terms: -ë-ª-∞-≥-æ-μ-≤-≥-Ä-∞-¥, -ë-É-Ä-≥-∞-Å, -î-æ-±-Ä-Π-á, -ì-∞-±-Ä-æ-≤-æ, -•-∞-Å-ƒ-æ-≤-æ, -ö-ä-Ä-¥-ð-∞-ª-Π, -ö-é-Å-Ç-μ-Ω-¥-Π-ª, -õ-æ-≤-μ-á, -ú-æ-Ω-Ç-∞-Ω-∞, -ü-∞-Σ-∞-Ä-¥-ð-Π-ƒ, -ü-μ-Ä-Ω-Π-ƒ, -ü-ª-μ-≤-μ-Ω, -ü-ª-æ-≤-¥-Π-≤, -†-∞-Σ-≥-Ä-∞-¥, -†-É-Å-μ, -®-É-º-μ-Ω, -º-Π-ª-Π-Å-Ç-Ä-∞, -º-ª-Π-≤-μ-Ω, -º-º-æ-ª-è-Ω, -º-æ-Ñ-Π-è, -º-Ç-∞-Ä-∞ -ó-∞-≥-æ-Ä-∞, -ϕ-ä-Ä-≥-æ-≤-Π-â-μ, -í-∞-Ä-Ω-∞, -í-μ-ª-Π-ƒ-æ-ϕ-ä-Ä-Ω-æ-≤-æ, -í-Π-¥-Π-Ω, -í-Ä-∞-Ü-∞ (or) -Ø-º-±-æ-ª. (All terms case insensitive.)
Social Insurance Number - SIN (Dominican Republic)	Dominican Republic Social Insurance Number - SIN Built-In matches a valid social insurance number combined with any of the following keywords within a proximity of 10 terms: sin.ª, n√ƒmero de seguro social, n.ª de seguro social (or) seguro social. (All terms case insensitive; diacritics are optional.)

BankAccount Number (Brazil)	Brazil BankAccount Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: n√ Jmero da conta banc√ °ria, detalhes do banco, n√ Jmero do banco, c√ ≥digo da conta, id da conta, n√ Jmero da conta (or) conta numerada. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number (Panama)	Panama National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, n√ Jmero de tarjeta de identidad nacional, n√ Jmero de tarjeta nacional, n√ Jmero de identificaci√ ≥n nacional, identificaci√ ≥n nacional (or) Documento nacional de identidad. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Greece)	Greece VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: CE±œÅ. œÜœÄCE±, CE±œÄCEπCE∏CE°œåœÇ œÜœÄCE±, œÜœÄCE±#, œÜœåœÄCEøœÇ œÄœÄCEøœÉœÑCEπCE∏CE≠CE°CEμCEΩCEΣœÇ CE±CEæCEøCE±œÇ, œÜœåœÄCEøœÇ œÄœÄCEøœÉœÑCEπCE∏CE≠CE°CEμCEΩCEΣœÇ CE±CEæCEøCE±œÇ CE±œÄCEπCE∏CE°œåœÇ, CE±œÄCEπCE∏. CE¶œÄCE± (or) CE¶œ†CEë. (All terms case insensitive; diacritics are optional.)	Built-In

Region (Portugal)	Portugal Region matches with the following keyword: Regi√£o combined with any of the following keywords within a proximity of 10 terms: Norte, Centro, de Lisboa, do Alentejo, do Algarve, Aut√≥noma dos A√Bores (or) Aut√≥noma da Madeira. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (Kuwait)	Kuwait Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: ŷBŸÑŷπŸÜŸàŷBŸÜ, ŷ≠Ÿä ŷBŸÑŷ±ŸÖŷ≤ ŷBŸÑŷ*ŷ±ŸäŷØŸä, ŸÖŸÜŷΣŸÇŷ© ŷBŸÑŷ±ŸÖŷ≤ ŷBŸÑŷ*ŷ±ŸäŷØŸä, Ÿàŷ≠ŷØŷ© ŷBŸÑŷ±ŸÖŷ≤ ŷBŸÑŷ*ŷ±ŸäŷØŸä, ŸÇŷΣŷBŷπ ŷBŸÑŷ±ŸÖŷ≤ ŷBŸÑŷ*ŷ±ŸäŷØŸä (or) ŷBŸÑŷ±ŸÖŷ≤ ŷBŸÑŷ*ŷ±ŸäŷØŸä.	Built-In
Expiry Date (Hungary)	Hungary Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Lej√°ratai d√°tuma, Lej√°ratd√°tum (or) Lej√°rat d√°tuma. (All terms case insensitive; diacritics are optional.)	Built-In
Driver's License Number (Jordan)	Jordan Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: ŷ±ŷÆŷμŷ© ŷ*ŷ*ŷΣŷBŸÇŷ© ŷ™ŷ≠ŸÖŸÑ ŷμŸàŷ±ŷ©, ŷ±ŷÆŷμŷ© ŷ≥ŸàŸÇ, ŷBŸÑŷ±ŸÇŸÖ ŷBŸÑŷ≠ŷÆŷμŸä, ŸÇŸäŷBŷØŷ© ŸÖŷ™ŷπŸÑŸëŸÖ, ŷ≠ŷBŸÖŸÑŸà ŷBŸÑŷ±ŷÆŷμ, ŷ±ŸÇŸÖ ŷBŸÑŷ±ŷÆŷμŷ©, ŷ≠ŷBŸÖŸÑ ŷBŸÑŷ±ŷÆŷμŷ©, ŷ±ŷÆŷμ ŷBŸÑŸÇŸäŷBŷØŷ© (or) ŷ±ŷÆŷμŷ© ŷBŸÑŸÇŸäŷBŷØŷ©.	Built-In

Business Number (Turkey)	Turkey Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: işletmenumarası, işletme no, işletme kimliği#, işletme kimliği, işletme no#, işletme no (or) işletme kimliği. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Turkey)	Turkey Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: cep telefonu numarası, telefon num., telefon numarası, tel numarası, tel no. (or) cep numarası. (All terms case insensitive; diacritics are optional.)	Built-In
Driver's License Number (Canada)	Canada Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: permis de conduire avec photo plastifié, permis d'apprenti conducteur, titulaires de permis, titulaire de permis, no de permis de conduire, photocard licence, learner drivers, license holders, licence holders, license holder, licence holder, license number, licence number, driving licences, driving licenses, driving licence, driving license, driver's licence, driver's license (or) permis de conduire. (All terms case insensitive; diacritics are optional.)	Built-In
Hair Color (Sweden)	Sweden Hair color matches with any of the following keywords Hår combined with any of the following keywords within a proximity of 10 terms: Röd, Gyllene, Lingul, Grön, Brun, Svart, Blond (or) annan färg. (All terms case insensitive; diacritics are optional.)	Built-In

Company Number (Peru)	Peru Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: n.º de la empresa, número de la empresa, número de identificación corporativo, número de registro de la empresa (or) número corporativo. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (Iceland)	Iceland Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: address, postcode district, postcode area, postcode unit, postcode sector (or) postcode. (All terms case insensitive.)	Built-In
VAT ID Number (Poland)	Poland VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: nr vat., nr vat, podatek VAT, podatek VAT numer (or) VAT. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number (Malta)	Malta National ID Number matches a valid National Identity Card Number with any of the following keywords within a proximity of 10 terms: id tat-taxxa, identifika numru tal-biljett, kodifaj numerali personali, numru ta 'identifikazzjoni personali, numru ta 'identifikazzjoni tat-taxxa, numru ta 'identifikazzjoni uniku, numru ta 'identifika uniku, numru tas-servizz taf-fajjadin, numru tat-taxxa (or) uniqueidentityno#. (All terms case insensitive; diacritics are optional.)	Built-In

Postcode (Peru)	Peru Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: direcci√≥n, distrito de c√≥digo postal, √°rea de c√≥digo postal, unidad de c√≥digo postal (or) sector de c√≥digo postal. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number - ARC or TARC (Taiwan)	Taiwan National ID Number - ARC or TARC (Area Resident Certificate) matches a valid ARC or TARC number combined with any of the following keywords within a proximity of 10 terms: Resident Certificate, Resident Cert, Resident Cert., Identification card, Alien Resident Certificate, ARC, Taiwan Area Resident Certificate, TARC, Â±ÖÁîË≠â, ÂñÂË±ÖÁîË≠â (or) ÂèÁÁ£Áú∞ÂçÄ±ÖÁîË≠â. (All terms case insensitive.)	Built-In
Weight (Estonia)	Estonia Person,Äs weight appearing within 10 terms of the keywords Kaal (or) mass. Weight can match in naela (or) Kilogrammi , using the keywords Lb, kg, Kilogrammi, naela, stones, st (or) untsi, followed by space or no space. Values can be separated by space or no space. (All text is case-insensitive.)	Built-In
International Bank Account Number ,Äi IBAN (Malta)	Malta International Bank Account Number ,Äi IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: numru tal-kont bankarju internazzjonali, kont bankarju internazzjonali, Kont bankarju, numru tal-kont bankarju, finanzjarju, fblas, kont, flus internazzjonali, trasferimenti tal-flus (or) kodifäi tal-pajji≈°. (All terms case insensitive; diacritics are optional.)	Built-In

Driver's License Number (Croatia)	Croatia Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: Centar za motona vozila, dozvola s fotografijom, vozač-a-pofčetnika, vlasnik dozvole, vlasnici dozvole, broj dozvole, vozačke dozvole, vozačlke dozvole (or) vozačka dozvola. (All terms case insensitive; diacritics are optional.)	Built-In
International Bank Account Number ,Äì IBAN (France)	France International Bank Account Number ,Äì IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: Compte bancaire, IBAN, financier, paiement, monnaie internationale, transferts de fonds (or) code pays. (All terms case insensitive.)	Built-In
Height (Czech)	Czech person,Äôs height described in Imperial or metric units, appearing within 10 terms of the keywords v√Ω≈°ka. Imperial measurements may use stop and palc≈Ø or only by palc≈Ø. Metric measurements may use metr≈Ø or centimetr≈Ø. Examples: v√Ω≈°ka 5'11" or 5st.11pal. or 167.96cm (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Morocco)	Morocco Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: ÿ±ÿÇÿÖ ÿBÿÑÿ≠ÿ≥ÿBÿ® ÿBÿÑÿ®ÿÜÿÉÿÄ, ÿ™ÿÄÿBÿµÿÄÿÑ ÿBÿÑÿ®ÿÜÿÉ, ÿ±ÿÇÿÖ ÿBÿÑÿ®ÿÜÿÉ, ÿÉÿàÿØ ÿBÿÑÿ≠ÿ≥ÿBÿ®, ÿÖÿπÿ±ÿÿeÿÄ ÿBÿÑÿ≠ÿ≥ÿBÿ®, ÿ±ÿÇÿÖ ÿBÿÑÿ≠ÿ≥ÿBÿ® (or) ÿBÿÑÿ≠ÿ≥ÿBÿ® ÿBÿÑÿÖÿèÿ±ÿÇÿÿeÿéÿÖ.	Built-In

National ID Number - PIC (Estonia)	Estonia National ID Number - PIC (Personal Identification Code) matches a valid PIC number with any of the following keywords within a proximity of 10 terms: Eesti, isikukood (or) maksukohustustlase identifitseerimisnumber. (All terms case insensitive.)	Built-In
Eye Colour (UK/US)	UK/US Eye Colour matches with any of the following keywords Eye color, Eyecolor, Eye colour, Eyecolour, Iris color, Iris Colour, Eyeball colour (or) Eyeball color combined with any of the following keywords within a proximity of 10 terms: Brown, Blue, Green, Hazel, Amber, Grey, Heterochromia, other color (or) other colour. (All terms case insensitive.)	Built-In
Religion (Italy)	Italy Religion matches with any of the following keywords: Religione (or) Credo combined with any of the following keywords within a proximity of 10 terms: Cristianesimo, Cristiano, Induismo, Induista, Islam, Musulmano, Buddismo, Buddista, Ebreo, Protestante, Cattolico, Ortodosso, Altro cristiano, Altra religione, Ateo, Agnostico (or) Nessuna religione. (All terms case insensitive.)	Built-In
Medicaid Number (US)	US Medicaid Number matches a valid medicaid number combined with any of the following keywords within a proximity of 10 terms: Medicaid ID, Medicaid number, Medicaid recipient ID, Recipient ID, Medicaid beneficiary number, Medicaid member ID, Medicaid card number (or) Medicaid policy number. (All terms case insensitive.)	Built-In

Religion (Ireland)	Ireland Religion matches with any of the following keywords: Creideamh (or) Reiligiúnach combined with any of the following keywords within a proximity of 10 terms: Críostaíocht, Críostaithe, Hiondúchas, Hiondúch, Ioslam, Moslamach, Buidéachas, Giúdach, Protastúnach, Caitliceach, Oirthir, Orthodox, Oirthir Orthodox, Críostaithe eile, Eile Creideamh, Aindiachaí, Agnostic, Gan reiligiún. (All terms case insensitive; diacritics are optional.)	Built-In
Business Number (China)	China Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: Áaü%ΠÄÅsæ%ö°Áî%ª£†Å, %Π≠ÂõΩÂïÜ%ΠöÂèΣÁ†Å, ÂïÜ%ΠöID#, ÂïÜ%ΠöID, ÂïÜ%ΠöÂèΣÁ†Å# (or) ÂïÜ%ΠöÂèΣÁ†Å. (All terms case insensitive.)	Built-In
Bank Account Number (Dominican Republic)	Dominican Republic Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: número de cuenta bancaria, detalles bancarios, número de banco, código de cuenta, ID de cuenta, número de cuenta (or) cuenta numerada. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Panama)	Panama Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: número de teléfono móvil, número de teléfono (or) número de móvil. (All terms case insensitive; diacritics are optional.)	Built-In

Race (Ireland)	Ireland Race matches any of the following keywords: R√°s combined with any of the following keywords within a proximity of 10 terms: Gaeilge, na h√Åise, Dubh, B√°n, Lucht Si√fil na h√aireann, Daoine eile. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Belgium)	Belgium License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: kentekenplaat, registratienummer, registratie. nr., nummerplaat, nummerbord (or) kenteken. (All terms case insensitive.)	Built-In
VAT ID Number (Korea)	Korea VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: VAT Î≤àlò□, ÎðÄÍ∞ÄÍ∞ÄÏòİÑ□ Î≤àlò□ (or) VAT. (All terms case insensitive.)	Built-In
Phone Number (Jordan)	Jordan Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: ŷ±ŸÇŸÖ ŷBŸÑŸáŷBŸ™ŸÅ, ŷ±ŸÇŸÖ ŷBŸÑŸ™ŸÑŸáŸÅŸàŸÜ, ŷ±ŸÇŸÖ ŷBŸÑŸáŷBŸ™ŸÅ ŷBŸÑŸÖŷ≠ŸÖŸàŸÑ (or) ŷ±ŸÇŸÖ ŷBŸÑŸáŷBŸ™ŸÅ ŷBŸÑŸÆŸÑŸàŸä.	Built-In
Race (Sweden)	Sweden Race matches any of the following keywords: Lopp combined with any of the following keywords within a proximity of 10 terms: svenska, syriska, irakiska, finska, Andra. (All terms case insensitive.)	Built-In

Phone Number (Norway)	Norway Phone Number matches an Norweign Phone Number combined with any of the following keywords within a proximity of 10 terms: telefonnummer, telefonnr., tlf.nr., telefon, mobilnummer (or) mobiltelefonnummer. (All terms case insensitive; diacritics are optional.)	Built-In
Ethnicity (Ireland)	Ireland Ethnicity matches with any of the keywords: Eitneachas, Eitneach (or) Eitneach gr√ ∫pa combined with any of the following keywords within a proximity of 10 terms: √ ©ireannaigh, Lucht Si√ ∫il na h√ ©ireann, Daoine dubha in √ ©irinn, Gypsy B√ °n n√ ≥ Taisteala√ ≠ √ ©ireannach, B√ °n Eile, Meirice√ °naigh √ ©ireannacha, Gaeil, Albanach, Caitlicigh √ ©ireannacha, Na h√ °ise Theas in √ ©irinn, √ ©ireannaigh Thuaisceart, Breatnaigh, Albanach Uladh, Imirce √ ©ireannach go dt√ ≠ an Bhreatain Mh√ ≥r, Meirice√ °naigh Albanacha-√ ©ireannacha, Diasp√ ≥ra na hAlban, Diasp√ ≥ra Shasana (or) √ ∫cr√ °naigh in √ ©irinn. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number - CIN (Vietnam)	Vietnam National ID Number - CIN (Citizen ID Number) matches a valid CCN combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, s. ^a ë cfÉn cΔ∞. ^a õc c√ ¥ng d√ ¢n, s. ^a ë cfÉn cΔ∞. ^a õc, s. ^a ë ch. ^a @ng minh thΔ∞, s. ^a ë th. ^a ∫ ^a cfÉn cΔ∞. ^a õc c√ ¥ng d√ ¢n (or) cfÉn cΔ∞. ^a õc c√ ¥ng d√ ¢n. (All terms case insensitive; diacritics are optional.)	Built-In

Phone Number (Philippines)	Philippines Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: mobile phone number, mobilephone number, mobile phone no., mobilephone no., mobile number, mobilenumber, mobile no., mobileno., mobile, contact number, contact no., contact, fax number, fax no., cell phone number, cellphone number, cell phone no., cellphone no., cell phone, cellphone, cell number, cellnumber, cell no., cellno., whatsapp number, whatsapp no., whatsapp, phone number, phone no., phone num, telephonic number, telephone number, telephone no., telephone, landline number, landline no. (or) landline num. (All terms case insensitive.)	Built-In
Height (Slovakia)	Slovakia person,Äôs height described in Imperial or metric units, appearing within 10 terms of the keywords V√Ω≈°ka. Imperial measurements may use stopy and palce or only by palce. Metric measurements may use metro or Centimeter. Examples: V√Ω≈°ka 5'11" or 181.02cm or 5ft11in. (All terms case insensitive; diacritics are optional.)	Built-In
Intelligence Control Markings (US)	US Intelligence Control Markings (CAPCO) & DCID 1/7 correspond to any of the following formats: Classification only (or) Classification + SCI (or) Classification + Dissemination (or) Classification + SCI + Dissemination. For example: TOP SECRET//SI//TK//NOFORN.	Built-In

Phone Number (Canada)	Canada Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: no de t√@l√@phone, no t√@l, num√@ro de cellulaire, num√@ro de t√@l√@phone cellulaire, num√@ro de t√@l√@phone, mobile phone number, mobilephone number, mobile phone no., mobilephone no., mobile number, mobilenumber, mobile no., mobileno., mobile, contact number, contact no., contact, fax number, fax no., cell phone number, cellphone number, cell phone no., cellphone no., cell phone, cellphone, cell number, cellnumber, cell no., cellno., whatsapp number, whatsapp no., whatsapp, phone number, phone no., phone num, telephonic number, telephone number, telephone no., telephone, landline number, landline no. (or) landline num. (All terms case insensitive; diacritics are optional.)	Built-In
My Number (Japan)	Japan My Number matches a valid my number combined with any of the following keywords within a proximity of 10 terms: „Éû„Ç\$,„Éä„É≥„Éê„É°, „Éû„Ç\$ „Éä„É≥„Éê„É° (or) My Number. (All terms case insensitive.)	Built-In

Bank Account Number (Egypt)	Egypt Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: $\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\neq\tilde{y}\geq\tilde{y}\tilde{B}\tilde{y}^{\circ}$, $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}^{\circ}\tilde{Y}\tilde{U}\tilde{Y}\tilde{E}\tilde{Y}\tilde{a}$, $\tilde{y}^{\text{™}}\tilde{Y}\tilde{A}\tilde{y}\tilde{B}\tilde{y}\mu\tilde{Y}\tilde{a}\tilde{Y}\tilde{N}$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}^{\circ}\tilde{Y}\tilde{U}\tilde{Y}\tilde{E}$, $\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}^{\circ}\tilde{Y}\tilde{U}\tilde{Y}\tilde{E}$, $\tilde{Y}\tilde{E}\tilde{Y}\tilde{a}\tilde{y}\emptyset$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\neq\tilde{y}\geq\tilde{y}\tilde{B}\tilde{y}^{\circ}$, $\tilde{Y}\tilde{O}\tilde{y}\pi\tilde{y}\pm\tilde{Y}\tilde{e}\tilde{Y}\tilde{A}$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\neq\tilde{y}\geq\tilde{y}\tilde{B}\tilde{y}^{\circ}$, $\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\neq\tilde{y}\geq\tilde{y}\tilde{B}\tilde{y}^{\circ}$ (or) $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\neq\tilde{y}\geq\tilde{y}\tilde{B}\tilde{y}^{\circ}$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{Y}\tilde{O}\tilde{Y}\tilde{e}\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{e}\tilde{Y}\tilde{e}\tilde{Y}\tilde{O}$.	Built-In
License Plate Number (Egypt)	Egypt License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: $\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}$ $\tilde{Y}\tilde{N}\tilde{Y}\tilde{a}\tilde{y}\neq\tilde{y}\odot$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}^{\text{™}}\tilde{y}\pm\tilde{y}\tilde{A}\tilde{Y}\tilde{a}\tilde{y}\mu$, $\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{Y}\tilde{N}\tilde{Y}\tilde{a}\tilde{y}\neq\tilde{y}\odot$, $\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}^{\text{™}}\tilde{y}\pm\tilde{y}\tilde{A}\tilde{Y}\tilde{a}\tilde{y}\mu$, $\tilde{Y}\tilde{N}\tilde{Y}\tilde{a}\tilde{y}\neq\tilde{y}\odot$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}^{\text{™}}\tilde{y}\pm\tilde{y}\tilde{A}\tilde{Y}\tilde{a}\tilde{y}\mu$ (or) $\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}^{\text{™}}\tilde{y}\geq\tilde{y}^{\text{™}}\tilde{Y}\tilde{a}\tilde{Y}\tilde{N}$.	Built-In
Tax ID Number (Spain)	Spain Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: impuesto identificaci√≥n n√fmero, impuesto id n√fmero, impuesto identidad n√fmero, n√fmero de impuesto, C√≥digo de identificaci√≥n fiscal, archivo de impuesto, n.√f de identificaci√≥n fiscal, n.√f de impuesto, n√fmero de registro fiscal, n.√f de id de impuesto, n√fmero de id de impuesto, id de NIF, n.√f de NIF (or) id de NIF de impuesto. (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (Chile)	Chile Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: identificaci√≥n para viajes internacionales, detalles del pasaporte, visa, documento de identidad nacional, n√mero de pasaporte, documento de viaje, autoridad emisora, identificaci√≥n, prueba de identificaci√≥n, ID de pasaporte (or) pasaporte. (All terms case insensitive; diacritics are optional.)	Built-In
Social Security Number (Philippines)	Philippines Social Security Number matches a valid SSN combined with any of the following keywords within a proximity of 10 terms: social security number, social security no#, social security no, social security#, social security, SSN#, SSN (or) SSID. (All terms case insensitive.)	Built-In
Social Insurance Number - SIN (Luxembourg)	Luxembourg Social Insurance Number - SIN matches a valid social insurance number combined with any of the following keywords within a proximity of 10 terms: NIR#, NIR, num√ero de assurance sociale, nr de assurance sociale, num√ero de s√curit√©, s√curit√© sociale (or) s√curit√©. (All terms case insensitive; diacritics are optional.)	Built-In

Multiple Personal Identifiers ,Ä PII (US) ,Ä Lenient	Multiple Personal Identifiers ,Ä PII (US) ,Ä Lenient - Combines a person name with two or more of the following identifiers: bank account number, credit card number, date of birth, driver's license number, passport number or social security number. Each matched identifier value must also combine with a corresponding keyword within a proximity of 10 terms. Below is a list of example keywords: ssn, social security number, account number, amex, bankcard, ccn, credit card number, debit card, dob, date of birth, birthdate, DL, identification card, driver license, drivers license, drivers license, identification number, id number, passport, national identity card, passport number, checking account number, bank account number, bank account, savings account number, savings account, debit account number or debit account.	Built-In
--	---	----------

Tax ID Number (Cyprus)

Cyprus Tax ID Number matches a valid Tax Identification Built-In

Number any of the following keywords within a proximity

of 10 terms: $\alpha \ddot{U} \alpha \alpha \ddot{A} \emptyset \alpha \zeta \alpha \neq \alpha \geq \alpha \geq \alpha \ddot{A} \alpha \pm \alpha \ddot{U} \alpha \emptyset$

œ Ñ Œ ± œ Ö œ Ñ Œ ø œ Ä Œ ø Œ Ø Œ Σ œ É Œ Σ œ Ç

$$\Omega \pm \alpha \dot{\Omega} \pi \Omega \prod \Omega^0 \alpha \dot{\alpha} \zeta, \alpha \ddot{U} \alpha \dot{\alpha} \dot{\Omega} \emptyset \alpha \zeta$$
$$OE \neq OE \geq OE \geq \text{œ} \text{Å} OE \pm \text{œ} \ddot{U} OE \emptyset$$
$$\pm \ddot{\alpha} \dot{\gamma} \pm \dot{\alpha} \ddot{\gamma} + C$$
$$\mathbb{C} \oplus \mathbb{A} \subseteq \pi \mathbb{C} \cap \mathbb{C}^0 \oplus \mathbb{C}, \quad \mathbb{C} \cup \mathbb{A} \subseteq \mathbb{A} \mathbb{C} \emptyset \mathbb{C}$$
[illegible]
$$\mathcal{O}(\pm \epsilon) \mathcal{O}(\pi) \mathcal{O}(\Pi) \mathcal{O}(\circ) \mathcal{O}(\mathfrak{a}) \mathcal{O}(\mathbb{C}), \mathcal{O}(\pm \epsilon) \mathcal{O}(\pi) \mathcal{O}(\Pi) \mathcal{O}(\circ) \mathcal{O}(\mathfrak{a}) \mathcal{O}(\mathbb{C})$$
$$\alpha \ddot{U} \in \emptyset \alpha \mathring{A} \in \emptyset \alpha^a \in \emptyset \alpha \geq \alpha \pi \in \top \alpha \emptyset \alpha c$$

œ°œŸœÑœÅœéœøœÖ, œöœâœ¥œπœ∫œåœÇ

$$\alpha \ddot{U} \leq \alpha \dot{A} \leq a \leq c \leq o \leq \mu \leq \Omega \leq \ddot{O},$$
$$\alpha \ddot{U} \in \alpha \dot{A} \in \alpha^a \in \alpha \geq \alpha \pi \in \alpha \dot{a} \in \alpha \zeta$$

œÜœ ¨œŒœµœªœøœÇ, œ±œÅ.

$$\alpha \ddot{U} \in \mathcal{A} \cap \mathcal{A}^a \cap \mathcal{A}^{\geq \pi} \cap \mathcal{A}^{\leq \pi}$$

œ°œΣœÑœÅœéœøœÖ, œ±œÜœ°#, œ±œÜœ°,

$$\alpha \pm \beta \in \text{AC}(\pi) \cap \text{OE}^0 \Leftrightarrow \alpha \in \text{C} \cup \text{ÜOE} \cup \text{AOE} \cup \text{aOE} \cup \text{ØOE}.$$

œ°œŸœÑœÅœéœøœÖ, #œ±œÜœ°, œ±.œÜ.œ°.#,

OE±œÅ.œÜOEøœÅ.OE°OEŸœÑœÅœéOEøœÖ#.

OE±œÅ.œÜOEøœÅ.OE°OEΣœÑ.#,

OE±œÅOEπOE∏OE°œåœÇ œÜ.OE°.#, OE±.œÜ.OE°.,

$\text{C}\pm\text{\AA}\text{C}\pi\text{C}\sqcap\text{C}^0\text{\AA}\text{C}$ tin, $\text{C}\pm\text{\AA}. \text{tin}$, tin#, TIN,

OE±æÜOE⁰, vergi kimlik kodu (or) vergi Kimlik

Numarasf±. (All terms case insensitive; diacritics are

optional \

Phone Number (Indonesia)

Indonesia Phone Number matches a valid phone number Built-In

combined with any of the following keywords within a

proximity of 10 terms: nomor telepon, no. telepon, no

telp, nomor ponsel, Nomor hand phone, No hp, nomor

hp, nomor telfon, nomor hp, nomor handphone (or)

nomor whatsapp. (All terms case insensitive.)

Bank Account Number (Saudi Arabia)	Saudi Arabia Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: $\tilde{y} \pm \tilde{Y}\tilde{C}\tilde{Y}\tilde{O} \tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y} \neq \tilde{y} \geq \tilde{y}\tilde{B}\tilde{y}^{\circ} \tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}^{\circ} \tilde{Y}\tilde{U}\tilde{Y}\tilde{E}\tilde{Y}\tilde{a}, \tilde{y}^{\text{™}} \tilde{Y}\tilde{A}\tilde{y}\tilde{B}\tilde{y}\mu\tilde{Y}\tilde{a}\tilde{Y}\tilde{N} \tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}^{\circ} \tilde{Y}\tilde{U}\tilde{Y}\tilde{E}, \tilde{y} \pm \tilde{Y}\tilde{C}\tilde{Y}\tilde{O} \tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}^{\circ} \tilde{Y}\tilde{U}\tilde{Y}\tilde{E}, \tilde{Y}\tilde{E}\tilde{Y}\tilde{a}\tilde{y}\tilde{\emptyset} \tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y} \neq \tilde{y} \geq \tilde{y}\tilde{B}\tilde{y}^{\circ}, \tilde{Y}\tilde{O}\tilde{y}\pi\tilde{y} \pm \tilde{Y}\tilde{e}\tilde{Y}\tilde{A} \tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y} \neq \tilde{y} \geq \tilde{y}\tilde{B}\tilde{y}^{\circ}, \tilde{y} \pm \tilde{Y}\tilde{C}\tilde{Y}\tilde{O} \tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y} \neq \tilde{y} \geq \tilde{y}\tilde{B}\tilde{y}^{\circ}$ (or) $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y} \neq \tilde{y} \geq \tilde{y}\tilde{B}\tilde{y}^{\circ}$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{Y}\tilde{O}\tilde{Y}\tilde{e}\tilde{y} \pm \tilde{Y}\tilde{C}\tilde{Y}\tilde{e}\tilde{Y}\tilde{e}\tilde{Y}\tilde{O}.$	Built-In
Postcode (Italy)	Italy Postcode matches with Italian postcode combined with any of the following keywords within a proximity of 10 terms: indirizzo, residenza, località, città, codice di avviamento postale (or) CAP. (All terms case insensitive; diacritics are optional.)	Built-In
Routing Number (India)	India Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: indiabankrouting#, routing number, bankrouting#, routing#, routing no (or) RTN. (All terms case insensitive.)	Built-In
Criminal Record (Netherlands)	Netherlands Criminal records matches with any of the following keywords strafblad (or) strafregister combined with any of the following crime keywords within a proximity of 10 terms: moord, doodslag, diefstal, corruptie, fraude, terrorisme, drugs, huisvredebreuk, verkrachting, beroving, autodiefstal, zelfmoord, kidnapping, mensenhandel, mensensmokkel (or) wapenhandel. (All terms case insensitive.)	Built-In

Driver's License Number (Oman)	Oman Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: ÿ±ÿÆÿµÿ© ÿ®ÿ®ÿÿΣÿBÿÇÿÿ© ÿ™ÿ≠ÿÖÿŸŸ ÿµÿŸàÿ±ÿ©, ÿ±ÿÆÿµÿÿ© ÿ≥ÿŸàÿŸÇ, ÿBÿŸŸÿ±ÿŸÇÿŸÖ ÿBÿŸŸÿ≠ÿÆÿµÿŸä, ÿÇÿŸäÿBÿŸØÿ© ÿÖÿ™ÿÿπÿŸŸÿeÿŸÖ, ÿ≠ÿÿBÿŸÖÿŸŸà ÿBÿŸŸÿ±ÿÿÆÿµ, ÿ±ÿŸÇÿŸÖ ÿBÿŸŸÿ±ÿÿÆÿµÿ©, ÿ≠ÿÿBÿŸÖÿŸŸ ÿBÿŸŸÿ±ÿÿÆÿµÿ©, ÿ±ÿÆÿµ ÿBÿŸŸÿŸÇÿŸäÿBÿŸØÿ© (or) ÿ±ÿÆÿµÿ© ÿBÿŸŸÿŸÇÿŸäÿBÿŸØÿ©.	Built-In
National ID Number - NUIP (Colombia)	Colombia National ID Number - NUIP (Número Único de Identidad Personal) matches a valid NUIP number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, NUIP, CC, número de tarjeta de identidad nacional, número de tarjeta nacional, número único de identidad personal, número de identificación nacional, tarjeta de identidad, cedula de ciudadanía, cedula, identificación nacional (or) Documento nacional de identidad. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Korea)	Korea Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: 010-011-012-013-014-015-016-017-018-019-020-021-022-023-024-025-026-027-028-029-030-031-032-033-034-035-036-037-038-039-040-041-042-043-044-045-046-047-048-049-050-051-052-053-054-055-056-057-058-059-060-061-062-063-064-065-066-067-068-069-070-071-072-073-074-075-076-077-078-079-080-081-082-083-084-085-086-087-088-089-090-091-092-093-094-095-096-097-098-099-100-101-102-103-104-105-106-107-108-109-110-111-112-113-114-115-116-117-118-119-120-121-122-123-124-125-126-127-128-129-130-131-132-133-134-135-136-137-138-139-140-141-142-143-144-145-146-147-148-149-150-151-152-153-154-155-156-157-158-159-160-161-162-163-164-165-166-167-168-169-170-171-172-173-174-175-176-177-178-179-180-181-182-183-184-185-186-187-188-189-190-191-192-193-194-195-196-197-198-199-200-201-202-203-204-205-206-207-208-209-210-211-212-213-214-215-216-217-218-219-220-221-222-223-224-225-226-227-228-229-230-231-232-233-234-235-236-237-238-239-240-241-242-243-244-245-246-247-248-249-250-251-252-253-254-255-256-257-258-259-260-261-262-263-264-265-266-267-268-269-270-271-272-273-274-275-276-277-278-279-280-281-282-283-284-285-286-287-288-289-290-291-292-293-294-295-296-297-298-299-300-301-302-303-304-305-306-307-308-309-310-311-312-313-314-315-316-317-318-319-320-321-322-323-324-325-326-327-328-329-330-331-332-333-334-335-336-337-338-339-340-341-342-343-344-345-346-347-348-349-350-351-352-353-354-355-356-357-358-359-360-361-362-363-364-365-366-367-368-369-370-371-372-373-374-375-376-377-378-379-380-381-382-383-384-385-386-387-388-389-390-391-392-393-394-395-396-397-398-399-400-401-402-403-404-405-406-407-408-409-410-411-412-413-414-415-416-417-418-419-420-421-422-423-424-425-426-427-428-429-430-431-432-433-434-435-436-437-438-439-440-441-442-443-444-445-446-447-448-449-450-451-452-453-454-455-456-457-458-459-460-461-462-463-464-465-466-467-468-469-470-471-472-473-474-475-476-477-478-479-480-481-482-483-484-485-486-487-488-489-490-491-492-493-494-495-496-497-498-499-500-501-502-503-504-505-506-507-508-509-510-511-512-513-514-515-516-517-518-519-520-521-522-523-524-525-526-527-528-529-530-531-532-533-534-535-536-537-538-539-540-541-542-543-544-545-546-547-548-549-550-551-552-553-554-555-556-557-558-559-560-561-562-563-564-565-566-567-568-569-570-571-572-573-574-575-576-577-578-579-580-581-582-583-584-585-586-587-588-589-590-591-592-593-594-595-596-597-598-599-600-601-602-603-604-605-606-607-608-609-610-611-612-613-614-615-616-617-618-619-620-621-622-623-624-625-626-627-628-629-630-631-632-633-634-635-636-637-638-639-640-641-642-643-644-645-646-647-648-649-650-651-652-653-654-655-656-657-658-659-660-661-662-663-664-665-666-667-668-669-670-671-672-673-674-675-676-677-678-679-680-681-682-683-684-685-686-687-688-689-690-691-692-693-694-695-696-697-698-699-700-701-702-703-704-705-706-707-708-709-710-711-712-713-714-715-716-717-718-719-720-721-722-723-724-725-726-727-728-729-730-731-732-733-734-735-736-737-738-739-740-741-742-743-744-745-746-747-748-749-750-751-752-753-754-755-756-757-758-759-760-761-762-763-764-765-766-767-768-769-770-771-772-773-774-775-776-777-778-779-780-781-782-783-784-785-786-787-788-789-790-791-792-793-794-795-796-797-798-799-800-801-802-803-804-805-806-807-808-809-810-811-812-813-814-815-816-817-818-819-820-821-822-823-824-825-826-827-828-829-830-831-832-833-834-835-836-837-838-839-840-841-842-843-844-845-846-847-848-849-850-851-852-853-854-855-856-857-858-859-860-861-862-863-864-865-866-867-868-869-870-871-872-873-874-875-876-877-878-879-880-881-882-883-884-885-886-887-888-889-890-891-892-893-894-895-896-897-898-899-900-901-902-903-904-905-906-907-908-909-910-911-912-913-914-915-916-917-918-919-920-921-922-923-924-925-926-927-928-929-930-931-932-933-934-935-936-937-938-939-940-941-942-943-944-945-946-947-948-949-950-951-952-953-954-955-956-957-958-959-960-961-962-963-964-965-966-967-968-969-970-971-972-973-974-975-976-977-978-979-980-981-982-983-984-985-986-987-988-989-990-991-992-993-994-995-996-997-998-999-1000-1001-1002-1003-1004-1005-1006-1007-1008-1009-1010-1011-1012-1013-1014-1015-1016-1017-1018-1019-1020-1021-1022-1023-1024-1025-1026-1027-1028-1029-1030-1031-1032-1033-1034-1035-1036-1037-1038-1039-1040-1041-1042-1043-1044-1045-1046-1047-1048-1049-1050-1051-1052-1053-1054-1055-1056-1057-1058-1059-1060-1061-1062-1063-1064-1065-1066-1067-1068-1069-1070-1071-1072-1073-1074-1075-1076-1077-1078-1079-1080-1081-1082-1083-1084-1085-1086-1087-1088-1089-1090-1091-1092-1093-1094-1095-1096-1097-1098-1099-1100-1101-1102-1103-1104-1105-1106-1107-1108-1109-1110-1111-1112-1113-1114-1115-1116-1117-1118-1119-1120-1121-1122-1123-1124-1125-1126-1127-1128-1129-1130-1131-1132-1133-1134-1135-1136-1137-1138-1139-1140-1141-1142-1143-1144-1145-1146-1147-1148-1149-1150-1151-1152-1153-1154-1155-1156-1157-1158-1159-1160-1161-1162-1163-1164-1165-1166-1167-1168-1169-1170-1171-1172-1173-1174-1175-1176-1177-1178-1179-1180-1181-1182-1183-1184-1185-1186-1187-1188-1189-1190-1191-1192-1193-1194-1195-1196-1197-1198-1199-1200-1201-1202-1203-1204-1205-1206-1207-1208-1209-1210-1211-1212-1213-1214-1215-1216-1217-1218-1219-1220-1221-1222-1223-1224-1225-1226-1227-1228-1229-1230-1231-1232-1233-1234-1235-1236-1237-1238-1239-1240-1241-1242-1243-1244-1245-1246-1247-1248-1249-1250-1251-1252-1253-1254-1255-1256-1257-1258-1259-1260-1261-1262-1263-1264-1265-1266-1267-1268-1269-1270-1271-1272-1273-1274-1275-1276-1277-1278-1279-1280-1281-1282-1283-1284-1285-1286-1287-1288-1289-1290-1291-1292-1293-1294-1295-1296-1297-1298-1299-1300-1301-1302-1303-1304-1305-1306-1307-1308-1309-1310-1311-1312-1313-1314-1315-1316-1317-1318-1319-1320-1321-1322-1323-1324-1325-1326-1327-1328-1329-1330-1331-1332-1333-1334-1335-1336-1337-1338-1339-1340-1341-1342-1343-1344-1345-1346-1347-1348-1349-1350-1351-1352-1353-1354-1355-1356-1357-1358-1359-1360-1361-1362-1363-1364-1365-1366-1367-1368-1369-1370-1371-1372-1373-1374-1375-1376-1377-1378-1379-1380-1381-1382-1383-1384-1385-1386-1387-1388-1389-1390-1391-1392-1393-1394-1395-1396-1397-1398-1399-1400-1401-1402-1403-1404-1405-1406-1407-1408-1409-1410-1411-1412-1413-1414-1415-1416-1417-1418-1419-1420-1421-1422-1423-1424-1425-1426-1427-1428-1429-1430-1431-1432-1433-1434-1435-1436-1437-1438-1439-1440-1441-1442-1443-1444-1445-1446-1447-1448-1449-1450-1451-1452-1453-1454-1455-1456-1457-1458-1459-1460-1461-1462-1463-1464-1465-1466-1467-1468-1469-1470-1471-1472-1473-1474-1475-1476-1477-1478-1479-1480-1481-1482-1483-1484-1485-1486-1487-1488-1489-1490-1491-1492-1493-1494-1495-1496-1497-1498-1499-1500-1501-1502-1503-1504-1505-1506-1507-1508-1509-1510-1511-1512-1513-1514-1515-1516-1517-1518-1519-1520-1521-1522-1523-1524-1525-1526-1527-1528-1529-1530-1531-1532-1533-1534-1535-1536-1537-1538-1539-1540-1541-1542-1543-1544-1545-1546-1547-1548-1549-1550-1551-1552-1553-1554-1555-1556-1557-1558-1559-1560-1561-1562-1563-1564-1565-1566-1567-1568-1569-1570-1571-1572-1573-1574-1575-1576-1577-1578-1579-1580-1581-1582-1583-1584-1585-1586-1587-1588-1589-1590-1591-1592-1593-1594-1595-1596-1597-1598-1599-1600-1601-1602-1603-1604-1605-1606-1607-1608-1609-1610-1611-1612-1613-1614-1615-1616-1617-1618-1619-1620-1621-1622-1623-1624-1625-1626-1627-1628-1629-1630-1631-1632-1633-1634-1635-1636-1637-1638-1639-1640-1641-1642-1643-1644-1645-1646-1647-1648-1649-1650-1651-1652-1653-1654-1655-1656-1657-1658-1659-1660-1661-1662-1663-1664-1665-1666-1667-1668-1669-1670-1671-1672-1673-1674-1675-1676-1677-1678-1679-1680-1681-1682-1683-1684-1685-1686-1687-1688-1689-1690-1691-1692-1693-1694-1695-1696-1697-1698-1699-1700-1701-1702-1703-1704-1705-1706-1707-1708-1709-1710-1711-1712-1713-1714-1715-1716-1717-1718-1719-1720-1721-1722-1723-1724-1725-1726-1727-1728-1729-1730-1731-1732-1733-1734-1735-1736-1737-1738-1739-1740-1741-1742-1743-1744-1745-1746-1747-1748-1749-1750-1751-1752-1753-1754-1755-1756-1757-1758-1759-1760-1761-1762-1763-1764-1765-1766-1767-1768-1769-1770-1771-1772-1773-1774-1775-1776-1777-1778-1779-1780-1781-1782-1783-1784-1785-1786-1787-1788-1789-1790-1791-1792-1793-1794-1795-1796-1797-1798-1799-1800-1801-1802-1803-1804-1805-1806-1807-1808-1809-1810-1811-1812-1813-1814-1815-1816-1817-1818-1819-1820-1821-1822-1823-1824-1825-1826-1827-1828-1829-1830-1831-1832-1833-1834-1835-1836-1837-1838-1839-1840-1841-1842-1843-1844-1845-1846-1847-1848-1849-1850-1851-1852-1853-1854-1855-1856-1857-1858-1859-1860-1861-1862-1863-1864-1865-1866-1867-1868-1869-1870-1871-1872-1873-1874-1875-1876-1877-1878-1879-1880-1881-1882-1883-1884-1885-1886-1887-1888-1889-1890-1891-1892-1893-1894-1895-1896-1897-1898-1899-1900-1901-1902-1903-1904-1905-1906-1907-1908-1909-1910-1911-1912-1913-1914-1915-1916-1917-1918-1919-1920-1921-1922-1923-1924-1925-1926-1927-1928-1929-1930-1931-1932-1933-1934-1935-1936-1937-1938-1939-1940-1941-1942-1943-1944-1945-1946-1947-1948-1949-1950-1951-1952-1953-1954-1955-1956-1957-1958-1959-1960-1961-1962-1963-1964-1965-1966-1967-1968-1969-1970-1971-1972-1973-1974-1975-1976-1977-1978-1979-1980-1981-1982-1983-1984-1985-1986-1987-1988-1989-1990-1991-1992-1993-1994-1995-1996-1997-1998-1999-2000-2001-2002-2003-2004-2005-2006-2007-2008-2009-2010-2011-2012-2013-2014-2015-2016-2017-2018-2019-2020-2021-2022-2023-2024-2025-2026-2027-2028-2029-2030-2031-2032-2033-2034-2035-2036-2037-2038-2039-2040-2041-2042-2043-2044-2045-2046-2047-2048-2049-2050-2051-2052-2053-2054-2055-2056-2057-2058-2059-2060-2061-2062-2063-2064-2065-2066-2067-2068-2069-2070-2071-2072-2073-2074-2075-2076-2077-2078-2079-2080-2081-2082-2083-2084-2085-2086-2087-2088-2089-2090-2091-2092-2093-2094-2095-2096-2097-2098-2099-2100-2101-2102-2103-2104-2105-2106-2107-2108-2109-2110-2111-2112-2113-2114-2115-2116-2117-2118-2119-2120-2121-2122-2123-2124-2125-2126-2127-2128-2129-2130-2131-2132-2133-2134-2135-2136-2137-2138-2139-2140-2141-2142-2143-2144-2145-2146-2147-2148-2149-2150-2151-2152-2153-2154-2155-2156-2157-2158-2159-2160-2161-2162-2163-2164-2165-2166-2167-2168-2169-2170-2171-2172-2173-2174-2175-2176-2177-2178-2179-2180-2181-2182-2183-2184-2185-2186-2187-2188-2189-2190-2191-2192-2193-2194-2195-2196-2197-2198-2199-2200-2201-2202-2203-2204-2205-2206-2207-2208-2209-2210-2211-2212-2213-2214-2215-2216-2217-2218-2219-2220-2221-2222-2223-2224-2225-2226-2227-2228-2229-2230-2231-2232-2233-2234-2235-2236-2237-2238-2239-2240-2241-2242-2243-2244-2245-2246-2247-2248-2249-2250-2251-2252-2253-2254-2255-2256-2257-2258-2259-2260-2261-2262-2263-2264-2265-2266-2267-2268-2269-2270-2271-2272-2273-2274-2275-2276-2277-2278-2279-2280-2281-2282-2283-2284-2285-2286-2287-2288-2289-2290-2291-2292-2293-2294-2295-2296-2297-2298-2299-2300-2301-2302-2303-2304-2305-2306-2307-2308-2309-2310-2311-2312-2313-2314-2315-2316-2317-2318-2319-2320-2321-2322-2323-2324-2325-2326-2327-2328-2329-2330-2331-2332-2333-2334-2335-2336-2337-2338-2339-2340-2341-2342-2343-2344-2345-2346-2347-2348-2349-2350-2351-2352-2353-2354-2355-2356-2357-2358-2359-2360-2361-2362-2363-2364-2365-2366-2367-2368-2369-2370-2371-2372-2373-2374-2375-2376-2377-2378-2379-2380-2381-2382-2383-2384-2385-2386-2387-2388-2389-2390-2391-2392-2393-2394-2395-2396-2397-2398-2399-2400-2401-2402-2403-2404-2405-2406-2407-2408-2409-2410-2411-2412-2413-2414-2415-2416-2417-2418-2419-2420-2421-2422-2423-2424-2425-2426-2427-2428-2429-2430-2431-2432-2433-2434-2435-2436-2437-2438-2439-2440-2441-2442-2443-2444-2445-2446-2447-2448-2449-2450-2451-2452-2453-2454-2455-2456-2457-2458-2459-2460-2461-2462-2463-2464-2465-2466-2467-2468-2469-2470-2471-2472-2473-2474-2475-2476-2477-2478-2479-2480-2481-2482-2483-2484-2485-2486-2487-2488-2489-2490-2491-2492-2493-2494-2495-2496-2497-2498-2499-2500-2501-2502-2503-2504-2505-2506-2507-2508-2509-2510-2511-2512-2513-2514-2515-2516-2517-2518-2519-2520-2521-2522-2523-2524-2525-2526-2527-2528-2529-2530-2531-2532-2533-2534-2535-2536-2537-2538-2539-2540-2541-2542-2543-2544-2545-2546-2547-2548-2549-2550-2551-2	

Company Number (Belgium)	Belgium Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: Kruispuntbank voor Ondernemingen, Kruispuntbank van Ondernemingen, ondernemingsnummer, KBO-nummer (or) KBO. (All terms case insensitive.)	Built-In
Tax ID Number (Argentina)	Argentina Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: n√ Jmero de identificaci√ ≥n fiscal, n√ Jmero de identidad fiscal, c√ ≥digo de identificaci√ ≥n fiscal, archivo fiscal, n.∞ de identificaci√ ≥n fiscal, n.∞ fiscal, n√ Jmero de registro fiscal, n.∞ de ID fiscal, n√ Jmero fiscal, n√ Jmero de ID fiscal, ID del NIF, n.∞ del NIF, NIF (or) ID fiscal. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Croatia)	Croatia License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: registracijski br., br. plofçice, broj dozvole, broj registracijske plofçice, plofçica (or) registracijski broj. (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (Egypt)	Egypt Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: ÿßŸÑŸáŸäŸäÿ© ŸÑŸÑŸÿ≥ŸÅŸ± ŸßŸÑŸÿØŸäŸÑŸä, Ÿ™ŸÅŸßŸµŸäŸÑ Ÿ¨ŸäŸßŸ≤ ŸßŸÑŸÿ≥ŸÅŸ±, ŸßŸÑŸ™Ÿ£Ÿ¥ŸäŸ±Ÿ©, Ÿ©ŸΣŸßŸÇŸ© ŸßŸÑŸáŸäŸäŸ© ŸßŸÑŸäŸΣŸÜŸäŸ©, Ÿ±ŸÖŸ≤ ŸßŸÑŸ©ŸÑŸØ, Ÿ±ŸÇŸÖ Ÿ¨ŸäŸßŸ≤ ŸßŸÑŸÿ≥ŸÅŸ±, ŸäŸ¨ŸäŸÇŸ© ŸßŸÑŸÿ≥ŸÅŸ±, Ÿ≥ŸÑŸΣŸ© ŸßŸÑŸ•ŸµŸØŸßŸ±, Ÿ•Ÿ¨Ÿ©ŸßŸ™ ŸßŸÑŸáŸäŸäŸ©, ŸÖŸπŸ±ŸëŸÅŸ¨ŸäŸßŸ≤ ŸßŸÑŸÿ≥ŸÅŸ± (or) Ÿ¨ŸäŸßŸ≤ ŸßŸÑŸÿ≥ŸÅŸ±.	Built-In
Gender (Belgium)	Belgium Gender matches with the keyword: Geslacht combined with any of the following keywords within a proximity of 10 terms: M, man, mannelijk, V, vrouw, vrouwelijk, anders, X, O, non-binair, (or) onzijdig. (All terms case insensitive.)	Built-In
Eye Color (US)	US Eye Color matches with any of the following keywords Eye color, Eyecolor, Iris color (or) Eyeball color combined with any of the following keywords within a proximity of 10 terms: Brown, Blue, Green, Hazel, Amber, Grey, Heterochromia (or) other color. (All terms case insensitive.)	Built-In
Weight (Latvia)	Latvia Person,Âs weight appearing within 10 terms of the keywords Svares (or) Masa. Weight can match in Kilogrami (or) mfÅrci≈Üas, using the keywords Lb, kg, Kilogrami, mfÅrci≈Üas (or) unces, followed by space or no space. Values can be separated by space or no space. (All terms case insensitive; diacritics are optional.)	Built-In

Weight (Spain)	Spain Person,Âs weight appearing within 10 terms of the keywords peso (or) masa. Weight can match in Kilogramos (or) libras, using the keywords Lb, kg, Kilogramos, libras, stone, st (or) onzas, followed by space or no space. Values can be separated by space or no space. (All text is case-insensitive.)	Built-In
Passport Number (Indonesia)	Indonesia Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: paspor, identifikasi untuk perjalanan internasional, detail paspor, visa, kartu tanda penduduk, dokumen perjalanan, otoritas penerbit paspor, identifikasi, bukti identifikasi, idpaspor, no.paspor (or) nomor paspor. (All terms case insensitive.)	Built-In
Expiry Date (Denmark)	Denmark Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Udl√[]bsdato (or) Dato for udl√[]b. (All terms case insensitive; diacritics are optional.)	Built-In
Gender (US)	US Gender matches with any of the following keywords: Gender (or) Sex combined with any of the following keywords within a proximity of 10 terms: Male, Female, M, F, Others, Other (or) O. (All terms case insensitive.)	Built-In
License Plate Number (India)	India License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: registration. n., plate. n., license number, license plate number, registration number (or) licence plate.(All terms case insensitive.)	Built-In

Height (Italy)	Italy person,Âs height described in Imperial or metric units, appearing within 10 terms of the keywords Altezza or H. Imperial measurements may use piedi and pollici or only by pollici. Metric measurements may use metri or Centimetri. Examples: Altezza 5'9" or 174.42cm or 5ft9in. (All text is case-insensitive.)	Built-In
International Bank Account Number ,Ài IBAN (Greece)	Greece International Bank Account Number ,Ài IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: CE\$œÅCE±œÄCEµCEðCEπCE∫œåœÇ CEªCEøCE≥CE±œÅCEπCE±œÉCE°œåœÇ, IBAN, CEøCEπCE∫CEøCEΩCEøCE°CEπCE∫CE", œÄCEªCEΣœÅœâCE°CEÆ, CE¥CEπCEµCE∏CEΩCEÆ œáœÅCEÆCE°CE±œÑCE±, CE°CEµœÑCE±œÜCEøœÅCE#œÇ œáœÅCEΣCE°CE"œÑœâCEΩ (or) CE∫œâCE¥CEπCE∫œåœÇ œáœéœÅCE±œÇ. (All terms case insensitive; diacritics are optional.)	Built-In
Driver's License Number (Ecuador)	Ecuador Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: licencia de tarjeta con foto, licencia estudiante, titulares de licencia, titular de licencia, nº / mero de licencia, licencias de conducir, licencia de conducir (or) licencia del conductor.	Built-In
International Bank Account Number ,Ài IBAN (China)	China International Bank Account Number ,Ài IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: IBAN#, IBAN, ÅõΩÊôÖÈìðË°åË¥¶ÅèΣ (or) ÅõΩÊôÖÈìðË°åË¥¶ÊàΣ. (All terms case insensitive.)	Built-In

Eye Color (Slovenia)	Slovenia Eye Color matches with any of the following keywords Barva ofçi, Barvaofçi, Barva ≈°arenice (or) Barva zrkla combined with any of the following keywords within a proximity of 10 terms: Rjava, Modra, Zelena, Jantarjeva, Siva, Razlifçni barvi (or) druga barva. (All terms case insensitive; diacritics are optional.)	Built-In
Passport Number (Australia)	Australia Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: passport, passports (or) pasaporte. (All terms case insensitive.)	Built-In
Bank Account Number (Nigeria)	Nigeria Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: bank account number, bank details, bank number, account code, account id, account number (or) numbered account. (All terms case insensitive.)	Built-In
License Plate Number (Qatar)	Qatar License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: ÿ±ŸÇŸÖ ŸŸŸäŸ≠Ÿ© ŸßŸŸŸ™Ÿ±ŸÆŸäŸµ, ŸŸŸäŸ≠Ÿ© ŸßŸŸŸ™Ÿ±ŸÆŸäŸµ, Ÿ±ŸÇŸÖ ŸßŸŸŸ™Ÿ±ŸÆŸäŸµ, Ÿ±ŸÇŸÖ ŸßŸŸŸ™Ÿ±ŸÆŸäŸµ. (or) Ÿ±ŸÇŸÖ ŸßŸŸŸ™Ÿ±ŸÆŸäŸµ.	Built-In
Weight (Belgium)	Belgium Person,Âs weight appearing within 10 terms of the keywords Gewicht (or) massa. Weight can match in Kilogram, using the keywords kg, kilogram (or) kilo, followed by space or no space. Values can be separated by space or no space. (All text is case-insensitive.)	Built-In

License Plate Number (US)	US License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: registration. no., plate. no., license number, license plate number, registration number (or) license plate. (All terms case insensitive.)	Built-In
Phone Number (Croatia)	Croatia Phone number matches a Croatian phone number combined with any of the keywords within a proximity of 10 terms: telefonski broj, telefonski br., br. telefona, telefon, broj mobitela (or) broj mobilnog urefëaja. (All terms case insensitive; diacritics are optional.)	Built-In
Health Insurance Number (Bulgaria)	Bulgaria Health Insurance Number matches a valid health insurance number combined with any of the following keywords within a proximity of 10 terms: -Σ-¥-Ä-∞-≤-Ω-æ-ø-æ-f-Ä-Π-Ç-Π-μ, -Σ-¥-Ä-∞-≤-Ω-æ-æ-Å-Π-≥-É-Ä-Π-Ç-μ^a-Ω-Π -æ-±-μ-Σ-â-μ-Ç-μ-Ω-Π-è, -^a-Π-á-μ-Ω -Σ-¥-Ä-∞-≤-Ω-æ-æ-Å-Π-≥-É-Ä-Π-Ç-μ^a-μ-Ω -Ω-æ-^o-μ-Ä, -Σ-¥-Ä-∞-≤-Ω-æ-æ-Å-Π-≥-É-Ä-Π-Ç-μ^a-Ω-∞ -Ä-μ-≥-Π-Å-Ç-Ä-∞-Ü-Π-è, -Σ-¥-Ä-∞-≤-Ω-æ-æ-Å-Π-≥-É-Ä-Π-Ç-μ^a-μ-Ω -Ω-æ-^o-μ-Ä, -Σ-¥-Ä-∞-≤-Ω-æ -æ-Å-Π-≥-É-Ä-è-≤-∞-Ω-μ (or) -Σ-∞-f-æ-Ω-Σ-∞ -Σ-¥-Ä-∞-≤-Ω-∞-Ç-∞-Π-Ω-Ñ-æ-Ä-^o-∞-Ü-Π-è.	Built-In

Social Insurance Number - SIN (Poland)	Poland Social Insurance Number - SIN matches a valid social insurance number combined with any of the following keywords within a proximity of 10 terms: sin#, sin, NIR, powszechny elektroniczny system ewidencji Ludności, numer PESEL, PESEL, numer ubezpieczenia społecznego, nr ubezpieczenia społecznego, ubezpieczenie społeczne, ubez. społeczne (or) ubez. społ. (All terms case insensitive; diacritics are optional.)	Built-In
Weight (Portugal)	Portugal Person, A weight appearing within 10 terms of the keywords Peso (or) Massa. Weight can match in Quilogramas (or) libras, using the keywords Lb, kg, Quilogramas, libras, stones, st (or) onças, followed by space or no space. Values can be separated by space or no space. (All text is case-insensitive.)	Built-In
Company Number (Malaysia)	Malaysia Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: nombor pengenalan korporat, nombor pendaftaran syarikat, nombor korporat, nombor syarikat, no syarikat# (or) no syarikat. (All terms case insensitive.)	Built-In
VAT ID Number - RUC (Ecuador)	Ecuador VAT ID Number - RUC (Registro Único del Contribuyente) matches a valid RUC number combined with any of the following keywords within a proximity of 10 terms: número de IVA, número de IVA, número de impuesto sobre el valor agregado, impuesto sobre el valor agregado (or) IVA. (All terms case insensitive; diacritics are optional.)	Built-In

Driver's License Number (Latvia)	Latvia Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: CSDD, apliecĶ ba ar fotogrĶfiju, mfĶcf bu autovadf tfĶji, apliecĶ bas turftĶjs, apliecĶ bas turftĶji, apliecĶ bas numurs, braukĶanas apliecĶ bas, braukĶanas apliecĶ ba, vadf tfĶja apliecĶ ba, vadf tfĶju apliecĶ ba, autovadf tfĶja apliecĶ ba (or) autovadf tfĶju apliecĶ ba. (All terms case insensitive; diacritics are optional.)	Built-In
Eye Color (Lithuania)	Lithuania Eye Color matches with any of the following keywords AkiĶ spalva, AkiĶ atspalvis, RainelĶs spalva (or) AkiĶ obuoliĶ spalva combined with any of the following keywords within a proximity of 10 terms: Ruda, Ķydra, Ķalia, Ķviesiai ruda, Geltona, Pilka, Akys skirtingos spalvos (or) cita krĶsa. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Switzerland)	Switzerland Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: Telefonnummer, Telefonnr., Telefon-Nr., Telefon, Mobilfunknummer, Handynummer, numĶro de tĶlĶphone, nĶ de tĶlĶphone, num de tĶlĶphone, numĶro de tĶl., tĶlĶphone mobile (or) numĶro de tĶlĶphone portable. (All terms case insensitive; diacritics are optional.)	Built-In

Driver's License Number
(Turkey)

Turkey Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: fotoğraf ehliyet, sürücü belgesi, sürücü belgesi numarası, ehliyet belgesi, ehliyet numarası, sürücü belgeleri, sürücü dokümanı, sürücü belgesi, sürücü belgesi (or) sürücü ehliyeti. (All terms case insensitive; diacritics are optional.)

Built-In

Passport Number (Cyprus)	Cyprus Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: uluslararası seyahat i√Bin kimlik, pasaport detayları±, Ulusal kimlik kartı±, pasaport numarası±, seyahat belgesi, d√zenleyen yetkili makam, √Bek pasaportu, doğum tarihi, son, kimlik, kimlik kanıtı±, pasaport#, Pasaport Kimliği, pasaport numarası±, Kf±brf±s, kf±brf±s vatandaşı±, ÇπÇ≤ÇœÑÇÆÇÅÇπÇø, Ç≠Ç≥ÇœÅÇ±çÜÇø çÑÇ±çÖçÑçåÇøÇØÇΣçÉÇΣ Ç≥ÇπÇ± Ç¥ÇπÇμÇ∏ÇΩÇÆ çÑÇ±ÇæÇøÇ¥ÇπÇ±, çÉçÑÇøÇπçáÇμÇøÇ± Ç¥ÇπÇ±Ç≤Ç±çÑÇΣçÅÇøÇøçö, visa, Ç¥ÇμÇªçÑÇøÇø çÑÇ±çöçÑçåÇΣçÑÇ±çÇ, Ç±çÅÇπÇ∏Ç°çåÇ Ç¥ÇπÇ±Ç≤Ç±çÑÇΣçÅÇøÇøçö, çÑÇ±ÇæÇπÇ¥ÇπçâçÑÇπÇ∫çå Ç≠Ç≥ÇœÅÇ±çÜÇø, Ç±çÅçáÇÆ Ç≠Ç∫Ç¥ÇøçÉÇΣçÇ, Ç¥ÇπÇ±Ç≤Ç±çÑÇÆçÅÇπÇø, çÑÇ±çöçÑçåÇΣçÑÇ±, Ç≠Ç≥ÇœÅÇ±çÜÇø çÑÇ±çöçÑçåÇΣçÑÇ±çÇ, Ç¥ÇπÇ±Ç≤Ç±çÑÇÆçÅÇπÇ±	
National ID Number - UMC (Slovenia)	Slovenia National ID Number - UMC (Unique Master Citizen) matches a valid UMC number with any of the following keywords within a proximity of 10 terms: osebni ≈tevilka, osebni ne, osebni koda, identifikacijska ≈tevilka, osebna izkaznica, osebna izkaznica, nacionalna id (or) nacionalni potni list. (All terms case insensitive; diacritics are optional.)	Built-In

Expiry Date (Cyprus)	Cyprus Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: CEóCE°CEμœÅCEøCE°CEΣCEΩCEØCE±CEªCEÆCEæCEΣœÇ, CEóCE°CEμœÅCEøCE°CEΣCEΩCEØCE±CE≥CEπCE±CEªCEÆCEæCEΣ, CEóCE°CEμœÅCEøCE°CEΣCEΩCEØCE±-CEªCEÆCEæCEΣœÇ, Srok na godnost (or) Son kullanma tarihi. (All terms case insensitive; diacritics are optional.)	Built-In
Business Number (Hong Kong)	Hong Kong Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: È¶ôÊ¶ØÂïÛÊ•#ËôüÁ¢°, HKBN#, HKBN, ÂïÛÊ•#ID#, ÂïÛÊ•#ID, ÂïÛÊ•#ËôüÁ¢°# (or) ÂïÛÊ•#ËôüÁ¢°.	Built-In
Passport Number (Kuwait)	Kuwait Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: ÿBÿÑÿáÿàÿäÿ© ÿÑÿÑÿ≥ÿÄÿ± ÿBÿÑÿøÿàÿÑÿä, ÿ™ÿÄÿBÿμÿäÿÑ ÿ ÿàÿBÿ≤ ÿBÿÑÿ≥ÿÄÿ±, ÿBÿÑÿ™ÿÿ£ÿ¥ÿäÿ±ÿ©, ÿ°ÿΣÿBÿÇÿ© ÿBÿÑÿáÿàÿäÿ© ÿBÿÑÿäÿΣÿÜÿäÿ©, ÿ±ÿÇÿÖ ÿ ÿàÿBÿ≤ ÿBÿÑÿ≥ÿÄÿ±, ÿàÿ ÿäÿÇÿ© ÿBÿÑÿ≥ÿÄÿ±, ÿ≥ÿÑÿΣÿ© ÿBÿÑÿ•ÿμÿøÿBÿ±, ÿ•ÿ ÿ°ÿBÿ™ ÿBÿÑÿáÿàÿäÿ©, ÿÖÿπÿ±ÿÿeÿÄÿ ÿàÿBÿ≤ ÿBÿÑÿ≥ÿÄÿ± (or) ÿ ÿàÿBÿ≤ ÿBÿÑÿ≥ÿÄÿ±.	Built-In

[illegible]

Company Number (Morocco)	Morocco Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: $\bar{y}\pm\check{Y}\check{C}\check{Y}\ddot{O}$ $\check{y}B\check{Y}\check{N}\check{Y}\ddot{U}\check{y}\nmid\check{y}B\check{Y}\Sigma$ $\check{y}B\check{Y}\check{N}\check{Y}^{\text{TM}}\check{y}^{\text{r}}$ $\check{y}B\check{y}\pm\check{Y}\check{a}$ (or) $\check{Y}\ddot{O}\check{y}\pi\check{y}\pm\check{Y}\check{A}$ $\check{y}B\check{Y}\check{N}\check{Y}\ddot{U}\check{y}\nmid\check{y}B\check{Y}\Sigma$ $\check{y}B\check{Y}\check{N}\check{Y}^{\text{TM}}\check{y}^{\text{r}}$ $\check{y}B\check{y}\pm\check{Y}\check{a}$.	Built-In
Postcode (Brazil)	Brazil Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: CEP, C√≥digo de Endere√Bamento Postal, endere√Bo, resid√™ncia, cidade, correio real, c√≥digo aberto, distrito do c√≥digo postal, √°rea do c√≥digo postal, unidade do c√≥digo postal, setor do c√≥digo postal (or) c√≥digo postal. (All terms case insensitive; diacritics are optional.)	Built-In
Eye Color (Estonia)	Estonia Eye Color matches with any of the following keywords Silmadev√šrv, lirise v√šrv (or) silmamuna v√šrv combined with any of the following keywords within a proximity of 10 terms: Pruun, sinine, roheline, sarapuu, merevaik, hall, Eri v√šrvi iirised (or) muu v√šrv. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number - RIF (Venezuela)	Venezuela Tax ID Number - RIF (Registro de Identificaci√≥n Fiscal) matches a valid RIF number combined with any of the following keywords within a proximity of 10 terms: n√šmero de identificaci√≥n fiscal, n√šmero de identidad fiscal, c√≥digo de identificaci√≥n fiscal, archivo fiscal, n.∞ de identificaci√≥n fiscal, n√šmero de registro fiscal, registro de identificaci√≥n fiscal, RIF number, n.∞ de ID fiscal, n.∞ fiscal, n√šmero fiscal, ID fiscal, ID del NIF, n.∞ del NIF (or) NIF. (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (Spain)	Spain Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: pasaporte, identificaci√≥n para viajes internacionales, detalles del pasaporte, visa, tarjeta de identidad nacional, n√fmero de pasaporte, documento de viaje, autoridad emisora, pasaporte, identificaci√≥n, prueba de identificaci√≥n, pasaporte, id de pasaporte, n.√f de pasaporte (or) n√fmero de pasaporte. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (New Zealand)	New Zealand License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: registration. no., plate. no., license number, license plate number, licence plate (or) registration number. (All terms case insensitive.)	Built-In
Company Number - UIC (Bulgaria)	Bulgaria Company Number - UIC (Unified Identification Code) matches a valid UIC number combined with any of the following keywords within a proximity of 10 terms: —Ä-μ-≥-Π-Å-Ç-Ä-∞-Ü-Π-æ-Ω-μ-Ω-Ω-æ-°-μ-Ä -Ω-∞-f-æ-°-ø-∞-Ω-Π-è, ,Ññ-Ω-∞ -f-æ-°-ø-∞-Ω-Π-è, -Ω-æ-°-μ-Ä-Ω-∞ -f-æ-°-ø-∞-Ω-Π-è, -f-æ-Ä-ø-æ-Ä-∞-Ç-Π-≤-μ-Ω -Π-¥-μ-Ω-Ç-Π-Ñ-Π-f-∞-Ü-Π-æ-Ω-μ-Ω -Ω-æ-°-μ-Ä, -i-¥-Π-Ω-μ-Ω -Π-¥-μ-Ω-Ç-Π-Ñ-Π-f-∞-Ü-Π-æ-Ω-μ-Ω-f-æ-¥ (or) -f-æ-Ä-ø-æ-Ä-∞-Ç-Π-≤-μ-Ω-Ω-æ-°-μ-Ä.	Built-In

Race (Poland)	Poland Race matches any of the following keywords: Wyœcig combined with any of the following keywords within a proximity of 10 terms: polski, Ukraiœncy, Biaœorusini, Litwini, Prusacy, œydz, Liwowie, œlœski, niemiecki, Inni. (All terms case insensitive; diacritics are optional.)	Built-In
Driver's License Number (Bulgaria)	Bulgaria Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: -œ-ê-ø, -¥-œ-Œ-É-°-µ-Ω-Ç-Σ-∞ -ø-Ä-∞-≤-œ-É-ø-Ä-∞-≤-ª-µ-Ω-Π-µ-Å-ä-Å -Å-Ω-Π-°-Œ-∞, -œ-±-É-á-∞-≤-∞-â-Π-Å-µ -≤-œ-¥-∞-á-Π, -ø-Ä-Π-Ç-µ-ð-∞-Ç-µ-ª-Ω-∞ -Ä-∞-Σ-Ä-µ-à-Π-Ç-µ-ª-Ω-œ, -ø-Ä-Π-Ç-µ-ð-∞-Ç-µ-ª-Π-Ω-∞ -Ä-∞-Σ-Ä-µ-à-Π-Ç-µ-ª-Ω-œ, -Ω-œ-°-µ-Ä-Ω-∞ -Ä-∞-Σ-Ä-µ-à-Π-Ç-µ-ª-Ω-œ, -à-œ-Ñ-å-œ-Ä-Å-Œ-Œ-Ω-Π-ð-∞, -à-œ-Ñ-å-œ-Ä-Å-Œ-Œ-Ω-Π-ð-Œ-∞, -à-œ-Ñ-å-œ-Ä-Å-Œ-Œ-Ω-Π-ð-Œ-Π (or) -¥-œ-Œ-É-°-µ-Ω-Ç-Π-Σ-∞ -ø-Ä-∞-≤-œ-É-ø-Ä-∞-≤-ª-µ-Ω-Π-µ. (All terms case insensitive.)	Built-In
Bank Account Number (Sweden)	Sweden Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: bankkontonummer, bankuppgifter, banknummer, kontokod, konto-id, kontonummer (or) kontots nummer. (All terms case insensitive.)	Built-In

Driver's License Number (Chile)	Chile Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: licencia de tarjeta con foto, controladores principiantes, titular de licencia, titulares de licencia, número de licencia, licencias de conducir, licencia de conducir (or) licencia de conductor. (All terms case insensitive; diacritics are optional.)	Built-In
Passport Number (Philippines)	Philippines Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: identification for international travel, passport details, visa, national identity card, passport number, travel document, issuing authority, proof of identification, passportid, passportno., identification (or) passport. (All terms case insensitive.)	Built-In
Postcode (Vietnam)	Vietnam Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: fẽ· ^a ãa ch· ^a â, m√ [£] bΔ∞u ch√ [≠] nh qu· ^j ≠n, m√ [£] bΔ∞u ch√ [≠] nh khu v· ^a ±c, m√ [£] bΔ∞u ch√ [≠] nh fẽΔ°n v· ^a ã, m√ [£] bΔ∞u ch√ [≠] nh fẽ· ^a ãa h· ^j °t (or) m√ [£] bΔ∞u ch√ [≠] nh. (All terms case insensitive; diacritics are optional.)	Built-In

Health Service Number (Bulgaria)	Bulgaria Health Service Number matches a valid health service number combined with any of the following keywords within a proximity of 10 terms: -ª-Ŧ-á-µ-Ω -Σ-¥-Ä-∞-≤-µ-Ω -Ω-æ-º-µ-Ä, -Ω-æ-º-µ-Ä-Ω-∞ -Σ-¥-Ä-∞-≤-Ω-∞ -Åª-É-ð-±-∞, -Σ-¥-Ä-∞-≤-Ω-∞ -Åª-É-ð-±-∞ -±-µ-Σ, -Ŧ-Ω-Ñ-æ-Ä-º-∞-Ü-Ŧ-è -Σ-∞-ø-∞-Ü-Ŧ-µ-Ω-Ç-∞ (or) -Å-ø-µ-Ü-Ŧ-∞ª-Ω-Ŧ -É-Åª-É-≥-Ŧ.	Built-In
Company Number (Libya)	Libya Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: ÿ±ŸÇŸÖ ÿBYÑŸ¥Ÿ±ŸÉŸ©, ÿ±ŸÇŸÖ ÿBYÑŸ≥Ÿ¨ŸÑ ÿBYÑŸ™Ÿ¨ŸBY±Ÿä, ÿ±ŸÇŸÖ Ÿ™Ÿ≥Ÿ¨ŸäŸÑ ÿBYÑŸ¥Ÿ±ŸÉŸ© (or) ÿ±ŸÇŸÖ ÿBYÑŸÖŸsŸ≥Ÿ≥Ÿ©#.	Built-In
Religion (Finland)	Finland Religion matches with any of the following keywords: uskonto (or) uskonnollisuus combined with any of the following keywords within a proximity of 10 terms: kristinusko, kristitty, hindulaisuus, hindulainen, islam, muslimi, buddhalaisuus, buddhalainen, juutalainen, protestantti, katolinen, ortodoksi, muu kristitty, muu uskonto, ateisti, agnostikko (or) ei uskontoa. (All terms case insensitive.)	Built-In
Postcode (Qatar)	Qatar Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: ÿBYÑŸπŸÜŸäŸBYÜ, Ÿ±Ÿä ÿBYÑŸ±ŸÖŸ≤ ÿBYÑŸ*Ÿ±ŸäŸØŸä, ŸÖŸÜŸΣŸÇŸ© ÿBYÑŸ±ŸÖŸ≤ ÿBYÑŸ*Ÿ±ŸäŸØŸä, ŸàŸ±ŸØŸ© ÿBYÑŸ±ŸÖŸ≤ ÿBYÑŸ*Ÿ±ŸäŸØŸä, ŸÇŸΣŸBYπ ÿBYÑŸ±ŸÖŸ≤ ÿBYÑŸ*Ÿ±ŸäŸØŸä (or) ÿBYÑŸ±ŸÖŸ≤ ÿBYÑŸ*Ÿ±ŸäŸØŸä.	Built-In

Phone Number (Bahrain)	Bahrain Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: $\bar{y}\pm\bar{Y}\bar{C}\bar{Y}\bar{O}$ $\bar{y}\bar{B}\bar{Y}\bar{N}\bar{Y}\bar{a}\bar{y}\bar{B}\bar{y}\bar{Y}\bar{A}$, $\bar{y}\pm\bar{Y}\bar{C}\bar{Y}\bar{O}$ $\bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}\bar{Y}\bar{N}\bar{Y}\bar{a}\bar{Y}\bar{A}\bar{Y}\bar{a}\bar{Y}\bar{U}$, $\bar{y}\pm\bar{Y}\bar{C}\bar{Y}\bar{O}$ $\bar{y}\bar{B}\bar{Y}\bar{N}\bar{Y}\bar{a}\bar{y}\bar{B}\bar{y}\bar{Y}\bar{A}$ $\bar{y}\bar{B}\bar{Y}\bar{N}\bar{Y}\bar{O}\bar{y}\neq\bar{Y}\bar{O}\bar{Y}\bar{a}\bar{Y}\bar{N}$ (or) $\bar{y}\pm\bar{Y}\bar{C}\bar{Y}\bar{O}$ $\bar{y}\bar{B}\bar{Y}\bar{N}\bar{Y}\bar{a}\bar{y}\bar{B}\bar{y}\bar{Y}\bar{A}$ $\bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}\bar{A}\bar{E}\bar{Y}\bar{N}\bar{Y}\bar{a}\bar{Y}\bar{a}$.	Built-In
Region (Germany)	Germany Region matches with the following keyword: Region combined with any of the following keywords within a proximity of 10 terms: Das Norddeutsche Tiefland, Das Mitteldeutsche Mittelgebirge, S $\sqrt{o}$ ddeutschland (or) Das Alpenvorland und die Alpen. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number (Thailand)	Thailand National ID Number matches a valid National Identity Card number combined with any of the following keywords within a proximity of 10 terms: $\dagger\dagger\ddot{o}\dagger\dagger\pm\dagger\dagger\ddot{i}\dagger\dagger\dagger\dagger\ddot{o}\dagger\dagger\dagger\infty\dagger\dagger\ddot{a}\dagger\dagger\leq\dagger\dagger\ddot{a}\dagger\dagger\ddot{o}$, $\dagger\dagger\prime\dagger\dagger^\circ\dagger\dagger\leq\dagger\dagger\pounds\dagger\pi\ddot{A}\dagger\dagger\bullet\dagger\dagger\zeta\dagger\dagger\ddot{o}\dagger\dagger\pm\dagger\dagger\ddot{i}\dagger\dagger\dagger\infty\dagger\dagger\ddot{a}\dagger\dagger\leq\dagger\dagger\ddot{a}\dagger\dagger\ddot{o}$, $\dagger\pi\ddot{A}\dagger\dagger\bullet\dagger\dagger\zeta\dagger\dagger\ddot{o}\dagger\dagger\pm\dagger\dagger\ddot{i}\dagger\dagger\dagger\infty\dagger\dagger\ddot{a}\dagger\dagger\leq\dagger\dagger\ddot{a}\dagger\dagger\ddot{o}$, $\dagger\dagger\prime\dagger\dagger^\circ\dagger\dagger\leq\dagger\dagger\pounds\dagger\pi\ddot{A}\dagger\dagger\bullet\dagger\dagger\zeta\dagger\dagger\ddot{o}\dagger\dagger\dagger\infty\dagger\dagger\ddot{a}\dagger\dagger\geq\dagger\dagger\ddot{i}\dagger\dagger\pm\dagger\dagger\beta\dagger\dagger\ddot{o}\dagger\dagger\dagger\infty\dagger\dagger\ddot{a}\dagger\dagger\leq\dagger\dagger\ddot{a}\dagger\dagger\ddot{o}$, $\dagger\dagger\prime\dagger\dagger^\circ\dagger\dagger\leq\dagger\dagger\pounds\dagger\pi\ddot{A}\dagger\dagger\bullet\dagger\dagger\zeta\dagger\dagger\ddot{o}\dagger\dagger\pm\dagger\dagger\ddot{i}\dagger\dagger\dagger\infty\dagger\dagger\ddot{a}\dagger\dagger\geq\dagger\dagger\ddot{i}\dagger\dagger\pm\dagger\dagger\beta\dagger\dagger\ddot{o}\dagger\dagger\dagger\infty\dagger\dagger\ddot{a}\dagger\dagger\leq\dagger\dagger\ddot{a}\dagger\dagger\ddot{o}$ (or) $\dagger\dagger\pounds\dagger\dagger\prime\dagger\dagger\pm\dagger\dagger\pi\ddot{A}\dagger\dagger\ddot{o}\dagger\dagger\dagger\infty\dagger\dagger\ddot{a}\dagger\dagger\geq\dagger\dagger\ddot{i}\dagger\dagger\pm\dagger\dagger\beta\dagger\dagger\ddot{o}\dagger\dagger\dagger\infty\dagger\dagger\ddot{a}\dagger\dagger\leq\dagger\dagger\ddot{a}\dagger\dagger\ddot{o}$.	Built-In
US Social Security Number and Drug Name (Lenient)	Identifies assets that contain both US social security numbers and common drug names.	Built-In

National ID Number - PCN (Latvia)	Latvia National ID Number - PCN (Personal Code Number) matches a valid PCN with any of the following keywords within a proximity of 10 terms: latvija, Personas kods, Valsts identifikācijas numurs (or) nodokļu identifikācijas numurs. (All terms case insensitive; diacritics are optional.)	Built-In
Weight (Italy)	Italy Person, weight appearing within 10 terms of the keywords Peso (or) massa. Weight can match in chilogrammi (or) libbre, using the keywords Lb, kg, chilogrammi, libbre (or) once, followed by space or no space. Values can be separated by space or no space. (All text is case-insensitive.)	Built-In
Hair Color (Italy)	Italy Hair color matches with any of the following keywords Colore dei capelli (or) Capelli combined with any of the following keywords within a proximity of 10 terms: Rossi, Grigi, Castani, Neri, Biondi (or) altro colore. (All terms case insensitive.)	Built-In
Bank Account Number (Jordan)	Jordan Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: $\tilde{y} \pm \tilde{Y} \tilde{C} \tilde{Y} \tilde{O}$ $\tilde{y} \tilde{B} \tilde{Y} \tilde{N} \tilde{y} \neq \tilde{y} \geq \tilde{y} \tilde{B} \tilde{y}^{\circ}$ $\tilde{y} \tilde{B} \tilde{Y} \tilde{N} \tilde{y}^{\circ} \tilde{Y} \tilde{U} \tilde{Y} \tilde{E} \tilde{Y} \tilde{a}$, $\tilde{y}^{\text{™}} \tilde{Y} \tilde{A} \tilde{y} \tilde{B} \tilde{y} \mu \tilde{Y} \tilde{a} \tilde{Y} \tilde{N}$ $\tilde{y} \tilde{B} \tilde{Y} \tilde{N} \tilde{y}^{\circ} \tilde{Y} \tilde{U} \tilde{Y} \tilde{E}$, $\tilde{y} \pm \tilde{Y} \tilde{C} \tilde{Y} \tilde{O}$ $\tilde{y} \tilde{B} \tilde{Y} \tilde{N} \tilde{y}^{\circ} \tilde{Y} \tilde{U} \tilde{Y} \tilde{E}$, $\tilde{Y} \tilde{E} \tilde{Y} \tilde{a} \tilde{y} \tilde{\emptyset}$ $\tilde{y} \tilde{B} \tilde{Y} \tilde{N} \tilde{y} \neq \tilde{y} \geq \tilde{y} \tilde{B} \tilde{y}^{\circ}$, $\tilde{Y} \tilde{O} \tilde{y} \pi \tilde{y} \pm \tilde{Y} \tilde{e} \tilde{Y} \tilde{A}$ $\tilde{y} \tilde{B} \tilde{Y} \tilde{N} \tilde{y} \neq \tilde{y} \geq \tilde{y} \tilde{B} \tilde{y}^{\circ}$, $\tilde{y} \pm \tilde{Y} \tilde{C} \tilde{Y} \tilde{O}$ $\tilde{y} \tilde{B} \tilde{Y} \tilde{N} \tilde{y} \neq \tilde{y} \geq \tilde{y} \tilde{B} \tilde{y}^{\circ}$ (or) $\tilde{y} \tilde{B} \tilde{Y} \tilde{N} \tilde{y} \neq \tilde{y} \geq \tilde{y} \tilde{B} \tilde{y}^{\circ}$ $\tilde{y} \tilde{B} \tilde{Y} \tilde{N} \tilde{Y} \tilde{O} \tilde{Y} \tilde{e} \tilde{y} \pm \tilde{Y} \tilde{C} \tilde{Y} \tilde{e} \tilde{Y} \tilde{e} \tilde{Y} \tilde{O}$.	Built-In

Identity Card Number (Germany)	Germany Identity Card Number Number matches a valid Identity Card Number combined with any of the following keywords within a proximity of 10 terms: Identity Card, Identification, ID number, personal ID, GPID, insurance number, identity number, Personalausweis, Identifizierungsnummer, Ausweis, Identifikation, persönliche identifikationsnummer, ID-Nummer, persönliche-ID-Nummer, persönliche ID Nummer, eindeutige ID-Nummer, persönliche Numme, identitätsnummer (or) Versicherungsnummer. (All terms case insensitive.)	Built-In
Tax ID Number (Philippines)	Philippines Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: tax identification number, tax identity number, tax number, tax identification code, tax file, tax identification no, tax no#, tax no, tax registration number, tax id number, taxidnumber#, taxidnumber, taxidno#, taxidno, taxid#, taxid, taxno#, taxno, taxnumber#, taxnumber, tax id, tin id, tin no, tin# (or) TIN. (All terms case insensitive.)	Built-In
Zip Code (California)	California Zip code matches a valid California zip code combined with any of the following keywords within a proximity of 10 terms: address, place of residence, postcode district, postcode area, postcode unit, postcode sector, postcode, Zip code, Zip (or) Postal code. (All terms case insensitive.)	Built-In

Bank Account Number (Hong Kong)	Hong Kong Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: ÈäÄË°åÊàðÂè£ËöüÁ¢°, ÈäÄË°åÊàðÂè£, ÈäÄË°åÊ≥áÊñô, ÈäÄË°åÊöüÁ¢°, Â∏≥Êàð%°°£Á¢°, Â∏≥Êàð ID, Â∏≥ÊàðËöüÁ¢° (or) ÂΣ°ËöüÂ∏≥Êàð.	Built-In
Phone Number (Bolivia)	Bolivia Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: n√ ∫mero de tel√ ©fono m√ ≥vil, n√ ∫mero de tel√ ©fono (or) n√ ∫mero de m√ ≥vil. (All terms case insensitive; diacritics are optional.)	Built-In
Passport Number (Switzerland)	Switzerland Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: Reisepass, Ausweis f√ or internationale Reisen, Passdetails, Visum, Nationaler Personalausweis, Reisedokument, Ausstellungsbeh√ ðrde, Identifizierung, Identit√ ßtsnachweis, Pass-Nr., Passnr., Reisepassnr., Reisepass-Nr., Reisepassnummer, Passnummer, Pass, pi√ °ce d'identit√ © pour les d√ ©placements internationaux, informations relatives au passeport, visa, carte nationale d'identit√ ©, titre de voyage, autorit√ © de d√ ©livrance, identification, preuve d'identit√ ©, id de passeport, n√ ∫ de passeport, num√ ©ro de passeport (or) passeport. (All terms case insensitive; diacritics are optional.)	Built-In

Driver's License Number (Thailand)	Thailand Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: $\pi\acute{e}\pi\ddot{o}\pi\zeta\pi\pm\pi\ddot{o}\pi\zeta\pi\mu\pi\grave{a}$, $\pi\pi^{\circ}\pi\leq\pi\phi\pi\grave{A}\pi\bullet\pi\zeta\pi\pi\acute{e}\pi\ddot{o}\pi\neq\pi\hat{o}\pi\pi\pi\pi\zeta\pi\leq\pi\ddot{i}$, $\pi\pi\acute{e}\pi\ddot{o}\pi\neq\pi\hat{o}\pi\pi\pi\pi\zeta\pi\leq\pi\ddot{i}\pi\pi\zeta\pi\pm\pi\ddot{o}\pi\zeta\pi\mu\pi\grave{a}$, $\pi\pi\acute{e}\pi\ddot{o}\pi\zeta\pi\pi\pm\pi\ddot{o}\pi\zeta\pi\mu\pi\grave{a}$, $\pi\pi\acute{e}\pi\ddot{o}\pi\neq\pi\hat{o}\pi\pi\pi\pi\zeta\pi\leq\pi\ddot{i}\pi\pi\zeta\pi\neq\pi\acute{a}\pi\acute{u}\pi\pi\pi\hat{a}\pi\pi\zeta\pi\pm\pi\ddot{o}\pi\zeta\pi\mu\pi\grave{a}$ (or) $\pi\pi\acute{e}\pi\ddot{o}\pi\neq\pi\hat{o}\pi\pi\pi\pi\zeta\pi\leq\pi\ddot{i}\pi\pi\acute{u}\pi\pi\pi\hat{a}\pi\pi\zeta\pi\pm\pi\ddot{o}\pi\zeta\pi\mu\pi\grave{a}$.	Built-In
Company Number (Czech)	Czech Republic Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: $\text{Identifikace}\sqrt{\neq}\sqrt{\neq}\text{slo}\sqrt{\neq}\text{spolecnosti}$, $\text{registra}\sqrt{\neq}\sqrt{\neq}\text{slo}\sqrt{\neq}\text{spolecnosti}$ (or) $\text{f}\sqrt{\neq}\sqrt{\neq}\text{slo}\sqrt{\neq}\text{spolecnosti}$. (All terms case insensitive; diacritics are optional.)	Built-In
Passport Number (South Africa)	South Africa Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: identification for international travel, passport details, visa, national identity card, passport number, travel document, issuing authority, proof of identification, passportid, passportno., identification (or) passport. (All terms case insensitive.)	Built-In

Phone Number (Colombia)	Colombia Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: número de teléfono móvil, número de celular, teléfono fijo, número de teléfono (or) número de móvil. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Poland)	Poland Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: numer rachunku bankowego, dane bankowe, identyfikator konta, numer konta (or) numer rachunku.	Built-In
Eye Color (Spain)	Spain Eye Color matches with any of the following keywords Color de ojos, Color de ojos, Color del iris (or) Color del globo ocular combined with any of the following keywords within a proximity of 10 terms: Marrón, Azul, Verde, Avellana, Ámbar, Gris, Heterocromía (or) otro color. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Canada)	Canada Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: canada savings bonds, canada revenue agency, canadian financial institution, direct deposit form, canadian citizen, legal representative, notary public, commissioner for oaths, child care benefit, universal child care, canada child tax benefit, income tax benefit, harmonized sales tax, social insurance number, income tax refund, child tax benefit, territorial payments, institution number, deposit request, banking information (or) direct deposit. (All terms case insensitive.)	Built-In

Bank Account Number (Indonesia)	Indonesia Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: nomor rekening bank, detail bank, nomor bank, kode rekening, id rekening, nomor rekening, Nomor akun bank (or) rekening bernomor. (All terms case insensitive.)	Built-In
Region (Czech)	Czech Region matches with the following keyword: Kraj combined with any of the following keywords within a proximity of 10 terms: Praha, Plzeň, Karlovy Vary, Liberec, Moravskoslezsko, Pardubice, Vysočina, Zlín, Jihočesk, Hradec Králov, Olomouc, Středočeský územní úřad (or) Jižní Morava. (All terms case insensitive; diacritics are optional.)	Built-In
Social Security Number (Switzerland)	Switzerland Social Security Number matches a valid SSN combined with any of the following keywords within a proximity of 10 terms: Sozialversicherungs-Nr., Sozialversicherung, SV-Nr., SV-Nummer, Sozialversicherungsnummer, n° de sécurité sociale, # de sécurité sociale, SSN#, SSID (or) num. de sécurité sociale. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Kenya)	Kenya License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: registration. no., plate. no., license plate number, license number, licence plate (or) registration number. (All terms case insensitive.)	Built-In

Bank Account Number (Malta)	Malta Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: numru tal-kont bankarju, dettalji tal-bank, numru tal-bank, kodifāi tal-kont, id tal-kont, numru tal-kont (or) kont numerat. (All terms case insensitive; diacritics are optional.)	Built-In
Expiry Date (Bulgaria)	Bulgaria Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: -°—Ä-æ-f -Ω-∞ -Π-Σ-Ç-Π-á-∞-Ω-μ-Ω-∞-≤-∞-ª-Π-¥-Ω-æ-Å-Ç, -î-∞-Ç-∞-Ω-∞-≤-∞-ª-Π-¥-Ω-æ-Å-Ç (or) -í-∞-ª-Π-¥-Ω-æ-Å-Ç - -¥-∞-Ç-∞. (All terms case insensitive.)	Built-In
Bank Account Number (Costa Rica)	Costa Rica Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: n√fmero de cuenta bancaria, detalles bancarios, n√fmero de banco, c√≥digo de cuenta, ID de cuenta, n√fmero de cuenta (or) cuenta numerada. (All terms case insensitive; diacritics are optional.)	Built-In
Height (Hungary)	Hungary person,Âôs height described in Imperial or metric units, appearing within 10 terms of the keywords mag. Or Magass√°g. Imperial measurements may use l√°b and h√°velyk or only by h√°velyk. Metric measurements may use m√°ter or centim√°ter. Examples: Magass√°g 5'10" or 176.59cm or 5ft10in. (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (Korea)	Korea Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: $\text{Í}\mu\neq\text{Í}\text{†}\text{ú}\text{í}\text{ó}\text{¨}\text{ì}\text{ñ}\hat{\text{a}}\text{ĩ}\hat{\text{a}}\text{ù}\text{ĩ}\geq\tilde{\text{N}}\text{ĩ}\leq\grave{\text{a}}\grave{\text{ò}}\sqcap,\text{í}\text{ó}\text{¨}\text{í}\grave{\text{a}}\grave{\text{a}}\text{ĩ}\tilde{\text{N}}\sqcap\text{í}\grave{\text{a}}\tilde{\text{A}}\text{ĩ}\text{†}\text{ĩ}\geq\pounds,\text{î}\pi\tilde{\text{N}}\text{ĩ}\hat{\text{u}}\hat{\text{e}},\text{í}\mu\neq\text{Í}\emptyset^{\circ}\text{ID}\text{ĩ}\pi\pounds\text{ì}\text{ú},\text{í}\text{ó}\text{¨}\text{í}\grave{\text{a}}\grave{\text{a}}\text{ĩ}\leq\grave{\text{a}}\grave{\text{ò}}\sqcap,\text{í}\text{ó}\text{¨}\text{ì}\text{ñ}\hat{\text{a}}\text{ĩ}\text{¨}\sqcap\text{ĩ}\tilde{\text{N}}\text{ú},\text{í}\infty\text{ú}\text{í}\sqcap\hat{\text{a}}\text{í}\sqcap\infty\text{í}\pounds\tilde{\text{A}},\text{ĩ}\tilde{\text{a}}\text{†}\text{í}\grave{\text{a}}\tilde{\text{N}}\text{ĩ}\pounds\text{ù},\text{í}\text{ó}\text{¨}\text{í}\grave{\text{a}}\grave{\text{a}}\text{ID},\text{í}\text{ó}\text{¨}\text{í}\grave{\text{a}}\grave{\text{a}}\text{ĩ}\leq\grave{\text{a}}\grave{\text{ò}}\sqcap\text{ (or) }\text{í}\text{ó}\text{¨}\text{í}\grave{\text{a}}\grave{\text{a}}.$	Built-In
Routing Number (Thailand)	Thailand Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: $\text{†}\sqcap\text{´}\text{†}\sqcap^{\circ}\text{†}\sqcap\leq\text{†}\sqcap\pounds\text{†}\pi\tilde{\text{A}}\text{†}\sqcap\bullet\text{†}\sqcap\zeta\text{†}\sqcap\text{Å}\text{†}\sqcap\leq\text{†}\sqcap\pounds\text{†}\pi\zeta\text{†}\sqcap\neq\text{†}\sqcap\hat{\text{o}},\text{†}\sqcap\text{Å}\text{†}\sqcap\leq\text{†}\sqcap\pounds\text{†}\pi\zeta\text{†}\sqcap\neq\text{†}\sqcap\hat{\text{o}}\text{†}\sqcap\acute{\text{u}}\text{†}\pi\grave{\text{a}}\text{†}\sqcap\leq\text{†}\sqcap\hat{\text{o}}\text{†}\sqcap\grave{\text{o}}\text{†}\sqcap\hat{\text{o}}\text{†}\sqcap\leq\text{†}\sqcap\tilde{\text{N}}\text{†}\sqcap\leq\text{†}\sqcap\pounds,\text{†}\sqcap\text{Å}\text{†}\sqcap\leq\text{†}\sqcap\pounds\text{†}\pi\zeta\text{†}\sqcap\neq\text{†}\sqcap\hat{\text{o}}\text{†}\sqcap\acute{\text{u}}\text{†}\pi\grave{\text{a}}\text{†}\sqcap\leq\text{†}\sqcap\hat{\text{o}}\text{†}\sqcap\grave{\text{o}}\text{†}\sqcap\hat{\text{o}}\text{†}\sqcap\leq\text{†}\sqcap\tilde{\text{N}}\text{†}\sqcap\leq\text{†}\sqcap\pounds,\text{†}\sqcap\text{Å}\text{†}\sqcap\leq\text{†}\sqcap\pounds\text{†}\pi\zeta\text{†}\sqcap\neq\text{†}\sqcap\hat{\text{o}},\text{†}\sqcap\text{Å}\text{†}\sqcap\leq\text{†}\sqcap\pounds\text{†}\pi\zeta\text{†}\sqcap\neq\text{†}\sqcap\hat{\text{o}},\text{†}\pi\tilde{\text{A}}\text{†}\sqcap\bullet\text{†}\sqcap\zeta\text{†}\sqcap\text{Å}\text{†}\sqcap\leq\text{†}\sqcap\pounds\text{†}\pi\zeta\text{†}\sqcap\neq\text{†}\sqcap\hat{\text{o}}\text{ (or) RTN. (All terms case insensitive.)}$	Built-In
Hair Color (Netherlands)	Netherlands Hair color matches with any of the following keywords haarkleur (or) kleur haar combined with any of the following keywords within a proximity of 10 terms: rood, grijs, wit, bruin, zwart, blond, anders (or) andere kleur. (All terms case insensitive.)	Built-In
Region (Austria)	Austria Region matches with the following keyword: Region combined with any of the following keywords within a proximity of 10 terms: Vorarlberg, Tirol, Salzburg, Ober√{a}sterreich, Nieder√{a}sterreich, Wien, Steiermark, K√{s}rnten (or) Burgenland. (All terms case insensitive; diacritics are optional.)	Built-In

License Plate Number (Switzerland)	Switzerland License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: Registrierungsnummer, Kennzeichen-Nr., Kennzeichennummer, Kennzeichen, Registrierungsnummer, plaque d'immatriculation, n-f immatriculation, n-f plaque, num-f@ro de plaque d'immatriculation (or) num-f@ro d'immatriculation. (All terms case insensitive; diacritics are optional.)	Built-In
Region (Finland)	Finland Region matches with the following keyword: Alue combined with any of the following keywords within a proximity of 10 terms: Lapland, North Ostrobothnia, Kainuu, North Karelia, North Savo, South Savo, South Karelia, Central Finland, South Ostrobothnia, Ostrobothnia, Central Ostrobothnia, Pirkanmaa, Satakunta, P-fsij-fst-H-fsme, Kanta-H-fsme, Kymenlaakso, Uusimaa, Southwest Finland (or) f-Öland. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Canada)	Canada VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: taxe sur la valeur ajout-f@e, num-f@ro de taxe sur la valeur ajout-f@e, num-f@ro TVA, no TVA, vat no., vat number, vat#, value added tax, value added tax number, vat no, GST, TVQ, taxe de vente du Qu-f@bec, taxe de vente harmonis-f@e, TVH, VAT (or) TVA. (All terms case insensitive; diacritics are optional.)	Built-In

Expiry Date (Malta)	Malta Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Data ta 'skadenza. (All terms case insensitive; diacritics are optional.)	Built-In
Criminal Record (UK/US)	UK/US Criminal records matches with any of the following keywords criminal record, crime record (or) police record combined with any of the following crime keywords within a proximity of 10 terms: murder, theft, corruption, fraud, terrorism, drug, burglary, rape, robbery, auto theft, suicide, kidnapping, human trafficking, human smuggling (or) arms trafficking. (All terms case insensitive.)	Built-In
Routing Number (Bolivia)	Bolivia Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: n.º de routing bancario, n.º de routing, routing bancario, n.º de routing (or) RTN. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (South Africa)	South Africa Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: address, postcode district, postcode area, postcode unit, postcode sector (or) postcode. (All terms case insensitive.)	Built-In
VAT ID Number (Slovenia)	Slovenia VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: št. za DDV, številka za DDV, DDV-št., za davek na dodano vrednost, številka za davek na dodano vrednost (or) DDV. (All terms case insensitive; diacritics are optional.)	Built-In

UK/US/EU Security code	UK/US/EU Security code matches the 3 or 4 digit numbers combined with any of the following keywords within a proximity of 1 term: cvv, csc, cvc, cav, cid, cvd, cve, cvn, spc, Security code, -j-æ-¥-Σ-∞ -Å-Π-≥-É-Ä-Ω-æ-Å-Ç, Sicherheitscode, Beveiligingscode, sigurnosni kod, g√°venlik Kodu, CE JœâCE¥CEπCE JœåœÇ CE±œÉœÜCE±œªCEµCEØCE±œÇ, bezpeřnostn√# k√≥d, sikkerhedskode, turvakood, turvakoodi, code de s√©curit√©, biztons√°gi k√≥d, C√≥d sl√°nd√°la, codice di sicurezza, dro≈f´ bas kods, apsaugos kodas, s√©cherheets Code, kodifāi tas-Sigurt√†, kod bezpiecēstwa, C√≥digo de seguran√Ba, cod de securitate, bezpeřnostn√Ω k√≥d, varnostna koda, c√≥digo de seguridad , ♂♂♂♂ ♂♂♂♂♂♂♂♂♂♂, Kode keamanan, Kod keselamatan, C√≥digo de seguridad, sikkerhetskod (or) s√§kerhetskod. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (UK)	UK Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: tax identification number, tax id number, tax identity number, tax number, Tax Identification Code, tax file, tax identification no, tax no#, tax no, tax registration number, taxid#, taxidno#, taxidnumber#, taxno#, taxnumber#, taxnumber, tin id, tin no, tin#, TIN (or) tax id. (All terms case insensitive.)	Built-In

National ID Number (Morocco)	Morocco National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, ÿ±ŸÇŸÖ Ÿ*ŸΣŸBŸÇŸ© ŸBŸÑŸÁŸÀŸäŸ© ŸBŸÑŸäŸΣŸÜŸäŸ©, ÿ±ŸÇŸÖ ŸBŸÑŸ*ŸΣŸBŸÇŸ© ŸBŸÑŸäŸΣŸÜŸäŸ©, ÿ±ŸÇŸÖ ŸBŸÑŸÁŸÀŸäŸ© ŸBŸÑŸäŸΣŸÜŸäŸ© (or) ŸBŸÑŸÁŸÀŸäŸ© ŸBŸÑŸäŸΣŸÜŸäŸ©. (All terms case insensitive.)	Built-In
Health Insurance Number (Turkey)	Turkey Health Insurance Number matches a valid health insurance number combined with any of the following keywords within a proximity of 10 terms: saf÷lf±k sigortasf± numarasf±, saf÷lf±k sigorta kapsamf±, ki÷üisel saf÷lf±k numarasf±, saf÷lf±k kapsamf±, saf÷lf±k yardf±mlarf±, saf÷lf±k kaydf± (or) saf÷lf±k bilgileri yasasf±. (All terms case insensitive; diacritics are optional.)	Built-In
Central Provident Fund Number - CPF (Switzerland)	Switzerland Central Provident Fund Number - CPF matches a valid CPF number combined with any of the following keywords within a proximity of 10 terms: Vorsorgenummer, Vorsorge-Nummer, Zentrale Vorsorgekassennummer, Berufliche Vorsorgenummer, Berufliche Vorsogenr., Ident.-Nr., BV, ALV, KV, MUV#, code CPF, num÷©ro CPF, num÷©ro de caisse de pr÷voyance, num÷©ro d'identification CPF, n÷f d'identification CPF (or) ID CPF#. (All terms case insensitive; diacritics are optional.)	Built-In

Driver's License Number (Serbia)	Serbia Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: Agencija za izdavanje vozačkih dozvola, polaznici koji uče vožnju, vlasnici dozvole, vlasnik dozvole, broj dozvole, vozačke dozvole (or) vozačka dozvola. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number - NRN (Belgium)	Belgium National ID Number - NRN (National Registry Number) matches a valid NRN with any of the following keywords within a proximity of 10 terms: numéro d'identification du registre national, Numéro de registre national, numéro national, Belgique, carte d'identité électronique, Rijksregisternummer, België, identificatienummer, identiteitsdocument, Belgian national number, Numéro national, numéro de sécurité, identifiant national, identifiant national (or) Numéronational. (All terms case insensitive; diacritics are optional.)	Built-In
International Bank Account Number ,Åi IBAN (Lithuania)	Lithuania International Bank Account Number ,Åi IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: Banko sąskaita, IBAN, finansinis, mokėjimas, tarptautiniai pinigai, pinigai pervadimai (or) šalies kodas. (All terms case insensitive; diacritics are optional.)	Built-In
Company Number (Hungary)	Hungary Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: vállalat azonosítószám, cégjegyzékszám, cégész., vállalat szám, cég (or) cégészám. (All terms case insensitive; diacritics are optional.)	Built-In

[illegible]

Ethnicity (Sweden)	Sweden Ethnicity matches with any of the keywords: Etnicitet, Etnisk (or) Etnisk Grupp combined with any of the following keywords within a proximity of 10 terms: Svenskar, Skandinaver, Finnar, Samer, Sverigefinnar, Svensktalande befolkning i Finland, Tornedalingar, Asiatiska invandrare till Sverige, Araber i Sverige, Amerikaner i Sverige, Etiopier i Sverige, Portugiser i Sverige, Norska och Svenska resen√srer, Turkar i Sverige, Kurder i Sverige, Chilenska svenskar, Svenska greker (or) Polacker i Sverige. (All terms case insensitive; diacritics are optional.)	Built-In
Business Number (Brazil)	Brazil Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: n√fmero de registro comercial, n√fmero comercial, ID comercial (or) c√≥digo comercial. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Italy)	Italy License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: Targa d'immatricolazione per veicoli a motore e rimorchi, Targa d'immatricolazione, numero di targa, n. di targa (or) targa automobilistica. (All terms case insensitive.)	Built-In
VAT ID Number (India)	India VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: vat no., vat number, vat#, value added tax, value added tax number, vat no (or) VAT. (All terms case insensitive.)	Built-In

VAT ID Number (Ireland)	Ireland VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: c√°in bhreisluacha. (All terms case insensitive; diacritics are optional.)	Built-In
Business Number (Austria)	Austria Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: Gesch√ßtsnummer, Gesch√ßtsnr., Unternehmensnr., Gesch√ßts-Nr. (or) Gesch√ßtskennzeichen. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Hungary)	Hungary Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: banksz√°mlasz√°m, banki adatok, banksz√°m, sz√°mlak√°d, sz√°mlaazonos√°t√°z, bsz (or) sz√°mlasz√°m, sz√°mozott sz√°mla. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Peru)	Peru License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: n.√° de registro, n.√° de matr√°cula, n√°mero de licencia, n√°mero de matr√°cula, matr√°cula (or) n√°mero de registro. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Taiwan)	Taiwan License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: ĖāĀĀĀĖōüĀ°, ĖāĀĀĀ (or) ĖāĖōōĀōāĖōĖōüĀ°.	Built-In

Region (Hungary)	Hungary Region matches with the following keyword: Vidék combined with any of the following keywords within a proximity of 10 terms: észak-Magyarország, észak-Alföld, Dél-Alföld, Közép-Magyarország, Közép-Dunántúl, Nyugat-Dunántúl (or) Dél-Dunántúl. (All terms case insensitive; diacritics are optional.)	Built-In
Race (Italy)	Italy Race matches any of the following keywords: Corsa combined with any of the following keywords within a proximity of 10 terms: Italiano, tedesco, francese, Sloveno-Italiano, Albanesi-Italiani, greco-italiani, Altri. (All terms case insensitive.)	Built-In
Phone Number (Finland)	Finland Phone number matches a Finnish phone number combined with any of the following keywords within a proximity of 10 terms: puhelinnumero, puhelinro, puhelinno, puhelin, matkapuhelinnumero, matkapuhelinro (or) matkapuhelin. (All terms case insensitive.)	Built-In
Weight (Netherlands)	Netherlands Person's weight appearing within 10 terms of the keywords Gewicht (or) massa. Weight can match in kilogram, using the keywords kg, kilogram (or) kilo, followed by space or no space. Values can be separated by space or no space. (All text is case-insensitive.)	Built-In
Postcode (Malaysia)	Malaysia Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: alamat, daerah poskod, kawasan poskod, unit poskod, sektor poskod, Post code (or) poskod. (All terms case insensitive.)	Built-In

Race (Denmark)	Denmark Race matches any of the following keywords: Race combined with any of the following keywords within a proximity of 10 terms: dansk, danskere, tyrkisk, polsk, syrisk, tysk, irakisk, rum√¶nsk, Andre. (All terms case insensitive.)	Built-In
Company Number (Canada)	Canada Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: no de compagnie canadienne, num√¶ro de compagnie canadienne, num√¶ro d'identification de l'entreprise, company no#, company number, corporate identification number, company registration number, corporate number, num√¶ro d'enregistrement de la soci√¶t√¶ (or) num√¶ro de la soci√¶t√¶. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (Poland)	Poland Postcode matches with Polish postcode combined with any of the following keywords within a proximity of 10 terms: adres, miejsce zamieszkania, miasto, kod pocztowy, otwarty kod, okrfôg pocztowy, obszar pocztowy, jednostka pocztowa, sektor pocztowy (or) kod pocztowy. (All terms case insensitive; diacritics are optional.)	Built-In

Company Number (Switzerland)	Switzerland Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: Gewerbenr., Gewerbenummer, Firmennummer, Nummer des eingetragenen Unternehmens, Unternehmensnummer, Unternehmens-Identifikationsnummer, UID, n° d'entreprise#, num√©ro d'entreprise, num√©ro d'identification d'entreprise, num√©ro d'enregistrement de l'entreprise (or) num√©ro d'entreprise. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number - DNI (Argentina)	Argentina National ID Number - DNI (Documento Nacional de Identidad) matches a valid DNI number combined with any of the following keywords within a proximity of 10 terms: Argentina National Identity number, Identity, Identification National Identity Card, DNI, NIC National Registry of Persons, Documento Nacional de Identidad, Registro Nacional de las Personas, Identidad (or) Identificaci√©n. (All terms case insensitive.)	Built-In
Company Number (Latvia)	Latvia Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: uz√©fimuma identifikācijas numurs, uz√©fimuma reģistrācijas numurs, uz√©fimuma nr#, uz√©fimuma nr (or) uz√©fimuma numurs. (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (Lithuania)	Lithuania Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: pasas, asmens dokumentas tarptautinei kelionei, paso informacija, viza, nacionalinfó tapatybfós kortelfó, paso numeris, kelionfós dokumentas, i≈°davusi institucija, pasas, tapatybfó, tapatybfós nustatymas, pasas, paso Nr., paso nr. (or) paso numeris. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Latvia)	Latvia VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: pvn nr., pvn numurs, pnv#, pievienotfĀs vfirtf´bas nodokļa numurs, pvn nr (or) PVN. (All terms case insensitive; diacritics are optional.)	Built-In
Routing Number (Chile)	Chile Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: n.∞ de ruta de, n√fmero de ruta de, n√fmero de ruta, n.∞ de ruta bancario, n.∞ de ruta, n. ∞ de (or) RTN. (All terms case insensitive; diacritics are optional.)	Built-In
Race (Spain)	Spain Race matches any of the following keywords: La raza combined with any of the following keywords within a proximity of 10 terms: espa√±ol, marroqu√≠, rumano, Otros. (All terms case insensitive; diacritics are optional.)	Built-In

Tax ID Number (Bolivia)	Bolivia Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: número de identificación fiscal, número de identidad fiscal, código de identificación fiscal, archivo fiscal, número de identificación fiscal, número de registro fiscal, número de ID fiscal, número fiscal, número fiscal, ID fiscal, ID del NIF, número del NIF (or) NIF. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Nigeria)	Nigeria Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: mobile phone number, mobilephone number, mobile phone no., mobilephone no., mobile number, mobilenumber, mobile no., mobileno., mobile, contact number, contact no., contact, fax number, fax no., cell phone number, cellphone number, cell phone no., cellphone no., cell phone, cellphone, cell number, cellnumber, cell no., cellno., whatsapp number, whatsapp no., whatsapp, phone number, phone no., phone num, telephonic number, telephone number, telephone no., telephone, landline number, landline no. (or) landline num. (All terms case insensitive.)	Built-In
Postcode (Denmark)	Denmark Postcode matches with Danish postcode combined with any of the following keywords within a proximity of 10 terms: adresse, bopæl (or) postnummer. (All terms case insensitive; diacritics are optional.)	Built-In

Region (Norway)	Norway Region matches with the following keyword: Region combined with any of the following keywords within a proximity of 10 terms: Stor-Osloregionen, Nord-Norge, Trøndelag, Svalbard, Møre og Romsdal, Vestlandet, Sør-Norge, Finnmark, Rogaland, Agder, Buskerud, Midt-Norge, Akershus, Viken, Innlandet (or) Østlandet. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (France)	France Postcode matches with French postcode combined with any of the following keywords within a proximity of 10 terms: adresse, lieu de résidence, ville, poste royale, code ouvert, district du code postal, région du code postal, unité du code postal, secteur du code postal (or) code postal. (All terms case insensitive; diacritics are optional.)	Built-In
Ethnicity (Netherlands)	Netherlands Ethnicity matches with any of the keywords: Etniciteit, Etnische (or) Etnische groep combined with any of the following keywords within a proximity of 10 terms: Nederlanders, Surinaamse mensen, Friezen, Hindoestanen, Afro-Nederlanders, Marokkanen in Nederland, Vlamingen, Indische mensen, Afrikaners, Pennsylvania-Nederlanders, Boeren (or) Fancy Dutch. (All terms case insensitive.)	Built-In
Postcode (Serbia)	Serbia Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: adresa, okrug poštanskog broja, oblast poštanskog broja, jedinica poštanskog broja, sektor poštanskog broja (or) poštanski broj. (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (Netherlands)	Netherlands Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: internationaal reisdocument, paspoortgegevens, visum, identiteitskaart, id-kaart, documentnummer, documentnr., reisdocument, identificatienummer, identificatiebewijs, identificatie, paspoortnummer (or) paspoort. (All terms case insensitive; diacritics are optional.)	Built-In
Company Number (Singapore)	Singapore Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: corporate identification number, company registration number, corporate number (or) company number. (All terms case insensitive.)	Built-In
Medicare Number (US)	US Medicare Number matches a valid medicare number combined with any of the following keywords within a proximity of 10 terms: MBI, Medicare Beneficiary Identifier, Medicare ID, Medicare number, Medicare card number, Medicare policy number (or) Medicare claim number. (All terms case insensitive.)	Built-In
Ethnicity (Slovenia)	Slovenia Ethnicity matches with any of the keywords: Etnifčna pripadnost, Etnifčna (or) Etnifčna Skupina combined with any of the following keywords within a proximity of 10 terms: Slovenci, Hrvati, Madžarski, Muslimani, Jugoslovani, Hrvati Slovenije, Bošnjački Slovenije, črnogorci Slovenije, Bošnjački, Koronki Slovenci, Madžarski Slovenci, Romi v Sloveniji (or) Italijani. (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (Ukraine)	Ukraine Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: -ø-æ-Å-≤-ñ-¥-á-μ-Ω-Ω-è-æ-Å-æ-±-Π-¥-ª-è -º-ñ-ð-Ω-∞-Ä-æ-¥-Ω-Π-Ö-ø-æ-ó-Σ-¥-æ-∫, -ø-∞-Å-ø-æ-Ä-Ç-Ω-ñ-¥-∞-Ω-ñ,-≤-ñ-Σ-∞, -Ω-æ-º-μ-Ä-ø-∞-Å-ø-æ-Ä-Ç-∞, -ø-Ä-æ-ó-Σ-Ω-Π-π-¥-æ-∫-É-º-μ-Ω-Ç, -æ-Ä-≥-∞-Ω-≤-Π-¥-∞-á-ñ, -ø-ñ-¥-Ç-≤-μ-Ä-¥-ð-μ-Ω-Ω-è-æ-Å-æ-±-Π, -ø-∞-Å-ø-æ-Ä-Ç-Ω-Π-π-¥-æ-∫., -ø-∞-Å-ø-æ-Ä-Ç,Ññ (or) -ø-∞-Å-ø-æ-Ä-Ç.	Built-In
Gender (Ireland)	Ireland Gender matches with the keyword: inscne combined with any of the following keywords within a proximity of 10 terms: M, F, fireannach, baineann (or) eile (All terms case insensitive.)	Built-In
Postcode (Bahrain)	Bahrain Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: ÿßŸÑŸπŸÜŸàŸßŸÜ, Ÿ≠Ÿä ŸßŸÑŸ±ŸÖŸ≤ ŸßŸÑŸ*Ÿ±ŸäŸØŸä, ŸÖŸÜŸΣŸÇŸ© ŸßŸÑŸ±ŸÖŸ≤ ŸßŸÑŸ*Ÿ±ŸäŸØŸä, ŸàŸ≠ŸØŸ© ŸßŸÑŸ±ŸÖŸ≤ ŸßŸÑŸ*Ÿ±ŸäŸØŸä, ŸÇŸΣŸßŸπ ŸßŸÑŸ±ŸÖŸ≤ ŸßŸÑŸ*Ÿ±ŸäŸØŸä (or) ŸßŸÑŸ±ŸÖŸ≤ ŸßŸÑŸ*Ÿ±ŸäŸØŸä.	Built-In
Routing Number (Philippines)	Philippines Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: routing number, bank routing#, bank routing, routing #, routing no (or) RTN. (All terms case insensitive.)	Built-In

Phone Number (Poland)	Poland Phone number matches a Polish phone number combined with any of the following keywords within a proximity of 10 terms: numer telefonu, nr telefonu., numer telefonu, telefon, numer telefonu kom√≥rkowego (or) numer kom√≥rki. (All terms case insensitive; diacritics are optional.)	Built-In
Race (Bulgaria)	Bulgaria Race matches any of the following keywords: —Ä—∞—Å—∞ combined with any of the following keywords within a proximity of 10 terms: —±—ä—ª—≥—∞—Ä—Å—f—∏, —Ç—É—Ä—Å—f—∏, —Ä—æ—°—Å—f—∏, —¥—Ä—É—≥—∏. (All terms case insensitive.)	Built-In
Social Security Number (Portugal)	Portugal Social Security Number matches a valid SSN with any of the following keywords within a proximity of 10 terms: N√Jmero de Seguran√Ba Social Portugu√™s, SSN portugu√™s, seguran√Ba social portuguesa (or) N√Jmero SSN portugu√™s. (All terms case insensitive; diacritics are optional.)	Built-In
Business Number (New Zealand)	New Zealand Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: business no, business number, bn#, bn, business ID, businessid#, businessid, businessno# (or) businessno. (All terms case insensitive.)	Built-In
Business Number (Germany)	Germany Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: Gesch√ſfts-Nr., Gesch√ſftsnr., Gesch√ſftsnummer (or) Gesch√ſftskennzeichen. (All terms case insensitive; diacritics are optional.)	Built-In

Health Insurance Number (Guatemala)	Guatemala Health Insurance Number matches a valid health insurance number combined with any of the following keywords within a proximity of 10 terms: cobertura m√@dica, beneficios para la salud, cobertura de atenci√≥n m√@dica, n√fmero de salud personal, registro sanitario, n√fmero de seguro m√@dico (or) ley de informaci√≥n de salud. (All terms case insensitive; diacritics are optional.)	Built-In
Passport Number (Costa Rica)	Costa Rica Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: identificaci√≥n para viajes internacionales, detalles del pasaporte, visa, documento nacional de identidad, n√fmero de pasaporte, documento de viaje, autoridad emisora, prueba de identificaci√≥n, ID de pasaporte (or) n.∞ de pasaporte, pasaporte. (All terms case insensitive; diacritics are optional.)	Built-In
Passport Number (Czech)	Czech Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: pas, pr≈Økaz pro mezin√°rodn√≠ cestov√°n√≠, √fdaje pasu, v√≠za, obfçansk√Ω pr≈Økaz, fç√≠slo pasu, cestovn√≠ dokument, √f≈ôad, kter√Ω pr≈Økaz vydal, pas, identifikace, pr≈Økaz identity, pas, IDpasu, fç√≠slo pasu (or) fç√≠slo pasu. (All terms case insensitive; diacritics are optional.)	Built-In

International Bank Account Number - CLABE (Mexico)	Mexico International Bank Account Number - CLABE (Clave Bancaria Estandarizada) matches a valid CLABE number combined with any of the following keywords within a proximity of 10 terms: Número de cuenta bancaria internacional, CLABE, Número de IBAN (or) Clave Bancaria Estandarizada Number. (All terms case insensitive; diacritics are optional.)	Built-In
Expiry Date (Slovenia)	Slovenia Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Rok veljavnosti, Datum poteka, Datum veljavnosti, Datum-veljavnosti, Datumpoteka (or) Datumveljavnosti. (All terms case insensitive; diacritics are optional.)	Built-In
Religion (Denmark)	Denmark Religion matches with any of the following keywords: Religion (or) Trosretning combined with any of the following keywords within a proximity of 10 terms: Kristendom, Kristen, Hinduisme, Hindu, Islam, Muslim, Buddhisme, Buddhist, Jude, Protestant, Katolik, Ortodoks, Anden form for kristen, Anden religion, Ateist, Agnostiker (or) Ingen religion. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Puerto Rico)	Puerto Rico Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: número de cuenta bancaria, detalles bancarios, número de banco, código de cuenta, ID de cuenta, número de cuenta (or) cuenta numerada. (All terms case insensitive; diacritics are optional.)	Built-In
US Person Name And Drug Name (Lenient)	Identifies assets that contain both a US person's name and a common drug name	Built-In

Business Number (Latvia)	Latvia Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: uz~Ūfimuma nr., uz~Ūfimuma numurs, uz~ŪfimumaID, biznesa numurs#, biznesa numurs, biznesa# (or) biznesa. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Venezuela)	Venezuela Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: n√fmero de tel√@fono m√≥vil, n√fmero de tel√@fono (or) n√fmero de m√≥vil. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Sweden)	Sweden Phone number matches a Swedish phone number combined with any of the following keywords within a proximity of 10 terms: telefonnummer, telefonnr., telefonnum., telefon, mobilnummer (or) mobiltelefon nummer. (All terms case insensitive.)	Built-In
Transit Number (Canada)	Canada Transit Number matches a valid transit number combined with any of the following keywords within a proximity of 10 terms: num√@ro d'acheminement bancaire, no banque, no acheminement banque, no acheminement bancaire, routing number, bankrouting#, routing#, routingno, RTN, transit number#, transit no (or) no acheminement. (All terms case insensitive; diacritics are optional.)	Built-In
Routing Number (Singapore)	Singapore Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: Singapore routing number, routing number, bankrouting#, routing#, routing no (or) RTN. (All terms case insensitive.)	Built-In

Health Condition and Person Name (US)	Combines a health condition with a person name (US).	Built-In
Phone Number (Malta)	Malta Phone number matches a Maltese phone number combined with any of the following keywords within a proximity of 10 terms: telefon, numru tat-telefon (or) numru tal-cellphoneor in-numru tal-mobile. (All terms case insensitive.)	Built-In
Routing Number (United Arab Emirates)	United Arab Emirates Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: ÿ±ŸÇŸÖ ŸBŸÑŸ™ŸàŸ¨ŸäŸá, uaeaassociationrouting#, uaeaassociationrouting, uaebankrouting#, uaebankrouting, routing#, outing (or) RTN. (All terms case insensitive.)	Built-In
GCP - API Key	GCP API Key identifier matches a valid GCP API key where the key contains the proximity term : AIZA (case insensitive.)	Built-In
Postcode (Korea)	Korea Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: ĨƐ°İŮå, Ĩö∞ĭéſĬ≤àĭòſ ĨBÄĭó≠, Ĩö∞ĭéſĬ≤àĭòſ Ĩã®ĭúÑ, Ĩö∞ĭéſĬ≤àĭòſ Ĩµ¨ĭó≠ (or) Ĩö∞ĭéſĬ≤àĭòſ.	Built-In
National ID Number (Brazil)	Brazil National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: Registro de Identidade Civil, RIC, Registro Geral, RG, NIN#, NIN, n√fmero do cart√£o nacional, n¬f do cart√£o nacional, n√fmero de identifica√B√£o nacional, n√fmero da carteira de identidade nacional, RNE, Registro nacional de estrangeiros (or) id nacional. (All terms case insensitive; diacritics are optional.)	Built-In

Postcode (China)	China Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: 中国, 中国, 中国, 中国, 中国, 中国, 中国, 中国, 中国, 中国 (or) 中国, 中国, 中国, 中国, 中国, 中国, 中国, 中国, 中国, 中国.	Built-In
US Social Security Number and ICD Code (Moderate)	Identifies assets that contain patterns resembling ICD codes, as specified by the World Health Organization, as well as US social security numbers.	Built-In
Criminal Record (Slovenia)	Spain Criminal records matches with any of the following keywords antecedentes penales, historial delictivo (or) antecedentes policiales combined with any of the following crime keywords within a proximity of 10 terms: homicidio, robo, corrupci√≥n, fraude, terrorismo, drogas, asalto, violaci√≥n, atraco, robo de autom√≥viles, suicidio, secuestro, trata de personas, contrabando de personas (or) tr√°fico de armas. (All terms case insensitive; diacritics are optional.)	Built-In

Health Service Number (Canada)	Canada Health Service Number matches a valid health service number combined with any of the following keywords within a proximity of 10 terms: num√@ro d'assurance-maladie, num√@ro du service de sant√@, renseignements sur le patient, personal health number, health service no, health service number, patient information, speciality services (or) services sp√@cialis√@s. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Mexico)	Mexico License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: matr√#cula, n.∞ de registro, n.∞ de matr√#cula, matr√#cula, n√fmero de licencia (or) n√fmero de matr√#cula n√fmero de registro.(All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (Belgium)	Belgium Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: belasting identificatie nummer, belasting id-nummer, belasting identiteits nummer, belastingsidentificatienummer, omzetbelastingsnummer, ob-nummer, belastingnummer (or) belastingsnr. (All terms case insensitive.)	Built-In
License Plate Number (Slovenia)	Slovenia License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: ∞tevilka registrske tablice, ∞tevilka dovoljenja, registrska tablica, registrska ∞tevilka, registrska ∞t. (or) ∞t. tablice. (All terms case insensitive; diacritics are optional.)	Built-In

Routing Number (Norway)	Norway Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: routing-nummer, routingnumber, bankrouting-nummer, bankroutingnummer, routing nr (or) RTN. (All terms case insensitive.)	Built-In
International Bank Account Number - IBAN (Morocco)	Morocco International Bank Account Number - IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: ÿ±ÿÇÿÖ ÿßÿÑÿ≠ÿ≥ÿßÿ® ÿßÿÑÿÿ®ÿÜÿÉÿä ÿßÿÑÿÿØÿäÿÑÿä, IBAN# (or) IBAN. (All terms case insensitive.)	Built-In
Bank Account Number (New Zealand)	New Zealand Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: bank account number, bank details, bank number, account code, account id, account number (or) numbered account. (All terms case insensitive.)	Built-In
Passport Number (Canada)	Canada Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: canadian citizenship, canadian passport, passport application, passport photos, certified translator, canadian citizens, processing times, renewal application, Passport Number, Passport No, Passport #, PassportID, Passportno, passportnumber, passport (or) passeport. (All terms case insensitive.)	Built-In

National ID Number (Oman)	Oman National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, ÿ±ŸÇŸÖ Ÿ*ŸΣŸBŸÇŸ© ŸBŸÑŸáŸàŸäŸ© ŸBŸÑŸàŸΣŸÜŸäŸ©, ÿ±ŸÇŸÖ ŸBŸÑŸ*ŸΣŸBŸÇŸ© ŸBŸÑŸàŸΣŸÜŸäŸ©, ÿ±ŸÇŸÖ ŸBŸÑŸáŸàŸäŸ© ŸBŸÑŸàŸΣŸÜŸäŸ© (or) ŸBŸÑŸáŸàŸäŸ© ŸBŸÑŸàŸΣŸÜŸäŸ©. (All terms case insensitive.)	Built-In
Hair Color (Portugal)	Portugal Hair color matches with any of the following keywords Cor de cabelo combined with any of the following keywords within a proximity of 10 terms: Ruivo, Castanho claro, Loiro escuro, Cinzento, Castanho, Preto, Loiro (or) outra cor. (All terms case insensitive.)	Built-In
Postcode (Portugal)	Portugal Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: endere√Bo, local de resid√™ncia, cidade, posto real, c√≥digo aberto, distrito do c√≥digo postal, √°rea do c√≥digo postal, unidade do c√≥digo postal, setor do c√≥digo postal, c√≥digo postal, cod. postal, n√mero postal (or) num. postal. (All terms case insensitive.)	Built-In

License Plate Number (Ukraine)	Ukraine License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: —Ä-µ-î-Å-Ç-Ä-∞-Ü-ñ-π-Ω-Π-π-Σ-Ω-∞-f -Ω-æ-°-µ-Ä, -Ω-æ-°-µ-Ä-Ω-Π-π-Σ-Ω-∞-f -Ω-æ-°-µ-Ä, -∞-≤-Ç-æ-°-æ-±-ñ-ª-å-Ω-Π-π -Ω-æ-°-µ-Ä-Ω-Π-π-Σ-Ω-∞-f, -∞-≤-Ç-æ-°-æ-±-ñ-ª-å-Ω-Π-π-Ω-æ-°-µ-Ä, -Ω-æ-°-µ-Ä-Ω-Π-π-Σ-Ω-∞-f, —Ä-µ-î-Å-Ç-Ä-∞-Ü-ñ-π-Ω-Π-π-Σ-Ω-∞-f (or) —Ä-µ-î-Å-Ç-Ä-∞-Ü-ñ-π-Ω-Π-π-Ω-æ-°-µ-Ä.	Built-In
Hair Color (Estonia)	Estonia Hair color matches with any of the following keywords Juuste v√šrv (or) Juuksev√šrv combined with any of the following keywords within a proximity of 10 terms: Punane, Kuldne, Linakarva, Hall, Pruun, Must, Blond (or) muu v√šrv. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Bolivia)	Bolivia VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: n√šmero de impuesto sobre el valor agregado, impuesto sobre el valor agregado, n√šmero de IVA, n.º de IVA (or) IVA. (All terms case insensitive; diacritics are optional.)	Built-In

Driver's License Number (Egypt)	Egypt Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: $\tilde{y}\pm\tilde{y}\tilde{A}\tilde{e}\tilde{\mu}\tilde{y}\odot\tilde{y}^{\circ}\tilde{y}^{\circ}\tilde{y}\tilde{\Sigma}\tilde{y}\tilde{B}\tilde{Y}\tilde{C}\tilde{y}\odot\tilde{y}^{\text{TM}}\tilde{y}\neq\tilde{Y}\tilde{O}\tilde{Y}\tilde{N}\tilde{y}\mu\tilde{Y}\tilde{a}\tilde{y}\pm\tilde{y}\odot,\tilde{y}\pm\tilde{y}\tilde{A}\tilde{e}\tilde{\mu}\tilde{y}\odot\tilde{y}\geq\tilde{Y}\tilde{a}\tilde{Y}\tilde{C},\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\neq\tilde{y}\tilde{A}\tilde{e}\tilde{\mu}\tilde{Y}\tilde{a},\tilde{Y}\tilde{C}\tilde{Y}\tilde{a}\tilde{y}\tilde{B}\tilde{y}\tilde{O}\tilde{y}\odot\tilde{Y}\tilde{O}\tilde{y}^{\text{TM}}\tilde{y}\pi\tilde{Y}\tilde{N}\tilde{Y}\tilde{e}\tilde{Y}\tilde{O},\tilde{y}\neq\tilde{y}\tilde{B}\tilde{Y}\tilde{O}\tilde{Y}\tilde{N}\tilde{Y}\tilde{a}\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\pm\tilde{y}\tilde{A}\tilde{e}\tilde{\mu},\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\pm\tilde{y}\tilde{A}\tilde{e}\tilde{\mu}\tilde{y}\odot,\tilde{y}\neq\tilde{y}\tilde{B}\tilde{Y}\tilde{O}\tilde{Y}\tilde{N}\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\pm\tilde{y}\tilde{A}\tilde{e}\tilde{\mu}\tilde{y}\odot,\tilde{y}\pm\tilde{y}\tilde{A}\tilde{e}\tilde{\mu}\tilde{y}\odot\tilde{Y}\tilde{C}\tilde{Y}\tilde{a}\tilde{y}\tilde{B}\tilde{y}\tilde{O}\tilde{y}\odot,\tilde{y}\pm\tilde{y}\tilde{A}\tilde{e}\tilde{\mu}\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{Y}\tilde{C}\tilde{Y}\tilde{a}\tilde{y}\tilde{B}\tilde{y}\tilde{O}\tilde{y}\odot\text{ (or) }\tilde{y}\pm\tilde{y}\tilde{A}\tilde{e}\tilde{\mu}\tilde{y}\odot\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{Y}\tilde{C}\tilde{Y}\tilde{a}\tilde{y}\tilde{B}\tilde{y}\tilde{O}\tilde{y}\odot.$	Built-In
Religion (Germany)	Germany Religion matches with any of the following keywords: Religion (or) Religi√ðs combined with any of the following keywords within a proximity of 10 terms: Christentum, Christlich, Hinduismus, Hinduistisch, Islam, Muslimisch, Buddhismus, Buddhist, J√°disch, Evangelisch, Katholisch, √ðstlich, Orthodox, √ðstlich Orthodox, Andere christliche Konfession, Andere Religion, Atheistisch, Agnostisch (or) Keine Religionszugeh√ðrigkeit. (All terms case insensitive; diacritics are optional.)	Built-In
Weight (France)	France Person,Â°s weight appearing within 10 terms of the keywords Poids (or) Masse. Weight can match in kilogrammes (or) livres, using the keywords lb, kg, kilogrammes, livres (or) onces, followed by space or no space. Values can be separated by space or no space. (All text is case-insensitive.)	Built-In
Routing Number (South Africa)	South Africa Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: routing number, bank routing#, bank routing, routing #, routing no (or) RTN. (All terms case insensitive.)	Built-In

Driver's License Number
(Ukraine)

Ukraine Driver's License Number matches a valid
license number combined with any of the following
keywords within a proximity of 10 terms:

Built-In

-ê-≥-μ-Ω-Ç-Å-Ç-≤-æ-Σ-ø-Π-Ç-∞-Ω-å
-ª-ñ-Ü-μ-Ω-Σ-É-≤-∞-Ω-Ω-è-≤-æ-¥-ñ-ó-≤
-Ç-∞-Ç-Ä-∞-Ω-Å-ø-æ-Ä-Ç-Ω-Π-Ö
-Σ-∞-Å-æ-±-ñ-≤, -Ω-æ-°-μ-Ä
-ø-æ-Å-≤-ñ-¥-á-μ-Ω-Ω-è-≤-æ-¥-ñ-è,
-Ñ-æ-Ç-æ-f-∞-Ä-Ç-f-∞-≤-æ-¥-ñ-è,
-≤-æ-¥-ñ-π-É-á-μ-Ω-å, -≤-ª-∞-Å-Ω-Π-f-Π
-ø-æ-Å-≤-ñ-¥-á-μ-Ω-å, -≤-ª-∞-Å-Ω-Π-f
-ø-æ-Å-≤-ñ-¥-á-μ-Ω-Ω-è, -Ω-æ-°-μ-Ä
-ø-æ-Å-≤-ñ-¥-á-μ-Ω-Ω-è, -≤-æ-¥-ñ-π-Å-å-f-μ
-ø-æ-Å-≤-ñ-¥-á-μ-Ω-Ω-è,
-≤-æ-¥-ñ-π-Å-å-f-∞-ª-ñ-Ü-μ-Ω-Σ-ñ-è,
-ø-æ-Å-≤-ñ-¥-á-μ-Ω-Ω-è-≤-æ-¥-ñ-è (or)
-ª-ñ-Ü-μ-Ω-Σ-ñ-è-≤-æ-¥-ñ-è.

Resident Registration Number
(Japan)

Japan Resident Registration Number matches a valid
resident registration number combined with any of the
following keywords within a proximity of 10 terms:

Built-In

Resident Registration Number, Resident Register
Number, Residents Basic Registry Number, Resident
Registration No., Resident Register No., Residents
Basic Registry No., Basic Resident Register No.,
%ΩèÊ∞ëÄª≤Áí™ÀèΣ,
%ΩèÊ∞ëÄüfÊú¨ ÁªÊª≤Áí™ÀèΣ,,ÄÄªªÊª≤Áí™ÀèΣ,
%ΩèÊ∞ëÄüfÊú¨ „É¨ „ÇΠ„Çπ„Éà„É™Áí™ÀèΣ„ÇíÂΠΠÈΒê
(or)
ÁªÊª≤Áí™ÀèΣ„ÇíÂΠΠÈΒê%ΩèÊ∞ëÄüfÊú¨ Áè∞ÂΠ≥ÁªÊª
ª≤Áí™ÀèΣ. (All terms case insensitive.)

VAT ID Number (Colombia)	Colombia VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: n√fmero de impuesto sobre el valor agregado, impuesto sobre el valor agregado, n√fmero de IVA, n.√∞ de IVA (or) IVA. (All terms case insensitive; diacritics are optional.)	Built-In
Driver's License Number (Romania)	Romania Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: »ôoferi cursan»ôi, de»ôiñfÉtori de permis, de»ôiñfÉtor de permis, numere de √Ænmatriculare, numfÉr de √Ænmatriculare, permis de conducere, permise de conducere, permise de condus, permis de condus, carnet de »ôofer, permisele, permisul, carnetele, carnetul, carnet (or) permis. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Israel)	Israel VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: ôûô° ôûôçôû, ôûô°ô§ô° ôûôçôû, ôûô° ôçô°ôö ôûôïô°ô£, ôûô° ôçô°ôöôûô° ôûôçôû, ôûô°ô§ô° ôûôçôû, ôûô° ôçô°ôö ôûôïô°ô£, ôûô°ô§ô°ô™ôôôß ôëôûôçôû, ôûô°ô§ô° ôñôôôïôïôôôûô¶ôïô°ôöôô ôûô°, ôûô° ôûôçôû (or) ôûôçôû.	Built-In
Region (Estonia)	Estonia Region matches with the following keyword: Piirkond combined with any of the following keywords within a proximity of 10 terms: Harju, Hiiu, Ida-Viru, J√µgeva, J√srva, L√s√sne, P√µlva, P√srnu, Rapla, Saare, Tartu, Valga, Viljandi (or) V√µru. (All terms case insensitive; diacritics are optional.)	Built-In

National ID Number (Norway)	Norway National ID Number matches a valid National Identity Card Number with any of the following keywords within a proximity of 10 terms: F√[]dselsnummer, D-nummer, H-nummer (or) FH-nummer. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (Colombia)	Colombia Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: direcci√≥n, distrito de c√≥digo postal, √°rea de c√≥digo postal, unidad de c√≥digo postal, sector de c√≥digo postal (or) codigo postal. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (Estonia)	Estonia Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: maksud tuvastamine number, maksud ID number, maksud identiteet number, maksukohustuslase number, Maksukohustuslase kood, maksutoimik, maksukohustuslase nr, maksustamise nr, maksu nr, maksuregistri number, maksu ID n, maksukohustuslase ID nr, maksustamisnumber, maksunr, maksude nr, maksunumber, TIN ID, TIN-i nr, TIN-nr, TIN (or) maksu-ID. (All terms case insensitive.)	Built-In
Routing Number (Latvia)	Latvia Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: mar√°rutfi√°anas numurs, bankas mar√°rutfi√°ana#, bankas mar√°rutfi√°ana, mar√°rutfi√°anas #, mar√°rutfi√°anas, mar√°rutfi√°ana#, mar√°rutfi√°ana, mar√°rutfi√°anas nr (or) RTN. (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (Hong Kong)	Hong Kong Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: ÂúãÈöôÊóÖË°âĚĴ´%ºªΩĚ≠âÊòé, Ě≠ΣÁÖßĚ≥áÊñô, Á∞ΩĚ≠â, ĚĴ´%ºªΩĚ≠â, ÊóÖË°âĚ≠â%ºªð, ĚĴ´%ºªΩĚ≠âÊòéÊñá%ºªð, ĚĴ´%ºªΩĚ≠âÊòé, Ě≠ΣÁÖßĚôüÁ¢°, Ě≠ΣÁÖß ID (or) Ě≠ΣÁÖß.	Built-In
National ID Number (Botswana)	Botswana National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, national identity card number, national card number, national card no, national identification number (or) national id. (All terms case insensitive.)	Built-In
Driver's License Number (Saudi Arabia)	Saudi Arabia Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: ÿ±ÿÆÿµÿ© ÿ°ÿ©ÿΣÿBÿÇÿ© ÿ™ÿ≠ÿÖÿŸ ÿµÿÿäÿ±ÿ©, ÿÇÿÿäÿBÿØÿ© ÿÖÿ™ÿÿπÿŸÿēÿÖ, ÿ≠ÿBÿÖÿŸ ÿBÿŸÿ±ÿÆÿµÿ©, ÿ≠ÿBÿÖÿŸÿà ÿBÿŸÿ±ÿÆÿµ, ÿ±ÿÇÿÿÖ ÿBÿŸÿ±ÿÆÿµÿ©, ÿ±ÿÆÿµ ÿBÿŸÿÿÇÿÿäÿBÿØÿ© (or) ÿ±ÿÆÿµÿ© ÿBÿŸÿÿÇÿÿäÿBÿØÿ©.	Built-In
Business Number (Malta)	Malta Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: numru tan-negożju, nru tan-negożju, ID tan-negożju, in-negożju#, in-negożju, n-negożju# (or) n-negożju.	Built-In

National ID Number - CURP (Mexico)	Mexico National ID Number - CURP (Clave Única de Registro de Población) matches a valid CURP number combined with any of the following keywords within a proximity of 10 terms: NSS, CURP, NIN Número, Número de tarjeta nacional, Número de tarjeta de identidad nacional, identificación nacional (or) Número de identificación nacional. (All terms case insensitive; diacritics are optional.)	Built-In
Passport Number (Morocco)	Morocco Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: $\tilde{y}B\tilde{Y}\tilde{N}\tilde{Y}\acute{a}\tilde{Y}\grave{a}\tilde{Y}\grave{a}\tilde{y}\textcircled{\circ}$ $\tilde{Y}\tilde{N}\tilde{Y}\tilde{N}\tilde{y}\geq\tilde{Y}\tilde{A}\tilde{y}\pm$, $\tilde{y}B\tilde{Y}\tilde{N}\tilde{y}\textcircled{\circ}\tilde{Y}\grave{a}\tilde{Y}\tilde{N}\tilde{Y}\grave{a}$, $\tilde{y}^{\text{TM}}\tilde{Y}\tilde{A}\tilde{y}B\tilde{y}\mu\tilde{Y}\grave{a}\tilde{Y}\tilde{N}\tilde{y}\tilde{Y}\grave{a}\tilde{y}B\tilde{y}\leq$ $\tilde{y}B\tilde{Y}\tilde{N}\tilde{y}\geq\tilde{Y}\tilde{A}\tilde{y}\pm$, $\tilde{y}B\tilde{Y}\tilde{N}\tilde{y}^{\text{TM}}\tilde{y}\textcircled{\circ}\tilde{Y}\tilde{A}\tilde{y}\pm\tilde{y}\textcircled{\circ}$, $\tilde{y}^{\circ}\tilde{y}\Sigma\tilde{y}B\tilde{Y}\textcircled{\circ}\tilde{y}\textcircled{\circ}$ $\tilde{y}B\tilde{Y}\tilde{N}\tilde{Y}\acute{a}\tilde{Y}\grave{a}\tilde{Y}\grave{a}\tilde{y}\textcircled{\circ}$, $\tilde{y}B\tilde{Y}\tilde{N}\tilde{Y}\grave{a}\tilde{y}\Sigma\tilde{Y}\tilde{U}\tilde{Y}\grave{a}\tilde{y}\textcircled{\circ}$, $\tilde{y}\pm\tilde{Y}\textcircled{\circ}\tilde{Y}\tilde{O}\tilde{y}\tilde{Y}\grave{a}\tilde{y}B\tilde{y}\leq$ $\tilde{y}B\tilde{Y}\tilde{N}\tilde{y}\geq\tilde{Y}\tilde{A}\tilde{y}\pm$, $\tilde{Y}\grave{a}\tilde{y}\tilde{Y}\grave{a}\tilde{Y}\textcircled{\circ}\tilde{y}B\tilde{Y}\tilde{N}\tilde{y}\geq\tilde{Y}\tilde{A}\tilde{y}\pm$, $\tilde{y}\geq\tilde{Y}\tilde{N}\tilde{y}\Sigma\tilde{y}\textcircled{\circ}$ $\tilde{y}B\tilde{Y}\tilde{N}\tilde{y}\bullet\tilde{y}\mu\tilde{y}\textcircled{\circ}\tilde{y}B\tilde{y}\pm$, $\tilde{y}\bullet\tilde{y}\tilde{y}^{\circ}\tilde{y}B\tilde{y}^{\text{TM}}\tilde{y}B\tilde{Y}\tilde{N}\tilde{Y}\acute{a}\tilde{Y}\grave{a}\tilde{Y}\grave{a}\tilde{y}\textcircled{\circ}$, $\tilde{Y}\tilde{O}\tilde{y}\pi\tilde{y}\pm\tilde{Y}\tilde{e}\tilde{Y}\tilde{A}\tilde{y}\tilde{Y}\grave{a}\tilde{y}B\tilde{y}\leq\tilde{y}B\tilde{Y}\tilde{N}\tilde{y}\geq\tilde{Y}\tilde{A}\tilde{y}\pm$ (or) $\tilde{y}\tilde{Y}\grave{a}\tilde{y}B\tilde{y}\leq$ $\tilde{y}B\tilde{Y}\tilde{N}\tilde{y}\geq\tilde{Y}\tilde{A}\tilde{y}\pm$.	Built-In
Passport Number (Malta)	Malta Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: numru tal-passaport, numri tal-passaport, nr tal-passaport (or) nru tal-passaport. (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (Guatemala)	Guatemala Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: identificaci√≥n para viajes internacionales, detalles del pasaporte, visa, documento nacional de identidad, n√fmero de pasaporte, documento de viaje, autoridad emisora, prueba de identificaci√≥n, ID de pasaporte, n.º de pasaporte (or) pasaporte. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Bulgaria)	Bulgaria Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: -Ω-æ-°-μ-Ä -Ω-∞-±-∞-Ω-f-æ-≤-∞-Å-°-μ-Ç-f-∞, -±-∞-Ω-f-æ-≤-Π-¥-∞-Ω-Ω-Π, -±-∞-Ω-f-æ-≤ -Ω-æ-°-μ-Ä, -f-æ-¥-Ω-∞-Å-°-μ-Ç-f-∞, -Π-¥. -Ω-æ-°-μ-Ä-Ω-∞-Å-°-μ-Ç-f-∞, -Ω-æ-°-μ-Ä-Ω-∞-Å-°-μ-Ç-f-∞ (or) -Ω-æ-°-μ-Ä-Π-Ä-∞-Ω-∞-Å-°-μ-Ç-f-∞.	Built-In

Military Identity Number
(Russia)

Russia Military Identity Number matches a valid military Built-In
identity number combined with any of the following
keywords within a proximity of 10 terms:

-≤-æ-μ-Ω-Ω-ã-π-±-Π-ª-μ-Ç,
-É-¥-æ-Å-Ç-æ-≤-μ-Ä-μ-Ω-Π-μ
-ª-Π-á-Ω-æ-Å-Ç-Π
-≤-æ-μ-Ω-Ω-æ-Å-ª-É-ð-∞-â-μ-≥-æ,
-≤-æ-μ-Ω-Ω-ã-π-¥-æ-∫-É-º-μ-Ω-Ç,
-≤-æ-μ-Ω-Ω-ã-π
-Π-¥-μ-Ω-Ç-Π-Ñ-Π-∫-∞-Ü-Π-æ-Ω-Ω-ã-π
-Ω-æ-º-μ-Ä, -≤-æ-μ-Ω-Ω-ã-π
-Ä-μ-≥-Π-Å-Ç-Ä-∞-Ü-Π-æ-Ω-Ω-ã-π
-Ω-æ-º-μ-Ä, -Ω-æ-º-μ-Ä-≤-æ-μ-Ω-Ω-æ-≥-æ
-É-¥-æ-Å-Ç-æ-≤-μ-Ä-μ-Ω-Π-è, -Ω-æ-º-μ-Ä
-≤-æ-μ-Ω-Ω-æ-π-Π-¥-μ-Ω-Ç-Π-Ñ-Π-∫-∞-Ü-Π-Π,
-Ω-æ-º-μ-Ä-≤-æ-μ-Ω-Ω-æ-≥-æ
-¥-æ-∫-É-º-μ-Ω-Ç-∞, -≤-æ-μ-Ω-Ω-∞-è
-∫-∞-Ä-Ç-æ-á-∫-∞, -≤-æ-μ-Ω-Ω-æ-μ
-É-¥-æ-Å-Ç-æ-≤-μ-Ä-μ-Ω-Π-μ,
-∫-∞-Ä-Ç-æ-á-∫-∞-≤-æ-μ-Ω-Ω-æ-π
-Å-ª-É-ð-±-ã, -É-¥-æ-Å-Ç-æ-≤-μ-Ä-μ-Ω-Π-μ
-æ-≤-æ-μ-Ω-Ω-æ-π-Å-ª-É-ð-±-μ,
-≤-æ-μ-Ω-Ω-ã-π-∫-Ω-Π-ð-∫-∞,
-É-¥-æ-Å-Ç-æ-≤-μ-Ä-μ-Ω-Π-μ
-ª-Π-á-Ω-æ-Å-Ç-Π
-≤-æ-μ-Ω-Ω-ã-π-¥-æ-∫-É-º-μ-Ω-Ç-∞

Driver's License Number
(Israel)

Israel Driver's License Number matches a valid license Built-In
number with any of the following keywords within a
proximity of 10 terms: ׀®׀®׀®׀®׀®׀® ׀®׀®׀®׀®׀®׀®
,׀®׀®׀®׀®׀®׀®,׀®׀®׀®׀®׀®׀®,׀®׀®׀®׀®׀®׀®
׀®׀®׀®׀®׀®׀®,׀®׀®׀®׀®׀®׀® ׀®׀®׀®׀®׀®׀®,׀®׀®׀®׀®׀®׀®
׀®׀®׀®׀®׀®,׀®׀®׀®׀®׀®׀®׀®׀® ׀®׀®׀®׀®׀®׀® (or)
׀®׀®׀®׀®׀®׀® ׀®׀®׀®׀®׀®׀®. (All terms case insensitive.)

Business Number (Denmark)	Denmark Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: virksomhedsnr., virksomhedsnummer, virksomhedsregistreringsnummer, reg.nr., virksomhedsreg.nr., virksomheds-id (or) registreringsnr. (All terms case insensitive.)	Built-In
Hair Color (Poland)	Poland Hair color matches with any of the following keywords Kolor w≈Ços√≥w combined with any of the following keywords within a proximity of 10 terms: Rudy, Z≈Çoty, P≈Çowy, Szary, BrfÖzowy, Czarny, Blond (or) inny kolor. (All terms case insensitive; diacritics are optional.)	Built-In
Driver's License Number (Kuwait)	Kuwait Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: ÿ±ÿÆÿµÿ©ÿ*ÿ*ÿΣÿBÿÇÿ©ÿ™ÿÿ≠ÿÖÿÑÿµÿÿàÿ±ÿ©, ÿ±ÿÆÿµÿ©ÿÿ≥ÿàÿÿÇ, ÿBÿÑÿÿ±ÿÿÇÿÿÖÿBÿÑÿÿ≠ÿÆÿµÿÿä, ÿÇÿÿäÿBÿÿØÿ©ÿÿÖÿ™ÿÿπÿÑÿÿëÿÿÖ, ÿ≠ÿBÿÿÖÿÑÿàÿBÿÑÿÿ±ÿÆÿµ, ÿ±ÿÿÇÿÿÖÿBÿÑÿÿ±ÿÆÿµÿ©, ÿ≠ÿBÿÿÖÿÑÿBÿÑÿÿ±ÿÆÿµÿ©, ÿ±ÿÆÿµÿBÿÑÿÿÇÿÿäÿBÿÿØÿ© (or) ÿ±ÿÆÿµÿ©ÿBÿÑÿÿÇÿÿäÿBÿÿØÿ©.	Built-In
Routing Number (Luxembourg)	Luxembourg Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: num√©ro de routage bancaire, num√©ro de routage, routage bancaire, n¬f de routage, n¬f routage, n¬f routage (or) RTN. (All terms case insensitive; diacritics are optional.)	Built-In

Real Estate Ownership (Russia)

Russia Real Estate Ownership matches a valid real estate ownership combined with any of the following keywords within a proximity of 10 terms: -ø-Ä-∞-≤-æ
-Å-æ±-Å-Ç-≤-μ-Ω-Ω-æ-Å-Ç-Π-Ω-∞
-Ω-μ-¥-≤-Π-∂-Π-°-æ-Å-Ç-å, -ø-Ä-∞-≤-æ
-Å-æ±-Å-Ç-≤-μ-Ω-Ω-æ-Å-Ç-Π,
-Å-æ±-Å-Ç-≤-μ-Ω-Ω-Π-∫
-Ω-μ-¥-≤-Π-∂-Π-°-æ-Å-Ç-Π,
-Σ-∞-Ä-μ-≥-Π-Å-Ç-Ä-Π-Ä-æ-≤-∞-Ω-Ω-ã-π
-Å-æ±-Å-Ç-≤-μ-Ω-Ω-Π-∫, -ø-Ä-∞-≤-∞
-Å-æ±-Å-Ç-≤-μ-Ω-Ω-æ-Å-Ç-Π,
-ø-Ä-∞-≤-æ-æ±-ª-∞-¥-∞-Ç-μ-ª-å,
-Å-≤-Π-¥-μ-Ç-μ-ª-å-Å-Ç-≤-æ-æ-ø-Ä-∞-≤-μ
-Å-æ±-Å-Ç-≤-μ-Ω-Ω-æ-Å-Ç-Π,
-≥-æ-Å-É-¥-∞-Ä-Å-Ç-≤-μ-Ω-Ω-∞-è
-Ä-μ-≥-Π-Å-Ç-Ä-∞-Ü-Π-è-ø-Ä-∞-≤-∞,
-ï-¥-Π-Ω-ã-π
-≥-æ-Å-É-¥-∞-Ä-Å-Ç-≤-μ-Ω-Ω-ã-π
-Ä-μ-μ-Å-Ç-Ä-Ω-μ-¥-≤-Π-∂-Π-°-æ-Å-Ç-Π,
-ï-ì-†-ù, -†-æ-Å-Ä-μ-μ-Å-Ç-Ä,
-∫-∞-¥-∞-Å-Ç-Ä-æ-≤-ã-π-ø-∞-Å-ø-æ-Ä-Ç
(or) -Ä-μ-≥-Π-Å-Ç-Ä-∞-Ü-Π-è
-Ω-μ-¥-≤-Π-∂-Π-°-æ-Å-Ç-Π.

Built-In

Passport Number (UK)	UK Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: passport, identification for international travel, passport details, visa, national identity card, passport number, travel document, issuing authority, british passport, uk passport, hm passport office, date of birth, expiration, identification, proof of identification, passport, passportid, passportno., passport number, united kingdom, britain, gb, great britain, gbr, british subject (or) british citizen. (All terms case insensitive.)	Built-In
International Bank Account Number - IBAN (Ukraine)	Ukraine International Bank Account Number - IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: -Ω-æ-º-μ-Ä-º-ñ-ð-Ω-∞-Ä-æ-¥-Ω-æ-¿-æ-±-∞-Ω-∫-ñ-≤-Å-å-∫-æ-¿-æ-Ä-∞-Ö-É-Ω-∫-É, IBAN#, IBAN (or) -º-ñ-ð-Ω-∞-Ä-æ-¥-Ω-∏-π-Ω-æ-º-μ-Ä-±-∞-Ω-∫-ñ-≤-Å-å-∫-æ-¿-æ-Ä-∞-Ö-É-Ω-∫-É.	Built-In
Phone Number (Czech)	Czech Phone number matches a Czech phone number combined with any of the following keywords within a proximity of 10 terms: telefonn√≠ cfç√≠slo, tel. fç√≠slo., tel. fç√≠slo, telefon, mobiln√≠ fç√≠slo (or) fç√≠slo mobiln√≠ho telefonu. (All terms case insensitive; diacritics are optional.)	Built-In
Routing Number (Botswana)	Botswana Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: routing number, bank routing#, bank routing, routing #, routing, routing no (or) RTN. (All terms case insensitive.)	Built-In

Phone Number (Austria)	Austria Phone number matches an Austrian phone number combined with any of the following keywords within a proximity of 10 terms: Telefonnummer, Telefonnr., Telefon, Mobilfunknummer (or) Handynummer. (All terms case insensitive.)	Built-In
Tax ID Number (Nigeria)	Nigeria Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: tax identification number, tax identity number, tax number, tax identification code, tax file, tax identification no, tax no#, tax no, tax registration number, tax id number, taxidnumber#, taxidnumber, taxidno#, taxidno, taxid#, taxid, taxno#, taxno, taxnumber#, taxnumber, tax id, tin id, tin no, tin# (or) TIN. (All terms case insensitive.)	Built-In
Bank Account Number (Vietnam)	Vietnam Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: s· ^a ë t√ti kho·f£n ng√çñ h√†ng, chi ti·jØt ng√çñ h√†ng, s· ^a ë ng√çñ h√†ng, m√£ s· ^a ë t√ti kho·f£n, m√£ t√ti kho·f£n, s· ^a ë t√ti kho·f£n (or) t√ti kho·f£n theo s· ^a ë. (All terms case insensitive; diacritics are optional.)	Built-In
Race (Slovenia)	Slovenia Race matches any of the following keywords: Dirka combined with any of the following keywords within a proximity of 10 terms: slovenski, Srb, Hrvat, Bo≈°njak, romski, Mad≈æari, Italijani, drugi. (All terms case insensitive; diacritics are optional.)	Built-In

Driver's License Number (Luxembourg)	Luxembourg Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: faherlaubnis (or) F√°hrersch√°in. (All terms case insensitive; diacritics are optional.)	Built-In
Passport Number (Sweden)	Sweden Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: visa requirements, Alien Registration Card, Schengen visas, Schengen visa, Visa Processing, Visa Type, Single Entry, Multiple Entry, G3 Processing Fees, Passport Number, Passport No, Passport #, PassportID, Passportno, passportnumber (or) passport. (All terms case insensitive.)	Built-In
Driver's License Number (Argentina)	Argentina Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: licencia de tarjeta con foto, licencia estudiante, titulares de licencia, titular de licencia, n√°mero de licencia, licencias de conducir, licencia de conducir (or) licencia del conductor. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Iceland)	Iceland Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: phone number, phone no., phone num, telephone number, mobile number (or) cellphone number. (All terms case insensitive.)	Built-In

Weight (Bulgaria)	Bulgaria Person,Âs weight appearing within 10 terms of the keywords -ç-µ-≥-ª-æ (or) -ú-∞-Å-∞. Weight can match in -ø-∞-É-Ω-¥-Π (or) -f-Π-ª-æ-≥-Ä-∞-º-Π, using the keywords Lb, Kg, -f-Π-ª-æ-≥-Ä-∞-º-Π, -ø-∞-É-Ω-¥-Π, -Ç-µ-≥-ª-Π-ª-f-Π, st (or) -É-Ω-Ü-Π-Π, followed by space or no space. Values can be separated by space or no space. (All terms case insensitive.)	Built-In
Postcode (Hong Kong)	Hong Kong Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: Âú∞ÂùÄ, ÈÉµÂçÄ, ÈÉµÄüü, ÈÉµÊîøÂçÄÄüü (or) ÈÉµÊîøÈÉ®ÊñÄ.	Built-In
National ID Number (Nigeria)	Nigeria National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, national identity card number, national card number, national card no, national identification number (or) national id. (All terms case insensitive.)	Built-In
Passport Number (Japan)	Japan Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: „Éë„Çπ„Éù„Éº„Éà, „Éë„Çπ„Éù„Éº„ÉàÁï™ÂèΣ, „Éë„Çπ„Éù„Éº„Éà„ÅÆNum, „Éë„Çπ„Éù„Éº„ÉàÔºÉ, Passport Number, Passport No, Passport #, PassportID, Passportno, passportnumber (or) passport. (All terms case insensitive.)	Built-In

Health Service Number (UK)	UK Health Service Number matches a valid health service number combined with any of the following keywords within a proximity of 10 terms: health coverage, health benefits, health care coverage, personal health number, health registration, health service number, HSN, HSN#, health insurance number, NHS, NHS#, NHS Number, NHS No., National Health Service, National Health Service Number, National Health Service #, National Health Service No. (or) health information act.(All terms case insensitive.)	Built-In
SWIFT Code (Venezuela)	Venezuela SWIFT Code matches a valid SWIFT code combined with any of the following keywords within a proximity of 10 terms: número de cuenta bancaria internacional, SWIFT code, número de IBAN, IBAN (or) número de cuenta bancaria internacional. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Puerto Rico)	Puerto Rico Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: número de teléfono, número de teléfono (or) número de móvil. (All terms case insensitive; diacritics are optional.)	Built-In
Hair Color (Spain)	Spain Hair color matches with any of the following keywords Color del pelo (or) Colordelpelo combined with any of the following keywords within a proximity of 10 terms: Rojo, Dorado, Rubio claro, Gris, Marrón, Negro, Rubio (or) otro color. (All terms case insensitive; diacritics are optional.)	Built-In

Weight (Greece)	Greece Person, Άδς weight appearing within 10 terms of the keywords ΩίΩ `` œÅΩøœÇ (or) ΩúΩ `` ΩðΩ±. Weight can match in ΩªΩøΩ≤œÅΩμœÇ (or) ΩöΩπΩªΩ `` , using the keywords Lb, kg, ΩöΩπΩªΩ `` , ΩªΩøΩ≤œÅΩμœÇ, stone, st (or) ΩøœÖΩ≥Ω∫ΩπΩ≠œÇ, followed by space or no space. Values can be separated by space or no space. (All terms case insensitive; diacritics are optional.)	Built-In
Personal Health Identification Number ,À PHIN (Canada)	Canada Personal Health Identification Number ,À PHIN matches a valid PHIN combined with any of the following keywords within a proximity of 10 terms: social insurance number, health information act, income tax information, manitoba health, health registration, prescription purchases, benefit eligibility, personal health, power of attorney, registration number, personal health number, practitioner referal, practitioner referral, wellness professional, patient referral, patient referal (or) health and wellness. (All terms case insensitive.)	Built-In
National ID Number - PIN (Hungary)	Hungary National ID Number - PIN (Personal Identification Number) matches a valid PIN with any of the following keywords within a proximity of 10 terms: Magyarorsz√g (or) szem√@lyi igazolv√ny sz√ma. (All terms case insensitive; diacritics are optional.)	Built-In

Tax ID Number (Switzerland)	Switzerland Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: Steueridentifikationsnummer, Steueridentifikations-Nr., Steuerakte, Steueridentifikationsnr., Steuernr., Steuerregistrierungsnr., Steuernummer, TIN, num√©ro d'identification fiscal, num√©ro identification fiscale, num√©ro d'identit√© fiscale, num√©ro fiscal, Code d'identification fiscale, fichier fiscal, n√©f d'identification fiscale, #n√©f fiscal, n√©f fiscal, num√©ro de registre fiscal, #idfiscal, #n√©fidfiscal, #num√©roidfiscal, #n√©fiscal, #num√©ro ofiscal, num√©ro ofiscal, id nif, n√©f nif, #nif, NIF (or) id fiscal. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Oman)	Oman VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: VAT number, vat no., vat no#, VAT, ŷ±ŸÇŸÖ ŷðŷ±Ÿäŷ*ŷ© ŷBŸÑŸÇŸäŸÖŷ© ŷBŸÑŸÖŷðŷBŸÅŷ©, ŷðŷ±Ÿäŷ*ŷ© ŷBŸÑŸÇŸäŸÖŷ© ŷBŸÑŸÖŷðŷBŸÅŷ© (or) ŷ±ŸÇŸÖ vat. (All terms case insensitive.)	Built-In

Postcode (Bulgaria)	Bulgaria Postcode matches with Bulgarian postcode combined with any of the following keywords within a proximity of 10 terms: -∞-¥-Ä-µ-Å, -°-µ-Å-Ç-æ-ð-Π-≤-µ-µ-Ω-µ, -≥-Ä-∞-¥, -f-Ä-∞-ª-Å-f-∞-ø-æ-â-∞, -æ-Ç-≤-æ-Ä-µ-Ω -f-æ-¥, -Ä-µ-≥-Π-æ-Ω-ø-æ-ø-æ-â-µ-Ω-Å-f-Π -f-æ-¥, -Σ-æ-Ω-∞-ø-æ-ø-æ-â-µ-Ω-Å-f-Π -f-æ-¥, -∞-¥-°-Π-Ω-Π-Å-Ç-Ä-∞-Ç-Π-≤-Ω-∞ -µ-¥-Π-Ω-Π-Ü-∞-ø-æ-ø-æ-â-µ-Ω-Å-f-Π -f-æ-¥, -Å-µ-f-Ç-æ-Ä-ø-æ-ø-æ-â-µ-Ω-Å-f-Π -f-æ-¥ (or) -ø-æ-â-µ-Ω-Å-f-Π -f-æ-¥. (All terms case insensitive.)	Built-In
National ID Number - PIN (Czech)	Czech National ID Number - PIN (Personal Identification Number) matches a valid PIN with any of the following keywords within a proximity of 10 terms: Czechidno, identityno, rodn√© fç√≠slo, N√°rodn√≠ identifikafçn√≠ fç√≠slo, identifikafçn√≠ fç√≠slo, fçe≈ªina (or) Poji≈ªtfõn√≠ fç√≠slo. (All terms case insensitive; diacritics are optional.)	Built-In
Expiry Date (Croatia)	Croatia Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Datum isteka, Datum valjanosti, Rok valjanosti, Istek (or) Datum kad istjefçe. (All terms case insensitive; diacritics are optional.)	Built-In
Race (UK)	UK Race matches any of the following keywords: Race combined with any of the following keywords within a proximity of 10 terms: White, Asian, Asian British, Black, Black British, Gypsy, Traveller, Irish Traveller, Caribbean, African, Mixed (or) Other. (All terms case insensitive.)	Built-In

[illegible]

[illegible]

Passport Number (Bahrain)	Bahrain Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: $\bar{y}\bar{B}\bar{Y}\bar{N}\bar{Y}\acute{a}\bar{Y}\grave{a}\bar{Y}\grave{a}\bar{y}\bar{\circ}$ $\bar{Y}\bar{N}\bar{Y}\bar{N}\bar{y}\geq\bar{Y}\bar{A}\bar{y}\pm, \bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}\bar{\emptyset}\bar{Y}\grave{a}\bar{Y}\bar{N}\bar{Y}\grave{a}, \bar{y}^{\text{m}}\bar{Y}\bar{A}\bar{y}\bar{B}\bar{y}\bar{\mu}\bar{Y}\grave{a}\bar{Y}\bar{N}\bar{y}^{\text{r}}\bar{Y}\grave{a}\bar{y}\bar{B}\bar{y}\leq$ $\bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}\geq\bar{Y}\bar{A}\bar{y}\pm, \bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}^{\text{m}}\bar{y}\bar{\epsilon}\bar{y}\bar{\text{K}}\bar{Y}\bar{a}\bar{y}\pm\bar{y}\bar{\circ}, \bar{y}^{\circ}\bar{y}\bar{\Sigma}\bar{y}\bar{B}\bar{Y}\bar{C}\bar{y}\bar{\circ}$ $\bar{y}\bar{B}\bar{Y}\bar{N}\bar{Y}\acute{a}\bar{Y}\grave{a}\bar{Y}\bar{a}\bar{y}\bar{\circ} \bar{y}\bar{B}\bar{Y}\bar{N}\bar{Y}\grave{a}\bar{y}\bar{\Sigma}\bar{Y}\bar{U}\bar{Y}\bar{a}\bar{y}\bar{\circ}, \bar{y}\pm\bar{Y}\bar{C}\bar{Y}\bar{O}\bar{y}^{\text{r}}\bar{Y}\grave{a}\bar{y}\bar{B}\bar{y}\leq$ $\bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}\geq\bar{Y}\bar{A}\bar{y}\pm, \bar{Y}\bar{a}\bar{y}^{\text{r}}\bar{Y}\bar{a}\bar{Y}\bar{C}\bar{y}\bar{\circ} \bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}\geq\bar{Y}\bar{A}\bar{y}\pm, \bar{y}\geq\bar{Y}\bar{N}\bar{y}\bar{y}\bar{\Sigma}\bar{y}\bar{\circ}$ $\bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}\bullet\bar{y}\bar{\mu}\bar{y}\bar{\emptyset}\bar{y}\bar{B}\bar{y}\pm, \bar{y}\bullet\bar{y}^{\text{r}}\bar{y}^{\circ}\bar{y}\bar{B}\bar{y}^{\text{m}} \bar{y}\bar{B}\bar{Y}\bar{N}\bar{Y}\acute{a}\bar{Y}\grave{a}\bar{Y}\bar{a}\bar{y}\bar{\circ},$ $\bar{Y}\bar{O}\bar{y}\bar{\pi}\bar{y}\pm\bar{Y}\bar{e}\bar{Y}\bar{A}\bar{y}^{\text{r}}\bar{Y}\grave{a}\bar{y}\bar{B}\bar{y}\leq \bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}\geq\bar{Y}\bar{A}\bar{y}\pm$ (or) $\bar{y}^{\text{r}}\bar{Y}\grave{a}\bar{y}\bar{B}\bar{y}\leq$ $\bar{y}\bar{B}\bar{Y}\bar{N}\bar{y}\geq\bar{Y}\bar{A}\bar{y}\pm.$	Built-In
Hair Color (Malta)	Malta Hair color matches with any of the following keywords Kulur tax-xagfBar combined with any of the following keywords within a proximity of 10 terms: Afβmar, Deheb, Kittien, Gri≈°, Kannella, Iswed, Blonde (or) kulur iefβor. (All terms case insensitive; diacritics are optional.)	Built-In
Gender (Czech)	Czech Gender matches with any of the following keywords: Pohlav√≠ combined with any of the following keywords within a proximity of 10 terms: M, Mu≈æ, ≈æ, ≈æena (or) Jin√© (All terms case insensitive; diacritics are optional.)	Built-In
BankAccount Number (Panama)	Panama Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: n√Jmero de cuenta bancaria, detalles bancarios, n√Jmero de banco, c√≥digo de cuenta, ID de cuenta, n√Jmero de cuenta (or) cuenta numerada. (All terms case insensitive; diacritics are optional.)	Built-In

Eye Color (Latvia)	Latvia Eye Color matches with any of the following keywords Acu krķĀsa, Acu krķĀsa, Varavf'ksnenes krķĀsa (or) Acs krķĀsa combined with any of the following keywords within a proximity of 10 terms: BrĀns, Zils, ZafĀs, Dzintara, Pelfiks, Heterohromija (or) Cita krķĀsa. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number - ITIN (US)	US Tax ID Number - ITIN (Individual Taxpayer Identification Number) matches a valid ITIN combined with any of the following keywords within a proximity of 10 terms: taxpayer, tax id, tax identification, itin, ssn, tin, social security, tax payer, itins, taxid, individual taxpayer, License, DL, DOB, Birthdate, Birthday (or) Date of Birth. (All terms case insensitive.)	Built-In
Race (Norway)	Norway Race matches with the following keyword: rase combined with any of the following keywords within a proximity of 10 terms: norsk, samisk, europeisk, asiatisk, amerikansk, annet. (All terms case insensitive.)	Built-In
License Plate Number (Serbia)	Serbia License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: registarski broj tablice, br. registracije, broj registracije, br. tablice, broj dozvole (or) broj tablice.	Built-In

Ethnicity (Denmark)	Denmark Ethnicity matches with any of the keywords: Etnicite, etnisk (or) etnisk Gruppe combined with any of the following keywords within a proximity of 10 terms: Danskere, Skandinaver, Danskere, Arabere i Danmark, Tysk mindretal i Danmark, Libanesere i Danmark, Etiopiere i Danmark, Marokkanere i Danmark, Kurdere i Danmark, Somaliere i Danmark, Fødselske danskere, Danskamerikanere, Grønlandere i Danmark (or) Kartoffeltyskere. (All terms case insensitive; diacritics are optional.)	Built-In
Business Number (Ukraine)	Ukraine Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: —Ä—µ—î—Å—Ç—Ä—∞—Ü—ñ—π—Ω—Π—π—Ω—æ—°—µ—Ä —ø—ñ—¥—ø—Ä—Π—î—°—Å—Ç—≤—∞, —Ω—æ—°—µ—Ä —ø—ñ—¥—ø—Ä—Π—î—°—Å—Ç—≤—∞, —ø—ñ—¥—ø—Ä—Π—î—°—Å—Ç—≤—æ, Ññ, —Ω—æ—°. —ø—ñ—¥—ø—Ä.#, —Ω—æ—°. —ø—ñ—¥—ø—Ä., —ñ—¥. —Ω—æ—°. —ø—ñ—¥—ø—Ä—Π—î—°—Å—Ç—≤—∞#, —ñ—¥. —Ω—æ—°. —ü—ñ—¥—ø—Ä—Π—î—°—Å—Ç—≤—∞, —Ω—æ—°. —ø—ñ—¥—ø—Ä—Π—î—°—Å—Ç—≤—∞#, —Ω—æ—°. —ø—ñ—¥—ø—Ä—Π—î—°—Å—Ç—≤—∞ (or) —Ω—æ—°. —ø—ñ—¥—ø—Ä—Π—î—°—Å—Ç—≤—∞	Built-In
VAT ID Number (UK)	UK VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: vat no., vat number, vat#, value added tax, VAT, BTW, TVA, T.V.A., Tax Identification number, value added tax number (or) vat no. (All terms case insensitive.)	Built-In

Expiry Date (Belgium)	Belgium Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: vervaldatum, datum verval, verloopdatum, datum verloop, geldig tot, geldig t (or) geldig m. (All terms case insensitive.)	Built-In
Race (Slovakia)	Slovakia Race matches any of the following keywords: Z√°vod combined with any of the following keywords within a proximity of 10 terms: slovensk√Ω, mafearfçina, r√≥mfçina, fçesk√Ω, rus√≠nsky, Ukrajinfçina, rusk√Ω, nemfçina, pofæ≈°tina, ln√≠. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (Ecuador)	Ecuador Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: direcci√≥n, distrito de c√≥digo postal, √°rea de c√≥digo postal, unidad de c√≥digo postal (or) sector de c√≥digo postal. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Colombia)	Colombia License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: placas de los vehiculos, placa del vehiculo, n.∞ de registro, n.∞ de matr√≠cula, n√jmero de l√°mina licencia, n√jmero de matr√≠cula, matr√≠cula (or) n√jmero de registro. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (Indonesia)	Indonesia Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: alamat, distrik kode pos, area kode pos, unit kode pos, sektor kode pos, address, postcode (or) kode pos. (All terms case insensitive.)	Built-In

Gender (Sweden)	Sweden Gender matches with the keyword: K√ðñ combined with any of the following keywords within a proximity of 10 terms: M, Man, K, Kvinna, √ðvriga, √ðvrigt (or) √ð (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (New Zealand)	New Zealand Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: mobile phone number, mobilephone number, mobile phone no., mobilephone no., mobile number, mobilenumber, mobile no., mobileno., mobile, contact number, contact no., contact, fax number, fax no., cell phone number, cellphone number, cell phone no., cellphone no., cell phone, cellphone, cell number, cellnumber, cell no., cellno., whatsapp number, whatsapp no., whatsapp, phone number, phone no., phone num, telephonic number, telephone number, telephone no., telephone, landline number, landline no. (or) landline num. (All terms case insensitive.)	Built-In
Driver's License Number (Hungary)	Hungary Driver's license matches a valid license number combined with any of the following keywords within a proximity of 10 terms: fot√≥k√°rty√°s jogos√#tv√°ny, tanul√≥vezet≈ëk, jogos√#tv√°nytulajdonos, jogos√#tv√°nytulajdonosok, jogos√#tv√°ny sz√°ma, jogos√#tv√°nyok (or) vezet≈ëi enged√©ly. (All terms case insensitive; diacritics are optional.)	Built-In

Phone Number (Ecuador)	Ecuador Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: número de teléfono, número de móvil (or) número de teléfono móvil. (All terms case insensitive; diacritics are optional.)	Built-In
Race (Netherlands)	Netherlands Race matches any of the following keywords: Race combined with any of the following keywords within a proximity of 10 terms: Nederlands, EU, Turks, Marokkaans, Indonesisch, Duits, Surinaams, Pools, Anderen. (All terms case insensitive.)	Built-In
Bank Account Number (Finland)	Finland Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: pankkitilin numero, pankkitilinumero, pankkitiedot, pankkitilin nro, pankkitili, tilinumero (or) tilinro.	Built-In
Tax ID Number (Costa Rica)	Costa Rica Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: número de identificación fiscal, número de identidad fiscal, código de identificación fiscal, archivo fiscal, número de identificación fiscal, número de registro fiscal, número de ID fiscal, número fiscal, número de registro fiscal, ID fiscal, ID del NIF, número del NIF (or) NIF. (All terms case insensitive; diacritics are optional.)	Built-In

Race (Greece)	Greece Race matches any of the following keywords: $\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\pi\rho\sigma\tau\upsilon\phi\chi\psi\omega$ combined with any of the following keywords within a proximity of 10 terms: $\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\pi\rho\sigma\tau\upsilon\phi\chi\psi\omega$, $\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\pi\rho\sigma\tau\upsilon\phi\chi\psi\omega$, $\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\pi\rho\sigma\tau\upsilon\phi\chi\psi\omega$, $\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\pi\rho\sigma\tau\upsilon\phi\chi\psi\omega$, $\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\pi\rho\sigma\tau\upsilon\phi\chi\psi\omega$, $\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\pi\rho\sigma\tau\upsilon\phi\chi\psi\omega$. (All terms case insensitive.)	Built-In
National ID Number (Greece)	Greece National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: Greek identity Card, Tautotita, $\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\pi\rho\sigma\tau\upsilon\phi\chi\psi\omega$, $\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\pi\rho\sigma\tau\upsilon\phi\chi\psi\omega$, $\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\pi\rho\sigma\tau\upsilon\phi\chi\psi\omega$ (or) $\alpha\beta\gamma\delta\epsilon\zeta\eta\theta\iota\kappa\lambda\mu\nu\xi\omicron\pi\rho\sigma\tau\upsilon\phi\chi\psi\omega$. (All terms case insensitive.)	Built-In
Postcode (Malta)	Malta Postcode matches with Maltese postcode combined with any of the following keywords within a proximity of 10 terms: indirizz, residenza, kodifai tal-punt miftuf, distrett tal-kodifai postali, $\approx$ ona tal-kodifai postali, unit $\sqrt{t}$ tal-kodifai postali, settur tal-kodifai postali, kodifai postali, posta rjali, posta (or) post. (All terms case insensitive; diacritics are optional.)	Built-In

Health Insurance Number (Philippines)	Philippines Health Insurance Number matches a valid health insurance number combined with any of the following keywords within a proximity of 10 terms: health coverage, health benefits, health care coverage, personal health number, health registration, health insurance number (or) health information act. (All terms case insensitive.)	Built-In
Tax ID Number (Jordan)	Jordan Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: taxidnumber#, taxidnumber, taxidno#, taxidno, taxid#, taxid, taxnumber#, taxnumber, taxno#, taxno, tin, ÿ±ŸÇŸÖ ŸÖŸπŸ±ŸÅ ŸBŸÑŸðŸ±ŸäŸ*Ÿ©, Ÿ±ŸÇŸÖ ŸBŸÑŸ™ŸπŸ±ŸäŸÅ ŸBŸÑŸðŸ±ŸäŸ*Ÿä, Ÿ±ŸÖŸ≤ ŸÖŸπŸ±ŸÅ ŸBŸÑŸðŸ±ŸäŸ*Ÿ©, ŸÖŸÑŸÅ ŸðŸ±ŸäŸ*Ÿä, Ÿ±ŸÇŸÖ ŸBŸÑŸ™Ÿ≥Ÿ ŸäŸÑ ŸBŸÑŸðŸ±ŸäŸ*Ÿä (or) Ÿ±ŸÇŸÖ ŸBŸÑŸðŸ±ŸäŸ*Ÿ©, ŸBŸÑŸÖŸπŸ±ŸÅ ŸBŸÑŸðŸ±ŸäŸ*Ÿä. (All terms case insensitive.)	Built-In
Bank Account Number (Ireland)	Ireland Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: uimhir chuntais bainc, sonra√ ≠ bainc, uimhir bhainc, c√ ≥d an chuntais, aitheantas cuntais (or) uimhir chuntais. (All terms case insensitive; diacritics are optional.)	Built-In

Routing Number (Greece)	Greece Routing Number matches a valid routing number Built-In combined with any of the following keywords within a proximity of 10 terms: CE±œÅCEπCE∏CE°œåœÇ CE¥œÅCEøCE°CEøCEªœåœ≥CEΣœÉCEΣœÇ, #œÑœÅCE±œÄCEμCEðCEπCE∏CEÆœÇ CE¥œÅCEøCE°CEøCEªœåœ≥CEΣœÉCEΣœÇ, œÑœÅCE±œÄCEμCEðCEπCE∏CEÆœÇ CE¥œÅCEøCE°CEøCEªœåœ≥CEΣœÉCEΣœÇ, œÑœÅCE±œÄCEμCEðCEπCE∏CEÆ CE¥œÅCEøCE°CEøCEªœåœ≥CEΣœÉCEΣ, # CE¥œÅCEøCE°CEøCEªœåœ≥CEΣœÉCEΣœÇ, #CE¥œÅCEøCE°CEøCEªœåœ≥CEΣœÉCEΣœÇ, CE±œÅ. CE¥œÅCEøCE°CEøCEªœåœ≥CEΣœÉCEΣœÇ (or) RTN. (All terms case insensitive.)	
Passport Number (Serbia)	Serbia Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: identifikacija za meĳunarodno putovanje, podaci o pasoœu, viza, broj pasoœa, putni dokument, organ izdavanja, dokaz o identifikaciji, idpasoœa, br. pasoœa (or) pasoœ. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Estonia)	Estonia Phone number matches an Estonian phone number combined with any of the following keywords within a proximity of 10 terms: telefoninumber, telefoninr., telefoninr, telefon, mobiilnumber (or) mobiiltelefoni number. (All terms case insensitive.)	Built-In

[illegible]

Tax ID Number (Oman)	Oman Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: taxidnumber#, taxidnumber, taxidno#, taxidno, taxid#, taxid, taxnumber#, taxnumber, taxno#, taxno, tin, ŷ±ŸÇŸÖ ŸÖŷπŷ±ŸÅ ŷBŸÑŷðŷ±Ÿäŷ°ŷ©, ŷ±ŸÇŸÖ ŷBŸÑŷ™ŷπŷ±ŸäŸÅ ŷBŸÑŷðŷ±Ÿäŷ°Ÿä, ŷ±ŸÖŷ≤ ŸÖŷπŷ±ŸÅ ŷBŸÑŷðŷ±Ÿäŷ°ŷ©, ŸÖŸÑŸÅ ŷðŷ±Ÿäŷ°Ÿä, ŷ±ŸÇŸÖ ŷBŸÑŷ™ŷ≥ŷ°ŸäŸÑ ŷBŸÑŷðŷ±Ÿäŷ°Ÿä (or) ŷ±ŸÇŸÖ ŷBŸÑŷðŷ±Ÿäŷ°ŷ©, ŷBŸÑŸÖŷπŷ±ŸÅ ŷBŸÑŷðŷ±Ÿäŷ°Ÿä. (All terms case insensitive.)	Built-In
VAT ID Number (Croatia)	Croatia VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: PDV identifikacijski broj, pdv br., porezn na dodanu vrijednost, porezn na dodanu vrijednost broj (or) pdv broj. (All terms case insensitive.)	Built-In
Azure - Access Key	Azure Access Key identifier matches a valid Azure access key where the key contains the proximity term : Value (case insensitive.)	Built-In
Passport Number (Denmark)	Denmark Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: identifikation til international rejse, pasoplysninger, visa, nationalt identitetspapir, rejsedokument, udstedende myndighed, identifikation, identitetsbevis, pasnr., udl√Πbsdato (or) pasnummer. (All terms case insensitive; diacritics are optional.)	Built-In

International Bank Account Number - IBAN (Panama)	Panama International Bank Account Number - IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: número de cuenta bancaria internacional, número de IBAN, IBAN (or) número de cuenta bancaria internacional. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Czech)	Czech Republic Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: číslo bankovního účtu, bankovní údaj, kód účtu, id účtu (or) číslo účtu. (All terms case insensitive; diacritics are optional.)	Built-In

Religion (Russia)

Russia Religion matches with any of the following

Built-In

keywords —Ä-µ-ª-Π-≥-Π-è (or)

—Ä-µ-ª-Π-≥-Π-æ-Σ-Ω-ã-π combined with any of the following keywords within a proximity of 10 terms:

-ø-Ä-∞-≤-æ-Å-ª-∞-≤-Ω-æ-µ

-Ö-Ä-Π-Å-Ç-Π-∞-Ω-Å-Ç-≤-æ,

-Ä-É-Å-Å-∫-æ-µ-ø-Ä-∞-≤-æ-Å-ª-∞-≤-Π-µ,

-Å-É-Ω-Ω-Π-Ç-Å-∫-Π-π-Π-Å-ª-∞-º,

-à-Π-Π-Ç-Å-∫-Π-π-Π-Å-ª-∞-º, -Π-É-¥-∞-Π-Σ-º,

-±-É-¥-¥-Π-Σ-º,

-Ö-Ä-Π-Å-Ç-Π-∞-Ω-Å-Ç-≤-æ, -Π-Å-ª-∞-º,

-∫-∞-Ç-æ-ª-Π-Ü-Π-Σ-º,

-ª-é-Ç-µ-Ä-∞-Ω-Å-Ç-≤-æ,

-ø-Ä-æ-Ç-µ-Å-Ç-∞-Ω-Ç-Π-Σ-º,

-±-∞-ø-Ç-Π-Σ-º,

-ø-è-Ç-Π-¥-µ-Å-è-Ç-Ω-Π-á-µ-Å-Ç-≤-æ,

-Å-≤-Π-¥-µ-Ç-µ-ª-Π-ò-µ-≥-æ-≤-ã,

-Å-Ç-∞-Ä-æ-æ-±-Ä-è-¥-Ü-ã,

-Π-Ω-¥-É-Π-Σ-º, -è-Σ-ã-á-µ-Å-Ç-≤-æ,

-∞-Ç-µ-Π-Σ-º, -∞-≥-Ω-æ-Å-Ç-Π-Ü-Π-Σ-º,

-¥-Ä-É-≥-∞-è-Ä-µ-ª-Π-≥-Π-è (or) -Ω-µ-Ç

-Ä-µ-ª-Π-≥-Π-Π.

International Bank Account
Number - IBAN (Dominican
Republic)

Dominican Republic International Bank Account

Built-In

Number - IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms:

n√fmero de cuenta bancaria internacional, n.ª de

IBAN, IBAN (or) n.ª de cuenta bancaria internacional.

(All terms case insensitive; diacritics are optional.)

Criminal Record (Sweden)	Sweden Criminal records matches with any of the following keywords belastningsregister, brottsregister (or) polisregister combined with any of the following crime keywords within a proximity of 10 terms: mord, stöld, korruption, bedrägeri, terrorism, droger, inbrott, völd, rån, bilstöld, självmord, kidnappning, människohandel, människosmuggling (or) vapenhandel. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (Lithuania)	Lithuania Postcode matches with Lithuanian postcode combined with any of the following keywords within a proximity of 10 terms: adresas, gyvenamoji vieta, miestas, karališkasis pastatas, atvirasis kodas, pastato kodo rajonas, pastato kodo sritis, visas pastato kodas, pastato kodo sektorius (or) pastato kodas. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (Finland)	Finland Postcode matches with Finnish postcode combined with any of the following keywords within a proximity of 10 terms: osoite, asuinpaikka, paikkakunta, Posti, postiosoite, lähiosoite, katuosoite, postinumero, postinumeroalue (or) postinumeropiiri. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Ukraine)	Ukraine VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: -Ω-æ-°-μ-Ä-ø-ª-∞-Ç-Ω-Π-∫-∞-ø-æ-¥-∞-Ç-∫-É -Ω-∞-¥-æ-¥-∞-Ω-É-≤-∞-Ä-Ç-ñ-Å-Ç-å, -ø-æ-¥-∞-Ç-æ-∫-Ω-∞-¥-æ-¥-∞-Ω-É -≤-∞-Ä-Ç-ñ-Å-Ç-å, -Ω-æ-°-μ-Ä-ü-î-í, -ü-î-í ,Ññ, -ü-î-í# (or) -ü-î-í.	Built-In

License Plate Number (Vietnam)	Vietnam License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: bi· ^a Én s· ^a ë xe, bi· ^a Én fëfÉng k√Ω xe (or) bi· ^a Én s· ^a ë. (All terms case insensitive; diacritics are optional.)	Built-In
US Person Name And Health Condition (Moderate)	Identifies assets that contain both a US person's name and health condition names, such as diseases or other medical conditions.	Built-In
Region (Italy)	Italy Region matches with the following keyword: Regione combined with any of the following keywords within a proximity of 10 terms: Puglia, Basilicata, Calabria, Sicilia, Molise, Campania, Abruzzo, Lazio, Umbria, Marche, Toscana, Sardegna, Emilia Romagna, Valle d'Aosta, Friuli-Venezia Giulia, Liguria, Lombardia, Piemonte, Trentino-Alto Adige (or) Veneto. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number (Switzerland)	Switzerland National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: Personalausw., Personalausweisnummer, Personalausweisnr., Identit√stsausweis, Identit√stsausweisnummer, Personalausweis, NIN#, num√©ro de carte d'identit√©, n¬f de carte d'identit√©, num√©ro d'identification national, num√©ro de carte nationale d'identit√© (or) carte d'identit√©. (All terms case insensitive; diacritics are optional.)	Built-In

Postcode (Israel)	Israel Postcode matches with Israeli postcode combined with any of the following keywords within a proximity of 10 terms: $\phi\omega^{\text{TM}}\phi\iota\phi\epsilon^{\text{TM}}$, $\phi\hat{\omega}\phi\beta\iota\phi\hat{\omega}$ $\phi\hat{\omega}\phi\iota\phi\iota\phi^{\circ}\phi\hat{\omega}\phi$, $\phi\chi\phi\hat{\omega}\phi^{\circ}$, $\phi\beta\phi\iota\phi\iota$ $\phi\Sigma\phi^{\text{TM}}\phi\iota\phi\acute{\omega}$, $\phi\hat{\omega}\phi\acute{\omega}\phi\iota\phi\grave{\eta}$ $\phi\hat{\omega}\phi\hat{\omega}\phi\beta\phi\iota\phi\iota$, $\phi\hat{\epsilon}\phi\grave{\eta}\phi\iota\phi^{\circ}$ $\phi\hat{\omega}\phi\hat{\omega}\phi\beta\phi\iota\phi\iota$, $\phi\hat{\omega}\phi\acute{\omega}\phi\hat{\omega}\phi\iota\phi^{\text{TM}}\phi\delta\phi^{\text{TM}}\phi\iota\phi\epsilon^{\text{TM}}$, $\phi\hat{\omega}\phi\beta\phi\iota\phi\hat{\omega}$ $\phi\hat{\omega}\phi\iota\phi\iota\phi^{\circ}\phi\hat{\omega}\phi\hat{\omega}$, $\phi\chi\phi\hat{\omega}\phi^{\circ}$, $\phi\beta\phi\iota\phi\iota$ $\phi\Sigma\phi^{\text{TM}}\phi\iota\phi\acute{\omega}$, $\phi\hat{\omega}\phi\acute{\omega}\phi\iota\phi\grave{\eta}$ $\phi\hat{\omega}\phi\hat{\omega}\phi\beta\phi\iota\phi\iota$, $\phi\hat{\epsilon}\phi\grave{\eta}\phi\iota\phi^{\circ}$ $\phi\hat{\omega}\phi\hat{\omega}\phi\beta\phi\iota\phi\iota$, $\phi\hat{\omega}\phi\acute{\omega}\phi\hat{\omega}\phi\iota\phi^{\text{TM}}$ $\phi\hat{\omega}\phi\hat{\omega}\phi\beta\phi\iota\phi\iota$ (or) $\phi\hat{\omega}\phi\hat{\omega}\phi\beta\phi\iota\phi\iota$.	Built-In
Social Insurance Number - SIN (Bolivia)	Bolivia Social Insurance Number - SIN matches a valid social insurance number combined with any of the following keywords within a proximity of 10 terms: sin. $\neg\infty$, n $\sqrt{\int}$ mero de seguro social, n. $\neg\infty$ de seguro social (or) seguro social. (All terms case insensitive; diacritics are optional.)	Built-In
Weight (Cyprus)	Cyprus Person, Æ's weight appearing within 10 terms of the keywords $\text{C}\acute{\text{E}}\acute{\text{I}}\text{C}\acute{\text{E}} \neg \text{æ}\text{Å}\text{C}\text{ø}\text{æ}\text{Ç}$, $\text{C}\acute{\text{E}}\acute{\text{U}}\text{C}\acute{\text{E}} \neg \text{C}\acute{\text{E}}\partial\text{C}\text{E}\pm$, Afüf±rlf±k (or) K $\sqrt{\text{o}}$ tle. Weight can match in Pound (or) Kilograms, using the keywords Lb, kg, $\text{C}\acute{\text{E}}\ddot{\text{O}}\text{C}\text{E}\pi\text{C}\text{E}^{\text{a}}\text{C}\acute{\text{E}} \neg$, $\text{C}\text{E}^{\text{a}}\text{C}\text{E}\emptyset\text{C}\text{E}\leq\text{æ}\text{Å}\text{C}\text{E}\mu\text{æ}\text{Ç}$, stone, st, $\text{C}\text{E}\emptyset\text{æ}\ddot{\text{O}}\text{C}\text{E}\geq\text{C}\text{E}\text{J}\text{C}\text{E}\pi\text{C}\text{E}\neq\text{æ}\text{Ç}$, pound (or) Kilogram, followed by space or no space. Values can be separated by space or no space. (All terms case insensitive; diacritics are optional.)	Built-In

Eye Color (Greece)	Greece Eye Color matches with any of the following keywords ΕΒΑΑΕΕ°Ε± Ε°Ε±εΝΕπΑΕΕΩ, ΕΒΑΑΕΕ°Ε± εΝεâΕΩ Ε°Ε±εΝΕπΑΕΕΩ, ΕΒΑΑΕΕ°Ε± ΕπΑΕΕ°Ε±εâΕΩ (or) ΕΒΑΑΕΕ°Ε± εΝεâΕΩ Ε°Ε±εΝΕπΑΕΕΩ combined with any of the following keywords within a proximity of 10 terms: ΕöΕ±εÛΕ≠, ΕύΑΕ°Εμ, Ε†ΑΕ° εΕΕπΕΩΕ±, ΕöΕ±εΕεΝΕ±ΕΩΕøΑΕ° εΕΕπΕΩΕ±, ΕöΕμΑΕ°ΕπΕ°εΑΕ±εΑΕ≠ΕΩΕπΕ±, ΕìΕ∫ΑΕ°ΕðΕ±, ΕïεΝΕμΑΕ°ΕøΑεâΕ°ΕøΕ± (or) ΕÛΕ°Ε°Εø εΑεΑΕΕ°Ε±. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (Japan)	Japan VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: %ªðÄ†%æ°Ä\$Á®é Á™ÂèΣ, %ªðÄ†%æ°Ä\$Á®éÁ™ÂèΣ (or) VAT. (All terms case insensitive.)	Built-In
Region (Slovenia)	Slovenia Region matches with the following keyword: Regija combined with any of the following keywords within a proximity of 10 terms: Osrednjeslovenska, Obalno-kraška, Primorsko-notranjska, Koroška, Zasavska, Jugovzhodna, Posavska, Goriška, Gorenjska, Pomurska, Savinjska (or) Podravska. (All terms case insensitive; diacritics are optional.)	Built-In

Driver's License Number (Bahrain)	Bahrain Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: $\tilde{y}\pm\tilde{y}\tilde{A}\tilde{E}\tilde{y}\tilde{m}\tilde{y}\odot$ $\tilde{y}\odot\tilde{y}\odot\tilde{y}\Sigma\tilde{y}B\tilde{Y}\tilde{C}\tilde{y}\odot\tilde{y}^{\text{TM}}\tilde{y}\neq\tilde{Y}\tilde{O}\tilde{Y}\tilde{N}\tilde{y}\mu\tilde{Y}\tilde{a}\tilde{y}\pm\tilde{y}\odot$, $\tilde{y}\pm\tilde{y}\tilde{A}\tilde{E}\tilde{y}\tilde{m}\tilde{y}\odot\tilde{y}\geq\tilde{Y}\tilde{a}\tilde{Y}\tilde{C}$, $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\neq\tilde{y}\tilde{A}\tilde{E}\tilde{y}\tilde{m}\tilde{Y}\tilde{a}$, $\tilde{Y}\tilde{C}\tilde{Y}\tilde{a}\tilde{y}\tilde{B}\tilde{y}\tilde{O}\tilde{y}\odot$ $\tilde{Y}\tilde{O}\tilde{y}^{\text{TM}}\tilde{y}\pi\tilde{Y}\tilde{N}\tilde{y}\tilde{e}\tilde{Y}\tilde{O}$, $\tilde{y}\neq\tilde{y}\tilde{B}\tilde{Y}\tilde{O}\tilde{Y}\tilde{N}\tilde{Y}\tilde{a}\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\pm\tilde{y}\tilde{A}\tilde{E}\tilde{y}\tilde{m}$, $\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\pm\tilde{y}\tilde{A}\tilde{E}\tilde{y}\tilde{m}\tilde{y}\odot$, $\tilde{y}\neq\tilde{y}\tilde{B}\tilde{Y}\tilde{O}\tilde{Y}\tilde{N}\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\pm\tilde{y}\tilde{A}\tilde{E}\tilde{y}\tilde{m}\tilde{y}\odot$, $\tilde{y}\pm\tilde{y}\tilde{A}\tilde{E}\tilde{y}\tilde{m}$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{Y}\tilde{C}\tilde{Y}\tilde{a}\tilde{y}\tilde{B}\tilde{y}\tilde{O}\tilde{y}\odot$ (or) $\tilde{y}\pm\tilde{y}\tilde{A}\tilde{E}\tilde{y}\tilde{m}\tilde{y}\odot\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{Y}\tilde{C}\tilde{Y}\tilde{a}\tilde{y}\tilde{B}\tilde{y}\tilde{O}\tilde{y}\odot$.	Built-In
Eye Color (Cyprus)	Cyprus Eye Color matches with any of the following keywords $\text{CE}\beta\text{œ}\text{Å}\text{œ}\acute{\text{e}}\text{CE}^{\circ}\text{CE}\pm$ $\text{CE}^{\circ}\text{CE}\pm\text{œ}\tilde{\text{N}}\text{CE}\pi\text{œ}\acute{\text{e}}\text{CE}\Omega$, $\text{CE}\beta\text{œ}\text{Å}\text{œ}\acute{\text{e}}\text{CE}^{\circ}\text{CE}\pm$ $\text{œ}\tilde{\text{N}}\text{œ}\hat{\text{a}}\text{CE}\Omega$ $\text{CE}^{\circ}\text{CE}\pm\text{œ}\tilde{\text{N}}\text{CE}\pi\text{œ}\acute{\text{e}}\text{CE}\Omega$, $\text{CE}\beta\text{œ}\text{Å}\text{œ}\acute{\text{e}}\text{CE}^{\circ}\text{CE}\pm$ $\text{CE}\pi\text{œ}\text{Å}\text{CE}\emptyset\text{CE}\neq\text{œ}\hat{\text{a}}\text{CE}\Omega$, $\text{CE}\beta\text{œ}\text{Å}\text{œ}\acute{\text{e}}\text{CE}^{\circ}\text{CE}\pm$ $\text{œ}\tilde{\text{N}}\text{œ}\hat{\text{a}}\text{CE}\Omega$ $\text{CE}^{\circ}\text{CE}\pm\text{œ}\tilde{\text{N}}\text{CE}\pi\text{œ}\acute{\text{e}}\text{CE}\Omega$, $G\sqrt{\partial}z$ rengi, $f\text{œ}ris$ rengi (or) $g\sqrt{\partial}z$ $k\sqrt{\text{°}}resi$ rengi combined with any of the following keywords within a proximity of 10 terms: $\text{CE}\ddot{\text{o}}\text{CE}\pm\text{œ}\ddot{\text{U}}\text{CE}\neq$, $\text{CE}\acute{\text{u}}\text{œ}\ddot{\text{A}}\text{CE}^{\text{a}}\text{CE}\mu$, $\text{CE}\dagger\text{œ}\text{Å}\text{CE}^{\text{°}}\text{œ}\acute{\text{e}}\text{CE}\pi\text{CE}\Omega\text{CE}\pm$, $\text{CE}\ddot{\text{o}}\text{CE}\pm\text{œ}\acute{\text{e}}\text{œ}\tilde{\text{N}}\text{CE}\pm\text{CE}\Omega\text{CE}\emptyset\text{œ}\ddot{\text{A}}\text{œ}\text{Å}\text{CE}^{\text{°}}\text{œ}\acute{\text{e}}\text{CE}\pi\text{CE}\Omega\text{CE}\pm$, $\text{CE}\ddot{\text{o}}\text{CE}\mu\text{œ}\acute{\text{a}}\text{œ}\text{Å}\text{CE}\pi\text{CE}^{\circ}\text{œ}\ddot{\text{A}}\text{œ}\pm\text{œ}\text{Å}\text{CE}\neq\text{CE}\Omega\text{CE}\pi\text{CE}\pm$, $\text{CE}\imath\text{CE}\int\text{œ}\text{Å}\text{CE}\emptyset\text{CE}\partial\text{CE}\pm$, $\text{CE}\ddot{\text{i}}\text{œ}\tilde{\text{N}}\text{CE}\mu\text{œ}\text{Å}\text{CE}\emptyset\text{œ}\acute{\text{a}}\text{œ}\text{Å}\text{œ}\hat{\text{a}}\text{CE}^{\circ}\text{CE}\emptyset\text{CE}\pm$, $\text{CE}^{\text{°}}\text{CE}^{\text{a}}\text{CE}^{\text{a}}\text{CE}\emptyset$ $\text{œ}\acute{\text{a}}\text{œ}\text{Å}\text{œ}\acute{\text{e}}\text{CE}^{\circ}\text{CE}\pm$, Kahverengi, Mavi, $Ye\approx\ddot{u}il$, Ela, Amber, Gri, Heterokromi (or) $dif\ddot{u}er$ renk. (All terms case insensitive; diacritics are optional.)	Built-In

National ID Number (Singapore)	Singapore National ID Number matches a valid National Identity Card number combined with any of the following keywords within a proximity of 10 terms: NIN, NRIC, national id, national card number, national card no, Foreign Identification Number, FIN, national registration Identity Card, national identification number (or) national identity card number. (All terms case insensitive.)	Built-In
Company Number (Bolivia)	Bolivia Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: n.º de la empresa, n.º de la empresa, n.º de identificación corporativa, n.º de registro de la empresa (or) n.º corporativo. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Malaysia)	Malaysia Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: nombor akaun bank, butiran bank, nombor bank, kod bank, id akaun, nombor akaun (or) akaun bernombor.	Built-In

SWIFT Code	US SWIFT Code matches a valid SWIFT code combined with any of the following keywords within a proximity of 10 terms: international organization for standardization 9362, iso 9362, iso9362, swift #, swiftcode, swiftnumber, swiftroutingnumber, swift code, swift number #, swift routing number, bic number, bic code, bic #, bank identifier code, Ê°ôÊÿñÂñ 9362, ËØÖÈÄüÔ°É, SWIFT,,Ç≥,,É°,,Éâ,,SWIFTÁĩ™ÂèΣ, ËØÖÈÄü,,Å™,,É´,,É°,,ÉÜ,,Ç£,,É≥,,Ç∞Áĩ™ÂèΣ, BICÁĩ™ÂèΣ, BIC,,Ç≥,,É°,,Éâ,, ËäÄË°åË÷ò√•ÀÜ¬•,,Ç≥,,É°,,Éâ,,Å£,,Åü,,ÇÅ,,Å£ÅöΩÈöõÁ µÑÁπî, Organisation internationale de normalisation 9362, rapide #, code SWIFT, le num√©ro de swift, swift num√©ro d'acheminement, le num√©ro BIC, #BIC, code identificateur de banque (or) ⚡B⚡⚡ ⚡°⚡ï⚡⚡⚡⚡⚡S⚡⚡ò. (All terms case insensitive.)	Built-In
Bank Account Number (Taiwan)	Taiwan Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: ËäÄË°åÂŒ≥ÊàðËöüÁ£°, ËäÄË°åË©≥Á¥∞Ë≥áË°ä, ËäÄË°åËöüÁ£°, ÂŒ≥Êàð%∞°£Á£°, ÂŒ≥ÊàðË÷òÂà•Á£°, ÂŒ≥Ëöü (or) ÁΣ°ËöüÂŒ≥Êàð.	Built-In
International Bank Account Number ,Àì IBAN (Croatia)	Croatia International Bank Account Number ,Àì IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: Bankovni račun, IBAN, financije, plaćanje, međunarodno plaćanje, prijenosi novca (or) ≈°ifra zemlje. (All terms case insensitive; diacritics are optional.)	Built-In

Gender (Portugal)	Portugal Gender matches with any of the following keywords: G√@nero (or) Sexo combined with any of the following keywords within a proximity of 10 terms: M, Masculino, F, Feminino, Outros, Outro (or) O (All terms case insensitive.)	Built-In
Driver's License Number (Czech)	Czech Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: registr vozidel, ~ôidifçsk√Ω pr~Økaz s fotografi√≠, ~ôidifç zafç√°tefçn√≠k, dr~æitel ~ôidifçsk√©ho pr~Økazu, dr~æitel√© ~ôidifçsk√©ho pr~Økazu, fç√≠slo ~ôidifçsk√©ho pr~Økazu, fç√≠slo pr~Økazu, ~ôidifçsk√© pr~Økazy (or) ~ôidifçsk√Ω pr~Økaz. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number (Sweden)	Sweden National ID Number matches a valid National Identity Card Number with any of the following keywords within a proximity of 10 terms: personnummer, Sverige, identitetshandling, id-nummer, identifikationsnumret (or) skatteidentifikationsnummer. (All terms case insensitive.)	Built-In
Tax ID Number (Italy)	Italy Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: codice di identificazione fiscale, numero di identificazione fiscale, codice fiscale, numero di codice fiscale, numero tin, n. tin (or) TIN. (All terms case insensitive.)	Built-In

Insurance Account Number -
SNILS (Russia)

Russia Insurance Account Number - SNILS matches a
valid insurance account number - SNILS combined with
any of the following keywords within a proximity of 10
terms: -°—Ç—Ä—Ö—æ≤-æπ-Ω-æ°-μ—Ä

-Π-Ω-¥-Π-≤-Π-¥-É-∞-ª-å-Ω-æ≥-æ
-ª-Π-Ü-μ-≤-æ≥-æ—Å—á-ë-Ç-∞, -°-ù-ò-õ-°,
—Å-Ç-Ä-∞-Ö-æ≤-æπ-Ω-æ°-μ—Ä
-Π-Ω-¥-Π-≤-Π-¥-É-∞-ª-å-Ω-æ≥-æ
-ª-Π-Ü-μ-≤-æ≥-æ—Å—á-ë-Ç-∞,
—Å-Ç-Ä-∞-Ö-æ≤-æπ-Ω-æ°-μ—Ä
-ª-Π-Ü-μ-≤-æ≥-æ—Å—á-ë-Ç-∞, -Ω-æ°-μ—Ä
-ø-μ-Ω—Å-Π-æ-Ω-Ω-æ≥-æ
—Å-Ç-Ä-∞-Ö-æ≤-∞-Ω-Π-è,
-ø-μ-Ω—Å-Π-æ-Ω-Ω-ã-π—Å-Ç-Ä-∞-Ö-æ≤-æπ
-Ω-æ°-μ—Ä, -Ω-æ°-μ—Ä
—Å-æ-Ü-Π-∞-ª-å-Ω-æ≥-æ
—Å-Ç-Ä-∞-Ö-æ≤-∞-Ω-Π-è,
—Å-Ç-Ä-∞-Ö-æ≤-æπ-Ω-æ°-μ—Ä
—Å-æ-Ü-Π-∞-ª-å-Ω-æ≥-æ
—Å-Ç-Ä-∞-Ö-æ≤-∞-Ω-Π-è,
—Ä-æ—Å—Å-Π-π—Å-∫-Π-π—Å-Ç-Ä-∞-Ö-æ≤-æπ
-Ω-æ°-μ—Ä, -Ω-æ°-μ—Ä
-ø-μ-Ω—Å-Π-æ-Ω-Ω-æ≥-æ—Ñ-æ-Ω-¥-∞,
-ø-μ-Ω—Å-Π-æ-Ω-Ω-ã-π
—Ä-μ-≥-Π—Å-Ç-Ä-∞-Ü-Π-æ-Ω-Ω-ã-π
-Ω-æ°-μ—Ä-Π-Ω-¥-Π-≤-Π-¥-É-∞-ª-å-Ω-ã-π

Built-In

Hair Color (Ireland)

Ireland Hair color matches with any of the following
keywords Dath gruaige combined with any of the
following keywords within a proximity of 10 terms:
Dearg, √`irga, Flaxen, Liath, Donn, Dubh, Blonde (or)
dath eile. (All terms case insensitive; diacritics are
optional.)

Built-In

Phone Number (Morocco)	Morocco Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: $\ddot{y}\pm\ddot{Y}\check{C}\ddot{Y}\ddot{O}$ $\ddot{y}\check{B}\ddot{Y}\check{N}\ddot{Y}\acute{a}\ddot{y}\check{B}\ddot{y}^{\text{TM}}\ddot{Y}\check{A}$, $\ddot{y}\pm\ddot{Y}\check{C}\ddot{Y}\ddot{O}$ $\ddot{y}\check{B}\ddot{Y}\check{N}\ddot{y}^{\text{TM}}\ddot{Y}\check{N}\ddot{Y}\acute{a}\ddot{Y}\check{A}\ddot{Y}\ddot{U}$, $\ddot{y}\pm\ddot{Y}\check{C}\ddot{Y}\ddot{O}$ $\ddot{y}\check{B}\ddot{Y}\check{N}\ddot{Y}\acute{a}\ddot{y}\check{B}\ddot{y}^{\text{TM}}\ddot{Y}\check{A}$ $\ddot{y}\check{B}\ddot{Y}\check{N}\ddot{Y}\ddot{O}\ddot{y}\neq\ddot{Y}\ddot{O}\ddot{Y}\grave{a}\ddot{Y}\check{N}$ (or) $\ddot{y}\pm\ddot{Y}\check{C}\ddot{Y}\ddot{O}$ $\ddot{y}\check{B}\ddot{Y}\check{N}\ddot{Y}\acute{a}\ddot{y}\check{B}\ddot{y}^{\text{TM}}\ddot{Y}\check{A}$ $\ddot{y}\check{B}\ddot{Y}\check{N}\ddot{y}\check{A}\check{E}\ddot{Y}\check{N}\ddot{Y}\grave{a}\ddot{Y}\check{a}$.	Built-In
Height (Finland)	Finland person, $\check{A}\ddot{o}$ s height described in Imperial or metric units, appearing within 10 terms of the keywords Korkeus. Imperial measurements may use jalat and tuumat or only by tuumat. Metric measurements may use metrit or senttimetrit. Examples: Korkeus 5'11" or 180.57cm or 5ft11in. (All text is case-insensitive.)	Built-In
License Plate Number (Panama)	Panama License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: n. $\neg\infty$ de registro, n. $\neg\infty$ de matr $\sqrt{\neq}$ cula, n $\sqrt{}$ fmero de l $\sqrt{\circ}$ mina licencia, n $\sqrt{}$ fmero de matr $\sqrt{\neq}$ cula, matr $\sqrt{\neq}$ cula (or) n $\sqrt{}$ fmero de registro. (All terms case insensitive; diacritics are optional.)	Built-In
Routing Number (Taiwan)	Taiwan Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: $\grave{E}\grave{a}\check{A}\check{E}^{\circ}\grave{a}\check{A}\check{a}\check{O}\check{E}^{\text{TM}}$ $\check{a}\%_{00}^a\text{E}\check{E}\check{o}\ddot{u}$, $\grave{E}\grave{a}\check{A}\check{E}^{\circ}\grave{a}\check{A}\check{a}\check{O}\check{E}^{\text{TM}}$ $\check{a}\#$, $\grave{E}\grave{a}\check{A}\check{E}^{\circ}\grave{a}\check{A}\check{a}\check{O}\check{E}^{\text{TM}}$ $\check{a}$, $\check{A}\check{a}\check{O}\check{E}^{\text{TM}}$ $\check{a}\#$, $\check{A}\check{a}\check{O}\check{E}^{\text{TM}}$ $\check{a}\%_{00}^a\text{E}\check{E}\check{o}\ddot{u}$ (or) RTN. (All terms case insensitive.)	Built-In

National ID Number - NIF (Spain)	Spain National ID Number - NIF (Número de identificación fiscal) matches a valid NIF combined with any of the following keywords within a proximity of 10 terms: DNI, NIF, Documento nacional de identidad, Número de Identificación (or) carné de identidad. (All terms case insensitive.)	Built-In
Region (Sweden)	Sweden Region matches with the following keyword: Område combined with any of the following keywords within a proximity of 10 terms: Blekinge, Dalarna, Gotland, Gästrikland, Halland, Jämtland, Jönköping, Kalmar, Kronoberg, Norrbotten, Skåne, Stockholm, Södermanland, Uppsala, Västmanland, Västernorrland, Västergötland, Västra Götaland, Årebro (or) Årstergotland. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (Guatemala)	Guatemala Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: dirección, distrito de código postal, área de código postal, unidad de código postal (or) sector de código postal. (All terms case insensitive; diacritics are optional.)	Built-In
Social Security Number (Finland)	Finland Social Security Number matches a valid SSN combined with any of the following keywords within a proximity of 10 terms: sosiaaliturvatunnus#, sosiaaliturvatunnus, sosiaaliturvanro, sosiaaliturvanumero, SSN#, SSN (or) SSID. (All terms case insensitive; diacritics are optional.)	Built-In

Business Number (Vietnam)	Vietnam Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: m√£ s·aë doanh nghi·aáp, s·aë doanh nghi·aáp, # dn, m√£ doanh nghi·aáp, s·aë nh·f#n d·f°ng doanh nghi·aáp (or) # doanh nghi·aáp. (All terms case insensitive; diacritics are optional.)	Built-In
Criminal Record (Ireland)	Ireland Criminal records matches with any of the following keywords taifead coirix √fjl, taifead coireachta (or) taifead p√≥il√#neachta combined with any of the following crime keywords within a proximity of 10 terms: d√fjnmhar√f, goid, √©illi√f, calaois, sceimhlitheoireacht, druga√#, buirgl√©ireacht, √©igni√f, rob√°il, goid carranna, f√©inmhar√f, fuadach, g√°inne√°il ar dhaoine, smuigle√°il daoine (or) g√°inne√°il arm. (All terms case insensitive; diacritics are optional.)	Built-In
Central Provident Fund Number - CPF (Singapore)	Singapore Central Provident FundNumber matches a valid CPF number combined with any of the following keywords within a proximity of 10 terms: ID CPF, CPF code, CPF number,central provident fund number, CPF identification number, CPF identification no, CPF ID, ID# CPF, CPF account number, CPF account (or) NRIC. (All terms case insensitive.)	Built-In

Social Insurance Number ,Àì SIN (Canada)	Canada Social Insurance Number ,Àì SIN matches a valid social insurance number combined with any of the following keywords within a proximity of 10 terms: sin, social insurance, numero d'assurance sociale, sins, ssn, ssns, social security, numero d'assurance social, national identification number, national id, sin #, soc ins, social ins, pension, pensions, ins # (or) CSIN. (All terms case insensitive.)	Built-In
Driver's License Number (Singapore)	Singapore Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: photocard licence, learner drivers, licence holder, licence holders, licence number, license number, driving licences, driving licenses, driving licence, driving license, drivers licence (or) drivers license. (All terms case insensitive.)	Built-In
Tax ID Number - RNC (Dominican Republic)	Dominican Republic Tax ID Number - RNC (Registro Nacional de Contribuyentes) matches a valid RNC number combined with any of the following keywords within a proximity of 10 terms: número de identificación fiscal, número de identidad fiscal, certificado de identificación fiscal, archivo fiscal, número de identificación fiscal, número de registro fiscal, registro nacional de contribuyentes, RNC number, número de ID fiscal, número fiscal, número fiscal, ID fiscal, ID del NIF, número del NIF (or) NIF. (All terms case insensitive; diacritics are optional.)	Built-In

Phone Number (South Africa)	South Africa Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: mobile phone number, mobilephone number, mobile phone no., mobilephone no., mobile number, mobilenumber, mobile no., mobileno., mobile, contact number, contact no., contact, fax number, fax no., cell phone number, cellphone number, cell phone no., cellphone no., cell phone, cellphone, cell number, cellnumber, cell no., cellno., whatsapp number, whatsapp no., whatsapp, phone number, phone no., phone num, telephonic number, telephone number, telephone no., telephone, landline number, landline no. (or) landline num. (All terms case insensitive.)	Built-In
Driver's License Number (Korea)	Korea Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: ìè"ìÜ†İπ¥İú îù°İù¥İÑ†İäš, Í≤"İäµ İö¥İ†Ñİûê, İö¥İ†Ñİ©¥İóà İÜäİú†İûê, İö¥İ†Ñİ©¥İóà İ≤àìò□, İö¥İ©¥İóà (or) İö¥İ†Ñİ©¥İóà.	Built-In
AWS - Session Token	AWS Session Token identifier matches a valid AWS session token combined with any of the following keyword within a proximity of 10 terms: Session Token (case insensitive and with or without spaces.)	Built-In

Passport Number (Brazil)	Brazil Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: passaporte, identifica√β√£o para viagem internacional, detalhes do passaporte, visto, documento de identidade nacional, documento de viagem, autoridade emissora, identifica√β√£o, prova de identifica√β√£o, id do passaporte (or) n√fmero do passaporte. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Austria)	Austria License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: Registrierungsnummer, Kennzeichen-Nr., Kennzeichennummer, Registrierungsnummer. (or) Kennzeichen. (All terms case insensitive.)	Built-In
Health Insurance Number (Kuwait)	Kuwait Health Insurance Number matches a valid health insurance number combined with any of the following keywords within a proximity of 10 terms: ÿ™ÿfÿΣÿäÿ© ÿBÿÑÿ±ÿπÿBÿäÿ© ÿBÿÑÿμÿ≠ÿäÿ©, ÿBÿÑÿ™ÿfÿΣÿäÿ© ÿBÿÑÿμÿ≠ÿäÿ©, ÿBÿÑÿÖÿ≤ÿBÿäÿB ÿBÿÑÿμÿ≠ÿäÿ©, ÿBÿÑÿ±ÿÇÿÖ ÿBÿÑÿμÿ≠ÿä ÿBÿÑÿ¥ÿÆÿμÿä, ÿBÿÑÿ™ÿ≥ÿÿäÿÑ ÿBÿÑÿμÿ≠ÿä, ÿ±ÿÇÿÖ ÿBÿÑÿ™ÿ£ÿÖÿäÿÜ ÿBÿÑÿμÿ≠ÿä (or) ÇÿBÿÜÿäÿÜ ÿBÿÑÿÖÿπÿÑÿàÿÖÿBÿ™ ÿBÿÑÿμÿ≠ÿäÿ©.	Built-In
License Plate Number (Bahrain)	Bahrain License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: ÿ±ÿÇÿÖ ÿÑÿäÿ≠ÿ© ÿBÿÑÿ™ÿ±ÿÆÿäÿμ, ÿ±ÿÇÿÖ ÿBÿÑÿÑÿäÿ≠ÿ©, ÿ±ÿÇÿÖ ÿBÿÑÿ™ÿ±ÿÆÿäÿμ, ÿÑÿäÿ≠ÿ© ÿBÿÑÿ™ÿ±ÿÆÿäÿμ (or) ÿ±ÿÇÿÖ ÿBÿÑÿ™ÿ≥ÿÿäÿÑ.	Built-In

Passport Number (Colombia)	Colombia Passport Number matches a valid passport number combined with any of the following keywords within a proximity of 10 terms: identificaci√n para viajes internacionales, detalles del pasaporte, visa, documento nacional de identidad, n√mero de pasaporte, documento de viaje, autoridad emisora, prueba de identificaci√n, ID de pasaporte, n.√mero de pasaporte (or) pasaporte. (All terms case insensitive; diacritics are optional.)	Built-In
Expiry Date (Spain)	Spain Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Fechadecaducidad, Fecha-decaducidad (or) Fecha de caducidad. (All terms case insensitive; diacritics are optional.)	Built-In
Region (Belgium)	Belgium Region matches with the following keyword: Regio combined with any of the following keywords within a proximity of 10 terms: Brussel, Vlaamse (or) Waals. (All terms case insensitive.)	Built-In
Credit Card Number and Health Condition Name (Moderate)	Identifies assets that contain both credit card numbers and health condition names, such as diseases or other medical conditions.	Built-In
Expiry Date (Lithuania)	Lithuania Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Galiojimo data, Tinkamumo data, Galiojimo pabaigos data, Galutinis galiojimo terminas, Galiojimo pabaig (or) Tinka iki. (All terms case insensitive; diacritics are optional.)	Built-In

[illegible]

Multiple Personal Identifiers ,Ä PII (US) ,Ä Moderate	Multiple Personal Identifiers ,Ä PII (US) ,Ä Moderate - Combines a person name with two or more of the following identifiers: bank account number, credit card number, date of birth, driver's license number, passport number and social security number with a matcher count of 3. Each matched identifier value must also combine with a corresponding keyword within a proximity of 10 terms. Below is a list of example keywords: ssn, social security number, account number, amex, bankcard, ccn, credit card number, debit card, dob, date of birth, birthdate, DL, identification card, driver license, drivers license, driver's license, identification number, id number, passport, national identity card, passport number, checking account number, bank account number, bank account, savings account number, savings account, debit account number or debit account.	Built-In
License Plate Number (Kuwait)	Kuwait License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: ÿ±ÿÇÿÖ ÿŒÿäÿ#ÿ© ÿßÿŒÿŸ™ÿ±ÿÿÆÿäÿµ, ÿ±ÿÇÿÿÖ ÿßÿŒÿŸŒÿäÿ#ÿ©, ÿ±ÿÇÿÿÖ ÿßÿŒÿŸ™ÿ±ÿÿÆÿäÿµ, ÿŒÿäÿ#ÿ© ÿßÿŒÿŸ™ÿ±ÿÿÆÿäÿµ (or) ÿ±ÿÇÿÿÖ ÿßÿŒÿŸ™ÿ±ÿÿäÿŒ.	Built-In

Phone Number (Greece)	Greece Phone number matches a Greek phone number combined with any of the following keywords within a proximity of 10 terms: $\alpha\epsilon\pm\alpha\acute{\alpha}\pi\epsilon\pi\epsilon^{\circ}\alpha\alpha\epsilon\zeta$ $\alpha\tilde{\eta}\epsilon\sum\epsilon^{\alpha}\epsilon\mu\epsilon\ddot{\upsilon}\alpha\acute{\epsilon}\epsilon\Omega\epsilon\theta\alpha\ddot{\omicron}$, $\alpha\epsilon\pm\alpha\acute{\alpha}$. $\alpha\tilde{\eta}\epsilon\sum\epsilon^{\alpha}\epsilon\mu\epsilon\ddot{\upsilon}\alpha\acute{\epsilon}\epsilon\Omega\epsilon\theta\alpha\ddot{\omicron}$., $\epsilon\Omega\epsilon\theta$. $\alpha\tilde{\eta}\epsilon\sum\epsilon^{\alpha}\epsilon\mu\epsilon\ddot{\upsilon}\alpha\acute{\epsilon}\epsilon\Omega\epsilon\theta\alpha\ddot{\omicron}$, $\alpha\tilde{\eta}\epsilon\sum\epsilon^{\alpha}\epsilon\neq\epsilon\ddot{\upsilon}\alpha\hat{\alpha}\epsilon\Omega\epsilon\theta$, $\alpha\epsilon\pm\alpha\acute{\alpha}\pi\epsilon\pi\epsilon^{\circ}\alpha\alpha\epsilon\zeta$ $\epsilon\jmath\epsilon\pi\epsilon\Omega\epsilon\sum\alpha\tilde{\eta}\epsilon\theta\alpha\epsilon\zeta$ (or) $\alpha\epsilon\pm\alpha\acute{\alpha}\pi\epsilon\pi\epsilon^{\circ}\alpha\alpha\epsilon\zeta$ $\epsilon\jmath\epsilon\pi\epsilon\Omega\epsilon\sum\alpha\tilde{\eta}\epsilon\theta\alpha\epsilon\zeta$ $\alpha\tilde{\eta}\epsilon\sum\epsilon^{\alpha}\epsilon\mu\epsilon\ddot{\upsilon}\alpha\acute{\epsilon}\epsilon\Omega\epsilon\theta\alpha\ddot{\omicron}$. (All terms case insensitive; diacritics are optional.)	Built-In
Routing Number (Germany)	Germany Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: deutscher Bankenverband, Bankleitzahl, Bankenfachverband, BLZ, (or) BIC. (All terms case insensitive.)	Built-In
Bank Account Number (Lithuania)	Lithuania Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: banko sfÖskaitos numeris, banko duomenys, banko numeris, sfÖskaitos kodas, sfÖskaitos ID, sfÖskaitos numeris (or) numeruota sfÖskaita. (All terms case insensitive; diacritics are optional.)	Built-In
Eye Color (Belgium)	Belgium Eye Color matches with any of the following keywords oogkleur, kleur oog, kleur ogen (or) iriskleur combined with any of the following keywords within a proximity of 10 terms: bruin, blauw, groen, lichtbruin, amber, grijs, heterochroom (or) andere kleur. (All terms case insensitive.)	Built-In

Hair Color (Romania)	Romania Hair color matches with any of the following keywords Culoarea pfeului combined with any of the following keywords within a proximity of 10 terms: alb, cferunt, grizonat, gri, blondfe, negru, maro, ro»ou, saten (or) Altfe culoare. (All terms case insensitive; diacritics are optional.)	Built-In
Weight (Czech)	Czech Person,Âs weight appearing within 10 terms of the keywords Hmotnost. Weight can match in Liber (or) kilogram»Ø, using the keywords lib., kg, kilogram»Ø, liber, kamen»Ø, kam (or) unc√≠, followed by space or no space. Values can be separated by space or no space. (All terms case insensitive; diacritics are optional.)	Built-In
Business Number - CRN (Jordan)	Jordan Business Number - CRN (Commercial Registration Number) matches a valid CRN combined with any of the following keywords within a proximity of 10 terms: CRN, Commercial Registration Number, y±YÇYÖ yBYÑYÜy¥yByΣ yBYÑY™y yBy±Yä, #YÖyπy±YÅ yBYÑYÜy¥yByΣ yBYÑY™y yBy±Yä (or) YÖyπy±YÅ yBYÑYÜy¥yByΣ yBYÑY™y yBy±Yä#. (All terms case insensitive.)	Built-In
Postcode (Morocco)	Morocco Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: yBYÑyπYÜYäyBYÜ, y±Yä yBYÑy±YÖy≤ yBYÑy®y±YäyØYä, YÖYÜyΣYÇy© yBYÑy±YÖy≤ yBYÑy®y±YäyØYä, Yäy±yØy© yBYÑy±YÖy≤ yBYÑy®y±YäyØYä, YÇyΣyByπ yBYÑy±YÖy≤ yBYÑy®y±YäyØYä (or) yBYÑy±YÖy≤ yBYÑy®y±YäyØYä.	Built-In

Driver's License Number (Nigeria)	Nigeria Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: photocard licence, learner drivers, licence holders, licence holder, licence number, license number, driving licences, driving licenses, driving licence, driving license, driver's licence, drivers licence, driver's license (or) drivers license. (All terms case insensitive.)	Built-In
Height (Denmark)	Denmark person, height described in Imperial or metric units, appearing within 10 terms of the keywords Height. Imperial measurements may use foot and inch or only inch. Metric measurements may use meters or centimeters. Examples: Height 5'7" or 169.47cm or 5ft7in. (All terms case insensitive)	Built-In
Criminal Record (Slovakia)	Slovakia Criminal records matches with any of the following keywords znam v registri trestov, znam o trestnom fene (or) policajne znam combined with any of the following crime keywords within a proximity of 10 terms: vraeda, krade, korupcia, podvod, terorizmus, drogy, vlpanie, znosilnenie, lpeaen prepadnutie, krade auta, samovraeda, nos, obchod s fufemi, paovanie fud (or) obchod so zbraami. (All terms case insensitive; diacritics are optional.)	Built-In
Zip Code (US)	US Zip Code matches with US zip code combined with any of the following keywords within a proximity of 10 terms: address, place of residence, Zipcode, Zip code, zip code district, zip code area, zip code sector (or) Zip. (All terms case insensitive.)	Built-In

VAT ID Number (Czech)	Czech VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: fč√≠slo registrace k DPH, fč√≠slo DPH, fč. DPH, da≈à z p≈ôidan√© hodnoty, da≈à z p≈ôidan√© hodnoty fč√≠slo, fč. DPH (or) DPH. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number (China)	China National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, ÂõΩÊ∞ëËĴ´‰ªΩËØÅÂèΣÁ†Å (or) ËĴ´‰ªªΩËØÅÂèΣ. (All terms case insensitive.)	Built-In
VAT ID Number (Norway)	Norway VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: mva.nr., mva.nummer, mva#, merverdiavgift, merverdiavgift nummer (or) MVA. (All terms case insensitive; diacritics are optional.)	Built-In
Ethnicity (Latvia)	Latvia Ethnicity matches with any of the keywords: EtniskĶĀpiederf´ba, EtniskĶĀ (or) EtniskĶĀ grupa combined with any of the following keywords within a proximity of 10 terms: Latvie≈°i, krievi LatvijĶĀ, lf´bie≈°i, poĶ°i, lietuvie≈°i, baltkrievi, romi, igau≈Üi, baltie≈°i, vfĶĀcbaltie≈°i, baltkrievi LatvijĶĀ, Ludzas igau≈Üi, latgaf°i, krevings, krievi Baltijas valstf´s, latgaf°i, Vends (or) krievi LietuvĶĀ. (All terms case insensitive; diacritics are optional.)	Built-In

Ethnicity (Poland)	Poland Ethnicity matches with any of the keywords: Pochodzenie etniczne, Etniczne (or) Etniczne Grupa combined with any of the following keywords within a proximity of 10 terms: Polacy, Kaszubi, Polonia, Tatarzy Lipkowie, $\approx$Åemkowie, Karaimi Krymscy, Ukrai$\approx$Ncy, Tatarzy, Romowie w Polsce, Polscy Amerykanie, Afrykanie w Polsce, Cieszy$\approx$Nscy Wo$\approx$Åosi, diaspora bia$\approx$Åoruska, Macedo$\approx$Nczycy w Polsce, Filipi$\approx$Nczycy w Polska, Nepalczycy w Polsce, Indianie w Polsce, S$\approx$Åowianie zachodni, Polacy w Niemczech, $\approx$ölfÖzacy, Mniejszo$\approx$õfá niemiecka w Polsce, Polacy na Bia$\approx$Åorusi, Mniejszo$\approx$õfá rosyjska w Polsce, Wielkopole, Pomorzenie, Polacy w Kazachstanie, Polacy na Ukrainie, Mniejszo$\approx$õfá polska w Czechy, Litwini, Bia$\approx$Åorusini, Polacy na Litwie, Polscy Kanadyjczycy, Polscy Brazylijczycy, Polska mniejszo$\approx$õfá w Rosji, Polacy w Rumunii, Polscy Argenty$\approx$Nczycy, Polscy Meksykanie, Polscy Australijczycy, Polacy na Islandii, Polacy w Wielkiej Brytanii, S$\approx$Åowacy, Polscy Nowi Zelandczycy, Polacy we Francji, Polacy w Szwecji (or) Polacy w Libanie. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number (Kuwait)	Kuwait National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, $\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}\tilde{y}^*\tilde{Y}\tilde{\Sigma}\tilde{Y}\tilde{B}\tilde{Y}\tilde{C}\tilde{y}\odot\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{Y}\tilde{a}\tilde{Y}\tilde{a}\tilde{Y}\tilde{a}\tilde{y}\odot\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{Y}\tilde{a}\tilde{y}\tilde{\Sigma}\tilde{Y}\tilde{U}\tilde{Y}\tilde{a}\tilde{y}\odot,\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}^*\tilde{Y}\tilde{\Sigma}\tilde{Y}\tilde{B}\tilde{Y}\tilde{C}\tilde{y}\odot\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{Y}\tilde{a}\tilde{y}\tilde{\Sigma}\tilde{Y}\tilde{U}\tilde{Y}\tilde{a}\tilde{y}\odot,\tilde{y}\pm\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{Y}\tilde{a}\tilde{Y}\tilde{a}\tilde{Y}\tilde{a}\tilde{y}\odot\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{Y}\tilde{a}\tilde{y}\tilde{\Sigma}\tilde{Y}\tilde{U}\tilde{Y}\tilde{a}\tilde{y}\odot$ (or) $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{Y}\tilde{a}\tilde{Y}\tilde{a}\tilde{Y}\tilde{a}\tilde{y}\odot\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{Y}\tilde{a}\tilde{y}\tilde{\Sigma}\tilde{Y}\tilde{U}\tilde{Y}\tilde{a}\tilde{y}\odot$. (All terms case insensitive.)	Built-In

Phone Number (Brazil)	Brazil Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: número de telefone., número de telefone, telefone celular (or) número de celular. (All terms case insensitive; diacritics are optional.)	Built-In
Weight (Denmark)	Denmark Person, weight appearing within 10 terms of the keywords vægt. Weight can match in Kilo, using the keywords kg (or) kilo, followed by space or no space. Values can be separated by space or no space. (All terms case insensitive; diacritics are optional.)	Built-In
Social Security Number (Costa Rica)	Costa Rica Social Security Number matches a valid SSN combined with any of the following keywords within a proximity of 10 terms: número de la seguridad social, número de seguridad social, número seguridad social, número de SSN (or) SSID. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Portugal)	Portugal Phone number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: número de telefone, número de telefone., número telefone, número de telemóvel, número telemóvel, num telemovel, n. telemovel, num telefone, n. telephone (or) telefone. (All terms case insensitive; diacritics are optional.)	Built-In
Phone Number (Ireland)	Ireland Phone number matches an Irish phone number combined with any of the following keywords within a proximity of 10 terms: teileafón (or) uimhir Fón (or) pón. (All terms case insensitive; diacritics are optional.)	Built-In

Passport Number (Ireland)	Ireland Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: passeport numero, uimhreacha pasanna, uimhir pas, uimhir phas, uimhreacha pas (or) uimhir c√°rta, uimhir ch√°rta. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (Kenya)	Kenya Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: bank account number, bank details, bank number, account code, account id, account number (or) numbered account. (All terms case insensitive.)	Built-In
License Plate Number (Libya)	Libya License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: ÿ±ÿÇÿÖ ÿÑÿäÿ≠ÿ© ÿßÿÑÿ™ÿ±ÿÆÿäÿµ, ÿ±ÿÇÿÖ ÿßÿÑÿÑÿäÿ≠ÿ©, ÿ±ÿÇÿÖ ÿßÿÑÿ™ÿ±ÿÆÿäÿµ, ÿÑÿäÿ≠ÿ© ÿßÿÑÿ™ÿ±ÿÆÿäÿµ (or) ÿ±ÿÇÿÖ ÿßÿÑÿ™ÿ±ÿÆÿäÿµ ÿ≥ÿ¨ÿäÿÑ.	Built-In
Business Number (Australia)	Australia Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: australian business no, aus business no, australian business number, abn#, ABN, businessno#, businessid# (or) business ID. (All terms case insensitive.)	Built-In
US Social Security Number and Health Condition Name (Lenient)	Identifies assets that contain both US social security numbers and health condition names, such as diseases or other medical conditions.	Built-In

Region (Latvia)	Latvia Region matches with the following keyword: Novads combined with any of the following keywords within a proximity of 10 terms: Rietumlatvija, Austrumlatvija, Ziemeļlatvija (or) Dienvidlatvija. (All terms case insensitive.)	Built-In
Weight (Croatia)	Croatia Person, A weight appearing within 10 terms of the keywords Težina (or) Masa. Weight can match in Funte (or) Kilogrami, using the keywords Lb, kg, Kilogrami, funte, stone, kamen, st (or) unce, followed by space or no space. Values can be separated by space or no space. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (Puerto Rico)	Puerto Rico Tax ID Number matches a valid Tax Identification Number combined with any of the following keywords within a proximity of 10 terms: número de identificación fiscal, número de identidad fiscal, código de identificación fiscal, archivo fiscal, número de identificación fiscal, número de registro fiscal, número de ID fiscal, número fiscal, número de registro fiscal, ID fiscal, ID del NIF, número del NIF (or) NIF. (All terms case insensitive; diacritics are optional.)	Built-In
Gender (Lithuania)	Lithuania Gender matches with the keyword: Lytis combined with any of the following keywords within a proximity of 10 terms: V, Vyras, M, Moteris, Kita (or) Kt. (All terms case insensitive.)	Built-In

Passport Number (Luxembourg)	Luxembourg Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: ausweisnummer, luxembourg pass, luxembourg passeport, luxembourg passport, no de passeport, no-reisepass, nr-reisepass, num√©ro de passeport, pass net, pass nr, passnummer, passeport nombre, reise√§sse, reisepass-nr (or) reisepassnummer. (All terms case insensitive; diacritics are optional.)	Built-In
Expiry Date (Luxembourg)	Luxembourg Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Verfallsdatum (or) Oflaafsdatum. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (France)	France Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: taxe identification num√©ro, taxe id num√©ro, taxe identit√© num√©ro, num√©ro fiscal, code d'identification fiscale, fichier fiscal, n√©f d'identification fiscale, #n√©f fiscal, n√©f fiscal, num√©ro de registre fiscal, #idfiscal, #n√©fidfiscal, #num√©roidfiscal, #n√©ffiscal, #num√©rofiscal, num√©rofiscal, id nif, n√©f nif, #nif, NIF (or) id fiscal. (All terms case insensitive; diacritics are optional.)	Built-In
Company Number (Hong Kong)	Hong Kong Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: È¶ôÊ¶ØÄÖ ``Âè¶ËôüÁ¢°, È¶ôÊ¶ØÄÖ ``Âè¶ËôüÁ¢°, ÄÖ ``Âè¶Ë÷òÄà•ËôüÁ¢°, ÄÖ ``Âè¶ËË®ªÄÜäËôüÁ¢° (or) ÄÖ ``Âè¶ËôüÁ¢°.	Built-In

National ID Number (Dominican Republic)	Dominican Republic National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, n√ Jmero de tarjeta de identidad nacional, n√ Jmero de tarjeta nacional, n√ Jmero de identificaci√ ≥n nacional, identificaci√ ≥n nacional (or) Documento nacional de identidad. (All terms case insensitive; diacritics are optional.)	Built-In
VAT ID Number (United Arab Emirates)	United Arab Emirates VAT ID Number matches a valid value added tax identification number combined with any of the following keywords within a proximity of 10 terms: ÿ±ŸÇŸÖ ŸðŸ±ŸäŸ*Ÿ© ŸBŸÑŸÇŸäŸÖŸ© ŸBŸÑŸÖŸðŸBŸÄŸ©, ŸðŸ±ŸäŸ*Ÿ© ŸBŸÑŸÇŸäŸÖŸ© ŸBŸÑŸÖŸðŸBŸÄŸ©# (or) ŸðŸ±ŸäŸ*Ÿ© ŸBŸÑŸÇŸäŸÖŸ© ŸBŸÑŸÖŸðŸBŸÄŸ©.	Built-In
Azure - Access Token	Azure Access Token identifier matches a valid Azure access token.	Built-In
Phone Number (India)	India Phone number matches a valid Phone number combined with any of the following keywords within a proximity of 10 terms: mobile phone number, mobilephone number, mobile phone no., mobilephone no., mobile number, mobilenumber, mobile no., mobileno., mobile, contact number, contact no., contact, fax number, fax no., cell phone number, cellphone number, cell phone no., cellphone no., cell phone, cellphone, cell number, cellnumber, cell no., cellno., whatsapp number, whatsapp no., whatsapp, phone number, phone no., phone num, telephonic number, telephone number, telephone no., telephone, landline number, landline no. (or) landline num. (All terms case insensitive.)	Built-In

International Bank Account Number ,Àì IBAN (Brazil)	Brazil International Bank Account Number ,Àì IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: Conta banc√°ria Internacional, Conta banc√°ria, iban, transfer√™ncia financeira, pagamento internacional, financeiro, pagamento, transfer√™ncias de dinheiro, c√≥digo do pa√≠s para transfer√™ncia internacional (or) c√≥digo do pa√≠s. (All terms case insensitive; diacritics are optional.)	Built-In
Ethnicity (UK)	UK Ethnicity matches with any of the following keywords: Ethnicity, Ethnic (or) Ethnic group combined with any of the following keywords within a proximity of 10 terms: Mixed, White British, Other White, British people, British Indians, White Gypsy, Irish Traveller, White people in the United Kingdom, Irish people, Mixed white and black African people in the United Kingdom, British Chinese, British Asian, British Pakistanis, Scottish people, British Bangladeshis, Black British people, Irish Travellers, British Arabs, British African-Caribbean people, Caribbean people, Romani people in the United Kingdom, English people, Indian community of London, Anglo-Saxons, Saxons, Celtic Britons, Angles, English American, English diaspora (or) English Australians. (All terms case insensitive.)	Built-In
Phone Number (Netherlands)	Netherlands Phone number matches a Netherlands phone number combined with any of the following keywords within a proximity of 10 terms: mobiele telefoonnummer, mobiele telefoon-nummer, telefoon nummer, telefoonnummer, mobiele nummer, telefoonnr (or) telefoon. (All terms case insensitive.)	Built-In

VAT ID Number (Italy)	Italy VAT ID Number matches a valid value added tax identification number with any of the following keywords within a proximity of 10 terms: numero di partita IVA, codice di partita IVA (or) partita IVA. (All terms case insensitive.)	Built-In
IPv6 Address	IPv6 identifier matches a valid IPv6 number.	Built-In
Driver's License Number (Slovakia)	Slovenia Driver's license matches a valid license number combined with any of the following keywords within a proximity of 10 terms: vozni~°ko dovoljenje s fotografijo, vozni~°ko dovoljenje za za~etnika, imetnik dovoljenja, imetniki dovoljenja, ~°tevilka dovoljenja, ~°t. dovoljenja, vozni~°ko dovoljenje, vozni~°ka dovoljenja, dovoljenje za vo~enjo, vozni~°ko, vozni~°ka, dovoljenje (or) voz. dovoljenje. (All terms case insensitive; diacritics are optional.)	Built-In
Region (Poland)	Poland Region matches with the following keyword: Region combined with any of the following keywords within a proximity of 10 terms: Greater Poland, Kuyavia-Pomerania, Lesser Poland, Lodz, Lower Silesia, Lublin, Lubusz, Masovia, Opole, Podlasie, Pomerania, Silesia, Subcarpathia, Swietokrzyskie Voivodeship, Warmia-Masuria (or) West Pomerania. (All terms case insensitive.)	Built-In
Gender (Croatia)	Croatia Gender matches with the keyword: Spol combined with any of the following keywords within a proximity of 10 terms: M, Mu~°ki, ~°æ, ~°æenski, Drugo, Ostalo (or) O. (All terms case insensitive; diacritics are optional.)	Built-In

Race (Estonia)	Estonia Race matches any of the following keywords: rassi combined with any of the following keywords within a proximity of 10 terms: Eesti keel, vene keel, ukraina, valgevene, soomlane, teised. (All terms case insensitive.)	Built-In
Multiple Personal Identifiers ,Ä PII (UK) ,Ä Moderate	Multiple Personal Identifiers ,Ä PII (UK) ,Ä Moderate - Combines a person name or the UK national insurance number (NIN) with two or more of the following identifiers: bank account number, credit card number, date of birth, driver's license, IBAN, passport number or postcode with a matcher count of 3. Each matched identifier value must also combine with a corresponding keyword within a proximity of 10 terms. Below is a list of example keywords: national insurance number, social security number, medical attention, insurance, nin, dob, date of birth, birth date, birthdate, DVLA, photocard licence, learner drivers, licence number, license number, driving licence, driving license, passport, passport details, visa, national identity card, passport number, gb, great britain, account number, amex, bankcard, card number, address, residency, postcode, postcode area, zip code, bank account, iban, international money, uk or united kingdom.	Built-In
Extreme Inappropriate Language	Language that is deemed extremely inappropriate to be monitored for Children's Internet Protection Act (CIPA) compliance.	Built-In

National ID Number - UCN (Bulgaria)	Bulgaria National ID Number - UCN (Unified Civil Number) matches a valid UCN with any of the following keywords within a proximity of 10 terms: -ï-¥-Π-Ω-μ-Ω -≥-Ä-∞-ð-¥-∞-Ω-Å-ƒ-Π-Ω-æ-°-μ-Ä, -Π-¥-μ-Ω-Ç-Π-Ñ-Π-ƒ-∞-Ü-Π-æ-Ω-μ-Ω -Ω-æ-°-μ-Ä, -ï-ì-ù, -Ω-æ-°-μ-Ä-Ω-∞ -≥-Ä-∞-ð-¥-∞-Ω-Å-Ç-≤-æ-Ç-æ, -ë-ä-ª-≥-∞-Ä-Π-è, -£-Ω-Π-Ñ-æ-Ä-° -≥-Ä-∞-ð-¥-∞-Ω-Å-ƒ-Π-Ω-æ-°-μ-Ä, -£-Ω-Π-Ñ-æ-Ä-° ID, -£-Ω-Π-Ñ-æ-Ä-° -≥-Ä-∞-ð-¥-∞-Ω-Å-ƒ-Π ID, -£-Ω-Π-Ñ-æ-Ä-° -≥-Ä-∞-ð-¥-∞-Ω-Å-ƒ-Π-Ω-μ (or) -¥-∞-Ω-ä-á-μ-Ω -Π-¥-μ-Ω-Ç-Π-Ñ-Π-ƒ-∞-Ü-Π-æ-Ω-μ-Ω -Ω-æ-°-μ-Ä. (All terms case insensitive.)	Built-In
License Plate Number (Korea)	Korea License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: ì±î°ù î≤àìòŲ, îù°îù¥îÑ†îäs îâî†àîù¥îäŲ î≤àìòŲ, îù°îù¥îÑ†îäs î≤àìòŲ, îù°îù¥îÑ†îäs îâî†àîù¥îäŲ (or) îâî†àîù¥îäŲ î≤àìòŲ.	Built-In
Company Number (Kuwait)	Kuwait Company Number matches a valid company number combined with any of the following keywords within a proximity of 10 terms: ÿ±ŸÇŸÖ ŸBŸÑŸÜŸ¥ŸBŸΣ ŸBŸÑŸ™Ÿ ŸBŸ±Ÿä (or) ŸÖŸπŸ±ŸÅŸBŸÑŸÜŸ¥ŸBŸΣ ŸBŸÑŸ™Ÿ ŸBŸ±Ÿä.	Built-In
US Person Name and Date of Birth (Moderate)	This policy finds date-of-birth patterns with other nearby relevant terms including US person names.	Built-In

BankAccount Number (Chile)	Chile BankAccount Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: número de cuenta bancaria, detalles bancarios, número de banco, código de cuenta, ID de cuenta, número de cuenta (or) cuenta numerada. (All terms case insensitive; diacritics are optional.)	Built-In
Credit Card Number and Health Condition	Combines a credit card number and a health condition.	Built-In
Company Number - CR (Bahrain)	Bahrain Company Number - CR (Commercial Registration certificate) matches a valid CR number combined with any of the following keywords within a proximity of 10 terms: Commercial registration certificate, CR number, رقم التسجيل التجاري, رقم التسجيل التجاري, رقم التسجيل التجاري (or) رقم التسجيل التجاري, رقم التسجيل التجاري (All terms case insensitive.)	Built-In
Expiry Date (Sweden)	Sweden Expiry Date matches with the format of MM/YY combined with any of the following keywords within a proximity of 10 terms: Utgångsdatum, Går ut (or) Utgår. (All terms case insensitive; diacritics are optional.)	Built-In
Business Number (Japan)	Japan Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: 法人番号, 法人番号, 法人番号, 法人番号, 法人番号, 法人番号, 法人番号, 法人番号, 法人番号, 法人番号 (or) 法人番号.	Built-In

Bank Account Number (Cyprus)	Cyprus Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: ΑΕ±ΑΕΠΕΠΕ°ΑΑΕÇ ΑΝΑΕ±ΑΕΜΕ∂ΕΠΕΕΕ∅ΑΕÇ ΑΑΕ∅Ε≥Ε±ΑΕΠΕ±ΑΕΕΕ°Ε∅ΑΕÇ, ΑΕΑΝΕ∅ΕΠΕΑΑΕΜΕ∅Ε± ΑΝΑΕ°ΑΕΜΕ∂Ε±ΑΕÇ, Ε±ΑΕΠΕΠΕ°ΑΑΕÇ ΑΝΑΕ°ΑΕΜΕ∂Ε±ΑΕÇ, ΕΕΑΑΕΥΕΠΕΕΑΑΕÇ ΑΑΕ∅Ε≥Ε±ΑΕΠΕ±ΑΕΕΕ°Ε∅ΑΕÇ, Ε±ΕΩΕ±Ε≥ΕΩΑΑΕΠΕΑΕΑΝΕΠΕΕΑΑ ΑΑΕ∅Ε≥Ε±ΑΕΠΕ±ΑΕΕΕ°Ε∅ΑΕÇ, Ε±ΑΕΠΕΠΕ°ΑΑΕÇ ΑΑΕ∅Ε≥Ε±ΑΕΠΕ±ΑΕΕΕ°Ε∅ΑΕÇ, ΑΑΕ∅Ε≥Ε±ΑΕΠΕ±ΑΕΕΕ°ΑΑΕÇ Ε°ΕΜ Ε±ΑΕΠΕΠΕ°ΑΑ, banka hesap numarasf±, banka bilgileri, banka numarasf±, hesap kodu, hesap no, hes. numarasf± (or) numaralf± hesap.	Built-In
------------------------------	--	----------

National ID Number (Qatar)	Qatar National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: NIN#, NIN, ÿ±ŸÇŸÖ ŸBŸÑŸ°ŸΣŸBŸÇŸ© ŸBŸÑŸáŸΣŸŸŸäŸ©, Ÿ±ŸÇŸÖ ŸBŸÑŸáŸäŸäŸ© ŸBŸÑŸäŸΣŸŸŸäŸ©Ÿ±, ŸÇŸÖ Ÿ°ŸΣŸBŸÇŸ© ŸBŸÑŸáŸäŸäŸ© (or) ŸBŸÑŸáŸäŸäŸ© ŸBŸÑŸäŸΣŸŸŸäŸ©. (All terms case insensitive.)	Built-In
----------------------------	--	----------

National ID Number (India)	India National ID Number matches a valid National Identity Card Number with any of the following keywords within a proximity of 10 terms: Aadhar (or) Voter ID. (All terms case insensitive.)	Built-In
License Plate Number (Slovakia)	Slovakia License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: registračn√© fč., fč√≠slo pozn√°vacej značky, fč. pozn√°vacej značky, fč√≠slo značky (or) registračn√© fč√≠slo. (All terms case insensitive; diacritics are optional.)	Built-In
Race (Latvia)	Latvia Race matches any of the following keywords: Race combined with any of the following keywords within a proximity of 10 terms: latvie≈u, krievu, baltkrievu, ukrai≈Ūu, poľu, lietuvie≈u, Citi. (All terms case insensitive; diacritics are optional.)	Built-In
Business Number (Slovenia)	Slovenia Business Number matches a valid business number combined with any of the following keywords within a proximity of 10 terms: registrsko ≈tevilko podjetja, ≈t. poslovna, ≈tevilka poslovna, id≈tevilkaposlovna (or) ID poslovna. (All terms case insensitive; diacritics are optional.)	Built-In
Driver's License Number (Panama)	Panama Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: licencia de tarjeta con foto, licencia estudiante, titulares de licencia, titular de licencia, n√ºmero de licencia, licencias de conducir, licencia del conductor, licencia de conducir (or) carnet de conducir. (All terms case insensitive; diacritics are optional.)	Built-In

ICD Code and Social Security Number (US)	Combines an ICD code with a social security number (US).	Built-In
International Bank Account Number - IBAN (Bolivia)	Bolivia International Bank Account Number - IBAN matches a valid IBAN combined with any of the following keywords within a proximity of 10 terms: número de cuenta bancaria internacional, número de IBAN, IBAN (or) número de cuenta bancaria internacional. (All terms case insensitive; diacritics are optional.)	Built-In
International Bank Account Number ,Àì IBAN (Italy)	Italy International Bank Account Number ,Àì IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: Conto corrente, IBAN, finanziario, pagamento, trasferimento di denaro internazionale, bonifici bancari (or) codice paese. (All terms case insensitive.)	Built-In
International Bank Account Number ,Àì IBAN (Bulgaria)	Bulgaria International Bank Account Number ,Àì IBAN matches a valid IBAN with any of the following keywords within a proximity of 10 terms: -ë-∞-Ω-f-æ-≤-∞ -Å-°-μ-Ç-f-∞, iban, -Ñ-Π-Ω-∞-Ω-Å-Π, -ø-ª-∞-â-∞-Ω-μ, -°-μ-ð-¥-É-Ω-∞-Ä-æ-¥-Ω-Π -ø-∞-Ä-Π-á-Ω-Π -Å-Ä-μ-¥-Å-Ç-≤-∞, -ø-∞-Ä-Π-á-Ω-Π -Ç-Ä-∞-Ω-Å-Ñ-μ-Ä-Π (or) -f-æ-¥-Ω-∞-¥-ä-Ä-ð-∞-≤-∞. (All terms case insensitive.)	Built-In
Driver's License Number (Mexico)	Mexico Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: licencia de tarjeta fotográfica, conductores principiantes, titular de la licencia, titulares de la licencia, número de licencia, (or) licencia de conducir. (All terms case insensitive; diacritics are optional.)	Built-In

Credit Card Number ,Äi Moderate	Numbers identified as potentially valid payment cards matching a 15 or 16 digit length with or without - or space. Common patterns are accepted for specific card issues as per the list below: For VISA, the card number must start with 4 with a length of 16 digits. For JCB, the card number must start with 2131, 1800 or 35 with a length of 15 digits. For Mastercard, the card number must start between 51 to 55 with a length of 16 digits. For Discover, the card number must start 6011 or 65 with a length of 16 digits.	Built-In
Race (US)	US Race matches with the following keyword: Race combined with any of the following keywords within a proximity of 10 terms: White, Black, Asian, White American, Black American, Native American, Alaska Native, Asian American, and Native Hawaiian (or) Other. (All terms case insensitive.)	Built-In
Phone Number (Egypt)	Egypt Phone Number matches a valid phone number combined with any of the following keywords within a proximity of 10 terms: ȳ±ȲÇȲÖ ȳBYŃȲáȳBy™ȲÄ, ȳ±ȲÇȲÖ ȳBYŃȲ™ȲŃȲäȲÄȲäȲÜ, ȳ±ȲÇȲÖ ȳBYŃȲáȳBy™ȲÄ ȳBYŃȲÖȳ≠ȲÖȲäȲŃ (or) ȳ±ȲÇȲÖ ȳBYŃȲáȳBy™ȲÄ ȳBYŃȲÆȲŃȲäȲä.	Built-In

Employment Record (Russia)

Russia Employment Record matches with any of the

Built-In

following keywords —Ç—Ä—É—¥—æ—≤—∞—è

-f-Ω-Π-∂-f-∞ (or) -Σ-∞-∅-Π-Å-å

—Ä-∞-±-æ-Ç-æ-¥-∞-Ç-μ^a—è combined with any of the following keywords within a proximity of 10 terms:

-î-æ^a-∂-Ω-æ-Å-Ç-å, -ü-æ-Å-Ç, -û-Ç-¥-μ^a

-f-∞-¥-Ä-æ-≤, -û-Ç-¥-μ^a, -î-∞-Ç-∞

-∅-Ä-Π-μ^o-∞-Ω-∞-Ä-∞-±-æ-Ç-É, -î-∞-Ç-∞

-Ω-∞-π^o-∞, -î-∞-Ç-∞-Ω-∞-á-∞^a-∞

—Ä-∞-±-æ-Ç-ä, -î-∞-Ç-∞

—É-≤-æ^a-å-Ω-μ-Ω-Π-è, -î-∞-Ç-∞

-∅-μ-Ä-μ-≤-æ-¥-∞, -ü-Ä-Π-f-∞-Σ-æ-∅-Ä-Π-μ^o-μ

-Ω-∞-Ä-∞-±-æ-Ç-É, -ù-æ^o-μ-Ä

-¥-æ-≥-æ-≤-æ-Ä-∞, -ϕ-Ä-É-¥-æ-≤-æ-π

-¥-æ-≥-æ-≤-æ-Ä, -ü-Ä-Π-f-∞-Σ-æ

-Ω-∞-Σ-Ω-∞-á-μ-Ω-Π-Π, -£-≤-æ^a-å-Ω-μ-Ω-Π-μ

-∅-æ-Å-æ-±-Å-Ç-≤-μ-Ω-Ω-æ^o-É

-∂-μ^a-∞-Ω-Π-é, -†-∞-±-æ-Ç-Ω-Π-f,

-°-æ-Ç-Ä-É-¥-Ω-Π-f, -û-∅-ä-Ç

—Ä-∞-±-æ-Ç-ä, -°-Ç-∞-∂, -ü-μ-Ä-Π-æ-¥

—Ä-∞-±-æ-Ç-ä,

-ü-Ä-æ-¥-æ^a-∂-Π-Ç-μ^a-å-Ω-æ-Å-Ç-å

—Ä-∞-±-æ-Ç-ä, -°^a-É-∂-μ-±-Ω-∞-è

-Σ-∞-∅-Π-Å-å, -ö-∞-¥-Ä-æ-≤-∞-è

-Σ-∞-∅-Π-Å-å, -ö-∞-¥-Ä-æ-≤-∞-è

¥-æ-£-É-∅-π-Ω-∞-†-Π-à-ä-Π-á-Ω-æ-π

Health Insurance Number (Bahrain)	Bahrain Health Insurance Number matches a valid health insurance number combined with any of the following keywords within a proximity of 10 terms: $\tilde{y}^{\text{TM}}\tilde{y}\tilde{j}\tilde{\Sigma}\tilde{Y}\tilde{a}\tilde{y}\odot\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\tilde{\pm}\tilde{\pi}\tilde{\tau}\tilde{y}\tilde{B}\tilde{Y}\tilde{a}\tilde{y}\odot\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\tilde{\mu}\tilde{y}\tilde{\neq}\tilde{Y}\tilde{a}\tilde{y}\odot,$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}^{\text{TM}}\tilde{y}\tilde{j}\tilde{\Sigma}\tilde{Y}\tilde{a}\tilde{y}\odot\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\tilde{\mu}\tilde{y}\tilde{\neq}\tilde{Y}\tilde{a}\tilde{y}\odot,$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{Y}\tilde{O}\tilde{y}\leq\tilde{y}\tilde{B}\tilde{Y}\tilde{a}\tilde{y}\tilde{B}$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\tilde{\mu}\tilde{y}\tilde{\neq}\tilde{Y}\tilde{a}\tilde{y}\odot,$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\tilde{\pm}\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\tilde{\mu}\tilde{y}\tilde{\neq}\tilde{Y}\tilde{a}$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\tilde{\neq}\tilde{y}\tilde{\text{A}}\tilde{y}\tilde{\mu}\tilde{Y}\tilde{a},\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}^{\text{TM}}\tilde{y}\geq\tilde{y}^{\text{TM}}\tilde{Y}\tilde{a}\tilde{Y}\tilde{N}\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\tilde{\mu}\tilde{y}\tilde{\neq}\tilde{Y}\tilde{a},\tilde{y}\tilde{\pm}\tilde{Y}\tilde{C}\tilde{Y}\tilde{O}$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}^{\text{TM}}\tilde{y}\tilde{\text{E}}\tilde{Y}\tilde{O}\tilde{Y}\tilde{a}\tilde{Y}\tilde{U}\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\tilde{\mu}\tilde{y}\tilde{\neq}\tilde{Y}\tilde{a}$ (or) $\tilde{Y}\tilde{C}\tilde{y}\tilde{B}\tilde{Y}\tilde{U}\tilde{Y}\tilde{a}\tilde{Y}\tilde{U}$ $\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{Y}\tilde{O}\tilde{y}\tilde{\pi}\tilde{Y}\tilde{N}\tilde{Y}\tilde{a}\tilde{Y}\tilde{O}\tilde{y}\tilde{B}\tilde{y}^{\text{TM}}\tilde{y}\tilde{B}\tilde{Y}\tilde{N}\tilde{y}\tilde{\mu}\tilde{y}\tilde{\neq}\tilde{Y}\tilde{a}\tilde{y}\odot.$	Built-In
Health Insurance Number (Slovenia)	Slovenia Health Insurance Number matches a valid health insurance number combined with any of the following keywords within a proximity of 10 terms: zdravstveno kritje, zdravstvene ugodnosti, zavarovanje za zdravstveno varstvo, osebna zdravstvena $\approx^{\circ}$ tevilka, zdravstvena registracija, $\approx^{\circ}$ tevilka zdravstvenega zavarovanja (or) zakon o zdravstvenih podatkih. (All terms case insensitive; diacritics are optional.)	Built-In
Passport Number (Slovenia)	Slovenia Passport Number matches a valid passport number with any of the following keywords within a proximity of 10 terms: potni list, identifikacija za mednarodno potovanje, podrobnosti potnega lista, vizum, nacionalna osebna izkaznica, $\approx^{\circ}$ tevilka potnega lista, potovalni dokument, izdajatelj, potna listina, identifikacija, identifikacijsko dokazilo, potni list, IDpotnegalista, $\approx^{\circ}$ t. potnega lista (or) $\approx^{\circ}$ tevilka potnega lista. (All terms case insensitive; diacritics are optional.)	Built-In

Driver's License Number (Switzerland)	Switzerland Driver's License Number matches a valid license number combined with any of the following keywords within a proximity of 10 terms: Kraftfahrzeugzulassungsstelle, F√°hrerschein, vorl√°ufiger F√°hrerschein, F√°hrerscheininhaberIn, F√°hrerscheininhaberInnen, F√°hrscheinnummer, Fahrerlaubnisnummer, F√°hrerscheine, ANTS, permis de conduire avec photo, √°l√°ve conducteur, d√°tenteurs du permis, d√°tenteur du permis, num√°ro du permis, num√°ro du permis de conduire (or) permis de conduire. (All terms case insensitive; diacritics are optional.)	Built-In
Ethnicity (Belgium)	Belgium Ethnicity matches with any of the keywords: Etniciteit, Etnische (or) Etnische Groep combined with any of the following keywords within a proximity of 10 terms: Belgen, Walen, Vlamingen, Assyri√°rs in Belgi√°, Berbers in Belgi√°, Koerden in Belgi√°, Chinezen in Belgi√°, Turken in Belgi√°, Yenische mensen, Kroaten in Belgi√°, Surinamers in Belgi√°, Grieken in Belgi√°, Russen in Belgi√°, Filippino's in Belgi√°, Italianen (or) Marokkanen. (All terms case insensitive; diacritics are optional.)	Built-In

Religion (Austria)	Austria Religion matches with any of the following keywords: Religion (or) Religi√ðs combined with any of the following keywords within a proximity of 10 terms: Christentum, Christlich, Hinduismus, Hinduistisch, Islam, Muslimisch, Buddhismus, Buddhist, J√°disch, Evangelisch, Katholisch, √ðstlich, Orthodox, √ðstlich Orthodox, Andere christliche Konfession, Andere Religion, Atheistisch, Agnostisch (or) Keine Religionszugeh√ðrigkeit. (All terms case insensitive; diacritics are optional.)	Built-In
Tax ID Number (Latvia)	Latvia Tax ID Number matches a valid Tax Identification Number with any of the following keywords within a proximity of 10 terms: tax identifikācija numurs, tax id numurs, tax identitāte numurs, nodokļu numurs, nodokļu maksātāja numurs, nodokļu reģistrs, nodokļu maksātāja nr, nodokļu nr#, tax no, nodokļu maksātāja reģistrācijas numurs, nodokļu id#, nodokļu idnr#, nodokļu idnumurs#, nodokļu nr#, nodokļu unumurs#, nodokļu unumurs, nm id, nm nr, nm#, NM (or) nodokļu id. (All terms case insensitive; diacritics are optional.)	Built-In
Postcode (Mexico)	Mexico Postcode matches with Mexican postcode combined with any of the following keywords within a proximity of 10 terms: 'dirección, lugar de residencia, ciudad, correo real, código abierto, código postal distrito, código postal área, código postal unidad, código postal sector (or) código postal. (All terms case insensitive; diacritics are optional.)	Built-In

Routing Number (Malaysia)	Malaysia Routing Number matches a valid routing number combined with any of the following keywords within a proximity of 10 terms: nombor penghalaan, penghalaan bank#, no penghalaan, penghalaan#, penghalaan, BIC code, IBG routing (or) RTN. (All terms case insensitive.)	Built-In
National ID Number (Malaysia)	Malaysia National ID Number matches a valid National Identity Card Number combined with any of the following keywords within a proximity of 10 terms: MyKad, Identity Card, ID Card, Identification Card, Digital Application Card, Kad Akuan Diri (or) Kad Aplikasi Digital. (All terms case insensitive.)	Built-In
Height (Malta)	Malta person, height described in Imperial or metric units, appearing within 10 terms of the keywords GfBoli. Imperial measurements may use saqajn and pulzieri or only by pulzieri. Metric measurements may use metri or fäentimetru. Examples: GfBoli 6'6", GfBoli 1.8 m, GfBoli 182 fãm. (All terms case insensitive; diacritics are optional.)	Built-In
Driver's License Number (Lithuania)	Lithuania Driver's License Number matches a valid license number with any of the following keywords within a proximity of 10 terms: pa~æymfójimas, vairuotojo pa~æymfójimas su nuotrauka, mokiniai vairuotojai, pa~æymfójimo turfótojas, pa~æymfójim~≥ turfótojai, pa~æymfóejimo numeris, vairuotojo pa~æymfójimo numeris, vairuotoj~≥ pa~æymfójimai, vairuotojo pa~æymfójimai, vairuotojo teisfós, vairavimo teisfós, vairuotojo pa~æymfójimas, teisfós, vairuotoj~≥ pa~æymfóejimas (or) vairuotoj~≥ teisfós. (All terms case insensitive; diacritics are optional.)	Built-In

Social Security Number (Mexico)	Mexico Social Security Number matches a valid SSN combined with any of the following keywords within a proximity of 10 terms: número de seguridad social, número de seguridad social, número de SSN, SSID (or) número de seguridad social. (All terms case insensitive; diacritics are optional.)	Built-In
National ID Number - PNC (Romania)	Romania National ID Number - PNC (Personal Numeric Code) matches a valid PNC number with any of the following keywords within a proximity of 10 terms: Cod Numeric Personal, România, cod identificare personal, cod unic identificare, numărul de identificare fiscală, număr identificare personal, număr identitate, CNPul, CNP, buletinul, buletin, acte, act, identitate (or) personal. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Finland)	Finland License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: auton rekisterinumero, rekisteröintinumero, rekisterikilven numero, rekisterinumero, rekisterinro (or) rekisterikilpi. (All terms case insensitive; diacritics are optional.)	Built-In
License Plate Number (Malta)	Malta License Plate Number matches a valid license plate number combined with any of the following keywords within a proximity of 10 terms: numru tal-pjanfâa tal-lifâenzja, referenzja. Nru., pjanfâa. Nru., pjanfâa tal-lifâenzja (or) numru tar-referenzja. (All terms case insensitive; diacritics are optional.)	Built-In

Driver's License Number (Norway)	Norway Driver's License Number matches a valid license number any of the following keywords within a proximity of 10 terms: Trafikkstasjon, sertifikat med bilde, kjøreelev, sertifikateier, sertifikateiere, registreringsnummer (or) førerkort. (All terms case insensitive; diacritics are optional.)	Built-In
Multiple Personal Identifiers ,Äi PII (UK) ,Äi Strict	Multiple Personal Identifiers ,Äi PII (UK) ,Äi Strict - Combines a person name or the UK National Insurance Number (NIN) with two or more of the following identifiers: bank account number, credit card number, date of birth, driver's license, IBAN, passport number or postcode with a matcher count of 5. Each matched identifier value must also combine with a corresponding keyword within a proximity of 10 terms. Below is a list of example keywords: national insurance number, social security number, medical attention, insurance, nin, dob, date of birth, birth date, birthdate, DVLA, photocard licence, learner drivers, licence number, license number, driving licence, driving license, passport, passport details, visa, national identity card, passport number, gb, great britain, account number, amex, bankcard, card number, address, residency, postcode, postcode area, zip code, Bank account, iban, international money, uk or united kingdom.	Built-In
Postcode (Bolivia)	Bolivia Postcode matches a valid postcode combined with any of the following keywords within a proximity of 10 terms: direccion, distrito de código postal, área de código postal, unidad de código postal (or) sector de código postal. (All terms case insensitive; diacritics are optional.)	Built-In

Bank Account Number - CCI (Peru)	Peru Bank Account Number - CCI (Codigo de Cuenta Interbancario) matches a valid CCI number combined with any of the following keywords within a proximity of 10 terms: Codigo de Cuenta Interbancario, CCI, número de cuenta bancaria, detalles bancarios, número de banco, código de cuenta, ID de cuenta, número de cuenta (or) cuenta numerada. (All terms case insensitive; diacritics are optional.)	Built-In
Driver's License Number (Slovenia)	Slovenia Driver's license matches with any of the following keywords within a proximity of 10 terms: vozniško dovoljenje s fotografijo, vozniško dovoljenje za zadržanika, imetnik dovoljenja, imetniki dovoljenja, številka dovoljenja, št. dovoljenja, vozniško dovoljenje, vozniška dovoljenja, dovoljenje za vožnjo, vozniško, vozniška, dovoljenje (or) voz. dovoljenje. (All terms case insensitive; diacritics are optional.)	Built-In
Bank Account Number (South Africa)	South Africa Bank Account Number matches a valid bank account number combined with any of the following keywords within a proximity of 10 terms: bank account number, bank details, bank number, account code, account id, account number (or) numbered account. (All terms case insensitive.)	Built-In
Phone Number (Slovenia)	Slovenia Phone number matches a Slovenian phone number combined with any of the following keywords within a proximity of 10 terms: telefonska številka, telefonska št., tel. številka, telefon, mobilna številka (or) številka mobilnega telefona. (All terms case insensitive; diacritics are optional.)	Built-In