

## End-of-Sale and End-of-Life Announcement for the Cisco Active Network Abstraction 3.4

EOL5813

Cisco Systems® announces the end-of-sale and end-of life dates for the Cisco Active Network Abstraction 3.4 . The last day to order the Cisco Active Network Abstraction 3.4 is November 29, 2007. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the Cisco Active Network Abstraction 3.4 . Table 2 lists the product part numbers affected by this announcement.

**Table 1.** End-of-Life Milestones and Dates for the Cisco Active Network Abstraction 3.4

Milestone	Definition	Date
<b>End-of-Life Announcement Date</b>	The date the document that announces the end of sale and end of life of a product is distributed to the general public.	May 31, 2007
<b>End-of-Sale Date</b>	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	November 29, 2007
<b>Last Ship Date: App. SW</b>	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	February 27, 2008
<b>End of SW Maintenance Releases Date: App. SW</b>	The last date that Cisco Engineering may release any final software maintenance releases or bug fixes. After this date, Cisco Engineering will no longer develop, repair, maintain, or test the product software.	November 28, 2008
<b>End of New Service Attachment Date: App. SW</b>	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	November 28, 2008
<b>End of Service Contract Renewal Date: App. SW</b>	The last date to extend or renew a service contract for the product.	February 24, 2010
<b>Last Date of Support: App. SW</b>	The last date to receive service and support for the product. After this date, all support services for the product are unavailable, and the product becomes obsolete.	November 28, 2010

HW = Hardware OS SW = Operating System Software App. SW = Application Software

**Table 2.** Product Part Numbers Affected by This Announcement

End-of-Sale Product Part Number	Product Description
<b>CDMP-3.4-G1-10</b>	Configurable Device Management(3.4 or earlier) RTU-10 G1
<b>CDMP-3.4-G1-100</b>	Configurable Device Management(3.4 or earlier) RTU-100 G1
<b>CDMP-3.4-G1-2.5K</b>	Configurable Device Management(3.4 or earlier) RTU-2.5K G1
<b>CDMP-3.4-G1-5K</b>	Configurable Device Management(3.4 or earlier) RTU-5K G1
<b>CDMP-3.4-G2-1.5K</b>	Configurable Device Management(3.4 or earlier) RTU-1.5K G2
<b>CDMP-3.4-G2-10</b>	Configurable Device Management(3.4 or earlier) RTU-10 G2
<b>CDMP-3.4-G2-100</b>	Configurable Device Management(3.4 or earlier) RTU-100 G2
<b>CDMP-3.4-G2-3K</b>	Configurable Device Management(3.4 or earlier) RTU-3K G2
<b>CDMP-3.4-G3-10</b>	Configurable Device Management(3.4 or earlier) RTU-10 G3

<b>CDMP-3.4-G3-250</b>	Configurable Device Management(3.4 or earlier) RTU-250 G3
<b>CDMP-3.4-G3-50</b>	Configurable Device Management(3.4 or earlier) RTU-50 G3
<b>CDMP-3.4-G3-500</b>	Configurable Device Management(3.4 or earlier) RTU-500 G3
<b>CDMP-3.4-GG-100</b>	Configurable Device Management(3.4 or earlier) RTU-100 GG
<b>CDMP-3.4-GG-2.5K</b>	Configurable Device Management(3.4 or earlier) RTU-2.5K GG
<b>CDMP-3.4-GG-5K</b>	Configurable Device Management(3.4 or earlier) RTU-5K GG
<b>CTB-3.4-10</b>	Command and Threshold Builder(3.4 or earlier) 10 Pack RTU-10
<b>CUI-3.4-1</b>	Client User Interface(3.4 or earlier) Single RTU-1
<b>CUI-3.4-10</b>	Client User Interface(3.4 or earlier) 10 Pack RTU-10
<b>HSS-3.4-1</b>	Hot Standby Server(3.4 or earlier) Single Server RTU-1
<b>NAPI-3.4-1</b>	Northbound API(3.4 or earlier) Per Concurrent Use RTU-1
<b>ND-3.4-G1-10</b>	Network Discovery(3.4 or earlier) RTU-10 G1
<b>ND-3.4-G1-100</b>	Network Discovery(3.4 or earlier) RTU-100 G1
<b>ND-3.4-G1-2.5K</b>	Network Discovery(3.4 or earlier) RTU-2.5K G1
<b>ND-3.4-G1-5K</b>	Network Discovery(3.4 or earlier) RTU-5K G1
<b>ND-3.4-G2-1.5K</b>	Network Discovery(3.4 or earlier) RTU-1.5K G2
<b>ND-3.4-G2-10</b>	Network Discovery(3.4 or earlier) RTU-10 G2
<b>ND-3.4-G2-100</b>	Network Discovery(3.4 or earlier) RTU-100 G2
<b>ND-3.4-G2-3K</b>	Network Discovery(3.4 or earlier) RTU-3K G2
<b>ND-3.4-G3-10</b>	Network Discovery(3.4 or earlier) RTU-10 G3
<b>ND-3.4-G3-250</b>	Network Discovery(3.4 or earlier) RTU-250 G3
<b>ND-3.4-G3-50</b>	Network Discovery(3.4 or earlier) RTU-50 G3
<b>ND-3.4-G3-500</b>	Network Discovery(3.4 or earlier) RTU-500 G3
<b>ND-3.4-GG-100</b>	Network Discovery(3.4 or earlier) RTU-100 GG
<b>ND-3.4-GG-2.5K</b>	Network Discovery(3.4 or earlier) RTU-2.5K GG
<b>ND-3.4-GG-5K</b>	Network Discovery(3.4 or earlier) RTU-5K GG
<b>NFI-3.4-G1-10</b>	Network Fault Isolation(3.4 or earlier) RTU-10 G1
<b>NFI-3.4-G1-100</b>	Network Fault Isolation(3.4 or earlier) RTU-100 G1
<b>NFI-3.4-G1-2.5K</b>	Network Fault Isolation(3.4 or earlier) RTU-2.5K G1
<b>NFI-3.4-G1-5K</b>	Network Fault Isolation(3.4 or earlier) RTU-5K G1
<b>NFI-3.4-G2-1.5K</b>	Network Fault Isolation(3.4 or earlier) RTU-1.5K G2
<b>NFI-3.4-G2-10</b>	Network Fault Isolation(3.4 or earlier) RTU-10 G2
<b>NFI-3.4-G2-100</b>	Network Fault Isolation(3.4 or earlier) RTU-100 G2
<b>NFI-3.4-G2-3K</b>	Network Fault Isolation(3.4 or earlier) RTU-3K G2
<b>NFI-3.4-G3-10</b>	Network Fault Isolation(3.4 or earlier) RTU-10 G3
<b>NFI-3.4-G3-250</b>	Network Fault Isolation(3.4 or earlier) RTU-250 G3
<b>NFI-3.4-G3-50</b>	Network Fault Isolation(3.4 or earlier) RTU-50 G3
<b>NFI-3.4-G3-500</b>	Network Fault Isolation(3.4 or earlier) RTU-500 G3
<b>NFI-3.4-GG-100</b>	Network Fault Isolation(3.4 or earlier) RTU-100 GG
<b>NFI-3.4-GG-2.5K</b>	Network Fault Isolation(3.4 or earlier) RTU-2.5K GG
<b>NFI-3.4-GG-5K</b>	Network Fault Isolation(3.4 or earlier) RTU-5K GG
<b>RSA-3.4-150K</b>	Residential Services Activation(3.4 or earlier) #SA RTU-150K
<b>RSA-3.4-450K</b>	Residential Services Activation(3.4 or earlier)#SA RTU-450K
<b>RSA-3.4-5K</b>	Residential Services Activation(3.4 or earlier) #SA RTU-5K
<b>RSD-3.4-150K</b>	Residential Services Discovery(3.4 or earlier) #SD RTU-150K
<b>RSD-3.4-450K</b>	Residential Services Discovery(3.4 or earlier) #SD RTU-450K

<b>RSD-3.4-5K</b>	Residential Services Discovery(3.4 or earlier) #SD RTU-5K
<b>RSF-3.4-150K</b>	Residential Services Fault(3.4 or earlier) #SM RTU-150K
<b>RSF-3.4-450K</b>	Residential Services Fault(3.4 or earlier) #SM RTU-450K
<b>RSF-3.4-5K</b>	Residential Services Fault(3.4 or earlier) #SM RTU-5K
<b>SA-L2VPN-3.4-1K</b>	Service Activation L2 VPN(3.4 or earlier) #TN RTU-1K
<b>SA-L2VPN-3.4-250</b>	Service Activation L2 VPN(3.4 or earlier) #TN RTU-250
<b>SA-L2VPN-3.4-5K</b>	Service Activation L2 VPN(3.4 or earlier) #TN RTU-5K
<b>SA-L3VPN-3.4-1K</b>	Service Activation L3 VPN(3.4 or earlier) #PE RTU-1K
<b>SA-L3VPN-3.4-250</b>	Service Activation L3 VPN(3.4 or earlier) #PE RTU-250
<b>SA-L3VPN-3.4-5K</b>	Service Activation L3 VPN(3.4 or earlier) #PE RTU-5K
<b>SD-L2VPN-3.4-1K</b>	Service Discovery L2 VPN(3.4 or earlier) #TN RTU-1K
<b>SD-L2VPN-3.4-250</b>	Service Discovery L2 VPN(3.4 or earlier) #TN RTU-250
<b>SD-L2VPN-3.4-5K</b>	Service Discovery L2 VPN(3.4 or earlier) #TN RTU-5K
<b>SD-L3VPN-3.4-1K</b>	Service Discovery L3 VPN(3.4 or earlier) #PE RTU-1K
<b>SD-L3VPN-3.4-250</b>	Service Discovery L3 VPN(3.4 or earlier) #PE RTU-250
<b>SD-L3VPN-3.4-5K</b>	Service Discovery L3 VPN(3.4 or earlier) #PE RTU-5K
<b>SFI-L2VPN-3.4-1K</b>	Service Fault Isolation L2 VPN(3.4 or earlier) #TN RTU-1K
<b>SFI-L2VPN-3.4-250</b>	Service Fault Isolation L2 VPN(3.4 or earlier) #TN RTU-250
<b>SFI-L2VPN-3.4-5K</b>	Service Fault Isolation L2 VPN(3.4 or earlier) #TN RTU-5K
<b>SFI-L3VPN-3.4-1K</b>	Service Fault Isolation L3 VPN(3.4 or earlier) #PE RTU-1K
<b>SFI-L3VPN-3.4-250</b>	Service Fault Isolation L3 VPN(3.4 or earlier) #PE RTU-250
<b>SFI-L3VPN-3.4-5K</b>	Service Fault Isolation L3 VPN(3.4 or earlier) #PE RTU-5K
<b>VNE-3.4-G1</b>	Virtual Network Element(3.4 or earlier) RTU-1 Group 1 Device
<b>VNE-3.4-G2</b>	Virtual Network Element(3.4 or earlier) RTU-1 Group 2 Device
<b>VNE-3.4-G3</b>	Virtual Network Element(3.4 or earlier) RTU-1 Group 3 Device
<b>VNE-3.4-GG</b>	Virtual Network Element(3.4 or earlier) RTU-1 Group G Device
<b>WACC-3.4-1</b>	Web Assist Concurrent Clients(3.4 or earlier) Single RTU-1
<b>WAE-3.4-1</b>	Web Assist Engine(3.4 or earlier) Single RTU-1

## Product Migration Options

Customers are encouraged to migrate to the Cisco Active Network Abstraction 3.5. Information about this product can be found at:

[http://www.cisco.com/en/US/prod/collateral/netmgtsw/ps6504/ps8203/ps6776/product\\_data\\_sheet\\_0900aecd80455385.html](http://www.cisco.com/en/US/prod/collateral/netmgtsw/ps6504/ps8203/ps6776/product_data_sheet_0900aecd80455385.html).

Customers can use the Cisco Technology Migration Plan (TMP) to trade in products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, go to: <http://www.cisco.com/go/tradein/>. The Cisco TMP application requires all users to have a Cisco.com user ID.

Customers may be able to continue to purchase the end-of-sale product through Cisco's Authorized Refurbished Equipment program. Refurbished units of the end-of-sale product are available in limited supply for sale in certain countries on a first-come, first-served basis. For information about the refurbished equipment program, go to:

<http://www.cisco.com/web/ordering/ciscocapital/refurbished/index.html>.

## For More Information

For more information about the Cisco Active Network Abstraction 3.5, visit <http://www.cisco.com/en/US/products/ps6776/index.html>, contact your local account representative, or send an e-mail to [wwsp-nms-sales-team@cisco.com](mailto:wwsp-nms-sales-team@cisco.com).

For more information about the Cisco End-of-Life Policy, go to: [http://www.cisco.com/en/US/products/prod\\_end\\_of\\_life.html](http://www.cisco.com/en/US/products/prod_end_of_life.html).

To subscribe to receive end-of-life/end-of-sale information, go to: <http://www.cisco.com/cgi-bin/Support/FieldNoticeTool/field-notice>.



**Americas Headquarters**  
Cisco Systems, Inc.  
170 West Tasman Drive  
San Jose, CA 95134-1706  
USA  
[www.cisco.com](http://www.cisco.com)  
Tel: 408 526-4000  
800 553-NETS (6387)  
Fax: 408 527-0883

**Asia Pacific Headquarters**  
Cisco Systems, Inc.  
168 Robinson Road  
#28-01 Capital Tower  
Singapore 068912  
[www.cisco.com](http://www.cisco.com)  
Tel: +65 6317 7777  
Fax: +65 6317 7799

**Europe Headquarters**  
Cisco Systems International BV  
Haarlerbergpark  
Haarlerbergweg 13-19  
1101 CH Amsterdam  
The Netherlands  
[www-europe.cisco.com](http://www-europe.cisco.com)  
Tel: +31 0 800 020 0791  
Fax: +31 0 20 357 1100

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

©2007 Cisco Systems, Inc. All rights reserved. CCVP, the Cisco logo, and the Cisco Square Bridge logo are trademarks of Cisco Systems, Inc. Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Access Registrar, Aironet, BPX, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, LightStream, Linksys, MeetingPlace, MGX, Networking Academy, Network Registrar, Packet, PIX, ProConnect, ScriptShare, SMARTnet, StackWise, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0705R)