

Cisco Prime Home 5.1

The following list of frequently asked questions is meant to help quickly address some of the commonly asked questions regarding Cisco Prime™ Home Release 5.1. For more information on the product refer to the data sheets.

General Information

- Q.** What is Cisco Prime?
- A.** The Cisco Prime portfolio of IT and service provider management offerings empowers organizations to more effectively manage their networks and the services they deliver. Built on a service-centered foundation, Cisco Prime supports integrated lifecycle management through an intuitive workflow-oriented user experience, providing A-to-Z management for evolved programmable networks, mobility, video, cloud and managed services.
- Q.** What is Cisco Prime Home?
- A.** Cisco Prime Home provides management solutions for service providers that address the growing need for home network configuration and support. The solution provides a feature-rich, TR-069-based remote management and provisioning solution that provides visibility into the home network, reduces operational costs, and improves the subscriber experience. Powerful customer support tools, an intuitive consumer portal, and extensive reporting combine to make the home network easier to set up and support.
- Q.** Who should deploy Cisco Prime Home?
- A.** Service providers looking to reduce their operational costs associated with home networking support will immediately see returns on their investment with Cisco Prime Home, through reduced call volumes, shorter call times, and fewer truck rolls. Furthermore, service providers that are looking to add new revenue-generating services will see Cisco Prime Home as a platform for facilitating valuable consumer applications such as parental controls and managed Wi-Fi and firewall services.
- Q.** What are the different deployment options for Cisco Prime Home?
- A.** Cisco Prime Home is a hosted service offering, under which service providers subscribe to Cisco Prime Home services without providing any hardware or networking equipment themselves. There are no associated capital costs for the service provider.
- Q.** For service providers that previously deployed Cisco Prime Home onsite, can they migrate to a hosted deployment?
- A.** Yes.
- Q.** What Broadband Forum protocols/data models are supported by Cisco Prime Home?
- A.** Cisco Prime Home supports the standard TR-069 protocol and is compatible with both the TR-098 and TR-181i2 device object models. Cisco Prime Home also supports device-specific data models and topologies such as TR-104, TR-111, TR-135, TR-140, and TR-157. Through its flexible device interoperability Software Development Kit (SDK), Cisco Prime Home can easily add support for new data models as they are introduced and can also manage custom device vendor extensions.

-
- Q.** What types of devices does Cisco Prime Home manage and provision?
- A.** Cisco Prime Home may be used to manage any TR-069-compliant device including residential gateways (DSL, cable, fiber), IP set-top boxes, next-generation converged IP set-top boxes, Network Attached Storage (NAS), femtocells, IP phones, powerline adapters, IP cameras, and more.

For other connected (non-TR-069) devices in the home such as PCs, tablets, and smartphones, Cisco Prime Home can manage by proxy through the residential gateway to provide services such as Wi-Fi analysis, click-through to the LAN device UI, firewall configuration, and parental controls.

- Q.** On what platforms is Cisco Prime Home supported?
- A.** Platform support for Cisco Prime Home 5.0 and 5.1 currently includes CentOS 6.2 and later and Red Hat Enterprise Linux 6.2 and later.
- Q.** What licensing method does Cisco Prime Home utilize?
- A.** Customers must sign a one-year Standard Management subscription agreement that auto-renews. Pricing is based on the number of managed TR-069 devices, and invoicing based on actual usage. Pricing includes a software license, maintenance and support, and access to the latest software version. Additional monthly charges apply to (optional) Bandwidth Monitoring and parental control applications.
- Q.** Does Cisco Prime Home support all TR-069 devices across all manufacturers?
- A.** Cisco Prime Home manages hundreds of device makes and models across many TR-069 device manufacturers today. Support for interoperability for new third-party devices with Cisco Prime Home is available for a fee.
- Q.** What is Cisco Prime Home Plus?
- A.** Cisco Prime Home Plus is a Cisco partner program that helps enable virtually any kind of customer premises equipment (CPE) to be managed by Cisco Prime Home through integration of the Cisco Prime Home Plus client stack. Cisco Prime Home Plus provides a TR-069 client as well as value added extensions such as bandwidth monitoring and whole home parental controls. Cisco Prime Home Plus-enabled devices are guaranteed to be interoperable with Cisco Prime Home, and will have the fullest level of functionality available in the Cisco Prime Home system.
- Q.** Is Cisco Prime Home supported by the Cisco Technical Assistance Center (TAC)?
- A.** Yes, the Cisco TAC worldwide has received Cisco Prime Home training and provides 24-hour support.
- Q.** Does Cisco Prime Home require Software Application Support (SAS)?
- A.** Support and maintenance are included in the Subscription Agreement.
- Q.** Where can more information be obtained?
- A.** For more information about Cisco Prime Home, go to <http://www.cisco.com/go/prime-home>, contact your local account representative, or send an email to ask-prime-home@cisco.com.

Bandwidth Monitor

- Q.** How does the Cisco Prime Home Bandwidth Monitor work?
- A.** The Bandwidth Monitor uses an application running in the residential gateway to track, store, and report usage to the Cisco Prime Home server on a frequent basis, typically every five minutes.
- Q.** What CPE devices support the Bandwidth Monitor?
- A.** Bandwidth Monitor is available on DSL, cable, and Ethernet gateways running the Cisco Prime Home Plus software.
- Q.** Does the Bandwidth Monitor require additional CPE memory or processing power?
- A.** Yes, like all CPE applications, the Bandwidth Monitor will utilize additional memory and processing. Customers should work with their device vendor to make sure devices meet their performance needs while running the Bandwidth Monitor.
- Q.** Does the Bandwidth Monitor require any additional server storage?
- A.** No.



Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)