

Cisco Prime Virtual Network Analysis Module

Virtualization and cloud create exciting business transformation opportunities, innovative service delivery models, and improved economics. At the same time, they introduce a new dimension of service delivery challenges that demand real-time application and network visibility to boost operational agility.

Product Overview

Cisco Prime™ Virtual Network Analysis Module (vNAM) delivers operational agility by permitting deployment almost anywhere in the network to improve service levels. You can deploy the vNAM in the cloud to monitor hosted workloads, at remote sites to characterize the end-user experience, or almost anywhere in the network to eliminate blind spots. It combines deep application awareness, insightful performance analytics, and comprehensive network visibility to empower network administrators to efficiently and effectively manage their networks.

Figure 1. Cisco Prime NAM Traffic Summary Dashboard



Cisco Prime vNAM's versatility allows you to:

- Gain Layer 4-Layer 7 visibility using Cisco® Network-Based Application Recognition 2 (NBAR2) natively to easily identify business-critical applications
- Understand traffic behavior within overlay technologies such as VXLAN, LISP, and OTV
- Analyze network usage by application, host or virtual machine (VM), and conversation to identify bottlenecks that may affect performance and availability

- Troubleshoot performance problems by combining detailed traffic flow and packet analysis consistently across physical and virtual environments
- Validate infrastructure updates such as WAN optimization, Cisco TrustSec®, and quality-of-service (QoS) policy changes
- Take advantage of an integrated web-based interface to manage a site remotely, eliminating the need to backhaul the data to a centralized location and saving WAN bandwidth

Cisco Prime vNAM comes with a remotely accessible web-based management and reporting console (Figure 1), which runs the Cisco Prime Network Analysis Module Software. The software includes prepackaged dashboards that provide an immediate view of network performance and workflows that help accelerate operational decisions.

Extending Cisco Application Visibility and Control to the Data Center

With Cisco Prime vNAM 6.2, the vNAM just got richer. Cisco Prime vNAM 6.2 builds on the features and improvements in 6.1. Specifically, 6.2 terminates Encapsulated Remote Switched Port Analyzer (ERSPAN), extends video traffic monitoring capabilities, and implements a smart licensing scheme. Terminating the high-speed ERSPAN at the vNAM, rather than at the switch, enables the vNAM to access the Type III ERSPAN header. The benefits are that the vNAM can be an IP endpoint as well as a SPAN destination, and can perform centralized packet-level monitoring and troubleshooting. With the new video monitoring capabilities, the vNAM can now monitor live video sessions and provide video quality and analytics, similar to voice/Real-Time Protocol (RTP) calls. Smart licensing allows the user to dynamically choose performance levels (150 Mbps, 1 Gbps, or 3 Gbps). However, the traditional licensing scheme is also available, in case smart licensing is unavailable or not suitable in a specific deployment. All these features are in addition to Cisco NBAR2, implemented in Cisco Prime vNAM 6.1. NBAR2 is a Cisco technology included in Cisco Application Visibility and Control (AVC) solutions that performs deep packet inspection (DPI) to automatically recognize and classify applications to Layer 7. With it, the vNAM can provide visibility into the performance of your business-critical applications, no matter where they are hosted or how they are distributed. It can tell you whether transaction times are fast or slow. It can give you information on who's accessing the apps, which ones, how much, and when. And with these insights, it can help you prioritize those that the business depends on and throttle those that are less relevant. It enables more efficient and more economical operations. And all of it is now included natively in Cisco Prime vNAM.

Cisco Prime vNAM Features and Benefits

The Cisco Prime vNAM offers an extensive set of features (Table 1), all in one value-based solution.

Table 1. Cisco Prime vNAM Features and Benefits

Feature	Benefit
Deployment versatility	Meet the demand for operational agility in virtualized data center and cloud environments. Deploy Cisco Prime vNAM in tenant network containers, remote sites, or almost any place in the network to address specific operational needs with its insightful analytics and purpose-built GUI.
DPI with NBAR2	Get rapid visibility into how your business-critical applications are performing. Cisco Prime NAM with NBAR2 allows classification of IPv4, IPv6, and v6 transition techniques, evasive applications such as Skype and Tor, business applications such as Microsoft Lync, cloud applications such as Office 365, and even mobile applications such as FaceTime using advanced classification techniques. Protocol Packs make updates timely and smooth.
Application performance analytics	Characterize the end-user experience for TCP-based applications and isolate application response-time problems to the network, server, or the application, to accelerate troubleshooting.
Voice quality analytics	Gather real-time reports on Mean Opinion Score (MOS) and other key performance indicators (KPIs) such as jitter and packet loss to understand and improve how the end user experiences the delivery of voice services. MOS is computed based on ITU-T Recommendations G.107, offering accurate characterization of voice quality.


Feature	Benefit
Traffic analysis	View short- and long-term network usage by applications, hosts, conversations, differentiated-services-code-point (DSCP) groups, and various supported encapsulations. Identify top consumers of network resources and isolate network bottlenecks to optimize network resource-allocation.
Insight into encapsulation and overlay technologies	Design overlay networks for the efficient delivery of applications. Supported protocols include OTV, LISP, VXLAN, CAPWAP, and others.
Cisco TrustSec policy validation	Validate the Cisco TrustSec policies using security group tags (SGTs) and evaluate the endpoints or hosts, applications, and conversations participating in one or more security groups.
WAN-optimized network visibility	Obtain end-to-end proof points demonstrating how Cisco Wide Area Application Services (WAAS) has improved application delivery (for example, decreased application transaction times or improved WAN bandwidth usage). Accelerate your return on investment (ROI) by assessing the best site and application candidates for optimization as part of the phased rollout plan.
Deep, insightful packet analysis	Solve complex performance problems with trigger-based captures, filters, decodes, and error scan features. Packet captures can be triggered based on performance thresholds, allowing you to focus on specific performance problems. In addition, use external storage to collect extensive packet captures for offline analysis.
Smart licensing	A flexible licensing scheme that allows the user to dynamically choose different performance levels (150 Mbps, 1 Gbps, or 3 Gbps). Traditional licensing is also available as well.
Open interface	Preserve investment in existing management assets through integration based on a standards-based (REST/XML) API.
Any time, anywhere access	Access the web interface from any desktop, eliminating the need to send personnel to remote sites or send large amounts of data over WAN links to the central site.
Cisco Prime Infrastructure integration	Manage NAMs from a single, centralized console. Collect and view NAM statistics from across the network to get a big picture view of network performance.

Examples of Deployment Scenarios

Monitor Workloads in the Multitenant Cloud

Deployed in a tenant network container (Figure 2), Cisco Prime vNAM analyzes the TCP-based interactions for the hosted workload to assess performance. It provides metrics such as transaction time, server response time, application delay, and more. Setting performance thresholds helps to proactively detect application response time issues, minimizing the risk of violating service-level objectives. Cisco Prime vNAM also provides insight into network usage by applications, top talkers, and conversations to help optimize use of the cloud infrastructure, including overlay technologies such as VXLAN and LISP.


Figure 2. Track Application Performance and Resource Usage with Cisco Prime vNAM



Simplify Remote-Site Manageability

When deployed at a remote site, Cisco Prime vNAM can help network administrators characterize the end-user experience (Figure 3), profile application traffic, and troubleshoot performance problems to permit cost-effective services delivery across Cisco Enterprise Networks. An integrated web-based interface allows administrators to access vNAM remotely at any time and from anywhere to gather network and application performance insights, eliminating the need to send the data to a centralized location for analysis. The vNAM can monitor all traffic entering and leaving the remote site, identify the applications consuming the most bandwidth, proactively alert you to degradation in application performance, assess whether control and optimization techniques are effectively implemented, and help you contextually troubleshoot performance problems.

Figure 3. Manage Remote Sites with Cisco Prime vNAM



Licensing

Cisco offers three vNAM licenses, NAM-VX10, NAM-VX20, and NAM-VX30 (Table 2). They are distinguished by their traffic monitoring throughput. Both vNAMs support the same feature set.

Licensing for the vNAMs takes advantage of standard Cisco Software Licensing, for which additional information is available at <http://www.cisco.com/go/clm>. The Cisco Prime vNAM includes a 60-day evaluation license^{*}.

The software can be downloaded from the [Cisco Promotional Software Store](#).

^{*} The evaluation software is restricted to 100-Mbps traffic monitoring throughput.

Table 2. Cisco Prime vNAM License Information

vNAM License Part Number	Description	Supported Virtual Environment	Traffic Monitoring Performance
R-NAM-VX10-6.2-K9=	Cisco Prime Virtual NAM (NAM-VX10) Software Version 6.2	Red Hat Enterprise Linux KVM 0.12 or later, VMware vSphere 5.1 (ESXi 5.1) or later	Up to 150 Mbps
R-NAM-VX20-6.2-K9=	Cisco Prime Virtual NAM (NAM-VX20) Software Version 6.2	Red Hat Enterprise Linux KVM 0.12 or later, VMware vSphere 5.1 (ESXi 5.1) or later	Up to 1 Gbps
R-NAM-VX30-6.2-K9=	Cisco Prime Virtual NAM (NAM-VX30) Software Version 6.2	Red Hat Enterprise Linux KVM 0.12 or later, VMware vSphere 5.1 (ESXi 5.1) or later	Up to 3 Gbps

Product Specifications

Table 3 provides the specifications for the Cisco Prime vNAM.

Table 3. Product Specifications

Feature	Description
System requirements (both vNAM licenses)	<p>Cisco Prime vNAM can be deployed on any x86 platform. The system requirements include:</p> <ul style="list-style-type: none"> • Two 64-bit CPUs • Two virtual Ethernet ports • Network interface card (NIC) driver type: VMXNET3 (for ESXi) and virtio (for KVM) • 4 GB RAM • 100 GB disk space
Supported topologies and data sources	<ul style="list-style-type: none"> • LAN: Switched Port Analyzer (SPAN), Remote SPAN (RSPAN), encapsulated remote SPAN (ERSPAN), Promiscuous mode (with VMware vSwitch and VDS), VLAN access control list (VACL)-based captures, NetFlow (Versions 5 and 9), and Cisco WAAS • WAN: NetFlow (Versions 5 and 9) from local and remote devices, VACL-based captures, and Cisco WAAS
Supported communication protocols	<ul style="list-style-type: none"> • HTTP/Secure HTTP (HTTPS) with embedded web-based user interface • Simple Network Management Protocol Version 1 (SNMPv1) and Version 2c, with standards-based applications
Cisco Prime NAM Software	<ul style="list-style-type: none"> • Cisco Prime NAM Software Version 6.2 • Requires Microsoft Internet Explorer 10+ or Firefox ESR 24+ • Support for Secure Sockets Layer (SSL) security with up to 256-bit encryption • Role-based user authorization and authentication locally or using TACACS+
MIBs	<p>The Cisco Prime vNAMs are standards compliant. They support the following major MIB groups:</p> <ul style="list-style-type: none"> • MIB-II (RFC 1213): All groups except Exterior Gateway Protocol (EGP) and transmission • Remote Monitoring (RMON; RFC 2819): Alarm and Event groups only • RMON2 (RFC 2021): trapDestTable only • Cisco Discovery Protocol • EntityMIB (RFC 2737)
Applications and protocols	<p>The Cisco Prime vNAM supports two protocol classification modes, DPI (NBAR2) and Classic.</p> <p>A list of the NBAR2 protocols supported in NAM 6.2 can be found at: http://www.cisco.com/c/en/us/td/docs/ios-xml/ios/gos_nbar/prot_lib/config_library/pp710/nbar-prot-pack710.pdf.</p> <p>NBAR2 Protocol Packs for NAM can be found, when available, on the Cisco Prime NAM Software support site at: http://www.cisco.com/c/en/us/support/cloud-systems-management/prime-network-analysis-module-software/tsd-products-support-general-information.html.</p> <p>The DPI mode is the default mode.</p> <p>Cisco Prime vNAM in Classic mode identifies hundreds of unique protocols (Layers 2 through 4) and automatically detects unknown protocols. It also supports URL-based application definition.</p> <p>Supported protocols include, but are not limited to:</p> <ul style="list-style-type: none"> • TCP and User Datagram Protocol (UDP) over IP, including IPv6 • HTTP and HTTPS • Voice over IP (VoIP) including Skinny Client Control Protocol (SCCP), Real-Time Protocol/Real-Time Control Protocol (RTP/RTCP), Media Gateway Control Protocol (MGCP), and Session Initiation Protocol (SIP) • SIGTRAN protocols • Mobile IP protocols, including General Packet Radio Service (GPRS) Tunneling Protocol (GTP) • SAN protocols

Feature	Description
	<ul style="list-style-type: none"> • Database protocols • Peer-to-peer protocols • Switch and router protocols • Cisco proprietary protocols • Unknown protocols by TCP/UDP ports and Remote Procedure Call (RPC) program numbers
Custom applications	Cisco Prime vNAM supports custom applications. These applications can be defined on the basis of port, port range, server IP address, server IP address range, or HTTP URL.

Warranty Information

Find warranty information on Cisco.com at the [Product Warranties](#) page.

Ordering Information

Cisco Prime vNAM can be purchased through regular Cisco sales and distribution channels worldwide. The order can be placed using the [Cisco Ordering Homepage](#). The software can be downloaded from the [Cisco Promotional Software Store](#). Table 2 provides ordering information for Cisco Prime vNAM licenses.

Cisco Services

Application Support

Network-centered software applications are the core of your most critical business operations, helping to enable continuous communication and collaboration with colleagues, customers, and business partners. Cisco and our authorized partners offer software application support services that can help customers maximize the availability, security, and performance of important business applications. Adding application support to traditional service offerings such as [Cisco SMARTnet™](#) creates a more complete technical support solution. It provides new opportunities for increased revenue, higher profit margins, and more frequent customer interactions.

For information about Cisco Services, go to <http://www.cisco.com/go/services>. Table 4 shows the technical support service recommended for vNAM.

Table 4. Cisco Technical Services

Cisco Software Application Support plus Upgrades (SASU)
<p>Cisco SASU delivers timely, uninterrupted access to Cisco's latest software updates, including major upgrade releases that might include significant architectural changes and new features and functionality. The service also provides access to a wide range of online tools and communities that help you solve issues quickly, to help you maximize business continuity, improve your competitiveness, and make the most of limited resources through increased productivity. The service covers Cisco software application products in major technologies such as network management, security, wireless management, and data center software applications and provides:</p> <ul style="list-style-type: none"> • Software updates and major upgrades • Global 24-hour access to Cisco Technical Assistance Center (TAC) • Access to online knowledge base, communities, and tools • Collaborative learning providing additional knowledge and training opportunities

Cisco Capital

Financing to Help You Achieve Your Objectives

Cisco Capital can help you acquire the technology you need to achieve your objectives and stay competitive. We can help you reduce CapEx. Accelerate your growth. Optimize your investment dollars and ROI. Cisco Capital financing gives you flexibility in acquiring hardware, software, services, and complementary third-party equipment. And there's just one predictable payment. Cisco Capital is available in more than 100 countries. [Learn more.](#)

For More Information

For more information about Cisco Prime Virtual NAM, visit <http://www.cisco.com/go/vxnam>, contact your local Cisco account representative, or send an email message to nam-info@cisco.com. For more information about the Cisco Prime NAM product family, visit <http://www.cisco.com/go/nam>.



Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)