

End-of-Sale and End-of-Life Announcement for the Cisco Assurance GT, LT, LX, Module 1G and Module 10G



Contents

Overview	3
End-of-life milestones	3
Product part numbers	4
Product Migration Options	9
For more information	10

Overview

EOL15923

Cisco announces the end-of-sale and end-of-life dates for the Cisco Assurance GT, LT, LX, Module 1G and Module 10G. The last day to order the affected product(s) is October 1, 2027. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available under the terms and conditions of customers' service contract.

End-of-life milestones

Table 1. End-of-life milestones and dates for the Cisco Assurance GT, LT, LX, Module 1G and Module 10G

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end-of-sale and end-of-life of a product is distributed to the general public.	October 1, 2026
End-of-Sale Date: HW, OS SW, Accessory	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	October 1, 2027
Last Ship Date: HW, OS SW, Accessory	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	December 10, 2027
End of SW Maintenance Releases Date: HW, OS SW, Accessory	The last date that Cisco Engineering may release any final software maintenance releases or bug fixes. After this date, Cisco Engineering will no longer develop, repair, maintain, or test the product software.	September 30, 2028
End of Vulnerability/Security Support: HW, OS SW, Accessory	The last date that Cisco Engineering may release a planned maintenance release or scheduled software remedy for a security vulnerability issue.	September 30, 2030
End of Routine Failure Analysis Date: HW, Accessory	The last-possible date a routine failure analysis may be performed to determine the cause of hardware product failure or defect.	September 30, 2028
End of New Service Attachment Date: HW, OS SW, Accessory	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	September 30, 2028
End of Service Contract Renewal Date: HW, OS SW, Accessory	The last date to extend or renew a service contract for the product.	December 30, 2031
Last Date of Support: HW, OS SW, Accessory	The last date to receive applicable service and support for the product as entitled by active service contracts or by warranty terms and conditions. After this date, all support services for the product are unavailable, and the product becomes obsolete.	September 30, 2032

HW = Hardware

OS SW = Operating System Software

App. SW = Application Software

Product part numbers

Table 2. Product part numbers affected by this announcement

End-of-Sale Product Part Number	Product Description
SKY-GT-AA	GT - 2xRJ-45 + 2xSFP - Dual Internal AC Power Supply
SKY-GT-A	GT - 2xRJ-45 + 2xSFP - Single Internal AC Power Supply
SKY-GT-H-DD	GT - 2xRJ-45 + 2xSFP - Dual DC Power Supply - Hardened
SKY-GTS-AA	GT - 4xSFP - Dual Internal AC Power Supply
SKY-GTS-A	GT - 4xSFP - Single Internal AC Power Supply
SKY-GTS-H-DD	GT - 4xSFP - Dual DC Power Supply - Hardened
SKY-LTS-DD	LT - 4xRJ-45 + 4xSFP+ - Dual DC Power Supply
SKY-LTS-H-DD	LT - 4xRJ-45 + 4xSFP+ - Dual DC Power Supply - Hardened
SKY-LXS-DD	LX - 4xSFP+ - Dual DC Power Supply
SKY-LXS-H-DD	LX - 4xSFP+ - Dual DC Power Supply - Hardened
SKY-LXS-Y-DD	LX - 4xSFP+ - SyncE - Dual DC Power Supply
SKY-LXS-YH-DD	LX - 4xSFP+ - SyncE - Dual DC Power Supply - Hardened
SKY-MOD1G-DD	Module 1G - 2xCombo - Dual DC
SKY-MOD1G-H-DD	Module 1G - 2xCombo - Dual DC - Hardened
SKY-MOD1G-HR-DD	Module 1G - 2xCombo - Dual DC with Relay - Hardened
SKY-MOD1G-H-A	Module 1G - 2xCombo - Single Internal AC - Hardened
SKY-MOD1G-HR-A	Module 1G - 2xCombo - Single AC with Relay - Hardened
SKY-MOD10G-DD	Module 10G - 2xSFP+ - Dual DC
SKY-MOD10G-A	Module 10G - 2xSFP+ - Single Internal AC
SKY-MOD10G-H-DD	Module 10G - 2xSFP+ - Dual DC - Hardened
SKY-MOD10G-H-A	Module 10G - 2xSFP+ - Single Internal AC - Hardened
SKY-AD-MOD	AC/DC Power Supply Adapter with C6 connector
SKY-AD-LT	AC/DC 24V Power Supply Adapter
SKY-AD-PE	External AC/DC Power Supply Adapter, 60W, C6, 0C to 40C
SKY-AD-60W-H	60W-24V AC/DC Power Supply with C6 and 4-pin Molex -40/70C
SKY-Y-CABLE	Y-Cable adapter
SKY-1PE-1U	19" Rackmount 1U Horizontal Mounting Bracket - 1 unit
SKY-1PE-1U-23	23" Rackmount 1U Horizontal Mounting Bracket - 1 unit
SKY-1PE-1UR	Recessed 19" Rackmount 1U Horizontal Mounting Bracket
SKY-1PE-1U-23R	Recessed 23" Rackmount 1U Horizontal Mounting Bracket
SKY-2PE-1U	19" Rackmount 1U Horizontal Mounting Bracket Dual Slots
SKY-2PE-1U-23	23" Rackmount 1U Horizontal Mounting Bracket Dual Slots

End-of-Sale Product Part Number	Product Description
SKY-2PE-1US	Recessed 19" Rackmount 1U Horizontal Bracket Dual Slots
SKY-2PE-1U-23S	Recessed 23" Rackmount 1U Horizontal Bracket Dual Slots
SKY-1-EAR-PE	1 Mounting L-brackets for the Rackmount 1U & 5U
SKY-FANKIT-LX	Replacement Fans (2) for Skylight LX platform
SKY-1-WALL-LT	Adapter Wallmount Kit, fits 1 Skylight LTS platform
SKY-1-EAR-LT	Universal 3-in-1 Bracket Replacement Kit for Skylight LTS
SKY-3AX-1U	Flush 19" horizontal bracket; fits three (3) Module
SKY-3AX-1U-23	Flush 23" horizontal bracket; fits three (3) Module
SKY-1-WALL-AX	Wallmount kit with cable support; fits one (1) Module
SKY-2AY-1U	19" Rackmount Bracket, fits 2 Module 10G units
SKY-2AY-1U-23	23" Rackmount Bracket, fits 3 Module 10G units
SKY-2AY-1US	19" Rackmount Bracket, Recessed, fits 2 Module 10G units
SKY-2AY-1U-23S	23" Rackmount Bracket, Recessed, fits 3 Module 10G units
SKY-1-WALL-PE	Adapter Wallmount Kit
SKY-FANKIT-LT	LT Fan Replacement Kit
SKY-3AX-1UR	19" Rackmount Recessed Bracket for a triple Module 1G
SKY-3AX-1UR-23	23" Rackmount Recessed Bracket for a triple Module 1G
SKY-1-WALL-AY	Replacement Adaptor Wallmount/Rackmount kit for a Module 10G
SKY-FANKIT-MOD10G	Module 10G Fan replacement (Hardened version only)
SKY-DIN-MOD1G	DIN Bracket for Module 1G
SKY-DIN-MOD10G	DIN Bracket Module 10G
SKY-TBA	DC A/B Power Connection Terminal Block Adapter
SKY-DC2-CBL	DC A/B Cable (10 feet)
SKY-DC2-CBL-EU	DC A/B Cable (10 feet) with blue/grey wires
SKY-PC-EUR	Power Cable Europe C5 termination
SKY-PC-UK	Power Cable United Kingdom C5 termination
SKY-PC-JPN	Power Cable Japan C5 termination
SKY-PC-IND	Power Cable India C5 termination
SKY-PC-SIN	Power Cable Singapore C5 termination
SKY-PC-AUS	Power Cable Australia / New Zeland C5 termination
SKY-PC-SWI	Power Cable Switzerland C5 termination
SKY-PC-ITA	Power Cable Italy C5 termination
SKY-PC-ISL	Power Cable Israel C5 termination
SKY-PC-TWN	Power Cable Taiwan C5 termination
SKY-PC-ARG	Power Cable Argentina C5 termination

End-of-Sale Product Part Number	Product Description
SKY-PC-BRZ	Power Cable Brazil C5 termination
SKY-PC-C20	Power Cable C20 C5 termination
SKY-PC-C14	Power Cable C14 C5 termination
SKY-PC-CHN	Power Cable China C5 termination
SKY-PC-F-NA	Power Cord US/CA, NEMA 5-15P to C13, 10A/125V, Black, 1.8m
SKY-PC-F-EUR	Power Cord EU, CEE 7/7 to C13, 10A/250V, Black, 2.5m
SKY-PC-F-UK	Power Cord UK/SG, BS 1363A to C13, 10A/250V, Black, 2.5m
SKY-PC-F-JPN	Power Cord JP, JIS 8303 to C13, 15A/125V, Black, 1.8m
SKY-PC-F-IND	Power Cord IN, IS 1293 to C13, 10A/250V, Black, 2.0m
SKY-PC-F-AUS	Power Cord AS/NZ, AS/NZS 4417 to C13, 10A/250V, Black, 2.5m
SKY-PC-F-SWI	Power Cord SZ, SEV 1011 to C13, 10A/250V, Black, 2.5m
SKY-PC-F-ITA	Power Cord IT, CEI 23-16 to C13, 10A/250V, Black, 2.5m
SKY-PC-F-ISR	Power Cord IL, SI 32 to C13, 10A/250V, Black, 2.5m
SKY-PC-F-TWN	Power Cord TW, NEMA 5-15P to C13, 10A/125V, Black, 1.8m
SKY-PC-F-ARG	Power Cord AR, IRAM 2073:2009 to C13, 10A/250V, Black, 2.5m
SKY-PC-F-BRZ	Power Cord BR, NBR 14136 to C13, 10A/250V, Black, 2.5m
SKY-PC-F-CHN	Power Cord CN, GB 15934-2008 to C13, 10A/250V, Black, 2.5m
SKY-PC-F-C14	Power Cord US/CA/AS/NZ/TW/CN, C14 to C13, 10A/125V, Black,
SKY-ESS-LX-RTU	Essential RTU for LX
SKY-ESS-LT-RTU	Essential RTU for LT
SKY-ESS-GT-RTU	Essential RTU for GT
SKY-ESS-MOD1G-RTU	Essential RTU for Module1G
SKY-ESS-MOD10G-RTU	Essential RTU for Module10G
SKY-MODULE-DOCK	Module Dock use to configure the SFP compute and Module
SKY-GT-AA=	GT - 2xRJ-45 + 2xSFP - Dual Internal AC Power Supply
SKY-GT-A=	GT - 2xRJ-45 + 2xSFP - Single Internal AC Power Supply
SKY-GT-H-DD=	GT - 2xRJ-45 + 2xSFP - Dual DC Power Supply - Hardened
SKY-GTS-AA=	GT - 4xSFP - Dual Internal AC Power Supply
SKY-GTS-A=	GT - 4xSFP - Single Internal AC Power Supply
SKY-GTS-H-DD=	GT - 4xSFP - Dual DC Power Supply - Hardened
SKY-LTS-DD=	LT - 4xRJ-45 + 4xSFP+ - Dual DC Power Supply
SKY-LTS-H-DD=	LT - 4xRJ-45 + 4xSFP+ - Dual DC Power Supply - Hardened
SKY-LXS-DD=	LX -4xSFP+ - Dual DC Power Supply
SKY-LXS-H-DD=	LX - 4xSFP+ - Dual DC Power Supply - Hardened
SKY-LXS-Y-DD=	LX - 4xSFP+ - SyncE - Dual DC Power Supply

End-of-Sale Product Part Number	Product Description
SKY-LXS-YH-DD=	LX - 4xSFP+ - SyncE - Dual DC Power Supply - Hardened
SKY-MOD1G-DD=	Module 1G - 2xCombo - Dual DC
SKY-MOD1G-H-DD=	Module 1G - 2xCombo - Dual DC - Hardened
SKY-MOD1G-HR-DD=	Module 1G - 2xCombo - Dual DC with Relay - Hardened
SKY-MOD1G-H-A=	Module 1G - 2xCombo - Single Internal AC - Hardened
SKY-MOD1G-HR-A=	Module 1G - 2xCombo - Single AC with Relay - Hardened
SKY-MOD10G-DD=	Module 10G - 2xSFP+ - Dual DC
SKY-MOD10G-A=	Module 10G - 2xSFP+ - Single Internal AC
SKY-MOD10G-H-DD=	Module 10G - 2xSFP+ - Dual DC - Hardened
SKY-MOD10G-H-A=	Module 10G - 2xSFP+ - Single Internal AC - Hardened
SKY-AD-MOD=	AC/DC Power Supply Adapter with C6 connector
SKY-AD-LT=	AC/DC 24V Power Supply Adapter
SKY-AD-PE=	External AC/DC Power Supply Adapter, 60W, C6, 0C to 40C
SKY-AD-60W-H=	60W-24V AC/DC Power Supply with C6 and 4-pin Molex -40/70C
SKY-Y-CABLE=	Y-Cable adapter
SKY-1PE-1U=	19" Rackmount 1U Horizontal Mounting Bracket -1 unit
SKY-1PE-1U-23=	23" Rackmount 1U Horizontal Mounting Bracket - 1 unit
SKY-1PE-1UR=	Recessed 19" Rackmount 1U Horizontal Mounting Bracket
SKY-1PE-1U-23R=	Recessed 23" Rackmount 1U Horizontal Mounting Bracket
SKY-2PE-1U=	19" Rackmount 1U Horizontal Mounting Bracket Dual Slots
SKY-2PE-1U-23=	23" Rackmount 1U Horizontal Mounting Bracket Dual Slots
SKY-2PE-1US=	Recessed 19" Rackmount 1U Horizontal Mounting Bracket
SKY-2PE-1U-23S=	Recessed 23" Rackmount 1U Horizontal Bracket Dual Slots
SKY-1-EAR-PE=	1 Mounting L-brackets for the Rackmount 1U & 5U
SKY-FANKIT-LX=	Replacement Fans (2) for Skylight LX platform
SKY-1-WALL-LT=	Adapter Wallmount Kit, fits 1 Skylight LTS platform
SKY-1-EAR-LT=	Universal 3-in-1 Bracket Replacement Kit for Skylight LTS
SKY-3AX-1U=	Flush 19" horizontal bracket; fits three (3) Module
SKY-3AX-1U-23=	Flush 23" horizontal bracket; fits three (3) Module
SKY-1-WALL-AX=	Wallmount kit with cable support; fits one (1) Module
SKY-2AY-1U=	19" Rackmount Bracket, fits 2 Module 10G units
SKY-2AY-1U-23=	23" Rackmount Bracket, fits 3 Module 10G units
SKY-2AY-1US=	19" Rackmount Bracket, Recessed, fits 2 Module 10G units
SKY-2AY-1U-23S=	23" Rackmount Bracket, Recessed, fits 3 Module 10G units
SKY-1-WALL-PE=	Adapter Wallmount Kit

End-of-Sale Product Part Number	Product Description
SKY-FANKIT-LT=	LT Fan Replacement Kit
SKY-3AX-1UR=	19" Rackmount Recessed Bracket for a triple Module 1G
SKY-3AX-1UR-23=	23" Rackmount Recessed Bracket for a triple Module 1G
SKY-1-WALL-AY=	Replacement Adaptor Wallmount/Rackmount kit for a Module 10G
SKY-FANKIT-MOD10G=	Module 10G Fan replacement (Hardened version only)
SKY-DIN-MOD1G=	DIN Bracket for Module 1G
SKY-DIN-MOD10G=	DIN Bracket Module 10G
SKY-TBA=	DC A/B Power Connection Terminal Block Adapter
SKY-DC2-CBL=	DC A/B Cable (10 feet)
SKY-DC2-CBL-EU=	DC A/B Cable (10 feet) with blue/grey wires
SKY-PC-EUR=	Power Cable Europe C5 termination
SKY-PC-UK=	Power Cable United Kingdom C5 termination
SKY-PC-JPN=	Power Cable Japan C5 termination
SKY-PC-IND=	Power Cable India C5 termination
SKY-PC-SIN=	Power Cable Singapore C5 termination
SKY-PC-AUS=	Power Cable Australia / New Zeland C5 termination
SKY-PC-SWI=	Power Cable Switzerland C5 termination
SKY-PC-ITA=	Power Cable Italy C5 termination
SKY-PC-ISL=	Power Cable Israel C5 termination
SKY-PC-TWN=	Power Cable Taiwan C5 termination
SKY-PC-ARG=	Power Cable Argentina C5 termination
SKY-PC-BRZ=	Power Cable Brazil C5 termination
SKY-PC-C20=	Power Cable C20 C5 termination
SKY-PC-C14=	Power Cable C14 C5 termination
SKY-PC-CHN=	Power Cable China C5 termination
SKY-PC-F-NA=	Power Cord US/CA, NEMA 5-15P to C13, 10A/125V, Black, 1.8m
SKY-PC-F-EUR=	Power Cord EU, CEE 7/7 to C13, 10A/250V, Black, 2.5m
SKY-PC-F-UK=	Power Cord UK/SG, BS 1363A to C13, 10A/250V, Black, 2.5m
SKY-PC-F-JPN=	Power Cord JP, JIS 8303 to C13, 15A/125V, Black, 1.8m
SKY-PC-F-IND=	Power Cord IN, IS 1293 to C13, 10A/250V, Black, 2.0m
SKY-PC-F-AUS=	Power Cord AS/NZ, AS/NZS 4417 to C13, 10A/250V, Black, 2.5m
SKY-PC-F-SWI=	Power Cord SZ, SEV 1011 to C13, 10A/250V, Black, 2.5m
SKY-PC-F-ITA=	Power Cord IT, CEI 23-16 to C13, 10A/250V, Black, 2.5m
SKY-PC-F-ISR=	Power Cord IL, SI 32 to C13, 10A/250V, Black, 2.5m
SKY-PC-F-TWN=	Power Cord TW, NEMA 5-15P to C13, 10A/125V, Black, 1.8m

End-of-Sale Product Part Number	Product Description
SKY-PC-F-ARG=	Power Cord AR, IRAM 2073:2009 to C13, 10A/250V, Black, 2.5m
SKY-PC-F-BRZ=	Power Cord BR, NBR 14136 to C13, 10A/250V, Black, 2.5m
SKY-PC-F-CHN=	Power Cord CN, GB 15934-2008 to C13, 10A/250V, Black, 2.5m
SKY-PC-F-C14=	Power Cord US/CA/AS/NZ/TW/CN, C14 to C13, 10A/125V, Black,
SKY-MODULE-DOCK=	Module Dock use to configure the SFP compute and Module

Product migration options

There is no replacement available for the Cisco Assurance GT, LT, LX, Module 1G and Module 10G at this time.

Customers may be able to use the Cisco Takeback and Reuse Program where applicable to return hardware that has reached end-of-use, at no cost. Returned products are put to their next best use, whether reused, remanufactured, or recycled by one of Cisco's certified contracted recyclers. For more information, go to:

<https://www.cisco.com/c/en/us/about/takeback-and-reuse.html>.

Customers may be able to continue to purchase the Cisco Assurance GT, LT, LX, Module 1G and Module 10G through the Cisco Refresh (certified remanufactured) program. Remanufactured units may be available in limited supply for sale in certain countries on a first-come, first-served basis until the Last Date of Support has been reached. For information about the Cisco Refresh program, go to:

<https://www.cisco.com/c/en/us/products/remanufactured.html>.

The Cisco Takeback and Recycle program helps businesses properly dispose of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to:

<https://www.cisco.com/c/en/us/about/takeback-and-reuse/product-recycling.html>.

For more information

For more information about the Cisco End-of-Life Policy, go to: <https://www.cisco.com/c/en/us/products/eos-eol-policy.html>.

For more information about the Cisco Product Warranties, go to: <https://www.cisco.com/c/en/us/products/warranty-listing.html>.

To subscribe to receive end-of-life/end-of-sale information, go to: <https://cway.cisco.com/mynotifications>.

Any authorized translation issued by Cisco Systems or affiliates of this end-of-life Product Bulletin is intended to help customers understand the content described in the English version. This translation is the result of a commercially reasonable effort; however, if there are discrepancies between the English version and the translated document, please refer to the English version, which is considered authoritative.

Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at <https://www.cisco.com/go/offices>.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)