

# Cisco Transport Manager 7.0

## PRODUCT OVERVIEW

Cisco® Transport Manager is an intelligent element management system (EMS) that efficiently manages the entire Cisco ONS Family of products as well as the Cisco Carrier Routing System (CRS-1), Cisco XR 12000 Series Router, Cisco MGX® 8880 Media Gateway, and voice-enabled Cisco MGX 8850 and MGX 8830 Multiservice Switches. Cisco Transport Manager supports configuration, fault, performance, and security management and serves as a foundation for integration into a larger OSS environment. High availability, self-healing processes, and comprehensive management across the Cisco ONS Family give service providers and large enterprises a resilient, adaptable, and integrated carrier-class EMS solution.

## KEY FEATURES AND BENEFITS

### GUI-Based Management for Unparalleled Productivity

Cisco Transport Manager is a powerful GUI-based management system that makes advanced management capabilities such as A-to-Z circuit provisioning easy to learn and use. Its explorer-style navigation and extensive use of wizards, tool tips, legends, and online help allow operators to perform tasks quickly and efficiently. Many otherwise tedious, time-consuming, and error-prone tasks can be fully streamlined using these intuitive tools.

### High Availability for Carrier-Class Management

Cisco Transport Manager is designed for continuous operation. High-availability deployment configurations are available to provide local and geographic redundancy options. Cisco Transport Manager can cope with heavy load scenarios such as high circuit-transaction rates, performance-monitoring data collection, alarm storms, and numerous simultaneous clients. Cisco Transport Manager plays a crucial role in the high availability of the network itself. Cisco Transport Manager's fault-management and performance-management capabilities help to ensure that network problems are discovered quickly and accurately, so they can be addressed often before a customer's service is noticeably affected.

### One-Stop Management Solution for Low Cost of Ownership

Cisco Transport Manager supports optical network technologies, such as SONET/SDH, long haul, and metro dense wavelength-division multiplexing (DWDM). These technologies are deployed for transport and services such as DS-1/E1, DS-3/E3, 10/100 Ethernet, Gigabit Ethernet, and storage networking protocols. In addition Cisco Transport Manager supports IP/Multiprotocol Label Switching (IP/MPLS) services delivered from the Cisco Carrier Routing System (CRS-1). By covering all the Cisco ONS Family of products along with the Cisco CRS-1, Cisco XR 12000 Series, Cisco MGX 8880 Media Gateway, and voice-enabled Cisco MGX 8850 and MGX 8830 Multiservice Switches, Cisco Transport Manager eliminates the need to deploy multiple technology-specific EMSs, reducing capital and operating expenses. Cisco Transport Manager has a global reach—simultaneously it can manage both ANSI and ETSI network elements, which is ideal for service providers or large enterprises with an international service area.

Cisco Transport Manager is cost-effective, using industry-standard platforms such as Sun Solaris, Oracle, and Microsoft Windows to fit smoothly into the IT environment of most companies. Its easy installation, smooth administration, and simple user interface also help decrease cost of ownership. Using scalable Sun server platforms, it is possible to minimize up-front investment but still grow the network by gradually adding processors, memory, and disk space.

## Northbound Interfaces for Operations Automation


Industry-standard Transaction Language One (TL1), Simple Network Management Protocol (SNMP), and Common Object Request Broker Architecture (CORBA) protocols make Cisco Transport Manager a flexible building block in traditional as well as next-generation OSS infrastructures. Cisco Transport Manager not only captures and stores all relevant information from the optical transport domain, it also makes that information and its management available to higher-layer OSSs using open communications protocols. For example, the TeleManagement Forum-compliant CORBA northbound interface of Cisco Transport Manager facilitates the implementation of the next generation of inventory management, provisioning, flow-through circuit management, and service assurance.

## PRODUCT SPECIFICATIONS

Table 1 lists the product specifications for Cisco Transport Manager Release 7.0.

**Table 1.** Product Specifications

Features and Functions	GUI
	<ul style="list-style-type: none"> <li>• Rich point-and-click, intuitive user interface</li> <li>• Domain Explorer for logical organization of network elements and Subnetwork Explorer for hierarchical organization of network elements</li> <li>• Easy drill-down navigation from network to shelf, cards, port</li> <li>• Network maps for topology display with zooming capabilities</li> <li>• Alarm browser and alarm log</li> <li>• Control panel for managing server properties and default settings</li> <li>• Client inactivity timers for automatic screen lock and automatic logout</li> <li>• Powerful step-by-step provisioning wizards</li> </ul> <p><b>Management Functional Areas</b></p> <p>Configuration Management</p> <ul style="list-style-type: none"> <li>• Native equipment and facility provisioning</li> <li>• A-to-Z circuit provisioning</li> <li>• Layer 2 provisioning using quality of service (QoS) templates</li> <li>• Network Element Explorer for detailed configuration of network elements</li> <li>• Topology and multilayer link management</li> <li>• Broadcast software download</li> <li>• Automatic network element memory backup, on-demand restoration</li> <li>• Network-wide operations performed in bulk fashion (for example, Alarm Severities and Default profiles assignment)</li> </ul> <p>Fault Management</p> <ul style="list-style-type: none"> <li>• Real-time visual and audible alarm (optional continuous alarm) and event management</li> <li>• Current and historical alarms</li> <li>• Alarm-aware displays, alarm browser and log, network maps, network element explorers, domain explorer, subnetwork explorer, and summary dashboard</li> <li>• Enable and disable unacknowledged alarm capability</li> </ul> <p>Performance Management</p> <ul style="list-style-type: none"> <li>• Configurable automatic collection of near-end and far-end 15-minutes to 1-day performance-monitoring data</li> <li>• Query wizard for performance-monitoring reports</li> <li>• Robust performance monitoring collection option to recover performance-monitoring data missed during communication downtime</li> <li>• Real-time display with 10-second polling</li> <li>• Graph of performance-monitoring data</li> </ul>



	<p>Security Management</p> <ul style="list-style-type: none"><li>• Centralized management of network-element user accounts</li><li>• Upload, storage, and viewing of network-element audit logs</li><li>• Comprehensive Cisco Transport Manager audit log tracks all user actions</li><li>• Enforced password complexity, password aging</li><li>• Custom profiles for access control of different user groups</li></ul> <p>Administration</p> <ul style="list-style-type: none"><li>• Modular Installation</li><li>• Hot Database Backup initiated through the graphical interface</li><li>• Extended and granular logging capabilities to facilitate troubleshooting of the system</li></ul> <p>Northbound Interfaces</p> <ul style="list-style-type: none"><li>• GateWay/CORBA</li><li>• GateWay/TL1</li><li>• GateWay/SNMP</li></ul> <p><b>Network Element Releases Supported</b></p> <ul style="list-style-type: none"><li>• Cisco ONS 15216 100-GHz Optical Add/Drop Multiplexer (OADM) Releases 2.2.2, 2.2.3</li><li>• Cisco ONS 15216 100-GHz DWDM Red/Blue filters</li><li>• Cisco ONS 15216 Erbium-Doped Fiber Amplifier 2 (EDFA2) Releases 2.3, 2.4</li><li>• Cisco ONS 15216 EDFA3 Release 1.1</li><li>• Cisco ONS 15216 200-GHz OADM, EDFA1, DWDM filters, Optical Supervisory Channel (OSC), and Dispersion Compensation Unit (DCU)</li><li>• Cisco ONS 15216 FlexLayer</li><li>• Cisco ONS 15302 Multiservice Customer Access Platform Releases 2.0.1, 2.0.2</li><li>• Cisco ONS 15305 Multiservice Customer Access Platform Releases 2.0.1, 2.0.2, 3.0</li><li>• Cisco ONS 15310-CL SONET Multiservice Platform Releases 5.0.2, 5.0.4, 5.0.6, 5.0.7, 6.0, 6.0.1, 7.0</li><li>• Cisco ONS 15310-MA SONET Multiservice Platform Releases 7.0</li><li>• Cisco ONS 15327 SONET Multiservice Platform Releases 4.1.3, 4.1.4, 4.1.8, 5.0.2, 5.0.6, 5.0.7, 6.0, 6.0.1, 6.2, 7.0</li><li>• Cisco ONS 15454 SONET Multiservice Platform Releases 4.0.3, 4.1.3, 4.1.4, 4.1.6, 4.1.8, 4.6.4, 4.6.5, 4.7, 5.0.4, 5.0.6, 5.0.7, 6.0, 6.0.1, 6.2, 7.0</li><li>• Cisco ONS 15454 SDH Multiservice Platform Releases 4.1.8, 4.6.3, 5.0, 5.0.1, 5.0.4, 5.0.6, 6.0, 6.0.1, 6.2, 7.0</li><li>• Cisco ONS 15501 DC Release 4.1</li><li>• Cisco ONS 15501 AC Release 4.1</li><li>• Cisco IOS® Software Releases 12.2(26)SV1, 12.2(26)SV2 for the Cisco ONS 15530</li><li>• Cisco IOS Software Releases 12.2(26)SV1, 12.2(26)SV2 for the Cisco ONS 15540 Extended Services Platform (EXP)</li><li>• Cisco IOS Software Releases 12.2(26)SV1, 12.2(26)SV2 for the Cisco ONS 15540 ESPx</li><li>• Cisco ONS 15600 SONET Multiservice Switching Platform (MSSP) Releases 1.3.1, 5.0.2, 5.0.4, 5.0.6, 5.0.7, 6.0, 6.0.1, 6.2, 7.0</li><li>• Cisco ONS 15600 SDH MSSP Release 1.4</li><li>• Cisco ONS 15800 DWDM ANSI Platform Release 2.1</li><li>• Cisco ONS 15801 DWDM ETSI Platform Release 2.1</li><li>• Cisco ONS 15808 DWDM Platform Release 2.2</li><li>• Cisco CRS-1 Releases 3.0, 3.2, 3.2.1, 3.2.2, 3.3</li><li>• Cisco XR 12000 Series Router Releases 3.2, 3.2.1, 3.2.2, 3.3</li><li>• Cisco MDS 9000 Series</li><li>• Cisco MGX 8880 Media Gateway Releases 5.0.20, 5.2.00, 5.3.00</li><li>• Voice-enabled Cisco MGX 8850 Multiservice Switch Releases 5.0.20, 5.2.00, 5.3.00</li><li>• Voice-enabled Cisco MGX 8830 Multiservice Switch Releases 5.0.20, 5.2.00, 5.3.00</li><li>• Cisco VISM-PR Releases 3.3.10, 3.3.20, 3.3.25</li></ul>
--	---

	<ul style="list-style-type: none"> <li>• Cisco VXSM Releases 5.0.70, 5.2.00, 5.3.00</li> <li>• Cisco Catalyst® OS Release 7.1(1) or later for the Catalyst 6509 Switch</li> </ul>
<b>Reliability and Availability</b>	High-availability options: <ul style="list-style-type: none"> <li>• Local</li> <li>• Geographically diverse</li> </ul>
<b>Platform</b>	<ul style="list-style-type: none"> <li>• Sun Solaris 8 server</li> <li>• Oracle 9i database</li> <li>• Windows 2000, Windows XP, and Solaris 8 clients</li> </ul>

### **SERVICE AND SUPPORT**

Cisco Systems® offers a wide range of services programs to accelerate customer success. These innovative services programs are delivered through a unique combination of people, processes, tools, and partners, resulting in high levels of customer satisfaction. Cisco services help you to protect your network investment, optimize network operations, and prepare the network for new applications to extend network intelligence and the power of your business. For more information about Cisco Services, see [Cisco Technical Support Services](#) or [Cisco Advanced Services](#).

### **FOR MORE INFORMATION**

For additional product information, visit: [www.cisco.com/go/ctm](http://www.cisco.com/go/ctm) or contact your local account representative.



**Corporate Headquarters**  
Cisco Systems, Inc.  
170 West Tasman Drive  
San Jose, CA 95134-1706  
USA  
www.cisco.com  
Tel: 408 526-4000  
800 553-NETS (6387)  
Fax: 408 526-4100

**European Headquarters**  
Cisco Systems International BV  
Haarlerbergpark  
Haarlerbergweg 13-19  
1101 CH Amsterdam  
The Netherlands  
www-europe.cisco.com  
Tel: 31 0 20 357 1000  
Fax: 31 0 20 357 1100

**Americas Headquarters**  
Cisco Systems, Inc.  
170 West Tasman Drive  
San Jose, CA 95134-1706  
USA  
www.cisco.com  
Tel: 408 526-7660  
Fax: 408 527-0883

**Asia Pacific Headquarters**  
Cisco Systems, Inc.  
168 Robinson Road  
#28-01 Capital Tower  
Singapore 068912  
www.cisco.com  
Tel: +65 6317 7777  
Fax: +65 6317 7799

Cisco Systems has more than 200 offices in the following countries and regions. Addresses, phone numbers, and fax numbers are listed on the **Cisco.com Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).**

Argentina • Australia • Austria • Belgium • Brazil • Bulgaria • Canada • Chile • China PRC • Colombia • Costa Rica • Croatia • Cyprus • Czech Republic  
Denmark • Dubai, UAE • Finland • France • Germany • Greece • Hong Kong SAR • Hungary • India • Indonesia • Ireland • Israel • Italy  
Japan • Korea • Luxembourg • Malaysia • Mexico • The Netherlands • New Zealand • Norway • Peru • Philippines • Poland • Portugal  
Puerto Rico • Romania • Russia • Saudi Arabia • Scotland • Singapore • Slovakia • Slovenia • South Africa • Spain • Sweden  
Switzerland • Taiwan • Thailand • Turkey • Ukraine • United Kingdom • United States • Venezuela • Vietnam • Zimbabwe

Copyright © 2006 Cisco Systems, Inc. All rights reserved. CCSP, CCVP, the Cisco Square Bridge logo, Follow Me Browsing, and StackWise are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn, and iQuick Study are service marks of Cisco Systems, Inc.; and Access Registrar, Aironet, BPX, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, FormShare, GigaDrive, GigaStack, HomeLink, Internet Quotient, IOS, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, LightStream, Linksys, MeetingPlace, MGX, the Networkers logo, Networking Academy, Network Registrar, Packet, PIX, Post-Routing, Pre-Routing, ProConnect, RateMUX, ScriptShare, ScriptShare, SlideCast, SMARTnet, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0601R)

C78-338077-00 03/06