



## End-of-Sale and End-of-Life Announcement for the Select Cisco TelePresence Components and Accessories (Spares)

EOL10013 - Amended

Cisco announces the end-of-sale and end-of-life dates for the Select Cisco TelePresence Components and Accessories (Spares). The last day to order the affected product(s) is May 6, 2015. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available under the terms and conditions of customers' service contract.

**Table 1.** End-of-Life Milestones and Dates for the Select Cisco TelePresence Components and Accessories (Spares)

Milestone	Definition	Date
<b>End-of-Life Announcement Date</b>	The date the document that announces the end-of-sale and end-of-life of a product is distributed to the general public.	November 5, 2014
<b>End-of-Sale Date</b>	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	May 6, 2015
<b>Last Ship Date: OS SW, HW</b>	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	August 4, 2015
<b>End of SW Maintenance Releases Date: OS SW</b>	The last date that Cisco Engineering may release any final software maintenance releases or bug fixes. After this date, Cisco Engineering will no longer develop, repair, maintain, or test the product software.	May 5, 2016
<b>End of Routine Failure Analysis Date: HW</b>	The last-possible date a routine failure analysis may be performed to determine the cause of hardware product failure or defect.	May 5, 2016
<b>End of New Service Attachment Date: OS SW, HW</b>	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	May 5, 2016
<b>End of Service Contract Renewal Date: OS SW, HW</b>	The last date to extend or renew a service contract for the product.	August 1, 2019
<b>Last Date of Support: OS SW, HW</b>	The last date to receive applicable service and support for the product as entitled by active service contracts or by warranty terms and conditions. After this date, all support services for the product are unavailable, and the product becomes obsolete.	May 31, 2020

HW = Hardware OS SW = Operating System Software App. SW = Application Software

**Table 2.** Product Part Numbers Affected by This Announcement

End-of-Sale Product Part Number	Product Description
ACC-CPS-BAT=	55AMP Hour Battery
ACC-CPS-CM=	CPS LOCKING CABINET MODULE
ACC-CPS-DM=	CPS FULL DRAWER MODULE
ACC-CPS-HOOK=	CPS SCOPE HOOK ACCESSORY
ACC-CPS-KBS=	CPS LAPTOP/KEYBOARD SHELF MODULE
ACC-CPS-SGK	CPS SPLASH GUARD KIT
ACC-CPS-SGK=	CPS SPLASH GUARD KIT
ACC-CPS-SM=	CPS PC/LIGHT SOURCE SHELF MODULE
ACC-CPS-SP=	CPS SMALL STORAGE POD
ACC-CPS-TRANSF-CH=	BATTERY CHARGER/ISOLATION TRANSFORMER
ACC-CPS-WIFI=	CPS 802.11 B/G WIRELESS ETHERNET KIT
ACC-DPL-SB=	SPEAKER BAR, DUAL PLASMA TROLLEY
ACC-INTP-TAM-EM=	TAM MXP Integrator (Goya) Sleeve
ACC-MP2-LID=	Media P2 Lid, Complete
ACC-MP2-WHL=	Media P2 Castor/Wheel
ACC-MXPPROFILEWHL=	MXP Profile Wheel kit-1 front and 1 rear wheel w/brake, 2 peg
ACC-PWR-KIT	8 OUTLET POWER BAR/RACK MOUNT/15ft CORD
ACC-PWR-KIT=	8 OUTLET POWER BAR/RACK MOUNT/15ft CORD
ACC-SB=	Speaker Bar
ACC-TAM-EM=	TAM MXP Electronics module
ACC-TRANSF=	ISB-60W Isolation Transformer 600VA 120/240VAC
ADPT-DVI-A-VGA=	includes 1 DVI-A to VGA adapter
ADPT-DVI-HDMI=	Adapter DVI to HDMI
ADPT-IEC-NEMA=	Plug Adapter IEC C14 to NEMA 5-15 Connector
ADPT-SVIDEO	SVIDEO Adapter
ADPT-SVIDEO=	SVIDEO Adapter
BRKT-C60-P6000=	Codec Bracket
CAB-1RCAM-2RCAF=	1RCA male to 2RCA female
CAB-2DB9P-0.35M=	Cable 9p DSUB - 9p DSUB 0,35
CAB-2DB9P-0.5M=	Cable 9p DSUB - 9p DSUB 0,5 m
CAB-2DB9P-1.2M3=	Cable 9p DSUB - 9p DSUB 1,2 m
CAB-2DB9P-3.0M2=	Cable 9p DSUB - 9p DSUB 3,0 m
CAB-2DB9P-3.0M=	Cable 9p DSUB - 9p DSUB 3,0 m
CAB-2DVI-1.0M2=	Cable DVI - DVI 1,0 m w/markings
CAB-2DVI-1.0M=	Cable DVI - DVI 1,0 m w/markings
CAB-2DVI-2.75M=	Cable DVI - DVI 2,75 m w/markings
CAB-2DVI-I-5M=	Cable DVI to DVI 5m
CAB-2HDMI-1.5M	HDMI -HDMI cable, 1.55m
CAB-2HDMI-1.5M=	HDMI -HDMI cable, 1.55m
CAB-2HDMI-1.9M=	HDMI - HDMI Cable, 1,9m
CAB-2HDMI-3.3M=	HDMI- HDMI 3,3m

End-of-Sale Product Part Number	Product Description
CAB-2RJ45-14M=	Cable RJ45 - RJ45 14 m w/markings
CAB-3.5MMSTP1.0M2=	Cable 3,5 plug - 3,5 plug 1,0
CAB-3.5MMSTP1.0M3=	Cable 3,5 plug - 3,5 plug 1,0
CAB-ADPT-W2-PV=	WAVE2 TO PARKERVISION ADAPTER CABLE, 8 in
CAB-ADPT-W2-S=	WAVE2 TO SONY EVI ADAPTER CABLE, 8 in
CAB-AUD-DNAM-075=	Audio Cable DNAM - Monitor 0,75
CAB-AUD-DNAM1.3M=	Audio Cable DNAM - Dual Monitor 1
CAB-AUD-P2XP1.5=	Audio Cable Phono-2xPhono 1
CAB-AUD=	AUDIO CABLE
CAB-AV-15FT=	A/V CABLE BREAKOUT 15 ft
CAB-AV-PH-PH=	Cable Audio/Video Phono-Phono
CAB-CAM-DISPL-8FT=	2 <sup>ND</sup> DISPLAYS BREAKOUT CABLE (INCL. CAMERA) - 8 ft
CAB-CAM-HD2.4M=	Cable for HD Camera 2.4m
CAB-CAM-HD2.9M=	Cable for HD Camera 2.9m
CAB-DB9-DB9-12FT	DB9 male to DB9 female 12In long
CAB-DB9-DB9-12FT=	DB9 male to DB9 female 12 ft long
CAB-DISPL-8FT=	1 <sup>ST</sup> DISPLAYS BREAKOUT CABLE (NO CAMERA) - 8 ft
CAB-DUL-IEC=	Dual IEC Cable for Flat Screen
CAB-DVI-A-HD15M=	DVI-A(M) to HD 15(M) Cable
CAB-DVI-HDMI1.0M=	Cable DVI - HDMI 1,0m w/markings
CAB-DVI-HDMI1.2M=	Cable DVI - HDMI 1,2 m w/markings
CAB-DVI-HDMI1.5M=	DVI-HDMI cable 1,55m
CAB-DVI-HDMI2.3M=	Cable DVI-HDMI 2,3m
CAB-DVID-DVID-6FT	DVI-D(M) TO DVI-D(M) CABLE
CAB-DVID-DVID-6FT=	DVI-D(M) TO DVI-D(M) CABLE
CAB-EDU2-KIT	Cable Kit for VX Educator
CAB-ETH-1M=	Ethernet cable (1m)
CAB-ETHERNET-5MSH	114494 Ethernet Cable Shielded 5M
CAB-ETHERNET-5MSH=	114494 Ethernet Cable Shielded 5M
CAB-EXT125MM=	Extension cable 1m 2,5mm jack
CAB-HDMI-DVI-10FT	HDMI TO DVI-D CABLE, 10 ft
CAB-HDMI-DVI-10FT=	HDMI TO DVI-D CABLE, 10 ft
CAB-HDMI-DVI-6.5M=	Cable HDMI To DVI 6.5m
CAB-HDMI-DVI-6FT	HDMI m to DVI-D m 6 ft
CAB-HDMI-DVI-6FT=	HDMI TO DVI-D CABLE, 6 ft
CAB-IECM-IECF-12F=	IEC(M) TO IEC(F) POWER CORD; LONG 12 ft
CAB-IECM-IECF-6FT=	IEC(M) TO IEC(F) POWER CORD 6 ft
CAB-ISDN-BNDL=	ISDN Cable Bundle
CAB-ISDN7-5M=	111890M1 ISDN 7 Cable 5M
CAB-ISDN8-5M=	111890M1 ISDN 8 Cable 5M
CAB-MIC1=	MIC CABLE 1
CAB-MULTWAY-100FT=	MULTI-WAY CABLE 110 ft
CAB-MULTWAY-35FT=	MULTI-WAY CABLE 35 ft

End-of-Sale Product Part Number	Product Description
<b>CAB-P3000-6000PHD=</b>	HD Camera cable w/labels
<b>CAB-PHD-5M=</b>	Precision HD Camera Cables 5m
<b>CAB-PHD-EXT=</b>	Use CAB-PHD-EXTR=
<b>CAB-PHD2.15=</b>	Cable for HD Camera, 2.15m
<b>CAB-PHDCNTRL-10FT</b>	PHD CAMERA CONTROL CABLE, 10 ft
<b>CAB-PHDCNTRL-10FT=</b>	PHD CAMERA CONTROL CABLE, 10 ft
<b>CAB-PSPLT-RCA-4M=</b>	Cable 3,5 plug split RCA/RCA 4,0 m w/mar
<b>CAB-PSPLT-RCA2=</b>	Cable 3,5 plug split RCA/RCA 2
<b>CAB-PWR-MF-0.5M2=</b>	Cable Power Male - Female 0,5m
<b>CAB-PWR-MF-0.5M4=</b>	Cable Power Male - Female 0,5m
<b>CAB-PWR-MF-0.5M5=</b>	Cable Power Male - Female 0,5m
<b>CAB-PWR-MF-1.1M=</b>	Pwr cable 1.1m black
<b>CAB-PWR-MF-1.3M=</b>	Pwr cable 1.3m black
<b>CAB-PWR-MF-1.8M=</b>	Power cable 1.8m black, YP-32 to YC-12
<b>CAB-RCA-AUD1.3M=</b>	RCA - RCA Audio Cable, 1.3m
<b>CAB-SVIDEO-2M=</b>	S-video cable, mDIN-mDIN 2m
<b>CAB-TAM-6000=</b>	TAM MXP TO CODEC 6000 BREAKOUT CABLE
<b>CAB-VGA-AUD-6FT=</b>	PC Hookup Cable - VGA and Audio, 6 ft
<b>CAB-VGA-DVI-25FT=</b>	VGA(M) TO DVI(M) CABLE - 25 Ft
<b>CAB-VGA-DVI-A=</b>	VGA to DVI-A cable, male/ma
<b>CAB-VGA-DVI-AUD25=</b>	VGA TO DVI Cable With Embedded Audio - 25 feet
<b>CAB-VGA-DVI-AUDM=</b>	3,5mmSter.jack-ster.jack/DVI-VGA cable, 2.5m
<b>CAB-VID-VGA-DVI5M=</b>	VGA to DVI-A cable, male/male 5 meters
<b>CAB-VS-6.5M=</b>	Visca Control Cable 6.5m DB9 to RJ45
<b>CAB-W2-PHD-8FT=</b>	WAVE2 TO PRECISIONHD ADAPTER CABLE, 8In
<b>CAB-XLR-2.7M2=</b>	Cable XLR - XLR 2,7 m w/markings
<b>CAB-XLR-2.7M=</b>	Cable XLR - XLR 2,7 m w/markings
<b>CAB-XLR-6.0M=</b>	Cable XLR - XLR 6,0 m w/markings
<b>CAB-XLR-6.1M=</b>	Cable XLR - XLR 6,1 m w/markings
<b>CAB-XLRP-3.0M2=</b>	Cable XLR plug - XLR plug 3,0
<b>CAB-XLRP-3.0M=</b>	Cable XLR plug - XLR plug 3,0
<b>CART-CPS=</b>	Bunsen Base Cart - Stripped
<b>CART-MP2=</b>	Media P2 Base Cart
<b>CART-SGL-PL</b>	Single Plasma Trolley
<b>CART-SGL-PL=</b>	Single Plasma Trolley
<b>CP-7975G-CTS</b>	Cisco UC Phone CP-7975G, Global, for TSBU
<b>CP-7975G-CTS=</b>	Cisco UC Phone CP-7975G, Global, for TSBU
<b>CTS-1000-BULB</b>	CTS-1000 spare light bulb
<b>CTS-1000-SPR-BULB</b>	Spare CTS-1000 bulbs
<b>CTS-1700</b>	1700 MXP NTSC
<b>CTS-1700-FRT-CVR=</b>	1700 MXP Milano Privacy Front Cover
<b>CTS-1700=</b>	1700 Non Encrypted Version Spare
<b>CTS-3000CODEC=</b>	3000 CODEC Non Encrypted Version Spare

End-of-Sale Product Part Number	Product Description
<b>CTS-ATP-1000</b>	ATP discounted CTS-1000
<b>CTS-ATP-MX200-FSK</b>	ATP Demo - Cisco TelePresence MX200 42 Floor Stand Option
<b>CTS-ATP-MX200-TSK</b>	ATP Demo - Cisco TelePresence MX200 42 Table Stand Option
<b>CTS-ATP-MX200-WMK</b>	ATP Demo - Cisco TelePresence MX200 42 Wall Mount Option
<b>CTS-C20-BRKT=</b>	Bracket for mounting C20 inside Profile 42
<b>CTS-CAB-DISPRTH1H=</b>	DisplayPort cables of length 0.55M and 1.5M for CTS-1300-47
<b>CTS-CAB-MGMTCP=</b>	TelePresence Cable Management Cup
<b>CTS-CABCVR-FLR=</b>	TelePresence 5ft Cable Cover Floor Mat
<b>CTS-CODEC-SING-G1</b>	TelePresence Single Screen Codec CTS-500-X
<b>CTS-CODEC-SING-G1=</b>	TelePresence Single Screen Codec CTS-500-X
<b>CTS-CODEC-SING1CH</b>	TelePresence Single Screen Codec CTS-500-X China
<b>CTS-CODEC-SING1CH=</b>	TelePresence Single Screen Codec CTS-500-X China
<b>CTS-CTRL-DVP8</b>	Cisco TelePresence MX200 42 Touch w/ integrated 7.5m cable
<b>CTS-CTRL-DVP8=</b>	Cisco TelePresence MX200 42 Touch w/ integrated 7.5m cable
<b>CTS-E20</b>	E20 SIP Video VoIP Phone
<b>CTS-E20=</b>	E20 Spare non encrypted
<b>CTS-FERRITE=</b>	Ferrite Star Tec, Split with plastic case
<b>CTS-HFR-COLLAB-SW</b>	Cisco TelePresence High Frame Rate Auto Collab-Software
<b>CTS-HFR-COLLAB-SW=</b>	Cisco TelePresence High Frame Rate Auto Collab-Software
<b>CTS-HFR-MOUNT-1K</b>	Mount stand for presentation codec, CTS-500 or CTS-1000
<b>CTS-HFR-MOUNT-1K=</b>	Data codec bracket
<b>CTS-LAEB-G2R</b>	CTS Audio Video Expansion Box G2R
<b>CTS-LAEB-G2R=</b>	CTS Audio Video Expansion Box G2R
<b>CTS-LCU-G2R</b>	CTS Light Control Unit G2R
<b>CTS-LCU-G2R=</b>	CTS Light Control Unit G2R
<b>CTS-LOCK-65BOTMOD=</b>	Lock in bottom module for 65 system
<b>CTS-MIC-DIR=</b>	Directional Microphone, includes 7.5 M cable
<b>CTS-MIC-TABL20XLR</b>	Cisco TelePresence Table Mic 20 XLR
<b>CTS-MIC-TABL20XLR+</b>	XLR Table Mic - for auto expand only
<b>CTS-MIC-TABL20XLR=</b>	Cisco TelePresence Table Mic 20 XLR
<b>CTS-P42-GRILLKIT=</b>	Profile 42 grill kit
<b>CTS-P52D-BKCVRKIT=</b>	Profile 52 dual center backcover kit
<b>CTS-P52D-GRILLKIT=</b>	Profile 52 dual grill kit
<b>CTS-P52MONITOR-L</b>	52 Monitor Left
<b>CTS-P52MONITOR-L=</b>	52 Monitor Left
<b>CTS-P52MONITOR-R</b>	52 Monitor Right
<b>CTS-P52MONITOR-R=</b>	52 Monitor Right
<b>CTS-PL50-PAN</b>	Panasonic 50In Plasma - PH50TH2OU
<b>CTS-PL50-PAN=</b>	Panasonic 50In Plasma - PH50TH2OU
<b>CTS-PL58-PAN</b>	Panasonic 58 Inch Full HD Plasma - TH-58PF12UK
<b>CTS-PL58-PAN=</b>	Panasonic 58 Inch Full HD Plasma - TH-58PF12UK
<b>CTS-SCH-TP-</b>	Scholar Touch Panel
<b>CTS-SCH-TP=</b>	Scholar Touch Panel

End-of-Sale Product Part Number	Product Description
<b>CTS-SPCOV-114305=</b>	114305 Speaker Cover V60 PDP-50MXE20-S
<b>CTS-SPCOV-120118=</b>	Front Grill 65 Presentation Unit
<b>CTS-TRK=</b>	Tracker
<b>CTS-TX1310-65-ACR</b>	Not Active
<b>CTS-VS-</b>	VIDEO SWITCH MODULE
<b>CTS1K-ACC-KIT</b>	TelePresence 1000 Accessory Kit
<b>CTS500-32-CABCVR=</b>	TelePresence 500-32 Cable Cover
<b>CTS500-32-CAM-CVR=</b>	TelePresence 500-32 Camera Cover
<b>CTS500-32-LENSCVR=</b>	TelePresence 500-32 Camera Lens Cover
<b>CTS500-32-MICCVRL=</b>	TelePresence 500-32 Microphone Cover Left
<b>CTS500-32-MICCVRR=</b>	TelePresence 500-32 Microphone Cover Right
<b>CTS500-CAM-BRKT=</b>	TelePresence 500-37 Internal Camera Bracket
<b>CTS500-PED-BRKT=</b>	TelePresence 500-37 Pedestal Bracket and Bolt Kit
<b>L-ATP-SX-PAK</b>	Electronic Delivery PAK for SX Series
<b>L-ATP-SX20-DD</b>	Dual Display Option for SX20 - ATP
<b>L-SX80-FULL-IO</b>	L-SX-Series-PAK for e-delivery of Full I/O option
<b>LIC-6000-MS</b>	License Key Codec 6000 Multisite - MS Option
<b>LIC-6000-NPP</b>	Lic Key Codec 6000 Natural Presenter Package (NPP) Option
<b>LIC-ATP-P42C40-DD</b>	ATP Demo - Profile 42 w/ C40 DD option
<b>LIC-ATP-P42C40-MS</b>	ATP Demo - Profile 42 w/ C40 Msoption
<b>LIC-ATP-P42C40-PR</b>	ATP Demo - Profile 42 w/ C40 PR option
<b>LIC-ECXX-NPP</b>	EX NPP option
<b>LIC-EDG75-BW</b>	Edge 75 MXP 0k ISDN/768k IP sw default
<b>LIC-EDG95-BW</b>	Edge 95 MXP 512 kbps ISDN bandwidth
<b>LIC-MXP-1000-BW</b>	1000 MXP bw option 128k ISDN/768k IP
<b>LIC-P42C40-DD</b>	Profile 42 with C40 DD option
<b>LIC-P42C40-MS</b>	Profile 42 with C40 MS option
<b>LIC-P42C40-PR</b>	Profile 42 with C40 PR option
<b>LIC-P42C60-MS</b>	Profile 42 with C60 MS option
<b>LIC-P42C60-PR</b>	Profile 42 with C60 PR option
<b>LIC-P42SC60</b>	Profile 42 C60 Product ID
<b>LIC-QSC20-HD+</b>	Quick Set License Key for HD
<b>LIC-S50000-K9</b>	License Key Software Encrypted
<b>LIC-S50001</b>	License Key Software Non-Encrypted
<b>LIC-S52000-TC4.XK9</b>	LIC-S52000-TC4.XK9
<b>LIC-S52000-TCX.XK9</b>	License Key Software Encrypted
<b>LIC-S52001-TC4.X</b>	LIC-S52001-TC4.X
<b>LIC-S52001-TCX.X</b>	License Key Non-Encryption Software
<b>LIC-S52K-T3-3.XK9</b>	S52000 SW option
<b>LIC-SX80-PR</b>	SX80 Premium Resolution Software Option
<b>MAT-CNTRL=</b>	Pressure Mat Control Box
<b>MIC-AT861PZ=</b>	Mic Audio Technica AT-861PZ
<b>MIC-CLNG</b>	Instructor Ceiling Mounted Mic

End-of-Sale Product Part Number	Product Description
<b>MIC-CLNG=</b>	Instructor ceiling mounted Mic
<b>MIC-TBL-AT871R=</b>	AT871R Table Mic with 7.5m cable
<b>MIC-UNIDIR=</b>	Uni-Directional Boundary Microphone W/ 7.5 M Cable
<b>PSU-12VDC-36W=</b>	Power Supply
<b>PSU-12VDC-66W</b>	PSU-12VDC-66W
<b>PSU-12VDC-66W=</b>	12VDC 5.5A DESKTOP POWER SUPPLY
<b>PSU-24VDC-135W=</b>	Power Supply FSP135-AAAN1 (1700MXP)
<b>PSU-PRWAMP=</b>	MINI POWER AMPLIFER W/ PS
<b>PWR-CORD-JPN-L=</b>	Cable Power JPN 4, 5m w/markig
<b>PWR-NEMAIECF-18IN=</b>	Power Cable male NEMA to IEC female 18 In long
<b>PWR-NEMAIECF-L=</b>	IEC(F) TO NEMA POWER CORD, LONG
<b>PWR-STRP-MINBLK1=</b>	IEC POWERBAR, 4 outlet
<b>RACMT-EAR-S=</b>	Rack Ear Codec Short
<b>RACMT-EBA=</b>	Rack Extension Bracket Assy
<b>RACMT-L-EAR=</b>	Rack Ear - Left
<b>RACMT-R-EAR=</b>	Rack Ear - Right

## Product Migration Options

There is no replacement available for the Select Cisco TelePresence Components and Accessories (Spares) at this time.

Customers may be able to use the Cisco Technology Migration Program (TMP) where applicable to trade-in eligible products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, customers should work with their Cisco Partner or Cisco account team. Cisco Partners can find additional TMP information on Partner Central at

[https://www.cisco.com/web/partners/incentives\\_and\\_promotions/tmp.html](https://www.cisco.com/web/partners/incentives_and_promotions/tmp.html).

Customers may be able to continue to purchase the Select Cisco TelePresence Components and Accessories (Spares) through the Cisco Certified Refurbished Equipment program. Refurbished units may be available in limited supply for sale in certain countries on a first-come, first-served basis until the Last Date of Support has been reached. For information about the Cisco Certified Refurbished Equipment program, go to:

<https://www.cisco.com/go/eos>.

Service prices for Cisco products are subject to change after the product End-of-Sale date.

The Cisco Takeback and Recycle program helps businesses properly dispose of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to:

[https://www.cisco.com/web/about/ac227/ac228/ac231/about\\_cisco\\_takeback\\_recycling.html](https://www.cisco.com/web/about/ac227/ac228/ac231/about_cisco_takeback_recycling.html).

---

## For More Information

For more information about the Cisco End-of-Life Policy, go to:

[https://www.cisco.com/en/US/products/products\\_end-of-life\\_policy.html](https://www.cisco.com/en/US/products/products_end-of-life_policy.html).

For more information about the Cisco Product Warranties, go to:

[https://www.cisco.com/en/US/products/prod\\_warranties\\_listing.html](https://www.cisco.com/en/US/products/prod_warranties_listing.html).

To subscribe to receive end-of-life/end-of-sale information, go to:

<https://www.cisco.com/cisco/support/notifications.html>.

## Subscribe for RSS Notifications for End-of-Life and End-of-Sale Notices

To subscribe to the End-of-Life and End-of-Sale RSS Feed, insert the following URL into your RSS application:

[https://www.cisco.com/web/feeds/products/end\\_of\\_life\\_rss.xml](https://www.cisco.com/web/feeds/products/end_of_life_rss.xml).

Any authorized translation issued by Cisco Systems or affiliates of this end-of-life Product Bulletin is intended to help customers understand the content described in the English version. This translation is the result of a commercially reasonable effort; however, if there are discrepancies between the English version and the translated document, please refer to the English version, which is considered authoritative.




---

**Americas Headquarters**  
Cisco Systems, Inc.  
San Jose, CA

**Asia Pacific Headquarters**  
Cisco Systems (USA) Pte. Ltd.  
Singapore

**Europe Headquarters**  
Cisco Systems International BV Amsterdam,  
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at <https://www.cisco.com/go/offices>.

 Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)