

# Cisco TelePresence Touch Devices

## Product Overview

The Cisco TelePresence® Touch is a family of intuitive devices designed to give you a delightful experience when interacting with Cisco video conferencing systems – with just a touch or swipe of your finger. These touch-based devices are optimized for an effortless user experience from launching and ending a video conference, to sharing content, to viewing contact lists and directories, and even accessing video and voicemail messages.

The portfolio features Touch 8 and 10 devices (Figure 1):

- Touch 8-inch device supports the Cisco TelePresence EX90.
- Touch 10-inch device supports the Cisco TelePresence MX200/MX300 G2; MX700 and MX800 Series; SX Series; and IX Series.

With the latest innovations, the Touch 10 is also able to easily control other room peripherals such as lighting, room dividers, and curtains, through a customizable API<sup>1</sup>.

Figure 1 shows the Cisco TelePresence Touch 8 and 10 Devices.

**Figure 1.** Cisco TelePresence Touch 8 and 10 Devices



With Cisco TelePresence Touch devices, you can quickly and easily access the most common tasks in the context of your meeting. The innovative design allows effortless integration with the various forms of synchronous and asynchronous communication that are already part of the workflow.

## Features and Benefits

Cisco TelePresence Touch devices enhance the ease of connection and communication by providing instant access to meeting, contacts, directories, and content. The devices combine beautiful design and effortless user interaction with a consistent experience throughout the Cisco TelePresence portfolio.

Figure 2 Shows User Interface Displaying Room Control<sup>1</sup> Information.

**Figure 2.** User Interface Displaying Room Control Information



Table 1 gives specifications of the Cisco TelePresence Touch devices.

**Table 1.** Product Specifications

	Cisco TelePresence Touch 8-inch	Cisco TelePresence Touch 10-inch
<b>Product compatibility</b>	8-inch device: <ul style="list-style-type: none"> <li>For the Cisco TelePresence EX90</li> </ul>	10-inch device: <ul style="list-style-type: none"> <li>For the Cisco TelePresence the MX, SX and IX Series</li> </ul>
<b>Software compatibility</b>	For EX: TC3.1 or later	TC7.0 or later Collaboration Endpoint Software 8.0 or later
<b>Call-control compatibility</b>	Controlled by codec, Cisco Unified Communications Manager 8.5.1 or later and VCS	Controlled by codec, Cisco Unified Communications Manager 8.5.1 or later and VCS
<b>Signaling protocols</b>	TCP/IP	TCP/IP
<b>Display</b>	<ul style="list-style-type: none"> <li>Capacitive touch LCD</li> <li>8-inch diagonal</li> </ul>	<ul style="list-style-type: none"> <li>Capacitive touch LCD</li> <li>10.1-inch diagonal</li> </ul>
<b>Resolution</b>	800 x 480	1280 x 800
<b>Connectivity</b>	EX Series connected through codec	Connected to codec through PoE
<b>Memory</b>	-	4GB
<b>Language support</b>	English, Chinese-S, Danish, Dutch, Finnish, French, German, Italian, Japanese, Korean, Norwegian, Russian, Spanish, Swedish, Portuguese-Brazilian, Czech*, Polish*, Chinese-Traditional*, and Turkish* * Not supported in TE software	English, Arabic, Catalan, Czech, Danish, Dutch, Finnish, French, German, Hebrew, Hungarian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese-Brazilian, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, and Turkish; (depends on software version)

	Cisco TelePresence Touch 8-inch	Cisco TelePresence Touch 10-inch
<b>Physical dimensions (H x L x D)</b>	With Handset: 3.0 x 11.4 x 7.4 in. (7.7 x 29.0 x 18.7 cm) Without Handset: 1.7 x 9.0 x 5.7 in. (4.4 x 22.8 x 14.5 cm)	3.3 x 10 x 7.4 in. (8.6 x 25.5 x 18.8 cm) Maximum height in vertical position 6.4 in (16.3 cm). Minimal height in lower position on the table: 2.9 in (7.35 cm)
<b>Weight</b>	With Handset: 2.1lb (0.94 kg) Without Handset: 1.4lb (0.64 kg)	1.8lb (0.82 kg)
<b>Power</b>	EX Series: Power from codec	Power over Ethernet (PoE) 802.3af, 802.3, class 3 and 4
<b>Temperature range</b>	0° C to 35° C (32° F to 95° F)	0°C to 40°C (32°F to 104°F)

<sup>1</sup> Requires external third-party control system processor and Collaboration Endpoint Software 8.1

## Warranty Information

Warranty information is available on Cisco.com at the [Product Warranties](#) page.

## Ordering Information

Cisco TelePresence Touch devices are available as a part of an endpoint order.

To place an order, visit the [Cisco® Ordering Home Page](#) and refer to Table 2. To download software, visit the [Cisco Software Center](#).

See individual endpoint data sheets for whether Cisco TelePresence Touch comes standard with product.

**Table 2.** Ordering Information

Product Name	Part Number
Cisco TelePresence Touch 8-inch for EX Series	CTS-CTRL-DV8=
Cisco TelePresence Touch 10-inch for IX, MX and SX Series	CTS-CTRL-DV10

**Note:** Many of the products and features described herein remain in varying stages of development and will be offered on a when-and-if-available basis. This roadmap is subject to change at the sole discretion of Cisco, and Cisco will have no liability for delay in the delivery or failure to deliver any of the products or features set forth in this document.

## Cisco Services

Cisco and our partners provide a broad portfolio of smart, personalized services and support that can help you realize the full business value of your Cisco TelePresence investment by increasing business agility and network availability. This portfolio of services accelerates business innovation by harnessing the network as a powerful business platform. For more information about these services, visit: <http://www.cisco.com/go/telepresenceservices>.

## Cisco Capital

### Financing to Help You Achieve Your Objectives

Cisco Capital can help you acquire the technology you need to achieve your objectives and stay competitive. We can help you reduce CapEx. Accelerate your growth. Optimize your investment dollars and ROI. Cisco Capital financing gives you flexibility in acquiring hardware, software, services, and complementary third-party equipment. And there's just one predictable payment. Cisco Capital is available in more than 100 countries. [Learn more.](#)

---

## For More Information

For more information about the Cisco TelePresence Touch devices, please visit <http://www.cisco.com/go/telepresence> or contact your local Cisco account representative.




---

Americas Headquarters  
Cisco Systems, Inc.  
San Jose, CA

Asia Pacific Headquarters  
Cisco Systems (USA) Pte. Ltd.  
Singapore

Europe Headquarters  
Cisco Systems International BV Amsterdam,  
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

 Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)