

# Cisco UCS Server Appliances for Cisco Digital Media Suite: The Cisco UCS C200 M2 Server Appliance

## Product Overview

The Cisco® Digital Media Suite (DMS) is a comprehensive offering of webcasting and video sharing, digital signage, and business IPTV applications that can help transform how organizations learn, grow, communicate, and collaborate. Support from the broad Cisco partner ecosystem of deployment, solution-development, and content-creation partners helps ensure a successful digital media implementation.

The Cisco DMS applications are currently shipped and delivered as preconfigured software solutions on specific Cisco UCS server appliances (Figure 1).

**Figure 1.** The Cisco UCS C200 M2 High-Density Rack-Mount Server for Cisco DMS Applications



Only specially configured Cisco UCS server appliances are supported. Table 1 lists the DMS applications that are supported on specific configurations of the UCS C200, and the DMS-specific part numbers for these servers.

**Table 1.** Cisco DMS Applications and Associated UCS Server Part Numbers

DMS Application	UCS Chassis Model	DMS-Specific Part numbers
Show and Share—Workgroup	C200 M2	SNSC200WG-K9 SNSC200WG-K9=

## The Cisco UCS C200 M2 Server for Cisco DMS Applications

The Cisco Show and Share® Workgroup application utilizes a specific model of the UCS C200 M2 High-Density Rack-Mount Server. The Cisco UCS C200 M2 server is a high-density, general-purpose, two-socket server optimized to deliver high performance in a compact, one rack unit (1RU) form factor. Additional details about the UCS C200 M2 server can be found at:

[http://www.cisco.com/en/US/prod/collateral/ps10265/ps10493/data\\_sheet\\_c78-587507.html](http://www.cisco.com/en/US/prod/collateral/ps10265/ps10493/data_sheet_c78-587507.html).

## Specifications

Table 2 lists the specifications of the DMS-specific configuration of the UCS C200 M2 server appliance.

**Table 2.** Specifications of the DMS UCS C200 M2 Server Appliance

Item	Specification
<b>Rack Unit Size</b>	(1) Rack Unit
<b>Processor</b>	(1) 2.40-GHz Xeon E5620 80W CPU/12-MB cache/DDR3 1066 MHz
<b>RAM</b>	(2) 4-GB DDR3-1333-MHz RDIMM/PC3-10600/dual rank 1-Gb DRAM
<b>RAID</b>	No RAID Support
<b>Hard Drives</b>	(1) 2-TB SAS 7.2-K RPM 3.5-in. HDD/Hot Plug/C200 Drive Sled
<b>DVD Drive</b>	(1) DVD-RW
<b>Power Supply</b>	(1) 650W Power Supply

Table 3 lists the versions of DMS that are supported by the Cisco UCS C210 M2 server appliance.

**Table 3.** DMS Software Version Support for Cisco UCS C200 M2 Server

DMS Version	Supported on DMS UCS C210 M2 Server Appliance
3.x, 4.x., 5.0, 5.1, 5.2, 5.2.1	No
5.2.2	Yes
5.2.3	Yes
5.3	Yes

## Warranty Information

Warranty information is available at Cisco.com on the [Product Warranties](#) page.

## Cisco Services

Cisco and our partners provide a broad portfolio of smart, personalized services and support that can help you realize the full value of your video investment, and increase business agility and network availability. This portfolio of services drives business transformation through a network-based collaboration platform that enables business to collaborate anywhere, anytime. For more information about these services, visit:

<http://www.cisco.com/go/services/digitalmedia>.

## For More Information

For more information about the Cisco Digital Media Suite, visit <http://www.cisco.com/go/dms> or contact your local Cisco account representative.



---

**Americas Headquarters**  
Cisco Systems, Inc.  
San Jose, CA

**Asia Pacific Headquarters**  
Cisco Systems (USA) Pte. Ltd.  
Singapore

**Europe Headquarters**  
Cisco Systems International BV Amsterdam,  
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Printed in USA

C78-665107-01 02/12