



## End-of-Sale and End-of-Life Announcement for the Memory and Cables for Cisco 1700, 2600, 3600, and 3700 Series Routers

EOL8262

Cisco announces the end-of-sale and end-of-life dates for the Memory and Cables for Cisco 1700, 2600, 3600, and 3700 Series Routers. The last day to order the affected product(s) is July 6, 2012. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available until the termination date of the contract, even if this date exceeds the Last Date of Support shown in Table 1.

**Table 1.** End-of-Life Milestones and Dates for the Memory and Cables for Cisco 1700, 2600, 3600, and 3700 Series Routers

Milestone	Definition	Date
<b>End-of-Life Announcement Date</b>	The date the document that announces the end-of-sale and end-of-life of a product is distributed to the general public.	April 6, 2012
<b>End-of-Sale Date</b>	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	July 6, 2012
<b>Last Ship Date Accessory</b>	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	October 4, 2012

**Table 2.** Product Part Numbers Affected by This Announcement

End-of-Sale Product Part Number	Product Description
<b>ACS-2600-FACE=</b>	Cisco 2600 Face Plate for XM or Classic Models only
<b>ACS-2600-GENERIC</b>	Accessory Kit for Cisco 2600 (not using analog modems)
<b>ACS-2600NEBS/ETSI=</b>	NEBS/ETSI Telco Accessory Kit for Cisco 2600
<b>ACS-2600RM-19=</b>	19 Inch Rack Mount Kit for the Cisco 2600 series
<b>ACS-2600RM-24=</b>	24 Inch/23 Inch Rack Mount Kit for the Cisco 2600 Series
<b>BOOT-2600XM-256=</b>	Boot ROM for Cisco 2600XM Series supporting 256MB DRAM
<b>BOOT-2650=</b>	Boot ROM for Cisco 262x 32MB Flash and 265x
<b>CD362-AR1K9=</b>	Cisco 3620 Ser IOS ENT/SNASW PLUS IPSEC 3DES Feature Pack
<b>CD362-AR1P=</b>	Cisco 3620 Ser IOS ENT/SNASW PLUS Feature Pack
<b>CD364-AR1K9=</b>	Cisco 3640 Ser IOS ENT/SNASW PLUS IPSEC 3DES Feature Pack
<b>CISCO3660-BEZEL</b>	Bezel for Cisco 3660
<b>CISCO3725-BLS-24</b>	Business LAN Services bundle 24 users
<b>CISCO3725-BLS-48</b>	Business LAN Services bundle 48 users
<b>CISCO3725-BLS-96</b>	Business LAN Services bundle 96 users

End-of-Sale Product Part Number	Product Description
<b>CVPN3600FIPS/KIT=</b>	Kit (Instructions, labels) to configure 3600 for FIPS
<b>FL17-ASK9-AISK9=</b>	Cisco 1700 Series Adv Security to Adv IP Services upgrade
<b>FL17-IPV-SPSK9=</b>	Cisco 1700 Series IP Voice to SP Services upgrade
<b>MEM2600XM-128D=</b>	128MB DIMM DRAM for the Cisco 2600XM
<b>MEM2600XM-128U192D</b>	128 to 192MB DRAM factory upgrade for Cisco 2600XM
<b>MEM2600XM-16FS-SP=</b>	16MB Flash SIMM for 2600XM, Special
<b>MEM2600XM-32D-SP=</b>	32MB DIMM for the 2600XM, Special
<b>MEM2600XM-32U48FS</b>	32 to 48 MB Flash Factory Upgrade for the Cisco 2600XM
<b>MEM2600XM-32U48FS=</b>	32 to 48 MB Flash Distribution Upgrade for the Cisco 2600XM
<b>MEM2600XM-64D-SP=</b>	64MB DIMM for the 2600XM, Special
<b>MEM2600XM-96U256D</b>	96 to 256MB DRAM factory upgrade for Cisco 2600XM
<b>MEM2600XM-96U256D=</b>	96 To 256 MB SDRAM Upgrade for the Cisco 261x/2xXM
<b>MEM2650-8D=</b>	8MB DRAM DIMM for the Cisco 265x only
<b>MEM2691-128CF-EXT</b>	128MB External Cisco Flash Memory for 2691
<b>MEM2691-128D-SP=</b>	128MB DIMM DRAM for the 2691, Special
<b>MEM2691-128U256D</b>	128 to 256MB DIMM DRAM factory upgrade for the Cisco 2691
<b>MEM2691-192U256D</b>	192 to 256MB SODIMM DRAM factory upgrade for Cisco 2691
<b>MEM2691-32CF-EXT</b>	32MB External Compact Flash Memory for the 2691
<b>MEM2691-64CF-EXT</b>	64MB External Cisco Flash Memory for the 2691
<b>MEM3600-16FS-INCL</b>	16 MB FLASH DEFAULT FOR CISCO 3600
<b>MEM3600-16U64FS</b>	16 to 64 MB factory flash upgrade for Cisco 3600
<b>MEM3600-2X8FS=</b>	16MB Flash for the Cisco 3600 Series (2x8MB Flash SIMMs)
<b>MEM3600-32D-INCL</b>	32 MB DRAM - Included in Purchase Price
<b>MEM3600-32SD-INCL</b>	Included 32MB S DRAM for 3660s at NO COST
<b>MEM3600-64SD-INCL</b>	64MB SDRAM - Included in purchase Price
<b>MEM3600-8F-INCL</b>	8 MB Flash - Included in Purchase Price
<b>MEM3600-8U16FS</b>	8-to-16MB Flash Factory Upgrade for the Cisco 3600
<b>MEM3600-8U16FS=</b>	8-to-16MB Flash Field Upgrade for the Cisco 3600
<b>MEM3600-8U32FS</b>	8-to-32MB Flash Factory Upgrade for the Cisco 3600
<b>MEM3600-8U32FS=</b>	8-to-32MB Flash Field Upgrade for the Cisco 3600
<b>MEM3600-8U64FS</b>	8-to-64MB Flash Factory Upgrade for the Cisco 3600
<b>MEM3600-8U64FS=</b>	8-to-64MB Flash Field Upgrade for the Cisco 3600
<b>MEM3660-128SD-INCL</b>	Included 128 MB SDRAM
<b>MEM3660-32FS-INCL</b>	Included 32 MB Flash Memory
<b>MEM3725-128D-INCL</b>	128MB DIMM DRAM Memory factory default for the Cisco 3725
<b>MEM3725-128U192D</b>	128 to 192MB DIMM DRAM factory upgrade for the Cisco 3725
<b>MEM3725-128U256D</b>	128 to 256MB DRAM factory upgrade for the Cisco 3725
<b>MEM3725-192U256D</b>	192 to 256MB SODIMM DRAM factory upgrade for Cisco 3725
<b>MEM3725-256D-INCL</b>	256 MB DIMM DRAM Memory factory default for the Cisco 3725
<b>MEM3725-32CF-INCL</b>	Default Cisco 3700 Compact Flash Memory for the 3725
<b>MEM3725-32U128CF</b>	32 to 128MB Cisco 3700 Compact Flash factory upgrade
<b>MEM3725-32U128CF=</b>	32 to 128MB Compact Flash Disti upgrade for the Cisco 3725
<b>MEM3725-32U64CF</b>	32 to 64MB Cisco 3700 Compact Flash factory upgrade
<b>MEM3725-32U64CF=</b>	32 to 64 MB Compact Flash Disti upgrade for the Cisco 3725

End-of-Sale Product Part Number	Product Description
MEM3725-64U128CF	64 to 128MB Compact Flash factory upgrade for Cisco 3700
MEM3725-64U128CF=	64 to 128MB Compact Flash Disti upgrade for the Cisco 3725
MEM3745-128D-INCL	128MB SODIMM DRAM factory default memory for the Cisco 3745
MEM3745-128U192D	128 to 192MB SODIMM DRAM factory upgrade for Cisco 3745
MEM3745-128U256D	128 to 256MB SODIMM DRAM factory upgrade for Cisco 3745
MEM3745-192U256D	192 to 256MB SODIMM DRAM factory upgrade for Cisco 3745
MEM3745-256D-INCL	256 MB DIMM DRAM Memory factory default for the Cisco 3745
MEM3745-32CF-INCL	32MB Cisco 3700 Compact Flash factory default for the Cisco 3745
MEM3745-32U128CF	32 to 128MB Cisco 3700 Compact Flash factory upgrade
MEM3745-32U128CF=	32 to 128MB Compact Flash Disti upgrade for the Cisco 3745
MEM3745-32U64CF	32 to 64MB Cisco 3700 Compact Flash factory upgrade
MEM3745-32U64CF=	32 to 64MB Compact Flash Disti upgrade for the 3745
MEM3745-64U128CF	64 to 128MB Compact Flash factory upgrade for Cisco 3700
MEM3745-64U128CF=	64 to 128MB Compact Flash Disti upgrade for the Cisco 3745
S17AESK9-12413	Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
S17AESK9-12413=	Cisco 1700 IOS ADVANCED ENTERPRISE SERVICES
S17AISK9-12310	Cisco 1700 IOS ADVANCED IP SERVICES
S17AISK9-12310=	Cisco 1700 IOS ADVANCED IP SERVICES
S17AISK9-12413	Cisco 1700 IOS ADVANCED IP SERVICES
S17AISK9-12413=	Cisco 1700 IOS ADVANCED IP SERVICES
S17ASK9-12412	Cisco 1700 IOS ADVANCED SECURITY
S17ASK9-12412=	Cisco 1700 IOS ADVANCED SECURITY
S17ASK9-12413	Cisco 1700 IOS ADVANCED SECURITY
S17ASK9-12413=	Cisco 1700 IOS ADVANCED SECURITY
S17C-12309	Cisco 1700 IOS IP
S17C-12309=	Cisco 1700 IOS IP
S17C-12417	Cisco 1700 IOS IP
S17C-12417=	Cisco 1700 IOS IP
S17C7P-12305	Cisco 1700 IOS IP/ADSL PLUS
S17C7P-12305=	Cisco 1700 IOS IP/ADSL PLUS
S17C7P-12410	Cisco 1700 IOS IP/ADSL PLUS
S17C7P-12410=	Cisco 1700 IOS IP/ADSL PLUS
S17IPB-12407	Cisco 1700 IOS IP BASE W/O CRYPTO
S17IPB-12407=	Cisco 1700 IOS IP BASE W/O CRYPTO

## Product Migration Options

There is no replacement available for the Memory and Cables for Cisco 1700, 2600, 3600, and 3700 Series Routers at this time.

Service prices for Cisco products are subject to change after the product End-of-Sale date.

The Cisco Takeback and Recycle program helps businesses dispose properly of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to:

[http://www.cisco.com/web/about/ac227/ac228/ac231/about\\_cisco\\_takeback\\_recycling.html](http://www.cisco.com/web/about/ac227/ac228/ac231/about_cisco_takeback_recycling.html).

---

## For More Information

For more information about the Cisco End-of-Life Policy, go to:

[http://www.cisco.com/en/US/products/products\\_end-of-life\\_policy.html](http://www.cisco.com/en/US/products/products_end-of-life_policy.html).

For more information about the Cisco Product Warranties, go to:

[http://www.cisco.com/en/US/products/prod\\_warranties\\_listing.html](http://www.cisco.com/en/US/products/prod_warranties_listing.html).

To subscribe to receive end-of-life/end-of-sale information, go to:

<http://www.cisco.com/cisco/support/notifications.html>.

## Subscribe for RSS Notifications for End-of-Life and End-of-Sale Notices

To subscribe to the End-of-Life and End-of-Sale RSS Feed, insert the following URL into your RSS application:

[http://www.cisco.com/web/feeds/products/end\\_of\\_life\\_rss.xml](http://www.cisco.com/web/feeds/products/end_of_life_rss.xml).

Any authorized translation issued by Cisco Systems or affiliates of this end-of-life Product Bulletin is intended to help customers understand the content described in the English version. This translation is the result of a commercially reasonable effort; however, if there are discrepancies between the English version and the translated document, please refer to the English version, which is considered authoritative.



---

Americas Headquarters  
Cisco Systems, Inc.  
San Jose, CA

Asia Pacific Headquarters  
Cisco Systems (USA) Pte. Ltd.  
Singapore

Europe Headquarters  
Cisco Systems International BV Amsterdam,  
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

 Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)