

End-of-Sale and End-of-Life Announcement for the Cisco 12000 Series 4-Slot, 6-Slot, 10-Slot, 16-Slot Original Routers, Fan Trays, Power Supplies, and Chassis Accessories

EOL5494–Amended

Cisco® announces the end-of-sale and end-of life dates for the Cisco 12000 Series 4-Slot, 6-Slot, 10-Slot, 16-Slot Original Routers, Fan Trays, Power Supplies, and Chassis Accessories. The last day to order the affected product(s) is January 25, 2008. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available until the termination date of the contract, even if this date exceeds the Last Date of Support shown in Table 1.

Table 1. End-of-Life Milestones and Dates for the Cisco 12000 Series 4-Slot, 6-Slot, 10-Slot, 16-Slot Original Routers, Fan Trays, Power Supplies, and Chassis Accessories

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end of sale and end of life of a product is distributed to the general public.	January 25, 2007
End-of-Sale Date	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	January 25, 2008
Last Ship Date: HW	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	April 25, 2008
End of SW Maintenance Releases Date: OS SW	The last date that Cisco Engineering may release any final software maintenance releases or bug fixes. After this date, Cisco Engineering will no longer develop, repair, maintain, or test the product software.	January 24, 2011
End of Routine Failure Analysis Date: HW	The last-possible date a routine failure analysis may be performed to determine the cause of product failure or defect.	January 24, 2009
End of New Service Attachment Date: HW	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	January 24, 2009
End of Service Contract Renewal Date: HW	The last date to extend or renew a service contract for the product.	April 24, 2012
Last Date of Support: HW	The last date to receive service and support for the product. After this date, all support services for the product are unavailable, and the product becomes obsolete.	January 23, 2013

HW = Hardware OS SW = Operating System Software App. SW = Application Software

Table 2. Product Part Numbers Affected by This Announcement

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description
12006-AC	12006 30 Gbps; 1PRP, 2 CSC, 3 SFC, 2 Alarm, 2 AC	12000/6	Cisco 12000 6-slot Router
12006-AC	12006 30 Gbps; 1PRP, 2 CSC, 3 SFC, 2 Alarm, 2 AC	12000/6-AC	Cisco 12000 6-slot Chassis; 2Alarm, 1Blower, 2AC
12006-AC	12006 30 Gbps; 1PRP, 2 CSC, 3 SFC, 2 Alarm, 2 AC	12006/30	30Gbps Fabric Option with 3xSFC and 2xCSC for 12006 Chassis
12006-AC	12006 30 Gbps; 1PRP, 2 CSC, 3 SFC, 2 Alarm, 2 AC	12010E/50	50Gbps Enhanced Fabric with 5SFC and 2CSC for Cisco 12010
12006-DC	12006 30 Gbps; 1PRP, 2 CSC, 3 SFC, 2 Alarm, 2 DC	12000/6	Cisco 12000 6-slot Router
12006-DC	12006 30 Gbps; 1PRP, 2 CSC, 3 SFC, 2 Alarm, 2 DC	12000/6-DC	Cisco 12000 6-slot Chassis; 2Alarm, 1Blower, 2DC
12006-DC	12006 30 Gbps; 1PRP, 2 CSC, 3 SFC, 2 Alarm, 2 DC	12006/30	30Gbps Fabric Option with 3xSFC and 2xCSC for 12006 Chassis
12010-AC	12010 50 Gbps; 1PRP, 2 CSC, 5 SFC, 2 Alarm, 2 AC	12000/10	Cisco 12000 10-slot Router
12010-AC	12010 50 Gbps; 1PRP, 2 CSC, 5 SFC, 2 Alarm, 2 AC	12000/10-AC	Cisco 12000 10-slot; 2Alarm, Blower, 2AC
12010-AC	12010 50 Gbps; 1PRP, 2 CSC, 5 SFC, 2 Alarm, 2 AC	12010/50	50Gbps Fabric Option with 5xSFC and 2xCSC for 12010 chassis
12010-AC	12010 50 Gbps; 1PRP, 2 CSC, 5 SFC, 2 Alarm, 2 AC	12010E/50	50Gbps Enhanced Fabric with 5SFC and 2CSC for Cisco 12010
12010-DC	12010 50 Gbps; 1PRP, 2 CSC, 5 SFC, 2 Alarm, 2 DC	12000/10	Cisco 12000 10-slot Router
12010-DC	12010 50 Gbps; 1PRP, 2 CSC, 5 SFC, 2 Alarm, 2 DC	12000/10-DC	Cisco 12000 10-slot; 2Alarm, Blower, 2DC
12010-DC	12010 50 Gbps; 1PRP, 2 CSC, 5 SFC, 2 Alarm, 2 DC	12010/50	50Gbps Fabric Option with 5xSFC and 2xCSC for 12010 chassis
12810-CSC	12810 Clock Scheduler Card	12810E-CSC	12810 800Gbps Enhanced Clock Scheduler Card
12810-CSC=	12810 Internet Router Clock Scheduler Card	12810E-CSC=	12810 800Gbps Enhanced Clock Scheduler Card
12810/800	800Gbps Fabric Option with 5xSFC and 2xCSC for 12810 chassis	12810E/800	Enhanced 800Gbps Fabric Option (5xSFC and 2xCSC) for 12810
12810/800-AC	Cisco 12810 Ten-Slot System, 800 Gbps Switch Fabric, AC PSU	12000/10	Cisco 12000 10-slot Router
12810/800-AC	Cisco 12810 Ten-Slot System, 800 Gbps Switch Fabric, AC PSU	12000/10-AC	Cisco 12000 10-slot; 2Alarm, Blower, 2AC
12810/800-AC	Cisco 12810 Ten-Slot System, 800 Gbps Switch Fabric, AC PSU	12810/800	800Gbps Fabric Option with 5xSFC and 2xCSC for 12810 chassis
12810/800-AC	Cisco 12810 Ten-Slot System, 800 Gbps Switch Fabric, AC PSU	12810E/800	Enhanced 800Gbps Fabric Option (5xSFC and 2xCSC) for 12810
12810/800-DC	12810, 10-Slot Chassis, 800 Gbps Switch Fabric, DC PSU	12000/10	Cisco 12000 10-slot Router
12810/800-DC	12810, 10-Slot Chassis, 800 Gbps Switch Fabric, DC PSU	12000/10-DC	Cisco 12000 10-slot; 2Alarm, Blower, 2DC

12810/800-DC	12810, 10-Slot Chassis, 800 Gbps Switch Fabric, DC PSU	12810/800	800Gbps Fabric Option with 5xSFC and 2xCSC for 12810 chassis
12810/800-DC	12810, 10-Slot Chassis, 800 Gbps Switch Fabric, DC PSU	12810E/800	Enhanced 800Gbps Fabric Option (5xSFC and 2xCSC) for 12810
12810/800-UP=	12000 Series 10-Slot System Fabric Upgrade Kit to 800Gbps	12810E/800=	Enhanced 800Gbps Fabric Kit (5xSFC and 2xCSC) for 12810
12810/800=	800Gbps Fabric Kit with 5xSFC and 2xCSC for 12810 chassis	12810E/800=	Enhanced 800Gbps Fabric Kit (5xSFC and 2xCSC) for 12810
12816-CSC	12816 Clock Scheduler Card	12816E-CSC	12816 1280Gbps Enhanced Clock Scheduler
12816-CSC=	12816 Clock Scheduler/Switch Fabric Combo Card	12816E-CSC=	Cisco 12816 1280Gbps Enhanced Clock Scheduler Card
12816/1280	1280Gbps Fabric Option with 3xSFC and 2xCSC for 12816	12816E/1280	Enhanced 1280Gbps Fabric Option (3xSFC and 2xCSC) for 12816
12816/1280-AC3	Cisco 12816 Internet Router, Sixteen-Slot Chassis System	12000/16	Cisco 12000 16-slot Router
12816/1280-AC3	Cisco 12816 Internet Router, Sixteen-Slot Chassis System	12000/16-AC3	CISCO 12000 16-SLOT; 2Alarm, 2Blower, 3AC
12816/1280-AC3	Cisco 12816 Internet Router, Sixteen-Slot Chassis System	12816/1280	1280Gbps Fabric Option with 3xSFC and 2xCSC for 12816
12816/1280-AC3	Cisco 12816 Internet Router, Sixteen-Slot Chassis System	12816E/1280	Enhanced 1280Gbps Fabric Option (3xSFC and 2xCSC) for 12816
12816/1280-AC4	Cisco 12816 Internet Router, Sixteen-Slot System, 4AC PSU	12000/16	Cisco 12000 16-slot Router
12816/1280-AC4	Cisco 12816 Internet Router, Sixteen-Slot System, 4AC PSU	12000/16-AC4	CISCO 12000 16-SLOT; 2Alarm, 2Blowers, 4AC (8Foot Rack)
12816/1280-AC4	Cisco 12816 Internet Router, Sixteen-Slot System, 4AC PSU	12816/1280	1280Gbps Fabric Option with 3xSFC and 2xCSC for 12816
12816/1280-AC4	Cisco 12816 Internet Router, Sixteen-Slot System, 4AC PSU	12816E/1280	Enhanced 1280Gbps Fabric Option (3xSFC and 2xCSC) for 12816
12816/1280-DC	Cisco 12816 Internet Router, Sixteen-Slot System, 4 DC PSU	12000/16	Cisco 12000 16-slot Router
12816/1280-DC	Cisco 12816 Internet Router, Sixteen-Slot System, 4 DC PSU	12000/16-DC	Cisco 12000 16-slot; 2Alarm, 2Blower, 4DC
12816/1280-DC	Cisco 12816 Internet Router, Sixteen-Slot System, 4 DC PSU	12816/1280	1280Gbps Fabric Option with 3xSFC and 2xCSC for 12816
12816/1280-DC	Cisco 12816 Internet Router, Sixteen-Slot System, 4 DC PSU	12816E/1280	Enhanced 1280Gbps Fabric Option (3xSFC and 2xCSC) for 12816
12816/1280-UP=	12000 16-Slot System Fabric Upgrade Kit to 1.28Tbps	12816E/1280=	Enhanced 1280Gbps Fabric Kit (3xSFC and 2xCSC) for 12816
12816/1280=	1280Gbps Fabric Kit with 3xSFC and 2xCSC for 12816	12816E/1280=	Enhanced 1280Gbps Fabric Kit (3xSFC and 2xCSC) for 12816
CAB-GSR6-US	Cisco 12406 GSR AC Power Supply Cord, US	CAB-GSR6-220V-US	Cisco 12406 220VAC Power Supply Cord, US
CAB-GSR6-US=	Cisco 12406 GSR AC Power Supply Cord, US	CAB-GSR6-220V-US=	Cisco 12406 220VAC Power Supply Cord, US
GSR04-BLOWER=	GSR4/80 SPARE BLOWER	12000/4-BLOWER=	Cisco 12000 4-slot Blower

GSR10-AC-PDU-B=	2800 W AC PDU	12000/10-AC-PDU=	Cisco 12000 10-port Enhanced AC PDU
GSR10-BLOWER=	Blower Assembly	12000/10/16-BLWER=	Enhanced 1xBlower for Cisco 12000 10-slot or 16-slot Chassis
GSR10-BLWR-CBL=	Blower Cable	There is currently no replacement product available for this product.	–
GSR10-DC-PDU-B=	2400 W DC PDU	12000/10-DC-PDU=	Cisco 12000 10-Slot Enhanced DC PDU
GSR10-LUG-CVR=	DC Lug Safety Cover	12000/10-LUGCVR=	Cisco 12000 10-Slot Enhanced DC Lug Safety Cover
GSR10-TROUGH-AC=	AC Trough	12000/10-AC-TRUGH=	Cisco 12000 10-slot Enhanced AC Trough
GSR10-TROUGH-DC=	DC Trough	12000/10-DC-TRUGH=	Cisco 12000 10-slot Enhanced DC Trough
GSR10/200-AC	Cisco 12410 200 Gbps; 1PRP, 2 CSC, 5 SFC, 2 Alarm, 2 AC	12000/10	Cisco 12000 10-slot Router
GSR10/200-AC	Cisco 12410 200 Gbps; 1PRP, 2 CSC, 5 SFC, 2 Alarm, 2 AC	12000/10-AC	Cisco 12000 10-slot; 2Alarm, Blower, 2AC
GSR10/200-AC	Cisco 12410 200 Gbps; 1PRP, 2 CSC, 5 SFC, 2 Alarm, 2 AC	12410/200	200Gbps Fabric Option with 5xSFC and 2xCSC for 12410 chassis
GSR10/200-AC	Cisco 12410 200 Gbps; 1PRP, 2 CSC, 5 SFC, 2 Alarm, 2 AC	12410E/200	200Gbps Enhanced Fabric with 5xSFC and 2xCSC for Cisco 12410
GSR10/200-DC	Cisco 12410 200 Gbps; 1PRP, 2 CSC, 5 SFC, 2 Alarm, 2 DC	12000/10	Cisco 12000 10-slot Router
GSR10/200-DC	Cisco 12410 200 Gbps; 1PRP, 2 CSC, 5 SFC, 2 Alarm, 2 DC	12000/10-DC	Cisco 12000 10-slot; 2Alarm, Blower, 2DC
GSR10/200-DC	Cisco 12410 200 Gbps; 1PRP, 2 CSC, 5 SFC, 2 Alarm, 2 DC	12410/200	200Gbps Fabric Option with 5xSFC and 2xCSC for 12410 chassis
GSR10/200-DC	Cisco 12410 200 Gbps; 1PRP, 2 CSC, 5 SFC, 2 Alarm, 2 DC	12410E/200	200Gbps Enhanced Fabric with 5xSFC and 2xCSC for Cisco 12410
GSR16-BLOWER=	Cisco 12016 GSR Blower Assembly Spare	12000/10/16-BLWER=	Enhanced 1xBlower for Cisco 12000 10-slot or 16-slot Chassis
GSR16/320-AC	Cisco 12416 320 Gbps; 1PRP, 2CSC, 3SFC, 2Alarm, 3AC, 8Rails	12000/16	Cisco 12000 16-slot Router
GSR16/320-AC	Cisco 12416 320 Gbps; 1PRP, 2CSC, 3SFC, 2Alarm, 3AC, 8Rails	12000/16-AC3	CISCO 12000 16-SLOT; 2Alarm, 2Blower, 3AC
GSR16/320-AC	Cisco 12416 320 Gbps; 1PRP, 2CSC, 3SFC, 2Alarm, 3AC, 8Rails	12416/320	320Gbps Fabric Option with 3xSFC and 2xCSC for 12416 chassis
GSR16/320-AC	Cisco 12416 320 Gbps; 1PRP, 2CSC, 3SFC, 2Alarm, 3AC, 8Rails	12416E/320	320Gbps Enhanced Fabric with 3xSFC and 2xCSC for Cisco 12416
GSR16/320-AC4	Same As GSR16/320-AC-8R But W/ 4 AC And Requires 8 Foot Rack	12000/16	Cisco 12000 16-slot Router
GSR16/320-AC4	Same As GSR16/320-AC-8R But W/ 4 AC And Requires 8 Foot Rack	12000/16-AC4	CISCO 12000 16-SLOT; 2Alarm, 2Blowers, 4AC (8Foot Rack)
GSR16/320-AC4	Same As GSR16/320-AC-8R But W/ 4 AC And Requires 8 Foot Rack	12416/320	320Gbps Fabric Option with 3xSFC and 2xCSC for 12416 chassis

GSR16/320-AC4	Same As GSR16/320-AC-8R But W/ 4 AC And Requires 8 Foot Rack	12416E/320	320Gbps Enhanced Fabric with 3xSFC and 2xCSC for Cisco 12416
GSR16/320-DC	Cisco 12416 320 Gbps; 1PRP, 2CSC, 3SFC, 2Alarm, 4DC, 8Rails	12000/16	Cisco 12000 16-slot Router
GSR16/320-DC	Cisco 12416 320 Gbps; 1PRP, 2CSC, 3SFC, 2Alarm, 4DC, 8Rails	12000/16-DC	Cisco 12000 16-slot; 2Alarm, 2Blower, 4DC
GSR16/320-DC	Cisco 12416 320 Gbps; 1PRP, 2CSC, 3SFC, 2Alarm, 4DC, 8Rails	12416/320	320Gbps Fabric Option with 3xSFC and 2xCSC for 12416 chassis
GSR16/320-DC	Cisco 12416 320 Gbps; 1PRP, 2CSC, 3SFC, 2Alarm, 4DC, 8Rails	12416E/320	320Gbps Enhanced Fabric with 3xSFC and 2xCSC for Cisco 12416
GSR16/80-AC-8R	Cisco 12016 80 Gbps; 1PRP, 2CSC, 3SFC, 2Alarm, 3AC, 8Rails	12000/16	Cisco 12000 16-slot Router
GSR16/80-AC-8R	Cisco 12016 80 Gbps; 1PRP, 2CSC, 3SFC, 2Alarm, 3AC, 8Rails	12000/16-AC3	CISCO 12000 16-SLOT; 2Alarm, 2Blower, 3AC
GSR16/80-AC-8R	Cisco 12016 80 Gbps; 1PRP, 2CSC, 3SFC, 2Alarm, 3AC, 8Rails	12016/80	80Gbps Fabric Option with 3xSFC and 2xCSC for 12016 Chassis
GSR16/80-AC-8R	Cisco 12016 80 Gbps; 1PRP, 2CSC, 3SFC, 2Alarm, 3AC, 8Rails	12016E/80	Cisco 12016 80Gbps Enhanced Fabric with 3SFC and 2CSC
GSR16/80-AC4-8R	Same As GSR16/80-AC-8R But W/ 4AC And Requires 8 Foot Rack	12000/16	Cisco 12000 16-slot Router
GSR16/80-AC4-8R	Same As GSR16/80-AC-8R But W/ 4AC And Requires 8 Foot Rack	12000/16-AC4	CISCO 12000 16-SLOT; 2Alarm, 2Blowers, 4AC (8Foot Rack)
GSR16/80-AC4-8R	Same As GSR16/80-AC-8R But W/ 4AC And Requires 8 Foot Rack	12016/80	80Gbps Fabric Option with 3xSFC and 2xCSC for 12016 Chassis
GSR16/80-AC4-8R	Same As GSR16/80-AC-8R But W/ 4AC And Requires 8 Foot Rack	12016E/80	Cisco 12016 80Gbps Enhanced Fabric with 3SFC and 2CSC
GSR16/80-DC-8R	Cisco 12016 80 Gbps; 1PRP, 2CSC, 3SFC, 2Alarm, 4DC, 8Rails	12000/16	Cisco 12000 16-slot Router
GSR16/80-DC-8R	Cisco 12016 80 Gbps; 1PRP, 2CSC, 3SFC, 2Alarm, 4DC, 8Rails	12000/16-DC	Cisco 12000 16-slot; 2Alarm, 2Blower, 4DC
GSR16/80-DC-8R	Cisco 12016 80 Gbps; 1PRP, 2CSC, 3SFC, 2Alarm, 4DC, 8Rails	12016/80	80Gbps Fabric Option with 3xSFC and 2xCSC for 12016 Chassis
GSR16/80-DC-8R	Cisco 12016 80 Gbps; 1PRP, 2CSC, 3SFC, 2Alarm, 4DC, 8Rails	12016E/80	Cisco 12016 80Gbps Enhanced Fabric with 3SFC and 2CSC
GSR4/80-AC	GSR12404- 4 slot AC System	12000/4	Cisco 12000 4-slot Router
GSR4/80-AC	GSR12404- 4 slot AC System	12000/4-AC	Cisco 12000 4-slot Chassis; 1Blower, 2AC
GSR4/80-AC	GSR12404- 4 slot AC System	12404/80	80Gbps consolidated Fabric and Alarm card for 12404 chassis
GSR4/80-DC	GSR12404- 4 slot DC System	12000/4	Cisco 12000 4-slot Router
GSR4/80-DC	GSR12404- 4 slot DC System	12000/4-DC	Cisco 12000 4-slot Chassis; 1Blower, 2DC
GSR4/80-DC	GSR12404- 4 slot DC System	12404/80	80Gbps consolidated Fabric and Alarm card for 12404 chassis

GSR6-AC-PDU=	GSR 12406 AC PDU	12000/6-AC-PDU=	Cisco 12000 6-slot Enhanced AC PDU
GSR6-BLOWER=	Spare Blower	12000/6-BLOWER=	Cisco 12000 6-slot Enhanced Blower
GSR6-DC-PDU=	GSR6 DC PDU	12000/6-DC-PDU=	Cisco 12000 6-slot Enhanced DC PDU
GSR6-PWR-AC	Power Supply for redundancy	12000/6-AC-PEM	Cisco 12000 6-slot Enhanced AC PEM
GSR6-PWR-DC	Power Supply for redundancy	12000/6-DC-PEM	Cisco 12000 6-slot Enhanced DC PEM
GSR6/120-AC	GSR6/120 w/ 1PRP, 3SFC, 1 CSC, 2Alarms, 1 AC Power Supply	12000/6	Cisco 12000 6-slot Router
GSR6/120-AC	GSR6/120 w/ 1PRP, 3SFC, 1 CSC, 2Alarms, 1 AC Power Supply	12000/6-AC	Cisco 12000 6-slot Chassis; 2Alarm, 1Blower, 2AC
GSR6/120-AC	GSR6/120 w/ 1PRP, 3SFC, 1 CSC, 2Alarms, 1 AC Power Supply	12406/120	120Gbps Fabric Option with 3xSFC and 2xCSC for 12406 chassis
GSR6/120-DC	GSR6/120 w/ 1PRP, 3SFC, 1 CSC, 2Alarms, 1 DC Power Supply	12000/6	Cisco 12000 6-slot Router
GSR6/120-DC	GSR6/120 w/ 1PRP, 3SFC, 1 CSC, 2Alarms, 1 DC Power Supply	12000/6-DC	Cisco 12000 6-slot Chassis; 2Alarm, 1Blower, 2DC
GSR6/120-DC	GSR6/120 w/ 1PRP, 3SFC, 1 CSC, 2Alarms, 1 DC Power Supply	12406/120	120Gbps Fabric Option with 3xSFC and 2xCSC for 12406 chassis
PWR-GSR04-AC-PEM=	GSR 12404 Spare AC PEM	12000/4-AC-PEM=	Cisco 12000 4-slot AC PEM
PWR-GSR04-DC-PDU=	GSR4/80 SPARE DC PDU	12000/4-DC-PDU=	Cisco 12000 4-slot DC PDU
PWR-GSR04-DC-PEM=	GSR4/80 SPARE DC PEM	12000/4-DC-PEM=	Cisco 12000 4-slot DC PEM
PWR-GSR10-AC-B=	2800 W AC Power Supply	12000/10-AC-PEM=	Cisco 12000 10-slot Enhanced AC PEM
PWR-GSR10-DC-B=	2400 W DC Power Supply	12000/10-DC-PEM=	Cisco 12000 10-Port Enhanced DC PEM
PWR-GSR16-AC	GSR16 AC POWER SUPPLY	12000/16-AC-PEM	Cisco 12000 16-Slot Enhanced AC PEM
PWR-GSR16-AC-SH=	Cisco 12016 GSR AC Power Supply Shelf Spare	12000/16-AC-SHELF=	Cisco 12000 16-slot Enhanced AC Power Supply Shelf
PWR-GSR16-AC4-SH=	Cisco 12016 GSR 4-AC Power Supply Shelf Spare	12000/16-AC4-SHLF=	Cisco 12000 16-slot Enhanced AC4 Power Supply Shelf
PWR-GSR16-AC=	Cisco 12016 GSR AC Power Supply Spare (1 AC Power Supply)	12000/16-AC-PEM=	Cisco 12000 16-slot Enhanced AC PEM
PWR-GSR16-DC	GSR16 DC POWER SUPPLY	12000/16-DC-PEM	Cisco 12000 16-slot Enhanced DC PEM
PWR-GSR16-DC-SH=	Cisco 12016 GSR DC Power Supply Shelf Spare	12000/16-DC-SHELF=	Cisco 12000 16-slot Enhanced DC Power Supply Shelf
PWR-GSR16-DC=	Cisco 12016 GSR DC Power Supply Spare (1 DC Power Supply)	12000/16-DC-PEM=	Cisco 12000 16-slot Enhanced DC PEM
PWR-GSR6-AC=	GSR 12406 AC Power Supply	12000/6-AC-PEM=	Cisco 12000 6-slot Enhanced AC PEM
PWR-GSR6-DC=	GSR 12406 DC Power Supply	12000/6-DC-PEM=	Cisco 12000 6-slot Enhanced DC PEM

Product Migration Options

Customers are encouraged to migrate to the Cisco 12000 Series 4-Slot,6-Slot,10-Slot,16-Slot Enhanced Routers,Fan Trays,Power Supplies,and Chassis Accessories. Information about these products can be found at:

http://www.cisco.com/en/US/products/hw/routers/ps167/prod_models_home.html.

Note: Each top-level product ID includes power options,fabric options,route-processor options,and line-cards options. A new version of Cisco IOS Software is required to support the enhanced chassis,specifically: For 12000/10 and 12000/16 chassis: 12.0(27)S5,12.0(28)S3,12.0(30)S1,12.0(31)S1,12.0(32)S,12.0(32)SY. For 12000/6 and 12000/4 chassis: 12.0(30)S2,12.0(31)S1,12.0(32)S,12.0(32)SY. Information regarding the following related product IDs will be announced at a later time: GSR04-CHASSIS=,GSR6/120,GSR6/120=,CHAS-GSR10,GSR16-CHASSIS-8R=,ACS-GSR16-FLTR=,ACS-GSR16-PLSTC=,ACS-GSR16-LCFILL=,ACS-16-BZLX2=,GSR10-BEZEL-KIT=,ACS-10-BZLX2=,ACS-GSR10-FLTR=,ACS-GSR6-FLTR=,ACS-GSR04-FLTR=

Customers can use the Cisco Technology Migration Plan (TMP) to trade in products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, go to: <http://www.cisco.com/go/tradein/>. The Cisco TMP application requires all users to have a Cisco.com user ID.

Customers may be able to continue to purchase the Cisco 12000 Series 4-Slot, 6-Slot, 10-Slot, 16-Slot Original Routers, Fan Trays, Power Supplies, and Chassis Accessories through the Cisco Certified Refurbished Equipment program. Refurbished units may be available in limited supply for sale in certain countries on a first-come, first-served basis until the Last Date of Support has been reached. For information about the Cisco Certified Refurbished Equipment program, go to: <http://www.cisco.com/go/eos>.

For More Information

For more information about the Cisco 12000 Series 4-Slot,6-Slot,10-Slot,16-Slot Enhanced Routers,Fan Trays,Power Supplies,and Chassis Accessories, visit: http://www.cisco.com/en/US/products/hw/routers/ps167/prod_models_home.html, or contact your local account representative.

To request information about the Cisco 12000 Series 4-Slot,6-Slot,10-Slot,16-Slot Enhanced Routers,Fan Trays,Power Supplies,and Chassis Accessories, send an e-mail to ask-gsr-pm@cisco.com.

For more information about the Cisco End-of-Life Policy, go to: http://www.cisco.com/en/US/products/prod_end_of_life.html.

To subscribe to receive end-of-life/end-of-sale information, go to: <http://www.cisco.com/cgi-bin/Support/FieldNoticeTool/field-notice>.



Americas Headquarters
Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
www.cisco.com
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 527-0883

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
168 Robinson Road
#28-01 Capital Tower
Singapore 068912
www.cisco.com
Tel: +65 6317 7777
Fax: +65 6317 7799

Europe Headquarters
Cisco Systems International BV
Haarlerbergpark
Haarlerbergweg 13-19
1101 CH Amsterdam
The Netherlands
www-europe.cisco.com
Tel: +31 0 800 020 0791
Fax: +31 0 20 357 1100

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

CCVP, the Cisco logo, and Welcome to the Human Network are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Access Registrar, Aironet, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, LightStream, Linksys, MeetingPlace, MGX, Networkers, Networking Academy, Network Registrar, PIX, ProConnect, ScriptShare, SMARTnet, StackWise, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0711R)