

# CISCO IOS SOFTWARE RELEASE 12.3(8)YD

## PRODUCT OVERVIEW

This product bulletin describes the content and delivery information for Cisco IOS® Software Release 12.3(8)YD and should be used in conjunction with the Cisco IOS Software Release 12.3T product bulletin. Cisco IOS Software Release 12.3(8)YD is a short-lived early deployment release that will be supported in the first release of Cisco IOS Software Release 12.4T. It supports the Cisco® 3200 Series Wireless and Mobile Router.

The platform and features delivered with this early deployment release will be incorporated immediately into the first release of Cisco IOS Software Release 12.4T. The timeframe for the availability of the first release of the Cisco IOS Software Release 12.4T train is the second calendar quarter of 2005, and is subject to change.

Future early deployment releases will be provided for maintenance support until Cisco IOS Software Release 12.3(8)YD becomes available in the first release of Cisco IOS Software Release 12.4T.

In addition to the supported features described in this product bulletin, additional information is available in the release notes for Cisco IOS Software Release 12.3(8)YD.

Customers should be prepared to upgrade using the migration path described in Figure 1.

Figure 1. Migration Path




Table 1 lists Cisco IOS Software Release 12.3(8)YD features that are new to the respective platforms.

Table 1. New Features in Cisco IOS Software Release 12.3(8)YD

Feature	Description
Foreign Agent (FA) Local Route Optimization	Routes mobile IP traffic through foreign agent rather than through home agent (HA).
Zeroization	Clears information stored in volatile and nonvolatile memory on a router

## DETAILED INFORMATION

### New Features

#### Foreign Agent Local Route Optimization

In mobile IP networks, endpoint devices sending traffic through a single foreign agent must traverse through a home agent router. Often the home agent is in a different geographic region. Sending the traffic through a home agent may cause latency and unnecessary traffic across a mobile IP network.

The advantage of foreign agent local route optimization is that the Internet traffic between end devices attached to a foreign agent now can communicate with each other directly using the foreign agent router. Because the foreign agent router is further out in the network, fewer network delays are experienced and traffic is optimized across the mobile IP network.

#### Zeroization

Zeroization is a feature designed to clear the router of information when the security of a router is jeopardized. The zeroization function clears the router of information such as IP addresses, configuration in memory (NVRAM, Flash memory), and shuts down interfaces. After the zeroization is activated, the router can be redeployed by downloading a new image.

Table 2 lists the 3200 Series Image File Names that support FA Local Route Optimization and Zeroization features.

**Table 2.** Feature Sets and Ordering Information for Cisco IOS Software Release 12.3(8)YD.

Cisco 3200 Series Wireless and Mobile Router, Cisco IOS Images				Recommended/Default Memory	
Platform	Software Product Description	Image File Name	Part Number	Flash	DRAM
Cisco 3250	Cisco 3250 Series, Cisco IOS Enterprise	c3250-entbase-mz	S325EB-12308YD S325EB-12308YD=	32 MB	128 MB
Cisco 3250	Cisco 3250 Series, Cisco IOS Advanced Enterprise Services	c3250-adventerprisek9-mz	S325AESK9-12308YD S325AESK9-12308YD=	32 MB	128 MB

## DOWNLOAD INFORMATION

Customers can download Cisco IOS Software Release 12.3(8)YD from the Cisco Systems® software image library, at <http://www.cisco.com>.

## FOR MORE INFORMATION

For more information about the Cisco 3200 Series Wireless and Mobile Router, contact your local account representative or go to <http://www.cisco.com/go/3200>.

## MARKETING CONTACT

Cisco 3200 Series Wireless and Mobile Router: Brad Tips, [btips@cisco.com](mailto:btips@cisco.com)



Americas Headquarters  
Cisco Systems, Inc.  
170 West Tauman Drive  
San Jose, CA 95134-1706  
USA  
[www.cisco.com](http://www.cisco.com)  
Tel: 408 520-4000  
800 653-1715 (toll-free)  
Fax: 408 527-0689

Asia Pacific Headquarters  
Cisco Systems, Inc.  
155 Robinson Road  
#28-01 Capital Tower  
Singapore 068912  
[www.cisco.com](http://www.cisco.com)  
Tel: +65 6317 7777  
Fax: +65 6317 7798

Europe Headquarters  
Cisco Systems International BV  
Heerlenbergpark  
Heerlenbergweg 13-19  
1101 CH Amsterdam  
The Netherlands  
[www.europe.cisco.com](http://www.europe.cisco.com)  
Tel: +31 20 620 0791  
Fax: +31 20 657 1100

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

©2007 Cisco Systems, Inc. All rights reserved. CCVP, the Cisco logo, and the Cisco Square Bridge logo are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Access, Register, Attend, BPC, Catalyst, CDA, DCIP, DCE, CCIP, CDNA, CCNT, CCSF, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fax Step, Follow Me Browsing, FormShare, GlobalView, Go to Stack, HomeLink, Internet Quotient, IQS, Phone, PPTV, Q Document, the Q logo, Q Notepad, SoccerCard, Quick Study, LiveStream, Linksys, MeetingPlace, MGX, Networking Academy, Network Registrar, Packet, PIX, ProConnect, RaptorLUX, ScriptShare, SlideCast, SMARTnet, StackWise, The Router, Way to Increase Your Internet Quotient, and Thousand are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (07018)