

End-of-Sale and End-of-Life Announcement for the Cisco ASR 920



Contents

Overview	3
End-of-life milestones	3
Product part numbers	5
Product Migration Options	18
For more information	18

Overview

EOL15870

Cisco announces the end-of-sale and end-of-life dates for the Cisco ASR 920. The last day to order the affected product(s) is March 31, 2027. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available under the terms and conditions of customers' service contract.

End-of-life milestones

Table 1. End-of-life milestones and dates for the Cisco ASR 920

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end-of-sale and end-of-life of a product is distributed to the general public.	March 31, 2026
End-of-Sale Date: HW	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	March 31, 2027
Last Ship Date: HW	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	June 30, 2027
End of SW Maintenance Releases Date: HW	The last date that Cisco Engineering may release any final software maintenance releases or bug fixes. After this date, Cisco Engineering will no longer develop, repair, maintain, or test the product software.	March 30, 2027*
End of Vulnerability/Security Support: HW	The last date that Cisco Engineering may release a planned maintenance release or scheduled software remedy for a security vulnerability issue.	September 30, 2028*
End of Routine Failure Analysis Date: HW	The last-possible date a routine failure analysis may be performed to determine the cause of hardware product failure or defect.	March 30, 2028
End of New Service Attachment Date: HW	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	March 30, 2028
End of Service Contract Renewal Date: HW	The last date to extend or renew a service contract for the product.	June 29, 2031
Last Date of Support: HW	The last date to receive applicable service and support for the product as entitled by active service contracts or by warranty terms and conditions. After this date, all support services for the product are unavailable, and the product becomes obsolete.	March 31, 2032

HW = Hardware

OS SW = Operating System Software

App. SW = Application Software

*SW milestones align to Cisco IOS XE Release 17.15.x Software lifecycle dates.

Product part numbers

Table 2. Product part numbers affected by this announcement\

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
ASR-920-12CZ-D	Cisco ASR920 Series - 12GE and 2-10GE - DC model	8011-12G12X4Y-D	Cisco 8010 12x1G + 12x10G + 4x25G fixed DC system	-
		8011-16G8X-D	Cisco 8010 4x1G, 12x1G, 8X1/10G DC	-
		N540-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ DC	-
		N540X-4Z14G2Q-D	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-DC iTEMP Conf-Coat	-
		N540X-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ Dual DC iTEMP Conformal Coat	-
		N540X-8Z16G-SYS-D	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualDC iTEMP Conf-Coat	-
ASR-920-12SZ-A	Cisco ASR920 Series - 12 - 1/10GE SFP, Fixed AC Model	8011-12G12X4Y-A	Cisco 8010 12x1G + 12x10G + 4x25G fixed AC system	-
		8011-16G8X-A	Cisco 8010 4x1G, 12x1G, 8X1/10G AC	-
		N540-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ AC	-
		N540X-4Z14G2Q-A	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-AC iTEMP Conf-Coat	-
		N540X-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ Dual-AC iTEMP Conformal Coat	-
		N540X-8Z16G-SYS-A	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualAC iTEMP Conf-Coat	-
ASR-920-12SZ-D	Cisco ASR 920 Series - 12 x1/10GE SFP, Dual DC Model	8011-12G12X4Y-D	Cisco 8010 12x1G + 12x10G + 4x25G fixed DC system	-
		8011-16G8X-D	Cisco 8010 4x1G, 12x1G, 8X1/10G DC	-
		N540-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ DC	-
		N540X-4Z14G2Q-	NCS540 14x1G + 4x1/10G	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
		D	+ 2x10/25G Dual-DC iTEMP Conf-Coat	
		N540X-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ Dual DC iTEMP Conformal Coat	-
		N540X-8Z16G-SYS-D	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualDC iTEMP Conf-Coat	-
ASR-920-12SZ-IM	Cisco ASR920 Series - 12GE and 4-10GE, 1 IM slot	8011-12G12X4Y-A	Cisco 8010 12x1G + 12x10G + 4x25G fixed AC system	-
		8011-12G12X4Y-D	Cisco 8010 12x1G + 12x10G + 4x25G fixed DC system	-
		8011-16G8X-A	Cisco 8010 4x1G, 12x1G, 8X1/10G AC	-
		8011-16G8X-D	Cisco 8010 4x1G, 12x1G, 8X1/10G DC	-
		N540-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ AC	-
		N540-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ DC	-
		N540X-4Z14G2Q-A	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-AC iTEMP Conf-Coat	-
		N540X-4Z14G2Q-D	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-DC iTEMP Conf-Coat	-
		N540X-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ Dual-AC iTEMP Conformal Coat	-
		N540X-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ Dual DC iTEMP Conformal Coat	-
		N540X-8Z16G-SYS-A	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualAC iTEMP Conf-Coat	-
		N540X-8Z16G-SYS-D	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualDC iTEMP Conf-Coat	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
ASR-920-12SZ-IM++	Cisco ASR920 Series - 12GE and 4-10GE, 1 IM slot (TAA)	8011-12G12X4Y-A	Cisco 8010 12x1G + 12x10G + 4x25G fixed AC system	-
		8011-12G12X4Y-D	Cisco 8010 12x1G + 12x10G + 4x25G fixed DC system	-
		8011-16G8X-A	Cisco 8010 4x1G, 12x1G, 8X1/10G AC	-
		8011-16G8X-D	Cisco 8010 4x1G, 12x1G, 8X1/10G DC	-
		N540-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ AC	-
		N540-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ DC	-
		N540X-4Z14G2Q-A	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-AC iTEMP Conf-Coat	-
		N540X-4Z14G2Q-D	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-DC iTEMP Conf-Coat	-
		N540X-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ Dual-AC iTEMP Conformal Coat	-
		N540X-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ Dual DC iTEMP Conformal Coat	-
		N540X-8Z16G-SYS-A	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualAC iTEMP Conf-Coat	-
N540X-8Z16G-SYS-D	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualDC iTEMP Conf-Coat	-		
ASR-920-12SZ-IM-CC	Cisco ASR920 Conformal Coated - 12GE, 4-10GE, 1 IM slot	8011-12G12X4Y-A	Cisco 8010 12x1G + 12x10G + 4x25G fixed AC system	-
		8011-12G12X4Y-D	Cisco 8010 12x1G + 12x10G + 4x25G fixed DC system	-
		8011-16G8X-A	Cisco 8010 4x1G, 12x1G, 8X1/10G AC	-
		8011-16G8X-D	Cisco 8010 4x1G, 12x1G, 8X1/10G DC	-
		N540-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ AC	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
		N540-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ DC	-
		N540X-4Z14G2Q-A	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-AC iTEMP Conf-Coat	-
		N540X-4Z14G2Q-D	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-DC iTEMP Conf-Coat	-
		N540X-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ Dual-AC iTEMP Conformal Coat	-
		N540X-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ Dual DC iTEMP Conformal Coat	-
		N540X-8Z16G-SYS-A	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualAC iTEMP Conf-Coat	-
		N540X-8Z16G-SYS-D	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualDC iTEMP Conf-Coat	-
ASR-920-24SZ-IM	Cisco ASR920 Series - 24GE and 4-10GE: Modular PSU and IM	8011-12G12X4Y-A	Cisco 8010 12x1G + 12x10G + 4x25G fixed AC system	-
		8011-12G12X4Y-D	Cisco 8010 12x1G + 12x10G + 4x25G fixed DC system	-
		8011-16G8X-A	Cisco 8010 4x1G, 12x1G, 8X1/10G AC	-
		8011-16G8X-D	Cisco 8010 4x1G, 12x1G, 8X1/10G DC	-
		N540-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ AC	-
		N540-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ DC	-
		N540X-4Z14G2Q-A	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-AC iTEMP Conf-Coat	-
		N540X-4Z14G2Q-D	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-DC iTEMP Conf-Coat	-
		N540X-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ Dual-AC iTEMP Conformal Coat	-
		N540X-6Z18G-	NCS540 18x1G SFP +	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
		SYS-D	6x1/10G SFP+ Dual DC iTEMP Conformal Coat	
		N540X-8Z16G-SYS-A	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualAC iTEMP Conf-Coat	-
		N540X-8Z16G-SYS-D	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualDC iTEMP Conf-Coat	-
ASR-920-24SZ-M	Cisco ASR920 Series - 24GE Fiber and 4-10GE: Modular PSU	8011-12G12X4Y-A	Cisco 8010 12x1G + 12x10G + 4x25G fixed AC system	-
		8011-12G12X4Y-D	Cisco 8010 12x1G + 12x10G + 4x25G fixed DC system	-
		8011-16G8X-A	Cisco 8010 4x1G, 12x1G, 8X1/10G AC	-
		8011-16G8X-D	Cisco 8010 4x1G, 12x1G, 8X1/10G DC	-
		N540-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ AC	-
		N540-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ DC	-
		N540X-4Z14G2Q-A	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-AC iTEMP Conf-Coat	-
		N540X-4Z14G2Q-D	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-DC iTEMP Conf-Coat	-
		N540X-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ Dual-AC iTEMP Conformal Coat	-
		N540X-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ Dual DC iTEMP Conformal Coat	-
		N540X-8Z16G-SYS-A	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualAC iTEMP Conf-Coat	-
		N540X-8Z16G-SYS-D	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualDC iTEMP Conf-Coat	-
ASR-920-24SZ-M++	Cisco ASR920 Series - 24GE Fiber 4-10GE: Modular PSU (TAA)	8011-12G12X4Y-A	Cisco 8010 12x1G + 12x10G + 4x25G fixed AC system	-
		8011-12G12X4Y-D	Cisco 8010 12x1G +	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
			12x10G + 4x25G fixed DC system	
		8011-16G8X-A	Cisco 8010 4x1G, 12x1G, 8X1/10G AC	-
		8011-16G8X-D	Cisco 8010 4x1G, 12x1G, 8X1/10G DC	-
		N540-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ AC	-
		N540-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ DC	-
		N540X-4Z14G2Q-A	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-AC iTEMP Conf-Coat	-
		N540X-4Z14G2Q-D	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-DC iTEMP Conf-Coat	-
		N540X-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ Dual-AC iTEMP Conformal Coat	-
		N540X-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ Dual DC iTEMP Conformal Coat	-
		N540X-8Z16G-SYS-A	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualAC iTEMP Conf-Coat	-
		N540X-8Z16G-SYS-D	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualDC iTEMP Conf-Coat	-
ASR-920-24TZ-M	Cisco ASR920 Series - 24GE Copper and 4-10GE: Modular PSU	8011-12G12X4Y-A	Cisco 8010 12x1G + 12x10G + 4x25G fixed AC system	-
		8011-12G12X4Y-D	Cisco 8010 12x1G + 12x10G + 4x25G fixed DC system	-
		8011-16G8X-A	Cisco 8010 4x1G, 12x1G, 8X1/10G AC	-
		8011-16G8X-D	Cisco 8010 4x1G, 12x1G, 8X1/10G DC	-
		N540-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ AC	-
		N540-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ DC	-
		N540X-4Z14G2Q-A	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-AC	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
			iTEMP Conf-Coat	
		N540X-4Z14G2Q-D	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-DC iTEMP Conf-Coat	-
		N540X-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ Dual-AC iTEMP Conformal Coat	-
		N540X-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ Dual DC iTEMP Conformal Coat	-
		N540X-8Z16G-SYS-A	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualAC iTEMP Conf-Coat	-
		N540X-8Z16G-SYS-D	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualDC iTEMP Conf-Coat	-
ASR-920-4SZ-A	Cisco ASR920 Series - 2GE and 4-10GE - AC model	8011-12G12X4Y-A	Cisco 8010 12x1G + 12x10G + 4x25G fixed AC system	-
		8011-16G8X-A	Cisco 8010 4x1G, 12x1G, 8X1/10G AC	-
		N540-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ AC	-
		N540X-4Z14G2Q-A	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-AC iTEMP Conf-Coat	-
		N540X-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ Dual-AC iTEMP Conformal Coat	-
		N540X-8Z16G-SYS-A	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualAC iTEMP Conf-Coat	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
ASR-920-4SZ-D	Cisco ASR920 Series - 2GE and 4-10GE - DC model	8011-12G12X4Y-D	Cisco 8010 12x1G + 12x10G + 4x25G fixed DC system	-
		8011-16G8X-D	Cisco 8010 4x1G, 12x1G, 8X1/10G DC	-
		N540-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ DC	-
		N540X-4Z14G2Q-D	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-DC iTEMP Conf-Coat	-
		N540X-6Z18G-SYS-D	NCS540 18x1G SFP + 6x1/10G SFP+ Dual DC iTEMP Conformal Coat	-
		N540X-8Z16G-SYS-D	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualDC iTEMP Conf-Coat	-
ASR-920-12CZ-A=	Cisco ASR920 Series - 12GE and 2-10GE - AC model	8011-12G12X4Y-A=	Cisco 8010 12x1G + 12X1/10G + 4X1/10/25G fixed AC system	-
		8011-16G8X-A=	Cisco 8010 4x1G, 12x1G, 8X1/10G AC	-
		N540-6Z18G-SYS-A=	NCS540 18x1G SFP + 6x1/10G SFP+ AC	-
		N540X-4Z14G2Q-A=	N540 14x1G + 4x1/10G + 2x10/25G Dual-AC iTEMP Conf-Coat Spr	-
		N540X-6Z18G-SYS-A=	NCS540 18x1G SFP + 6x1/10G SFP+ Dual AC iTEMP Conf-coat Spre	-
		N540X-8Z16G-SYS-A=	N540 12/20(CSFP)x1G + 4x1GCu + 8x1/10G DualAC iTEMP Conf Spr	-
ASR-920-12CZ-D=	Cisco ASR920 Series - 12GE and 2-10GE - DC model	8011-12G12X4Y-D=	Cisco 8010 12x1G + 12X1/10G + 4X1/10/25G fixed DC system	-
		8011-16G8X-D=	Cisco 8010 4x1G, 12x1G, 8X1/10G DC	-
		N540-6Z18G-SYS-D=	NCS540 18x1G SFP + 6x1/10G SFP+ DC	-
		N540X-4Z14G2Q-D=	N540 14x1G + 4x1/10G + 2x10/25G Dual-DC iTEMP Conf-Coat Spr	-
		N540X-6Z18G-SYS-D=	NCS540 18x1G SFP + 6x1/10G SFP+ Dual DC	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
			iTEMP Conf-Coat Spar	
		N540X-8Z16G-SYS-D=	N540 12/20(CSFP)x1G + 4x1GCu + 8x1/10G DualDC iTEMP Conf Spr	-
ASR-920-12SZ-A=	Cisco ASR920 Series - 12 x 1/10GE SFP, Fixed AC Model, Spare	8011-12G12X4Y-A=	Cisco 8010 12x1G + 12X1/10G + 4X1/10/25G fixed AC system	-
		8011-16G8X-A=	Cisco 8010 4x1G, 12x1G, 8X1/10G AC	-
		N540-6Z18G-SYS-A=	NCS540 18x1G SFP + 6x1/10G SFP+ AC	-
		N540X-4Z14G2Q-A=	N540 14x1G + 4x1/10G + 2x10/25G Dual-AC iTEMP Conf-Coat Spr	-
		N540X-6Z18G-SYS-A=	NCS540 18x1G SFP + 6x1/10G SFP+ Dual AC iTEMP Conf-coat Spre	-
		N540X-8Z16G-SYS-A=	N540 12/20(CSFP)x1G + 4x1GCu + 8x1/10G DualAC iTEMP Conf Spr	-
ASR-920-12SZ-D=	Cisco ASR 920 Series - 12 x1/10GE, Dual DC Model, Spare	8011-12G12X4Y-D=	Cisco 8010 12x1G + 12X1/10G + 4X1/10/25G fixed DC system	-
		8011-16G8X-D=	Cisco 8010 4x1G, 12x1G, 8X1/10G DC	-
		N540-6Z18G-SYS-D=	NCS540 18x1G SFP + 6x1/10G SFP+ DC	-
		N540X-4Z14G2Q-D=	N540 14x1G + 4x1/10G + 2x10/25G Dual-DC iTEMP Conf-Coat Spr	-
		N540X-6Z18G-SYS-D=	NCS540 18x1G SFP + 6x1/10G SFP+ Dual DC iTEMP Conf-Coat Spar	-
		N540X-8Z16G-SYS-D=	N540 12/20(CSFP)x1G + 4x1GCu + 8x1/10G DualDC iTEMP Conf Spr	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
ASR-920-12SZ-IM=	Cisco ASR920 Series - 12GE and 4-10GE, 1 IM slot spare	8011-12G12X4Y-A=	Cisco 8010 12x1G + 12X1/10G + 4X1/10/25G fixed AC system	-
		8011-12G12X4Y-D=	Cisco 8010 12x1G + 12X1/10G + 4X1/10/25G fixed DC system	-
		8011-16G8X-A=	Cisco 8010 4x1G, 12x1G, 8X1/10G AC	-
		8011-16G8X-D=	Cisco 8010 4x1G, 12x1G, 8X1/10G DC	-
		N540-6Z18G-SYS-A=	NCS540 18x1G SFP + 6x1/10G SFP+ AC	-
		N540-6Z18G-SYS-D=	NCS540 18x1G SFP + 6x1/10G SFP+ DC	-
		N540X-4Z14G2Q-A=	N540 14x1G + 4x1/10G + 2x10/25G Dual-AC iTEMP Conf-Coat Spr	-
		N540X-4Z14G2Q-D=	N540 14x1G + 4x1/10G + 2x10/25G Dual-DC iTEMP Conf-Coat Spr	-
		N540X-6Z18G-SYS-A=	NCS540 18x1G SFP + 6x1/10G SFP+ Dual AC iTEMP Conf-coat Spre	-
		N540X-6Z18G-SYS-D=	NCS540 18x1G SFP + 6x1/10G SFP+ Dual DC iTEMP Conf-Coat Spar	-
		N540X-8Z16G-SYS-A=	N540 12/20(CSFP)x1G + 4x1GCu + 8x1/10G DualAC iTEMP Conf Spr	-
		N540X-8Z16G-SYS-D=	N540 12/20(CSFP)x1G + 4x1GCu + 8x1/10G DualDC iTEMP Conf Spr	-
ASR-920-24SZ-IM=	Cisco ASR920 Series - 24GE and 4-10GE: Modular PSU and IM	8011-12G12X4Y-A=	Cisco 8010 12x1G + 12X1/10G + 4X1/10/25G fixed AC system	-
		8011-12G12X4Y-D=	Cisco 8010 12x1G + 12X1/10G + 4X1/10/25G fixed DC system	-
		8011-16G8X-A=	Cisco 8010 4x1G, 12x1G, 8X1/10G AC	-
		8011-16G8X-D=	Cisco 8010 4x1G, 12x1G, 8X1/10G DC	-
		N540-6Z18G-SYS-A=	NCS540 18x1G SFP + 6x1/10G SFP+ AC	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
		N540-6Z18G-SYS-D=	NCS540 18x1G SFP + 6x1/10G SFP+ DC	-
		N540X-4Z14G2Q-A=	N540 14x1G + 4x1/10G + 2x10/25G Dual-AC iTEMP Conf-Coat Spr	-
		N540X-4Z14G2Q-D=	N540 14x1G + 4x1/10G + 2x10/25G Dual-DC iTEMP Conf-Coat Spr	-
		N540X-6Z18G-SYS-A=	NCS540 18x1G SFP + 6x1/10G SFP+ Dual AC iTEMP Conf-coat Spre	-
		N540X-6Z18G-SYS-D=	NCS540 18x1G SFP + 6x1/10G SFP+ Dual DC iTEMP Conf-Coat Spar	-
		N540X-8Z16G-SYS-A=	N540 12/20(CSFP)x1G + 4x1GCu + 8x1/10G DualAC iTEMP Conf Spr	-
		N540X-8Z16G-SYS-D=	N540 12/20(CSFP)x1G + 4x1GCu + 8x1/10G DualDC iTEMP Conf Spr	-
ASR-920-24SZ-M=	Cisco ASR920 Series - 24GE Fiber and 4-10GE: Modular PSU	8011-12G12X4Y-A=	Cisco 8010 12x1G + 12X1/10G + 4X1/10/25G fixed AC system	-
		8011-12G12X4Y-D=	Cisco 8010 12x1G + 12X1/10G + 4X1/10/25G fixed DC system	-
		8011-16G8X-A=	Cisco 8010 4x1G, 12x1G, 8X1/10G AC	-
		8011-16G8X-D=	Cisco 8010 4x1G, 12x1G, 8X1/10G DC	-
		N540-6Z18G-SYS-A=	NCS540 18x1G SFP + 6x1/10G SFP+ AC	-
		N540-6Z18G-SYS-D=	NCS540 18x1G SFP + 6x1/10G SFP+ DC	-
		N540X-4Z14G2Q-A=	N540 14x1G + 4x1/10G + 2x10/25G Dual-AC iTEMP Conf-Coat Spr	-
		N540X-4Z14G2Q-D=	N540 14x1G + 4x1/10G + 2x10/25G Dual-DC iTEMP Conf-Coat Spr	-
		N540X-6Z18G-SYS-A=	NCS540 18x1G SFP + 6x1/10G SFP+ Dual AC iTEMP Conf-coat Spre	-
		N540X-6Z18G-	NCS540 18x1G SFP +	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
		SYS-D=	6x1/10G SFP+ Dual DC iTEMP Conf-Coat Spar	
		N540X-8Z16G-SYS-A=	N540 12/20(CSFP)x1G + 4x1GCu + 8x1/10G DualAC iTEMP Conf Spr	-
		N540X-8Z16G-SYS-D=	N540 12/20(CSFP)x1G + 4x1GCu + 8x1/10G DualDC iTEMP Conf Spr	-
ASR-920-24TZ-M=	Cisco ASR920 Series - 24GE Copper and 4-10GE: Modular PSU	8011-12G12X4Y-A=	Cisco 8010 12x1G + 12X1/10G + 4X1/10/25G fixed AC system	-
		8011-12G12X4Y-D=	Cisco 8010 12x1G + 12X1/10G + 4X1/10/25G fixed DC system	-
		8011-16G8X-A=	Cisco 8010 4x1G, 12x1G, 8X1/10G AC	-
		8011-16G8X-D=	Cisco 8010 4x1G, 12x1G, 8X1/10G DC	-
		N540-6Z18G-SYS-A=	NCS540 18x1G SFP + 6x1/10G SFP+ AC	-
		N540-6Z18G-SYS-D=	NCS540 18x1G SFP + 6x1/10G SFP+ DC	-
		N540X-4Z14G2Q-A=	N540 14x1G + 4x1/10G + 2x10/25G Dual-AC iTEMP Conf-Coat Spr	-
		N540X-4Z14G2Q-D=	N540 14x1G + 4x1/10G + 2x10/25G Dual-DC iTEMP Conf-Coat Spr	-
		N540X-6Z18G-SYS-A=	NCS540 18x1G SFP + 6x1/10G SFP+ Dual AC iTEMP Conf-coat Spre	-
		N540X-6Z18G-SYS-D=	NCS540 18x1G SFP + 6x1/10G SFP+ Dual DC iTEMP Conf-Coat Spar	-
		N540X-8Z16G-SYS-A=	N540 12/20(CSFP)x1G + 4x1GCu + 8x1/10G DualAC iTEMP Conf Spr	-
		N540X-8Z16G-SYS-D=	N540 12/20(CSFP)x1G + 4x1GCu + 8x1/10G DualDC iTEMP Conf Spr	-
ASR-920-4SZ-A=	Cisco ASR920 Series - 2GE and 4-10GE - AC model	8011-12G12X4Y-A=	Cisco 8010 12x1G + 12X1/10G + 4X1/10/25G fixed AC system	-
		8011-16G8X-A=	Cisco 8010 4x1G, 12x1G,	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
			8X1/10G AC	
		N540-6Z18G-SYS-A=	NCS540 18x1G SFP + 6x1/10G SFP+ AC	-
		N540X-4Z14G2Q-A=	N540 14x1G + 4x1/10G + 2x10/25G Dual-AC iTEMP Conf-Coat Spr	-
		N540X-6Z18G-SYS-A=	NCS540 18x1G SFP + 6x1/10G SFP+ Dual AC iTEMP Conf-coat Spre	-
		N540X-8Z16G-SYS-A=	N540 12/20(CSFP)x1G + 4x1GCu + 8x1/10G DualAC iTEMP Conf Spr	-
ASR-920-4SZ-D=	Cisco ASR920 Series - 2GE and 4-10GE - DC model	8011-12G12X4Y-D=	Cisco 8010 12x1G + 12X1/10G + 4X1/10/25G fixed DC system	-
		8011-16G8X-D=	Cisco 8010 4x1G, 12x1G, 8X1/10G DC	-
		N540-6Z18G-SYS-D=	NCS540 18x1G SFP + 6x1/10G SFP+ DC	-
		N540X-4Z14G2Q-D=	N540 14x1G + 4x1/10G + 2x10/25G Dual-DC iTEMP Conf-Coat Spr	-
		N540X-6Z18G-SYS-D=	NCS540 18x1G SFP + 6x1/10G SFP+ Dual DC iTEMP Conf-Coat Spar	-
		N540X-8Z16G-SYS-D=	N540 12/20(CSFP)x1G + 4x1GCu + 8x1/10G DualDC iTEMP Conf Spr	-
ASR-920-12CZ-A	Cisco ASR920 Series - 12GE and 2-10GE - AC model	8011-12G12X4Y-A	Cisco 8010 12x1G + 12x10G + 4x25G fixed AC system	-
		8011-16G8X-A	Cisco 8010 4x1G, 12x1G, 8X1/10G AC	-
		N540-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ AC	-
		N540X-4Z14G2Q-A	NCS540 14x1G + 4x1/10G + 2x10/25G Dual-AC iTEMP Conf-Coat	-
		N540X-6Z18G-SYS-A	NCS540 18x1G SFP + 6x1/10G SFP+ Dual-AC iTEMP Conformal Coat	-
		N540X-8Z16G-SYS-A	N540 12/20(CSFP)x1G + 4x1GCu +8x1/10G DualAC iTEMP Conf-Coat	-

Product Migration Options

Customers may be able to use the Cisco Technology Migration Program (TMP) where applicable to trade-in eligible products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, customers should work with their Cisco Partner or Cisco account team. Cisco Partners can find additional TMP information on Partner Central at

https://www.cisco.com/web/partners/incentives_and_promotions/tmp.html.

Customers may be able to continue to purchase the Cisco ASR 920 through the Cisco Refresh (certified remanufactured) program. Remanufactured units may be available in limited supply for sale in certain countries on a first-come, first-served basis until the Last Date of Support has been reached. For information about the Cisco Refresh program, go to: <https://www.cisco.com/c/en/us/products/remanufactured.html>.

The Cisco Takeback and Recycle program helps businesses properly dispose of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to:

<https://www.cisco.com/c/en/us/about/takeback-and-reuse/product-recycling.html>.

For more information

For more information about the Cisco End-of-Life Policy, go to: <https://www.cisco.com/c/en/us/products/eos-eol-policy.html>.

For more information about the Cisco Product Warranties, go to:

<https://www.cisco.com/c/en/us/products/warranty-listing.html>.

To subscribe to receive end-of-life/end-of-sale information, go to: <https://cway.cisco.com/mynotifications>.

Any authorized translation issued by Cisco Systems or affiliates of this end-of-life Product Bulletin is intended to help customers understand the content described in the English version. This translation is the result of a commercially reasonable effort; however, if there are discrepancies between the English version and the translated document, please refer to the English version, which is considered authoritative.

Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at <https://www.cisco.com/go/offices>.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)