



End-of-Sale and End-of-Life Announcement for the Select Cisco SUSE Linux Enterprise and SUSE Linux Enterprise for SAP (SLES) OEM Software

EOL10397—Amended

Cisco announces the end-of-sale and end-of life dates for the Select Cisco SUSE Linux Enterprise and SUSE Linux Enterprise for SAP (SLES) OEM Software. The last day to order the affected product(s) is May 15, 2015. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available under the terms and conditions of customers' service contract.

Table 1. End-of-Life Milestones and Dates for the Select Cisco SUSE Linux Enterprise and SUSE Linux Enterprise for SAP (SLES) OEM Software

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end of sale and end of life of a product is distributed to the general public.	May 15, 2015
End-of-Sale Date	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	May 15, 2015
Last Ship Date License	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	May 15, 2015

Table 2. Product Part Numbers Affected by This Announcement

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
SLES-HGC-2S-1A	SUSE Linux GEO Clustering for HA (1-2 CPU); 1yr Support Reqd	SLES-2S-GC-1S	SUSE Linux GEO Clustering for HA (1-2 CPU); 1yr Sns	
SLES-HGC-2S-1A=	SUSE Linux GEO Clustering for HA (1-2 CPU); 1yr Support Reqd	SLES-2S-GC-1S=	SUSE Linux GEO Clustering for HA (1-2 CPU); 1yr Sns	
SLES-HGC-2S-3A	SUSE Linux GEO Clustering for HA (1-2 CPU); 3yr Support Reqd	SLES-2S-GC-3S	SUSE Linux GEO Clustering for HA (1-2 CPU); 3yr SnS	
SLES-HGC-2S-3A=	SUSE Linux GEO Clustering for HA (1-2 CPU); 3yr Support Reqd	SLES-2S-GC-3S=	SUSE Linux GEO Clustering for HA (1-2 CPU); 3yr SnS	
SLES-HGC-2S-5A	SUSE Linux GEO Clustering for HA (1-2 CPU); 5yr Support Reqd	SLES-2S-GC-5S	SUSE Linux GEO Clustering for HA (1-2 CPU); 5yr SnS	
SLES-HGC-2S-5A=	SUSE Linux GEO Clustering for HA (1-2 CPU); 5yr Support Reqd	SLES-2S-GC-5S=	SUSE Linux GEO Clustering for HA (1-2 CPU); 5yr SnS	
SLES-SAP-2S-1G-1A	SLES for SAP Applications (1-2 CPU, 1 Phys); 1yr Support Reqd	SLES-SAP-2S2V-1A	SLES for SAP Apps (1-2 CPU, 1-2 VM); 1-Yr Support Reqd	

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
SLES-SAP-2S-1G-1A=	SLES for SAP Applications (1-2 CPU,1 Phys); 1yr Support Reqd	SLES-SAP-2S2V-1A=	SLES for SAP Apps (1-2 CPU, 1-2 VM); 1-Yr Support Reqd	
SLES-SAP-2S-1G-3A	SLES for SAP Applications (1-2 CPU,1 Phys); 3yr Support Reqd	SLES-SAP-2S2V-3A	SLES for SAP Apps (1-2 CPU, 1-2 VM); 3-Yr Support Reqd	
SLES-SAP-2S-1G-3A=	SLES for SAP Applications (1-2 CPU,1 Phys); 3yr Support Reqd	SLES-SAP-2S2V-3A=	SLES for SAP Apps (1-2 CPU, 1-2 VM); 3-Yr Support Reqd	
SLES-SAP-2S-1G-5A	SLES for SAP Applications (1-2 CPU,1 Phys); 5yr Support Reqd	SLES-SAP-2S2V-5A	SLES for SAP Apps (1-2 CPU, 1-2 VM); 5-Yr Support Reqd	
SLES-SAP-2S-1G-5A=	SLES for SAP Applications (1-2 CPU,1 Phys); 5yr Support Reqd	SLES-SAP-2S2V-5A=	SLES for SAP Apps (1-2 CPU, 1-2 VM); 5-Yr Support Reqd	
SLES-SAP-2S-UG-1A	SLES for SAP Applications (1-2 CPU,Unl Vrt);1yr Support Reqd	SLES-SAP-2SUV-1A	SLES for SAP Apps (1-2 CPU, Unl VM); 1-Yr Support Reqd	
SLES-SAP-2S-UG-1A=	SLES for SAP Applications (1-2 CPU,Unl Vrt);1yr Support Reqd	SLES-SAP-2SUV-1A=	SLES for SAP Apps (1-2 CPU, Unl VM); 1-Yr Support Reqd	
SLES-SAP-2S-UG-3A	SLES for SAP Applications (1-2 CPU,Unl Vrt);3yr Support Reqd	SLES-SAP-2SUV-3A	SLES for SAP Apps (1-2 CPU, Unl VM); 3-Yr Support Reqd	
SLES-SAP-2S-UG-3A=	SLES for SAP Applications (1-2 CPU,Unl Vrt);3yr Support Reqd	SLES-SAP-2SUV-3A=	SLES for SAP Apps (1-2 CPU, Unl VM); 3-Yr Support Reqd	
SLES-SAP-2S-UG-5A	SLES for SAP Applications (1-2 CPU,Unl Vrt);5yr Support Reqd	SLES-SAP-2SUV-5A	SLES for SAP Apps (1-2 CPU, Unl VM); 5-Yr Support Reqd	
SLES-SAP-2S-UG-5A=	SLES for SAP Applications (1-2 CPU,Unl Vrt);5yr Support Reqd	SLES-SAP-2SUV-5A=	SLES for SAP Apps (1-2 CPU, Unl VM); 5-Yr Support Reqd	
SLES-SAP-4S-1G-1A	SLES for SAP Applications (4 CPU,1 Phys); 1yr Support Reqd	SLES-SAP-2S2V-1A	SLES for SAP Apps (1-2 CPU, 1-2 VM); 1-Yr Support Reqd	
SLES-SAP-4S-1G-1A=	SLES for SAP Applications (4 CPU,1 Phys); 1yr Support Reqd	SLES-SAP-2S2V-1A=	SLES for SAP Apps (1-2 CPU, 1-2 VM); 1-Yr Support Reqd	
SLES-SAP-4S-1G-3A	SLES for SAP Applications (4 CPU,1 Phys); 3yr Support Reqd	SLES-SAP-2S2V-3A	SLES for SAP Apps (1-2 CPU, 1-2 VM); 3-Yr Support Reqd	
SLES-SAP-4S-1G-3A=	SLES for SAP Applications (4 CPU,1 Phys); 3yr Support Reqd	SLES-SAP-2S2V-3A=	SLES for SAP Apps (1-2 CPU, 1-2 VM); 3-Yr Support Reqd	
SLES-SAP-4S-1G-5A	SLES for SAP Applications (4 CPU,1 Phys); 5yr Support Reqd	SLES-SAP-2S2V-5A	SLES for SAP Apps (1-2 CPU, 1-2 VM); 5-Yr Support Reqd	
SLES-SAP-4S-1G-5A=	SLES for SAP Applications (4 CPU,1 Phys); 5yr Support Reqd	SLES-SAP-2S2V-5A=	SLES for SAP Apps (1-2 CPU, 1-2 VM); 5-Yr Support Reqd	
SLES-SAP-4S-UG-1A	SLES for SAP Applications (4 CPU,Unl Vrt); 1yr Support Reqd	SLES-SAP-2SUV-1A	SLES for SAP Apps (1-2 CPU, Unl VM); 1-Yr Support Reqd	
SLES-SAP-4S-UG-1A=	SLES for SAP Applications (4 CPU,Unl Vrt); 1yr Support Reqd	SLES-SAP-2SUV-1A=	SLES for SAP Apps (1-2 CPU, Unl VM); 1-Yr Support Reqd	
SLES-SAP-4S-UG-3A	SLES for SAP Applications (4 CPU,Unl Vrt); 3yr Support Reqd	SLES-SAP-2SUV-3A	SLES for SAP Apps (1-2 CPU, Unl VM); 3-Yr Support Reqd	

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
SLES-SAP-4S-UG-3A=	SLES for SAP Applications (4 CPU,Unl Vrt); 3yr Support Reqd	SLES-SAP-2SUV-3A=	SLES for SAP Apps (1-2 CPU, Unl VM); 3-Yr Support Reqd	
SLES-SAP-4S-UG-5A	SLES for SAP Applications (4 CPU,Unl Vrt); 5yr Support Reqd	SLES-SAP-2SUV-5A	SLES for SAP Apps (1-2 CPU, Unl VM); 5-Yr Support Reqd	
SLES-SAP-4S-UG-5A=	SLES for SAP Applications (4 CPU,Unl Vrt); 5yr Support Reqd	SLES-SAP-2SUV-5A=	SLES for SAP Apps (1-2 CPU, Unl VM); 5-Yr Support Reqd	
SLES-SAP-8S-1G-1A	SLES for SAP Applications (8 CPU,1 Phys); 1yr Support Reqd	SLES-SAP-2S2V-1A	SLES for SAP Apps (1-2 CPU, 1-2 VM); 1-Yr Support Reqd	
SLES-SAP-8S-1G-1A=	SLES for SAP Applications (8 CPU,1 Phys); 1yr Support Reqd	SLES-SAP-2S2V-1A=	SLES for SAP Apps (1-2 CPU, 1-2 VM); 1-Yr Support Reqd	
SLES-SAP-8S-1G-3A	SLES for SAP Applications (8 CPU,1 Phys); 3yr Support Reqd	SLES-SAP-2S2V-3A	SLES for SAP Apps (1-2 CPU, 1-2 VM); 3-Yr Support Reqd	
SLES-SAP-8S-1G-3A=	SLES for SAP Applications (8 CPU,1 Phys); 3yr Support Reqd	SLES-SAP-2S2V-3A=	SLES for SAP Apps (1-2 CPU, 1-2 VM); 3-Yr Support Reqd	
SLES-SAP-8S-1G-5A	SLES for SAP Applications (8 CPU,1 Phys); 5yr Support Reqd	SLES-SAP-2S2V-5A	SLES for SAP Apps (1-2 CPU, 1-2 VM); 5-Yr Support Reqd	
SLES-SAP-8S-1G-5A=	SLES for SAP Applications (8 CPU,1 Phys); 5yr Support Reqd	SLES-SAP-2S2V-5A=	SLES for SAP Apps (1-2 CPU, 1-2 VM); 5-Yr Support Reqd	
SLES-SAP-8S-UG-1A	SLES for SAP Applications (8 CPU,Unl Vrt); 1yr Support Reqd	SLES-SAP-2SUV-1A	SLES for SAP Apps (1-2 CPU, Unl VM); 1-Yr Support Reqd	
SLES-SAP-8S-UG-1A=	SLES for SAP Applications (8 CPU,Unl Vrt); 1yr Support Reqd	SLES-SAP-2SUV-1A=	SLES for SAP Apps (1-2 CPU, Unl VM); 1-Yr Support Reqd	
SLES-SAP-8S-UG-3A	SLES for SAP Applications (8 CPU,Unl Vrt); 3yr Support Reqd	SLES-SAP-2SUV-3A	SLES for SAP Apps (1-2 CPU, Unl VM); 3-Yr Support Reqd	
SLES-SAP-8S-UG-3A=	SLES for SAP Applications (8 CPU,Unl Vrt); 3yr Support Reqd	SLES-SAP-2SUV-3A=	SLES for SAP Apps (1-2 CPU, Unl VM); 3-Yr Support Reqd	
SLES-SAP-8S-UG-5A	SLES for SAP Applications (8 CPU,Unl Vrt); 5yr Support Reqd	SLES-SAP-2SUV-5A	SLES for SAP Apps (1-2 CPU, Unl VM); 5-Yr Support Reqd	
SLES-SAP-8S-UG-5A=	SLES for SAP Applications (8 CPU,Unl Vrt); 5yr Support Reqd	SLES-SAP-2SUV-5A=	SLES for SAP Apps (1-2 CPU, Unl VM); 5-Yr Support Reqd	
SLES-SHA-2S-1A	SUSE Linux High Availability Ext (1-2 CPU); 1yr Support Reqd	SLES-2S-HA-1S	SUSE Linux High Availability Ext (1-2 CPU); 1yr SnS	
SLES-SHA-2S-1A=	SUSE Linux High Availability Ext (1-2 CPU); 1yr Support Reqd	SLES-2S-HA-1S=	SUSE Linux High Availability Ext (1-2 CPU); 1yr SnS	
SLES-SHA-2S-3A	SUSE Linux High Availability Ext (1-2 CPU); 3yr Support Reqd	SLES-2S-HA-3S	SUSE Linux High Availability Ext (1-2 CPU); 3yr SnS	
SLES-SHA-2S-3A=	SUSE Linux High Availability Ext (1-2 CPU); 3yr Support Reqd	SLES-2S-HA-3S=	SUSE Linux High Availability Ext (1-2 CPU); 3yr SnS	
SLES-SHA-2S-5A	SUSE Linux High Availability Ext (1-2 CPU); 5yr Support Reqd	SLES-2S-HA-5S	SUSE Linux High Availability Ext (1-2 CPU); 5yr SnS	
SLES-SHA-2S-5A=	SUSE Linux High Availability Ext (1-2 CPU); 5yr Support Reqd	SLES-2S-HA-5S=	SUSE Linux High Availability Ext (1-2 CPU); 5yr SnS	
SLES-SVR-2S-1G-1A	SUSE Linux Enterprise Svr (1-2 CPU,1 Phys);1yr Support Reqd	SLES-2S2V-1A	SUSE Linux Enterprise Svr (1-2 CPU,1-2 VM); 1-Yr Support Req	

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
SLES-SVR-2S-1G-1A=	SUSE Linux Enterprise Svr (1-2 CPU,1 Phys);1yr Support Reqd	SLES-2S2V-1A=	SUSE Linux Enterprise Svr (1-2 CPU,1-2 VM); 1-Yr Support Req	
SLES-SVR-2S-1G-3A	SUSE Linux Enterprise Svr (1-2 CPU,1 Phys);3yr Support Reqd	SLES-2S2V-3A	SUSE Linux Enterprise Svr (1-2 CPU,1-2 VM); 3-Yr Support Req	
SLES-SVR-2S-1G-3A=	SUSE Linux Enterprise Svr (1-2 CPU,1 Phys);3yr Support Reqd	SLES-2S2V-3A=	SUSE Linux Enterprise Svr (1-2 CPU,1-2 VM); 3-Yr Support Req	
SLES-SVR-2S-1G-5A	SUSE Linux Enterprise Svr (1-2 CPU,1 Phys);5yr Support Reqd	SLES-2S2V-5A	SUSE Linux Enterprise Svr (1-2 CPU,1-2 VM); 5-Yr Support Req	
SLES-SVR-2S-1G-5A=	SUSE Linux Enterprise Svr (1-2 CPU,1 Phys);5yr Support Reqd	SLES-2S2V-5A=	SUSE Linux Enterprise Svr (1-2 CPU,1-2 VM); 5-Yr Support Req	
SLES-SVR-2S-UG-1A	SUSE Linux Enterprise Svr (1-2 CPU,Unl Vrt);1yr Support Reqd	SLES-2SUV-1A	SUSE Linux Enterprise Svr (1-2 CPU,Unl VM); 1-Yr Support Req	
SLES-SVR-2S-UG-1A=	SUSE Linux Enterprise Svr (1-2 CPU,Unl Vrt);1yr Support Reqd	SLES-2SUV-1A=	SUSE Linux Enterprise Svr (1-2 CPU,Unl VM); 1-Yr Support Req	
SLES-SVR-2S-UG-3A	SUSE Linux Enterprise Svr (1-2 CPU,Unl Vrt);3yr Support Reqd	SLES-2SUV-3A	SUSE Linux Enterprise Svr (1-2 CPU,Unl VM); 3-Yr Support Req	
SLES-SVR-2S-UG-3A=	SUSE Linux Enterprise Svr (1-2 CPU,Unl Vrt);3yr Support Reqd	SLES-2SUV-3A=	SUSE Linux Enterprise Svr (1-2 CPU,Unl VM); 3-Yr Support Req	
SLES-SVR-2S-UG-5A	SUSE Linux Enterprise Svr (1-2 CPU,Unl Vrt);5yr Support Reqd	SLES-2SUV-5A	SUSE Linux Enterprise Svr (1-2 CPU,Unl VM); 5-Yr Support Req	
SLES-SVR-2S-UG-5A=	SUSE Linux Enterprise Svr (1-2 CPU,Unl Vrt);5yr Support Reqd	SLES-2SUV-5A=	SUSE Linux Enterprise Svr (1-2 CPU,Unl VM); 5-Yr Support Req	
SLES-SVR-4S-1G-1A	SUSE Linux Enterprise Svr (4 CPU,1 Phys); 1yr Support Reqd	SLES-2S2V-1A	SUSE Linux Enterprise Svr (1-2 CPU,1-2 VM); 1-Yr Support Req	
SLES-SVR-4S-1G-1A=	SUSE Linux Enterprise Svr (4 CPU,1 Phys); 1yr Support Reqd	SLES-2S2V-1A=	SUSE Linux Enterprise Svr (1-2 CPU,1-2 VM); 1-Yr Support Req	
SLES-SVR-4S-1G-3A	SUSE Linux Enterprise Svr (4 CPU,1 Phys); 3yr Support Reqd	SLES-2S2V-3A	SUSE Linux Enterprise Svr (1-2 CPU,1-2 VM); 3-Yr Support Req	
SLES-SVR-4S-1G-3A=	SUSE Linux Enterprise Svr (4 CPU,1 Phys); 3yr Support Reqd	SLES-2S2V-3A=	SUSE Linux Enterprise Svr (1-2 CPU,1-2 VM); 3-Yr Support Req	
SLES-SVR-4S-1G-5A	SUSE Linux Enterprise Svr (4 CPU,1 Phys); 5yr Support Reqd	SLES-2S2V-5A	SUSE Linux Enterprise Svr (1-2 CPU,1-2 VM); 5-Yr Support Req	
SLES-SVR-4S-1G-5A=	SUSE Linux Enterprise Svr (4 CPU,1 Phys); 5yr Support Reqd	SLES-2S2V-5A=	SUSE Linux Enterprise Svr (1-2 CPU,1-2 VM); 5-Yr Support Req	
SLES-SVR-4S-UG-1A	SUSE Linux Enterprise Svr (4 CPU,Unl Vrt); 1yr Support Reqd	SLES-2SUV-1A	SUSE Linux Enterprise Svr (1-2 CPU,Unl VM); 1-Yr Support Req	
SLES-SVR-4S-UG-1A=	SUSE Linux Enterprise Svr (4 CPU,Unl Vrt); 1yr Support Reqd	SLES-2SUV-1A=	SUSE Linux Enterprise Svr (1-2 CPU,Unl VM); 1-Yr Support Req	
SLES-SVR-4S-UG-3A	SUSE Linux Enterprise Svr (4 CPU,Unl Vrt); 3yr Support Reqd	SLES-2SUV-3A	SUSE Linux Enterprise Svr (1-2 CPU,Unl VM); 3-Yr Support Req	

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
SLES-SVR-4S-UG-3A=	SUSE Linux Enterprise Svr (4 CPU,Unl Vrt); 3yr Support Reqd	SLES-2SUV-3A=	SUSE Linux Enterprise Svr (1-2 CPU,Unl VM); 3-Yr Support Req	
SLES-SVR-4S-UG-5A	SUSE Linux Enterprise Svr (4 CPU,Unl Vrt); 5yr Support Reqd	SLES-2SUV-5A	SUSE Linux Enterprise Svr (1-2 CPU,Unl VM); 5-Yr Support Req	
SLES-SVR-4S-UG-5A=	SUSE Linux Enterprise Svr (4 CPU,Unl Vrt); 5yr Support Reqd	SLES-2SUV-5A=	SUSE Linux Enterprise Svr (1-2 CPU,Unl VM); 5-Yr Support Req	

Product Migration Options

Customers are encouraged to migrate to other Cisco SUSE SLES OEM software. Information about this product can be found at <http://www.cisco.com/c/en/us/solutions/data-center-virtualization/ecosystem.html>.

Service prices for Cisco products are subject to change after the product End of Sale date.

The Cisco Takeback and Recycle program helps businesses dispose properly of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to:

http://www.cisco.com/web/about/ac227/ac228/ac231/about_cisco_takeback_recycling.html.

For More Information

For more information about the Cisco End-of-Life Policy, go to:

http://www.cisco.com/en/US/products/products_end-of-life_policy.html

For more information about the Cisco Product Warranties, go to:

http://www.cisco.com/en/US/products/prod_warranties_listing.html

To subscribe to receive end-of-life/end-of-sale information, go to:

<http://www.cisco.com/cisco/support/notifications.html>

Subscribe for RSS Notifications for End-of-Life and End-of-Sale Notices

To subscribe to the End-of-Life and End-of-Sale RSS Feed, insert the following URL into your RSS application:

http://www.cisco.com/web/feeds/products/end_of_life_rss.xml

Any authorized translation issued by Cisco Systems or affiliates of this end-of-life Product Bulletin is intended to help customers understand the content described in the English version. This translation is the result of a commercially reasonable effort; however, if there are discrepancies between the English version and the translated document, please refer to the English version, which is considered authoritative.



Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Printed in USA

C51-734757-00 6/15