

## End-of-Sale and End-of-Life Announcement for the Cisco UCS Storage Accelerators (ioDrive2 PCIe Flash)

### EOL10217—Amended

Cisco announces the end-of-sale and end-of life dates for the Cisco UCS Storage Accelerators (ioDrive2 PCIe Flash). The last day to order the affected product(s) is August 3, 2015. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available under the terms and conditions of customers' service contract.

**Table 1.** End-of-Life Milestones and Dates for the Cisco UCS Storage Accelerators (ioDrive2 PCIe Flash)

Milestone	Definition	Date
<b>End-of-Life Announcement Date</b>	The date the document that announces the end of sale and end of life of a product is distributed to the general public.	February 2, 2015
<b>End-of-Sale Date</b>	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	August 3, 2015
<b>Last Ship Date: HW</b>	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	November 1, 2015
<b>End of SW Maintenance Releases Date: HW</b>	The last date that Cisco Engineering may release any final software maintenance releases or bug fixes. After this date, Cisco Engineering will no longer develop, repair, maintain, or test the product software.	August 2, 2016
<b>End of Routine Failure Analysis Date: HW</b>	The last-possible date a routine failure analysis may be performed to determine the cause of hardware product failure or defect.	August 2, 2016
<b>End of New Service Attachment Date: HW</b>	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	August 2, 2016
<b>End of Service Contract Renewal Date: HW</b>	The last date to extend or renew a service contract for the product.	October 29, 2019
<b>Last Date of Support: HW</b>	The last date to receive applicable service and support for the product as entitled by active service contracts or by warranty terms and conditions. After this date, all support services for the product are unavailable, and the product becomes obsolete.	August 31, 2020

HW = Hardware    OS SW = Operating System Software    App. SW = Application Software

**Table 2.** Product Part Numbers Affected by This Announcement

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
<b>UCSB-F-FIO-365M</b>	Cisco UCS 365GB MLC Fusion-io ioDrive2	UCSB-F-FIO-1300MP	UCS 1300GB Fusion ioMemory3 PX Performance line for B-Series	--
<b>UCSB-F-FIO-365M=</b>	Cisco UCS 365GB MLC Fusion-io ioDrive2	UCSB-F-FIO-1300MP=	UCS 1300GB Fusion ioMemory3 PX Performance line for B-Series	--
<b>UCSB-F-FIO-785M</b>	Cisco UCS 785GB MLC Fusion-io ioDrive2	UCSB-F-FIO-1600MS	UCS 1600GB Fusion ioMemory3 SX Scale line for B-Series	--
<b>UCSB-F-FIO-785M=</b>	Cisco UCS 785GB MLC Fusion-io ioDrive2	UCSB-F-FIO-1600MS=	UCS 1600GB Fusion ioMemory3 SX Scale line for B-Series	--
<b>UCSC-F-FIO-1205M</b>	Cisco UCS 1205GB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-2600MP	UCS 2600GB Fusion ioMemory3 PX Performance line for C-Series	--
<b>UCSC-F-FIO-1205M</b>	Cisco UCS 1205GB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-2600PS	UCS 2600GB Fusion ioMemory3 PX Performance line for Rack M4	--
<b>UCSC-F-FIO-1205M</b>	Cisco UCS 1205GB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-3200SS	UCS 3200GB Fusion ioMemory3SX Scale line for C-Series	--
<b>UCSC-F-FIO-1205M=</b>	Cisco UCS 1205GB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-2600MP=	UCS 2600GB Fusion ioMemory3 PX Performance line for C-Series	--
<b>UCSC-F-FIO-1205M=</b>	Cisco UCS 1205GB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-2600PS=	UCS 2600GB Fusion ioMemory3 PX Performance line for Rack M4	--
<b>UCSC-F-FIO-1205M=</b>	Cisco UCS 1205GB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-3200SS=	UCS 3200GB Fusion ioMemory3SX Scale line for C-Series	--
<b>UCSC-F-FIO-3000M</b>	Cisco UCS 3.0TB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-3200SS	UCS 3200GB Fusion ioMemory3SX Scale line for C-Series	--
<b>UCSC-F-FIO-3000M</b>	Cisco UCS 3.0TB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-5200MP	UCS 5200GB Fusion ioMemory3 PX Performance line for C-Series	--
<b>UCSC-F-FIO-3000M</b>	Cisco UCS 3.0TB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-5200PS	UCS 5200GB Fusion ioMemory3 PX Performance line for Rack M4	--
<b>UCSC-F-FIO-3000M</b>	Cisco UCS 3.0TB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-6400SS	UCS 6400GB Fusion ioMemory3 SX Scale line for C-Series	--
<b>UCSC-F-FIO-3000M=</b>	Cisco UCS 3.0TB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-3200SS=	UCS 3200GB Fusion ioMemory3SX Scale line for C-Series	--
<b>UCSC-F-FIO-3000M=</b>	Cisco UCS 3.0TB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-5200MP=	UCS 5200GB Fusion ioMemory3 PX Performance line for C-Series	--
<b>UCSC-F-FIO-3000M=</b>	Cisco UCS 3.0TB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-5200PS=	UCS 5200GB Fusion ioMemory3 PX Performance line for Rack M4	--
<b>UCSC-F-FIO-3000M=</b>	Cisco UCS 3.0TB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-6400SS=	UCS 6400GB Fusion ioMemory3 SX Scale line for C-Series	--
<b>UCSC-F-FIO-365M</b>	Cisco UCS 365GB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-1000MP	UCS 1000GB Fusion ioMemory3 PX Performance line for C-Series	--

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
<b>UCSC-F-FIO-365M</b>	Cisco UCS 365GB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-1000PS	UCS 1000GB Fusion ioMemory3 PX Performance line for Rack M4	--
<b>UCSC-F-FIO-365M=</b>	Cisco UCS 365GB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-1000MP=	UCS 1000GB Fusion ioMemory3 PX Performance line for C-Series	--
<b>UCSC-F-FIO-365M=</b>	Cisco UCS 365GB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-1000PS=	UCS 1000GB Fusion ioMemory3 PX Performance line for Rack M4	--
<b>UCSC-F-FIO-785M</b>	Cisco UCS 785GB MLC Fusion ioDrive2 for C-Series Servers	UCSB-F-FIO-1300MP	UCS 1300GB Fusion ioMemory3 PX Performance line for B-Series	--
<b>UCSC-F-FIO-785M</b>	Cisco UCS 785GB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-1300PS	UCS 1300GB Fusion ioMemory3 PX Performance line for Rack M4	--
<b>UCSC-F-FIO-785M=</b>	Cisco UCS 785GB MLC Fusion ioDrive2 for C-Series Servers	UCSB-F-FIO-1300MP=	UCS 1300GB Fusion ioMemory3 PX Performance line for B-Series	--
<b>UCSC-F-FIO-785M=</b>	Cisco UCS 785GB MLC Fusion ioDrive2 for C-Series Servers	UCSC-F-FIO-1300PS=	UCS 1300GB Fusion ioMemory3 PX Performance line for Rack M4	--
<b>UCSC-PCIE-ESFP</b>	Emulex OCe11102-FX Dual Port 10Gb SFP+ CNA	UCSC-PCIE-E14102	Emulex OCe14102-UX dual-port 10 GbE FCoE CNA	--
<b>UCSC-PCIE-ESFP=</b>	Emulex OCe11102-FX Dual Port 10Gb SFP+ CNA	UCSC-PCIE-E14102=	Emulex OCe14102-UX dual-port 10 GbE FCoE CNA	--

## Product Migration Options

Customers are encouraged to migrate to other Cisco UCS ioDrive PCIe Flash products. Information about these products can be found at: <http://www.cisco.com/c/en/us/products/servers-unified-computing/ucs-c-series-rack-servers/datasheet-listing.html>.

Customers may be able to use the Cisco Technology Migration Program (TMP) where applicable to trade-in eligible products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, customers should work with their Cisco Partner or Cisco account team. Cisco Partners can find additional TMP information on Partner Central at [http://www.cisco.com/web/partners/incentives\\_and\\_promotions/tmp.html](http://www.cisco.com/web/partners/incentives_and_promotions/tmp.html).

Customers may be able to continue to purchase Cisco UCS Storage Accelerators (ioDrive2 PCIe Flash) through the Cisco Certified Refurbished Equipment program. Refurbished units may be available in limited supply for sale in certain countries on a first-come, first-served basis until the Last Date of Support has been reached. For information about the Cisco Certified Refurbished Equipment program, go to: <http://www.cisco.com/go/eos>.

Service prices for Cisco products are subject to change after the product End of Sale date.

The Cisco Takeback and Recycle program helps businesses dispose properly of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to: [http://www.cisco.com/web/about/ac227/ac228/ac231/about\\_cisco\\_takeback\\_recycling.html](http://www.cisco.com/web/about/ac227/ac228/ac231/about_cisco_takeback_recycling.html).

---

## For More Information

For more information about other Cisco UCS ioDrive products, visit <http://www.cisco.com/c/en/us/products/servers-unified-computing/ucs-c-series-rack-servers/datasheet-listing.html>, or contact your local account representative.

For more information about the Cisco End-of-Life Policy, go to:  
[http://www.cisco.com/en/US/products/products\\_end-of-life\\_policy.html](http://www.cisco.com/en/US/products/products_end-of-life_policy.html)

For more information about the Cisco Product Warranties, go to:  
[http://www.cisco.com/en/US/products/prod\\_warranties\\_listing.html](http://www.cisco.com/en/US/products/prod_warranties_listing.html)

To subscribe to receive end-of-life/end-of-sale information, go to:  
<http://www.cisco.com/cisco/support/notifications.html>

## Subscribe for RSS Notifications for End-of-Life and End-of-Sale Notices

To subscribe to the End-of-Life and End-of-Sale RSS Feed, insert the following URL into your RSS application:  
[http://www.cisco.com/web/feeds/products/end\\_of\\_life\\_rss.xml](http://www.cisco.com/web/feeds/products/end_of_life_rss.xml)

Any authorized translation issued by Cisco Systems or affiliates of this end-of-life Product Bulletin is intended to help customers understand the content described in the English version. This translation is the result of a commercially reasonable effort; however, if there are discrepancies between the English version and the translated document, please refer to the English version, which is considered authoritative.



---

**Americas Headquarters**  
Cisco Systems, Inc.  
San Jose, CA

**Asia Pacific Headquarters**  
Cisco Systems (USA) Pte. Ltd.  
Singapore

**Europe Headquarters**  
Cisco Systems International BV Amsterdam,  
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)