

End-of-Sale and End-of-Life Announcement for the Cisco Select UCS accessories



Contents

Overview	3
End-of-life milestones	3
Product part numbers	3
Product migration options	8
For more information	9

Overview

EOL15715

Cisco announces the end-of-sale and end-of life dates for the Cisco Select UCS accessories. The last day to order the affected product(s) is September 29, 2025. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available under the terms and conditions of customers' service contract.

End-of-life milestones

Table 1. End-of-life milestones and dates for the Cisco Select UCS accessories

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end of sale and end of life of a product is distributed to the general public.	June 30, 2025
End-of-Sale Date Accessory	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	September 29, 2025
Last Ship Date Accessory	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	December 28, 2025

Product part numbers

Table 2. Product part numbers affected by this announcement

End-of-Sale Product Part Number	Product Description
CBL-FNVME-240M6	C240M6 2U x4 Front NVMe cable
CBL-FNVME-240M6=	C240M6 2U x4 Front NVMe cable
CBL-GPU-C240M6	Y TYPE GPU POWER Cable for A10 GPU, C240M6 and C245M6
CBL-GPU-C240M6=	Y TYPE GPU POWER Cable for A10 GPU, C240M6 and C245M6
CBL-R3BS3-C240M6L	CBL C240 M6L ZB, Raid to Rear BP (R1,R3)
CBL-R3BS3-C240M6L=	CBL C240 M6L ZB, Raid to Rear BP (R1,R3)
CBL-SAS12-240M6	C240M6 SAS cable (2U); (Pismo HBA)
CBL-SAS12-240M6=	C240M6 SAS cable (2U); (Pismo HBA)
CBL-SAS24-240M6	C240M6 SAS cable 24 (2U); (Zumba HBA)
CBL-SAS24-240M6=	C240M6 SAS cable 24 (2U); (Zumba HBA)
CBL-SAS-C220M6	C220M6 SAS cable (1U); (Pismo HBA)
CBL-SAS-C220M6=	C220M6 SAS cable (1U); (Pismo HBA)

End-of-Sale Product Part Number	Product Description
CBL-SAS-C225M6	C225M6 1USFF SAS cable
CBL-SAS-C225M6=	C225M6 1USFF SAS cable
CBL-SATA-C240M6	SATA cable C240M6 (2U)
CBL-SATA-C240M6=	SATA cable C240M6 (2U)
CBL-SC-MR12GM5	Super Cap cable for UCSC-RAID-M5 for C220 M5 Servers
CBL-SC-MR12GM5=	Super Cap cable for UCSC-RAID-M5 for C220 M5 Servers
CBL-SDSAS-240M6	CBL C240M6X (2U24) MB CPU1(NVMe-A) to PISMO BEACH PLUS
CBL-SDSAS-240M6=	CBL C240M6X (2U24) MB CPU1(NVMe-A) to PISMO BEACH PLUS
R2XX-DMYMPWRCORD	No power cord option
R2XX-SLED2-G2	Gen 2 Sled for 2.5-inch HDD
R2XX-SLED2-G2=	Gen 2 Sled for 2.5-inch HDD
UCSB-CABL-C19-BRZ	NBR 14136 to C19 AC 14FT POWER CORD, BRAZIL
UCSB-CABL-C19-BRZ=	NBR 14136 to C19 AC 14FT POWER CORD, BRAZIL
UCSB-PWRM-DC48	48V DC Power Input Module for UCS 5108
UCSB-PWRM-DC48=	48V DC Power Input Module for UCS 5108
UCSB-VIC-M84-4P=	Cisco UCS VIC 1480 MEZZ for B-Series
UCSC-9500-8E	Cisco 12G 9500-8e 12G SAS HBA for external JBOD attach
UCSC-9500-8E=	Cisco 12G 9500-8e 12G SAS HBA for external JBOD attach
UCSC-AD-C240M8	PCIE AIR DUCT FOR C240M8
UCSC-AD-C240M8=	PCIE AIR DUCT FOR C240M8
UCSC-ADGPU-240M6	C240M6 GPU Air Duct 2USFF/NVMe (for DW/FL only)
UCSC-ADGPU-240M6=	C240M6 GPU Air Duct 2USFF/NVMe (for DW/FL only)
UCSC-AD-M6L	PCIE Air Duct for C240M6
UCSC-AD-M6L=	PCIE Air Duct for C240M6
UCSC-AD-M6LGPU	LFF SKU PCIe Air Duct for Double-Wide GPU and A10 GPU
UCSC-AD-M6LGPU=	LFF SKU PCIe Air Duct for Double-Wide GPU and A10 GPU
UCSC-DVD-C240M6	DVD Kit 2Ux12 SFF
UCSC-DVD-C240M6=	DVD Kit 2Ux12 SFF
UCSC-GPU-A10	TESLA A10, PASSIVE, 150W, 24GB
UCSC-GPU-A10=	TESLA A10, PASSIVE, 150W, 24GB
UCSC-GPU-A100-80	TESLA A100, PASSIVE, 300W, 80GB
UCSC-GPU-A100-80=	TESLA A100, PASSIVE, 300W, 80GB
UCSC-GPU-A16	NVIDIA A16 PCIE 250W 4X16GB
UCSC-GPU-A16=	NVIDIA A16 PCIE 250W 4X16GB
UCSC-GPU-A30	TESLA A30, PASSIVE, 180W, 24GB

End-of-Sale Product Part Number	Product Description
UCSC-GPU-A30=	TESLA A30, PASSIVE, 180W, 24GB
UCSC-GPU-A40	TESLA A40 RTX, PASSIVE, 300W, 48GB
UCSC-GPU-A40=	TESLA A40 RTX, PASSIVE, 300W, 48GB
UCSC-GPU-L4M6	NVIDIA L4, 70W, 24GB, 1-slot HHHL GPU
UCSC-GPU-L4M6=	NVIDIA L4, 70W, 24GB, 1-slot HHHL GPU
UCSC-GPURKIT-C220	GPU Riser Bracket assy kit C220 / C225 1U
UCSC-GPURKIT-C220=	GPU Riser Bracket assy kit C220 / C225 1U
UCSC-GPU-T4-16	NVIDIA T4 PCIE 75W 16GB
UCSC-GPU-T4-16=	NVIDIA T4 PCIE 75W 16GB
UCSC-HBA-C125KIT=	UCS C125 9400-8i HBA kit
UCSC-HSHP-240M6	Heatsink for 2U SFF M6 PCIe SKU
UCSC-HSHP-240M6=	Heatsink for 2U SFF M6 PCIe SKU
UCSC-HSLP-C225M6	Heatsink for 1U/2U LFF/SFF GPU SKU
UCSC-HSLP-C225M6=	Heatsink for 1U/2U LFF/SFF GPU SKU
UCSC-HSLP-M6	Heatsink for 1U/2U LFF/SFF GPU SKU
UCSC-HSLP-M6=	Heatsink for 1U/2U LFF/SFF GPU SKU
UCSC-MPSTOM6L-KIT	C240M6L MID PLANE KIT 4x3.5" HDD
UCSC-MPSTOM6L-KIT=	C240M6L MID PLANE KIT 4x3.5" HDD
UCSC-MRAID12U5	Raid 5 Upgrade Key for MRAID12G
UCSC-MRAID12U5=	Raid 5 Upgrade Key for MRAID12G
UCSC-MRAIDR-220M5	Riser 3 to support (MRAID12G) for C220 M5 servers
UCSC-MRAIDR-220M5=	Riser 3 to support (MRAID12G) for C220 M5 servers
UCSC-M-V100-04ST	Cisco UCS VIC 1477 dual port 40/100G QSFP28 mLOM
UCSC-M-V25-04ST	Cisco UCS VIC 1467 quad port 10/25G SFP28 mLOM
UCSC-OC3-KIT=	C2XX OCP 3.0 Interposer W/Mech Assy
UCSC-O-ID10GC	Intel X710T2LOCPV3G1L 2x10GbE RJ45 OCP3.0 NIC
UCSC-O-ID10GC=	Intel X710T2LOCPV3G1L 2x10GbE RJ45 OCP3.0 NIC
UCSC-O-N6CD100GF	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC
UCSC-O-N6CD100GF=	Cisco-NVDA MCX623436AC-CDAB CX6Dx 2x100G QSFP56 x16 OCP NIC
UCSC-O-N6CD25GF	Cisco-NVDA MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC
UCSC-O-N6CD25GF=	Cisco-NVDA MCX631432AC-ADAB CX6Lx 2x25G SFP28 x8 OCP NIC
UCSC-P-B7D32GF	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA
UCSC-P-B7D32GF=	Cisco-Emulex LPe35002-M2-2x32GFC Gen 7 PCIe HBA
UCSC-PCIE-BD16GF	Emulex LPe31002 dual port 16G FC HBA
UCSC-PCIE-BD16GF=	Emulex LPe31002 dual port 16G FC HBA

End-of-Sale Product Part Number	Product Description
UCSC-PCIE-C100-04	Cisco UCS VIC 1495 Dual Port 100G QSFP28 CNA PCIe
UCSC-PCIE-C100-04=	Cisco UCS VIC 1495 Dual Port 100G QSFP28 CNA PCIe Spare
UCSC-PCIE-C25Q-04	Cisco UCS VIC 1455 Quad Port 10/25G SFP28 CNA PCIe
UCSC-PCIE-C25Q-04=	Cisco UCS VIC 1455 Quad Port 10/25G SFP28 CNA PCIe
UCSC-PCIE-ID10GF	Intel X710-DA2 dual-port 10G SFP+ NIC
UCSC-PCIE-ID10GF=	Intel X710-DA2 dual-port 10G SFP+ NIC
UCSC-PCIE-ID40GF	Intel XL710 dual-port 40G QSFP+ NIC
UCSC-PCIE-ID40GF=	Intel XL710 dual-port 40G QSFP+ NIC
UCSC-PCIE-IQ10GF	Intel X710 quad-port 10G SFP+ NIC
UCSC-PCIE-IQ10GF=	Intel X710 quad-port 10G SFP+ NIC
UCSC-PCIE-IRJ45	Intel i350 Quad Port 1Gb Adapter
UCSC-PCIE-IRJ45=	Intel i350 Quad Port 1Gb Adapter
UCSC-PCIE-QD16GF	Qlogic QLE2692 dual-port 16G FC HBA
UCSC-PCIE-QD16GF=	Qlogic QLE2692 dual-port 16G FC HBA
UCSC-P-I8D100GF	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC
UCSC-P-I8D100GF=	Cisco - Intel E810CQDA2 2x100 GbE QSFP28 PCIe NIC
UCSC-P-I8D25GF	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC
UCSC-P-I8D25GF=	Cisco - Intel E810XXVDA2 2x25/10 GbE SFP PCIe NIC
UCSC-P-I8Q25GF	Cisco-Intel E810XXVDA4L 4x25/10 GbE SFP28 PCIe NIC
UCSC-P-I8Q25GF=	Cisco-Intel E810XXVDA4L 4x25/10 GbE SFP28 PCIe NIC
UCSC-P-ID10GC	Cisco-Intel X710T2LG 2x10 GbE RJ45 PCIe NIC
UCSC-P-ID10GC=	Cisco-Intel X710T2LG 2x10 GbE RJ45 PCIe NIC
UCSC-P-IQ10GC	Cisco-Intel X710T4LG 4x10 GbE RJ45 PCIe NIC
UCSC-P-IQ10GC=	Cisco-Intel X710T4LG 4x10 GbE RJ45 PCIe NIC
UCSC-P-IQAT8970	Cisco - Intel 8970 QAT Offload PCIe Adapter
UCSC-P-IQAT8970=	Cisco - Intel 8970 QAT Offload PCIe Adapter
UCSC-P-M6CD100GF	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC
UCSC-P-M6CD100GF=	Cisco-MLNX MCX623106AC-CDAT 2x100GbE QSFP56 PCIe NIC
UCSC-P-M6DD100GF	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC
UCSC-P-M6DD100GF=	Cisco-MLNX MCX623106AS-CDAT 2x100GbE QSFP56 PCIe NIC
UCSC-P-N6D25GF	Cisco-NVDA MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC
UCSC-P-N6D25GF=	Cisco-NVDA MCX631102AS-ADAT CX6Lx 2x25GbE SFP28 x8 PCIe NIC
UCSC-P-Q6D32GF	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA
UCSC-P-Q6D32GF=	Cisco-QLogic QLE2772 2x32GFC Gen 6 Enhanced PCIe HBA
UCSC-PSUV21050D6I=	VOID, NOT USED

End-of-Sale Product Part Number	Product Description
UCS-CPU-I5318S	Intel 5318S 2.1GHz/165W 24C/36MB DDR4 2933MHz
UCS-CPU-I5318S=	Intel 5318S 2.1GHz/165W 24C/36MB DDR4 2933MHz
UCS-CPU-I5318SC=	DSITI: Intel 5318S 2.1GHz/165W 24C/36MB DDR4 2933MHz
UCS-CPU-I6354	Intel 6354 3.0GHz/205W 18C/39MB DDR4 3200MHz
UCS-CPU-I6354=	Intel 6354 3.0GHz/205W 18C/39MB DDR4 3200MHz
UCS-CPU-I6354C=	DISTI: Intel 6354 3.0GHz/205W 18C/39MB DDR4 3200MHz
UCS-CPU-I8352M	Intel 8352M 2.3GHz/185W 32C/48MB DDR4 3200MHz
UCS-CPU-I8352M=	Intel 8352M 2.3GHz/185W 32C/48MB DDR4 3200MHz
UCS-CPU-I8352MC=	DISTI: Intel 8352M 2.3GHz/185W 32C/48MB DDR4 3200MHz
UCS-CPU-I8352S	Intel 8352S 2.2GHz/205W 32C/48MB DDR4 3200MHz
UCS-CPU-I8352S=	Intel 8352S 2.2GHz/205W 32C/48MB DDR4 3200MHz
UCS-CPU-I8352SC=	DSITI: Intel 8352S 2.2GHz/205W 32C/48MB DDR4 3200MHz
UCS-CPU-I8352V	Intel 8352V 2.1GHz/195W 36C/54M DDR4 2933MHz
UCS-CPU-I8352V=	Intel 8352V 2.1GHz/195W 36C/54M DDR4 2933MHz
UCS-CPU-I8352VC=	DSITI: Intel 8352V 2.1GHz/195W 36C/54M DDR4 2933MHz
UCS-CPU-I8352Y	Intel 8352Y 2.2GHz/205W 32C/48MB DDR4 3200MHz
UCS-CPU-I8352Y=	Intel 8352Y 2.2GHz/205W 32C/48MB DDR4 3200MHz
UCS-CPU-I8352YC=	DISTI: Intel 8352Y 2.2GHz/205W 32C/48MB DDR4 3200MHz
UCS-CPU-I8358P	Intel 8358P 2.6GHz/240W 32C/48MB DDR4 3200MHz
UCS-CPU-I8358P=	Intel 8358P 2.6GHz/240W 32C/48MB DDR4 3200MHz
UCS-CPU-I8358PC=	DSITI: Intel 8358P 2.6GHz/240W 32C/48MB DDR4 3200MHz
UCS-CPU-I8368	Intel 8368 2.4GHz/270W 38C/57MB DDR4 3200MHz
UCS-CPU-I8368=	Intel 8368 2.4GHz/270W 38C/57MB DDR4 3200MHz
UCS-CPU-I8368C=	DISTI: Intel 8368 2.4GHz/270W 38C/57MB DDR4 3200MHz
UCS-CPU-I8380	Intel 8380 2.3GHz/270W 40C/60MB DDR4 3200MHz
UCS-CPU-I8380=	Intel 8380 2.3GHz/270W 40C/60MB DDR4 3200MHz
UCS-CPU-I8380C=	DISTI: Intel 8380 2.3GHz/270W 40C/60MB DDR4 3200MHz
UCSC-R2R3-C220M6	C220 / C225 M6 UCSC -HH Riser2 and Riser 3 KIT
UCSC-R2R3-C220M6=	C220 / C225 M6 UCSC -HH Riser2 and Riser 3 KIT
UCSC-RIS1-C220M6	Riser 1 for C220 M6
UCSC-RIS1-C220M6=	Riser 1 for C220 M6
UCSC-RSASEN-240M5X	C240M5SX Rear SAS/SATA CBL Kit Future Use, Factory Enable
UCSC-RVBFE-245M8	UCS C-Series M8 2U Baffle
UCSC-RVBFE-245M8=	UCS C-Series M8 2U Baffle
UCSC-SATAIN-220M6	C220M6 SATA Interposer board (1U)

End-of-Sale Product Part Number	Product Description
UCSC-SATAIN-220M6=	C220M6 SATA Interposer board (1U)
UCSC-SATAIN-240M6	C240M6 SATA Interposer board (2U)
UCSC-SATAIN-240M6=	C240M6 SATA Interposer board (2U)
UCS-MOD	UCS Modernization Promotional Bundle - Pre-Approval Needed
UCSS-S3260-DRP	UCS S3260 for Comcast deal
UCS-TPM-002D	TPM 2.0 TCG FIPS140-2 CC+ Cert M6 Intel MSW2022 Compliant
UCS-TPM-002D=	TPM 2.0 TCG FIPS140-2 CC+ Cert M6 Intel MSW2022 Compliant
UCS-TPM2-002D	TPM 2.0 FIPS 140-2 MSW2022 compliant AMD M6 servers
UCS-TPM2-002D=	TPM 2.0 FIPS 140-2 MSW2022 compliant AMD M6 servers
UCSX-TPM-002C	TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for M6 servers
UCSX-TPM-002C=	TPM 2.0, TCG, FIPS140-2, CC EAL4+ Certified, for M6 servers
UCSX-TPM2-002B-C	Trusted Platform Module2.0 UCS servers(FIPS 140-2 Compliant)
UCSX-TPM2-002B-C=	Trusted Platform Module2.0 UCS servers(FIPS 140-2 Compliant)
UCSX-V4-D100GML	UCS VIC 14200 2x100G mLOM for X Compute Node
UCSX-V4-D100GML=	UCS VIC 14200 2x100G mLOM for X Compute Node

Product migration options

There is no replacement available for the Cisco Select UCS accessories at this time.

The Cisco Takeback and Recycle program helps businesses properly dispose of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to:

<https://www.cisco.com/c/en/us/about/takeback-and-reuse/product-recycling.html>.

For more information

For more information about the Cisco End-of-Life Policy, go to: <https://www.cisco.com/c/en/us/products/eos-eol-policy.html>.

For more information about the Cisco Product Warranties, go to: <https://www.cisco.com/c/en/us/products/warranty-listing.html>.

To subscribe to receive end-of-life/end-of-sale information, go to: <https://cway.cisco.com/mynotifications>.

Any authorized translation issued by Cisco Systems or affiliates of this end-of-life Product Bulletin is intended to help customers understand the content described in the English version. This translation is the result of a commercially reasonable effort; however, if there are discrepancies between the English version and the translated document, please refer to the English version, which is considered authoritative.

Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at <https://www.cisco.com/go/offices>.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)