

End-of-Sale and End-of-Life Announcement for the Cisco Select UCS and HCI accessories



Contents

Overview	3
End-of-life milestones	3
Product part numbers	3
Product Migration Options	13
For more information	13

Overview

EOL15841

Cisco announces the end-of-sale and end-of-life dates for the Cisco Select UCS and HCI accessories. The last day to order the affected product(s) is April 30, 2026. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available under the terms and conditions of customers' service contract.

End-of-life milestones

Table 1. End-of-life milestones and dates for the Cisco Select UCS and HCI accessories

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end-of-sale and end-of-life of a product is distributed to the general public.	February 9, 2026
End-of-Sale Date Accessory	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	April 30, 2026
Last Ship Date Accessory	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	July 30, 2026

Product part numbers

Table 2. Product part numbers affected by this announcement

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
HCI-CPU-I5412U	Intel I5412U 2.1GHz/185W 24C/45MB DDR5 4400MT/s	HCI-CPU-I5411N	Intel I5411N 1.9GHz/165W 24C/45MB DDR5 4400MT/s	-
HCI-CPU-I5412U=	Intel I5412U 2.1GHz/185W 24C/45MB DDR5 4400MT/s	HCI-CPU-I5411N=	Intel I5411N 1.9GHz/165W 24C/45MB DDR5 4400MT/s	-
HCI-CPU-I6414U	Intel I6414U 2GHz/250W 32C/60MB DDR5 4800MT/s	HCI-CPU-I6421N	Intel I6421N 1.8GHz/185W 32C/60MB DDR5 4400MT/s	-
HCI-CPU-I6414U=	Intel I6414U 2GHz/250W 32C/60MB DDR5 4800MT/s	HCI-CPU-I6421N=	Intel I6421N 1.8GHz/185W 32C/60MB DDR5 4400MT/s	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
HCI-CPU-I6434	Intel I6434 3.7GHz/195W 8C/22.5MB DDR5 4800MT/s	HCI-CPU-I6434H	Intel I6434H 3.7GHz/195W 8C/22.5MB DDR5 4800MT/s	-
HCI-CPU-I6434=	Intel I6434 3.7GHz/195W 8C/22.5MB DDR5 4800MT/s	HCI-CPU-I6434H=	Intel I6434H 3.7GHz/195W 8C/22.5MB DDR5 4800MT/s	-
HCI-CPU-I6438M	Intel I6438M 2.2GHz/205W 32C/60MB DDR5 4800MT/s	HCI-CPU-I6438N	Intel I6438N 2GHz/205W 32C/60MB DDR5 4800MT/s	-
HCI-CPU-I6438M=	Intel I6438M 2.2GHz/205W 32C/60MB DDR5 4800MT/s	HCI-CPU-I6438N=	Intel I6438N 2GHz/205W 32C/60MB DDR5 4800MT/s	-
HCI-CPU-I6438Y+	Intel I6438Y+ 2GHz/205W 32C/60MB DDR5 4800MT/s	HCI-CPU-I6448Y	Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
HCI-CPU-I6438Y+=	Intel I6438Y+ 2GHz/205W 32C/60MB DDR5 4800MT/s	HCI-CPU-I6448Y=	Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
HCI-CPU-I6454S	Intel I6454S 2.2GHz/270W 32C/60MB DDR5 4800MT/s	HCI-CPU-I6448Y	Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
HCI-CPU-I6454S=	Intel I6454S 2.2GHz/270W 32C/60MB DDR5 4800MT/s	HCI-CPU-I6448Y=	Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
HCI-CPU-I8460Y+	Intel I8460Y+ 2GHz/300W 40C/105MB DDR5 4800MT/s	HCI-CPU-I8458P	Intel I8458P 2.7GHz/350W 44C/82.5MB DDR5 4800MT/s	-
HCI-CPU-I8460Y+=	Intel I8460Y+ 2GHz/300W 40C/105MB DDR5 4800MT/s	HCI-CPU-I8458P=	Intel I8458P 2.7GHz/350W 44C/82.5MB DDR5 4800MT/s	-
HCI-CPU-I8461V	Intel I8461V 2.2GHz/300W 48C/97.5MB DDR5 4800MT/s	HCI-CPU-I8468V	Intel I8468V 2.4GHz/330W 48C/97.5MB DDR5 4800MT/s	-
HCI-CPU-I8461V=	Intel I8461V 2.2GHz/300W 48C/97.5MB DDR5 4800MT/s	HCI-CPU-I8468V=	Intel I8468V 2.4GHz/330W 48C/97.5MB DDR5 4800MT/s	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
HCI-CPU-I8468	Intel I8468 2.1GHz/350W 48C/105MB DDR5 4800MT/s	HCI-CPU-I8468H	Intel I8468H 2.1GHz/330W 48C/105MB DDR5 4800MT/s	-
HCI-CPU-I8468=	Intel I8468 2.1GHz/350W 48C/105MB DDR5 4800MT/s	HCI-CPU-I8468H=	Intel I8468H 2.1GHz/330W 48C/105MB DDR5 4800MT/s	-
HCIX-CPU-I5412U	Intel I5412U 2.1GHz/185W 24C/45MB DDR5 4400MT/s	HCIX-CPU-I5411N	Intel I5411N 1.9GHz/165W 24C/45MB DDR5 4400MT/s	-
HCIX-CPU-I5412U=	Intel I5412U 2.1GHz/185W 24C/45MB DDR5 4400MT/s	HCIX-CPU-I5411N=	Intel I5411N 1.9GHz/165W 24C/45MB DDR5 4400MT/s	-
HCIX-CPU-I6414U	Intel I6414U 2GHz/250W 32C/60MB DDR5 4800MT/s	HCIX-CPU-I6421N	Intel I6421N 1.8GHz/185W 32C/60MB DDR5 4400MT/s	-
HCIX-CPU-I6414U=	Intel I6414U 2GHz/250W 32C/60MB DDR5 4800MT/s	HCIX-CPU-I6421N=	Intel I6421N 1.8GHz/185W 32C/60MB DDR5 4400MT/s	-
HCIX-CPU-I6434	Intel I6434 3.7GHz/195W 8C/22.5MB DDR5 4800MT/s	HCIX-CPU-I6434H	Intel I6434H 3.7GHz/195W 8C/22.5MB DDR5 4800MT/s	-
HCIX-CPU-I6434=	Intel I6434 3.7GHz/195W 8C/22.5MB DDR5 4800MT/s	HCIX-CPU-I6434H=	Intel I6434H 3.7GHz/195W 8C/22.5MB DDR5 4800MT/s	-
HCIX-CPU-I6438M	Intel I6438M 2.2GHz/205W 32C/60MB DDR5 4800MT/s	HCIX-CPU-I6438N	Intel I6438N 2GHz/205W 32C/60MB DDR5 4800MT/s	-
HCIX-CPU-I6438M=	Intel I6438M 2.2GHz/205W 32C/60MB DDR5 4800MT/s	HCIX-CPU-I6438N=	Intel I6438N 2GHz/205W 32C/60MB DDR5 4800MT/s	-
HCIX-CPU-I6438Y+	Intel I6438Y+ 2GHz/205W 32C/60MB DDR5 4800MT/s	HCIX-CPU-I6448Y	Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
HCIX-CPU-I6438Y+=	Intel I6438Y+ 2GHz/205W 32C/60MB DDR5 4800MT/s	HCIX-CPU-I6448Y=	Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
HCIX-CPU-I6454S	Intel I6454S 2.2GHz/270W 32C/60MB DDR5 4800MT/s	HCIX-CPU-I6448Y	Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
HCIX-CPU-I6454S=	Intel I6454S 2.2GHz/270W 32C/60MB	HCIX-CPU-I6448Y=	Intel I6448Y 2.1GHz/225W 32C/60MB	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
	DDR5 4800MT/s		DDR5 4800MT/s	
HCIX-CPU-I8460Y+	Intel I8460Y+ 2GHz/300W 40C/105MB DDR5 4800MT/s	HCIX-CPU-I8458P	Intel I8458P 2.7GHz/350W 44C/82.5MB DDR5 4800MT/s	-
HCIX-CPU-I8460Y+=	Intel I8460Y+ 2GHz/300W 40C/105MB DDR5 4800MT/s	HCIX-CPU-I8458P=	Intel I8458P 2.7GHz/350W 44C/82.5MB DDR5 4800MT/s	-
HCIX-CPU-I8461V	Intel I8461V 2.2GHz/300W 48C/97.5MB DDR5 4800MT/s	HCIX-CPU-I8468V	Intel I8468V 2.4GHz/330W 48C/97.5MB DDR5 4800MT/s	-
HCIX-CPU-I8461V=	Intel I8461V 2.2GHz/300W 48C/97.5MB DDR5 4800MT/s	HCIX-CPU-I8468V=	Intel I8468V 2.4GHz/330W 48C/97.5MB DDR5 4800MT/s	-
HCIX-CPU-I8468	Intel I8468 2.1GHz/350W 48C/105MB DDR5 4800MT/s	HCIX-CPU-I8468H	Intel I8468H 2.1GHz/330W 48C/105MB DDR5 4800MT/s	-
HCIX-CPU-I8468=	Intel I8468 2.1GHz/350W 48C/105MB DDR5 4800MT/s	HCIX-CPU-I8468H=	Intel I8468H 2.1GHz/330W 48C/105MB DDR5 4800MT/s	-
UCS-CPU-I5412U	Intel I5412U 2.1GHz/185W 24C/45MB DDR5 4400MT/s	UCS-CPU-I5411N	Intel I5411N 1.9GHz/165W 24C/45MB DDR5 4400MT/s	-
UCS-CPU-I5412U=	Intel I5412U 2.1GHz/185W 24C/45MB DDR5 4400MT/s	UCS-CPU-I5411N=	Intel I5411N 1.9GHz/165W 24C/45MB DDR5 4400MT/s	-
UCS-CPU-I5412UC=	DIST1: Intel I5412U 2.1GHz/185W 24C/45MB DDR5 4400MT/s	UCS-CPU-I5411NC=	DIST1: Intel I5411N 1.9GHz/165W 24C/45MB DDR5 4400MT/s	-
UCS-CPU-I6414U	Intel I6414U 2GHz/250W 32C/60MB DDR5 4800MT/s	UCS-CPU-I6421N	Intel I6421N 1.8GHz/185W 32C/60MB DDR5 4400MT/s	-
UCS-CPU-I6414U=	Intel I6414U 2GHz/250W 32C/60MB DDR5 4800MT/s	UCS-CPU-I6421N=	Intel I6421N 1.8GHz/185W 32C/60MB DDR5 4400MT/s	-
UCS-CPU-I6414UC=	DIST1: Intel I6414U 2GHz/250W 32C/60MB DDR5 4800MT/s	UCS-CPU-I6421NC=	DIST1: Intel I6421N 1.8GHz/185W 32C/60MB DDR5 4400MT/s	-
UCS-CPU-I6434	Intel I6434 3.7GHz/195W 8C/22.5MB DDR5	UCS-CPU-I6434H	Intel I6434H 3.7GHz/195W	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
	4800MT/s		8C/22.5MB DDR5 4800MT/s	
UCS-CPU-I6434=	Intel I6434 3.7GHz/195W 8C/22.5MB DDR5 4800MT/s	UCS-CPU-I6434H=	Intel I6434H 3.7GHz/195W 8C/22.5MB DDR5 4800MT/s	-
UCS-CPU-I6434C=	DISTl: Intel I6434 3.7GHz/195W 8C/22.5MB DDR5 4800MT/s	UCS-CPU-I6434HC=	DISTl: Intel I6434H 3.7GHz/195W 8C/22.5MB DDR5 4800MT/s	-
UCS-CPU-I6438M	Intel I6438M 2.2GHz/205W 32C/60MB DDR5 4800MT/s	UCS-CPU-I6438N	Intel I6438N 2GHz/205W 32C/60MB DDR5 4800MT/s	-
UCS-CPU-I6438M=	Intel I6438M 2.2GHz/205W 32C/60MB DDR5 4800MT/s	UCS-CPU-I6438N=	Intel I6438N 2GHz/205W 32C/60MB DDR5 4800MT/s	-
UCS-CPU-I6438MC=	DISTl: Intel I6438M 2.2GHz/205W 32C/60MB DDR5 4800MT/s	UCS-CPU-I6438NC=	DISTl: Intel I6438N 2GHz/205W 32C/60MB DDR5 4800MT/s	-
UCS-CPU-I6438Y+	Intel I6438Y+ 2GHz/205W 32C/60MB DDR5 4800MT/s	UCS-CPU-I6448Y	Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
UCS-CPU-I6438Y+=	Intel I6438Y+ 2GHz/205W 32C/60MB DDR5 4800MT/s	UCS-CPU-I6448Y=	Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
UCS-CPU-I6438Y+C=	DISTl: Intel I6438Y+ 2GHz/205W 32C/60MB DDR5 4800MT/s	UCS-CPU-I6448YC=	DISTl: Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
UCS-CPU-I6454S	Intel I6454S 2.2GHz/270W 32C/60MB DDR5 4800MT/s	UCS-CPU-I6448Y	Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
UCS-CPU-I6454S=	Intel I6454S 2.2GHz/270W 32C/60MB DDR5 4800MT/s	UCS-CPU-I6448Y=	Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
UCS-CPU-I6454SC=	DISTl: Intel I6454S 2.2GHz/270W 32C/60MB DDR5 4800MT/s	UCS-CPU-I6448YC=	DISTl: Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
UCS-CPU-I8460Y+	Intel I8460Y+ 2GHz/300W 40C/105MB DDR5 4800MT/s	UCS-CPU-I8458P	Intel I8458P 2.7GHz/350W 44C/82.5MB DDR5 4800MT/s	-
UCS-CPU-I8460Y+=	Intel I8460Y+ 2GHz/300W 40C/105MB DDR5 4800MT/s	UCS-CPU-I8458P=	Intel I8458P 2.7GHz/350W 44C/82.5MB DDR5 4800MT/s	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
UCS-CPU-I8460Y+C=	DISTI: Intel I8460Y+ 2GHz/300W 40C/105MB DDR5 4800MT/s	UCS-CPU-I8458PC=	DISTI: Intel I8458P 2.7GHz/350W 44C/82.5MB DDR5 4800MT/s	-
UCS-CPU-I8461V	Intel I8461V 2.2GHz/300W 48C/97.5MB DDR5 4800MT/s	UCS-CPU-I8468V	Intel I8468V 2.4GHz/330W 48C/97.5MB DDR5 4800MT/s	-
UCS-CPU-I8461V=	Intel I8461V 2.2GHz/300W 48C/97.5MB DDR5 4800MT/s	UCS-CPU-I8468V=	Intel I8468V 2.4GHz/330W 48C/97.5MB DDR5 4800MT/s	-
UCS-CPU-I8461VC=	DISTI: Intel I8461V 2.2GHz/300W 48C/97.5MB DDR5 4800MT/s	UCS-CPU-I8468VC=	DISTI: Intel I8468V 2.4GHz/330W 48C/97.5MB DDR5 4800MT/s	-
UCS-CPU-I8468	Intel I8468 2.1GHz/350W 48C/105MB DDR5 4800MT/s	UCS-CPU-I8468H	Intel I8468H 2.1GHz/330W 48C/105MB DDR5 4800MT/s	-
UCS-CPU-I8468=	Intel I8468 2.1GHz/350W 48C/105MB DDR5 4800MT/s	UCS-CPU-I8468H=	Intel I8468H 2.1GHz/330W 48C/105MB DDR5 4800MT/s	-
UCS-CPU-I8468C=	DISTI: Intel I8468 2.1GHz/350W 48C/105MB DDR5 4800MT/s	UCS-CPU-I8468HC=	DISTI: Intel I8468H 2.1GHz/330W 48C/105MB DDR5 4800MT/s	-
UCSX-CPU-I5412U	Intel I5412U 2.1GHz/185W 24C/45MB DDR5 4400MT/s	UCSX-CPU-I5411N	Intel I5411N 1.9GHz/165W 24C/45MB DDR5 4400MT/s	-
UCSX-CPU-I5412U=	Intel I5412U 2.1GHz/185W 24C/45MB DDR5 4400MT/s	UCSX-CPU-I5411N=	Intel I5411N 1.9GHz/165W 24C/45MB DDR5 4400MT/s	-
UCSX-CPU-I5412UC=	DISTI: Intel I5412U 2.1GHz/185W 24C/45MB DDR5 4400MT/s	UCSX-CPU-I5411NC=	DISTI: Intel I5411N 1.9GHz/165W 24C/45MB DDR5 4400MT/s	-
UCSX-CPU-I6414U	Intel I6414U 2GHz/250W 32C/60MB DDR5 4800MT/s	UCSX-CPU-I6421N	Intel I6421N 1.8GHz/185W 32C/60MB DDR5 4400MT/s	-
UCSX-CPU-I6414U=	Intel I6414U 2GHz/250W 32C/60MB DDR5 4800MT/s	UCSX-CPU-I6421N=	Intel I6421N 1.8GHz/185W 32C/60MB DDR5 4400MT/s	-
UCSX-CPU-I6414UC=	DISTI: Intel I6414U 2GHz/250W 32C/60MB	UCSX-CPU-I6421NC=	DISTI: Intel I6421N 1.8GHz/185W 32C/60MB	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
	DDR5 4800MT/s		DDR5 4400MT/s	
UCSX-CPU-I6434	Intel I6434 3.7GHz/195W 8C/22.5MB DDR5 4800MT/s	UCSX-CPU-I6434H	Intel I6434H 3.7GHz/195W 8C/22.5MB DDR5 4800MT/s	-
UCSX-CPU-I6434=	Intel I6434 3.7GHz/195W 8C/22.5MB DDR5 4800MT/s	UCSX-CPU-I6434H=	Intel I6434H 3.7GHz/195W 8C/22.5MB DDR5 4800MT/s	-
UCSX-CPU-I6434C=	DIST1: Intel I6434 3.7GHz/195W 8C/22.5MB DDR5 4800MT/s	UCSX-CPU-I6434HC=	DIST1: Intel I6434H 3.7GHz/195W 8C/22.5MB DDR5 4800MT/s	-
UCSX-CPU-I6438M	Intel I6438M 2.2GHz/205W 32C/60MB DDR5 4800MT/s	UCSX-CPU-I6438N	Intel I6438N 2GHz/205W 32C/60MB DDR5 4800MT/s	-
UCSX-CPU-I6438M=	Intel I6438M 2.2GHz/205W 32C/60MB DDR5 4800MT/s	UCSX-CPU-I6438N=	Intel I6438N 2GHz/205W 32C/60MB DDR5 4800MT/s	-
UCSX-CPU-I6438MC=	DIST1: Intel I6438M 2.2GHz/205W 32C/60MB DDR5 4800MT/s	UCSX-CPU-I6438NC=	DIST1: Intel I6438N 2GHz/205W 32C/60MB DDR5 4800MT/s	-
UCSX-CPU-I6438Y+	Intel I6438Y+ 2GHz/205W 32C/60MB DDR5 4800MT/s	UCSX-CPU-I6448Y	Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
UCSX-CPU-I6438Y+=	Intel I6438Y+ 2GHz/205W 32C/60MB DDR5 4800MT/s	UCSX-CPU-I6448Y=	Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
UCSX-CPU-I6438Y+C=	DIST1: Intel I6438Y+ 2GHz/205W 32C/60MB DDR5 4800MT/s	UCSX-CPU-I6448YC=	DIST1: Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
UCSX-CPU-I6454S	Intel I6454S 2.2GHz/270W 32C/60MB DDR5 4800MT/s	UCSX-CPU-I6448Y	Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
UCSX-CPU-I6454S=	Intel I6454S 2.2GHz/270W 32C/60MB DDR5 4800MT/s	UCSX-CPU-I6448Y=	Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
UCSX-CPU-I6454SC=	DIST1: Intel I6454S 2.2GHz/270W 32C/60MB DDR5 4800MT/s	UCSX-CPU-I6448YC=	DIST1: Intel I6448Y 2.1GHz/225W 32C/60MB DDR5 4800MT/s	-
UCSX-CPU-I8460Y+	Intel I8460Y+ 2GHz/300W 40C/105MB DDR5 4800MT/s	UCSX-CPU-I8458P	Intel I8458P 2.7GHz/350W 44C/82.5MB DDR5 4800MT/s	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
UCSX-CPU-I8460Y+=	Intel I8460Y+ 2GHz/300W 40C/105MB DDR5 4800MT/s	UCSX-CPU-I8458P=	Intel I8458P 2.7GHz/350W 44C/82.5MB DDR5 4800MT/s	-
UCSX-CPU-I8460Y+C=	DISTl: Intel I8460Y+ 2GHz/300W 40C/105MB DDR5 4800MT/s	UCSX-CPU-I8458PC=	DISTl: Intel I8458P 2.7GHz/350W 44C/82.5MB DDR5 4800MT/s	-
UCSX-CPU-I8461V	Intel I8461V 2.2GHz/300W 48C/97.5MB DDR5 4800MT/s	UCSX-CPU-I8468V	Intel I8468V 2.4GHz/330W 48C/97.5MB DDR5 4800MT/s	-
UCSX-CPU-I8461V=	Intel I8461V 2.2GHz/300W 48C/97.5MB DDR5 4800MT/s	UCSX-CPU-I8468V=	Intel I8468V 2.4GHz/330W 48C/97.5MB DDR5 4800MT/s	-
UCSX-CPU-I8461VC=	DISTl: Intel I8461V 2.2GHz/300W 48C/97.5MB DDR5 4800MT/s	UCSX-CPU-I8468VC=	DISTl: Intel I8468V 2.4GHz/330W 48C/97.5MB DDR5 4800MT/s	-
UCSX-CPU-I8468	Intel I8468 2.1GHz/350W 48C/105MB DDR5 4800MT/s	UCSX-CPU-I8468H	Intel I8468H 2.1GHz/330W 48C/105MB DDR5 4800MT/s	-
UCSX-CPU-I8468=	Intel I8468 2.1GHz/350W 48C/105MB DDR5 4800MT/s	UCSX-CPU-I8468H=	Intel I8468H 2.1GHz/330W 48C/105MB DDR5 4800MT/s	-
UCSX-CPU-I8468C=	DISTl: Intel I8468 2.1GHz/350W 48C/105MB DDR5 4800MT/s	UCSX-CPU-I8468HC=	DISTl: Intel I8468H 2.1GHz/330W 48C/105MB DDR5 4800MT/s	-
HCI-HDL20TW1S74K	20TB 3.5in 12G SAS 7.2K RPM 4K WD HDD	There is currently no migration product available for this product.	-	-
HCI-HDL20TW1S74K=	20TB 3.5in 12G SAS 7.2K RPM 4K WD HDD	There is currently no migration product available for this product.	-	-
HCI-HDM20TW1S74K	20TB 3.5in 12G SAS 7.2K RPM 4K Mid Plane WD HDD	There is currently no migration product available for this product.	-	-
HCI-HDM20TW1S74K=	20TB 3.5in 12G SAS 7.2K RPM 4K Mid Plane WD	There is currently no migration	-	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
	HDD	product available for this product.		
HCI-HDM20TT1S74K=	20TB 3.5in 12G SAS 7.2K RPM 4K Mid Plane Toshiba HDD	There is currently no migration product available for this product.	-	-
HCI-HDM20TT1S74K	20TB 3.5in 12G SAS 7.2K RPM 4K Mid Plane Toshiba HDD	There is currently no migration product available for this product.	-	-
HCI-HDL20TT1S74K	20TB 3.5in 12G SAS 7.2K RPM 4K Toshiba HDD	There is currently no migration product available for this product.	-	-
HCI-HDL20TT1S74K=	20TB 3.5in 12G SAS 7.2K RPM 4K Toshiba HDD	There is currently no migration product available for this product.	-	-
HCI-HDM16TT1S74K=	16TB 3.5in 12G SAS 7.2K RPM 4K Mid Plane Toshiba HDD	There is currently no migration product available for this product.	-	-
HCI-HDL16TT1S74K	16TB 3.5in 12G SAS 7.2K RPM 4K Toshiba HDD	There is currently no migration product available for this product.	-	-
HCI-HDL16TT1S74K=	16TB 3.5in 12G SAS 7.2K RPM 4K Toshiba HDD	There is currently no migration product available for this product.	-	-
HCI-HDM16TT1S74K	16TB 3.5in 12G SAS 7.2K RPM 4K Mid Plane Toshiba HDD	There is currently no migration product available for this product.	-	-
HCI-NVMEG4-M1920	1.9TB 2.5in U.3 15mm P7450 Hg Perf Med End NVMe	HCI-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	-
HCI-NVMEG4-M1920=	1.9TB 2.5in U.3 15mm P7450 Hg Perf Med End NVMe	HCI-NVB1T9M2V=	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	-
HCIX-NVMEG4-M1920	1.9TB 2.5in U.3 15mm P7450 Hg Perf Med End NVMe	HCIX-NVB1T9M2V	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	-
HCIX-NVMEG4-M1920=	1.9TB 2.5in U.3 15mm P7450 Hg Perf Med End	HCIX-NVB1T9M2V=	1.9TB 2.5in U.3 15mm Micron 7500 Hg Perf Med	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
	NVMe		End 1X NVMe	
HCI-NVMEG4-M3840	3.8TB 2.5in U.3 15mm P7450 Hg Perf Med End NVMe	HCI-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	-
HCI-NVMEG4-M3840=	3.8TB 2.5in U.3 15mm P7450 Hg Perf Med End NVMe	HCI-NVB3T8M2V=	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	-
HCIX-NVMEG4-M3840	3.8TB 2.5in U.3 15mm P7450 Hg Perf Med End NVMe	HCIX-NVB3T8M2V	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	-
HCIX-NVMEG4-M3840=	3.8TB 2.5in U.3 15mm P7450 Hg Perf Med End NVMe	HCIX-NVB3T8M2V=	3.8TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	-
HCI-NVMEG4-M1600	1.6TB 2.5in U.3 15mm P7450 Hg Perf Hg End NVMe (3X)	HCI-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	-
HCI-NVMEG4-M1600=	1.6TB 2.5in U.3 15mm P7450 Hg Perf Hg End NVMe (3X)	HCI-NVB1T6M2P=	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	-
HCIX-NVMEG4-M1600	1.6TB 2.5in U.3 15mm P7450 Hg Perf Hg End NVMe (3X)	HCIX-NVB1T6M2P	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	-
HCIX-NVMEG4-M1600=	1.6TB 2.5in U.3 15mm P7450 Hg Perf Hg End NVMe (3X)	HCIX-NVB1T6M2P=	1.6TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	-
HCI-NVMEG4-M3200=	3.2TB 2.5in U.3 15mm Micron P7450 Hg Perf Hg End NVMe (3X)	HCI-NVB3T2M2P=	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	-
HCI-NVMEG4-M3200	3.2TB 2.5in U.3 15mm Micron P7450 Hg Perf Hg End NVMe (3X)	HCI-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	-
HCIX-NVMEG4-M3200	3.2TB 2.5in U.3 15mm Micron P7450 Hg Perf Hg End NVMe (3X)	HCIX-NVB3T2M2P	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	-
HCIX-NVMEG4-M3200=	3.2TB 2.5in U.3 15mm Micron P7450 Hg Perf Hg End NVMe (3X)	HCIX-NVB3T2M2P=	3.2TB 2.5in U.3 15mm Micron 7500 Hg Perf Hg End 3X NVMe	-
HCI-NVMEG4-M1536	15.3TB 2.5in U.3 15mm P7450 Hg Perf Med End NVMe	HCI-NVB15T3M2V	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	-
HCI-NVMEG4-M1536=	15.3TB 2.5in U.3 15mm P7450 Hg Perf Med End NVMe	HCI-NVB15T3M2V=	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	-
HCIX-NVMEG4-	15.3TB 2.5in U.3 15mm	HCIX-	15.3TB 2.5in U.3 15mm	-

End-of-Sale Product Part Number	Product Description	Migration Product Part Number	Migration Product Description	Additional Information
M1536	P7450 Hg Perf Med End NVMe	NVB15T3M2V	Micron 7500 Hg Perf Med End 1X NVMe	
HCIX-NVMEG4-M1536=	15.3TB 2.5in U.3 15mm P7450 Hg Perf Med End NVMe	HCIX-NVB15T3M2V=	15.3TB 2.5in U.3 15mm Micron 7500 Hg Perf Med End 1X NVMe	-

Product Migration Options

The Cisco Takeback and Recycle program helps businesses properly dispose of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to:

<https://www.cisco.com/c/en/us/about/takeback-and-reuse/product-recycling.html>.

For more information

For more information about the Cisco End-of-Life Policy, go to: <https://www.cisco.com/c/en/us/products/eos-eol-policy.html>.

For more information about the Cisco Product Warranties, go to:

<https://www.cisco.com/c/en/us/products/warranty-listing.html>.

To subscribe to receive end-of-life/end-of-sale information, go to: <https://cway.cisco.com/mynotifications>.

Any authorized translation issued by Cisco Systems or affiliates of this end-of-life Product Bulletin is intended to help customers understand the content described in the English version. This translation is the result of a commercially reasonable effort; however, if there are discrepancies between the English version and the translated document, please refer to the English version, which is considered authoritative.

Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at <https://www.cisco.com/go/offices>.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)