

End-of-Sale and End-of-Life Announcement for the Cisco Select UCS Accessories

Contents

Overview	3
End-of-life milestones	3
Product part numbers	3
Product migration options	7
For more information	7

Overview

EOL15766

Cisco announces the end-of-sale and end-of-life dates for the Cisco Select UCS Accessories. The last day to order the affected product(s) is December 30, 2025. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available under the terms and conditions of customers' service contract.

End-of-life milestones

Table 1. End-of-life milestones and dates for the Cisco Select UCS Accessories

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end-of-sale and end-of-life of a product is distributed to the general public.	September 30, 2025
End-of-Sale Date Accessory	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	December 30, 2025
Last Ship Date Accessory	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	December 30, 2025

Product part numbers

Table 2. Product part numbers affected by this announcement

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
HCI-MRX16G1RE1	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	HCI-MRX16G1RE3	16GB DDR5-5600 RDIMM 1Rx8 (16Gb)	-
HCI-MRX16G1RE1=	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	HCI-MRX16G1RE3=	16GB DDR5-5600 RDIMM 1Rx8 (16Gb)	-
HCIX-MRX16G1RE1	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	HCIX-MRX16G1RE3	16GB DDR5-5600 RDIMM 1Rx8 (16Gb)	-
HCIX-MRX16G1RE1=	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	HCIX-MRX16G1RE3=	16GB DDR5-5600 RDIMM 1Rx8 (16Gb)	-
UCS-MRX16G1RE1	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	UCS-MRX16G1RE3	16GB DDR5-5600 RDIMM 1Rx8 (16Gb)	-
UCS-MRX16G1RE1=	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	UCS-MRX16G1RE3=	16GB DDR5-5600 RDIMM 1Rx8 (16Gb)	-
UCS-MRX16G1RE1M	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	UCS-MRX16G1RE3M	16GB DDR5-5600 RDIMM 1Rx8 (16Gb)	-

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
UCS-MRX16G1RE1M=	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	UCS-MRX16G1RE3M=	16GB DDR5-5600 RDIMM 1Rx8 (16Gb)	-
UCS-MRX16G1RE1S	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	UCS-MRX16G1RE3S	16GB DDR5-5600 RDIMM 1Rx8 (16Gb)	-
UCS-MRX16G1RE1S=	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	UCS-MRX16G1RE3S=	16GB DDR5-5600 RDIMM 1Rx8 (16Gb)	-
UCSX-MRX16G1RE1	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	UCSX-MRX16G1RE3	16GB DDR5-5600 RDIMM 1Rx8 (16Gb)	-
UCSX-MRX16G1RE1=	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	UCSX-MRX16G1RE3=	16GB DDR5-5600 RDIMM 1Rx8 (16Gb)	-
UCSX-MRX16G1RE1M	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	UCSX-MRX16G1RE3M	16GB DDR5-5600 RDIMM 1Rx8 (16Gb)	-
UCSX-MRX16G1RE1M=	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	UCSX-MRX16G1RE3M=	16GB DDR5-5600 RDIMM 1Rx8 (16Gb)	-
UCSX-MRX16G1RE1S	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	UCSX-MRX16G1RE3S	16GB DDR5-5600 RDIMM 1Rx8 (16Gb)	-
UCSX-MRX16G1RE1S=	16GB DDR5-4800 RDIMM 1Rx8 (16Gb)	UCSX-MRX16G1RE3S=	16GB DDR5-5600 RDIMM 1Rx8 (16Gb)	-
HCI-MRX32G1RE1	32GB DDR5-4800 RDIMM 1Rx4 (16Gb)	HCI-MRX32G1RE3	32GB DDR5-5600 RDIMM 1Rx4 (16Gb)	-
HCI-MRX32G1RE1=	32GB DDR5-4800 RDIMM 1Rx4 (16Gb)	HCI-MRX32G1RE3=	32GB DDR5-5600 RDIMM 1Rx4 (16Gb)	-
HCIX-MRX32G1RE1	32GB DDR5-4800 RDIMM 1Rx4 (16Gb)	HCIX-MRX32G1RE3	32GB DDR5-5600 RDIMM 1Rx4 (16Gb)	-
HCIX-MRX32G1RE1=	32GB DDR5-4800 RDIMM 1Rx4 (16Gb)	HCIX-MRX32G1RE3=	32GB DDR5-5600 RDIMM 1Rx4 (16Gb)	-
UCS-MRX32G1RE1	32GB DDR5-4800 RDIMM 1Rx4 (16Gb)	UCS-MRX32G1RE3	32GB DDR5-5600 RDIMM 1Rx4 (16Gb)	-
UCS-MRX32G1RE1=	32GB DDR5-4800 RDIMM 1Rx4 (16Gb)	UCS-MRX32G1RE3=	32GB DDR5-5600 RDIMM 1Rx4 (16Gb)	-
UCS-MRX32G1RE1M	32GB DDR5-4800 RDIMM 1Rx4 (16Gb)	UCS-MRX32G1RE3M	32GB DDR5-5600 RDIMM 1Rx4 (16Gb)	-
UCS-MRX32G1RE1M=	32GB DDR5-4800 RDIMM 1Rx4 (16Gb)	UCS-MRX32G1RE3M=	32GB DDR5-5600 RDIMM 1Rx4 (16Gb)	-
UCS-MRX32G1RE1S	32GB DDR5-4800 RDIMM 1Rx4 (16Gb)	UCS-MRX32G1RE3S	32GB DDR5-5600 RDIMM 1Rx4 (16Gb)	-
UCS-MRX32G1RE1S=	32GB DDR5-4800 RDIMM 1Rx4 (16Gb)	UCS-MRX32G1RE3S=	32GB DDR5-5600 RDIMM 1Rx4 (16Gb)	-
UCSX-MRX32G1RE1	32GB DDR5-4800 RDIMM 1Rx4 (16Gb)	UCSX-MRX32G1RE3	32GB DDR5-5600 RDIMM 1Rx4 (16Gb)	-
UCSX-MRX32G1RE1=	32GB DDR5-4800 RDIMM 1Rx4 (16Gb)	UCSX-MRX32G1RE3=	32GB DDR5-5600 RDIMM 1Rx4 (16Gb)	-

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
UCSX-MRX32G1RE1M	32GB DDR5-4800 RDIMM 1Rx4 (16Gb)	UCSX-MRX32G1RE3M	32GB DDR5-5600 RDIMM 1Rx4 (16Gb)	-
UCSX-MRX32G1RE1M=	32GB DDR5-4800 RDIMM 1Rx4 (16Gb)	UCSX-MRX32G1RE3M=	32GB DDR5-5600 RDIMM 1Rx4 (16Gb)	-
UCSX-MRX32G1RE1S	32GB DDR5-4800 RDIMM 1Rx4 (16Gb)	UCSX-MRX32G1RE3S	32GB DDR5-5600 RDIMM 1Rx4 (16Gb)	-
UCSX-MRX32G1RE1S=	32GB DDR5-4800 RDIMM 1Rx4 (16Gb)	UCSX-MRX32G1RE3S=	32GB DDR5-5600 RDIMM 1Rx4 (16Gb)	-
HCI-MRX64G2RE1	64GB DDR5-4800 RDIMM 2Rx4 (16Gb)	HCI-MRX64G2RE3	64GB DDR5-5600 RDIMM 2Rx4 (16Gb)	-
HCI-MRX64G2RE1=	64GB DDR5-4800 RDIMM 2Rx4 (16Gb)	HCI-MRX64G2RE3=	64GB DDR5-5600 RDIMM 2Rx4 (16Gb)	-
HCIX-MRX64G2RE1	64GB DDR5-4800 RDIMM 2Rx4 (16Gb)	HCIX-MRX64G2RE3	64GB DDR5-5600 RDIMM 2Rx4 (16Gb)	-
HCIX-MRX64G2RE1=	64GB DDR5-4800 RDIMM 2Rx4 (16Gb)	HCIX-MRX64G2RE3=	64GB DDR5-5600 RDIMM 2Rx4 (16Gb)	-
UCS-MRX64G2RE1	64GB DDR5-4800 RDIMM 2Rx4 (16Gb)	UCS-MRX64G2RE3	64GB DDR5-5600 RDIMM 2Rx4 (16Gb)	-
UCS-MRX64G2RE1=	64GB DDR5-4800 RDIMM 2Rx4 (16Gb)	UCS-MRX64G2RE3=	64GB DDR5-5600 RDIMM 2Rx4 (16Gb)	-
UCS-MRX64G2RE1M	64GB DDR5-4800 RDIMM 2Rx4 (16Gb)	UCS-MRX64G2RE3M	64GB DDR5-5600 RDIMM 2Rx4 (16Gb)	-
UCS-MRX64G2RE1M=	64GB DDR5-4800 RDIMM 2Rx4 (16Gb)	UCS-MRX64G2RE3M=	64GB DDR5-5600 RDIMM 2Rx4 (16Gb)	-
UCS-MRX64G2RE1S	64GB DDR5-4800 RDIMM 2Rx4 (16Gb)	UCS-MRX64G2RE3S	64GB DDR5-5600 RDIMM 2Rx4 (16Gb)	-
UCS-MRX64G2RE1S=	64GB DDR5-4800 RDIMM 2Rx4 (16Gb)	UCS-MRX64G2RE3S=	64GB DDR5-5600 RDIMM 2Rx4 (16Gb)	-
UCSX-MRX64G2RE1	64GB DDR5-4800 RDIMM 2Rx4 (16Gb)	UCSX-MRX64G2RE3	64GB DDR5-5600 RDIMM 2Rx4 (16Gb)	-
UCSX-MRX64G2RE1=	64GB DDR5-4800 RDIMM 2Rx4 (16Gb)	UCSX-MRX64G2RE3=	64GB DDR5-5600 RDIMM 2Rx4 (16Gb)	-
UCSX-MRX64G2RE1M	64GB DDR5-4800 RDIMM 2Rx4 (16Gb)	UCSX-MRX64G2RE3M	64GB DDR5-5600 RDIMM 2Rx4 (16Gb)	-
UCSX-MRX64G2RE1M=	64GB DDR5-4800 RDIMM 2Rx4 (16Gb)	UCSX-MRX64G2RE3M=	64GB DDR5-5600 RDIMM 2Rx4 (16Gb)	-
UCSX-MRX64G2RE1S	64GB DDR5-4800 RDIMM 2Rx4 (16Gb)	UCSX-MRX64G2RE3S	64GB DDR5-5600 RDIMM 2Rx4 (16Gb)	-
UCSX-MRX64G2RE1S=	64GB DDR5-4800 RDIMM 2Rx4 (16Gb)	UCSX-MRX64G2RE3S=	64GB DDR5-5600 RDIMM 2Rx4 (16Gb)	-
HCI-MR128G4RE1	128GB DDR5-4800 RDIMM 4Rx4 (16Gb)	HCI-MR128G2RG3	128GB DDR5-5600 RDIMM 2Rx4 (32Gb)	-

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
HCI-MR128G4RE1=	128GB DDR5-4800 RDIMM 4Rx4 (16Gb)	HCI-MR128G2RG3=	128GB DDR5-5600 RDIMM 2Rx4 (32Gb)	-
HCIX-MR128G4RE1	128GB DDR5-4800 RDIMM 4Rx4 (16Gb)	HCIX-MR128G2RG3	128GB DDR5-5600 RDIMM 2Rx4 (32Gb)	-
HCIX-MR128G4RE1=	128GB DDR5-4800 RDIMM 4Rx4 (16Gb)	HCIX-MR128G2RG3=	128GB DDR5-5600 RDIMM 2Rx4 (32Gb)	-
UCS-MR128G4RE1	128GB DDR5-4800 RDIMM 4Rx4 (16Gb)	UCS-MR128G2RG3	128GB DDR5-5600 RDIMM 2Rx4 (32Gb)	-
UCS-MR128G4RE1=	128GB DDR5-4800 RDIMM 4Rx4 (16Gb)	UCS-MR128G2RG3=	128GB DDR5-5600 RDIMM 2Rx4 (32Gb)	-
UCS-MR128G4RE1S	128GB DDR5-4800 RDIMM 4Rx4 (16Gb)	UCS-MR128G2RG3S	128GB DDR5-5600 RDIMM 2Rx4 (32Gb)	-
UCS-MR128G4RE1S=	128GB DDR5-4800 RDIMM 4Rx4 (16Gb)	UCS-MR128G2RG3S=	128GB DDR5-5600 RDIMM 2Rx4 (32Gb)	-
UCSX-MR128G4RE1	128GB DDR5-4800 RDIMM 4Rx4 (16Gb)	UCSX-MR128G2RG3	128GB DDR5-5600 RDIMM 2Rx4 (32Gb)	-
UCSX-MR128G4RE1=	128GB DDR5-4800 RDIMM 4Rx4 (16Gb)	UCSX-MR128G2RG3=	128GB DDR5-5600 RDIMM 2Rx4 (32Gb)	-
UCSX-MR128G4RE1S	128GB DDR5-4800 RDIMM 4Rx4 (16Gb)	UCSX-MR128G2RG3S	128GB DDR5-5600 RDIMM 2Rx4 (32Gb)	-
UCSX-MR128G4RE1S=	128GB DDR5-4800 RDIMM 4Rx4 (16Gb)	UCSX-MR128G2RG3S=	128GB DDR5-5600 RDIMM 2Rx4 (32Gb)	-
HCI-MR256G8RE1	256GB DDR5-4800 RDIMM 8Rx4 (16Gb)	HCI-MR256G4RG5	256GB DDR5-6400 RDIMM 4Rx4 (32Gb)	-
HCI-MR256G8RE1=	256GB DDR5-4800 RDIMM 8Rx4 (16Gb)	HCI-MR256G4RG5=	256GB DDR5-6400 RDIMM 4Rx4 (32Gb)	-
HCIX-MR256G8RE1	256GB DDR5-4800 RDIMM 8Rx4 (16Gb)	HCIX-MR256G4RG5	256GB DDR5-6400 RDIMM 4Rx4 (32Gb)	-
HCIX-MR256G8RE1=	256GB DDR5-4800 RDIMM 8Rx4 (16Gb)	HCIX-MR256G4RG5=	256GB DDR5-6400 RDIMM 4Rx4 (32Gb)	-
UCS-MR256G8RE1	256GB DDR5-4800 RDIMM 8Rx4 (16Gb)	UCS-MR256G4RG5	256GB DDR5-6400 RDIMM 4Rx4 (32Gb)	-
UCS-MR256G8RE1=	256GB DDR5-4800 RDIMM 8Rx4 (16Gb)	UCS-MR256G4RG5=	256GB DDR5-6400 RDIMM 4Rx4 (32Gb)	-
UCSX-MR256G8RE1	256GB DDR5-4800 RDIMM 8Rx4 (16Gb)	UCSX-MR256G4RG5	256GB DDR5-6400 RDIMM 4Rx4 (32Gb)	-
UCSX-MR256G8RE1=	256GB DDR5-4800 RDIMM 8Rx4 (16Gb)	UCSX-MR256G4RG5=	256GB DDR5-6400 RDIMM 4Rx4 (32Gb)	-
UCSX-MR256G8RE1S	256GB DDR5-4800 RDIMM 8Rx4 (16Gb)	UCSX-MR256G4RG5S	256GB DDR5-6400 RDIMM 4Rx4 (32Gb)	-
UCSX-MR256G8RE1S=	256GB DDR5-4800 RDIMM 8Rx4 (16Gb)	UCSX-MR256G4RG5S=	256GB DDR5-6400 RDIMM 4Rx4 (32Gb)	-

Product migration options

DDR5-5600 SKUs serve as replacement product IDs (PIDs) for M7 generation servers; however, they must not be installed together with original DDR5-4800 PIDs in the same server.

The Cisco Takeback and Recycle program helps businesses properly dispose of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to:

<https://www.cisco.com/c/en/us/about/takeback-and-reuse/product-recycling.html>.

For more information

For more information about the Cisco End-of-Life Policy, go to: <https://www.cisco.com/c/en/us/products/eos-eol-policy.html>.

For more information about the Cisco Product Warranties, go to:

<https://www.cisco.com/c/en/us/products/warranty-listing.html>.

To subscribe to receive end-of-life/end-of-sale information, go to: <https://cway.cisco.com/mynotifications>.

Any authorized translation issued by Cisco Systems or affiliates of this end-of-life Product Bulletin is intended to help customers understand the content described in the English version. This translation is the result of a commercially reasonable effort; however, if there are discrepancies between the English version and the translated document, please refer to the English version, which is considered authoritative.

Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at <https://www.cisco.com/go/offices>.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)