

## Cisco Catalyst 3750-X and 3560-X IP Services Switches

Cisco is introducing the new Cisco<sup>®</sup> Catalyst<sup>®</sup> 3750-X and 3560-X IP Services feature set switches. The Cisco Catalyst 3750-X and 3560-X IP Services switches are part of the X-series family of enterprise-class switches, and provide full enterprise services that includes advanced Layer 3 features such as Enhanced Interior Gateway Routing Protocol (EIGRP), Open Shortest Path First (OSPF), Border Gateway Protocol (BGP), Protocol Independent Multicast (PIM), and IPv6 routing such as OSPFv3 and EIGRPv6. All switches support advanced security, QoS, and management features.

### Primary Features and Benefits

Cisco Catalyst 3750-X and 3560-X IP Services Series primary features:

- 24 and 48 10/100/1000 PoE+, non-PoE models
- Full enterprise services with advanced Layer 3 features
- Four optional uplink network modules with GE or 10GE ports
- Industry first PoE+ with 30W power on all ports in 1 rack unit (RU) form factor
- Dual redundant, modular power supplies and fans
- Media Access Control Security (MACsec) hardware-based encryption
- Flexible NetFlow and switch-to-switch hardware encryption with the uplink Service Module
- Enhanced limited lifetime warranty (LLW) with next business day (NBD) advance hardware replacement and 90 day access to Cisco Technical Assistance Center (TAC) support
- Enhanced Cisco EnergyWise to reduce energy consumption across the network
- USB Type-A and Type-B ports for storage and console respectively and an out-of-band Ethernet management port
- Cisco StackPower<sup>™</sup> technology: An innovative feature and industry first for sharing power among stack members (available only on the Catalyst 3750-X)
- Cisco StackWise Plus technology for ease of use and resiliency with 64 Gbps of throughput (available only on the Catalyst 3750-X)
- Investment protection with backward compatibility with all other models of Cisco Catalyst 3750 Series Switches

## Switch Configurations

Table 1 describes the various models and configurations for the new Cisco Catalyst 3750-X and 3560-X IP Services switches.

**Table 1.** Cisco Catalyst 3750-X and 3560-X IP Services Series Configurations

| Configuration     | Models           | Total 10/100/1000 Ethernet Ports | Default AC Power Supply | Available PoE Power |
|-------------------|------------------|----------------------------------|-------------------------|---------------------|
| <b>Stackable</b>  | WS-C3750X-24T-E  | 24                               | 350W                    | -                   |
|                   | WS-C3750X-48T-E  | 48                               |                         |                     |
|                   | WS-C3750X-24P-E  | 24 PoE+                          | 715W                    | 435W                |
|                   | WS-C3750X-48P-E  | 48 PoE+                          |                         |                     |
|                   | WS-C3750X-48PF-E | 48 PoE+                          | 1100W                   | 800W                |
| <b>Standalone</b> | WS-C3560X-24T-E  | 24                               | 350W                    | -                   |
|                   | WS-C3560X-48T-E  | 48                               |                         |                     |
|                   | WS-C3560X-24P-E  | 24 PoE+                          | 715W                    | 435W                |
|                   | WS-C3560X-48P-E  | 48 PoE+                          |                         |                     |
|                   | WS-C3560X-48PF-E | 48 PoE+                          | 1100W                   | 800W                |

## Availability

Cisco Catalyst 3750-X and 3560-X IP Services switches are now orderable.

## Ordering Information

Table 2 provides ordering information for the new Cisco Catalyst 3750-X and 3560-X IP Services switches.

**Table 2.** Cisco Catalyst 3750-X and 3560-X IP Services Switches Ordering Information

| Product Number          | Product Description   |
|-------------------------|---|
| <b>WS-C3750X-24T-E</b>  | Stackable 24 10/100/1000 Ethernet ports, with 350W AC power supply 1 RU, IP Services feature set        |
| <b>WS-C3750X-48T-E</b>  | Stackable 48 10/100/1000 Ethernet ports, with 350W AC power supply 1 RU, IP Services feature set        |
| <b>WS-C3750X-24P-E</b>  | Stackable 24 10/100/1000 Ethernet PoE+ ports, with 715W AC power supply 1 RU, IP Services feature set   |
| <b>WS-C3750X-48P-E</b>  | Stackable 48 10/100/1000 Ethernet PoE+ ports, with 715W AC power supply 1 RU, IP Services feature set   |
| <b>WS-C3750X-48PF-E</b> | Stackable 48 10/100/1000 Ethernet PoE+ ports, with 1100W AC power supply 1 RU, IP Services feature set  |
| <b>WS-C3560X-24T-E</b>  | Standalone 24 10/100/1000 Ethernet ports, with 350W AC power supply 1 RU, IP Services feature set       |
| <b>WS-C3560X-48T-E</b>  | Standalone 48 10/100/1000 Ethernet ports, with 350W AC power supply 1 RU, IP Services feature set       |
| <b>WS-C3560X-24P-E</b>  | Standalone 24 10/100/1000 Ethernet PoE+ ports, with 715W AC power supply 1 RU, IP Services feature set  |
| <b>WS-C3560X-48P-E</b>  | Standalone 48 10/100/1000 Ethernet PoE+ ports, with 715W AC power supply 1 RU, IP Services feature set  |
| <b>WS-C3560X-48PF-E</b> | Standalone 48 10/100/1000 Ethernet PoE+ ports, with 1100W AC power supply 1 RU, IP Services feature set |

## For More Information

For more information about the Cisco Catalyst 3750-X and 3560-X IP Services switches, visit <http://www.Cisco.com>.




---

Americas Headquarters  
Cisco Systems, Inc.  
San Jose, CA

Asia Pacific Headquarters  
Cisco Systems (USA) Pte. Ltd.  
Singapore

Europe Headquarters  
Cisco Systems International BV Amsterdam,  
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

 Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)