

## End-of-Sale and End-of-Life Announcement for the Cisco Unified CallManager Version 3

EOL5422

Cisco Systems® announces the end-of-sale and end-of life dates for the Cisco Unified CallManager Version 3. The last day to order the Cisco Unified CallManager Version 3 is July 23, 2007. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the Cisco Unified CallManager Version 3. Table 2 lists the product part numbers affected by this announcement.

Cisco Unified CallManager software is the call-processing component of the Cisco Unified Communications system. Cisco Unified CallManager extends enterprise telephony features and capabilities to packet telephony network devices such as IP phones, video, media processing devices, voice over IP (VoIP) gateways, and multimedia applications. Additional services such as unified messaging, multimedia conferencing, collaborative contact centers, and interactive multimedia response systems are made possible through Cisco Unified CallManager open telephony APIs. The software content expands as it acquires improvements with each new version of Cisco Unified CallManager. These subsequent new versions, along with associated services and phone firmware loads, accumulate significantly more intensive component, system and solutions testing than any previous version of Cisco Unified CallManager.

**Table 1.** End-of-Life Milestones and Dates for the Cisco Unified CallManager Version 3

Milestone	Definition	Date
<b>End-of-Life Announcement Date</b>	The date the document that announces the end of sale and end of life of a product is distributed to the general public.	January 22, 2007
<b>End-of-Sale Date</b>	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	July 23, 2007
<b>Last Ship Date: App. SW</b>	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	October 21, 2007
<b>End of SW Maintenance Release Date: App. SW</b>	The last date that Cisco Engineering may release any final software maintenance releases or bug fixes. After this date, Cisco Engineering will no longer develop, repair, maintain, or test the product software.	July 22, 2008
<b>End of New Service Attachment Date: App. SW</b>	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	July 22, 2008
<b>End of Service Contract Renewal Date: App. SW</b>	The last date to extend or renew a service contract for the product.	October 18, 2009
<b>Last Date of Support: App. SW</b>	The last date to receive service and support for the product. After this date, all support services for the product are unavailable, and the product becomes obsolete.	July 22, 2010

HW = Hardware OS SW = Operating System Software App. SW = Application Software

**Table 2.** Product Part Numbers Affected by This Announcement

End-of-Sale Product Part Number	Product Description
<b>CALLMANAGER-3.3</b>	CallManager 3.3 Top Level Part Number
<b>CM3.3-320G4-1=</b>	SW Only, CallManager 3.3 For HP DL320-G4
<b>CM3.3-320G4=</b>	SW Only, CallManager 3.3 For HP DL320-G4
<b>CM3.3-380G4=</b>	SW Only, CallManager 3.3 For HP DL380-G4 /1CPU
<b>CM3.3-380G4D=</b>	SW Only, CallManager 3.3 For HP DL380-G4 /2CPU
<b>CM3.3-380G5=</b>	SW Only, CallManager 3.3 For HP DL380-G5 /1CPU
<b>CM3.3-380G5D=</b>	SW Only, CallManager 3.3 For HP DL380-G5 /2CPU
<b>CM3.3-7815-I2</b>	SW Only, CallManager 3.3 For MCS 7815-I2, 300 User
<b>CM3.3-7815-I2SE</b>	SW Only, CallManager 3.3 For MCS 7815-I2, 100 User
<b>CM3.3-7815I2-1=</b>	SW Only, CallManager 3.3 For MCS 7815-I2, 300 User
<b>CM3.3-7815I2=</b>	SW Only, CallManager 3.3 For MCS 7815-I2, 300 User
<b>CM3.3-7815I2S-1=</b>	SW Only, CallManager 3.3 For MCS 7815-I2, 100 User
<b>CM3.3-7825-H1=</b>	SW CallMgr 3.3 For MCS-7825-H1
<b>CM3.3-7825-H2</b>	SW Only, CallManager 3.3 For MCS 7825-H2
<b>CM3.3-7825-I1=</b>	SW CallMgr 3.3 For MCS-7825-I1
<b>CM3.3-7825H2-1=</b>	SW Only, CallManager 3.3 For MCS 7825-H2
<b>CM3.3-7825H2=</b>	SW Only, CallManager 3.3 For MCS 7825-H2
<b>CM3.3-7825I2-1=</b>	SW Only, CallManager 3.3 For MCS 7825-I2
<b>CM3.3-7825I2=</b>	SW Only, CallManager 3.3 For MCS 7825-I2
<b>CM3.3-7835-H2</b>	SW Only, CallManager 3.3 For MCS 7835-H2
<b>CM3.3-7835-I2</b>	SW Only, CallManager 3.3 For MCS 7835-I2
<b>CM3.3-7835H1=</b>	SW Only, CallManager 3.3 For MCS 7835-H1
<b>CM3.3-7835H2=</b>	SW Only, CallManager 3.3 For MCS 7835-H1
<b>CM3.3-7835I1=</b>	SW Only, CallManager 3.3 For MCS 7835-I1
<b>CM3.3-7835I2=</b>	SW Only, CallManager 3.3 For MCS 7835-I1
<b>CM3.3-7845-H2</b>	SW Only, CallManager 3.3 For MCS 7845-H2
<b>CM3.3-7845-I2</b>	SW Only, CallManager 3.3 For MCS 7845-I2
<b>CM3.3-7845H1=</b>	SW Only, CallManager 3.3 For MCS 7845-H1
<b>CM3.3-7845H2=</b>	SW Only, CallManager 3.3 For MCS 7845-H1
<b>CM3.3-7845I1=</b>	SW Only, CallManager 3.3 For MCS 7845-I1
<b>CM3.3-7845I2=</b>	SW Only, CallManager 3.3 For MCS 7845-I1
<b>CM3.3-DL320-1=</b>	SW CallMgr 3.3 HP DL320-G3 server, 1000 Svr Usr Lic
<b>CM3.3-DL320G4</b>	SW Only, CallManager 3.3 For HP DL320-G4
<b>CM3.3-DL380G5-1</b>	SW Only, CallManager 3.3 For HP DL380-G5 /1CPU
<b>CM3.3-DL380G5-2</b>	SW Only, CallManager 3.3 For HP DL380-G5 /2CPU
<b>CM3.3-X206M</b>	SW Only, CallManager 3.3 For IBM X206M
<b>CM3.3-X206M=</b>	SW Only, CallManager 3.3 For IBM X206M, 8485-7AY
<b>CM3.3-X306-1=</b>	SW CallMgr 3.3, IBM x306 3.4GHz server, 1000 Svr Usr Lic
<b>CM3.3-X306M</b>	SW Only, CallManager 3.3 For IBM X306M
<b>CM3.3-X306M-1=</b>	SW Only, CallManager 3.3 For IBM X306M, NEED MTM
<b>CM3.3-X306M=</b>	SW Only, CallManager 3.3 For IBM X306M, 8849-G2Y
<b>CM3.3-X346M-1</b>	SW Only, CallManager 3.3 For IBM X346M /1CPU

<b>CM3.3-X346M-2</b>	SW Only, CallManager 3.3 For IBM X346M /2CPU
<b>CM3.3-X346R=</b>	SW Only, CallManager 3.3 For IBM X346, 8840-3RY /1CPU
<b>CM3.3-X346RD=</b>	SW Only, CallManager 3.3 For IBM X346, 8840-3RY /2CPU
<b>CM3.3-X3650=</b>	SW Only, CallManager 3.3 For IBM X346, NEED MTM /1CPU
<b>CM3.3-X3650D=</b>	SW Only, CallManager 3.3 For IBM X346, NEED MTM /2CPU
<b>MCS-STARTERKIT-8</b>	MCS-7825H-3000 with 5-7960G IP Phones and Pwr/Cubes/Cords
<b>SW-CCM-3.3-7815</b>	SW CallMgr 3.3, MCS 7815
<b>SW-CCM-3.3-7815-NR</b>	CallManager 3.3 for MCS-7815 - No Royalty
<b>SW-CCM-3.3-7815=</b>	SW CallMgr 3.3, MCS 7815
<b>SW-CCM-3.3-7815R=</b>	SW CallMgr 3.3 Red., MCS 7815
<b>SW-CCM-3.3-7815SE</b>	SW CallMgr 3.3, MCS 7815I server, 100 Svr Usr Lic
<b>SW-CCM-3.3-7815SE=</b>	SW CallMgr 3.3, MCS 7815, 100 Svr User Licenses
<b>SW-CCM-3.3-7825</b>	SW CallMgr 3.3, MCS 7825
<b>SW-CCM-3.3-7825=</b>	SW CallMgr 3.3, MCS-7825H-3.0 and MCS-7825I-3.0
<b>SW-CCM-3.3-7825SE</b>	SW CallMgr 3.3, MCS 7825, 100 Svr Usr Lic, Mid-Mkt Bndl Only
<b>SW-CCM-3.3-7825SE=</b>	SW CallMgr 3.3, MCS 7825, 100 Svr Usr Lic, Mid-Mkt Bndl Only
<b>SW-CCM-3.3-7835</b>	SW CallMgr 3.3, MCS 7835
<b>SW-CCM-3.3-7835=</b>	SW CallMgr 3.3, MCS 7835
<b>SW-CCM-3.3-7835D=</b>	SW CallMgr 3.3, MCS 7835, Dual CPU
<b>SW-CCM-3.3-7845</b>	SW CallMgr 3.3 for MCS 7845
<b>SW-CCM-3.3-7845=</b>	SW CallMgr 3.3, MCS 7845
<b>SW-CCM-3.3-AQU-RU=</b>	CallManager 3.3 software for cust provided Aquarius server
<b>SW-CCM-3.3-DL320=</b>	SW CallMgr 3.3 for HP DL320
<b>SW-CCM-3.3-DL380=</b>	SW CallMgr 3.3 for HP DL380, 1CPU
<b>SW-CCM-3.3-DL380D=</b>	SW CallMgr 3.3 for HP DL380, 2CPU
<b>SW-CCM-3.3-MIG0=</b>	SW CallMgr 3.3(5) Migration, Same Server Class To New Server
<b>SW-CCM-3.3-MIG1=</b>	CallManager 3.3 Migration, 7815SE to 7815 Server Class
<b>SW-CCM-3.3-MIG2=</b>	CallManager 3.3 Migration, 7815SE to 7825 Server Class
<b>SW-CCM-3.3-MIG3=</b>	CallManager 3.3 Migration, 7815SE to 7835 Server Class
<b>SW-CCM-3.3-MIG4=</b>	CallManager 3.3 Migration, 7815SE to 7845 Server Class
<b>SW-CCM-3.3-MIG5=</b>	CallManager 3.3 Migration, 7815 to 7825 Server Class
<b>SW-CCM-3.3-MIG6=</b>	CallManager 3.3 Migration, 7815 to 7835 Server Class
<b>SW-CCM-3.3-MIG7=</b>	CallManager 3.3 Migration, 7815 to 7845 Server Class
<b>SW-CCM-3.3-MIG8=</b>	CallManager 3.3 Migration, 7825 to 7835 Server Class
<b>SW-CCM-3.3-MIG9=</b>	CallManager 3.3 Migration, 7825 to 7845 Server Class
<b>SW-CCM-3.3-NFR=</b>	CallManager 3.3 New Install and Upgrade, Not For Resale
<b>SW-CCM-3.3-SUP=</b>	CallManager 3.3(5) upgd from CCM 3.1, 3.2, 3.3(x), same svr.
<b>SW-CCM-3.3-UPG=</b>	CallManager 3.3(5) upgd from CCM 3.1, 3.2, 3.3(x), same svr
<b>SW-CCM-3.3-X206=</b>	SW CallMgr 3.3 new install for IBM X206 Server, 300 Svr Usr Lic
<b>SW-CCM-3.3-X306=</b>	SW CallMgr 3.3, IBM x306
<b>SW-CCM-3.3-X330=</b>	SW CallMgr 3.3 for IBM x330
<b>SW-CCM-3.3-X345=</b>	SW CallMgr 3.3 for IBM x345, 1CPU
<b>SW-CCM-3.3-X345D=</b>	SW CallMgr 3.3 for IBM x345, 2CPU
<b>SW-CCM-3.3-X346=</b>	SW CallMgr 3.3, IBM X346, 1CPU

SW-CCM-3.3-X346D=

SW CallMgr 3.3, IBM X346, 2CPU

## Product Migration Options

Customers are encouraged to migrate to Cisco Unified CallManager Version 4. Information about this product can be found at:

<http://www.cisco.com/en/US/products/sw/voicesw/ps556/ps5453/index.html>. Customers with Version 3 with defects will be directed to upgrade to Version 4 for resolution. Cisco Unified CallManager customers should consider the new and updated features that address security, rich media, presence, and interoperability in Version 4 or subsequently, presence, SIP devices, and enhanced serviceability in Version 5. Customers currently running Cisco Unified CallManager Version 3.3 must upgrade to Cisco Unified CallManager Version 4.1 or later. For more information about supported upgrades and compatibility with other Cisco application releases, please visit: [http://www.cisco.com/univercd/cc/td/doc/product/voice/c\\_callmg/ccmcomp.htm](http://www.cisco.com/univercd/cc/td/doc/product/voice/c_callmg/ccmcomp.htm). Customers who have a current Software Applications Support plus Upgrades (SASU) contract can order the stock-keeping-unit (SKU) product (CM4.1-K9-UPG=) at no charge using the Product Upgrade Tool (PUT), which is located at: <http://www.cisco.com/upgrade>. The customer must order one Cisco Unified CallManager upgrade for each server that is being upgraded. Upgrades from downloadable Cisco.com images are not possible. The set of CDs in the upgrade package allows for software upgrades to existing Cisco Media Convergence Server (MCS) platforms, the Cisco SPE 310, and all supported third-party platforms. For information about ordering, go to: [http://www.cisco.com/en/US/products/hw/voiceapp/ps378/prod\\_brochure09186a0080174928.html](http://www.cisco.com/en/US/products/hw/voiceapp/ps378/prod_brochure09186a0080174928.html) or <http://www.cisco.com/go/swonly>.

Customers can use the Cisco Technology Migration Plan (TMP) to trade in products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, go to: <https://www.cisco.com/site/us/en/buy/payment-solutions/lifecycle-incentive.html>. The Cisco TMP application requires all users to have a Cisco.com user ID.

Customers may be able to continue to purchase the end-of-sale product through Cisco's Authorized Refurbished Equipment program. Refurbished units of the end-of-sale product are available in limited supply for sale in certain countries on a first-come, first-served basis. For information about the refurbished equipment program, go to: [http://www.cisco.com/en/US/ordering/or6/or17/order\\_refurbished\\_equipment\\_program\\_description.html](http://www.cisco.com/en/US/ordering/or6/or17/order_refurbished_equipment_program_description.html)

## For More Information

For more information about the Cisco Unified CallManager Version 4, visit <http://www.cisco.com/en/US/products/sw/voicesw/ps556/ps5453/index.html>, or contact your local account representative.

For more information about the Cisco End-of-Life Policy, go to: [http://www.cisco.com/en/US/products/prod\\_end\\_of\\_life.html](http://www.cisco.com/en/US/products/prod_end_of_life.html).

To subscribe to receive end-of-life/end-of-sale information, go to: <http://www.cisco.com/cgi-bin/Support/FieldNoticeTool/field-notice>.



**Americas Headquarters**  
Cisco Systems, Inc.  
170 West Tasman Drive  
San Jose, CA 95134-1706  
USA  
www.cisco.com  
Tel: 408 526-4000  
800 553-NETS (6387)  
Fax: 408 527-0883

**Asia Pacific Headquarters**  
Cisco Systems, Inc.  
168 Robinson Road  
#28-01 Capital Tower  
Singapore 068912  
www.cisco.com  
Tel: +65 6317 7777  
Fax: +65 6317 7799

**Europe Headquarters**  
Cisco Systems International BV  
Haarlerbergpark  
Haarlerbergweg 13-19  
1101 CH Amsterdam  
The Netherlands  
www-europe.cisco.com  
Tel: +31 0 800 020 0791  
Fax: +31 0 20 357 1100

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

©2007 Cisco Systems, Inc. All rights reserved. CCVP, the Cisco logo, and the Cisco Square Bridge logo are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Access Registrar, Aironet, BPX, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, Follow Me Browsing, FormShare, GigaDrive, GigaStack, HomeLink, Internet Quotient, IOS, iPhone, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, LightStream, Linksys, MeetingPlace, MGX, Networking Academy, Network Registrar, Packet, PIX, ProConnect, RateMUX, ScriptShare, SlideCast, SMARTnet, StackWise, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0701R)