

## Cisco Unified Personal Communicator 7.1


Cisco® Unified Communications Solutions unify voice, video, data, and mobile applications on fixed and mobile networks, enabling easy collaboration every time from any workspace.

An integral component of the Cisco Unified Communications portfolio, Cisco Unified Personal Communicator transparently integrates your most frequently used communications applications and services into a single, unified client. From an easy-to-use interface on a PC or Mac, it provides quick and easy access to powerful communications tools - soft phone, presence, instant messaging, visual voicemail, click to call, employee directory, communication history, video, and web conferencing - to help you communicate effectively and work more productively.

### **Communicate More Effectively**

Many workers battle communications overload daily, and they are forced to use a wide variety of devices and applications to communicate with colleagues, partners, and customers. Each of these applications works differently, with its own set of rules, tools, and directories. Cisco Unified Personal Communicator simplifies the communications experience by giving you quick and easy access to a unified set of communication tools. For example, using dynamic presence information and instant messaging capabilities from Cisco Unified Personal Communicator, you can check the availability of colleagues and partners and chat in real time, reducing “phone tag” and improving productivity. You can easily search existing directories to locate important contacts and initiate communications. Video and web conferencing can help you exchange ideas “face-to-face” and collaborate more effectively with colleagues. You can also view and listen to voice messages quickly and easily. With Cisco Unified Personal Communicator, it is easy to access your communication and collaboration tools from every workspace, everywhere, every time for smarter, more effective communications.

**Figure 1.** Example of Cisco Unified Personal Communicator



### Reduce Communication Delays with Colleagues, Partners, and Decision Makers

Cisco Unified Personal Communicator can help you determine if co-workers or colleagues are available or busy before trying to contact them. Contact availability information is updated automatically using dynamic information collected from Cisco Unified Presence. You can see immediately who is offline, available, away, on the phone, or in do-not-disturb state. Customized information, such as “on vacation” or “in a meeting”, is also available to let you know why someone is unavailable or busy. Knowing whether contacts are available helps reduce communication delays between workers, thereby enabling faster decision making and enhanced productivity with either colleagues within the enterprise or external partners and suppliers.

### Streamline Communications

Cisco Unified Personal Communicator facilitates streamlined communications from your desktop or laptop computer, including integrated contact lists, click to call, instant messaging, voicemail playback, inbound call notification, and media escalation. By being able to control your communications from a single window, you can communicate more effectively and be more productive:

- Find contact information quickly by using Cisco Unified Personal Communicator to search your corporate directory.
- Click to call from the application and save time by not having to dial telephone numbers.

- Exchange instant messages for important real-time communications to both co-workers and customers or suppliers.
- Make calls using the integrated soft phone while working away from the office or use Cisco Unified Personal Communicator to control your Cisco Unified IP Phone on Cisco Unified Communications Manager at your desk.
- Use the Cisco Unified Personal Communicator toolbar to click to dial from within your Microsoft Outlook contacts list or email.
- View recent communication activities so that you can respond faster. See who called you and when. View voice messages onscreen and click to play or return the call. Message counters tell you how many voicemails and missed calls are waiting.
- Add communication media on demand. When on a call, you can quickly and easily add video or web conferencing to enhance collaboration and meeting effectiveness.
- View a list of all participants on a conference call, eliminating the need for roll calls.
- Receive pop-up notifications of incoming calls with caller ID. You can accept the call if you are available or send the call to voicemail with a simple mouse click.

### Increase Productivity and Enhance Collaboration

With Cisco Unified Personal Communicator, you can enrich communications beyond the realm of voice calls using video and web conferencing. Interactive face-to-face communications enhances productivity and the quality of communications, streamlines business decision making, and improves teamwork. By reducing the need for in-person meetings, video conferencing can support your company's green initiatives, reduce travel expenses, and reduce time associated with traveling to meetings. Using web conferencing, you can collaborate with co-workers virtually everywhere, any time. Cisco Unified Personal Communicator helps you share documents or presentations with people who are located across the street or on the other side of the globe. By integrating virtual meetings into everyday communications, you can expand your market reach, improve operational effectiveness, and speed decisions.

### Features and Benefits

- **Communication Integration:** Take advantage of a single, intuitive interface for voice and video calls, instant messaging, voicemail playback, web conferencing, and integrated directories.
- **Corporate Presence:** View real-time availability of other Cisco Unified Personal Communicator and Cisco Unified IP Phone users. You can also display customized messages, set an out-of-office message, and automatically show your availability based on free and busy status on your Microsoft Outlook Calendar.
- **Do Not Disturb (DND):** Easily block incoming calls with synchronized DND status from your Cisco Unified Personal Communicator or Cisco Unified IP Phone or use the privacy preference setting to block instant messages when you need additional privacy.
- **Contact List:** Search your corporate directory from one easy-to-use interface to locate contacts quickly and simply click to call. Add your most frequently contacted personal contacts, co-workers, and federated business contacts.
- **Media Escalation:** Add communication methods during a conversation; for example, you can add video to an audio conversation or add web conferencing to an existing audio or video conversation.
- **Click to Call:** Dial from the contact list, using either the integrated soft phone or an associated Cisco Unified IP Phone. You can also click to call directly from Microsoft Outlook using an Outlook toolbar.

- **Integrated Voice and Video Calling:** Exchange ideas face-to-face with a coordinated video display on the PC screen and audio conversation with the soft phone. You can place video calls using Cisco Unified Personal Communicator, Cisco Unified Video Advantage, or the Cisco Unified IP Phone 7985G, a personal desktop video phone.
- **IP Phone Association:** Use Cisco Unified Personal Communicator to control your desktop Cisco Unified IP Phone to make, receive, or merge calls.
- **Instant Messaging:** Chat in real time using instant messaging with other Cisco Unified Personal Communicator users to save time and reduce phone tag.
- **Interdomain Federation:** Organizations that are both running Cisco Unified Presence can exchange presence and instant messages. Such exchange is also possible when one organization is using Cisco Unified Presence and the other is using Cisco WebEx™ Connect, Microsoft Live Communications, Microsoft Office Communications Server (OCS), IBM Sametime, or any Jabber Extensible Communications Platform.
- **Conferencing:** Create voice or video conferencing sessions by simply merging conversation sessions. There is no need to call into a separate conference bridge.
- **Web Conferencing:** Launch a Cisco Unified MeetingPlace®, Cisco Unified MeetingPlace Express, or Cisco WebEx web conferencing session at a moment's notice to share content, such as a presentation, with others.
- **Voice Messages:** Access secure Cisco Unity® or Cisco Unity Connection encrypted voicemail messages - view, play back, sort, and delete messages - all from within the application.
- **Languages Supported for Both Microsoft Windows and Apple Macintosh Desktops Include:** Arabic, traditional and simplified Chinese, Danish, Dutch, English, French, German, Italian, Japanese, Korean, Brazilian Portuguese, Spanish, Russian, and Swedish.

## System Requirements

Tables 1 and 2 give the computer requirements of Cisco Unified Personal Communicator for Microsoft Windows and Apple Macintosh, respectively.

**Table 1.** Computer Requirements of Cisco Unified Personal Communicator for Microsoft Windows

Parameter	Description
<b>Disk Space</b>	200 MB free hard drive space (includes 20 MB free space for the Windows camera drivers)
<b>Hardware</b>	<p><b>Microsoft Windows XP</b></p> <p><b>Desktop PC:</b></p> <ul style="list-style-type: none"> <li>At least 2.4 GHz Intel Pentium 4, 2.0 GHz AMD Athlon (approximate speed) or faster processing (at least 2.8 GHz Intel Pentium 4, 2.13 GHz AMD Athlon [approximate speed] or faster recommended for video calling capabilities) is required. In addition, 512 MB of RAM for audio calls and 1 GB of RAM are required for video calls.</li> <li>DirectX 9.0c-compatible graphics card with at least 64 MB of free video RAM (64 MB for dual-headed cards) 1024 x 768 x 16 bits or better; for video calling, DirectX 9.0c-compatible graphics card with at least 64 MB of free video RAM (128 MB for dual-headed configurations).</li> </ul> <p><b>Laptop PC:</b></p> <ul style="list-style-type: none"> <li>1.5 GHz Intel Pentium M Centrino 1.8 GHz AMD Athlon 2200 (approximate speed) or compatible processing (1.7 GHz Pentium M (Centrino) 2.0 GHz AMD Athlon XP 2400+ (approximate speed) or faster recommended for video calling capabilities.</li> <li>DirectX 9.0c-compatible graphics card with at least 64 MB of free video RAM 1024 x 768 x 16 bits or better.</li> <li>Only 32-bit (x86) processors are supported.</li> <li>A non-ISA full-duplex sound card (integrated or PCI-based) or USB sound device with USB headset is recommended when using a soft phone.</li> <li>A 10/100/1000BASE-T Mbps [[should that be: 10-/100-/1000 Mbps (without BASE-T)?]] Ethernet network interface card is required.</li> <li>A Cisco VT Camera III or third-party USB camera attached to a USB 2.0 port is required for video calls.</li> </ul> <p><b>Microsoft Windows Vista</b></p> <ul style="list-style-type: none"> <li>A Microsoft Vista Premium Ready PC with a Windows Experience Index (WEI) of 3 or higher is required.</li> <li>Only 32-bit (x86) processors are supported. In addition, 256 MB of dedicated video memory is also needed.</li> <li>Hardware in computers running Vista and Cisco Unified Personal Communicator using video must have a base score of 3 or higher. Run the performance tool by choosing Start &gt; Control Panel, and clicking Performance and Rating.</li> <li>The subscores for memory (RAM), graphics, and gaming graphics must be 3 or higher.</li> <li>Disk space: 200 MB of free disk space (includes 20 MB of free space for the Windows camera drivers) is required.</li> <li>A non-ISA full-duplex sound card (integrated or PCI-based) or USB sound device with USB headset is recommended when using a soft phone.</li> <li>A 10-/100-/1000-Mbps Ethernet network interface card is required.</li> <li>A Cisco VT Camera III or third-party USB camera attached to a USB 2.0 port is required for video calls.</li> </ul>
<b>Software</b>	<ul style="list-style-type: none"> <li>Microsoft Windows XP Professional Service Pack 3 or Microsoft Windows Vista Business, Enterprise, and Ultimate Edition with Vista Service Pack 1 (SP1).</li> <li>(For Windows XP) Adobe Flash Player 6.0.79 or higher required for web conferencing.</li> <li>(For Windows Vista) Adobe Flash Player ActiveX or Adobe Flash Player 9 (Version 9.0.28 or higher).</li> <li>Microsoft DirectX 9.0c.</li> <li>Microsoft Outlook 2003 or 2007 required for click-to-dial toolbar support.</li> </ul> <p><b>Note:</b> Microsoft Windows 7 is not supported.</p>
<b>Connectivity</b>	High-speed connection required for soft-phone calls; 128 kbps for audio calls and 384 kbps minimum for calls with video (512 kbps recommended).

**Table 2.** Computer Requirements of Cisco Unified Personal Communicator for Apple Mac OS X

Parameter	Description
<b>Disk Space</b>	200 MB of free hard drive space
<b>Hardware</b>	<ul style="list-style-type: none"> <li>• 1.4 GHz or faster PowerPC G4 or compatible processor; any Macintosh with PowerPC G5 or Intel processor recommended for video calling capabilities.</li> <li>• A non-ISA full-duplex sound card (integrated or PCI-based) or USB sound device.</li> <li>• A 10-/100-/1000 Mbps Ethernet network interface card.</li> <li>• A Cisco VT Camera III or third-party USB camera attached to a USB 2.0 port is required for video calls.</li> </ul>
<b>Memory</b>	512 MB of RAM (1 GB of RAM recommended for video calling capabilities).
<b>Software</b>	<ul style="list-style-type: none"> <li>• Mac OS X 10.5: 10.5.4 or later.</li> <li>• Mac OS X 10.6: 10.6.1 or later.</li> <li>• Adobe Flash Player 6.0.79 or later required for web conferencing.</li> <li>• Apple Address Book for local address-book support.</li> </ul>
<b>Connectivity</b>	High-speed connection required for soft-phone calls; 128 kbps for audio calls and 384 kbps minimum for calls with video (512 kbps recommended).

**Note:** A list of vendors that have verified their devices for use with Cisco Unified Personal Communicator through the Cisco Technology Developer Program is available at <http://www.cisco.com/pgi-bin/ctdp/Search.pl>. These devices have passed lab testing and met interoperability criteria, ensuring that Cisco product specifications have been reached.

**Table 3.** System Requirements

Platform	Description
<b>Cisco Unified Communications Manager</b>	<ul style="list-style-type: none"> <li>• Cisco Unified Communications Manager 6.1: 6.1(4) or later.</li> <li>• Cisco Unified Communications Manager 7.0: 7.0(1) or later.</li> <li>• Cisco Unified Communications Manager 7.1: 7.1(2) or later.</li> <li>• Cisco Unified Communications Manager 8.0: 8.0(1) or later.</li> </ul>
<b>Cisco Unified Presence</b>	Cisco Unified Presence 8.0 is required for interdomain federation. <ul style="list-style-type: none"> <li>• Cisco Unified Presence 8.0: 8.0(1) or later.</li> <li>• Cisco Unified Presence 7.0: 7.0(3) or later.</li> </ul>
<b>LDAP</b>	Lightweight Directory Access Protocol Version 3 (LDAPv3) Server.
<b>Cisco Unified IP Phones</b>	Cisco Unified IP Phones required for deskphone-control mode (Note: Not all phone loads support computer telephony integration [CTI]; refer to Cisco Unified Communications Manager System Guide for more information). <ul style="list-style-type: none"> <li>• Cisco Unified IP Phone 6900 Series: Refer to release notes for specific models supported.</li> <li>• Cisco Unified IP Phone 7900 Series: Refer to release notes for specific models supported.</li> <li>• Cisco Unified IP Phone 8900 Series: Refer to release notes for specific models supported.</li> <li>• Cisco Unified IP Phone 9900 Series: Refer to release notes for specific models supported.</li> </ul>
<b>Web Conferencing</b>	Required for web conference escalation: <ul style="list-style-type: none"> <li>• Cisco Unified MeetingPlace Express 2.0.</li> <li>• Cisco Unified MeetingPlace 6.0, 7.0, or 8.0.</li> <li>• Cisco WebEx MeetingCenter.</li> </ul>
<b>Voicemail Playback</b>	Required for voicemail playback: <ul style="list-style-type: none"> <li>• Cisco Unity Connection 7.0 or 8.0.</li> <li>• Cisco Unity 4.2, 5.0, or 7.0.2.</li> </ul>
<b>Video Conferencing</b>	Required for impromptu video conferencing: <ul style="list-style-type: none"> <li>• Cisco Unified Video Conferencing 5.7, 7.0, or 7.1.</li> <li>• Cisco Unified MeetingPlace 8.0.</li> <li>• Cisco Unified MeetingPlace Express VT 2.0.</li> </ul>
<b>Adaptive Security Appliance</b>	Required for business-to-business federation of presence and instant messaging between Cisco Unified Personal Communicator and Microsoft Office Communicator users: <ul style="list-style-type: none"> <li>• Cisco ASA 5500 Series Adaptive Security Appliance.</li> <li>• Adaptive Security Appliance Software Release 8.3.</li> </ul>

**Note:** Not all features are supported with all versions of system components. Please refer to individual product release notes for more information about supported features.

### Ordering Information

To place an order, visit the Cisco Ordering Home Page and refer to Table 3. To download software, visit the Cisco Software Center:

<http://tools.cisco.com/support/downloads/go/PlatformList.x?sftType=Unified+Personal+Communicator+%28CUPC%29+System+Software&mdfid=280455801&treeName=Voice+and+Unified+Communications&mdfLevel=Software%20Family&url=null&modelName=Cisco+Unified+Personal+Communicator&isPlatform=Y&treeMdfId=278875240&modifmdfid=null&imname=&hybrid=null&imst=null>

This product is a part of Cisco Unified Workspace Licensing. Please visit [http://www.cisco.com/go/workspace\\_licensing](http://www.cisco.com/go/workspace_licensing) for more information and to determine whether Cisco Unified Workspace Licensing is appropriate for your customer.

**Table 4.** Ordering Information

Product Name	Part Number
Cisco Unified Personal Communicator	UPC7-K9-PC
Cisco VT Camera III 24 Unit Bundle	UPC-CAMERAS-V3-24=

### Note:

- With each order, you will receive a product authorization key (PAK) and a document confirming your Cisco Unified Personal Communicator purchase and notifying you of the location to download the software.
- All Cisco Unified IP Phones, including Cisco Unified Personal Communicator, require the purchase of a phone technology license.
- Not all features are supported with all versions of Cisco Unified Presence. Please refer to your Cisco Unified Presence release notes for more information about supported features.
- Cisco Unified Personal Communicator is available as part of Cisco's eDelivery application. With eDelivery, partners can assist customers in managing and downloading their software license entitlement documentation, including Right To Use, End User License Agreement, and License Claim Form through the email channel, as opposed to previous paper delivery.

### Cisco Unified Communications Services

Cisco Unified Communications Services allows you to accelerate cost savings and productivity gains associated with deploying a secure, resilient Cisco Unified Communications Solution. Delivered by Cisco and our certified partners, our portfolio of services is based on proven methodologies for unifying voice, video, data, and mobile applications on fixed and mobile networks. Our unique lifecycle approach to services can enhance your technology experience to accelerate true business advantage.

## For More Information

For more information about the Cisco Unified Personal Communicator, visit <http://www.cisco.com/go/unifiedpersonalcomm> or contact your local Cisco account representative.



**Americas Headquarters**  
Cisco Systems, Inc.  
San Jose, CA

**Asia Pacific Headquarters**  
Cisco Systems (USA) Pte. Ltd.  
Singapore

**Europe Headquarters**  
Cisco Systems International BV  
Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

CCDE, CCENT, CCSI, Cisco Eos, Cisco Explorer, Cisco HealthPresence, Cisco IronPort, the Cisco logo, Cisco Nurse Connect, Cisco Pulse, Cisco SensorBase, Cisco StackPower, Cisco StadiumVision, Cisco TelePresence, Cisco TrustSec, Cisco Unified Computing System, Cisco WebEx, DCE, Flip Channels, Flip for Good, Flip Mino, Flipshare (Design), Flip Ultra, Flip Video, Flip Video (Design), Instant Broadband, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn, Cisco Capital, Cisco Capital (Design), Cisco:Financed (Stylized), Cisco Store, Flip Gift Card, and One Million Acts of Green are service marks; and Access Registrar, Aironet, AllTouch, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Lumin, Cisco Nexus, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, Continuum, EtherFast, EtherSwitch, Event Center, Explorer, Follow Me Browsing, GainMaker, iLYNX, IOS, iPhone, IronPort, the IronPort logo, Laser Link, LightStream, Linksys, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, PCNow, PIX, PowerKEY, PowerPanels, PowerTV, PowerTV (Design), PowerVu, Prisma, ProConnect, ROSA, SenderBase, SMARTnet, Spectrum Expert, StackWise, WebEx, and the WebEx logo are registered trademarks of Cisco and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1002R)