

End-of-Sale and End-of-Life Announcement for the Cisco cBR-8 Hardware



Contents

Overview	3
End-of-life milestones	3
Product part numbers	4
Product migration options	7
For more information	8

Overview

EOL15586

Cisco announces the end-of-sale and end-of-life dates for the Cisco cBR-8 Hardware. The last day to order the affected product(s) is April 11, 2026. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available under the terms and conditions of customers' service contract.

End-of-life milestones

Table 1. End-of-life milestones and dates for the Cisco cBR-8 Hardware

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end-of-sale and end-of-life of a product is distributed to the general public.	April 11, 2025
End-of-Sale Date: HW	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	April 11, 2026
Last Ship Date: HW	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	July 11, 2026
End of Routine Failure Analysis Date: HW	The last-possible date a routine failure analysis may be performed to determine the cause of hardware product failure or defect.	April 11, 2027
End of New Service Attachment Date: HW	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	April 11, 2027
End of Service Contract Renewal Date: HW	The last date to extend or renew a service contract for the product.	July 10, 2030
Last Date of Support: HW	The last date to receive applicable service and support for the product as entitled by active service contracts or by warranty terms and conditions. After this date, all support services for the product are unavailable, and the product becomes obsolete.	April 30, 2031

HW = Hardware

OS SW = Operating System Software

App. SW = Application Software

Product part numbers

Table 2. Product part numbers affected by this announcement

End-of-Sale Product Part Number	Product Description
CBR DPIC OC	RPHY DPIC Line Card
CBR-2X100G-PIC	Supervisor 250 PIC, 2x100GE
CBR-2X100G-PIC-BUN	CBR-SUP-2X100G-PIC equivalent, orderable only in a bundle
CBR-2X100G-PIC=	SUP 250G PIC - 2x100GE ports onboard
CBR-4D31-16U31-SP=	CBR CCAP Line Card - 1 D3.1 DS Modules and 1 D3.1 US Module
CBR-4LC-BUN	CBR System Bundle, 4 Line Cards, 2 Supervisors, Fan Assembly
CBR-4LC-SUP250-BUN	CBR System Bundle, 4 Line Cards, 2 Sup 250s included
CBR-8	Container (Top Level) PID for configuring the cBR-8 System
CBR-8-CCAP-CHASS	Cisco cBR-8 Series CCAP Router Chassis
CBR-8-CCAP-CHASS=	Cisco cBR-8 Series CCAP Router
CBR-8-CHASS-BUN	CBR-8-CCAP-CHASS equivalent, orderable in a bundle only
CBR-8-IOS-OPT	IOS OPT CLS
CBR-8-SYSTEM-KIT	Cisco approval required to book; a system without line cards
CBR-8D31-16U30-BUN	^The Bundle PID for the CBR DS D3.1 Line Card
CBR-8D31-16U31-BUA	CBR-LC-8D31-16U31 equivalent, orderable only in a bundle
CBR-8D31-16U31-BUN	CBR-LC-8D31-16U31 equivalent, orderable only in a bundle
CBR-8D31-16U31-SP=	CBR CCAP Line Card - 2 D3.1 DS Modules and 1 D3.1 US Module
CBR-AC-PS	AC Power Supply for the cBR - CCAP Router
CBR-AC-PS-BUN	Bundle for AC Power Supply
CBR-AC-PS=	AC Power Supply for the cBR - CCAP Router
CBR-AC-PWR-TRAY	Mechanical assembly - AC Power Supplies installed here
CBR-AC-PWR-TRAY=	Mechanical assembly - AC Power Supplies installed here
CBR-AC-TRAY-BUN	CBR-AC-PWR-TRAY equivalent, orderable only in a bundle
CBR-CABLE-8X16	Quad-shield RF cable bundle, PIC Card to RF Plant
CBR-CABLE-8X16-BUA	CBR-CABLE-8X16 equivalent, orderable only in a bundle
CBR-CABLE-8X16-BUN	CBR-CABLE-8X16 equivalent, orderable only in a bundle
CBR-CABLE-8X16=	Quad-shield RF cable bundle, PIC Card to RF Plant
CBR-CABLE-UCH8=	CBR coaxial cable Universal Cable Holder
CBR-CBLE-8X16-BUN	Bundle PID for 8X16 Cables
CBR-CCAP-LC-40G	The DOCSIS and MPEG line card (base) for cBR.
CBR-CCAP-LC-40G=	The DOCSIS and MPEG line card (base) for cBR.
CBR-CCAP-LC-G2-R	CBR CCAP second generation Remote PHY Line Card

End-of-Sale Product Part Number	Product Description
CBR-CCAP-LC-G2-R=	CBR CCAP second generation Remote PHY Line Card
CBR-CHASSI-HANDLE=	CBR handle, optional, reusable, lifts a chassis onto a rack
CBR-D31-DS-MOD	D3.1 DS Module
CBR-D31-DS-MOD=	D3.1 DS, Update Cisco service contract with new linecard SKU
CBR-D31-US-MOD	D3.1 US Module for the cBR CCAP Line Card
CBR-D31-US-MOD=	D3.1 US, Update Cisco service contract with new linecard SKU
CBR-DC-PS	DC Power Supply for the cBR - CCAP Router
CBR-DC-PS-BUN	CBR-DC-PS equivalent, orderable only in an approved bundle
CBR-DC-PS=	DC Power Supply for the cBR - CCAP Router
CBR-DC-PWR-TRAY	Mechanical assembly - DC Power Supplies installed here
CBR-DC-PWR-TRAY=	Mechanical assembly - DC Power Supplies installed here
CBR-DC-TRAY-BUN	CBR-DC-PWR-TRAY equivalent, orderable only in a bundle
CBR-DPIC-2X100G	100G Digital PIC for 2nd Generation Remote PHY linecard
CBR-DPIC-2X100G=	100G linecard DPIC for 2nd Generation Remote PHY linecard
CBR-DPIC-8X10G	Digital PIC card for RPHY LC
CBR-DPIC-8X10G=	Digital PIC card for RPHY LC
CBR-FAN-ASSEMBLY	Fan Assembly for the cBR CCAP product line
CBR-FAN-ASSEMBLY=	Fan Module for the cBR CCAP product line
CBR-LC-12D-12U	CBR CCAP Line Card - 12 integrated D3.1 and U3.1 PHY chips
CBR-LC-12D-12U=	CBR CCAP Line Card - 12 integrated D3.1 and U3.1 PHY chips
CBR-LC-4D31-16U31	CBR CCAP 4X16 LC - 1 D3.1 DS Module and 1 D3.1 US Module
CBR-LC-4D31-16U31=	CBR CCAP Line Card - 1 D3.1 DS Modules and 1 D3.1 US Module
CBR-LC-8D31-16U31	CBR CCAP Line Card - 2 D3.1 DS Modules and 1 D3.1 US Module
CBR-LC-8D31-16U31=	CBR CCAP Line Card - 2 D3.1 DS Modules and 1 D3.1 US Module
CBR-LC-BLANK	Blank for the cBR LC slot
CBR-LC-BLANK-BUN	CBR-LC-BLANK equivalent, orderable only in approved bundle
CBR-LC-BLANK=	Blank for the cBR LC slot
CBR-LC-DPIC	^The digital PIC card for RPHY LC
CBR-LC-DPIC=	^The digital PIC card for RPHY LC
CBR-LC-EXP	Expansion
CBR-LC-PACKAGING	Robust multi-use packaging for cBR-8 Line Card
CBR-LC-PACKAGING=	Robust multi-use packaging for cBR-8 Line Card
CBR-LC-PIC-BLANK	Blank for the cBR LC PIC slot
CBR-LC-PIC-BLANK=	Blank for the cBR LC PIC slot
CBR-LC-PIC-BNK-BUN	CBR-LC-PIC-BLANK equivalent, orderable only in a bundle

End-of-Sale Product Part Number	Product Description
CBR-PEM-AC-6M	AC power input module (the facility connectivity part)
CBR-PEM-AC-6M=	AC power input module (the facility connectivity part)
CBR-PEM-AC-BUN	CBR-PEM-AC-6M equivalent, orderable only in approved bundle
CBR-PEM-DC-6M	DC power input module (the facility connectivity part)
CBR-PEM-DC-6M=	DC power input module (the facility connectivity part)
CBR-PEM-DC-BUN	CBR-PEM-DC-6M equivalent, orderable only in approved bundle
CBR-PROT-PIC-BUA	CBR-RF-PROT-PIC equivalent, orderable in a bundle only
CBR-PROT-PIC-BUN	CBR-RF-PROT-PIC equivalent, RF Protect PIC in a bundle only
CBR-PS-BLANK	Blanks for the Power Supply Slots
CBR-PS-BLANK-BUN	CBR-PS-BLANK equivalent, orderable in approved bundle only
CBR-PS-BLANK=	Blanks for the Power Supply Slots
CBR-PS-COVER=	Bezel for the cBR8 Power Supply
CBR-RF-PIC	The Working (through) RF PIC cBR.
CBR-RF-PIC-12	^The Working (through) RF PIC for 12x12 line card
CBR-RF-PIC-12=	The Working (through) RF PIC for 12x12 line card
CBR-RF-PIC-BUA	CBR-RF-PIC equivalent, orderable only in an approved bundle
CBR-RF-PIC-BUN	CBR-RF-PIC equivalent, orderable only in an approved bundle
CBR-RF-PIC=	The Working (through) RF PIC cBR.
CBR-RF-PROT-12	The Protect RF PIC for 12x12 line card
CBR-RF-PROT-12=	The Protect RF PIC for 12x12 line card
CBR-RF-PROT-PIC	The Protect RF PIC cBR.
CBR-RF-PROT-PIC=	The Protect RF PIC for cBR.
CBR-SUP-160G-MOD	^Daughter Card for cBR Sup to support 160+Gbps
CBR-SUP-250G	Supervisor for cBR series -250G
CBR-SUP-250G-BUN	CBR-CCAP-SUP-250G equivalent, orderable only in a bundle
CBR-SUP-250G=	Supervisor for cBR series -250G
CBR-SUP-BLANK	Blank for the cBR SUP slot
CBR-SUP-BLANK=	Blank for the cBR SUP slot
CBR-SUP-PACKAGING	Robust multi-use packaging for cBR-8 Supervisor
CBR-SUP-PACKAGING=	Robust multi-use packaging for cBR-8 Supervisor
CBR-SUP-PIC-BLANK	Blank for the cBR SUP PIC slot
CBR-SUP-PIC-BLANK=	Blank for the cBR SUP PIC slot
CBR4LC EXP	Expansions
CBR8 CCAP MEM OPT	Memory
CBR8 CCAP SUP OPT	CCAP Supervisor

End-of-Sale Product Part Number	Product Description
CBR8 DOOR OPT	Rear Door
CBR8 EXP	Expansions
CBR8 FAN OPT	FAN Modules
CBR8 LC PACK OPT	Supervisor Packaging
CBR8 LINECARD OPT	CCAP Line Card
CBR8 PS OPT	Power Supply
CBR8 RF CABLES	CCAP RF Cables
CBR8 RF PROTEC	CCAP RF Protect PIC
CBR8 RF THROUGH OPT	CCAP RF Through PIC
CBR8 SFP OPT	SFP options
CBR8 SUP PACK OPT	Supervisor Packaging
CBR8 SUP PIC OPT	Supervisor PIC
CBR8-ACCKIT=	CBR-8 Chassis Accessory Kit

Product migration options

There is no replacement available for the Cisco cBR-8 Hardware at this time.

Customers may be able to use the Cisco Technology Migration Program (TMP) where applicable to trade-in eligible products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, customers should work with their Cisco Partner or Cisco account team. Cisco Partners can find additional TMP information on Partner Central at:

https://www.cisco.com/web/partners/incentives_and_promotions/tmp.html.

Customers may be able to continue to purchase the Cisco cBR-8 Hardware through the Cisco Refresh (certified remanufactured) program. Remanufactured units may be available in limited supply for sale in certain countries on a first-come, first-served basis until the Last Date of Support has been reached. For information about the Cisco Refresh program, go to: <https://www.cisco.com/c/en/us/products/remanufactured.html>.

The Cisco Takeback and Recycle program helps businesses properly dispose of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to:

https://www.cisco.com/web/about/ac227/ac228/ac231/about_cisco_takeback_recycling.html.

For more information

For more information about the Cisco End-of-Life Policy, go to: <https://www.cisco.com/c/en/us/products/eos-eol-policy.html>

For more information about the Cisco Product Warranties, go to: <https://www.cisco.com/c/en/us/products/warranty-listing.html>

To subscribe to receive end-of-life/end-of-sale information, go to: <https://www.cisco.com/cisco/support/notifications.html>

Any authorized translation issued by Cisco Systems or affiliates of this end-of-life Product Bulletin is intended to help customers understand the content described in the English version. This translation is the result of a commercially reasonable effort; however, if there are discrepancies between the English version and the translated document, please refer to the English version, which is considered authoritative.

Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at <https://www.cisco.com/go/offices>.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)