

End-of-Sale and End-of-Life Announcement for the Cisco Remote PHY Shelf 7200 and Remote PHY SFPs

Contents

Overview	3
End-of-life milestones	3
Product part numbers	4
Product migration options	8
For more information	9

Overview

EOL14740

Cisco announces the end-of-sale and end-of-life dates for the Cisco Remote PHY Shelf 7200 and Remote PHY SFPs. The last day to order the affected product(s) is November 11, 2022. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available under the terms and conditions of customers' service contract.

End-of-life milestones

Table 1. End-of-life milestones and dates for the Cisco Remote PHY Shelf 7200 and Remote PHY SFPs

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end-of-sale and end-of-life of a product is distributed to the general public.	May 13, 2022
End-of-Sale Date: HW	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	November 11, 2022
Last Ship Date: HW	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	February 9, 2023
End of Routine Failure Analysis Date: HW	The last-possible date a routine failure analysis may be performed to determine the cause of hardware product failure or defect.	November 11, 2023
End of New Service Attachment Date: HW	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	November 11, 2023
End of Service Contract Renewal Date: HW	The last date to extend or renew a service contract for the product.	February 6, 2027
Last Date of Support: HW	The last date to receive applicable service and support for the product as entitled by active service contracts or by warranty terms and conditions. After this date, all support services for the product are unavailable, and the product becomes obsolete.	November 30, 2027

HW = Hardware

OS SW = Operating System Software

App. SW = Application Software

Product part numbers

Table 2. Product part numbers affected by this announcement

End-of-Sale Product Part Number	Product Description
HA-RPHY	Container (Top Level) PID for configuring the RPHY HA shelf
HA-RPHY-6X12-LC	RPD Line Card for Remote PHY Shelf 7200
HA-RPHY-6X12-LC=	RPD Line Card for Remote PHY Shelf 7200, spare
HA-RPHY-ACC-KIT=	Accessory kit for Remote PHY Shelf 7200,spare
HA-RPHY-ACC-KIT	Accessory kit for Remote PHY Shelf 7200
HA-RPHY-AC-SHLF	AC Power Shelf for Remote PHY Shelf 7200
HA-RPHY-AC-SHLF=	AC Power Shelf for Remote PHY Shelf 7200,spare
HA-RPHY-CABLE-RF	RF cable, one cable per line card required
HA-RPHY-CABLE-RF=	RF cable for Remote PHY Shelf 7200,spare
HA-RPHY-CBLMG-KIT=	Rear cable management kit for Remote PHY Shelf 7200,spare
HA-RPHY-CBLMG-KIT	Rear cable management kit for Remote PHY Shelf 7200
HA-RPHY-CHASSIS=	Cisco Remote PHY Shelf 7200 Chassis, spare
HA-RPHY-CHASSIS	Cisco Remote PHY Shelf 7200 Chassis
HA-RPHY-DC-SHLF	DC Power Shelf for Remote PHY Shelf 7200
HA-RPHY-DC-SHLF=	DC Power Shelf for Remote PHY Shelf 7200,spare
HA-RPHY-FAN-MOD	Fan Module for Remote PHY Shelf 7200
HA-RPHY-FAN-MOD=	Fan Module for Remote PHY Shelf 7200, spare
HA-RPHY-FAN-TRAY	Fan Tray for Remote PHY Shelf 7200
HA-RPHY-FAN-TRAY=	Fan Tray for Remote PHY Shelf 7200,spare
HA-RPHY-FILTER=	Air Filter for the HA RPHY shelf, spare
HA-RPHY-FILTER	Air Filter for the HA RPHY shelf
HA-RPHY-LC-BLANK	RPD Line Card Blank for Remote PHY Shelf 7200
HA-RPHY-LC-BLANK=	RPD Line Card Blank for Remote PHY Shelf 7200,spare
HA-RPHY-OCMG-KIT=	Front optical cable mgt kit for Remote PHY Shelf 7200, spare
HA-RPHY-OCMG-KIT	Front optical cable management kit for Remote PHY Shelf 7200
HA-RPHY-PIC	RF-PIC for RPHY RPD Line card
HA-RPHY-PIC=	RF-PIC for RPHY RPD Line card, spare
HA-RPHY-PS-BLANK	Blanks for the Power Supply Slots for HA shelf
HA-RPHY-PS-BLANK=	Blanks for the Power Supply Slots for HA shelf
IRPD-1X2=	Remoty Phy Device 1X2 Compatible with iNODE
IRPD-1X2-PKEY=	Remote Phy Device 1X2 Compatible with iNODE. 55-1 and 2 OOB
RPD-1X2=	Remote Phy Device 1X2

End-of-Sale Product Part Number	Product Description
RPD-1X2-PKEY=	Remote Phy Device 1X2, 55-1 and 55-2 Support
RPHY-S10G-20K-200=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-210=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-220=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-230=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-240=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-250=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-260=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-270=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-280=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-290=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-300=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-310=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-320=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-330=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-340=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-350=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-360=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-370=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-380=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-390=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-400=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-410=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-420=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-430=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-440=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-450=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-460=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-470=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-480=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-490=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-500=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-510=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-520=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n

End-of-Sale Product Part Number	Product Description
RPHY-S10G-20K-530=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-540=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-550=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-560=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-570=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-580=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-20K-590=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-200=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-210=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-220=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-230=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-240=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-250=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-260=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-270=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-280=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-290=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-300=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-310=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-320=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-330=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-340=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-350=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-360=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-370=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-380=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-390=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-400=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-410=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-420=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-430=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-440=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-450=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-460=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n

End-of-Sale Product Part Number	Product Description
RPHY-S10G-40K-470=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-480=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-490=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-500=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-510=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-520=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-530=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-540=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-550=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-560=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-570=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-580=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-40K-590=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-200=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-210=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-220=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-230=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-240=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-250=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-260=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-270=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-280=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-290=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-300=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-310=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-320=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-330=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-340=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-350=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-360=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-370=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-380=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-390=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-400=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n

End-of-Sale Product Part Number	Product Description
RPHY-S10G-80K-410=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-420=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-430=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-440=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-450=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-460=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-470=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-480=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-490=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-500=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-510=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-520=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-530=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-540=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-550=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-560=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-570=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-580=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n
RPHY-S10G-80K-590=	SFP+ 10Gbps-RPHY; dist = ddK km; ITU nn.n

Product migration options

There is no replacement available for the Cisco Remote PHY Shelf 7200 and Remote PHY SFPs at this time.

Customers may be able to use the Cisco Technology Migration Program (TMP) where applicable to trade-in eligible products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, customers should work with their Cisco Partner or Cisco account team. Cisco Partners can find additional TMP information on Partner Central at:

https://www.cisco.com/web/partners/incentives_and_promotions/tmp.html.

Customers may be able to continue to purchase the Cisco Remote PHY Shelf 7200 and Remote PHY SFPs through the Cisco Certified Refurbished Equipment program. Refurbished units may be available in limited supply for sale in certain countries on a first-come, first-served basis until the Last Date of Support has been reached. For information about the Cisco Certified Refurbished Equipment program, go to:

<https://www.cisco.com/go/eos>.

Service prices for Cisco products are subject to change after the product End-of-Sale date.

The Cisco Takeback and Recycle program helps businesses properly dispose of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to:

http://www.cisco.com/web/about/ac227/ac228/ac231/about_cisco_takeback_recycling.html.

For more information

For more information about the Cisco End-of-Life Policy, go to: <https://www.cisco.com/c/en/us/products/eos-eol-policy.html>.

For more information about the Cisco Product Warranties, go to: <https://www.cisco.com/c/en/us/products/warranty-listing.html>.

To subscribe to receive end-of-life/end-of-sale information, go to: <https://cway.cisco.com/mynotifications>.

Any authorized translation issued by Cisco Systems or affiliates of this end-of-life Product Bulletin is intended to help customers understand the content described in the English version. This translation is the result of a commercially reasonable effort; however, if there are discrepancies between the English version and the translated document, please refer to the English version, which is considered authoritative.

Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at <https://www.cisco.com/go/offices>.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)