



PRODUCT BULLETIN NO. 3042

CISCO IOS SOFTWARE DEPLOYMENT RELEASE 12.3(7)JA


This product bulletin describes the content and delivery information for Cisco IOS® Software Release 12.3(7)JA, an deployment release supporting Cisco® Aironet® 1400 Series outdoor wireless bridges, Cisco Aironet 1300 Series outdoor access points/bridges, and Cisco Aironet 1240AG, 1230AG, 1200, 1130AG, and 1100 series access points. This release contains new features as well as support for the features delivered in Cisco IOS Software Release 12.3(4)JA, described in Product Bulletin 2850.

Cisco IOS Software Release 12.3(7)JA provides several features for Cisco Aironet 1400 Series outdoor wireless bridges, Cisco Aironet 1300 Series outdoor access points/bridges, and Cisco Aironet 1240AG, 1230AG, 1200, 1130AG, and 1100 series access points. Feature enhancements include support for Cisco Aironet 1240AG Series access points; Access Point Link Role Flexibility; NAC—L2 IEEE 802.1x, Quality of Service (QoS) Basic Service Set (QBSS) support; and authentication, authorization, and accounting (AAA) cache.

This Cisco IOS Software release is available as a free software upgrade for Cisco Aironet 1130, 1410, 1200, 1100, and 350 series access points and Cisco Aironet 1300 Series outdoor access points/bridges. Figure 1 displays the release train and recommended migration path for Cisco IOS Software Release 12.3(7)JA. Only bug fixes are provided for Cisco Aironet 350 Series access points in this release.

This is an initial release for Cisco Aironet 1240AG Series access point. Feature set is the same as existing software features supported on the AP1200.

Figure 1. Release Train and Recommended Migration Path for Cisco IOS Software Release 12.3(7)JA



NEW FEATURES IN CISCO IOS SOFTWARE RELEASE 12.3(7)JA

Table 1 lists new features in Cisco IOS Software Release 12.3(7)JA. These features are supported in this release for the platforms noted.

Table 1. New Cisco IOS Software Features

New Features	Cisco Aironet 1100 Series Access Point	Cisco Aironet 1130AG Series Access Point	Cisco Aironet 1200 Series Access Point	Cisco Aironet 1230AG Series Access Point	Cisco Aironet 1240AG Series Access Point	Cisco Aironet 1300 Series Access Point/Bridge	Cisco Aironet 1400 Series Wireless Bridge
Access Point Link Role Flexibility	–	–	X	X	X	–	–
AAA Cache and Profile	X	X	X	X	X	X	X
Secure Shell v2	X	X	X	X	X	X	X
NAC—L2 IEEE 802.1x	X	X	X	X	X	X	-

CISCO IOS SOFTWARE RELEASE 12.3(7)JA FEATURE DESCRIPTION

Access Point Link Role Flexibility—Allows access point radios to operate in a combination of radio roles, such as access point root, access point repeater, bridge root (with or without clients), bridge nonroot (with or without clients), and WGB. This provides a more flexible deployment scheme for the AP1200 Series supporting various applications requirement.

AAA cache and profile—New capability to cache the information returned from the RADIUS or TACACS+ SERVER to provide a more efficient handling of authentication process.

Secure Shell v2—SSHv2 is standards-based protocol to provide secure telnet capability for router configuration and administration.

NAC -L2 IEEE 802.1x—Network Admission Control (NAC) L2 IEEE 802.1x extends NAC support to layer 2 switches and wireless access points. Combining it with 802.1x provides a unified authentication and posture validation mechanism at the layer 2 network edge. This helps protect the network from attack by machines with insufficient antivirus posture. Performing posture validation at the edge maximizes the portion of the network which is protected and allows posture validation to be performed with a VLAN.

Note: The QBSS capability has been changed to leverage channel utilization instead of AP traffic load.

Release Notes

For more information about the platforms and features delivered in Cisco IOS Software Release 12.3(7)JA, release notes are available at:

<http://www.cisco.com/en/US/products/hw/wireless/index.html>

Support

Cisco IOS Software Release 12.3(7)JA follows the standard Cisco support policy. For more information, visit:

http://www.cisco.com/en/US/products/products_end-of-life_policy.html

PRODUCT FEATURES AND MODEL NUMBERS

Cisco IOS Software Release 12.3(7)JA feature sets, images, and memory recommendations are listed in Table 2. The products supported by this release are listed in Table 3.

Table 2. Cisco IOS Software Release 12.3(7)JA Feature Sets, Images, and Memory Recommendations

Platform	Software Feature Set	Product Code	Image	Flash	DRAM
Cisco Aironet 1400 Series Wireless Bridges	Wireless LAN	S141W7K9-12307JA	c1410-k9w7-tar.123-7.JA	8 MB	16 MB
Cisco Aironet 1300 Series Outdoor Access Points/Bridges	Wireless LAN	S131W7K9-12307JA	c1310-k9w7-tar.123-7.JA	8 MB	32 MB
Cisco Aironet 1240AG Series Access Points	Wireless LAN	S124W7K9-12307JA	c1240-k9w7-tar.123-7.JA	16 MB	32 MB
Cisco Aironet 1230AG Series Access Points	Wireless LAN	S12W7K9-12307JA	c1200-k9w7-tar.123-7.JA	8 MB	16 MB
Cisco Aironet 1200 Series Access Points	Wireless LAN	S12W7K9-12307JA	c1200-k9w7-tar.123-7.JA	8 MB	16 MB
Cisco Aironet 1130AG Series Access Points	Wireless LAN	S113W7K9-12307JA	c1130-k9w7-tar.123-7.JA	16 MB	32 MB
Cisco Aironet 1100 Series Access Points	Wireless LAN	S11W7K9-12307JA	c1100-k9w7-tar.123-7.JA	8 MB	16 MB

Table 3. Products Supported by Cisco IOS Software Release 12.3(7)JA

Platform	Model Number
Cisco Aironet 1400 Series Wireless Bridges	BR1410A
Cisco Aironet 1300 Series Outdoor Access Points/Bridges	BR1310G
Cisco Aironet 1240AG Series Access Points	AP1242AG
Cisco Aironet 1230AG Series Access Points	AP1232AG
Cisco Aironet 1200 Series Access Points	AP1210, AP1230A, AP1230B, AP1231G
Cisco Aironet 1130AG Series Access Points	AP1131AG
Cisco Aironet 1100 Series Access Points	AP1120B, AP1121G
Cisco Aironet 350 Series Access Points	AP350

There is new regulatory domain for Cisco Aironet 1130AG (K, S and T) and Cisco Aironet 1200 802.11a radios (S and T).

There is also support for new P-SKU for Cisco Aironet 1130AG and Cisco Aironet 1200 802.11a radios.

DOWNLOAD INFORMATION

Cisco IOS Software Release 12.3(7)JA can be downloaded from the following locations:

<http://www.cisco.com/public/sw-center/sw-wireless.shtml>

<http://www.cisco.com/public/sw-center/sw-ios.shtml>

**Corporate Headquarters**

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
www.cisco.com
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 526-4100

European Headquarters

Cisco Systems International BV
Haarlerbergpark
Haarlerbergweg 13-19
1101 CH Amsterdam
The Netherlands
www-europe.cisco.com
Tel: 31 0 20 357 1000
Fax: 31 0 20 357 1100

Americas Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
www.cisco.com
Tel: 408 526-7660
Fax: 408 527-0883

Asia Pacific Headquarters

Cisco Systems, Inc.
168 Robinson Road
#28-01 Capital Tower
Singapore 068912
www.cisco.com
Tel: +65 6317 7777
Fax: +65 6317 7799

Cisco Systems has more than 200 offices in the following countries and regions. Addresses, phone numbers, and fax numbers are listed on **the Cisco Website at www.cisco.com/go/offices.**

Argentina • Australia • Austria • Belgium • Brazil • Bulgaria • Canada • Chile • China PRC • Colombia • Costa Rica • Croatia • Cyprus
Czech Republic • Denmark • Dubai, UAE • Finland • France • Germany • Greece • Hong Kong SAR • Hungary • India • Indonesia • Ireland • Israel
Italy • Japan • Korea • Luxembourg • Malaysia • Mexico • The Netherlands • New Zealand • Norway • Peru • Philippines • Poland • Portugal
Puerto Rico • Romania • Russia • Saudi Arabia • Scotland • Singapore • Slovakia • Slovenia • South Africa • Spain • Sweden • Switzerland • Taiwan
Thailand • Turkey • Ukraine • United Kingdom • United States • Venezuela • Vietnam • Zimbabwe

Copyright © 2005 Cisco Systems, Inc. All rights reserved. CCSP, CCVP, the Cisco Square Bridge logo, Follow Me Browsing, and StackWise are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn, and iQuick Study are service marks of Cisco Systems, Inc.; and Access Registrar, Aironet, ASIST, BPX, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Empowering the Internet Generation, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, FormShare, GigaDrive, GigaStack, HomeLink, Internet Quotient, IOS, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, LightStream, Linksys, MeetingPlace, MGX, the Networkers logo, Networking Academy, Network Registrar, Packet, PIX, Post-Routing, Pre-Routing, ProConnect, RateMUX, ScriptShare, SlideCast, SMARTnet, StrataView Plus, TeleRouter, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0502R) 205327.DC_ETMG_LS_10.05

