

Vault Credentials Schema

Contents

```
{
  "type": "object",
  "properties": {
    "targetIp": {
      "type": "string",
      "description": "IP address or hostname of the target device(s). Supports wildcards (e.g., 5.0.*.*)",
    },
    "credentials": {
      "type": "object",
      "description": "Object containing protocol-specific credentials.",
      "properties": {
        "snmpv2c": {
          "type": "object",
          "description": "SNMPv2c credentials.",
          "properties": {
            "read": {
              "type": "string",
              "description": "SNMP Read Community"
            }
          },
          "required": ["read"]
        },
        "snmpv3": {
          "type": "object",
          "description": "SNMPv3 credentials.",
          "properties": {
            "user": {
              "type": "string",
              "description": "SNMPv3 User"
            },
            "authAlgorithm": {
              "type": "string",
              "description": "Authentication Algorithm (optional)"
            },
            "authPassword": {
              "type": "string",
              "description": "Authentication Password (required if authAlgorithm is provided)"
            },
            "privacyAlgorithm": {
              "type": "string",
              "description": "Privacy Algorithm (optional)"
            },
            "privacyPassword": {
              "type": "string",
              "description": "Privacy Password (required if privacyAlgorithm is provided)"
            },
            "engineId": {
              "type": "string",
              "description": "SNMP Engine ID (optional)"
            }
          }
        }
      }
    }
  }
}
```

```

    }
  },
  "required": ["user"]
},
"sshv1": {
  "type": "object",
  "description": "SSHv1 credentials.",
  "properties": {
    "user": {
      "type": "string",
      "description": "Username"
    },
    "password": {
      "type": "string",
      "description": "Password (optional if enablePassword is provided)"
    },
    "enableUser": {
      "type": "string",
      "description": "Enable Username (optional)"
    },
    "enablePassword": {
      "type": "string",
      "description": "Enable Password (required if password is not provided)"
    },
    "port": {
      "type": "integer",
      "description": "Port (optional, default = 22)"
    }
  },
  "required": ["user"]
},
"sshv2": {
  "type": "object",
  "description": "SSHv2 credentials.",
  "properties": {
    "user": {
      "type": "string",
      "description": "Username"
    },
    "password": {
      "type": "string",
      "description": "Password (optional if enablePassword is provided)"
    },
    "enableUser": {
      "type": "string",
      "description": "Enable Username (optional)"
    },
    "enablePassword": {
      "type": "string",
      "description": "Enable Password (required if password is not provided)"
    },
    "port": {
      "type": "integer",
      "description": "Port (optional, default = 22)"
    }
  },
  "required": ["user"]
},
"telnet": {

```

```

"type": "object",
"description": "Telnet credentials.",
"properties": {
  "user": {
    "type": "string",
    "description": "Username"
  },
  "password": {
    "type": "string",
    "description": "Password (optional if enablePassword is provided)"
  },
  "enableUser": {
    "type": "string",
    "description": "Enable Username (optional)"
  },
  "enablePassword": {
    "type": "string",
    "description": "Enable Password (required if password is not provided)"
  },
  "port": {
    "type": "integer",
    "description": "Port (optional, default = 23)"
  }
},
"required": ["user"]
},
"http": {
  "type": "object",
  "description": "HTTP credentials.",
  "properties": {
    "user": {
      "type": "string",
      "description": "Username (optional)"
    },
    "password": {
      "type": "string",
      "description": "Password (optional)"
    },
    "port": {
      "type": "integer",
      "description": "Port (optional, default = 80)"
    }
  }
},
"https": {
  "type": "object",
  "description": "HTTPS credentials.",
  "properties": {
    "user": {
      "type": "string",
      "description": "Username (optional)"
    },
    "password": {
      "type": "string",
      "description": "Password (optional)"
    },
    "port": {
      "type": "integer",
      "description": "Port (optional, default = 443)"
    }
  }
}

```

```
        }
      }
    },
    "additionalProperties": false
  },
  "required": ["targetIp", "credentials"],
  "additionalProperties": false
}
```