Add an Enable/Disable Menu Option in Umbrella Roaming Client OS X

Contents

Introduction

Feature Availability

Pre-Installation Method

Post-Installation Method

Introduction

This document describes how to add a manual disable/enable option to the Umbrella Roaming Client menu bar on macOS for testing and troubleshooting.

Feature Availability

- The manual disable and enable menu option is only available for macOS.
- Windows users can disable the Umbrella Roaming Client manually, but there is no option to add a menu item in the tray icon dropdown.

Pre-Installation Method

Use this method if the Umbrella roaming client is not yet installed and you want the disable/enable option available after installation.


- 1. Download the Umbrella roaming client from the dashboard.
- 2. Extract the zipfile and open the OrgInfo. plistfile with a text editor.
- 3. Add these two lines immediately before the last two lines of the file (</dict> and</plist>). Ensure the indentation matches the other values.

<key>EnableDisableOption</key>
<true/>

- 4. Save the file.
- 5. Install the **Umbrella Roaming Client** as usual.

Post-Installation Method

Use this method if the Umbrella roaming client is already installed and you want to add the disable/enable option without reinstalling.



Caution: You must use "sudo", because modifying the file requires administrative privileges.

1. Open this file using vimor another text editor with administrative privileges:

 $sudo\ vim\ /Library/Application \\ \ Support/OpenDNS \\ \ Roaming \\ \ Client/Updater.plist$

- 2. Add these two lines immediately before the last two lines of the file (</dict>and</plist>):
 - <key>EnableDisableOption</key>
 <true/>
- 3. **Save** the file.

After saving, the **Disable** option appears in the tray icon. When disabled, the text updates to show the

Umbrella Roaming Client is disabled and provides an option to enable it.