

How do I configure manual DNS entries on the Web Security Appliance?



Document ID: 118452

Contributed by Josh Wolfer and Siddharth Rajpathak, Cisco TAC Engineers.

Oct 13, 2014

Contents

Question
Environment

Question

How do I configure manual DNS entries on the Cisco Web Security Appliance?

Environment

Cisco Web Security Appliance (WSA), all AsyncOS versions

In the command line interface (CLI) enter the following commands as shown:

```
WSA> dnsconfig
```

```
Choose the operation you want to perform:
```

- NEW - Add a new server.
- SETUP - Configure general settings.
- SEARCH - Configure DNS domain search list.

```
[> localhosts
```

```
Local IP to Host mappings:
```

```
Choose the operation you want to perform:
```

- NEW - Add new local IP to host mapping.
- DELETE - Delete an existing mapping.

```
[> new
```

```
Enter the IP address of the host you are adding.
```

```
[> 1.1.1.1
```

```
Enter the canonical host name and any additional aliases (separate values with spaces)
```

```
[> example.com
```

```
Local IP to Host mappings:
```

```
1. 1.1.1.1 example.com
```

```
Choose the operation you want to perform:
```

- NEW - Add new local IP to host mapping.
- DELETE - Delete an existing mapping.

```
[> <Press Enter twice to go back to the CLI prompt>
```

At the CLI prompt, please use the CLI command – *commit* – to commit the DNS configuration changes.

Note: The *"localhosts"* option in the CLI command 'dnsconfig' is a hidden option.

Updated: Oct 13, 2014

Document ID: 118452
