

# Enable Secure Shell (SSH) Service on 300/500 Series Managed Switches

## Objective


By default, a 300 or 500 Series Managed Switch can be configured via the configuration utility through a web browser. Secure Shell (SSH) allows the administrator to configure the switch through a command line interface (CLI) with a third party program. In CLI mode via SSH, the administrator can execute more advanced configurations in a secure connection. This article explains how to enable SSH Service on the 300/500 Series Managed Switches.

## Applicable Devices | Software Version

- Sx300 Series | 1.3.0.62 ([Download latest](#))
- Sx500 Series | 1.3.0.62 ([Download latest](#))

## Enable SSH Service

Step 1. Log in to the web configuration utility and choose **Security > TCP/UDP Services**. The *TCP/UDP Services* page opens:



TCP/UDP Services	
HTTP Service:	<input checked="" type="checkbox"/> Enable
HTTPS Service:	<input checked="" type="checkbox"/> Enable
SNMP Service:	<input type="checkbox"/> Enable
Telnet Service:	<input type="checkbox"/> Enable
SSH Service:	<input checked="" type="checkbox"/> Enable

Apply Cancel

Step 2. Check the **SSH Service** check box to enable access of switches command prompt through SSH.

Step 3. Click **Apply** to immediately enable the SSH Service.

## View a video related to this article...

[Click here to view other Tech Talks from Cisco](#)