Troubleshoot Webex Calling End-User Self-Service Management for Busy Lamp Field and Monitored Line Features

Contents

Issue

End users in a Webex Calling environment are unable to self-manage or provision their own Busy Lamp Field (BLF) and Monitored Line settings through the Webex User Hub portal. When accessing the User Hub, only Speed Dial options are visible to end users, while BLF and Monitored Line configuration options are not available for self-service management. This limitation requires administrators to make all BLF and Monitored Line changes through the Control Hub, which becomes unsustainable when multiple users need to manage these settings, particularly in environments using third-party phones.

The specific behavior observed includes:

- BLF/Monitored Line options are not displayed in the Webex User Hub interface.
- Only Speed Dial configuration is available for end-user self-service.
- All BLF/Monitored Line changes must be performed by administrators via Control Hub.
- The administrative overhead becomes unsustainable with increasing user requests.

Environment

- Webex Calling service with User Hub and Control Hub access
- Third-party phone devices requiring BLF/Monitored Line configuration
- Partner organization type with multiple end users requiring self-service capabilities
- Administrative access to Control Hub for BLF/Monitored Line management
- End users with access to Webex User Hub portal

Resolution

After thorough investigation and internal research, it has been confirmed that end-user self-service management of Busy Lamp Field (BLF) and Monitored Line features is not supported in Webex Calling at this time. These findings were documented during the investigation:

Validation Steps Performed

Step 1: User Hub Interface Review

A sample user account was examined to confirm the available self-service options in the Webex User Hub. The review confirmed that only Speed Dial configuration options are available to end users, with no BLF or Monitored Line management capabilities present.

Step 2: Control Hub Functionality Verification

The administrative Control Hub interface was verified to confirm that BLF and Monitored Line changes can be successfully configured through the administrative portal, confirming that the feature functionality exists but is restricted to administrator access only.

Step 3: Internal Research and Lab Environment Check

Internal research was conducted to determine if any supported methods exist for end-user self-service management of BLF/Monitored Line features. This included checking for lab environment configurations and alternative approaches, but no supported options were identified.

Current Workaround

The only available method for managing BLF and Monitored Line settings is through administrator access to the Control Hub. Organizations requiring frequent changes to these settings must continue to rely on administrative intervention for all BLF and Monitored Line provisioning and modifications.

Recommendations

For organizations with high-volume BLF and Monitored Line management requirements:

- Establish a streamlined administrative process for handling user requests.
- Consider implementing a ticketing system for efficient request management.

- Document specific third-party phone model requirements to optimize configuration workflows.
- Monitor Webex Calling feature updates for potential future self-service capabilities.

Cause

The limitation is due to current Webex Calling platform design restrictions where Busy Lamp Field and Monitored Line management features are only accessible through the administrative Control Hub interface. The User Hub portal is designed with a limited set of self-service features that currently includes Speed Dial management but excludes BLF and Monitored Line configuration capabilities. This architectural design choice restricts these advanced telephony features to administrator-level access only.

Related Content

- Cisco Technical Support & Downloads