CISCO

Appendix A: Management Dashboard Commands for the SV-4K and DMP-2K Media Player

First Published: 2016-11-30

This module provides a summary of the Management Dashboard commands that are supported by the SV-4K and DMP-2K media player.

- Auto-Registration Commands for the SV-4K and DMP-2K Media Player, page 60
- DMP Commands for the SV-4K and DMP-2K Media Player, page 60
- DMP Install Commands for the SV-4K and DMP-2K Media Player, page 60
- Global Settings Commands for the SV-4K and DMP-2K Media Player, page 61
- Monitoring Commands for the SV-4K and DMP-2K Media Player, page 61
- Switch Commands for the SV-4K and DMP-2K Media Player, page 61
- TV Commands for the SV-4K and DMP-2K Media Player, page 62

Auto-Registration Commands for the SV-4K and DMP-2K Media Player

Auto-Registration Commands for the SV-4K and DMP-2K Media Player

Table 1 Management Dashboard Auto-Registration Commands

Command Name	Supported on SV-4K and DMP-2K?
Change DMP State	Yes
Provision DMP	No

DMP Commands for the SV-4K and DMP-2K Media Player

Table 2 Management Dashboard DMP Commands

Command Name	Supported on SV-4K and DMP-2K?
Display IP	Yes
Restart Runtime	Yes
Disable DHCP	No
Enable DHCP	No
Disable HDMI Autodetection	No
Enable HDMI Autodetection	No
Disable Diagnostic Web Server	Yes (SV-4K and DMP-2K)
Enable Diagnostic Web Server	Yes (SV-4K and DMP-2K)
Reset Storage	Yes (SV-4K and DMP-2K)
Update MIB	No
Send RS232	Yes
Reboot Device	Yes
Play SWF	No
Stop SWF	No
Play Media URL	No
Stop Media URL	No
Set Alpha Transparency	No

DMP Install Commands for the SV-4K and DMP-2K Media Player

Table 3 Management Dashboard DMP Install Commands

Command Name	Supported on SV-4K and DMP-2K?
Firmware Upgrade	Yes (only for firmware upload; not to provision firmware)
Restore Default Settings	Yes
Initial Config	No
Stage Template	No

Global Settings Commands for the SV-4K and DMP-2K Media Player

Table 3 Management Dashboard DMP Install Commands (continued)

Command Name	Supported on SV-4K and DMP-2K?
Initialize Touchscreen	No
Show Calibration	No
Setup NTP	No

Global Settings Commands for the SV-4K and DMP-2K Media Player

Table 4 Management Dashboard Global Settings Commands

Command Name	Supported on SV-4K and DMP-2K?
Global DMP Settings	No

Monitoring Commands for the SV-4K and DMP-2K Media Player

Table 5 Management Dashboard Monitoring Commands

Command Name	Supported on SV-4K and DMP-2K?
Get Status	Yes
Ping	Yes
Enable Monitoring	No
Change Monitoring Thresholds	No
Disable Monitoring	No

Switch Commands for the SV-4K and DMP-2K Media Player

Table 6 Management Dashboard Switch Commands

Command Name	Supported on SV-4K and DMP-2K?
Power Cycle DMP	Yes
Power On DMP	Yes
Power Off DMP	Yes
Run Cabling Test using TDR	Yes
Show TDR Test Results	Yes
Ping Test	Yes
Clear ARP Cache	Yes

TV Commands for the SV-4K and DMP-2K Media Player

TV Commands for the SV-4K and DMP-2K Media Player

Table 7 Management Dashboard TV Commands

Command Name	Supported on SV-4K and DMP-2K?
TV On	Yes
TV Off	Yes
Set Display Input	Yes
Set Display Banner	Yes
Set Closed Caption	Yes
Set Volume	Yes
Set Video Channel	Yes
Show Diagnostics	Yes
Hide Diagnostics	Yes
Show Diagnostics with Message	Yes
Show Custom Swf	No
Hide Custom Swf	No
Display PIN	Yes
Hide Channel Guide	Yes
Disable User Control	No
Enable User Control	No