



---

## Numerics

- 10 Gigabit Ethernet interfaces
  - modifying [6-7](#)

---

## A

- AAA accounting
  - configuring [7-34](#)

- AAA-based management systems [2-26, 7-2](#)

### acceleration

- about [1-7, 13-1](#)
- features [1-7](#)
- TCP adaptive buffering settings [13-66](#)
- TCP settings [13-64](#)

### accelerators

- enabling [13-3](#)

- accelerator threshold [13-58](#)

### accounts

- creating [8-4](#)
- creation process [8-2](#)
- deleting [8-6](#)
- local CLI [8-2](#)
- roles-based [8-2](#)
- types [8-1](#)
- viewing [8-8](#)

### ACL

- interception [5-28](#)
- See also* IP ACL

### action

- full optimization (adaptive cache) [13-55](#)
- full optimization (bidirectional cache) [13-55](#)
- full optimization (unidirectional cache) [13-55](#)

- passthrough [13-55](#)

- TFO only [13-55](#)

- TFO with DRE (Adaptive Cache) [13-55](#)

- TFO with DRE (Bidirectional Cache) [13-55](#)

- TFO with DRE (Unidirectional Cache) [13-55](#)

- TFO with LZ compression [13-55](#)

- types [13-55](#)

- activating devices [16-35](#)

- adaptive buffering, TFO [13-66](#)

### adding

- charts [17-13](#)

### administrative login authentication and authorization

- default [7-4](#)

- for WAEs [7-2](#)

- local database description [7-6](#)

- overview of [7-1](#)

- RADIUS overview [7-12](#)

- TACACS+ overview [7-14](#)

- Windows domain overview [7-16](#)

- administrative login authentication failover [7-27](#)

- alarm overload detection, enabling [10-23](#)

### alarm panel

- system dashboard window [17-3](#)

### alarms

- device reporting [17-4](#)

- alerts [17-5](#)

### application acceleration

- about [1-7, 13-1](#)

- enabling [13-3](#)

### application classifiers

- creating [13-53](#)

- match condition [13-57](#)

- restoring [13-61](#)

- application definition
    - creating [13-52](#)
  - application list, viewing [13-59](#)
  - application policy
    - creating [13-53](#)
    - creation process [13-51](#)
    - position [13-62](#)
    - preparation tasks [13-51](#)
    - restoring defaults [13-61](#)
  - applications
    - monitoring [13-61, 17-2](#)
  - AppNav
    - adding and removing devices [4-43](#)
    - AppNav Cluster [4-2](#)
    - AppNav Controller [4-1](#)
    - AppNav Controller Group [4-2](#)
    - appnav-controller interception [5-57](#)
    - AppNav Controller Interface Modules [4-3](#)
    - class maps [4-5](#)
    - cluster settings [4-35](#)
    - cluster settings for WAAS node [4-42](#)
    - cluster wizard [4-15](#)
    - configuring [4-1, 4-11](#)
    - configuring class maps [4-22](#)
    - configuring policy rules [4-28](#)
    - connection statistics [4-51](#)
    - connection tracing [4-51](#)
    - controller settings [4-37](#)
    - deployment models [4-3](#)
    - interface wizard [4-20](#)
    - monitoring cluster [4-47](#)
    - policies [4-5](#)
    - policy [4-4](#)
    - service context [4-2](#)
    - WAAS Node [4-2](#)
    - WAAS Node Group [4-2](#)
    - WAAS node group settings [4-41](#)
    - WAAS node settings [4-40](#)
  - AppNav-XE
    - enabling WAAS service insertion on interfaces [6-17](#)
    - registration process [10-28](#)
    - reimporting a certificate to the Central Manager [10-34](#)
  - assigning
    - devices to a preposition directive [12-16](#)
    - devices to device groups [3-5](#)
    - devices to more than one device group [3-7](#)
  - audit trail logs
    - viewing [7-35, 17-62](#)
  - authentication
    - default feature values [7-4](#)
  - authentication databases, types of [7-2](#)
  - authentication servers
    - configuring [7-12, 7-14](#)
  - authorization
    - default feature values [7-4](#)
  - autodiscover [1-20](#)
  - autoregistration
    - DHCP server requirements [2-8](#)
- 
- ## B
- backing up
    - configuration files [11-6](#)
    - WAAS Central Manager [16-10](#)
    - WAE devices [16-12](#)
  - backup and restore
    - cms database [16-10](#)
    - virtual blade [14-11](#)
  - banners
    - configuring [7-10](#)
  - BIC TCP [1-6](#)
  - BMC
    - enabling IPMI over LAN [10-26](#)
    - enabling IPMI SoL [10-27](#)
    - firmware update [10-25](#)
  - bootflags [16-22](#)
  - bridge group

- assigning physical interface [6-20](#)
    - creating [6-19](#)
  - bridge virtual interface
    - creating [6-20](#)
  - browser support [2-10](#)
- 
- C**
- CDP
    - configuring [6-27](#)
  - cdp enable command [5-41](#)
  - cdp run command [5-40](#)
  - Central Manager. *See* WAAS Central Manager
  - certificate
    - reimporting [10-34](#)
  - charts
    - adding [17-13](#)
    - customizing [17-10](#)
    - descriptions [17-14](#)
    - settings [17-14](#)
  - CIFS [12-1](#)
    - ports used [2-6](#)
    - preparing for [12-7](#)
    - using SMB accelerator for [12-19](#)
  - CIFS accelerator
    - configuring [12-8](#)
    - enabling [13-3](#)
  - CifsAO WAE Device Manager option [11-13](#)
  - CIFS configuration process [12-8](#)
  - Cisco.com
    - obtaining software files from [16-3](#)
  - Cisco Discovery Protocol. *See* CDP
  - Cisco Prime Network Single Sign-on configuration [7-32](#)
  - classifier, creating [13-53](#)
  - classifier report, viewing [13-60](#)
  - clear statistics all command [7-26](#)
  - clear statistics authentication command [7-26](#)
  - clear statistics windows-domain command [7-26](#)
  - CLI user
    - creating [8-4](#)
  - clock
    - setting [10-5](#)
  - clustering in inline mode [5-53](#)
  - cms database
    - backup and restore procedure [16-10](#)
  - cms database backup command [16-10](#)
  - cms database restore command [16-11](#)
  - coherency
    - age-based validation [12-4](#)
  - compression, about [1-6](#)
  - conditions
    - modifying or deleting from IP ACLs [9-6](#)
  - configuring WAAS CM for single sign-on [7-33](#)
  - congestion windows, about [6-24](#)
  - connections
    - viewing TCP connections [17-40](#)
  - Connections Statistics report [17-40](#)
  - connection statistics, AppNav [4-51](#)
  - connection tracing [4-51](#)
  - controlled shutdown [16-36](#)
  - copy disk ftp command [16-10](#)
  - core WAE, about [1-9](#)
  - corrupted system images
    - recovering from [16-19](#)
  - CPU load threshold [13-59](#)
  - creating
    - accounts [8-4](#)
    - application classifier [13-53](#)
    - application definition [13-52](#)
    - application policy [13-53](#)
    - local user [8-4](#)
    - match condition [13-57](#)
    - new software file [16-3](#)
    - preposition directive [12-11](#)
    - preposition schedule [12-17](#)
  - current software version
    - determining [16-3](#)

## D

## dashboard

- customizing 17-10
- device 17-8
- system 17-1

## database backup 16-10

## data coherency, about 12-3

## data concurrency, about 12-5

## data migration 2-27

## data redundancy elimination, about 1-6

## debug command 17-65

## default status, restoring 16-12

## deleting

- accounts 8-6
- device groups 3-6
- locations 3-11
- roles 8-13
- software files 16-9
- user groups 8-20

## device

- alarms 17-4
- autodiscovery 1-20
- clock setting 10-5
- rebooting 16-35

## Device Dashboard window 17-8

## device groups

- about 3-1
- adding and removing devices 3-5
- configuring 3-4
- creating 3-3
- creation process 3-2
- deleting 3-6
- enabling overlap 3-7
- force group settings 3-7
- list 3-6
- overriding settings 3-7
- setting configuration precedence 3-8

Device Home window. See Device Dashboard window

## device locations

- about 3-10
- creating 3-10
- deleting 3-11

## device logs, viewing 17-63

## device registration information

- recovering 16-23

## devices

- activating 16-35
- adding to device groups 3-5
- adding to multiple device groups 3-7
- impact of assigning to multiple groups 3-9
- overriding device group settings 3-8
- restarting 16-35
- topology 17-40
- viewing group assignments 3-6
- viewing information for 17-6, 17-36, 17-40

## Devices window 17-6

## DHCP

- configuring interfaces for 6-14
- for autoregistration 2-8
- interface-level 2-9

## DHCP server

- requirements for autoregistration 2-8

## diagnostic tests 17-64

## directed mode 6-29

## Disabling NetFlow v9 17-51

## disabling WCCP flow redirection 5-17

## disk-based software, missing

- recovering from 16-22

## disk encryption 16-31

## disk handling

- configuring error-handling methods 16-32
- configuring extended object cache 16-33

## disks

- monitoring 17-43

## Disks report 17-43

## DNS, configuring 6-27

## domains

- about [8-14](#)
- adding entities [8-15](#)
- assigning to user accounts [8-15](#)
- assigning to user groups [8-19](#)
- creating [8-14](#)
- deleting [8-16](#)
- modifying and deleting [8-16](#)
- viewing [8-17](#)

downgrading [16-3](#)

DRE, about [1-6](#)

DRE settings

- configuring [13-7](#)

DSCP [13-56](#)

- global default [13-61](#)

dynamic shares

- creating for CIFS accelerator [12-9](#)
- creating for SMB accelerator [12-19](#)

---

## E

- edge WAE, about [1-9](#)
- egress methods

  - configuring [5-30](#)

- email server settings for reports [10-24](#)
- enable command [7-15](#)
- enabling

  - optimization and accelerators [13-3](#)
  - protocol chaining [13-49](#)
  - SNMP [18-14](#)
  - SNMP agent [18-13](#)
  - traffic statistic collection [13-52](#)
  - virtual blade [14-3](#)
  - WCCP flow redirection [5-17](#)

- encryption

  - disk [16-31](#)
  - enabling secure store [10-10](#)

- entities

  - adding to domains [8-15](#)

- EPM accelerator

- enabling [13-3](#)
- errors

  - disk drives [16-32](#)

- EtherChannel

  - configuring [6-10](#)

- Exec timeout

  - configuring [7-10](#)

- explicit congestion notification

  - about [6-24](#)

- extended object cache [16-33](#)

---

## F

- failover, for administrative login authentication [7-27](#)
- fast offline detection

  - about [10-23](#)
  - configuring [10-22](#)

- file locking, about [12-5](#)
- File Server Rename utility [11-13](#)
- file servers

  - supported [12-7](#)

- file services [12-8](#)

  - about [1-8](#)
  - features [1-9](#)
  - preparing for [12-7](#)
  - SMB configuration process [12-19](#)

- firewall, configuring for [6-29](#)
- flash memory

  - corrupted [16-19](#)

- flow monitoring

  - configuring [17-48](#)

- force group settings [3-7](#)
- full optimization (adaptive cache) action [13-55](#)
- full optimization (bidirectional cache) action [13-55](#)
- full optimization (unidirectional cache) action [13-55](#)

## G

generic GRE egress method [5-30](#)  
 generic routing encapsulation. *See* GRE encapsulation  
 Gigabit Ethernet interfaces  
   modifying [6-7](#)  
 GRE encapsulation [5-14](#), [5-16](#)  
 GRE packet forwarding [5-16](#)  
 GRE tunnel, configuring on router [5-32](#)  
 groups. *See* user groups

## H

hardware clock [10-5](#)  
 hardware devices supported [2-10](#)  
 high bandwidth WAN link [2-7](#)  
 HTTP accelerator  
   configuring [13-8](#)  
   enabling [13-3](#)  
   HTTPS settings [13-8](#)

## I

ICA accelerator  
   configuring [13-29](#)  
   configuring ICA over SSL [13-31](#)  
 increased buffering [1-5](#)  
 inline mode [5-43](#)  
   configuring IP address [5-52](#)  
   interface settings [5-47](#)  
   serial clustering [5-53](#)  
   VLAN configuration [5-53](#)  
   VLAN ID check [5-46](#)  
 inline network adapter card [5-43](#)  
 installing system software [16-12](#)  
 intelligent message prediction [1-7](#)  
 interception  
   appnav-controller [5-57](#)  
   inline [5-43](#)

policy-based routing [5-33](#)  
 VPATH [5-56](#)  
 WCCP [5-11](#)

interception ACL [5-28](#)  
 interface  
   assigning to bridge group [6-20](#)  
 interface-level DHCP  
   description [2-9](#)  
 interface module inline mode [5-43](#)  
 interfaces  
   configuring [6-1](#)  
   configuring virtual [6-14](#)  
   enabling AppNav-XE service insertion [6-17](#)  
   manually configuring for DHCP [6-14](#)  
   WAAS Express optimization [6-16](#)

IP access control lists. *See* IP ACL

## IP ACL

adding conditions to [9-3](#)  
 applying to interface [9-6](#)  
 associating with application [9-6](#)  
 conditions, modifying or deleting [9-6](#)  
 configuration constraints [9-2](#)  
 creating new [9-3](#)  
 deleting [9-7](#)  
 on routers [2-25](#)  
 on WAEs [2-25](#)  
 overview [9-1](#)

## IP addresses

multiple, configuring on single interface [6-6](#)  
 static [2-9](#)

## IPMI over LAN

about [10-25](#)  
 enabling [10-26](#)  
 enabling SoL [10-27](#)

## IP routes

configuring [6-26](#)

ip wccp command [5-10](#)

ip wccp redirect-list command [5-10](#)

ip web-cache redirect command [5-10](#)

---

**K**

kernel debugger  
     enabling [17-63](#)

---

**L**

Layer 2 redirection [5-16](#)

LDAP server signing  
     configuring on a Microsoft server [7-24](#)  
     configuring on a WAE [7-25](#)  
     disabling on a WAE [7-26](#)  
     overview of [7-24](#)

licenses [10-3](#)

line console carrier detection  
     configuring [7-11](#)

load balancing [1-23, 5-12, 6-13](#)

local CLI accounts, about [8-2](#)

local user, creating [8-4](#)

locations  
     about [3-10](#)  
     creating [3-10](#)  
     deleting [3-11](#)

location tree  
     viewing [3-11](#)

logging  
     configuring system logging [17-56](#)  
     message priority levels [17-58](#)  
     transaction log format [B-1](#)  
     transaction logging [17-59](#)  
     viewing audit trail log [17-62](#)  
     viewing device logs [17-63](#)  
     viewing system messages [17-62](#)

login  
     WAE Device Manager [11-1](#)

login access  
     controlling [7-7](#)

login authentication  
     about [2-25, 7-1](#)

**logs**

    severity levels in the WAE Device Manager [11-22](#)  
     viewing in the WAE Device Manager [11-21](#)

lost administrator passwords  
     recovering [16-21](#)

LZ compression, about [1-6](#)

---

**M**

management IP address [10-2](#)

MAPI accelerator  
     configuring [13-11](#)  
     enabling [13-3](#)

match condition, creating [13-57](#)

maximum segment size [13-65](#)

message logs  
     viewing [17-62](#)

message of the day settings  
     configuring [7-10](#)

Message Signing Server Database [12-19](#)

MIBs  
     supported [18-4](#)

MIB traps  
     configuring using the WAE Device Manager [11-8](#)

migration, data [2-27](#)

missing disk-based software  
     recovering from [16-22](#)

monitoring  
     applications [13-61, 17-2](#)  
     chart descriptions [17-14](#)  
     chart settings [17-14](#)  
     creating custom reports [17-44](#)  
     disk information [17-43](#)  
     flows with NetQoS [17-48](#)  
     predefined reports [17-35](#)  
     resource utilization [17-42](#)  
     system status [17-5](#)  
     using the WAE Device Manager [11-17](#)  
     with SNMP [18-1](#)

multiple IP addresses  
 configuring on single interfaces [6-6](#)

---

## N

NAM [15-1](#)  
 NAS appliances [1-21](#)  
 NAT address [10-2](#)  
 NAT configuration [10-2](#)  
 NetBIOS [10-2](#)  
 NetFlow v9 [17-50](#)  
 NetQoS monitoring [17-48](#)  
 network  
   viewing information for [17-1](#)  
 Network Analysis Module integration [15-1](#)  
 Network Time Protocol. *See* NTP  
 network traffic analyzer tool [17-65](#)  
 NFS accelerator  
   enabling [13-3](#)  
 notification settings  
   for alerts [11-9](#)  
   for reports [10-24](#)  
 NTP, configuring [10-5](#)

---

## O

obtaining software files [16-3](#)  
 operation prediction and batching [1-7](#)  
 optimization  
   configuring on WAAS Express interfaces [6-16](#)  
   enabling global features [13-3](#)

---

## P

packet forwarding method [5-14](#)  
   Layer 2 redirection [5-16](#)  
   Layer 3 GRE [5-16](#)  
 packet return [5-15](#)

passthrough action [13-55](#)  
 passwords  
   changing account [8-6, 8-7](#)  
   recovering administrator [16-21](#)  
 PBR, about [1-22](#)  
 policy-based routing  
   about [1-22](#)  
   configuration of interception [5-33](#)  
   overview of [2-20](#)  
   verifying next-hop availability [5-40](#)  
 policy report, viewing [13-60](#)  
 port channel interfaces  
   assigning physical interfaces [6-12](#)  
   configuring [6-10](#)  
   load balancing [6-13](#)  
 ports  
   139 [2-6](#)  
     bypassing [2-7](#)  
   445 [2-6](#)  
   used in CIFS [2-6](#)  
 position, application policy [13-62](#)  
 power failure [16-19](#)  
 preposition  
   about [12-5](#)  
   checking status of [12-18](#)  
   creating directive [12-11](#)  
   scheduling [12-17](#)  
   viewing in the WAE Device Manager [11-14](#)  
 print accelerator [1-9](#)  
 print services  
   about [1-9](#)  
 priority levels [17-58](#)

---

## R

RADIUS  
   authentication overview [7-12](#)  
   configuring server [7-12](#)  
   database [7-2](#)



- default configuration 7-4
  - RAID 1-23
  - RCP services, enabling 10-4
  - rebooting devices 16-35
  - receive buffer size 13-65
  - recovering
    - device registration information 16-23
    - from missing disk-based software 16-22
    - lost administrator passwords 16-21
    - system software 16-19
  - redirection methods 5-1
  - registering
    - AppNav-XE device 10-28
    - WAAS Express device 10-28
    - WAEs in the WAE Device Manager 11-6
  - reinstalling system software 16-12
  - remote login
    - controlling access 7-7
  - reports
    - configuring email server settings 10-24
    - Connections Statistics 17-40
    - creating custom 17-44
    - customizing 17-10
    - editing 17-46
    - managing 17-44
    - predefined 17-35
    - resource utilization 17-42
    - scheduling 17-46
    - Topology 17-40
    - viewing custom 17-46
  - request redirection methods 5-1
  - rescue system image 16-19
  - resource utilization report 17-42
  - restarting devices 16-35
  - restoring
    - application classifiers 13-61
    - application policies 13-61
    - configuration files 11-7
    - WAAS Central Manager 16-10
    - WAE devices 16-12
    - WAE to default condition 16-12
  - retransmit time multiplier
    - about 6-24
  - roles
    - about 8-9
    - assigning to user accounts 8-12
    - assigning to user groups 8-18
    - creating and managing 8-10
    - deleting 8-13
    - modifying and deleting 8-13
    - read-only access to services 8-10
    - viewing 8-13
    - viewing settings 8-13
  - roles-based accounts
    - about 8-2, 8-3
  - router
    - configuring WCCP transparent redirection on 5-6
- 
- ## S
- SACK, about 1-5
  - scheduling
    - preposition 12-17
    - reports 17-46
  - secure shell
    - configuring 7-7
    - host keys 7-8
  - secure store
    - changing key and password 10-15
    - configuring 10-10
    - disabling 10-17
    - enabling on Central Manager 10-12
    - enabling on standby Central Manager 10-13
    - enabling on WAE 10-13
  - security
    - disk encryption 16-31
    - enabling secure store 10-10
    - selective acknowledgement 1-5

- send buffer size [13-65](#)
- send TCP keepalive [13-64](#)
- serial clustering in inline mode [5-53](#)
- service context, AppNav [4-2](#)
- service password
  - configuring [5-10](#)
- set ip next-hop verify-availability command [5-41](#)
- shadow copy for shared folders [12-6](#)
- show cdp neighbors command [5-40](#)
- show command utility
  - for troubleshooting [17-66](#)
- show version command [16-21](#)
- shutting down WCCP [5-27](#)
- Simple Network Management Protocol. *See* SNMP
- site and network planning [2-4](#)
- SMB accelerator
  - configuring [12-19](#)
- SNMP [1-24](#)
  - asset tag setting [18-25](#)
  - community settings [18-20](#)
  - configuration process [18-13](#)
  - configuring using the WAE Device Manager [11-8](#)
  - contact settings [18-25](#)
  - defining custom traps [18-17](#)
  - enabling [18-14](#)
  - enabling SNMP agent [18-13](#)
  - enabling traps [18-15](#)
  - group settings [18-22](#)
  - host settings [18-19](#)
  - manager
    - creating [18-3](#)
  - monitoring with [18-1](#)
  - preparation [18-14](#)
  - security models and security levels [18-4](#)
  - supported MIBs [18-4](#)
  - trap source settings [18-25](#)
  - user settings [18-23](#)
  - versions supported [18-3](#)
  - view settings [18-21](#)
- software
  - recovering [16-19](#)
- software clock [10-5](#)
- software files
  - obtaining from Cisco.com [16-3](#)
- software licenses [10-3](#)
- software recovery [16-12](#)
- software upgrades [16-3](#)
  - for multiple devices [16-7](#)
  - process [16-1](#)
- software version
  - determining [16-3](#)
- SSL
  - configuring [13-31](#)
- standby Central Manager
  - switching to primary [16-29](#)
- standby groups
  - of interfaces [6-3](#)
- standby interfaces
  - assigning physical interfaces [6-6](#)
  - configuring [6-3](#)
  - primary interface [6-6](#)
- starting WAE components [11-5](#)
- static IP addresses [2-9](#)
- static IP routes
  - configuring [6-26](#)
- statistics, collecting [13-52](#)
- stopping WAE components [11-5](#)
- system configuration settings [10-17](#)
- system dashboard
  - viewing system-wide information [17-1](#)
- system event logging
  - configuring [17-56](#)
  - message priority levels [17-58](#)
  - viewing log [17-62](#)
- system image
  - recovering [16-19](#)
- system message log
  - using [17-56](#)

- viewing [17-62](#)
- system software
  - recovering [16-19](#)
- system status
  - monitoring [17-5](#)

---

## T

### TACACS+

- authentication and authorization, overview of [7-14](#)
- database [7-2](#)
- default configuration [7-4](#)
- enable password attribute [7-15](#)

### TACACS+ server

- configuring [7-14](#)

taskbar icons [1-16](#)

### TCP

- congestion windows [6-24](#)
- explicit congestion notification [6-24](#)
- parameter settings [6-22](#)
- retransmit timer [6-24](#)
- slow start [6-25](#)
- viewing connections [17-40](#)

tcpdump command [17-65](#)

TCP initial window size, about [1-5](#)

### TCP promiscuous mode service

- overview of [2-24](#)

### Telnet services

- enabling [7-9](#)

### Ten Gigabit Ethernet interfaces

- modifying [6-7](#)

test command for troubleshooting [17-65](#)

tethereal command [17-65](#)

### TFO

- about [1-4](#)

TFO adaptive buffering [13-66](#)

TFO and LZ compression action [13-55](#)

TFO features [1-4](#)

- BIC TCP [1-6](#)

- compression [1-6](#)

- increased buffering [1-5](#)

- selective acknowledgement [1-5](#)

- TCP initial window size maximization [1-5](#)

- Windows scaling [1-5](#)

TFO only action [13-55](#)

TFO with DRE (Adaptive Cache) action [13-55](#)

TFO with DRE (Bidirectional Cache) action [13-55](#)

TFO with DRE (Unidirectional Cache) action [13-55](#)

### time zones

- location abbreviations [10-7](#)

- parameter settings for [10-5](#)

Topology report [17-40](#)

traceroute [17-66](#)

track command [5-42](#)

traffic statistics collection, enabling [13-52](#)

traffic statistics report [17-2](#)

- chart descriptions [17-14](#)

transaction logging [17-59](#)

- configuring [17-59](#)

- log format [B-1](#)

transparent redirection, configuring on a router [5-6](#)

### traps

- defining SNMP [18-17](#)

- enabling [18-15](#)

### triggers

- defining SNMP [18-17](#)

### troubleshooting

- CLI commands [17-65](#)

- using show command utility [17-66](#)

- with Central Manager diagnostic tests [17-64](#)

- with TCPdump [17-65](#)

- with Tethereal [17-65](#)

- with WAAS TCP Traceroute [17-66](#)

Troubleshooting Devices window [17-5](#)

---

## U

Unicode support [2-10](#)

## upgrading

- device groups [16-7](#)
- process [16-1](#)
- WAAS Central Manager device [16-5](#)

## user accounts

- adding domain entities [8-15](#)
- assigning to domains [8-15](#)
- audit trail logs
  - viewing [7-35, 17-62](#)
- changing passwords [8-6, 8-7](#)
- creating [8-4](#)
- creation process [8-2](#)
- deleting [8-6](#)
- deleting domains [8-16](#)
- domains [8-14](#)
- managing [8-7](#)
- modifying and deleting [8-6](#)
- roles
  - assigning to [8-12](#)
  - creating [8-10](#)
  - modifying and deleting [8-13](#)
  - viewing [8-13](#)
- viewing [8-8](#)
- viewing domains [8-17](#)

user authentication. *See* login authentication

## user groups

- about [8-17](#)
- assigning roles to [8-18](#)
- assigning to domains [8-19](#)
- creating [8-18](#)
- deleting [8-20](#)
- viewing [8-20](#)

UTC offsets [10-8](#)

*See also* GMT offsets

## V

version of software [16-3](#)

video accelerator

configuring [13-23](#)

enabling [13-3](#)

## viewing

- application list [13-59](#)
- classifier report [13-60](#)
- logs in the WAE device manager [11-21](#)
- policy report [13-60](#)
- role settings [8-13](#)

## virtual blade

- backing up and restoring [14-11](#)
- configuring [14-1, 14-4](#)
- copying disk image to [14-10](#)
- enabling [14-3](#)
- starting and stopping [14-8](#)

## virtual interfaces

- modifying [6-14](#)

virtualization. *See* virtual blade

VLAN ID check [5-46](#)

VLAN support [5-45](#)

VPATH interception [5-56](#)

## vWAAS

- virtual interface configuration [6-14](#)
- VPATH interception [5-56](#)

## W

## WAAS

- benefits [1-20](#)
- interfaces [1-10](#)

## WAAS Central Manager

- backing up [16-10](#)
- restoring [16-10](#)
- upgrading [16-5](#)

## WAAS Central Manager GUI

- about [1-10](#)
- accessing [1-11](#)
- components [1-12](#)
- taskbar icons [1-16](#)

WAAS CLI, about [1-19](#)

- WAAS Express
  - configuring a device certificate [10-32](#)
  - configuring an NTP server [10-34](#)
  - configuring a user [10-30](#)
  - configuring optimization on interfaces [6-16](#)
  - enabling HTTP secure server [10-33](#)
  - importing Central Manager certificate [10-31](#)
  - installing a license [10-33](#)
  - registering with the Central Manager [10-34](#)
  - registration process [10-28](#)
  - reimporting a certificate to the Central Manager [10-34](#)
- WAAS interfaces
  - CLI [1-19](#)
  - WAAS Central Manager GUI [1-10](#)
  - WAE Device Manager GUI [1-18](#)
- WAAS networks
  - and IOP interoperability [2-11](#)
  - network planning for [2-1](#)
  - traffic redirection methods [2-18](#)
- WAAS services, about [1-4](#)
- WAAS TCP Traceroute [17-66](#)
- WAE Device Manager
  - about [1-18](#), [11-1](#)
  - Configuration option [11-8](#)
  - Control option for the WAE [11-4](#)
  - logging out [11-3](#)
  - Notifier tab [11-9](#)
  - quick tour [11-2](#)
  - Utilities option [11-11](#)
  - workflow [11-3](#)
- WAE devices
  - backing up [16-12](#)
  - controlled shutdown [16-36](#)
  - modifying configuration properties [10-1](#)
  - restoring [16-12](#)
  - supported [2-10](#)
- WAE packet return [5-15](#)
- WAFS. *See* CIFS
- WAFS Cache Cleanup utility [11-12](#)
- WAVE devices supported [2-10](#)
- WCCP
  - about [1-22](#), [5-3](#), [5-11](#)
  - Cisco Express Forwarding (CEF) [5-15](#)
  - configuring interception on SCs [5-22](#)
  - configuring interception on WAEs [5-17](#)
  - flow redirection, enabling and disabling [5-17](#)
  - GRE packet return [5-30](#)
  - ports used [2-6](#)
  - shutting down [5-27](#)
- WCCP-based routing
  - advanced configuration for a router [5-6](#)
  - advantages and disadvantages [2-20](#)
  - configuration guidelines [5-4](#)
- web application filter
  - configuring [10-20](#)
- web browser support [2-10](#)
- Windows Authentication
  - configuring in the Central Manager [7-16](#)
- Windows domain server settings [7-17](#)
- Windows name services [6-28](#)
- Windows print accelerator, about [1-9](#)
- Windows scaling, about [1-5](#)

