



Using REST APIs

- [Using REST APIs, on page 1](#)
- [Importing Configuration Using RESTful API, on page 2](#)
- [Exporting Configuration Using RESTful API, on page 2](#)

Using REST APIs

This section explains how you can use REST APIs.

1. Create a user.

To create a new user, see [Adding Users](#) procedure in [Managing Users](#).

2. Call auth REST API to create a token.

Encode the username and password with base 64. Fill the encode output into the Authentication Header.

The following is a sample configuration to use REST API:

```
User: admin
Password: bell

Get the Base64 under Linux: echo -n 'admin:lab' | base64
Base64 encode output: YWRtaW46bGFi

curl -X POST "https://{hostname}/api/auth/v1/token" -H "accept: application/json" -H
"authorization: Basic YWRtaW46bGFi"

Response code: 201
Response body
{
  "access_token":
    "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJyb2xIjoiYXBpLWFkbWluIiwic2FsdCI6IiVlQ2daamt
    IWhd6RUNzS1EiLCJleHAiOjE1NjQ2NTA2MTd9.x7ccHcOn6fLvHc_ajLJxQEY1ftvR1ZaJH9K_YZxIues",
  "refresh_token": "1YYtZqgVhnsnBjgSHbigRzeEaLnWziMpHJKVzgHA",
  "refresh_token_expire": 1567221017,
  "token_type": "jwt"
}
```

3. You can use the `access_token` created in the previous step to make individual REST API calls.

The following is a sample configuration to make individual REST API calls, with user as `access_token` with header `Authorization: Bearer`.

Importing Configuration Using RESTful API

```
curl -X GET https://<hostname>/api/rbac/v1/identitymgmt/user -H "accept: application/json"
-H "Authorization: Bearer
eyJhbGciOiJIUzI1NiIsInR5cCI6IkxvCj9.eyJlcWYjbmFtZSI6ImFkdlWuTiwiarn9eZSI6Imp1WFkiWlufGwaS12aW3ZXJ8XPiWkaXVcnxhcGktYWrtaiW
iLCJzYWh0IjoiZU9ZR0RtRFBsVFVwaEg1WCIsInV4cCI6MTY4MTc3Nzg2NCwic3ViIjoiYWRtaW4ifQ.gYIFghIusN4uN6ok0Ey8sANPlqRw_VdWnvtqklzkndU"
-k
{
  "userDetailList": [
    {
      "groupList": [
        "admin",
        "api-admin",
        "api-editor",
        "api-viewer"
      ],
      "username": "admin",
      "passwordExpiryPeriod": "90"
    }
  ]
}
```

Importing Configuration Using RESTful API

You can import the Cisco Operations Hub configuration and check the status of the import operation using the following APIs:

<https://<HostName>/utility/v1/config/import>
<https://<HostName>/utility/v1/config/operation/status>

Exporting Configuration Using RESTful API

You can export the Cisco Operations Hub configuration and check the status of the export operation using the following APIs:

<https://<HostName>/utility/v1/config/export>
<https://<HostName>/utility/v1/config/operation/status>