



## Caveat List

This chapter describes open severity 1 and 2 caveats and select severity 3 caveats.

The *Open Caveats* section lists open caveats that apply to the current release and may apply to previous releases. A caveat that is open for a prior release and is still unresolved applies to all future releases until it is resolved.

The bug IDs are sorted alphanumerically.



**Note** The *Caveats* section includes the bug ID and a short description of the bug. For details on the symptoms, conditions, and workaround for a specific caveat you must use the Bug Search Tool.

- [Cisco Bug Search, on page 1](#)
- [Open Caveats for Cisco 1x2 / Compact Shelf RPD Software 4.2.1, on page 2](#)
- [Resolved Caveats for Cisco 1x2 / Compact Shelf RPD Software 4.2.1, on page 2](#)

## Cisco Bug Search

Use the [Cisco Bug Search Tool](#) to access open and resolved bugs for a release.

The tool allows you to search for a specific bug ID, or for all bugs specific to a product and a release.

Save Search Load Saved Search Clear Search Email Current Search

Search For:

Examples: CSCid10124, router crash, etc...

Product: Series/Model

Releases: Affecting or Fixed in these Release

If you have a specific bug ID, enter it here

Start typing product name to view suggestions or expand list to choose your product

Select from list

Enter release number

366025

You can filter the search results by last modified date, bug status (open, resolved), severity, rating, and support cases.

Save Search Load Saved Search Clear Search Email Current Search

Search For:  Examples: CSCid10124, router crash, etc...

Product:  Series/Model  Select from list

Releases:  Affecting or Fixed in these Release

Filter:  Modified Date:  Status:  Severity:  Rating:  Support Cases:  Bug Type:  Customer Visible

Viewing 1 - 25 of 132 results Sort by  Export Results to Excel

366026

## Open Caveats for Cisco 1x2 / Compact Shelf RPD Software 4.2.1

| Caveat ID Number           | Description  |
|----------------------------|--|
| <a href="#">CSCvk28452</a> | RPHY: Connection lost Event not trigger when RPD keep alive failed.                      |
| <a href="#">CSCvj91594</a> | Wrong US Power-level value calculated from TargetRxPower TLV on RPD side.                |
| <a href="#">CSCvk06959</a> | Incorrect MinBaseUsPowerTargetLevel & MaxBaseUsPowerTargetLevel in TLV50.49 send by RPD. |
| <a href="#">CSCvj59430</a> | SpecificTimeOut(86.9) cannot sendout sometime and send the wrong value.                  |

## Resolved Caveats for Cisco 1x2 / Compact Shelf RPD Software 4.2.1

| Caveat ID Number           | Description  |
|----------------------------|--|
| <a href="#">CSCvi34312</a> | RPHY: Type in UsScQamChannelConfig is read only.                           |
| <a href="#">CSCvi34264</a> | RPHY: OCD & DPD packet parser error.                                       |
| <a href="#">CSCvi34092</a> | RPHY: Brust size is not a mandatory option in modulation profile.          |
| <a href="#">CSCvh83512</a> | RPHY: interop: l2tp need accept connection from another core-ip.           |
| <a href="#">CSCvh57337</a> | RPHY Events: add support for 66070314 and 66070315.                        |
| <a href="#">CSCvi93417</a> | SSD status align to SPEC.  |
| <a href="#">CSCvi55204</a> | Ipv6Interface spec update, should make 100.13.2 as empty.                  |
| <a href="#">CSCvh57594</a> | Enhance docsRphyRpdIfRpdEnetToCoreEntityMapTable with GCP TLV 100.10.      |
| <a href="#">CSCvh62613</a> | RPHY Events: Define and implements PTP events defined in the latest spec.  |
| <a href="#">CSCvh63014</a> | RPHY: Add more SSD events per OSSI I08.                                    |
| <a href="#">CSCvh47876</a> | RPHY Events: Define and implements some events defined in the latest spec. |

| Caveat ID Number           | Description  |
|----------------------------|--|
| <a href="#">CSCvf80902</a> | RPHY: I07: RPD should do TLV len check.  |
| <a href="#">CSCvi37966</a> | The CurrSwImageName object of Identification table should return the image current running on RPD. |
| <a href="#">CSCvi25086</a> | docsRphyRpdIpv4InterfaceTable: InterfaceRetransmitTime always returning 0ms.                       |
| <a href="#">CSCvi17769</a> | control plane issue - GCPP as primary OOB and GCP as aux DOCSIS.                                   |
| <a href="#">CSCvh78689</a> | RPHY: support separate multicast IP in DS Sharing - RPD part change.                               |
| <a href="#">CSCvh69421</a> | PTP status will become hold-over soon after RPD online with dual PTP primary.                      |
| <a href="#">CSCvi96558</a> | RPD stuck when /rpd is full.   |
| <a href="#">CSCvj48695</a> | L2TP Sequence number discontinuity at RPD output when more than 1 55-1 US channel active.          |
| <a href="#">CSCvj39976</a> | OOB 55-1 US packet Internal session id is observed out of RPD at OOB engine.                       |
| <a href="#">CSCvj56834</a> | Add -3/+3dB more pilot tone power level report capability.   |
| <a href="#">CSCvf26090</a> | BCM V3 D/S Calibration algorithm implementation to support Dedicated tones.                        |
| <a href="#">CSCvj80653</a> | Add default values support if Dedicated Tone sub-tlv is not sent from GCPP or CMTS.                |
| <a href="#">CSCvj84314</a> | 55-1 US power level toggeling between negative and positive values in Video only GCPP environment. |
| <a href="#">CSCvj84300</a> | Reduce DS OOB jitter buffer depth to 1ms for reducing delay in packet forwarding.                  |
| <a href="#">CSCvj93170</a> | OOB 55-1 conditional logging & OOB 55-1 log level persistency across RPD reboot.                   |
| <a href="#">CSCvj95566</a> | Change Pilot tone CLI show to show all the detailed frequency info.                                |
| <a href="#">CSCvj23634</a> | Cannot allocate memory" when ssh to RPD.   |
| <a href="#">CSCvj96126</a> | Forward 'uncorrectable' OOB 55-1 packets upstream.   |
| <a href="#">CSCvj95483</a> | Broadcom OOB driver changes for v25 and pick-up OOB firmware from release 1.11.1.                  |
| <a href="#">CSCvj80116</a> | L2TP error event is not reported when l2tp network issue happened.                                 |
| <a href="#">CSCvi20303</a> | add TLV support for RpdResetCtrlTable ---node side (TLV support by GCPP support).                  |
| <a href="#">CSCvj99390</a> | Enable 55-1 logging dynamically with CLI using existing logging infrastructure.                    |
| <a href="#">CSCvj99396</a> | Accumulated stats for US 55-1 packet types.  |

