



CHAPTER 2

Getting Started

Revised: November 8, 2010, OL-21067-02

Introduction

This chapter explains how to install, compile, and run the Cisco SCA BB Service Configuration API.

- [System Requirements, page 2-1](#)
- [Installation Package, page 2-1](#)
- [Compiling and Running the Service Configuration API, page 2-2](#)
- [Service Control Engine Platform Setup, page 2-3](#)

System Requirements

You can run the Service Configuration API on Win32, Solaris, and Linux platforms.

Compiling and running Java programs using the Service Configuration API requires JDK and JRE versions 1.4 or 1.5.



Note

To use the API with Java 1.5, you must set a special JRE option (see the [“Running the Service Configuration API with Java 1.5”](#) section on page 2-2).

Installation Package

The Service Configuration API distribution is packaged in the file *serviceconfig-java-api-dist.tgz*, which is included in the SCA BB installation package:

- [Distribution Content, page 2-2](#)
- [Installing the Package, page 2-2](#)

Distribution Content

The Service Configuration API distribution package installs the following folders and files:

- *<installation folder>*
 - *README*
- *<installation folder>\doc*
 - *serviceconfig-javadoc.zip*—The Service Configuration API Javadoc documentation
- *<installation folder>\lib*
 - *serviceconfigapi.jar*—The Service Configuration API library
 - *jdmkrt.jar*
- This folder may contain additional library JAR files that are necessary for the Service Configuration API operation.

Installing the Package

To install the package, unpack the TGZ file (keeping the folder structure) to an empty folder.

- On Win32 platforms, use any common Windows compression utility to extract the file.
- On Linux/Solaris platforms, use:

```
#>tar -xvfpz serviceconfig-java-api-dist.tgz
```

The Service Configuration API is now installed and ready for use.

Compiling and Running the Service Configuration API

To compile and run a program that uses the Service Configuration API, you must have *serviceconfigapi.jar* in the CLASSPATH.

For example, if your program source is in *MyApiClass.java*, your compilation command line should be:

```
#>javac -classpath .;<installation folder>\lib\serviceconfigapi.jar MyApiClass.java
```

To run the program, the command line should be:

```
#>java -cp .;<installation folder>\lib\serviceconfigapi.jar MyApiClass
```

Running the Service Configuration API with Java 1.5

To use the Service Configuration API with Java 1.5, some library classes must precede the JRE classes in the boot classpath. Add the following argument to the command line:

```
-Xbootclasspath/p:<installation folder>/lib/jdmkrt.jar
```

For example:

```
#>java -Xbootclasspath/p:<installation folder>/lib/jdmkrt.jar -cp .;<installation folder>/lib/serviceconfigapi.jar MyApiClass
```

Service Control Engine Platform Setup

The following sections describe the configuration that is performed on the Service Control Engine (SCE) platform to allow correct Service Configuration API functioning.

- [SCA BB Setup, page 2-3](#)
- [PRPC Server, page 2-3](#)

SCA BB Setup

The Service Configuration API configures SCA BB, which should be installed on the SCE platform. For more information, see *Cisco Service Control Application for Broadband User Guide*.

PRPC Server

The Service Configuration API uses the Proprietary Remote Procedure Call (PRPC) protocol as a transport for the connection to the SCE. *PRPC* is a proprietary RPC protocol designed by Cisco. For more information, see *Cisco SCMS SCE Subscriber API Programmer Guide*.

Before using the Service Configuration API, ensure that:

- SCE is up and running, and reachable from the machine that hosts the Service Configuration API.
- PRPC server on the SCE has started.

