



Preface

Revised: May 27, 2013, OL-29113-01

Introduction

This chapter describes who should read *Service Security Using the Cisco SCE Platform Application Note*, how it is organized, its document conventions, and how to obtain documentation and technical assistance. This guide assumes a basic familiarity with the concept of the Cisco Service Control solution, the Service Control Engine (SCE) platforms, and related components.

This document provides an introduction to Service Security using the Cisco SCE.

Document Revision History

Table 1 lists the document revision history.

Table 1 **Document Revision History**

Revision	Cisco Service Control Release and Date	Change Summary
May 27, 2013	Supports all 4.0.x releases May 27, 2013	Updated for release 4.0.x.

Organization

Table 2 provides the organization of the document.

Table 2 **Document Organization**

Section	Title	Description
1	Introduction and Scope	This chapter provides an introduction to Service Security using the Cisco SCE.
2	Functionality Overview	This chapter provides an overview of the service security functionality of the SCE platform.
3	Anomaly-Based Detection	This chapter describes anomaly-based detection by using the Cisco SCE platform.
4	Mass-Mailing-Based Threats	This chapter introduces the concept of mass-mailing based threats and how to protect against them by using the SCE.

Conventions

Table 3 lists the conventions used in the document.

Table 3 Document Conventions

Convention	Indication
bold font	Commands and keywords and user-entered text appear in bold font .
<i>italic font</i>	Document titles, new or emphasized terms, and arguments for which you supply values are in <i>italic font</i> .
[]	Elements in square brackets are optional.
{ x y z }	Required alternative keywords are grouped in braces and separated by vertical bars.
[x y z]	Optional alternative keywords are grouped in brackets and separated by vertical bars.
string	A nonquoted set of characters. Do not use quotation marks around the string or the string will include the quotation marks.
courier font	Terminal sessions and information the system displays appear in <code>courier font</code> .
< >	Nonprinting characters such as passwords are in angle brackets.
[]	Default responses to system prompts are in square brackets.
!, #	An exclamation point (!) or a pound sign (#) at the beginning of a line of code indicates a comment line.



Note

Means *reader take note*.



Tip

Means *the following information will help you solve a problem*.



Caution

Means *reader be careful*. In this situation, you might perform an action that could result in equipment damage or loss of data.



Timesaver

Means *the described action saves time*. You can save time by performing the action described in the paragraph.



Warning

Means *reader be warned*. In this situation, you might perform an action that could result in bodily injury.

Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, submitting a service request, and gathering additional information, see the monthly *What's New in Cisco Product Documentation*, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

Subscribe to the *What's New in Cisco Product Documentation* as a Really Simple Syndication (RSS) feed and set content to be delivered directly to your desktop using a reader application. The RSS feeds are a free service and Cisco currently supports RSS version 2.0.

