



## Device SSH Host Key Violation


---

- [Device SSH Host Key Violation](#), on page 1

## Device SSH Host Key Violation

This alarm is triggered when the device SSH host key has changed and does not match the SSH host key on record in Crosswork Cloud for the device. To clear this alarm, verify and accept the new SSH keys via the UI. To configure this alarm, do the following:

### Procedure

- 
- |               |  |
|---------------|--|
| <b>Step 1</b> | In the main window, click  > <b>Configure</b> > <b>Policies</b> . |
| <b>Step 2</b> | Click <b>Add Policy</b> .  |
| <b>Step 3</b> | Enter a policy name in the <b>Name</b> field.  |
| <b>Step 4</b> | Under <b>Triggers</b> , click <b>Add Rules</b> .   |
| <b>Step 5</b> | Click <b>Device SSH Host Key Violation</b> .   |
| <b>Step 6</b> | Click <b>Next</b> .  |
| <b>Step 7</b> | By default, the rule is enabled. Toggle the switch to <b>DISABLED</b> if you do not want to activate the rule yet.                                   |
| <b>Step 8</b> | Under the <b>Severity</b> drop-down list, select the severity level you want defined for this alarm.   |
| <b>Step 9</b> | Make any other necessary interface and endpoint notification configurations, then click <b>Save</b> .  |
-

