



Administration Guide for Cisco Webex Meetings Virtual Desktop Software Release 40.11

First Published: 2020-11-13 **Last Modified:** 2020-12-07

Americas Headquarters

Cisco Systems, Inc. 170 West Tasman Drive San Jose, CA 95134-1706 USA http://www.cisco.com Tel: 408 526-4000

800 553-NETS (6387)

Fax: 408 527-0883

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

All printed copies and duplicate soft copies of this document are considered uncontrolled. See the current online version for the latest version.

Cisco has more than 200 offices worldwide. Addresses and phone numbers are listed on the Cisco website at www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: https://www.cisco.com/c/en/us/about/legal/trademarks.html. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1721R)

© 2020 Cisco Systems, Inc. All rights reserved.



Cisco Webex Meetings Virtual Desktop Software

- Cisco Webex Meetings Virtual Desktop Software, on page 1
- Architecture of the Cisco Webex Meetings Virtual Desktop Software, on page 1


Cisco Webex Meetings Virtual Desktop Software

Virtual desktop infrastructure (VDI) technology lets you deploy and manage users' desktops in an on-premises or cloud data center. Using thin clients, your users connect to their hosted virtual desktops in the data center. A thin client can be a traditional PC, or a thin-client device. This centralized approach can help to lower costs, and to improve operations and security.

The Cisco Webex Meetings application provides an enhanced experience in VDI environments. If it must travel through the data center, the additional bandwidth required for audio and video can cause a bottleneck. The application improves performance by routing all audio and video streams directly between the thin client and Webex Meetings cloud.

Architecture of the Cisco Webex Meetings Virtual Desktop Software

The Webex Meetings Virtual Desktop Software provides the same architecture components as a video device.





Requirements

- Requirements—Microsoft Windows, on page 3
- Requirements—Ubuntu, on page 4
- Requirements—Unicon eLux, on page 5
- Requirements—iGel, HP ThinPro, and Dell Wyse Thin OS, on page 6

Requirements—Microsoft Windows

To deploy the Webex Meetings Virtual Desktop App version WBS40.11, ensure that your deployment meets the following requirements:

Software in the Data Center

• Citrix Desktop (formerly Citrix XenDesktop): 7.15 LTSR and 7.16, 7.17, and 7.18 (Windows only)



Note

XenApp is now known as Citrix Virtual App and XenDesktop is known as Citrix Desktop.

This release supports only Citrix Desktop.

OR

VMware Horizon 7 version 7.6, 7.7, 7.8, 7.9, 7.10, or 7.11



Note

VMware Horizon HTML Access is not supported for this release.

• Windows 8 and 10 on the hosted virtual desktops (HVD)

Citrix (on Thin Client)

Citrix Workspace App (formerly Citrix Receiver)—any version that supports Citrix Desktop 7.15, 7.16, 7.17, or 7.18.

VMware (on Thin Client)

VMware Horizon Client for Windows versions 5.0, 5.1, 5.2, 5.3, or 5.5.

Hardware

All thin clients that run Microsoft Windows 10, and that meet following minimum requirements:

• Processor: AMD Embedded G-Series GX-420GI Radeon R7E 2.00GHz Cores 2

Memory: 4G

• Processor: 6th Generation Intel Core i5-6500TE processor

Memory: 4G

Cisco Tested Thin Clients

- HP t630
- HP t730
- Dell Optiplex 7060
- Lenovo ThinkCentre M710q

Requirements—Ubuntu

To deploy the Webex Meetings Virtual Desktop App version WBS40.8, ensure that the following requirements are met:

Software in the Data Center

• Citrix Desktop (formerly Citrix XenDesktop): 7.15 LTSR and 7.16, 7.17, and 7.18 (Windows only)



Note

XenApp is now known as Cirtix Virtual App and XenDesktop is known as Cirtix Desktop.

This release supports only Citrix Desktop.

• Windows 8 and 10 on the hosted virtual desktops (HVD)

Citrix Software (on Thin Client)

Citrix Workspace App (formerly Citrix Receiver): any versions that supports Citrix Desktop 7.15, 7.16, 7.17, and 7.18

Hardware

All hardware Thin Clients that run Ubuntu 16.04 64-bit, and meet the following minimum requirements:

• Processor: AMD Embedded G-Series GX-420GI Radeon R7E 2.00GHz Cores 2

Memory: 4G

• Processor: 6th Generation Intel Core i5-6500TE processor

Memory: 4G

Cisco Tested

- HP t630
- HP t730
- Dell Optiplex 7060
- Lenovo ThinkCentre M710q

Requirements—Unicon eLux

To deploy the Webex Meetings Virtual Desktop App version WBS40.8, ensure that the following requirements are met:

Software in the Data Center

- Citrix Virtual Desktop (formerly Citrix XenDesktop): 7.15 LTSR and 7.16, 7.17, and 7.18
- Windows 8 and 10 on the hosted virtual desktops (HVD)



Attention

Citrix XenApp is not supported in this release.

Citrix Software (on Thin Client)

Citrix Workspace App (formerly Citrix Receiver): any versions that supports Citrix Desktop 7.15 LTSR, 7.16, 7.17, or 7.18.

Recommended version: Citrix Receiver 4.12.0 and later.

Hardware

All hardware Thin Clients that run eLux 6.5.2000 64-bit, and meet the following minimum requirements:

• Processor: AMD Embedded G-Series GX-420GI Radeon R7E 2.00GHz Cores 2

Memory: 4G

• Processor: 6th Generation Intel Core i5-6500TE processor

Memory: 4G

Cisco Tested Thin Clients

• HP t630

• HP t730

Requirements—iGel, HP ThinPro, and Dell Wyse Thin OS

The Cisco Webex Meetings Virtual Desktop Plugin comes preinstalled for supported iGel, HP ThinPro, & Dell Wyse Thin OS versions.

Supported HP Thin Clients

HP t740 Thin Client

OS: ThinPro 7.1/ThinPro 7.2

CPU: AMD Ryzen Embedded V1756B with Radeon Vega Gfx, quad core 3.25GHz

Minimum Memory:4G

HP mt46 Mobile Thin Client

OS: ThinPro 7.1/ThinPro 7.2

CPU: AMD Ryzen 3 PRO 4450U with Radeon Graphics, quad core 2.50GHz

Minimum Memory: 8G

HP t640 Thin Client

OS: ThinPro 7.1/ThinPro 7.2

CPU: AMD Ryzen Embedded R1505G with Radeon Vega Gfx, dual core 2.40GHz

Minimum Memory:4G

HP mt22 Mobile Thin Client

OS: ThinPro 7.1/ThinPro 7.2

CPU: Intel(R) Celeron(R) CPU 5205U, dual core 1.90GHz

Minimum Memory:8G

HP t730 Thin Client

OS: ThinPro 7.1/ThinPro 7.2

CPU: AMD RX-427BB with AMD Radeon R7 Graphics, quad core 2.70GHz

Minimum Memory:4G



Install the Cisco Webex Meetings Virtual Desktop Software

- Feature Toggle, on page 7
- Enable Cisco Webex Meetings for VDI, on page 7
- Installation Workflow, on page 8
- Install the Cisco Webex Meetings Virtual Desktop Plugin on the Thin Clients—Microsoft Windows, on page 9
- Install the Webex Meetings Virtual Desktop Plugin on the Thin Clients—Ubuntu, on page 14
- Install the Webex Meetings Virtual Desktop Plugin on the Thin Clients—Unicon eLux, on page 17
- Install the Webex Meetings App on the Hosted Virtual Desktops, on page 24

Feature Toggle

Test the Virtual Desktop Infrastructure (VDI) Plugin

To test the VDI plugin for a few users, enable the native VDI feature by adding the following registry Key to their Hosted Virtual Desktops (HVD).

Key: Computer\HKEY_CURRENT_USER\Software\WebEx\NativeVDI

Value:

Name	Туре	Data
VDIFeatureEnabled	REG_DWORD	1 - Enabled, 0 - Disabled, others -
		Ignore


Enable Cisco Webex Meetings for VDI

After you finish testing, you can use Site Administration or Control Hub to enable VDI site-wide.

We recommend that you wait until all VDI users on your site have the thin-client plugin installed. Because the Webex Meetings App looks for the plugin, enabling this toggle adds to the join time for meetings. This toggle doesn't affect non-VDI users or their join meeting times. If the feature toggle isn't on, Webex Meetings App doesn't look for the thin client, and the media continues to route through your datacenter.

Procedure

Step 1 Sign in to Site Administration or Control Hub and go to Configuration > Common Site Settings > Options.
Step 2 In the Site Options section, check Enable meeting client for VDI.



The option is unchecked by default. If you don't see the option in Site Administration or Control Hub, contact Cisco to have the feature toggle turned on.

Installation Workflow

Use this procedure to install the Cisco Webex Meetings Virtual Desktop Software components.

Before you begin

Set up and test the Citrix or VMware connection between the thin clients and the hosted virtual desktops (HVD).

For more information about installation and configuration, see the documentation for your Citrix or VMware solution.

Procedure

Step 1 On the thin clients, install the Cisco Webex Meetings Virtual Desktop Plugin.

The Cisco Webex Meetings Virtual Desktop Plugin is available for the following operating systems:

- Install the Cisco Webex Meetings Virtual Desktop Plugin on the Thin Clients—Microsoft Windows
- Install the Webex Meetings Virtual Desktop Plugin on the Thin Clients—Ubuntu
- Install the Webex Meetings Virtual Desktop Plugin on the Thin Clients—Unicon eLux

Follow the installation procedure for your thin client OS.

Attention The Cisco Webex Meetings Virtual Desktop Plugin comes preinstalled for supported iGel, HP ThinPro, & Dell Wyse Thin OS versions.

Step 2 On the HVDs, Install the Webex Meetings App on the Hosted Virtual Desktops.

Install the Cisco Webex Meetings Virtual Desktop Plugin on the Thin Clients—Microsoft Windows



Important


Always install the plugin after you install or update your Citrix or VMware solution.

Before you begin


Install your Citrix or VMware software.

Procedure


- **Step 1** Download the Cisco Webex Meetings Virtual Desktop Plugin for Windows.
 - a) Download webexvdi.msi from https://<sitename>.webex.com/webappng/sites/<sitename>/dashboard/download




b) After you download the plugin, install it by double-clicking the webexvdi.msi file, or run the command as an administrator.




Step 2 Click Next.




Step 3 Review and accept the license agreement.




Step 4 Click Install.



Step 5 Click **Yes** on the pop-up dialog box to permit the installation.



Step 6 Click **Finish** to complete the plugin installation.




Install the Webex Meetings Virtual Desktop Plugin on the Thin Clients—Ubuntu

Procedure

Step 1 Download the Cisco Webex Meetings Virtual Desktop Plugin for Ubuntu.

https://<sitename>.webex.com/webappng/sites/<sitename>/dashboard/download


Replace <sitename> with your company name.




Step 2 Select the Ubuntu installer and download the file.


Depending on your browser settings, the file downloads to the **Downloads** folder or to the folder of your choice.

- **Step 3** From the **Downloads** folder, extract the .zip file.
- **Step 4** Double-click the .deb file and then click **Install** to proceed with the installation.



Step 5 Enter you user name and password and click **Authenticate**.





After the system reboots, the newly-installed upgrade is ready to use.


Install the Webex Meetings Virtual Desktop Plugin on the Thin Clients—Unicon eLux

The follow procedure requires familiarity with Scout ELIAS. For more information about how to use Scout ELIAS, see the documentation available from Unicon eLux.


Procedure

Step 1 Download the Cisco Webex Meetings Virtual Desktop Plugin for eLux.


a. https://<sitename>.webex.com/webappng/sites/<sitename>/dashboard/download
Replace <sitename> with your company name.




b. Unzip the package to extract the file.




- **Step 2** Import this package through Scout ELIAS.
 - a. Select the eLux file from Devices.
 - b. Edit the .idf file.




c. From the Container select **Import Packages** and add the Cisco Webex VDI File from the Available Package to the Defined Packages column.






Note The name of the package must match the name in the local data base.

Step 3 To select the name of the package click the dots... near Configuration.




Step 4 Select the **Firmware** tab and from the drop-down option select the **Image file**.



You can configure your device by going to the **Network**, **Security**, **Screen**, **Hardware**, **Power Management**, and **Multimedia** tabs.

Important The system restarts multiple times during this process. Ensure that you set the **Network** settings to **Never Change**.

Step 5 Select the eLux Device and click Commands > Update Info to send the firmware update through the Scout Console.




Step 6 Click Execute.




Install the Webex Meetings App on the Hosted Virtual Desktops

Procedure

- **Step 1** Log in to the hosted virtual desktop (HVD).
- **Step 2** Download the Cisco Webex Meetings desktop app from your company website.
- **Step 3** Double-click the .msi file and follow the prompts to install the Meetings desktop app on the HVD.
- **Step 4** In the Personal Room, select the down arrow on the right side of the **Start Meeting** or **Join Meeting** button.
- **Step 5** Select **Always start from desktop app** to open the meeting in the virtual desktop app.




Step 6 Select **Start meeting** or **Join meeting** to join in meeting.



What to do next

Start a meeting and check the title bar; for a VDI meeting, the title bar says Cisco Webex Meetings -VDI.





Note

The Preview banner is solid white when you join using VDI. During the meeting, the action bar is fixed and not transparent, and it overlaps the video area.