



Tech Support

- [Tech Support and System Logs, on page 1](#)
- [Downloading System Logs, on page 1](#)
- [Streaming System Logs to External Analyzer, on page 2](#)

Tech Support and System Logs

Multi-Site Orchestrator system logging is automatically enabled when you first deploy the Orchestrator cluster and captures the events and faults that occur in the environment.

You can choose to download the logs at any time or stream them to an external log analyzer, such as Splunk, if you want to use additional tools to quickly parse, view, and respond to important events without a delay.

Downloading System Logs

This section describes how to generate a troubleshooting report and infrastructure logs file for all the schemas, sites, tenants, and users that are managed by Multi-Site Orchestrator.

Step 1 Log in to your Multi-Site Orchestrator GUI.

Step 2 Open the **System Logs** screen.

Multi-Site Orchestrator


Tech Support

System Logs 3

External Streaming	Available Logs
Off	Database Backup
	Server Logs
Select Logs	Count of Servers
All Logs	0

- a) In the main menu, select **Operations > Tech Support**.
- b) In the top right corner of the **System Logs** frame, click the edit button.

Step 3 Download the logs.



- a) Select which logs you want to download.
- b) Click the **Download** button.

An archive of the selected items will be downloaded to your system. The report contains the following information:

- All schemas in JSON format
- All sites definitions in JSON format
- All tenants definitions in JSON format
- All users definitions in JSON format
- All logs of the containers in the `infra_logs.txt` file

Streaming System Logs to External Analyzer

Multi-Site Orchestrator allows you to send the Orchestrator logs to an external log analyzer tool in real time. By streaming any events as they are generated, you can use the additional tools to quickly parse, view, and respond to important events without a delay.

This section describes how to enable Multi-Site Orchestrator to stream its logs to an external analyzer tool, such as Splunk or syslog.


Before you begin

- This release supports only Splunk and `syslog` as external log analyzer.
- This release supports `syslog` only for Multi-Site Orchestrator in Application Services Engine deployments.
- This release supports up to 5 external servers.
- If using Splunk, set up and configure the log analyzer service provider.
For detailed instructions on how to configure an external log analyzer, consult its documentation.
- If using Splunk, obtain an authentication token for the service provider.

Obtaining an authentication token for Splunk service is detailed in the Splunk documentation, but in short, you can get the authentication token by logging into the Splunk server, selecting **Settings > Data Inputs > HTTP Event Collector**, and clicking **New Token**.


Step 1 Log in to your Multi-Site Orchestrator GUI.

Step 2 Open the **System Logs** screen.



- In the main menu, select **Operations > Tech Support**.
- In the top right corner of the **System Logs** frame, click the edit button.

Step 3 In the **System Logs** window, enable external streaming and add a server.



- Enable the **External Streaming** knob.
- Choose whether you want to stream **All Logs** or just the **Audit Logs**.
- Click **Add Server** to add an external log analyzer server.

Step 4 Add a Splunk server.

If you do not plan to use Splunk service, skip this step.

Select Service

splunk

Protocol

HTTP HTTPS

* Host

10.30.11.69

* Port

8088

* Token

2824ec94-fbce-4111-954f-e8df0c9cfcb5

- Choose `splunk` for the server type.
- Choose the protocol.
- Provide the server name or IP address, port, and the authentication token you obtained from the Splunk service.

Obtaining an authentication token for Splunk service is detailed in the Splunk documentation, but in short, you can get the authentication token by logging into the Splunk server, selecting **Settings > Data Inputs > HTTP Event Collector**, and clicking **New Token**.

- Click the checkmark icon to finish adding the server.

Step 5

Add a `syslog` server.

If you do not plan to use `syslog`, skip this step.

Select Service

syslog

Protocol

TCP UDP

* Host

10.195.223.220

* Port

514

Severity

Warning

- Choose `syslog` for the server type.

- b) Choose the protocol.
- c) Provide the server name or IP address, port number, and the severity level of the log messages to stream.
- d) Click the checkmark icon to finish adding the server.

Step 6 Repeat the steps if you want to add multiple servers.

This release supports up to 5 external servers.

Step 7 Click **Save** to save the changes.

System Logs ×

Download Logs

Database Backup Server Logs Download

External Streaming

Select Logs

All Logs Audit Logs

* Logging Servers ⓘ

Server Type	Protocol	Host	Port	
splunk	http	10.30.11.69	8088	✖
syslog	tcp	10.195.223.220	514	✖

+ Add Server

SAVE

