

Configuring Cisco HyperFlex as a Citrix Workspace Appliance

- Prerequisites, on page 1
- Creating a Secure Client in Citrix Cloud, on page 2
- Specifying Customer and Client Identifier Information, on page 3
- Configuring Resource Location and Cloud Connector VM, on page 6
- Verifying the Cloud Connector VM, on page 7

Prerequisites

The following prerequisites are required for Cisco HyperFlex to operate as a Citrix Workspace Appliance in a Citrix Cloud environment:

- Install and configure Cisco HyperFlex HX-Series nodes in a cluster with Microsoft Hyper-V Server 2016 running 3.5(2a) or later, see the Cisco HyperFlex Systems Installation Guide for Microsoft Hyper-V.
- Ensure that the Microsoft System Center Virtual Machine Manager (VMM) Console is installed on your server. See Microsoft System Center Virtual Machine Manager virtualization environments for background details.
- Create and deploy a virtual machine (VM) as the base VM used for the connector VM. Once deployed, use the Microsoft System Preparation (Sysprep) tool to prepare the base VM. Ensure that the base VM is in a power-off state.



Note We recommend that you configure the Sysprep tool to boot Windows to Out-of-Box Experience (OOBE). OOBE utilizes an OOBE.xml file that includes a set of specific default values. See OOBE.xml for details.

- Create a datastore on the HX Data Platform (see the Cisco HyperFlex Data Platform Administration Guide), and then deploy the base VM on that datastore.
- Confirm that you have a:
 - Citrix Cloud account. For detailed instructions, see Sign up for Citrix Cloud.

- Citrix Virtual Apps and Desktops Service subscription or trial on Citrix Cloud. For detailed instructions, see Citrix Cloud services subscriptions in the Citrix product documentation.
- Set up a resource location containing the resources that are required to deliver applications and desktops to subscribers. For detailed instructions, see Set up resource locations in the Citrix product documentation.



Note

For an overview on system requirements for Citrix Virtual Apps and Desktop Service, see System Requirements in the Citrix product documentation.

Creating a Secure Client in Citrix Cloud

The following procedure outlines how to create a secure client secret key from Citrix Cloud using API access:

Step 1 Enter your Citrix credentials (Citrix.com, My Citrix, or Citrix Cloud) to securely log in to your Citrix Cloud account. Be sure to sign in with the email address and password you provided when you signed up.

If your company allows you to sign-in to Citrix Cloud using their company credentials instead of a Citrix account, click **Sign in with my company credentials** and enter your company's sign in URL for your account.

Step 2 After signing in to the Citrix Cloud GUI, verify that there is an active Citrix Virtual Apps and Desktops Service subscription or trial on Citrix Cloud.

≡	Citrix Cloud						• •	
		Library Offerings R View Library [tott or Add New	Domains Add New	G 4 Notifications View All	Open Tickets View All		
	My Services (1)	8						
	Smart Tools prome Onsistad efforms to premise and in the coult	Virtual Apps and Deskt Delver situal apps and desition device.	tops s on any					
	Manage	Manage						
	Available Services (12)							
	Access Centrol Secure completer Sard and internet	Analytics Secury performance and cause	Application Application Gatowy	Delivery Management Delivery Management for secontment and divid	Content Co Secure data acce	allaboration to on any device.	Endpoint Management Endble subscriben to use corporate or 340 decides	

Figure 1: Citrix Cloud

- Step 3 Select Identity and Access Management from the menu in the Citrix Cloud GUI.
- Step 4 On the Identity and Access Management page, click API Access. The API Access page appears.
- **Step 5** Enter your secure client secret in the Name Your Secure Client text box, and then click **Create Client**.

Figure 2: Identity and Access Management Page > API Access

≡│	Citrix Cloud		ē	*	۰	8		~
4	Identity and Access Manager	nent						
	Authentication Administrators API Access	Domains						
	To use this secure client in a silent con	Secure Clients are used to interact with nector install or to access any of our APIs, us Test_Client	Citrix Cloud APIs. e the customer ID Create Client	#757w	as the	customer	parameter.	
	Name↓	Id	Creation Date				Actions	
	test804	24922x50-0671-4281 5712-4899xx48795x8	6:42:25 PM Nov	8. 2018			۵	

Step 6 Download the secure client CSV file containing the client ID and secret from the API Access page. It is named secureclient.csv.

≡	Citrix Cloud	¢ اج ج	0		
¢	Identity and Access	×	D	•	
	To use this secure clien	ID and Secret have been created successfully	e customer	parameter.	
	Name↓	Id: Carrow Could Impact your Integration with Cliffic Could.		Actions	
	test804	Close Download		ß	
	Test_Client			ŵ	

Figure 3: Secure Client CSV File Creation Confirmation Screen

Specifying Customer and Client Identifier Information

The following procedure outlines how to locate a customer ID and client ID from Citrix Cloud and enter this information (including the client secret) on the HyperFlex Connect GUI:

Step 1

In the Citrix Cloud GUI, on the API Access page of Identity and Access Management, copy the customer ID. *Figure 4: Copying the Customer ID from the API Access Page (Citrix Cloud)*

III	Citrix Cloud		P 🖣	4 0		
4	Identity and Access Manager	nent				
	Authentication Administrators API Access	Domains				
	To use this secure client in a silent con	Secure Clients are used to interact with nector install or to access any of our APIs, us Name your Secure Client	Citrix Cloud APIs. e the customer ID Create Client	as the customer	parameter.	
	Name↓	Id	Creation Date		Actions	
	test804	24932x50-3671-433f 57sz-409exe6796df	6:42:25 PM Nov 8, 2018		8	

Step 2 2. In the Cisco HyperFlex Connect GUI, paste the customer ID in the Customer ID text box of the Citrix Workspace Appliance page.

Figure 5: Pasting the Customer ID on the Citrix Workspace Appliance Page (HyperFlex Connect)

-	typerflex Connect	huconnect-hv	(ji) 2	٥	• *
0	Deshboard	Citrix Workspace Appliance			
MONT	ron	© White Glove Installation and Support Required			
Ŷ	Events				
	28 Performance System information	1. The VM should be hyperplied. 2. The VMs should be available in hyperflies duster. 3. The fugure VM should be posivered at mane 4. Resource Location should be configured. 3. Ver venticed the pre-requisites.			
3	Datastores	Citrix Cloud Connection			
Ŧ	Upgrøde	Convis Secure Client file Choosen File No file choosen Customer ID Client D Client Secret Convince Convince			
		Configure Resource Location & Connector VM Resource Location Science A Resource Location *			
		VM Bere Templong Select a Base VM * Ease VM Admin User-Manie			
About	() ()		Ouster Time : 12/2	v2018 1:39	D4 PM UTC

Step 3 Click Choose File and navigate to the secure client CSV file containing the client ID and secret created in the Citrix Cloud GUI (see Creating a Secure Client in Citrix Cloud, on page 2).

Figure 6: Navigating to the Secure Client CSV File

Detrocked. role Revis Advig: vit Advig: vit role System information Obstance: Obstance: </th <th>= total Hyperflex Connect</th> <th></th> <th>huconnect-hv</th> <th>₩² © © A</th>	= total Hyperflex Connect		huconnect-hv	₩² © © A
VM. Boan Templana Bese VM. * Base VM. Admin. Username		Clitrix Workspace Appliance We fixed lower installation and Support Required We fixed bisses installation and Support Required We fixed bisses and the support of the other to some the support of th	Image: Second	₩ ² Ο Ο Δ
			•	

The Client ID and Client Secret fields are automatically populated with the client ID and secret from the secure client CSV file.



= the Hyperflex Connect		hxconnect-hv	@2 O O A
Deshboard	Citrix Workspace Appliance		ĺ
MONITOR	White Glove Installation and Support Requ	d	
🖞 Events			
Activity			
ANALYZE			
La Performance			
MANAGE FR	8 Tve verified the pre-requisites		
all System Information			
Cotastores	Citrix Cloud Connection		
T Upgrade	Citrix Secure Client file	File securecient.csv	
	Customer ID	ITshus	
	CienciD	the cost data at-	
	Client Secret	00-000	
	Co	et -	
		a Resource Location *	
		a Base VM *	
About			Ouster Time : 12/20/2018 1:49:48 PM UTC



Configuring Resource Location and Cloud Connector VM

The following procedure outlines how to specify information such as the resource location, VM base template, and Cloud Connector VM name in the HyperFlex Connect GUI:

- **Step 1** On the Citrix Workspace Appliance page, under Configure Resource Location & Connector VM, specify the following information:
 - **Resource Location**—Previously created resource location for the Cloud Connector see Prerequisites, on page 1 for more details. Existing resource locations that are created in Citrix Cloud appear in the drop-down list.
 - VM Base Template—The VM base image available on the Cisco HyperFlex cluster. This selection is the previously created Sysprep VM.
 - Base VM Admin Username—Administrative account username for logging into the base VM.
 - Base VM Admin Password—Administrative account password for logging into the base VM.
 - Connector VM Name-Name for the Citrix Connector VM to be created.
 - **High Availability (HA)**—(Optional) By default, the High Availability check box is enabled and two connector nodes are automatically created. Uncheck the High Availability check box if you want to disable high availability for the connector nodes.

Figure 8: Configure Resource Location & Connector VM of Citrix Workspace Appliance Page

=	dude HyperFlex Connect	hxconnect-hv	Q 🖬 2 🔺 14	۲	۲	æ
0	4. Resource Location si 2. Eve verified the pre-requisites					
宜						
ß		Choose File securectient.cav				
		100-04/0775/1000				
14		dimension and state on				
FUE		14PC716(75(phq/10+60)				
E						1
8	Configure Resource Location 8	Connector VM				
Ŧ	Resource Location	My Resource Location \$				
	VM Base Template	Master (Operating normally)				
	Base VM Admin Username	Administrator				
	Base VM Admin Password					
	Connector VM Name	Test-Connector1				
	High Availability	9				
		Connect				
Abou			Cluster Time : 11/13	/2018 12:0	05:59 PM	PST

Step 2 Click **Connect**. This action initiates the automatic installation sequence that comprises of the following workflow until the installation process successfully completes. The installation process can take approximately 2 to 3 minutes to complete.

The steps in the installation process include:

- Export Base VM
- Import Base VM
- Attach vSwitch to Citrix Cloud Connector VM.
- Add Citrix Cloud Connector VM to Domain (Domain Join).
- Install Citrix Connector at the on-premises side (resource location).
- Step 3
 Click Activity to access the Activity page. You can view the installation sequence from the Activity page.

 Figure 9: Activity Page—Cloud Connector Installation Sequence

= -dada Hyperflex Connect	hxc	connect-hv û 🗈 2 🛦 14 💿 💿					
O Dashboard	Filter Filter listed tasks	5					
Alarms	Activity $\odot Monitor$ progress of recent tasks on the HX storage cluster.	ча: Цах некезкер ис 11/13/2016 12:06.07.0М. О					
Activity ANALIZE	Collapse All Collapse All Collapse Annual Citrix Workspace Appliance						
A Performance	Status: Success 11/13/2018 12:08 07 PM	Coporting Base VM importing Ruse VM					
System Information Detestores Upgrade		Actualing Valetinits Connector VAt Adding Connector VAt Adding Connector VAt to Domain					
		 Installing Crist Could Connector; 					
	A Exit Maintenance Mode Status: Success 11/13/2018 11:47:02 AM	urst807 cloudilacal Validase Ext Meintenance Mode: Validase Ext Meintenance Mode Next mode: Rest no node Rest no node: Rest no node Next mode: Next mode: Rest no node Next mode: Rest no node: Rest no node: Rest Next Next Next Next Next Next Next Nex					
	C ^ Enter Maintenance Mode						
About		Cluster Time : 11/14/2016 528:37 AM P					

Verifying the Cloud Connector VM

The following procedure outlines how to connect to the new Citrix Cloud Connector VM using Hyper-V Manager and confirm that it has been properly installed. This procedure uses the Microsoft Remote Desktop Protocol (RDP) to establish a connection to the Hyper-V instance and launch Hyper-V Manager to perform the verification.

- **Step 1** Log in to the Hyper-V instance using a Remote Desktop connection.
- Step 2 Launch the Hyper-V Manager from the Microsoft Windows Server.
- **Step 3** Verify that the installed Citrix Cloud Connector VM appears in the list of Virtual Machines in the HX cluster along with the original base VM.

Hyper-V Manag	er		the set		ucs804.er	ngistorviso	r.com	- 0	^		×
File Action Vie	w Help										
🗢 🌩 🛛 📶	2 🗊										
Hyper-V Man	Virtual Machines								Actio	ms	
0CS804	Allow A	Ch.11. CO			the first	0.1		- C	UCS	804	^
	Name	State CP	U Usage	Assigned Memory	Optime	Status		ontigurati.		New	•
	Test-1	Hunning U X	•	4096 MB	2.07:46:32		8.0		B	Import Virtu	
	Master	Off					8.0	, ,	1	Hyper-V Set	
	Test-Connector	I-1 Running 01	6	4096 MB	19:02:46		8.0)	80	Virtual Swite	
	SCIVM	Running 01		79872 MB	5.18:56:00		8.0			Virtual Switc	
	<							>	-	Virtual SAIN	- 1
	Charkmaints								-	Edit Disk	
	Checkpoints								-	Inspect Disk	
			The selec	ted virtual machine has	no checkpoints.					Stop Service	
									X	Remove Ser	
									0	Refresh	
										View	•
									2	Helo	-
										. icip	_
	Test-Connector1	4							Test	Connector1	•
	Test connector r								1	Connect	
		Created:	11/13/2018	12:06:05 PM	d	ustered:	No		E2 :	Settings	
		Configuration Version:	8.0		н	eartbeat:	OK (Applications Health;	0		Turn Off	
	12.10	Generation:	1						lo I	Shut Down	
		Notes:	None								
										oave	_
										Pause	
	Summary Memory	Networking Replication	n							Reset	_
< >									B	Checkpoint	~

Figure 10: Hyper-V Manager with Installed Citrix Cloud Connector VM

Step 4 If desired, you can verify the options of the newly created Citrix Cloud Connector VM.



Figure 11: Verifying Citrix Cloud Connector VM Settings in Hyper-V Manager—Example 1