

## **IPv6 Anycast Address**

An IPv6 anycast address is an address that is assigned to a set of interfaces that typically belong to different nodes. Anycast addresses are syntactically indistinguishable from unicast addresses, because anycast addresses are allocated from the unicast address space.

- Finding Feature Information, on page 1
- Information About IPv6 Anycast Address, on page 1
- How to Configure IPv6 Anycast Address, on page 2
- Configuration Examples for IPv6 Anycast Address, on page 3
- Additional References for IPv6 Source Guard and Prefix Guard, on page 3
- Feature Information for IPv6 Anycast Address, on page 4

### **Finding Feature Information**

Your software release may not support all the features documented in this module. For the latest caveats and feature information, see Bug Search Tool and the release notes for your platform and software release. To find information about the features documented in this module, and to see a list of the releases in which each feature is supported, see the feature information table.

Use Cisco Feature Navigator to find information about platform support and Cisco software image support. To access Cisco Feature Navigator, go to <a href="https://www.cisco.com/go/cfn">www.cisco.com/go/cfn</a>. An account on Cisco.com is not required.

### **Information About IPv6 Anycast Address**

#### **IPv6 Address Type: Anycast**

An anycast address is an address that is assigned to a set of interfaces that typically belong to different nodes. A packet sent to an anycast address is delivered to the closest interface (as defined by the routing protocols in use) identified by the anycast address. Anycast addresses are syntactically indistinguishable from unicast addresses, because anycast addresses are allocated from the unicast address space. Assigning a unicast address to more than one interface makes a unicast address an anycast address. Nodes to which the anycast address is assigned must be explicitly configured to recognize that the address is an anycast address.




Note

Anycast addresses can be used only by a , not a host, and anycast addresses must not be used as the source address of an IPv6 packet.

The figure below shows the format of the subnet anycast address; the address has a prefix concatenated by a series of zeros (the interface ID). The subnet anycast address can be used to reach a device on the link that is identified by the prefix in the subnet anycast address.

Figure 1: Subnet Anycast Address Format



## **How to Configure IPv6 Anycast Address**

#### **Configuring IPv6 Anycast Addressing**

#### **SUMMARY STEPS**

- 1. enable
- 2. configure terminal
- 3. interface type number
- 4. ipv6 address ipv6-prefix/prefix-length anycast

#### **DETAILED STEPS**

	Command or Action	Purpose	
Step 1	enable	Enables privileged EXEC mode.	
	Example:	• Enter your password if prompted.	
	Device> enable		
Step 2	configure terminal	Enters global configuration mode.	
	Example:		
	Device# configure terminal		
Step 3	interface type number	Specifies an interface type and number, and places the device in interface configuration mode.	
	Example:		
	Device(config)# interface tunnel0		
Step 4	ipv6 address ipv6-prefix/prefix-length anycast	Specifying the ipv6 address anycast command adds an	
	Example:	IPv6 anycast address.	

Command or Action	Purpose
Device(config-if)# ipv6 address 2002:db8:c058::/128 anycast	

## **Configuration Examples for IPv6 Anycast Address**

#### **Example: Configuring IPv6 Anycast Addressing**

### **Additional References for IPv6 Source Guard and Prefix Guard**

#### **Related Documents**

Related Topic	Document Title
IPv6 addressing and connectivity	IPv6 Configuration Guide
IPv4 addressing	IP Addressing: IPv4 Addressing Configuration Guide
Cisco IOS commands	Cisco IOS Master Command List, All Releases
IPv6 commands	Cisco IOS IPv6 Command Reference
Cisco IOS IPv6 features	Cisco IOS IPv6 Feature Mapping

#### **Standards and RFCs**

Standard/RFC	Title
RFCs for IPv6	IPv6 RFCs

#### **Technical Assistance**

Description	Link
The Cisco Support and Documentation website provides online resources to download documentation, software, and tools. Use these resources to install and configure the software and to troubleshoot and resolve technical issues with Cisco products and technologies. Access to most tools on the Cisco Support and Documentation website requires a Cisco.com user ID and password.	

# **Feature Information for IPv6 Anycast Address**

The following table provides release information about the feature or features described in this module. This table lists only the software release that introduced support for a given feature in a given software release train. Unless noted otherwise, subsequent releases of that software release train also support that feature.

Use Cisco Feature Navigator to find information about platform support and Cisco software image support. To access Cisco Feature Navigator, go to www.cisco.com/go/cfn. An account on Cisco.com is not required.

Table 1: Feature Information for IPv6 Anycast Address

Feature Name	Releases	Feature Information
IPv6: Anycast Address	12.2(25)SEA	An anycast address is an address
	12.2(25)SG	that is assigned to a set of interfaces that typically belong to different nodes. Anycast addresses are syntactically indistinguishable from unicast addresses, because anycast addresses are allocated from the unicast address space.  The following commands were introduced or modified: ipv6
	12.2(33)SRA	
	12.2(33)SXH	
	12.3(4)T	
	15.0(2)SG	
	Cisco IOS XE Release 2.1	
	3.2.0SG	address anycast, show ipv6
		interface.