



Cisco IOS Release 12.2SB Documentation Roadmap

About Cisco IOS Release 12.2SB

Cisco IOS Release 12.2SB is tailored for service provider networks and large-scale enterprise networks. Release 12.2SB is based on Cisco IOS Release 12.2(25)S, and it includes features from that release. Many of the features and the hardware that are supported in this software were included in previous software releases.

This roadmap serves as an index to various locations where you will find documentation supporting the 12.2SB features.

The Cisco IOS Release 12.2SB documentation set consists of the following information:

- Release notes
- Feature guides
- Configuration guides
- Command references
- Design guides
- Platform guides

The following sections provide links to the various information.

You can use Cisco Feature Navigator to access a complete list of features in Cisco IOS Release 12.2SB or a complete list of features by platform. For more information on Cisco Feature Navigator, see the [Cross-Platform Release Notes for Cisco IOS Release 12.2SB](#). You can access the Cisco Feature Navigator home page at the following URL:

<http://www.cisco.com/go/fn>

Release Notes

The [Cross-Platform Release Notes for Cisco IOS Release 12.2SB](#) describe how to access information about feature sets and about new and changed hardware and software features.



Corporate Headquarters:
Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

Copyright © 2006 Cisco Systems, Inc. All rights reserved.

Feature Guides

The feature guides in the following indexes provide information about features that are newly introduced or updated in Cisco IOS Release 12.2SB:

- [Cisco IOS Software Release 12.2 SB Feature Guides](#)

Cisco IOS Release 12.2(28)SB also includes features in Cisco IOS Release 12.2S. You can find these feature guides in the following index:

- [Cisco IOS Software Release 12.2S Feature Guides](#)

Configuration Guides and Command References

See “[Configuration Guides and Command References Listing](#)” section on page 3 for a list of Cisco IOS configuration guides and command references.

Design Guides

The following design guide describes how to deploy a service provider broadband-based network using Cisco 7200, 7300, or 10000 routers as an Intelligent Service Selection Gateway (ISG) and ATM as the aggregation technology.

- [Cisco ISG Design and Deployment Guide: ATM Aggregation](#)

Platform Guides

The following platform guides contain platform-specific information for Cisco IOS Release 12.2SB:

Cisco 10000 series router information:

- [Cisco 10000 Series Router Broadband Aggregation, Leased-Line, and MPLS Configuration Guide](#)
- [Cisco 10000 Series Router Line Card Configuration Guide](#)
- [Cisco 10000 Series Router Line Card Hardware Installation Guide](#)
- [Cisco 10000 Series Router Quality of Service Configuration Guide](#)
- [Upgrading to Cisco IOS Release 12.2\(28\)SB on a Cisco 10000 Series Router](#)

The following roadmaps list the platform-specific documentation for the indicated platform.

- [Cisco 7200 Series Routers Documentation Roadmap](#)
- [Cisco 7301 Internet Router Documentation Roadmap](#)
- [Cisco 7304 Internet Router Documentation Roadmap](#)
- [Cisco 10000 Series Router Documentation Roadmap](#)

Related Information

The following resources provide useful information for Cisco IOS software releases:

- [Tools and Resources](#)

Configuration Guides and Command References Listing

The following configuration and command references were introduced in Cisco IOS Release 12.2(SB):

- [Cisco IOS ISG Configuration Library](#)
- [Cisco IOS ISG Command Reference, Release 12.2\(28\)SB](#)
- [Cisco IOS IP SLAs Command Reference, Release 12.2\(28\)SB](#)

The following Cisco IOS Release 12.2 configuration guides and command references provide additional feature information for this release.



Note

Note all features in Cisco IOS Release 12.2 are supported in this release. Refer to Cisco Feature Navigator for a list of features supported in Cisco IOS Release 12.2(28)SB.

- [Cisco IOS Bridging and IBM Networking Configuration Guide, Release 12.2](#)
- [Cisco IOS Bridging and IBM Networking Command Reference, Volume 1 of 2, Release 12.2](#)
- [Cisco IOS Bridging and IBM Networking Command Reference, Volume 2 of 2, Release 12.2](#)
- [Cisco IOS Dial Technologies Configuration Guide, Release 12.2](#)
- [Cisco IOS Dial Technologies Command Reference, Release 12.2](#)
- [Cisco IOS Configuration Fundamentals Configuration Guide, Release 12.2](#)
- [Cisco IOS Configuration Fundamentals Command Reference, Release 12.2](#)
- [Cisco IOS Interface Configuration Guide, Release 12.2](#)
- [Cisco IOS Interface Command Reference, Release 12.2](#)
- [Cisco IOS IP Configuration Guide, Release 12.2](#)

IP mobility features described in this guide are not available in Cisco IOS Release 12.2[28]SB.

- [Cisco IOS IP Command Reference, Volume 1 of 3: Addressing and Services, Release 12.2](#)
- [Cisco IOS IP Command Reference, Volume 2 of 3: Routing Protocols, Release 12.2](#)
- [Cisco IOS IP Command Reference, Volume 3 of 3: Multicast, Release 12.2](#)
- [Cisco IOS AppleTalk and Novell IPX Configuration Guide, Release 12.2](#)
- [Cisco IOS AppleTalk and Novell IPX Command Reference, Release 12.2](#)
- [Cisco IOS Apollo Domain, Banyan VINES, DECnet, ISO CLNS, and XNS Configuration Guide, Release 12.2](#)
- [Cisco IOS Apollo Domain, Banyan VINES, DECnet, ISO CLNS, and XNS Command Reference, Release 12.2](#)
- [Cisco IOS Quality of Service Solutions Configuration Guide, Release 12.2](#)
- [Cisco IOS Quality of Service Solutions Command Reference, Release 12.2](#)
- [Cisco IOS Security Configuration Guide, Release 12.2](#)

IP Security (IPSec) and Encryption features described in this guide are not available in Cisco IOS Release 12.2(28)SB.

- [Cisco IOS Security Command Reference, Release 12.2](#)
- [Cisco IOS Switching Services Configuration Guide, Release 12.2](#)
- [Cisco IOS Switching Services Command Reference, Release 12.2](#)

- [Cisco IOS Terminal Services Configuration Guide, Release 12.2](#)
- [Cisco IOS Terminal Services Command Reference, Release 12.2](#)
- [Cisco IOS Wide-Area Networking Configuration Guide, Release 12.2](#)
- [Cisco IOS Wide-Area Networking Command Reference, Release 12.2](#)

CCVP, the Cisco logo, and Welcome to the Human Network are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Access Registrar, Aironet, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, LightStream, Linksys, MeetingPlace, MGX, Networkers, Networking Academy, Network Registrar, PIX, ProConnect, ScriptShare, SMARTnet, StackWise, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0711R)

© 2006 Cisco Systems, Inc. All rights reserved.